



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2026/4/2

Temperature: 24.1 °C

-10.0 dBm

Time: 下午 02:15:53

Humidity: 59.3 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22603-25061

M/N:

Test Mode : BAND26-QPSK-10M-1RB-CH26740

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1625.251	-46.38	peak	1.12	-45.26	-20.00	150	150	-25.26	
*	2460.922	-47.43	peak	4.14	-43.29	-20.00	150	255	-23.29	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2026/4/2

Temperature: 24.1 °C

-10.0 dBm

Time: 下午 02:23:44

Humidity: 59.3 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22603-25061

M/N:

Test Mode : BAND26-QPSK-10M-1RB-CH26740

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1625.251	-48.64	peak	2.60	-46.04	-20.00	150	255	-26.04	
	1811.623	-55.75	peak	3.62	-52.13	-20.00	150	75	-32.13	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2026/4/2

Temperature:24.1 °C

Time: 下午 02:16:41

Humidity:59.3 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22603-25061

M/N:

Test Mode : BAND26-QPSK-10M-1RB-CH26740

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5

Date: 2026/4/2

Temperature: 24.1 °C

Time: 下午 02:24:33

Humidity: 59.3 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22603-25061

M/N:

Test Mode : BAND26-QPSK-10M-1RB-CH26740

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2026/4/2

Temperature: 24.1 °C

Time: 下午 02:17:39

Humidity: 59.3 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22603-25061

M/N:

Test Mode : BAND26-QPSK-10M-1RB-CH26740

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2026/4/2

Temperature: 24.1 °C

Time: 下午 02:25:21

Humidity: 59.3 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22603-25061

M/N:

Test Mode : BAND26-QPSK-10M-1RB-CH26740

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin




Fax: +886-2-2646-1533

Operator: Gino

Temperature:26.0 °C

Humidity:41.9 %



Distance: 3m

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	50.3700	36.16	QP	-12.61	23.55	40.00	101	174	-16.45	
	93.0500	41.64	QP	-17.91	23.73	43.50	100	5	-19.77	
	125.0600	38.20	QP	-14.30	23.90	43.50	100	208	-19.60	
	145.4300	36.91	QP	-12.60	24.31	43.50	100	310	-19.19	
*	299.6600	47.99	QP	-11.80	36.19	46.00	100	15	-9.81	
	350.1000	39.04	QP	-10.73	28.31	46.00	100	223	-17.69	

***:Maximum data x:Over limit !:over margin**



Radiated Emission Measurement

Operator: Gino

File :1

Data :#2


Date: 2026/5/5

Temperature: 26.0 °C

80.0 dBuV/m

Time: 下午 09:26:55

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	44.5500	48.71	QP	-13.23	35.48	40.00	100	17	-4.52	
	50.3700	47.76	QP	-12.61	35.15	40.00	100	222	-4.85	
	62.9800	45.47	QP	-13.48	31.99	40.00	100	208	-8.01	
	94.0200	55.23	QP	-17.82	37.41	43.50	100	300	-6.09	
	250.1900	43.18	QP	-13.46	29.72	46.00	100	1	-16.28	
	350.1000	37.68	QP	-10.73	26.95	46.00	103	123	-19.05	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:28:39

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2295.000	35.21	peak	-3.74	31.47	74.00	100	73	-42.53	
	2295.000	27.15	AVG	-3.74	23.41	54.00	100	73	-30.59	
	2519.000	44.06	peak	-3.89	40.17	74.00	100	158	-33.83	
	2519.000	36.02	AVG	-3.89	32.13	54.00	100	158	-21.87	
	7265.000	35.34	peak	11.80	47.14	74.00	100	0	-26.86	
*	7265.000	27.28	AVG	11.80	39.08	54.00	100	0	-14.92	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:31:10

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2288.000	34.83	peak	-3.75	31.08	74.00	100	157	-42.92	
	2288.000	26.78	AVG	-3.75	23.03	54.00	100	157	-30.97	
	2617.000	38.06	peak	-3.09	34.97	74.00	100	168	-39.03	
	2617.000	30.01	AVG	-3.09	26.92	54.00	100	168	-27.08	
	7783.000	34.55	peak	12.25	46.80	74.00	100	241	-27.20	
*	7783.000	26.47	AVG	12.25	38.72	54.00	100	241	-15.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:29:26

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Horizontal

EUT : W6M22603-25061

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2026/5/5

Temperature: 26.0 °C

Time: 上午 07:31:52

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:30:17

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:32:42

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:30:27

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:32:52

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

Time: 下午 09:27:42

Humidity: 41.9 %

80.0 dBuV/m



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	51.3400	37.35	QP	-12.62	24.73	40.00	100	245	-15.27	
	93.0500	42.94	QP	-17.91	25.03	43.50	100	1	-18.47	
	125.0600	38.78	QP	-14.30	24.48	43.50	100	274	-19.02	
	250.1900	37.44	QP	-13.46	23.98	46.00	100	225	-22.02	
*	299.6600	47.40	QP	-11.80	35.60	46.00	102	156	-10.40	
	350.1000	38.25	QP	-10.73	27.52	46.00	101	329	-18.48	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Gino

File :1


Data :#2

Date: 2026/5/5

Temperature: 26.0 °C

Time: 下午 09:28:25

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	44.5500	47.49	QP	-13.23	34.26	40.00	100	111	-5.74	
*	51.3400	48.08	QP	-12.62	35.46	40.00	100	287	-4.54	
	62.0100	44.74	QP	-13.25	31.49	40.00	100	314	-8.51	
	94.0200	54.42	QP	-17.82	36.60	43.50	101	20	-6.90	
	106.6300	47.33	QP	-16.44	30.89	43.50	103	15	-12.61	
	250.1900	43.53	QP	-13.46	30.07	46.00	102	299	-15.93	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:37:56

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2232.000	35.30	peak	-3.84	31.46	74.00	100	199	-42.54	
	2232.000	27.26	AVG	-3.84	23.42	54.00	100	199	-30.58	
	3548.000	35.26	peak	-0.30	34.96	74.00	100	287	-39.04	
	3548.000	27.19	AVG	-0.30	26.89	54.00	100	287	-27.11	
	7258.000	35.15	peak	11.79	46.94	74.00	100	88	-27.06	
*	7258.000	27.08	AVG	11.79	38.87	54.00	100	88	-15.13	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:40:28

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2246.000	34.82	peak	-3.82	31.00	74.00	100	165	-43.00	
	2246.000	26.79	AVG	-3.82	22.97	54.00	100	165	-31.03	
	3576.000	34.70	peak	-0.07	34.63	74.00	100	58	-39.37	
	3576.000	26.65	AVG	-0.07	26.58	54.00	100	58	-27.42	
	7776.000	34.93	peak	12.25	47.18	74.00	100	142	-26.82	
*	7776.000	26.87	AVG	12.25	39.12	54.00	100	142	-14.88	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:38:44

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:41:09

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:39:34

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:41:59

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:39:44

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3


Data : #8

Date: 2026/5/5

Temperature: 26.0 °C

Time: 上午 07:42:09

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Gino

File :1

Data :#1


Date: 2026/5/5

Temperature:26.0 °C

80.0 dBuV/m

Time: 下午 09:29:11

Humidity:41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	50.3700	36.41	QP	-12.61	23.80	40.00	103	289	-16.20	
	94.0200	43.09	QP	-17.82	25.27	43.50	100	245	-18.23	
	125.0600	38.52	QP	-14.30	24.22	43.50	100	174	-19.28	
	149.3100	36.46	QP	-12.43	24.03	43.50	100	254	-19.47	
*	299.6600	47.31	QP	-11.80	35.51	46.00	100	53	-10.49	
	337.4900	39.13	QP	-11.03	28.10	46.00	100	300	-17.90	



Radiated Emission Measurement

Operator: Gino

File :1


Data :#2

Date: 2026/5/5

Temperature: 26.0 °C

Time: 下午 09:29:55

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	44.5500	46.29	QP	-13.23	33.06	40.00	100	203	-6.94	
*	51.3400	48.21	QP	-12.62	35.59	40.00	100	145	-4.41	
	62.0100	45.44	QP	-13.25	32.19	40.00	100	277	-7.81	
	93.0500	54.26	QP	-17.91	36.35	43.50	103	10	-7.15	
	250.1900	43.42	QP	-13.46	29.96	46.00	100	39	-16.04	
	299.6600	38.06	QP	-11.80	26.26	46.00	100	265	-19.74	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:52:12

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2372.000	42.34	peak	-3.65	38.69	74.00	100	251	-35.31	
	2372.000	34.28	AVG	-3.65	30.63	54.00	100	251	-23.37	
	3548.000	35.15	peak	-0.30	34.85	74.00	100	219	-39.15	
	3548.000	27.11	AVG	-0.30	26.81	54.00	100	219	-27.19	
	7958.000	34.21	peak	12.66	46.87	74.00	100	0	-27.13	
*	7958.000	26.18	AVG	12.66	38.84	54.00	100	0	-15.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:53:40

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2274.000	34.80	peak	-3.77	31.03	74.00	100	359	-42.97	
	2274.000	26.75	AVG	-3.77	22.98	54.00	100	359	-31.02	
	3590.000	34.87	peak	0.04	34.91	74.00	100	336	-39.09	
	3590.000	26.82	AVG	0.04	26.86	54.00	100	336	-27.14	
	7993.000	34.68	peak	12.88	47.56	74.00	100	177	-26.44	
*	7993.000	26.53	AVG	12.88	39.41	54.00	100	177	-14.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:52:53

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22603-25061

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:54:21

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Gino

File : 1

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

80.0 dBuV/m

Time: 下午 09:30:42

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	50.3700	37.15	QP	-12.61	24.54	40.00	100	301	-15.46	
	91.1100	41.38	QP	-18.09	23.29	43.50	100	174	-20.21	
	125.0600	38.48	QP	-14.30	24.18	43.50	100	258	-19.32	
	137.6700	36.89	QP	-13.07	23.82	43.50	100	112	-19.68	
*	299.6600	47.30	QP	-11.80	35.50	46.00	100	159	-10.50	
	350.1000	38.78	QP	-10.73	28.05	46.00	102	301	-17.95	



Radiated Emission Measurement

Operator: Gino

File :1

Data :#2


Date: 2026/5/5

Temperature: 26.0 °C

Time: 下午 09:31:26

Humidity: 41.9 %

80.0 dBuV/m



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	45.5200	46.21	QP	-13.12	33.09	40.00	101	20	-6.91	
*	51.3400	47.78	QP	-12.62	35.16	40.00	100	321	-4.84	
	62.0100	44.73	QP	-13.25	31.48	40.00	100	163	-8.52	
	93.0500	54.50	QP	-17.91	36.59	43.50	101	251	-6.91	
	106.6300	48.02	QP	-16.44	31.58	43.50	100	200	-11.92	
	250.1900	42.73	QP	-13.46	29.27	46.00	100	117	-16.73	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:59:12

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2519.000	41.58	peak	-3.89	37.69	74.00	100	307	-36.31	
	2519.000	33.54	AVG	-3.89	29.65	54.00	100	307	-24.35	
	3569.000	34.72	peak	-0.13	34.59	74.00	100	0	-39.41	
	3569.000	26.58	AVG	-0.13	26.45	54.00	100	0	-27.55	
	7790.000	34.96	peak	12.26	47.22	74.00	100	324	-26.78	
*	7790.000	26.91	AVG	12.26	39.17	54.00	100	324	-14.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:00:40

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 12 Idle

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2267.000	34.84	peak	-3.78	31.06	74.00	100	197	-42.94	
	2267.000	26.75	AVG	-3.78	22.97	54.00	100	197	-31.03	
	3471.000	35.56	peak	-0.86	34.70	74.00	100	74	-39.30	
	3471.000	27.49	AVG	-0.86	26.63	54.00	100	74	-27.37	
	7972.000	34.22	peak	12.75	46.97	74.00	100	230	-27.03	
*	7972.000	26.18	AVG	12.75	38.93	54.00	100	230	-15.07	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:59:53

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22603-25061

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:01:21

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 12 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

80.0 dBuV/m

Time: 下午 09:32:12

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	51.3400	35.56	QP	-12.62	22.94	40.00	103	174	-17.06	
	94.0200	43.78	QP	-17.82	25.96	43.50	100	326	-17.54	
	125.0600	38.66	QP	-14.30	24.36	43.50	100	145	-19.14	
	250.1900	37.81	QP	-13.46	24.35	46.00	100	222	-21.65	
*	299.6600	47.60	QP	-11.80	35.80	46.00	100	9	-10.20	
	350.1000	38.68	QP	-10.73	27.95	46.00	100	328	-18.05	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1

Data :#2


Date: 2026/5/5

Temperature: 26.0 °C

Time: 下午 09:32:56

Humidity: 41.9 %

80.0 dBuV/m



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	44.5500	47.77	QP	-13.23	34.54	40.00	100	250	-5.46	
*	51.3400	48.01	QP	-12.62	35.39	40.00	100	112	-4.61	
	62.0100	45.78	QP	-13.25	32.53	40.00	100	321	-7.47	
	94.9900	53.03	QP	-17.73	35.30	43.50	100	2	-8.20	
	250.1900	42.84	QP	-13.46	29.38	46.00	100	255	-16.62	
	299.6600	38.99	QP	-11.80	27.19	46.00	100	198	-18.81	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:03:51

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2372.000	39.01	peak	-3.65	35.36	74.00	100	25	-38.64	
	2372.000	30.95	AVG	-3.65	27.30	54.00	100	25	-26.70	
	3576.000	34.56	peak	-0.07	34.49	74.00	100	234	-39.51	
	3576.000	26.51	AVG	-0.07	26.44	54.00	100	234	-27.56	
	7188.000	35.09	peak	11.52	46.61	74.00	100	223	-27.39	
*	7188.000	27.05	AVG	11.52	38.57	54.00	100	223	-15.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:05:18

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 13 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2232.000	38.28	peak	-3.84	34.44	74.00	100	0	-39.56	
	2232.000	30.25	AVG	-3.84	26.41	54.00	100	0	-27.59	
	3583.000	34.58	peak	-0.02	34.56	74.00	100	261	-39.44	
	3583.000	26.51	AVG	-0.02	26.49	54.00	100	261	-27.51	
	7958.000	33.97	peak	12.66	46.63	74.00	100	89	-27.37	
*	7958.000	25.93	AVG	12.66	38.59	54.00	100	89	-15.41	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2026/5/5

Temperature: 26.0 °C

Time: 上午 08:04:32

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 13 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:06:00

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 13 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

Time: 下午 09:33:42

Humidity: 41.9 %

80.0 dBuV/m



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	52.3100	36.25	QP	-12.64	23.61	40.00	100	269	-16.39	
	94.9900	41.46	QP	-17.73	23.73	43.50	100	55	-19.77	
	125.0600	37.54	QP	-14.30	23.24	43.50	100	17	-20.26	
	159.0100	35.72	QP	-11.99	23.73	43.50	100	286	-19.77	
*	299.6600	47.32	QP	-11.80	35.52	46.00	100	206	-10.48	
	350.1000	38.84	QP	-10.73	28.11	46.00	103	332	-17.89	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Gino

File :1

Data :#2


Date: 2026/5/5

Temperature: 26.0 °C

80.0 dBuV/m

Time: 下午 09:34:25

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	44.5500	47.03	QP	-13.23	33.80	40.00	101	200	-6.20	
*	50.3700	48.53	QP	-12.61	35.92	40.00	101	112	-4.08	
	62.0100	44.76	QP	-13.25	31.51	40.00	100	7	-8.49	
	94.0200	52.68	QP	-17.82	34.86	43.50	100	24	-8.64	
	250.1900	42.98	QP	-13.46	29.52	46.00	100	226	-16.48	
	350.1000	37.69	QP	-10.73	26.96	46.00	100	328	-19.04	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:11:04

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2274.000	35.28	peak	-3.77	31.51	74.00	100	357	-42.49	
	2274.000	27.24	AVG	-3.77	23.47	54.00	100	357	-30.53	
	3583.000	34.99	peak	-0.02	34.97	74.00	100	335	-39.03	
	3583.000	26.95	AVG	-0.02	26.93	54.00	100	335	-27.07	
	7944.000	34.47	peak	12.57	47.04	74.00	100	351	-26.96	
*	7944.000	26.43	AVG	12.57	39.00	54.00	100	351	-15.00	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:12:31

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2239.000	35.30	peak	-3.83	31.47	74.00	100	358	-42.53	
	2239.000	27.26	AVG	-3.83	23.43	54.00	100	358	-30.57	
	3576.000	34.75	peak	-0.07	34.68	74.00	100	246	-39.32	
	3576.000	26.72	AVG	-0.07	26.65	54.00	100	246	-27.35	
	7965.000	34.53	peak	12.70	47.23	74.00	100	50	-26.77	
*	7965.000	26.48	AVG	12.70	39.18	54.00	100	50	-14.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:11:45

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:13:13

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 1

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

80.0 dBuV/m

Time: 下午 09:35:12

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	50.3700	36.15	QP	-12.61	23.54	40.00	100	114	-16.46	
	93.0500	40.88	QP	-17.91	22.97	43.50	100	25	-20.53	
	138.6400	37.75	QP	-12.97	24.78	43.50	100	178	-18.72	
*	299.6600	46.98	QP	-11.80	35.18	46.00	100	301	-10.82	
	337.4900	38.35	QP	-11.03	27.32	46.00	100	5	-18.68	
	350.1000	38.41	QP	-10.73	27.68	46.00	102	99	-18.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1

Data :#2


Date: 2026/5/5

Temperature: 26.0 °C

80.0 dBuV/m

Time: 下午 09:35:56

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	45.5200	46.89	QP	-13.12	33.77	40.00	102	52	-6.23	
*	51.3400	47.66	QP	-12.62	35.04	40.00	101	178	-4.96	
	62.0100	44.73	QP	-13.25	31.48	40.00	101	224	-8.52	
	95.9600	52.67	QP	-17.64	35.03	43.50	100	20	-8.47	
	250.1900	43.08	QP	-13.46	29.62	46.00	100	121	-16.38	
	299.6600	38.53	QP	-11.80	26.73	46.00	100	39	-19.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:45:06

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2372.000	43.56	peak	-3.65	39.91	74.00	100	56	-34.09	
	2372.000	35.47	AVG	-3.65	31.82	54.00	100	56	-22.18	
	2568.000	50.34	peak	-3.46	46.88	74.00	100	121	-27.12	
	2568.000	42.25	AVG	-3.46	38.79	54.00	100	121	-15.21	
	7748.000	34.68	peak	12.22	46.90	74.00	100	337	-27.10	
*	7748.000	34.68	AVG	12.22	46.90	54.00	100	337	-7.10	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:47:40

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2274.000	34.59	peak	-3.77	30.82	74.00	100	258	-43.18	
	2274.000	26.51	AVG	-3.77	22.74	54.00	100	258	-31.26	
	3534.000	35.84	peak	-0.41	35.43	74.00	100	292	-38.57	
	3534.000	27.75	AVG	-0.41	27.34	54.00	100	292	-26.66	
	7755.000	34.77	peak	12.23	47.00	74.00	100	40	-27.00	
*	7755.000	26.73	AVG	12.23	38.96	54.00	100	40	-15.04	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:45:55

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:48:23

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:46:46

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:49:13

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:46:56

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 07:49:24

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 66 Idle

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1


Data :#1

Date: 2026/5/5

Temperature:26.0 °C

Time: 下午 09:36:42

Humidity:41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	51.3400	35.88	QP	-12.62	23.26	40.00	100	17	-16.74	
	96.9300	40.54	QP	-17.55	22.99	43.50	100	220	-20.51	
	125.0600	38.06	QP	-14.30	23.76	43.50	100	50	-19.74	
	137.6700	36.08	QP	-13.07	23.01	43.50	100	156	-20.49	
*	299.6600	46.78	QP	-11.80	34.98	46.00	100	63	-11.02	
	350.1000	38.02	QP	-10.73	27.29	46.00	100	3	-18.71	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File :1


Data :#2

Date: 2026/5/5

Temperature: 26.0 °C

Time: 下午 09:37:26

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	44.5500	47.61	QP	-13.23	34.38	40.00	100	2	-5.62	
*	50.3700	49.06	QP	-12.61	36.45	40.00	100	333	-3.55	
	62.0100	46.38	QP	-13.25	33.13	40.00	101	236	-6.87	
	95.9600	52.19	QP	-17.64	34.55	43.50	102	175	-8.95	
	250.1900	43.18	QP	-13.46	29.72	46.00	100	250	-16.28	
	299.6600	38.07	QP	-11.80	26.27	46.00	100	1	-19.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:16:15

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2253.000	37.09	peak	-3.81	33.28	74.00	100	0	-40.72	
	2253.000	29.05	AVG	-3.81	25.24	54.00	100	0	-28.76	
	3625.000	36.67	peak	0.25	36.92	74.00	100	27	-37.08	
	3625.000	28.62	AVG	0.25	28.87	54.00	100	27	-25.13	
	7930.000	34.60	peak	12.47	47.07	74.00	100	161	-26.93	
*	7930.000	26.51	AVG	12.47	38.98	54.00	100	161	-15.02	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:17:43

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2148.000	35.51	peak	-4.25	31.26	74.00	100	245	-42.74	
	2148.000	27.48	AVG	-4.25	23.23	54.00	100	245	-30.77	
	3583.000	35.29	peak	-0.02	35.27	74.00	100	301	-38.73	
	3583.000	27.25	AVG	-0.02	27.23	54.00	100	301	-26.77	
	7419.000	34.53	peak	12.20	46.73	74.00	100	106	-27.27	
*	7419.000	26.41	AVG	12.20	38.61	54.00	100	106	-15.39	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:16:57

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22603-25061

M/N:

Test Mode : Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4

Date: 2026/5/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 上午 08:18:24

Humidity: 41.9 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22603-25061

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : Band 26 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin