

Report Number: W6M22112-21430-P-247
FCC ID: GX9HSGWQT

Appendix

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:40:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.2565	-89.52	peak	23.92	-65.60	-13.00	150	199	-52.60	
	173.7675	-92.37	peak	23.46	-68.91	-13.00	150	113	-55.91	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:24:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	86.8938	-79.91	peak	22.87	-57.04	-13.00	150	225	-44.04	
*	93.0261	-79.49	peak	23.27	-56.22	-13.00	150	61	-43.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 03:05:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-64.64	peak	-12.26	-76.90	-13.00	150	124	-63.90	
*	802.8056	-71.80	peak	-1.26	-73.06	-13.00	150	55	-60.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2

Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:31:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-70.52	peak	-1.77	-72.29	-13.00	150	180	-59.29	
*	953.5070	-68.46	peak	-1.01	-69.47	-13.00	150	102	-56.47	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:36:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3705.411	-55.38	peak	7.00	-48.38	-13.00	150	251	-35.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #6

Date: 2021/12/23

Temperature: 24 °C

Time: 下午 05:03:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LWCDMABAND2 CH9262 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3705.411	-54.64	peak	10.19	-44.45	-13.00	150	177	-31.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:37:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5555.110	-66.52	peak	9.98	-56.54	-13.00	150	196	-43.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:04:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5555.110	-65.72	peak	11.97	-53.75	-13.00	150	199	-40.75	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:38:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:05:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:39:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:05:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:39:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMABAND2 CH9262 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:05:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9262 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:44:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Horizontal**

Power : 220V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	86.5531	-90.74	peak	23.83	-66.91	-13.00	150	141	-53.91	
	128.1162	-91.25	peak	22.04	-69.21	-13.00	150	200	-56.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:22:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	85.8717	-81.71	peak	22.91	-58.80	-13.00	150	188	-45.80	
	98.4770	-83.64	peak	24.23	-59.41	-13.00	150	295	-46.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 03:06:29

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-59.93	peak	-12.66	-72.59	-13.00	150	163	-59.59	
	802.8056	-71.53	peak	-1.26	-72.79	-13.00	150	85	-59.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2021/12/23

Temperature: 24 °C

Time: 下午 04:30:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-69.55	peak	-1.77	-71.32	-13.00	150	224	-58.32	
*	956.7134	-67.79	peak	-0.88	-68.67	-13.00	150	117	-55.67	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-54.20	peak	7.21	-46.99	-13.00	150	140	-33.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3


Data : #6

Date: 2021/12/23

Temperature: 24 °C

Time: 下午 04:59:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-51.94	peak	10.13	-41.81	-13.00	150	127	-28.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:43:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-65.53	peak	10.44	-55.09	-13.00	150	168	-42.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:00:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-61.54	peak	12.20	-49.34	-13.00	150	86	-36.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:45:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:00:43

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:45:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:00:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10

Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:01:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9400 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:46:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: *Horizontal*

Power : 220V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.4310	-92.70	peak	24.44	-68.26	-13.00	150	206	-55.26	
*	85.8717	-88.93	peak	23.80	-65.13	-13.00	150	90	-52.13	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2


Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:21:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	89.9600	-82.08	peak	22.73	-59.35	-13.00	150	130	-46.35	
*	95.0701	-81.83	peak	23.63	-58.20	-13.00	150	255	-45.20	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 03:07:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	650.5010	-75.79	peak	0.71	-75.08	-13.00	150	250	-62.08	
*	802.8056	-72.90	peak	-1.26	-74.16	-13.00	150	63	-61.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2021/12/23

Temperature: 24 °C

Time: 下午 04:27:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	788.3768	-75.64	peak	-1.63	-77.27	-13.00	150	225	-64.27	
*	956.7134	-71.58	peak	-0.88	-72.46	-13.00	150	63	-59.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-53.16	peak	7.44	-45.72	-13.00	150	214	-32.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:55:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-53.25	peak	10.06	-43.19	-13.00	150	120	-30.19	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5715.431	-65.77	peak	10.82	-54.95	-13.00	150	77	-41.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:55:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5723.447	-63.58	peak	12.42	-51.16	-13.00	150	250	-38.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:50:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:56:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:51:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:57:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

Time: 下午 04:51:18

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2021/12/23

Temperature: 24 °C

Time: 下午 04:57:14

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND2 CH9538 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:16:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	117.8958	-90.89	peak	21.79	-69.10	-13.00	150	196	-56.10	
	174.7896	-93.74	peak	23.42	-70.32	-13.00	150	244	-57.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:18:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.0120	-87.56	peak	23.09	-64.47	-13.00	150	130	-51.47	
*	94.7295	-81.35	peak	23.57	-57.78	-13.00	150	44	-44.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1

Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 03:09:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	685.7715	-76.98	peak	-0.26	-77.24	-13.00	150	103	-64.24	
*	942.2846	-74.36	peak	-1.36	-75.72	-13.00	150	55	-62.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2021/12/23

Temperature: 24 °C

Time: 下午 04:24:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	722.6453	-76.79	peak	-1.95	-78.74	-13.00	150	216	-65.74	
*	956.7134	-72.31	peak	-0.88	-73.19	-13.00	150	99	-60.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:10:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-57.66	peak	5.78	-51.88	-13.00	150	163	-38.88	
	2478.958	-61.10	peak	3.23	-57.87	-13.00	150	216	-44.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:10:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-61.29	peak	7.14	-54.15	-13.00	150	141	-41.15	
*	2478.958	-61.90	peak	8.40	-53.50	-13.00	150	63	-40.50	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2021/12/23

Temperature:24 °C

Time: 下午 05:12:08

Humidity:60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:11:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2021/12/23

Temperature: 24 °C

Time: 下午 05:12:51

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:12:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4132 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:50:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Horizontal**

Power : 220V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.6413	-89.10	peak	23.93	-65.17	-13.00	150	110	-52.17	
	171.3828	-92.57	peak	23.56	-69.01	-13.00	150	204	-56.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:12:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.6413	-81.24	peak	22.84	-58.40	-13.00	150	111	-45.40	
	100.5210	-83.10	peak	24.46	-58.64	-13.00	150	235	-45.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 03:14:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	671.3427	-77.26	peak	0.14	-77.12	-13.00	150	213	-64.12	
*	892.5852	-74.44	peak	0.86	-73.58	-13.00	150	48	-60.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2


Data : #2

Date: 2021/12/23

Temperature: 24 °C

Time: 下午 04:21:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	714.6293	-77.02	peak	-1.88	-78.90	-13.00	150	155	-65.90	
*	956.7134	-72.45	peak	-0.88	-73.33	-13.00	150	44	-60.33	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:16:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-60.99	peak	5.79	-55.20	-13.00	150	332	-42.20	
	2509.018	-59.91	peak	3.15	-56.76	-13.00	150	99	-43.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:06:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-61.21	peak	7.31	-53.90	-13.00	150	65	-40.90	
*	2509.018	-61.37	peak	8.33	-53.04	-13.00	150	90	-40.04	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:19:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

Time: 下午 06:07:25

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

Time: 下午 05:20:22

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:08:20

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4183 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:53:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Horizontal**

Power : 220V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.2565	-88.03	peak	23.92	-64.11	-13.00	150	155	-51.11	
	115.5110	-90.19	peak	21.91	-68.28	-13.00	150	74	-55.28	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:10:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	90.9820	-80.78	peak	22.90	-57.88	-13.00	150	102	-44.88	
*	100.1804	-82.03	peak	24.49	-57.54	-13.00	150	51	-44.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 03:16:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	648.8978	-77.02	peak	0.62	-76.40	-13.00	150	287	-63.40	
*	871.7435	-75.41	peak	1.04	-74.37	-13.00	150	99	-61.37	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 04:19:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	618.4370	-74.94	peak	-3.75	-78.69	-13.00	150	218	-65.69	
*	959.9198	-73.60	peak	-0.76	-74.36	-13.00	150	83	-61.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1

Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:23:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Horizontal

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-59.62	peak	5.80	-53.82	-13.00	150	96	-40.82	
	2539.078	-61.23	peak	3.28	-57.95	-13.00	150	100	-44.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:02:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-61.54	peak	7.48	-54.06	-13.00	150	225	-41.06	
*	2539.078	-60.06	peak	8.41	-51.65	-13.00	150	152	-38.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:23:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:02:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 05:25:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 06:04:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA BAND5 CH4233 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:09:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.4970	-91.12	peak	24.26	-66.86	-13.00	150	102	-53.86	
	127.7756	-91.11	peak	22.03	-69.08	-13.00	150	330	-56.08	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:51:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	86.5531	-80.86	peak	22.88	-57.98	-13.00	150	103	-44.98	
*	91.6633	-79.77	peak	23.02	-56.75	-13.00	150	85	-43.75	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#1


Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 上午 08:22:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-59.90	peak	-12.26	-72.16	-13.00	150	289	-59.16	
*	802.8056	-70.27	peak	-1.26	-71.53	-13.00	150	79	-58.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:12:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-58.13	peak	-10.73	-68.86	-13.00	150	113	-55.86	
	778.7575	-68.19	peak	-1.77	-69.96	-13.00	150	88	-56.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:21:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-52.74	peak	9.81	-42.93	-13.00	150	196	-29.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:34:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-51.49	peak	10.13	-41.36	-13.00	150	114	-28.36	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

Time: 上午 10:24:17

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-65.12	peak	10.67	-54.45	-13.00	150	269	-41.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:35:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-59.27	peak	12.18	-47.09	-13.00	150	122	-34.09	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:26:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:36:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:26:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:37:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:26:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:37:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 1.4MHz CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:11:17

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.0902	-88.60	peak	24.46	-64.14	-13.00	150	201	-51.14	
	90.9820	-89.26	peak	23.88	-65.38	-13.00	150	220	-52.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:47:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	85.5311	-81.84	peak	22.93	-58.91	-13.00	150	103	-45.91	
	90.9820	-82.00	peak	22.90	-59.10	-13.00	150	65	-46.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 08:24:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-59.22	peak	-12.26	-71.48	-13.00	150	154	-58.48	
	650.5010	-75.25	peak	0.71	-74.54	-13.00	150	98	-61.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:11:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-59.56	peak	-10.73	-70.29	-13.00	150	116	-57.29	
*	746.6934	-65.44	peak	-2.15	-67.59	-13.00	150	88	-54.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

Time: 上午 10:29:31

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-55.91	peak	7.23	-48.68	-13.00	150	165	-35.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:30:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-54.92	peak	10.12	-44.80	-13.00	150	63	-31.80	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:30:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-68.60	peak	10.44	-58.16	-13.00	150	214	-45.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2021/12/23

Temperature: 24 °C

Time: 下午 02:31:03

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-60.29	peak	8.64	-51.65	-13.00	150	295	-38.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:31:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:32:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: *Vertical*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:31:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:32:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:32:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10

Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:32:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND2 10MHz CH18900 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:15:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	67.1343	-91.05	peak	24.34	-66.71	-13.00	150	102	-53.71	
*	90.3006	-90.00	peak	23.97	-66.03	-13.00	150	274	-53.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:45:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.6413	-81.62	peak	22.84	-58.78	-13.00	150	110	-45.78	
	102.9058	-84.00	peak	24.28	-59.72	-13.00	150	63	-46.72	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 08:26:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-57.62	peak	-12.26	-69.88	-13.00	150	100	-56.88	
	802.8056	-71.12	peak	-1.26	-72.38	-13.00	150	204	-59.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:08:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	762.7255	-64.80	peak	-2.00	-66.80	-13.00	150	229	-53.80	
	959.9198	-66.55	peak	-0.76	-67.31	-13.00	150	100	-54.31	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

Time: 上午 10:35:08

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-58.46	peak	6.14	-52.32	-13.00	150	114	-39.32	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:18:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-54.00	peak	10.38	-43.62	-13.00	150	206	-30.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:38:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-61.68	peak	7.86	-53.82	-13.00	150	177	-40.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:25:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-59.83	peak	8.64	-51.19	-13.00	150	331	-38.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:40:00

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:26:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:40:12

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:26:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:40:24

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:26:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 1.4MHz CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:16:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-88.99	peak	23.95	-65.04	-13.00	150	92	-52.04	
	172.0641	-92.72	peak	23.53	-69.19	-13.00	150	162	-56.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:44:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	86.2124	-78.96	peak	22.90	-56.06	-13.00	150	186	-43.06	
	89.6192	-80.63	peak	22.75	-57.88	-13.00	150	92	-44.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 08:43:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-56.91	peak	-12.26	-69.17	-13.00	150	158	-56.17	
	650.5010	-74.20	peak	0.71	-73.49	-13.00	150	30	-60.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:04:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	680.9620	-65.43	peak	-2.31	-67.74	-13.00	150	110	-54.74	
	770.7415	-66.60	peak	-1.89	-68.49	-13.00	150	221	-55.49	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:45:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3470.942	-60.49	peak	6.15	-54.34	-13.00	150	99	-41.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:14:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-57.80	peak	10.38	-47.42	-13.00	150	222	-34.42	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:48:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-58.81	peak	7.81	-51.00	-13.00	150	222	-38.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:14:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-60.78	peak	8.64	-52.14	-13.00	150	180	-39.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:49:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:15:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:50:10

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:15:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:50:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:15:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND4 10MHz CH20175 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:18:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.3447	-90.08	peak	23.70	-66.38	-13.00	150	102	-53.38	
	173.0862	-92.71	peak	23.49	-69.22	-13.00	150	96	-56.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:42:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.5752	-79.63	peak	22.84	-56.79	-13.00	150	111	-43.79	
	99.8397	-84.38	peak	24.47	-59.91	-13.00	150	174	-46.91	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 08:54:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	669.7395	-68.82	peak	0.18	-68.64	-13.00	150	256	-55.64	
*	882.9660	-60.94	peak	0.94	-60.00	-13.00	150	99	-47.00	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 09:55:13

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	836.4730	-64.86	peak	-1.42	-66.28	-13.00	150	100	-53.28	
*	953.5070	-65.00	peak	-1.01	-66.01	-13.00	150	236	-53.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:54:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1679.359	-61.88	peak	5.80	-56.08	-13.00	150	123	-43.08	
	2515.030	-62.73	peak	3.18	-59.55	-13.00	150	80	-46.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:05:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-61.15	peak	7.31	-53.84	-13.00	150	229	-40.84	
*	2509.018	-61.09	peak	8.33	-52.76	-13.00	150	142	-39.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

Time: 上午 10:55:21

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:06:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: *Vertical*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 10:57:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:09:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 1.4MHz CH20525 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:28:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	83.4870	-89.27	peak	23.67	-65.60	-13.00	150	102	-52.60	
	128.4570	-91.41	peak	22.06	-69.35	-13.00	150	111	-56.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:40:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.2345	-79.50	peak	22.85	-56.65	-13.00	150	110	-43.65	
	91.6633	-82.66	peak	23.02	-59.64	-13.00	150	230	-46.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 08:57:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-59.92	peak	-12.26	-72.18	-13.00	150	103	-59.18	
*	878.1563	-59.55	peak	0.98	-58.57	-13.00	150	95	-45.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 09:52:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	817.2345	-63.34	peak	-1.45	-64.79	-13.00	150	155	-51.79	
*	858.9178	-62.49	peak	-1.15	-63.64	-13.00	150	95	-50.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:04:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-61.90	peak	5.79	-56.11	-13.00	150	321	-43.11	
	2509.018	-62.27	peak	3.15	-59.12	-13.00	150	188	-46.12	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:59:18

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-61.26	peak	7.31	-53.95	-13.00	150	93	-40.95	
*	2509.018	-62.11	peak	8.33	-53.78	-13.00	150	200	-40.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:09:16

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:59:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:10:02

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 02:01:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND5 10MHz CH20525 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:30:53

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.9380	-91.25	peak	23.95	-67.30	-13.00	150	122	-54.30	
	118.2365	-90.11	peak	21.77	-68.34	-13.00	150	86	-55.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:37:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	39.8798	-81.97	peak	23.44	-58.53	-13.00	150	90	-45.53	
	95.7515	-83.30	peak	23.75	-59.55	-13.00	150	188	-46.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 09:02:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-59.19	peak	-12.26	-71.45	-13.00	150	103	-58.45	
*	730.6613	-60.82	peak	-2.17	-62.99	-13.00	150	66	-49.99	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#2

Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 上午 09:48:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-59.45	peak	-10.73	-70.18	-13.00	150	118	-57.18	
*	762.7255	-65.55	peak	-2.00	-67.55	-13.00	150	169	-54.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

Time: 上午 11:14:52

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #6


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:51:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:15:44

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5074.148	-66.43	peak	7.07	-59.36	-13.00	150	219	-46.36	
*	7607.214	-65.37	peak	10.34	-55.03	-13.00	150	39	-42.03	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:52:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5066.132	-64.05	peak	7.31	-56.74	-13.00	150	229	-43.74	
*	7607.214	-65.21	peak	11.20	-54.01	-13.00	150	100	-41.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:16:28

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

Time: 下午 01:53:38

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:16:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:53:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:16:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:54:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 5MHz CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#1


Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 02:32:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.4310	-89.22	peak	24.44	-64.78	-13.00	150	100	-51.78	
	85.1904	-89.68	peak	23.76	-65.92	-13.00	150	211	-52.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :1

Data :#2

Date: 2021/12/22

Temperature: 24 °C

10.0 dBm

Time: 下午 03:29:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.0040	-81.57	peak	23.08	-58.49	-13.00	150	100	-45.49	
	97.4550	-83.99	peak	24.05	-59.94	-13.00	150	201	-46.94	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :2

Data :#1


Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 上午 09:05:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-58.68	peak	-12.26	-70.94	-13.00	150	63	-57.94	
*	746.6934	-66.33	peak	-2.97	-69.30	-13.00	150	112	-56.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 2

Data : #2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 09:45:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	762.7255	-65.99	peak	-2.00	-67.99	-13.00	150	204	-54.99	
	959.9198	-69.22	peak	-0.76	-69.98	-13.00	150	77	-56.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #1


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:24:14

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2021/12/23

Temperature:24 °C

0.0 dBm

Time: 下午 01:39:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:27:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: **Horizontal**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5074.148	-66.89	peak	7.07	-59.82	-13.00	150	117	-46.82	
*	7607.214	-65.40	peak	10.34	-55.06	-13.00	150	96	-42.06	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:40:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5074.148	-64.64	peak	7.39	-57.25	-13.00	150	99	-44.25	
*	7607.214	-64.85	peak	11.20	-53.65	-13.00	150	240	-40.65	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #3


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:29:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #8


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:45:06

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:29:33

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #9


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:45:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: Vertical

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #5


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 上午 11:29:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: *Horizontal*

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Spencer

File : 3

Data : #10


Date: 2021/12/23

Temperature: 24 °C

0.0 dBm

Time: 下午 01:45:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22112-21430

M/N:

Test Mode : LTE BAND7 10MHz CH21100 ACTIVE

Note :

Polarization: **Vertical**

Power : 230V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:24:59 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22112-21430

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	30.93	peak	-6.10	24.83	43.50	100	318	-18.67	
*	199.1182	37.83	peak	-10.52	27.31	43.50	126	71	-16.19	
	249.6593	32.22	peak	-7.22	25.00	46.00	141	112	-21.00	
	663.7073	28.54	peak	1.25	29.79	46.00	118	55	-16.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:25:59 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.4950	37.38	peak	-9.46	27.92	40.00	118	208	-12.08	
*	148.5772	43.47	peak	-7.47	36.00	43.50	100	44	-7.50	
	249.6593	32.78	peak	-7.22	25.56	46.00	139	139	-20.44	
	650.1002	29.48	peak	1.41	30.89	46.00	107	65	-15.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:00:24 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4114.229	41.30	peak	0.94	42.24	74.00	150	48	-31.76	
*	7018.036	39.83	peak	5.77	45.60	74.00	150	20	-28.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:01:12 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3707.415	42.07	peak	1.01	43.08	74.00	150	75	-30.92	
*	7116.233	40.29	peak	6.23	46.52	74.00	150	220	-27.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 12/30/2021

Temperature: 22.1 °C

Time: 4:00:36 AM

Humidity: 64.6 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:01:24 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:00:57 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:01:46 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:01:04 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 12/30/2021

Temperature: 22.1 °C

Time: 4:01:53 AM

Humidity: 64.6 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:33:42 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	148.5772	31.97	peak	-7.47	24.50	43.50	108	73	-19.00	
	199.1182	36.80	peak	-10.52	26.28	43.50	113	249	-17.22	
	249.6593	32.15	peak	-7.22	24.93	46.00	145	352	-21.07	
*	945.5711	28.37	peak	5.71	34.08	46.00	100	100	-11.92	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:34:43 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.4950	36.20	peak	-9.46	26.74	40.00	118	92	-13.26	
*	148.5772	43.95	peak	-7.47	36.48	43.50	100	270	-7.02	
	199.1182	34.69	peak	-10.52	24.17	43.50	142	155	-19.33	
	249.6593	33.27	peak	-7.22	26.05	46.00	135	340	-19.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:10:10 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	42.08	peak	1.22	43.30	74.00	150	0	-30.70	
*	7523.046	41.60	peak	6.00	47.60	74.00	150	320	-26.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:14:35 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3567.134	42.44	peak	0.85	43.29	74.00	150	279	-30.71	
*	7368.738	41.21	peak	6.15	47.36	74.00	150	116	-26.64	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 4:11:12 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 12/29/2021

Temperature: 21.4 °C

80.0 dBuV/m

Time: 7:11:46 AM

Humidity: 66.4 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22112-21430

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	148.5772	36.87	peak	-7.47	29.40	43.50	120	79	-14.10	
	199.1182	36.66	peak	-10.52	26.14	43.50	109	240	-17.36	
	249.6593	33.25	peak	-7.22	26.03	46.00	100	55	-19.97	
	300.2004	33.02	peak	-5.52	27.50	46.00	136	132	-18.50	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 12/29/2021

Temperature: 21.4 °C

80.0 dBuV/m

Time: 7:12:47 AM

Humidity: 66.4 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	53.3267	42.80	peak	-10.24	32.56	40.00	100	315	-7.44	
	123.3066	41.71	peak	-6.16	35.55	43.50	136	100	-7.95	
	148.5772	34.87	peak	-7.47	27.40	43.50	134	145	-16.10	
	199.1182	38.63	peak	-10.52	28.11	43.50	110	72	-15.39	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:38:50 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	41.37	peak	1.22	42.59	74.00	150	147	-31.41	
*	7186.373	39.73	peak	6.08	45.81	74.00	150	250	-28.19	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:39:38 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.72	peak	1.29	43.01	74.00	150	281	-30.99	
*	7452.906	39.91	peak	6.24	46.15	74.00	150	104	-27.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:39:02 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:39:51 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:39:24 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:40:13 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 12/30/2021

Temperature: 22.1 °C

Time: 2:39:31 AM

Humidity: 64.6 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:40:20 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 4:59:36 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	31.89	peak	-6.10	25.79	43.50	100	294	-17.71	
	199.1182	37.97	peak	-10.52	27.45	43.50	108	100	-16.05	
	249.6593	32.87	peak	-7.22	25.65	46.00	100	65	-20.35	
*	945.5711	29.42	peak	5.71	35.13	46.00	140	310	-10.87	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:00:37 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	37.15	peak	-9.62	27.53	40.00	103	196	-12.47	
*	148.5772	43.76	peak	-7.47	36.29	43.50	140	68	-7.21	
	169.9600	35.69	peak	-10.42	25.27	43.50	120	114	-18.23	
	249.6593	32.12	peak	-7.22	24.90	46.00	117	270	-21.10	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:44:32 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3174.349	41.99	peak	0.18	42.17	74.00	150	0	-31.83	
*	7130.261	40.11	peak	6.20	46.31	74.00	150	48	-27.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:45:20 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3384.769	41.91	peak	0.43	42.34	74.00	150	138	-31.66	
*	7004.008	40.31	peak	5.68	45.99	74.00	150	250	-28.01	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:44:44 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 12/30/2021

Temperature: 22.1 °C

Time: 2:45:32 AM

Humidity: 64.6 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:45:05 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:45:54 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:45:12 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:46:01 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:04:08 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	32.77	peak	-6.10	26.67	43.50	100	145	-16.83	
	199.1182	37.27	peak	-10.52	26.75	43.50	146	200	-16.75	
	249.6593	32.95	peak	-7.22	25.73	46.00	115	96	-20.27	
*	653.9880	29.06	peak	1.36	30.42	46.00	138	318	-15.58	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:05:09 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	53.3267	38.51	peak	-10.24	28.27	40.00	145	75	-11.73	
*	148.5772	43.58	peak	-7.47	36.11	43.50	120	310	-7.39	
	199.1182	35.41	peak	-10.52	24.89	43.50	100	146	-18.61	
	249.6593	32.82	peak	-7.22	25.60	46.00	106	180	-20.40	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:50:33 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3384.769	42.64	peak	0.43	43.07	74.00	150	99	-30.93	
*	7438.878	40.77	peak	6.27	47.04	74.00	150	350	-26.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:53:14 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3034.068	42.35	peak	0.09	42.44	74.00	150	238	-31.56	
*	7438.878	41.14	peak	6.27	47.41	74.00	150	166	-26.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:52:05 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 2:55:32 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:10:08 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	31.13	peak	-6.10	25.03	43.50	120	275	-18.47	
	199.1182	37.79	peak	-10.52	27.27	43.50	106	82	-16.23	
	249.6593	32.08	peak	-7.22	24.86	46.00	100	300	-21.14	
*	945.5711	28.31	peak	5.71	34.02	46.00	142	196	-11.98	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 12/30/2021

Temperature: 22.1 °C

80.0 dBuV/m

Time: 5:11:09 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	37.76	peak	-9.62	28.14	40.00	109	300	-11.86	
*	148.5772	43.53	peak	-7.47	36.06	43.50	150	245	-7.44	
	199.1182	34.51	peak	-10.52	23.99	43.50	118	86	-19.51	
	249.6593	32.37	peak	-7.22	25.15	46.00	126	104	-20.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:03:02 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2543.086	42.69	peak	-0.33	42.36	74.00	150	162	-31.64	
*	7312.625	41.44	peak	5.80	47.24	74.00	150	94	-26.76	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:09:03 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2571.142	43.10	peak	-0.30	42.80	74.00	150	278	-31.20	
*	6989.980	41.14	peak	5.70	46.84	74.00	150	115	-27.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:04:29 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 12/30/2021

Temperature: 22.1 °C

Time: 3:12:22 AM

Humidity: 64.6 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:04:51 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #8


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:12:44 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22112-21430

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:05:02 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#9


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:12:54 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:05:13 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #10


Date: 12/30/2021

Temperature: 22.1 °C

90.0 dBuV/m

Time: 3:13:05 AM

Humidity: 64.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22112-21430

M/N:

Test Mode : LTE Band 7 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin