
Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


10MHz



Tx Channel — BW_10_MHz_lower UL
Bandwidth 10 MHz — Power 20.00 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	1.848798 G	-27.33	-47.33	-14.33
-6.000 M	-5.000 M	100.00 k	1.849952 G	-34.43	-54.43	-21.43
5.000 M	15.000 M	100.00 k	1.860000 G	-34.91	-54.91	-334.91

Date: 5.AUG.2020 21:09:22




Tx Channel — BW_10_MHz_higher UL

Bandwidth 10 MHz — Power 20.27 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.899952 G	-34.03	-54.30	-334.03
5.000 M	6.000 M	100.00 k	1.910000 G	-35.33	-55.60	-22.33
6.000 M	15.000 M	1.00 M	1.911298 G	-28.53	-48.80	-15.53

Date: 5.AUG.2020 21:10:11


15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth	15 MHz		Power	20.29 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	1.848846 G	-26.34	-46.64	-13.34
-8.500 M	-7.500 M	150.00 k	1.849063 G	-34.38	-54.67	-21.38
7.500 M	22.500 M	100.00 k	1.865865 G	-35.08	-55.37	-335.08

Date: 5.AUG.2020 21:13:42

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_15_MHz_higher UL
Bandwidth 15 MHz — Power 20.33 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-7.500 M	100.00 k	1.894063 G	-35.90	-56.23	-335.90
7.500 M	8.500 M	150.00 k	1.910361 G	-34.01	-54.34	-21.01
8.500 M	22.500 M	1.00 M	1.911082 G	-27.48	-47.81	-14.48

Date: 5.AUG.2020 21:14:28


20MHz



Tx Channel				BW_20_MHz_lower UL		
Bandwidth	20 MHz		Power	19.96 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.848750 G	-29.52	-49.48	-16.52
-11.000 M	-10.000 M	200.00 k	1.849904 G	-36.02	-55.98	-23.02
10.000 M	30.000 M	100.00 k	1.870962 G	-38.36	-58.31	-338.36

Date: 5.AUG.2020 21:16:23

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_20_MHz_higher UL
Bandwidth 20 MHz — Power 20.12 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	1.889423 G	-38.59	-58.71	-338.59
10.000 M	11.000 M	200.00 k	1.910000 G	-35.15	-55.27	-22.15
11.000 M	30.000 M	1.00 M	1.911154 G	-28.82	-48.94	-15.82

Date: 5.AUG.2020 21:17:14

1RB
1.4MHz




Tx Channel — BW_1_4_MHz_lower UL
Bandwidth 1.4 MHz — Power 20.91 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	1.848993 G	-28.57	-49.48	-15.57
-1.700 M	-700.000 k	20.00 k	1.849995 G	-28.20	-49.11	-15.20
700.000 k	2.500 M	100.00 k	1.852038 G	-29.82	-50.74	-329.82

Date: 5.AUG.2020 20:36:43

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_1_4_MHz_higher UL
Bandwidth 1.4 MHz — Power 21.69 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	1.907946 G	-32.84	-54.54	-332.84
700.000 k	1.700 M	20.00 k	1.910000 G	-14.08	-35.77	-1.08
1.700 M	2.500 M	1.00 M	1.911015 G	-23.34	-45.03	-10.34


Date: 5.AUG.2020 20:38:37

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth	3 MHz		Power	21.00 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	1.847878 G	-32.07	-53.07	-19.07
-2.500 M	-1.500 M	30.00 k	1.849978 G	-26.14	-47.14	-13.14
1.500 M	5.000 M	100.00 k	1.855282 G	-36.16	-57.16	-336.16

Date: 5.AUG.2020 20:40:10




Tx Channel — BW_3_MHz_higher UL
Bandwidth 3 MHz — Power 21.36 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.904718 G	-35.98	-57.34	-335.98
1.500 M	2.500 M	30.00 k	1.910006 G	-22.02	-43.38	-9.02
2.500 M	5.000 M	1.00 M	1.912202 G	-29.75	-51.11	-16.75

Date: 5.AUG.2020 20:43:06

5MHz




Tx Channel — BW_5_MHz_lower UL
Bandwidth 5 MHz — Power 20.83 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	1.848846 G	-33.21	-54.05	-20.21
-3.500 M	-2.500 M	50.00 k	1.849976 G	-26.41	-47.24	-13.41
2.500 M	7.500 M	100.00 k	1.859014 G	-36.08	-56.91	-336.08

Date: 5.AUG.2020 21:06:29

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_5_MHz_higher UL
Bandwidth 5 MHz — Power 21.03 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.901010 G	-35.50	-56.52	-335.50
2.500 M	3.500 M	50.00 k	1.910000 G	-25.11	-46.14	-12.11
3.500 M	7.500 M	1.00 M	1.911130 G	-33.28	-54.31	-20.28

Date: 5.AUG.2020 21:08:03


10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.00 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	1.848750 G	-33.85	-54.85	-20.85
-6.000 M	-5.000 M	100.00 k	1.849952 G	-37.25	-58.25	-24.25
5.000 M	15.000 M	100.00 k	1.868221 G	-37.09	-58.09	-337.09

Date: 5.AUG.2020 21:08:59

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 21.16 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.891731 G	-34.90	-56.06	-334.90
5.000 M	6.000 M	100.00 k	1.910000 G	-36.65	-57.81	-23.65
6.000 M	15.000 M	1.00 M	1.911106 G	-33.61	-54.77	-20.61

Date: 5.AUG.2020 21:10:36

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		20.34 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	1.848774 G	-34.41	-54.74	-21.41
-8.500 M	-7.500 M	150.00 k	1.849928 G	-34.80	-55.14	-21.80
7.500 M	22.500 M	100.00 k	1.877548 G	-38.23	-58.57	-338.23

Date: 5.AUG.2020 21:11:56

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_15_MHz_higher UL
Bandwidth 15 MHz — Power 21.27 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-7.500 M	100.00 k	1.882524 G	-33.35	-54.62	-333.35
7.500 M	8.500 M	150.00 k	1.910000 G	-34.20	-55.47	-21.20
8.500 M	22.500 M	1.00 M	1.911226 G	-34.32	-55.59	-21.32

Date: 5.AUG.2020 21:15:02

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


20MHz



Tx Channel				BW_20_MHz_lower UL		
Bandwidth	20 MHz		Power	20.86 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.848750 G	-34.42	-55.28	-21.42
-11.000 M	-10.000 M	200.00 k	1.849904 G	-36.87	-57.73	-23.87
10.000 M	30.000 M	100.00 k	1.886731 G	-36.79	-57.66	-336.79

Date: 5.AUG.2020 21:16:01

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_20_MHz_higher UL
Bandwidth 20 MHz — Power 21.07 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	1.873269 G	-35.00	-56.07	-335.00
10.000 M	11.000 M	200.00 k	1.910000 G	-36.31	-57.37	-23.31
11.000 M	30.000 M	1.00 M	1.911346 G	-34.51	-55.58	-21.51

Date: 5.AUG.2020 21:17:36

Band IV
16QAM
1RB
1.4MHz




Tx Channel — BW_1_4_MHz_lower UL

Bandwidth 1.4 MHz — Power 19.87 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	1.708961 G	-31.35	-51.23	-18.35
-1.700 M	-700.000 k	20.00 k	1.709995 G	-29.64	-49.51	-16.64
700.000 k	2.500 M	100.00 k	1.712086 G	-34.05	-53.93	-334.05

Date: 6.AUG.2020 19:32:43




Tx Channel — BW_1_4_MHz_higher UL

Bandwidth 1.4 MHz — Power 20.25 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	1.752978 G	-40.87	-61.12	-340.87
700.000 k	1.700 M	20.00 k	1.755000 G	-18.02	-38.26	-5.02
1.700 M	2.500 M	1.00 M	1.756007 G	-31.15	-51.40	-18.15


Date: 6.AUG.2020 19:37:21

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth	3 MHz		Power	20.02 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	1.707926 G	-33.99	-54.01	-20.99
-2.500 M	-1.500 M	30.00 k	1.709978 G	-27.24	-47.26	-14.24
1.500 M	5.000 M	100.00 k	1.715250 G	-33.18	-53.20	-333.18

Date: 6.AUG.2020 19:39:43




Tx Channel
Bandwidth 3 MHz
Power 19.61 dBm
BW_3_MHz_higher UL

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.750904 G	-43.19	-62.80	-343.19
1.500 M	2.500 M	30.00 k	1.755006 G	-27.93	-47.53	-14.93
2.500 M	5.000 M	1.00 M	1.756032 G	-34.86	-54.46	-21.86

Date: 6.AUG.2020 19:47:25

5MHz




Tx Channel **BW_5_MHz_lower UL**

Bandwidth 5 MHz Power 20.29 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	1.708942 G	-34.55	-54.85	-21.55
-3.500 M	-2.500 M	50.00 k	1.709976 G	-27.34	-47.63	-14.34
2.500 M	7.500 M	100.00 k	1.718990 G	-32.30	-52.60	-332.30

Date: 6.AUG.2020 19:49:22




Tx Channel — BW_5_MHz_higher UL
Bandwidth 5 MHz — Power 19.83 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.746947 G	-42.86	-62.69	-342.86
2.500 M	3.500 M	50.00 k	1.755000 G	-27.95	-47.78	-14.95
3.500 M	7.500 M	1.00 M	1.756178 G	-34.89	-54.72	-21.89

Date: 6.AUG.2020 19:51:47

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


10MHz



Tx Channel — BW_10_MHz_lower UL
Bandwidth 10 MHz — Power 20.60 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	1.708846 G	-34.91	-55.51	-21.91
-6.000 M	-5.000 M	100.00 k	1.709952 G	-38.15	-58.75	-25.15
5.000 M	15.000 M	100.00 k	1.728269 G	-41.94	-62.54	-341.94

Date: 6.AUG.2020 19:53:45




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 20.36 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.736731 G	-39.25	-59.60	-339.25
5.000 M	6.000 M	100.00 k	1.755000 G	-37.76	-58.11	-24.76
6.000 M	15.000 M	1.00 M	1.756058 G	-35.43	-55.78	-22.43

Date: 6.AUG.2020 19:54:28


15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		20.52 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	1.708918 G	-35.05	-55.58	-22.05
-8.500 M	-7.500 M	150.00 k	1.709928 G	-34.78	-55.30	-21.78
7.500 M	22.500 M	100.00 k	1.737476 G	-41.74	-62.26	-341.74

Date: 6.AUG.2020 19:57:49

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_15_MHz_higher UL
Bandwidth 15 MHz — Power 19.37 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-7.500 M	100.00 k	1.727452 G	-40.25	-59.62	-340.25
7.500 M	8.500 M	150.00 k	1.755000 G	-34.91	-54.28	-21.91
8.500 M	22.500 M	1.00 M	1.756154 G	-36.15	-55.52	-23.15

Date: 6.AUG.2020 19:59:06

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

20MHz




Tx Channel — BW_20_MHz_lower UL
Bandwidth 20 MHz — Power 19.74 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.708846 G	-35.96	-55.70	-22.96
-11.000 M	-10.000 M	200.00 k	1.709904 G	-37.87	-57.60	-24.87
10.000 M	30.000 M	100.00 k	1.746731 G	-40.58	-60.31	-340.58

Date: 6.AUG.2020 20:03:36


Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23



Tx Channel				BW_20_MHz_higher UL		
Bandwidth	20 MHz		Power	20.20 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	1.718269 G	-40.36	-60.55	-340.36
10.000 M	11.000 M	200.00 k	1.755000 G	-36.60	-56.79	-23.60
11.000 M	30.000 M	1.00 M	1.756250 G	-36.01	-56.21	-23.01


Date: 6.AUG.2020 20:04:37

QPSK
FRB
1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth	1.4 MHz		Power	20.10 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	1.708977 G	-28.51	-48.61	-15.51
-1.700 M	-700.000 k	20.00 k	1.709995 G	-33.20	-53.30	-20.20
700.000 k	2.500 M	100.00 k	1.711400 G	-24.56	-44.65	-324.56

Date: 6.AUG.2020 19:35:23




Tx Channel — BW_1_4_MHz_higher UL

Bandwidth 1.4 MHz — Power 19.90 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	1.753595 G	-25.56	-45.47	-325.56
700.000 k	1.700 M	20.00 k	1.755000 G	-22.75	-42.66	-9.75
1.700 M	2.500 M	1.00 M	1.756031 G	-31.54	-51.45	-18.54


Date: 6.AUG.2020 19:36:15

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth	3 MHz		Power	19.84 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	1.708551 G	-30.06	-49.90	-17.06
-2.500 M	-1.500 M	30.00 k	1.709978 G	-32.59	-52.42	-19.59
1.500 M	5.000 M	100.00 k	1.713006 G	-26.72	-46.56	-326.72

Date: 6.AUG.2020 19:40:11




Tx Channel — BW_3_MHz_higher UL
Bandwidth 3 MHz — Power 19.75 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.751978 G	-26.44	-46.19	-326.44
1.500 M	2.500 M	30.00 k	1.755006 G	-32.13	-51.88	-19.13
2.500 M	5.000 M	1.00 M	1.756048 G	-30.22	-49.97	-17.22

Date: 6.AUG.2020 19:40:58

5MHz




Tx Channel **BW_5_MHz_lower UL**

Bandwidth 5 MHz Power 20.07 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	1.708918 G	-31.27	-51.34	-18.27
-3.500 M	-2.500 M	50.00 k	1.709976 G	-33.81	-53.88	-20.81
2.500 M	7.500 M	100.00 k	1.715000 G	-29.93	-49.99	-329.93

Date: 6.AUG.2020 19:49:55

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_5_MHz_higher UL
Bandwidth 5 MHz — Power 20.03 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.749976 G	-29.86	-49.89	-329.86
2.500 M	3.500 M	50.00 k	1.755000 G	-33.27	-53.30	-20.27
3.500 M	7.500 M	1.00 M	1.756082 G	-30.83	-50.86	-17.83

Date: 6.AUG.2020 19:50:55

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

10MHz




Tx Channel — BW_10_MHz_lower UL
Bandwidth 10 MHz — Power 20.06 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	1.708846 G	-32.09	-52.15	-19.09
-6.000 M	-5.000 M	100.00 k	1.709952 G	-36.10	-56.16	-23.10
5.000 M	15.000 M	100.00 k	1.720000 G	-36.84	-56.90	-336.84

Date: 6.AUG.2020 19:53:02

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 20.08 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.744952 G	-35.71	-55.79	-335.71
5.000 M	6.000 M	100.00 k	1.755000 G	-35.90	-55.98	-22.90
6.000 M	15.000 M	1.00 M	1.756490 G	-32.28	-52.36	-19.28


Date: 6.AUG.2020 19:55:23

15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth	15 MHz		Power	19.93 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	1.708918 G	-31.52	-51.44	-18.52
-8.500 M	-7.500 M	150.00 k	1.709928 G	-37.96	-57.89	-24.96
7.500 M	22.500 M	100.00 k	1.725000 G	-40.05	-59.97	-340.05

Date: 6.AUG.2020 19:56:51




Tx Channel — BW_15_MHz_higher UL
Bandwidth 15 MHz — Power 19.94 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-7.500 M	100.00 k	1.739928 G	-39.16	-59.10	-339.16
7.500 M	8.500 M	150.00 k	1.755000 G	-36.72	-56.66	-23.72
8.500 M	22.500 M	1.00 M	1.757091 G	-32.38	-52.32	-19.38

Date: 6.AUG.2020 20:00:37

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


20MHz



Tx Channel				BW_20_MHz_lower UL		
Bandwidth	20 MHz		Power	19.73 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.708846 G	-31.61	-51.34	-18.61
-11.000 M	-10.000 M	200.00 k	1.709904 G	-37.48	-57.21	-24.48
10.000 M	30.000 M	100.00 k	1.730000 G	-41.52	-61.25	-341.52

Date: 6.AUG.2020 20:02:35

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_20_MHz_higher UL
Bandwidth 20 MHz — Power 19.81 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	1.734904 G	-42.65	-62.46	-342.65
10.000 M	11.000 M	200.00 k	1.755000 G	-38.01	-57.81	-25.01
11.000 M	30.000 M	1.00 M	1.756154 G	-33.90	-53.71	-20.90

Date: 6.AUG.2020 20:05:32

1RB
1.4MHz




Tx Channel — BW_1_4_MHz_lower UL
Bandwidth 1.4 MHz — Power 21.27 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	1.708977 G	-29.03	-50.30	-16.03
-1.700 M	-700.000 k	20.00 k	1.709995 G	-28.16	-49.43	-15.16
700.000 k	2.500 M	100.00 k	1.712054 G	-31.83	-53.10	-331.83

Date: 6.AUG.2020 19:34:48

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_1_4_MHz_higher UL
Bandwidth 1.4 MHz — Power 21.23 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	1.752962 G	-39.81	-61.04	-339.81
700.000 k	1.700 M	20.00 k	1.755000 G	-17.29	-38.52	-4.29
1.700 M	2.500 M	1.00 M	1.756023 G	-30.22	-51.45	-17.22

Date: 6.AUG.2020 19:36:45


3MHz



Tx Channel — BW_3_MHz_lower UL
Bandwidth 3 MHz — Power 21.05 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	1.707750 G	-33.15	-54.20	-20.15
-2.500 M	-1.500 M	30.00 k	1.709978 G	-26.61	-47.66	-13.61
1.500 M	5.000 M	100.00 k	1.715282 G	-31.10	-52.15	-331.10

Date: 6.AUG.2020 19:39:21




Tx Channel
Bandwidth 3 MHz
Power 21.25 dBm
BW_3_MHz_higher UL

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.749702 G	-41.01	-62.26	-341.01
1.500 M	2.500 M	30.00 k	1.755006 G	-25.27	-46.53	-12.27
2.500 M	5.000 M	1.00 M	1.756913 G	-32.40	-53.65	-19.40

Date: 6.AUG.2020 19:41:20


5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth	5 MHz		Power	20.98 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	1.708966 G	-34.33	-55.31	-21.33
-3.500 M	-2.500 M	50.00 k	1.709976 G	-26.26	-47.24	-13.26
2.500 M	7.500 M	100.00 k	1.719014 G	-30.96	-51.94	-330.96

Date: 6.AUG.2020 19:49:01

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel					BW_5_MHz_higher UL	
Bandwidth	5 MHz		Power		21.22 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.745986 G	-40.09	-61.31	-340.09
2.500 M	3.500 M	50.00 k	1.755000 G	-26.02	-47.24	-13.02
3.500 M	7.500 M	1.00 M	1.758894 G	-33.61	-54.83	-20.61

Date: 6.AUG.2020 19:51:23

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


10MHz



Tx Channel — BW_10_MHz_lower UL
Bandwidth 10 MHz — Power 21.16 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	1.708894 G	-34.59	-55.76	-21.59
-6.000 M	-5.000 M	100.00 k	1.709952 G	-38.00	-59.16	-25.00
5.000 M	15.000 M	100.00 k	1.728221 G	-41.07	-62.23	-341.07

Date: 6.AUG.2020 19:53:24




Tx Channel — BW_10_MHz_higher UL

Bandwidth 10 MHz — Power 21.24 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.736731 G	-37.18	-58.43	-337.18
5.000 M	6.000 M	100.00 k	1.755000 G	-37.18	-58.42	-24.18
6.000 M	15.000 M	1.00 M	1.756058 G	-34.92	-56.16	-21.92


Date: 6.AUG.2020 19:54:48

15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		21.15 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	1.708846 G	-35.15	-56.29	-22.15
-8.500 M	-7.500 M	150.00 k	1.709928 G	-34.01	-55.15	-21.01
7.500 M	22.500 M	100.00 k	1.737476 G	-40.94	-62.09	-340.94

Date: 6.AUG.2020 19:57:21




Tx Channel — BW_15_MHz_higher UL
Bandwidth 15 MHz — Power 20.65 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-7.500 M	100.00 k	1.727452 G	-37.35	-58.00	-337.35
7.500 M	8.500 M	150.00 k	1.755000 G	-34.02	-54.67	-21.02
8.500 M	22.500 M	1.00 M	1.756082 G	-35.63	-56.28	-22.63

Date: 6.AUG.2020 19:59:30

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


20MHz



Tx Channel — BW_20_MHz_lower UL
Bandwidth 20 MHz — Power 21.23 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.708462 G	-35.27	-56.49	-22.27
-11.000 M	-10.000 M	200.00 k	1.709904 G	-37.25	-58.47	-24.25
10.000 M	30.000 M	100.00 k	1.746731 G	-40.22	-61.45	-340.22

Date: 6.AUG.2020 20:03:02




Tx Channel — BW_20_MHz_higher UL
Bandwidth 20 MHz — Power 20.87 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	1.718269 G	-39.21	-60.09	-339.21
10.000 M	11.000 M	200.00 k	1.755000 G	-35.85	-56.72	-22.85
11.000 M	30.000 M	1.00 M	1.756154 G	-35.59	-56.46	-22.59


Date: 6.AUG.2020 20:04:59

Band V
16QAM
1RB
1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth	1.4 MHz		Power	21.18 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	822.608654 M	-34.85	-56.03	-21.85
-1.700 M	-700.000 k	20.00 k	823.994872 M	-28.60	-49.78	-15.60
700.000 k	2.500 M	100.00 k	826.046154 M	-39.78	-60.96	-339.78


Date: 6.AUG.2020 20:08:38



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		21.29 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	846.969872 M	-37.00	-58.30	-337.00
700.000 k	1.700 M	20.00 k	849.000000 M	-17.11	-38.41	-4.11
1.700 M	2.500 M	1.00 M	850.030769 M	-34.18	-55.48	-21.18


Date: 6.AUG.2020 20:12:40

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		20.80 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	822.951923 M	-35.02	-55.82	-22.02
-2.500 M	-1.500 M	30.00 k	823.977564 M	-26.71	-47.51	-13.71
1.500 M	5.000 M	100.00 k	829.266026 M	-41.04	-61.84	-341.04


Date: 6.AUG.2020 20:15:02



Tx Channel Bandwidth		3 MHz		Power		BW_3_MHz_higher UL 21.28 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-5.000 M	-1.500 M	100.00 k	843.701923 M	-34.77	-56.05	-334.77	
1.500 M	2.500 M	30.00 k	849.006410 M	-25.33	-46.61	-12.33	
2.500 M	5.000 M	1.00 M	850.032051 M	-35.01	-56.30	-22.01	


Date: 6.AUG.2020 20:16:58

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		21.41 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	822.557692 M	-35.44	-56.85	-22.44
-3.500 M	-2.500 M	50.00 k	823.975962 M	-26.17	-47.58	-13.17
2.500 M	7.500 M	100.00 k	832.966346 M	-38.61	-60.02	-338.61

Date: 6.AUG.2020 20:17:56




Tx Channel
Bandwidth 5 MHz Power 20.88 dBm
BW_5_MHz_higher UL

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	840.009615 M	-33.76	-54.63	-333.76
2.500 M	3.500 M	50.00 k	849.000000 M	-26.74	-47.61	-13.74
3.500 M	7.500 M	1.00 M	850.682692 M	-35.76	-56.63	-22.76

Date: 6.AUG.2020 20:19:53


Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.42 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	822.942308 M	-35.69	-57.11	-22.69
-6.000 M	-5.000 M	100.00 k	823.951923 M	-37.97	-59.39	-24.97
5.000 M	15.000 M	100.00 k	842.269231 M	-36.58	-58.00	-336.58

Date: 6.AUG.2020 20:22:51




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 20.75 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.730769 M	-40.10	-60.85	-340.10
5.000 M	6.000 M	100.00 k	849.000000 M	-37.26	-58.01	-24.26
6.000 M	15.000 M	1.00 M	850.057692 M	-36.21	-56.96	-23.21


Date: 6.AUG.2020 20:23:39

QPSK
FRB
1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz	Power		20.97 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	822.993269 M	-27.87	-48.84	-14.87
-1.700 M	-700.000 k	20.00 k	823.994872 M	-32.69	-53.66	-19.69
700.000 k	2.500 M	100.00 k	825.400000 M	-21.90	-42.87	-321.90

Date: 6.AUG.2020 20:10:14




Tx Channel — BW_1_4_MHz_higher UL

Bandwidth 1.4 MHz — Power 20.83 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	847.594872 M	-23.47	-44.30	-323.47
700.000 k	1.700 M	20.00 k	849.000000 M	-22.57	-43.41	-9.57
1.700 M	2.500 M	1.00 M	850.022756 M	-26.81	-47.64	-13.81

Date: 6.AUG.2020 20:11:46

3MHz




Tx Channel **BW_3_MHz_lower UL**

Bandwidth 3 MHz Power 21.08 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	822.807692 M	-27.90	-48.98	-14.90
-2.500 M	-1.500 M	30.00 k	823.977564 M	-30.27	-51.35	-17.27
1.500 M	5.000 M	100.00 k	827.006410 M	-24.44	-45.52	-324.44


Date: 6.AUG.2020 20:15:43



Tx Channel					BW_3_MHz_higher UL	
Bandwidth	3 MHz		Power		20.93 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	845.977564 M	-25.77	-46.70	-325.77
1.500 M	2.500 M	30.00 k	849.006410 M	-31.87	-52.81	-18.87
2.500 M	5.000 M	1.00 M	850.512821 M	-26.86	-47.79	-13.86

Date: 6.AUG.2020 20:16:18


5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		21.05 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	822.701923 M	-29.26	-50.32	-16.26
-3.500 M	-2.500 M	50.00 k	823.975962 M	-31.80	-52.85	-18.80
2.500 M	7.500 M	100.00 k	829.000000 M	-27.93	-48.99	-327.93

Date: 6.AUG.2020 20:18:31

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel
Bandwidth 5 MHz Power 21.00 dBm
BW_5_MHz_higher UL

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	843.975962 M	-28.89	-49.89	-328.89
2.500 M	3.500 M	50.00 k	849.000000 M	-31.54	-52.55	-18.54
3.500 M	7.500 M	1.00 M	850.081731 M	-27.78	-48.78	-14.78


Date: 6.AUG.2020 20:19:09

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.07 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	822.605769 M	-30.88	-51.95	-17.88
-6.000 M	-5.000 M	100.00 k	823.951923 M	-34.82	-55.89	-21.82
5.000 M	15.000 M	100.00 k	834.000000 M	-32.77	-53.84	-332.77

Date: 6.AUG.2020 20:22:05




Tx Channel — BW_10_MHz_higher UL

Bandwidth 10 MHz — Power 21.05 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	838.951923 M	-34.79	-55.84	-334.79
5.000 M	6.000 M	100.00 k	849.000000 M	-33.78	-54.82	-20.78
6.000 M	15.000 M	1.00 M	850.730769 M	-28.39	-49.44	-15.39

Date: 6.AUG.2020 20:24:23


1RB
1.4MHz



Tx Channel — BW_1_4_MHz_lower UL
Bandwidth 1.4 MHz — Power 22.03 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	822.841026 M	-34.63	-56.66	-21.63
-1.700 M	-700.000 k	20.00 k	823.994872 M	-27.26	-49.29	-14.26
700.000 k	2.500 M	100.00 k	826.150321 M	-39.52	-61.54	-339.52


Date: 6.AUG.2020 20:09:05



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		21.74 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	846.929808 M	-36.94	-58.68	-336.94
700.000 k	1.700 M	20.00 k	849.000000 M	-15.52	-37.26	-2.52
1.700 M	2.500 M	1.00 M	850.030769 M	-35.06	-56.80	-22.06

Date: 6.AUG.2020 20:12:18


3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		21.97 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	822.919872 M	-34.92	-56.89	-21.92
-2.500 M	-1.500 M	30.00 k	823.977564 M	-25.69	-47.66	-12.69
1.500 M	5.000 M	100.00 k	829.298077 M	-41.07	-63.04	-341.07

Date: 6.AUG.2020 20:15:23

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_3_MHz_higher UL
Bandwidth 3 MHz — Power 22.22 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	843.669872 M	-34.03	-56.25	-334.03
1.500 M	2.500 M	30.00 k	849.006410 M	-24.21	-46.44	-11.21
2.500 M	5.000 M	1.00 M	850.032051 M	-34.37	-56.59	-21.37

Date: 6.AUG.2020 20:16:40


5MHz



Tx Channel			BW_5_MHz_lower UL			
Bandwidth	5 MHz	Power	21.87 dBm			
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	822.918269 M	-35.37	-57.24	-22.37
-3.500 M	-2.500 M	50.00 k	823.975962 M	-25.29	-47.16	-12.29
2.500 M	7.500 M	100.00 k	832.966346 M	-38.30	-60.18	-338.30

Date: 6.AUG.2020 20:18:13

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel
Bandwidth 5 MHz Power 21.80 dBm
BW_5_MHz_higher UL

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	840.033654 M	-32.67	-54.47	-332.67
2.500 M	3.500 M	50.00 k	849.000000 M	-25.72	-47.52	-12.72
3.500 M	7.500 M	1.00 M	850.081731 M	-35.20	-57.00	-22.20

Date: 6.AUG.2020 20:19:32


Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		22.04 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	822.942308 M	-35.25	-57.29	-22.25
-6.000 M	-5.000 M	100.00 k	823.951923 M	-36.26	-58.30	-23.26
5.000 M	15.000 M	100.00 k	842.269231 M	-36.00	-58.03	-336.00

Date: 6.AUG.2020 20:22:28




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 21.91 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.778846 M	-39.68	-61.59	-339.68
5.000 M	6.000 M	100.00 k	849.000000 M	-36.40	-58.31	-23.40
6.000 M	15.000 M	1.00 M	850.105769 M	-35.95	-57.86	-22.95


Date: 6.AUG.2020 20:24:02

Band XII
16QAM
1RB
1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth	1.4 MHz		Power	20.80 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	697.889103 M	-34.93	-55.73	-21.93
-1.700 M	-700.000 k	20.00 k	698.994872 M	-29.29	-50.09	-16.29
700.000 k	2.500 M	100.00 k	701.062179 M	-40.60	-61.40	-340.60

Date: 6.AUG.2020 20:29:11




Tx Channel — BW_1_4_MHz_higher UL

Bandwidth 1.4 MHz — Power 20.97 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	713.921795 M	-36.78	-57.75	-336.78
700.000 k	1.700 M	20.00 k	716.000000 M	-17.01	-37.98	-4.01
1.700 M	2.500 M	1.00 M	717.030769 M	-35.40	-56.37	-22.40

Date: 6.AUG.2020 20:49:27

3MHz




Tx Channel **BW_3_MHz_lower UL**

Bandwidth 3 MHz Power 21.48 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	697.983974 M	-34.96	-56.44	-21.96
-2.500 M	-1.500 M	30.00 k	698.977564 M	-25.52	-47.00	-12.52
1.500 M	5.000 M	100.00 k	703.096154 M	-42.06	-63.54	-342.06

Date: 6.AUG.2020 20:52:19




Tx Channel				BW_3_MHz_higher UL		
Bandwidth	3 MHz		Power	20.65 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	710.685897 M	-34.40	-55.05	-334.40
1.500 M	2.500 M	30.00 k	716.006410 M	-26.05	-46.71	-13.05
2.500 M	5.000 M	1.00 M	717.096154 M	-35.62	-56.28	-22.62

Date: 6.AUG.2020 20:55:32

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth	5 MHz		Power	21.07 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	697.750000 M	-35.81	-56.88	-22.81
-3.500 M	-2.500 M	50.00 k	698.975962 M	-25.79	-46.87	-12.79
2.500 M	7.500 M	100.00 k	707.990385 M	-40.69	-61.76	-340.69

Date: 6.AUG.2020 20:56:36

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_5_MHz_higher UL
Bandwidth 5 MHz — Power 20.67 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	707.009615 M	-33.06	-53.73	-333.06
2.500 M	3.500 M	50.00 k	716.000000 M	-26.87	-47.54	-13.87
3.500 M	7.500 M	1.00 M	717.129808 M	-36.33	-57.00	-23.33

Date: 6.AUG.2020 21:01:39


Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.57 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	697.942308 M	-35.82	-57.39	-22.82
-6.000 M	-5.000 M	100.00 k	698.951923 M	-37.28	-58.84	-24.28
5.000 M	15.000 M	100.00 k	717.269231 M	-39.60	-61.17	-339.60

Date: 6.AUG.2020 21:05:02




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 20.47 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	697.730769 M	-40.08	-60.55	-340.08
5.000 M	6.000 M	100.00 k	716.000000 M	-36.89	-57.36	-23.89
6.000 M	15.000 M	1.00 M	717.490385 M	-36.82	-57.29	-23.82


Date: 6.AUG.2020 21:08:12

QPSK
FRB
1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz	Power		21.29 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	697.993269 M	-24.49	-45.78	-11.49
-1.700 M	-700.000 k	20.00 k	698.994872 M	-29.18	-50.47	-16.18
700.000 k	2.500 M	100.00 k	700.400000 M	-20.86	-42.15	-320.86

Date: 6.AUG.2020 20:30:24




Tx Channel — BW_1_4_MHz_higher UL
Bandwidth 1.4 MHz — Power 20.80 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	714.586859 M	-22.19	-42.99	-322.19
700.000 k	1.700 M	20.00 k	716.000000 M	-20.48	-41.28	-7.48
1.700 M	2.500 M	1.00 M	717.014744 M	-25.57	-46.37	-12.57

Date: 6.AUG.2020 20:48:11

3MHz




Tx Channel — BW_3_MHz_lower UL

Bandwidth 3 MHz — Power 21.06 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	697.967949 M	-21.86	-42.92	-8.86
-2.500 M	-1.500 M	30.00 k	698.977564 M	-29.27	-50.33	-16.27
1.500 M	5.000 M	100.00 k	702.006410 M	-23.54	-44.60	-323.54

Date: 6.AUG.2020 20:53:02

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_3_MHz_higher UL
Bandwidth 3 MHz — Power 20.94 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	712.977564 M	-23.44	-44.38	-323.44
1.500 M	2.500 M	30.00 k	716.006410 M	-29.10	-50.04	-16.10
2.500 M	5.000 M	1.00 M	717.032051 M	-22.75	-43.69	-9.75

Date: 6.AUG.2020 20:54:25


5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth	5 MHz		Power	21.18 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	697.870192 M	-23.20	-44.38	-10.20
-3.500 M	-2.500 M	50.00 k	698.975962 M	-29.78	-50.96	-16.78
2.500 M	7.500 M	100.00 k	704.000000 M	-26.23	-47.41	-326.23

Date: 6.AUG.2020 20:57:29

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel
Bandwidth 5 MHz
Power 20.77 dBm
BW_5_MHz_higher UL

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	710.975962 M	-26.96	-47.73	-326.96
2.500 M	3.500 M	50.00 k	716.000000 M	-30.88	-51.65	-17.88
3.500 M	7.500 M	1.00 M	717.370192 M	-25.28	-46.05	-12.28

Date: 6.AUG.2020 21:00:51

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

10MHz




Tx Channel — BW_10_MHz_lower UL
Bandwidth 10 MHz — Power 21.06 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	697.942308 M	-26.68	-47.75	-13.68
-6.000 M	-5.000 M	100.00 k	698.951923 M	-32.97	-54.03	-19.97
5.000 M	15.000 M	100.00 k	709.000000 M	-31.90	-52.97	-331.90

Date: 6.AUG.2020 21:04:02

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 21.07 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	705.951923 M	-32.54	-53.61	-332.54
5.000 M	6.000 M	100.00 k	716.000000 M	-32.43	-53.51	-19.43
6.000 M	15.000 M	1.00 M	717.057692 M	-26.78	-47.85	-13.78

Date: 6.AUG.2020 21:09:00


1RB
1.4MHz



Tx Channel — BW_1_4_MHz_lower UL
Bandwidth 1.4 MHz — Power 22.02 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	697.913141 M	-34.35	-56.37	-21.35
-1.700 M	-700.000 k	20.00 k	698.994872 M	-26.56	-48.58	-13.56
700.000 k	2.500 M	100.00 k	701.014103 M	-40.08	-62.11	-340.08

Date: 6.AUG.2020 20:29:44




Tx Channel — BW_1_4_MHz_higher UL
Bandwidth 1.4 MHz — Power 22.05 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	713.905769 M	-35.88	-57.93	-335.88
700.000 k	1.700 M	20.00 k	716.000000 M	-15.60	-37.65	-2.60
1.700 M	2.500 M	1.00 M	717.046795 M	-35.06	-57.11	-22.06

Date: 6.AUG.2020 20:48:47


3MHz



Tx Channel — BW_3_MHz_lower UL
Bandwidth 3 MHz — Power 22.14 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	697.983974 M	-34.51	-56.64	-21.51
-2.500 M	-1.500 M	30.00 k	698.977564 M	-24.69	-46.82	-11.69
1.500 M	5.000 M	100.00 k	703.096154 M	-41.67	-63.80	-341.67


Date: 6.AUG.2020 20:52:41



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		21.99 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	710.701923 M	-33.42	-55.41	-333.42
1.500 M	2.500 M	30.00 k	716.006410 M	-23.67	-45.66	-10.67
2.500 M	5.000 M	1.00 M	717.048077 M	-35.71	-57.70	-22.71

Date: 6.AUG.2020 20:55:02


5MHz



Tx Channel			BW_5_MHz_lower UL			
Bandwidth	5 MHz	Power	21.72 dBm			
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	697.870192 M	-35.66	-57.39	-22.66
-3.500 M	-2.500 M	50.00 k	698.975962 M	-25.13	-46.85	-12.13
2.500 M	7.500 M	100.00 k	707.990385 M	-39.46	-61.18	-339.46

Date: 6.AUG.2020 20:57:04

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel
Bandwidth 5 MHz
Power 21.81 dBm
BW_5_MHz_higher UL

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	707.009615 M	-32.74	-54.55	-332.74
2.500 M	3.500 M	50.00 k	716.000000 M	-25.84	-47.65	-12.84
3.500 M	7.500 M	1.00 M	717.153846 M	-35.53	-57.34	-22.53

Date: 6.AUG.2020 21:01:16


Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		22.01 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	697.894231 M	-35.65	-57.66	-22.65
-6.000 M	-5.000 M	100.00 k	698.951923 M	-36.71	-58.72	-23.71
5.000 M	15.000 M	100.00 k	717.221154 M	-39.38	-61.39	-339.38

Date: 6.AUG.2020 21:04:26




Tx Channel — BW_10_MHz_higher UL
Bandwidth 10 MHz — Power 21.89 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	697.778846 M	-39.29	-61.19	-339.29
5.000 M	6.000 M	100.00 k	716.000000 M	-35.93	-57.82	-22.93
6.000 M	15.000 M	1.00 M	717.201923 M	-36.07	-57.96	-23.07

Date: 6.AUG.2020 21:08:35


Band XIII
16QAM
1RB
5MHz



Tx Channel — BW_5_MHz_lower UL
Bandwidth 5 MHz Power 20.90 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	775.942308 M	-36.48	-57.38	-23.48
-3.500 M	-2.500 M	50.00 k	776.975962 M	-27.18	-48.08	-14.18
2.500 M	7.500 M	100.00 k	786.014423 M	-35.88	-56.78	-335.88

Date: 6.AUG.2020 21:11:46




Tx Channel Bandwidth		5 MHz	Power		BW_5_MHz_higher UL 20.38 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	778.009615 M	-36.89	-57.27	-336.89
2.500 M	3.500 M	50.00 k	787.000000 M	-27.52	-47.90	-14.52
3.500 M	7.500 M	1.00 M	788.033654 M	-35.50	-55.89	-22.50

Date: 6.AUG.2020 21:14:12

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


10MHz



Tx Channel				BW_10_MHz_higher UL		
Bandwidth	10 MHz		Power	20.27 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	776.951923 M	-47.38	-67.64	-347.38
5.000 M	6.000 M	100.00 k	787.000000 M	-36.39	-56.66	-23.39
6.000 M	15.000 M	1.00 M	788.057692 M	-36.22	-56.49	-23.22

Date: 6.AUG.2020 21:18:51

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel — BW_10_MHz_lower UL
Bandwidth 10 MHz — Power 20.56 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	775.942308 M	-36.92	-57.48	-23.92
-6.000 M	-5.000 M	100.00 k	776.951923 M	-38.08	-58.63	-25.08
5.000 M	15.000 M	100.00 k	795.269231 M	-44.43	-64.99	-344.43


Date: 6.AUG.2020 21:17:59

QPSK
FRB
5MHz



Tx Channel Bandwidth		5 MHz	Power		BW_5_MHz_lower UL 20.68 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	775.966346 M	-30.13	-50.81	-17.13
-3.500 M	-2.500 M	50.00 k	776.975962 M	-32.94	-53.62	-19.94
2.500 M	7.500 M	100.00 k	782.000000 M	-27.36	-48.04	-327.36

Date: 6.AUG.2020 21:12:43




Tx Channel — BW_5_MHz_higher UL
Bandwidth 5 MHz — Power 20.72 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	781.975962 M	-29.17	-49.89	-329.17
2.500 M	3.500 M	50.00 k	787.000000 M	-31.78	-52.50	-18.78
3.500 M	7.500 M	1.00 M	788.105769 M	-27.19	-47.90	-14.19

Date: 6.AUG.2020 21:13:27

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

10MHz




Tx Channel BW_10_MHz_higher UL
Bandwidth 10 MHz Power 20.71 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	776.951923 M	-35.16	-55.87	-335.16
5.000 M	6.000 M	100.00 k	787.000000 M	-32.74	-53.45	-19.74
6.000 M	15.000 M	1.00 M	788.105769 M	-27.62	-48.33	-14.62

Date: 6.AUG.2020 21:19:29

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		20.68 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	775.942308 M	-33.65	-54.33	-20.65
-6.000 M	-5.000 M	100.00 k	776.951923 M	-35.20	-55.88	-22.20
5.000 M	15.000 M	100.00 k	787.000000 M	-32.65	-53.33	-332.65

Date: 6.AUG.2020 21:15:50


Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

1RB
5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth	5 MHz		Power	21.53 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	775.942308 M	-36.50	-58.03	-23.50
-3.500 M	-2.500 M	50.00 k	776.975962 M	-26.18	-47.71	-13.18
2.500 M	7.500 M	100.00 k	785.966346 M	-34.98	-56.51	-334.98

Date: 6.AUG.2020 21:12:10




Tx Channel					BW_5_MHz_higher UL	
Bandwidth		5 MHz	Power		21.64 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	778.033654 M	-36.56	-58.20	-336.56
2.500 M	3.500 M	50.00 k	787.000000 M	-25.97	-47.61	-12.97
3.500 M	7.500 M	1.00 M	788.105769 M	-35.08	-56.72	-22.08

Date: 6.AUG.2020 21:13:51

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23


10MHz



Tx Channel				BW_10_MHz_higher UL		
Bandwidth	10 MHz		Power	21.59 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	776.951923 M	-47.32	-68.92	-347.32
5.000 M	6.000 M	100.00 k	787.000000 M	-36.17	-57.77	-23.17
6.000 M	15.000 M	1.00 M	788.634615 M	-35.91	-57.50	-22.91

Date: 6.AUG.2020 21:19:12

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23



Tx Channel — BW_10_MHz_lower UL
Bandwidth 10 MHz — Power 21.73 dBm

Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	775.942308 M	-36.55	-58.28	-23.55
-6.000 M	-5.000 M	100.00 k	776.951923 M	-37.80	-59.53	-24.80
5.000 M	15.000 M	100.00 k	795.317308 M	-44.46	-66.19	-344.46

Date: 6.AUG.2020 21:17:40

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

9. Frequency Stability


The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within ±0.00025%(±2.5 ppm) of the center frequency.

9.1 Test procedure

☑ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.

☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.

☑ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.



9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

Test date: August 13, 2020
Temperature: 24.5 ˚C
Humidity: 48.6 %
Tester: Kent

WCDMA BAND II					WCDMA BAND IV				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1312	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	11.13	0.006			-30	10.22	0.006	
	-20	-8.33	-0.004			-20	-8.96	-0.005	
	-10	6.55	0.004			-10	6.55	0.004	
	0	-7.43	-0.004			0	5.98	0.003	
	10	3.42	0.002			10	2.93	0.002	
	20	-1.92	-0.001	±2.5		20	-5.13	-0.003	±2.5
	30	4.73	0.003			30	3.99	0.002	
	40	6.51	0.004			40	-4.55	-0.003	
	50	-8.33	-0.004			50	-6.39	-0.004	
132Vac	25	-3.35	-0.002		132Vac	25	-4.25	-0.002	
108Vac	25	-3.74	-0.002		108Vac	25	-1.52	-0.001	
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1412	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.55	-0.005			-30	-10.13	-0.006	
	-20	8.41	0.004			-20	8.95	0.005	
	-10	8.44	0.004			-10	-7.44	-0.004	
	0	-6.41	-0.003			0	-7.48	-0.004	
	10	-1.31	-0.001			10	5.35	0.003	
	20	2.55	0.001	±2.5		20	-2.05	-0.001	±2.5
	30	4.85	0.003			30	-5.31	-0.003	
	40	-3.04	-0.002			40	-6.15	-0.004	
	50	7.63	0.004			50	7.12	0.004	
132Vac	25	-5.71	-0.003		132Vac	25	-4.07	-0.002	
108Vac	25	-4.28	-0.002		108Vac	25	-4.16	-0.002	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1513	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.75	-0.005			-30	7.41	0.004	
	-20	4.43	0.002			-20	8.55	0.005	
	-10	6.18	0.003			-10	6.73	0.004	
	0	-5.29	-0.003			0	-7.42	-0.004	
	10	5.29	0.003			10	5.73	0.003	
	20	-4.32	-0.002	±2.5		20	-3.16	-0.002	±2.5
	30	4.66	0.002			30	3.55	0.002	
	40	5.31	0.003			40	-4.82	-0.003	
	50	-5.98	-0.003			50	6.61	0.004	
132Vac	25	-3.55	-0.002		132Vac	25	-3.93	-0.002	
108Vac	25	-3.60	-0.002		108Vac	25	-3.97	-0.002	

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

WCDMA BAND V				
CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.23	-0.014	
	-20	9.33	0.011	
	-10	7.54	0.009	
	0	-8.43	-0.010	
	10	-4.93	-0.006	
	20	3.13	0.004	±2.5
	30	5.49	0.007	
	40	-6.11	-0.007	
	50	7.19	0.009	
132Vac	25	1.42	0.002	
108Vac	25	-2.33	-0.003	
CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	9.14	0.011	
	-20	-5.77	-0.007	
	-10	-6.39	-0.008	
	0	-7.43	-0.009	
	10	-3.75	-0.004	
	20	4.74	0.006	±2.5
	30	4.65	0.006	
	40	5.22	0.006	
	50	7.88	0.009	
132Vac	25	2.93	0.004	
108Vac	25	-5.51	-0.007	
CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.93	-0.012	
	-20	-7.78	-0.009	
	-10	8.63	0.010	
	0	-6.16	-0.007	
	10	5.74	0.007	
	20	2.74	0.003	±2.5
	30	5.31	0.006	
	40	6.21	0.007	
	50	8.21	0.010	
132Vac	25	-3.33	-0.004	
108Vac	25	-2.87	-0.003	

Report Number: W6M22103-20710-P-247
FCC ID: GX9MOBLIR23

LTE BAND II QPSK 10MHz FRB					LTE BAND IV QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.43	-0.006			-30	9.95	0.006	
	-20	7.48	0.004			-20	-3.98	-0.002	
	-10	-8.93	-0.005			-10	-7.41	-0.004	
	0	-9.21	-0.005			0	-8.92	-0.005	
	10	-8.74	-0.005			10	7.06	0.004	
	20	-5.04	-0.003	±2.5		20	-2.29	-0.001	±2.5
	30	6.89	0.004			30	-3.41	-0.002	
	40	-8.44	-0.004			40	7.45	0.004	
	50	8.56	0.005			50	9.87	0.006	
132Vac	25	-6.51	-0.003		132Vac	25	2.86	0.002	
108Vac	25	-5.58	-0.003		108Vac	25	-3.02	-0.002	

LTE BAND V QPSK 10MHz FRB					LTE BAND XII QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	9.12	0.011			-30	8.99	0.013	
	-20	-8.79	-0.011			-20	-7.41	-0.010	
	-10	5.99	0.007			-10	-5.14	-0.007	
	0	-8.21	-0.010			0	-6.88	-0.010	
	10	7.18	0.009			10	5.48	0.008	
	20	1.85	0.002	±2.5		20	-2.66	-0.004	±2.5
	30	7.44	0.009			30	-4.56	-0.006	
	40	6.35	0.008			40	6.55	0.009	
	50	8.98	0.011			50	7.98	0.011	
132Vac	25	-2.31	-0.003		132Vac	25	-2.03	-0.003	
108Vac	25	-2.55	-0.003		108Vac	25	-2.73	-0.004	

LTE BAND XIII QPSK 10MHz FRB				
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-10.31	-0.013	
	-20	-8.44	-0.011	
	-10	5.89	0.008	
	0	7.40	0.009	
	10	-6.84	-0.009	
	20	-2.60	-0.003	±2.5
	30	7.44	0.010	
	40	-8.66	-0.011	
	50	11.85	0.015	
132Vac	25	1.30	0.002	
108Vac	25	2.70	0.003	

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004

10 Maximum Permissible Exposure

10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.
The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.
Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

MPE Calculation Method

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm^2)	Averaging Time $\|E\|^2$, $\|H\|^2$ or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	($900/f^2$)*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm^2)	Averaging Time $\|E\|^2$, $\|H\|^2$ or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	($180/f^2$)*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz *Plane-wave equivalent power density

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)
d = Separation distance between radiator and human body (m)

The formula can be changed to $Pd = \frac{30 \times P \times G}{377 \times d^2}$ mW/cm^2.

Frequency	Max output power		Antenna Gain	Power Density(S) (mW/cm²)	Limit of Power Density (S) (mW/cm²)	Test Result
	(dBm)	(W)				
WCDMA Band II	--	--	--	--	--	--
WCDMA Band IV	--	--	--	--	--	--
WCDMA Band V	--	--	--	--	--	--
LTE Band II	--	--	--	--	--	--
LTE Band IV	--	--	--	--	--	--
LTE Band V	--	--	--	--	--	--
LTE Band XII	--	--	--	--	--	--
LTE Band XIII	--	--	--	--	--	--

Explanation: Please refer to SAR report.

Appendix

Measurement diagrams

Filed Strength of Spurious Emission

Active
WCDMA Band2


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 **Data :#1** **Date: 2021/3/15** **Temperature:24 ℃**

Time: 下午 01:45:50 **Humidity:60 %**



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.9260	-96.48	peak	21.54	-74.94	-13.00	150	45	-61.94	
	97.7956	-97.34	peak	21.44	-75.90	-13.00	150	330	-62.90	

***:Maximum data x:Over limit !:over margin**


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 02:08:22 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	44.9900	-97.17	peak	21.04	-76.13	-13.00	150	195	-63.13	
*	91.3226	-97.57	peak	21.72	-75.85	-13.00	150	305	-62.85	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 05:56:34 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	895.7916	-68.21	peak	-1.44	-69.65	-13.00	150	160	-56.65	
*	953.5070	-61.04	peak	-3.01	-64.05	-13.00	150	245	-51.05	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 08:25:46 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9262
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-67.82	peak	-3.41	-71.23	-13.00	150	160	-58.23	
*	953.5070	-58.39	peak	-2.91	-61.30	-13.00	150	305	-48.30	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 01:59:21 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9262
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-42.95	peak	5.74	-37.21	-13.00	150	195	-24.21	
	3705.411	-54.85	peak	9.74	-45.11	-13.00	150	305	-32.11	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:11:32 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9262
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-42.34	peak	7.30	-35.04	-13.00	150	330	-22.04	
	3705.411	-53.29	peak	9.65	-43.64	-13.00	150	145	-30.64	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:00:02 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#7 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:12:09 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:00:46 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#8 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:12:52 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:00:58 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9262
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#9 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:13:04 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:01:10 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#10 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:13:16 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9262
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:47:07 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-100.69	peak	21.44	-79.25	-13.00	150	300	-66.25	
	137.9960	-102.28	peak	20.13	-82.15	-13.00	150	160	-69.15	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 02:09:18 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.3746	-97.70	peak	21.17	-76.53	-13.00	150	95	-63.53	
*	89.9600	-96.41	peak	21.73	-74.68	-13.00	150	45	-61.68	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 05:57:35 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9400
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	886.1723	-68.67	peak	-1.69	-70.36	-13.00	150	220	-57.36	
*	953.5070	-61.05	peak	-3.01	-64.06	-13.00	150	85	-51.06	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 08:24:44 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	759.5190	-68.31	peak	-3.47	-71.78	-13.00	150	195	-58.78	
*	953.5070	-58.92	peak	-2.91	-61.83	-13.00	150	305	-48.83	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:03:09 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9400
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-41.59	peak	5.71	-35.88	-13.00	150	130	-22.88	
	3765.531	-53.44	peak	9.82	-43.62	-13.00	150	220	-30.62	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:15:09 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9400
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-50.88	peak	9.60	-41.28	-13.00	150	220	-28.28	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:03:48 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#7 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:16:11 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9400
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5218.437	-57.56	peak	8.53	-49.03	-13.00	150	35	-36.03	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:04:32 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#8 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:16:56 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:04:44 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#9 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:17:08 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:04:56 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#10 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:17:20 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃
Time: 下午 01:48:23 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9538
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	102.2244	-102.41	peak	21.44	-80.97	-13.00	150	220	-67.97	
*	184.3287	-102.41	peak	21.56	-80.85	-13.00	150	75	-67.85	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃
Time: 下午 02:10:18 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9538
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.7154	-98.48	peak	21.19	-77.29	-13.00	150	145	-64.29	
*	86.2124	-98.38	peak	21.54	-76.84	-13.00	150	85	-63.84	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 05:58:39 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9538
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-65.38	peak	-4.54	-69.92	-13.00	150	220	-56.92	
*	953.5070	-60.73	peak	-3.01	-63.74	-13.00	150	85	-50.74	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 08:23:45 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-67.92	peak	-3.41	-71.33	-13.00	150	185	-58.33	
*	953.5070	-58.32	peak	-2.91	-61.23	-13.00	150	245	-48.23	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:07:03 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9538
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-40.52	peak	5.74	-34.78	-13.00	150	305	-21.78	
	3813.627	-54.39	peak	9.89	-44.50	-13.00	150	110	-31.50	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 02:19:27 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band2-CH9538
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-42.22	peak	7.34	-34.88	-13.00	150	245	-21.88	
	3813.627	-52.05	peak	9.55	-42.50	-13.00	150	160	-29.50	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:07:41 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#7 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:20:05 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:08:24 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#8 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:20:52 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:08:36 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#9 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:21:04 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:08:49 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#10 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 02:21:16 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃
Time: 下午 01:49:37 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1312
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.62	peak	21.44	-81.18	-13.00	150	305	-68.18	
	158.0961	-102.80	peak	21.24	-81.56	-13.00	150	160	-68.56	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 02:11:22 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.3527	-97.98	peak	21.11	-76.87	-13.00	150	110	-63.87	
*	91.6633	-97.32	peak	21.72	-75.60	-13.00	150	245	-62.60	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 05:59:58 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-67.38	peak	-4.39	-71.77	-13.00	150	160	-58.77	
*	953.5070	-60.12	peak	-3.01	-63.13	-13.00	150	245	-50.13	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 08:22:34 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1312
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-66.53	peak	-3.41	-69.94	-13.00	150	195	-56.94	
*	953.5070	-58.21	peak	-2.91	-61.12	-13.00	150	300	-48.12	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:25:46 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-42.30	peak	5.71	-36.59	-13.00	150	330	-23.59	
	3428.858	-45.89	peak	9.12	-36.77	-13.00	150	195	-23.77	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 03:48:27 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1312
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-44.82	peak	7.34	-37.48	-13.00	150	85	-24.48	
	3428.858	-56.46	peak	9.48	-46.98	-13.00	150	330	-33.98	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:26:25 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#7 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:49:05 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:27:09 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#8 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:49:48 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:27:21 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#9 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:50:00 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:27:33 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#10 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:50:12 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:50:41 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.6512	-98.58	peak	21.58	-77.00	-13.00	150	300	-64.00	
	97.7956	-99.07	peak	21.44	-77.63	-13.00	150	160	-64.63	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 02:12:26 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.3307	-96.00	peak	21.06	-74.94	-13.00	150	75	-61.94	
	84.8496	-98.17	peak	21.48	-76.69	-13.00	150	330	-63.69	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 08:17:24 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1412
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-64.90	peak	-4.54	-69.44	-13.00	150	110	-56.44	
*	953.5070	-59.62	peak	-3.01	-62.63	-13.00	150	245	-49.63	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 08:21:35 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-66.85	peak	-3.41	-70.26	-13.00	150	10	-57.26	
*	953.5070	-57.81	peak	-2.91	-60.72	-13.00	150	245	-47.72	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:29:30 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-44.42	peak	5.74	-38.68	-13.00	150	345	-25.68	
	3464.930	-49.03	peak	9.28	-39.75	-13.00	150	110	-26.75	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 03:44:45 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1412
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.10	peak	7.30	-35.80	-13.00	150	245	-22.80	
	3464.930	-55.68	peak	9.66	-46.02	-13.00	150	185	-33.02	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:30:12 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#7 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:45:24 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:30:55 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#8 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:46:07 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:31:07 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#9 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 03:46:19 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1412
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 03:31:19 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1412
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#10 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:46:31 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:51:47 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7956	-102.88	peak	21.44	-81.44	-13.00	150	220	-68.44	
*	103.2464	-102.54	peak	21.37	-81.17	-13.00	150	85	-68.17	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Time: 下午 02:13:30 Temperature:24 ℃ Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1513
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.0120	-98.39	peak	21.09	-77.30	-13.00	150	330	-64.30	
*	86.2124	-94.76	peak	21.54	-73.22	-13.00	150	75	-60.22	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 08:18:50 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1513
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-66.76	peak	-4.54	-71.30	-13.00	150	100	-58.30	
*	953.5070	-59.97	peak	-3.01	-62.98	-13.00	150	245	-49.98	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 08:20:19 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1513
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-67.20	peak	-3.41	-70.61	-13.00	150	195	-57.61	
*	953.5070	-58.44	peak	-2.91	-61.35	-13.00	150	205	-48.35	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:35:19 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-43.78	peak	5.74	-38.04	-13.00	150	305	-25.04	
*	3507.014	-46.24	peak	9.45	-36.79	-13.00	150	160	-23.79	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:39:13 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-44.15	peak	7.30	-36.85	-13.00	150	305	-23.85	
	3507.014	-49.45	peak	9.83	-39.62	-13.00	150	160	-26.62	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:36:00 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#7 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:39:51 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:36:46 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#8 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:40:33 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:36:58 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#9 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:40:46 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 03:37:10 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band4-CH1513
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#10 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 03:40:58 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃
Time: 下午 01:52:56 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4132
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-100.22	peak	21.44	-78.78	-13.00	150	75	-65.78	
	103.2464	-102.55	peak	21.37	-81.18	-13.00	150	330	-68.18	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 02:14:37 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-102.61	peak	21.48	-81.13	-13.00	150	220	-68.13	
*	176.1523	-103.09	peak	22.42	-80.67	-13.00	150	85	-67.67	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:49:45 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-69.53	peak	-4.38	-73.91	-13.00	150	195	-60.91	
*	959.9198	-69.20	peak	-3.02	-72.22	-13.00	150	245	-59.22	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 04:57:43 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4132
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	894.1884	-61.22	peak	-2.66	-63.88	-13.00	150	75	-50.88	
*	959.9198	-60.40	peak	-2.88	-63.28	-13.00	150	220	-50.28	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 04:15:00 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4132
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1769.539	-41.28	peak	1.73	-39.55	-13.00	150	195	-26.55	
	2454.910	-49.75	peak	5.71	-44.04	-13.00	150	330	-31.04	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 04:38:40 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4132
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1889.780	-44.87	peak	3.90	-40.97	-13.00	150	330	-27.97	
*	2527.054	-47.83	peak	7.56	-40.27	-13.00	150	195	-27.27	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:15:40 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:39:18 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:16:24 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:40:00 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:54:05 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-101.73	peak	21.44	-80.29	-13.00	150	145	-67.29	
	103.9280	-102.57	peak	21.33	-81.24	-13.00	150	130	-68.24	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 02:15:34 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.6413	-100.26	peak	21.73	-78.53	-13.00	150	85	-65.53	
	190.4610	-101.54	peak	22.01	-79.53	-13.00	150	330	-66.53	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 04:50:57 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4183
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-70.60	peak	-4.39	-74.99	-13.00	150	195	-61.99	
*	959.9198	-69.36	peak	-3.02	-72.38	-13.00	150	205	-59.38	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:56:25 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	789.9800	-61.96	peak	-2.90	-64.86	-13.00	150	195	-51.86	
*	958.3166	-61.73	peak	-2.89	-64.62	-13.00	150	305	-51.62	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 04:18:15 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4183
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1895.792	-47.33	peak	2.57	-44.76	-13.00	150	220	-31.76	
	2454.910	-50.48	peak	5.71	-44.77	-13.00	150	130	-31.77	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 04:35:42 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4183
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1889.780	-47.69	peak	3.90	-43.79	-13.00	150	110	-30.79	
*	2539.078	-38.97	peak	7.56	-31.41	-13.00	150	245	-18.41	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:18:54 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:36:20 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:19:36 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:37:03 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:55:19 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.3106	-100.06	peak	21.57	-78.49	-13.00	150	300	-65.49	
	97.7956	-101.07	peak	21.44	-79.63	-13.00	150	195	-66.63	


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
Temperature:24 ℃
Humidity:60 %

File :1 Data :#2 Date: 2021/3/15 Time: 下午 02:16:33



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4233
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.6854	-103.13	peak	21.72	-81.41	-13.00	150	85	-68.41	
	135.6111	-102.70	peak	20.24	-82.46	-13.00	150	220	-69.46	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:52:27 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-68.34	peak	-4.38	-72.72	-13.00	150	220	-59.72	
*	956.7134	-69.23	peak	-3.01	-72.24	-13.00	150	85	-59.24	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 04:55:06 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4233
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	866.9340	-42.97	peak	-2.07	-45.04	-13.00	150	245	-32.04	
	959.9198	-59.45	peak	-2.88	-62.33	-13.00	150	110	-49.33	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#1 Date: 2021/3/12
Temperature:24 ℃
Time: 下午 04:29:10 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : WCDMA-Band5-CH4233
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1889.780	-44.06	peak	2.53	-41.53	-13.00	150	220	-28.53	
	2460.922	-51.78	peak	5.74	-46.04	-13.00	150	185	-33.04	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#4 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:32:45 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1769.539	-26.36	peak	3.28	-23.08	-13.00	150	245	-10.08	
	1889.780	-43.86	peak	3.90	-39.96	-13.00	150	110	-26.96	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:29:56 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:33:23 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:30:39 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#6 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 04:34:05 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


LTE Band 2

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#1 Date: 2021/3/15 Time: 下午 01:32:44 Temperature:24 ℃ Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-93.56	peak	21.59	-71.97	-13.00	150	5	-58.97	
	97.7956	-98.39	peak	21.44	-76.95	-13.00	150	110	-63.95	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:56:57 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.3447	-103.43	peak	21.72	-81.71	-13.00	150	245	-68.71	
*	173.4270	-102.65	peak	22.34	-80.31	-13.00	150	160	-67.31	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 05:43:13 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : BAND2-QPSK-1.4M-1RB-CH18900
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	895.7916	-65.05	peak	-1.44	-66.49	-13.00	150	195	-53.49	
*	953.5070	-61.93	peak	-3.01	-64.94	-13.00	150	305	-51.94	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃

Time: 下午 05:49:45 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	886.1723	-60.47	peak	-2.49	-62.96	-13.00	150	85	-49.96	
*	953.5070	-59.16	peak	-2.91	-62.07	-13.00	150	330	-49.07	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#1 Date: 2021/3/11 Temperature:24 ℃
Time: 下午 03:58:11 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : BAND2-QPSK-1.4M-1RB-CH18900
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-47.81	peak	9.81	-38.00	-13.00	150	245	-25.00	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#6 Date: 2021/3/11 Temperature:24 ℃
Time: 下午 04:03:45 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : BAND2-QPSK-1.4M-1RB-CH18900
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-46.60	peak	9.60	-37.00	-13.00	150	220	-24.00	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#2 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 03:58:53 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-59.44	peak	10.67	-48.77	-13.00	150	220	-35.77	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#7 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 04:04:26 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-52.49	peak	10.93	-41.56	-13.00	150	205	-28.56	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#3 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 03:59:40 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#8 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 04:05:12 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#4 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 03:59:52 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#9 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 04:05:25 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#5 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 04:00:04 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :3 Data :#10 Date: 2021/3/11 Temperature:24 ℃
Time: 下午 04:05:37 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : BAND2-QPSK-1.4M-1RB-CH18900
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#1 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:34:00 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-98.79	peak	21.44	-77.35	-13.00	150	95	-64.35	
	105.2906	-101.78	peak	21.23	-80.55	-13.00	150	330	-67.55	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1 Data :#2 Date: 2021/3/15 Temperature:24 ℃

Time: 下午 01:57:57 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	84.5090	-98.82	peak	21.46	-77.36	-13.00	150	75	-64.36	
	173.4270	-102.50	peak	22.34	-80.16	-13.00	150	300	-67.16	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#1 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 05:44:22 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : BAND2-QPSK-20M-1RB-CH18900
Note :

Polarization: *Horizontal*
Power : 3.8 Vd.c.
Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-66.88	peak	-4.38	-71.26	-13.00	150	195	-58.26	
*	953.5070	-62.45	peak	-3.01	-65.46	-13.00	150	220	-52.46	

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent
File :2 Data :#2 Date: 2021/3/12 Temperature:24 ℃
Time: 下午 05:50:53 Humidity:60 %



Site : Chamber
Condition : FCC_part 22/24/27
EUT : W6M22103-20710
M/N:
Test Mode : BAND2-QPSK-20M-1RB-CH18900
Note :

Polarization: *Vertical*
Power : 3.8 Vd.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	886.1723	-65.33	peak	-2.49	-67.82	-13.00	150	220	-54.82	
*	953.5070	-59.61	peak	-2.91	-62.52	-13.00	150	75	-49.52	

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3 Data :#1 Date: 2021/3/11 Temperature:24 ℃

Time: 下午 04:09:33 Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-50.42	peak	9.82	-40.60	-13.00	150	240	-27.60	

*:Maximum data x:Over limit !:over margin