



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:28:15

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5210.421	-64.52	peak	7.91	-56.61	-13.00	150	65	-43.61	
*	5643.287	-66.03	peak	10.44	-55.59	-13.00	150	140	-42.59	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:40:45

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-60.29	peak	8.81	-51.48	-13.00	150	55	-38.48	
	5643.287	-66.14	peak	12.20	-53.94	-13.00	150	265	-40.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:28:57

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:41:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:29:09

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:41:39

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #5

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:29:21

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:41:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:50:40

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	80.0802	-94.03	peak	23.49	-70.54	-13.00	150	150	-57.54	
*	88.5972	-89.42	peak	23.94	-65.48	-13.00	150	115	-52.48	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 11:05:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	75.6512	-91.33	peak	23.41	-67.92	-13.00	150	245	-54.92	
*	91.6633	-82.18	peak	23.02	-59.16	-13.00	150	220	-46.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:35:23

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-71.09	peak	-2.20	-73.29	-13.00	150	225	-60.29	
	873.3467	-75.44	peak	1.02	-74.42	-13.00	150	165	-61.42	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2


Data :#2

Date: 2022/2/28

Temperature:24 °C

Time: 上午 10:44:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-72.58	peak	-1.79	-74.37	-13.00	150	295	-61.37	
*	956.7134	-66.74	peak	-0.88	-67.62	-13.00	150	225	-54.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:31:47

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:35:11

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:32:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5210.421	-64.77	peak	7.91	-56.86	-13.00	150	335	-43.86	
*	5723.447	-61.82	peak	10.87	-50.95	-13.00	150	150	-37.95	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:35:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5210.421	-59.94	peak	8.81	-51.13	-13.00	150	255	-38.13	
*	5723.447	-60.16	peak	12.42	-47.74	-13.00	150	190	-34.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:33:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:36:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:33:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:36:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:33:31

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:37:01

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:51:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.9158	-91.40	peak	23.90	-67.50	-13.00	150	110	-54.50	
	105.6313	-92.09	peak	22.41	-69.68	-13.00	150	180	-56.68	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 11:03:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	82.4650	-90.29	peak	23.06	-67.23	-13.00	150	105	-54.23	
*	90.9820	-81.01	peak	22.90	-58.11	-13.00	150	270	-45.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:36:52

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.7575	-71.30	peak	-2.14	-73.44	-13.00	150	95	-60.44	
	956.7134	-72.61	peak	-1.59	-74.20	-13.00	150	165	-61.20	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 10:42:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-71.92	peak	-1.77	-73.69	-13.00	150	80	-60.69	
*	958.3166	-67.25	peak	-0.82	-68.07	-13.00	150	295	-55.07	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:49:32

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-44.95	peak	3.47	-41.48	-13.00	150	95	-28.48	
	3428.858	-56.61	peak	6.07	-50.54	-13.00	150	140	-37.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 09:12:14

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-49.09	peak	8.58	-40.51	-13.00	150	290	-27.51	
	3422.846	-52.40	peak	10.32	-42.08	-13.00	150	85	-29.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:50:09

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 09:12:51

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:50:51

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 09:13:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:51:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 09:13:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:51:16

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 09:14:12

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:52:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.4430	-95.76	peak	23.57	-72.19	-13.00	150	80	-59.19	
*	91.3226	-86.63	peak	23.84	-62.79	-13.00	150	155	-49.79	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 11:02:56

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.2445	-90.19	peak	23.60	-66.59	-13.00	150	65	-53.59	
*	89.6192	-82.44	peak	22.75	-59.69	-13.00	150	250	-46.69	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:38:05

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-70.60	peak	-2.20	-72.80	-13.00	150	155	-59.80	
	958.3166	-72.78	peak	-1.56	-74.34	-13.00	150	120	-61.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:42:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-74.70	peak	-1.79	-76.49	-13.00	150	330	-63.49	
*	956.7134	-66.05	peak	-0.88	-66.93	-13.00	150	280	-53.93	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:53:12

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-50.23	peak	3.47	-46.76	-13.00	150	65	-33.76	
	3464.930	-59.36	peak	6.14	-53.22	-13.00	150	150	-40.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 09:07:37

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-49.14	peak	8.58	-40.56	-13.00	150	280	-27.56	
	3464.930	-54.76	peak	10.38	-44.38	-13.00	150	310	-31.38	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #2

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:53:54

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 09:08:18

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:54:38

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 09:09:27

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:54:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 09:09:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:55:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/2/28

Temperature:24 °C

Time: 上午 09:09:53

Humidity:60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:54:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	86.5531	-87.08	peak	23.83	-63.25	-13.00	150	135	-50.25	
	104.6092	-92.30	peak	22.46	-69.84	-13.00	150	185	-56.84	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 11:01:55

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.6954	-89.49	peak	23.30	-66.19	-13.00	150	255	-53.19	
*	90.3006	-80.21	peak	22.78	-57.43	-13.00	150	195	-44.43	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1

Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 10:39:26

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.7575	-70.12	peak	-2.14	-72.26	-13.00	150	150	-59.26	
	860.5210	-75.67	peak	1.13	-74.54	-13.00	150	105	-61.54	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2


Data :#2

Date: 2022/2/28

Temperature:24 °C

Time: 上午 10:40:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-72.39	peak	-1.77	-74.16	-13.00	150	215	-61.16	
*	956.7134	-66.63	peak	-0.88	-67.51	-13.00	150	285	-54.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:57:28

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-48.69	peak	3.47	-45.22	-13.00	150	175	-32.22	
	3507.014	-58.44	peak	6.23	-52.21	-13.00	150	125	-39.21	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3


Data : #6

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 09:01:32

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-49.19	peak	8.58	-40.61	-13.00	150	315	-27.61	
	3507.014	-52.72	peak	10.43	-42.29	-13.00	150	275	-29.29	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:58:05

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #7


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 09:02:33

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:58:47

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #8


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 09:03:50

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:58:59

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #9


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 09:04:03

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:59:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #10

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 09:04:16

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:55:22

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	88.5972	-87.28	peak	23.94	-63.34	-13.00	150	150	-50.34	
	105.2906	-93.39	peak	22.43	-70.96	-13.00	150	105	-57.96	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 11:00:48

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.0340	-96.16	peak	23.02	-73.14	-13.00	150	330	-60.14	
*	93.7074	-89.01	peak	23.39	-65.62	-13.00	150	215	-52.62	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 09:37:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-72.25	peak	-2.20	-74.45	-13.00	150	165	-61.45	
*	870.1403	-45.55	peak	1.05	-44.50	-13.00	150	140	-31.50	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2


Data :#2

Date: 2022/2/28

Temperature:24 °C

Time: 上午 09:38:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	873.3467	-38.69	peak	-0.75	-39.44	-13.00	150	255	-26.44	
	958.3166	-69.48	peak	-0.82	-70.30	-13.00	150	95	-57.30	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 07:54:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-58.08	peak	5.78	-52.30	-13.00	150	90	-39.30	
	2436.874	-57.61	peak	3.47	-54.14	-13.00	150	115	-41.14	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:15:04

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1649.299	-57.08	peak	7.08	-50.00	-13.00	150	255	-37.00	
	2436.874	-59.69	peak	8.58	-51.11	-13.00	150	195	-38.11	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 07:55:25

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:15:55

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 07:56:08

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:17:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:56:19

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	91.3226	-85.50	peak	23.84	-61.66	-13.00	150	130	-48.66	
	108.0160	-94.46	peak	22.29	-72.17	-13.00	150	180	-59.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:59:58

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	80.0802	-88.80	peak	23.17	-65.63	-13.00	150	275	-52.63	
*	87.9158	-85.65	peak	22.82	-62.83	-13.00	150	305	-49.83	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:21:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-64.31	peak	-2.20	-66.51	-13.00	150	95	-53.51	
	958.3166	-65.10	peak	-1.56	-66.66	-13.00	150	140	-53.66	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2


Data : #2

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:22:36

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-67.11	peak	-2.00	-69.11	-13.00	150	235	-56.11	
*	953.5070	-65.07	peak	-1.01	-66.08	-13.00	150	190	-53.08	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 07:59:01

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-58.78	peak	5.79	-52.99	-13.00	150	140	-39.99	
	2436.874	-57.07	peak	3.47	-53.60	-13.00	150	105	-40.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:11:11

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-55.54	peak	7.31	-48.23	-13.00	150	235	-35.23	
	2515.030	-60.20	peak	8.35	-51.85	-13.00	150	280	-38.85	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #2


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 07:59:39

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:11:53

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:00:34

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:12:39

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#1

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:57:25

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	78.3768	-95.21	peak	23.60	-71.61	-13.00	150	135	-58.61	
*	90.3006	-87.78	peak	23.97	-63.81	-13.00	150	85	-50.81	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1


Data :#2

Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:58:41

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	73.9480	-93.82	peak	23.51	-70.31	-13.00	150	275	-57.31	
*	92.0040	-90.13	peak	23.08	-67.05	-13.00	150	45	-54.05	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 2

Data : #1


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 10:25:04

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-66.56	peak	-2.20	-68.76	-13.00	150	175	-55.76	
	958.3166	-67.26	peak	-1.56	-68.82	-13.00	150	105	-55.82	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2


Data :#2

Date: 2022/2/28

Temperature:24 °C

Time: 上午 10:24:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-70.11	peak	-2.00	-72.11	-13.00	150	255	-59.11	
*	953.5070	-65.56	peak	-1.01	-66.57	-13.00	150	330	-53.57	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #1


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:02:57

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1763.527	-59.90	peak	5.84	-54.06	-13.00	150	165	-41.06	
*	2436.874	-57.37	peak	3.47	-53.90	-13.00	150	115	-40.90	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:06:46

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-59.43	peak	7.48	-51.95	-13.00	150	315	-38.95	
*	2436.874	-59.44	peak	8.58	-50.86	-13.00	150	85	-37.86	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:03:35

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #5


Date: 2022/2/28

Temperature: 24 °C

Time: 上午 08:07:24

Humidity: 60 %

0.0 dBm



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #3


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:04:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File : 3

Data : #6


Date: 2022/2/28

Temperature: 24 °C

0.0 dBm

Time: 上午 08:08:07

Humidity: 60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

80.0 dBuV/m

Time: 1:19:02 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	127.1944	28.28	peak	-6.05	22.23	43.50	100	196	-21.27	
	646.2124	28.37	peak	1.18	29.55	46.00	100	52	-16.45	
	830.8817	28.09	peak	3.07	31.16	46.00	127	250	-14.84	
*	945.5711	33.22	peak	5.71	38.93	46.00	115	106	-7.07	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

80.0 dBuV/m

Time: 1:20:03 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8116	29.99	peak	-8.04	21.95	43.50	100	240	-21.55	
	638.4370	28.65	peak	0.70	29.35	46.00	100	318	-16.65	
	762.8457	29.53	peak	1.51	31.04	46.00	122	57	-14.96	
*	945.5711	32.07	peak	5.71	37.78	46.00	140	110	-8.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 2:56:12 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	42.13	peak	1.29	43.42	74.00	150	185	-30.58	
*	7186.373	40.75	peak	6.08	46.83	74.00	150	140	-27.17	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 2:57:00 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3791.583	41.44	peak	1.18	42.62	74.00	150	57	-31.38	
*	7116.233	40.17	peak	6.23	46.40	74.00	150	249	-27.60	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 2:56:24 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 2/25/2022

Temperature: 19.0 °C

Time: 2:57:12 AM

Humidity: 66.0 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Nei-hu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 2:56:46 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 2:57:35 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 2:56:53 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 2:57:41 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:25:11 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8115	30.29	peak	-8.04	22.25	43.50	140	196	-21.25	
	652.0440	28.09	peak	1.39	29.48	46.00	107	58	-16.52	
	793.9480	29.17	peak	1.99	31.16	46.00	110	240	-14.84	
*	945.5711	33.41	peak	5.71	39.12	46.00	100	115	-6.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

80.0 dBuV/m

Time: 1:26:12 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	127.1944	27.66	peak	-6.05	21.61	43.50	110	62	-21.89	
	539.2985	28.75	peak	-1.46	27.29	46.00	132	310	-18.71	
	675.3706	29.12	peak	1.11	30.23	46.00	100	75	-15.77	
*	945.5711	32.55	peak	5.71	38.26	46.00	125	184	-7.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:01:08 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.39	peak	1.29	42.68	74.00	150	230	-31.32	
*	7130.261	40.39	peak	6.20	46.59	74.00	150	62	-27.41	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:01:57 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3707.415	41.32	peak	1.01	42.33	74.00	150	72	-31.67	
*	7130.261	40.29	peak	6.20	46.49	74.00	150	115	-27.51	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:01:20 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 2/25/2022

Temperature: 19.0 °C

Time: 3:02:09 AM

Humidity: 66.0 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:01:42 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:02:31 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 2/25/2022

Temperature: 19.0 °C

Time: 3:01:49 AM

Humidity: 66.0 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 2/25/2022

Temperature: 19.0 °C

Time: 3:02:38 AM

Humidity: 66.0 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

80.0 dBuV/m

Time: 1:30:49 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8115	29.77	peak	-8.04	21.73	43.50	122	292	-21.77	
	570.4008	29.05	peak	-1.44	27.61	46.00	107	48	-18.39	
	793.9480	29.28	peak	1.99	31.27	46.00	116	320	-14.73	
*	945.5711	32.30	peak	5.71	38.01	46.00	140	164	-7.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:31:50 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	127.1944	28.48	peak	-6.05	22.43	43.50	100	155	-21.07	
	529.5792	28.85	peak	-1.66	27.19	46.00	136	36	-18.81	
	745.3507	29.40	peak	1.26	30.66	46.00	117	270	-15.34	
*	945.5711	31.95	peak	5.71	37.66	46.00	102	310	-8.34	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:07:10 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	42.14	peak	0.64	42.78	74.00	150	140	-31.22	
*	7102.204	40.80	peak	6.26	47.06	74.00	150	315	-26.94	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:09:36 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	42.26	peak	0.64	42.90	74.00	150	300	-31.10	
*	6456.914	40.50	peak	5.27	45.77	74.00	150	142	-28.23	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:08:30 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 2/25/2022

Temperature:19.0 °C

90.0 dBuV/m

Time: 3:10:55 AM

Humidity:66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:35:32 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1382	27.70	peak	-5.99	21.71	43.50	120	200	-21.79	
	547.0741	28.82	peak	-1.30	27.52	46.00	100	107	-18.48	
	811.4430	28.57	peak	2.45	31.02	46.00	135	318	-14.98	
*	945.5711	33.55	peak	5.71	39.26	46.00	117	60	-6.74	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:36:33 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	133.0261	27.38	peak	-6.13	21.25	43.50	133	255	-22.25	
	675.3706	28.67	peak	1.11	29.78	46.00	105	80	-16.22	
	858.0962	28.83	peak	3.83	32.66	46.00	112	335	-13.34	
*	945.5711	34.04	peak	5.71	39.75	46.00	100	105	-6.25	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:15:25 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4128.257	42.85	peak	0.94	43.79	74.00	150	110	-30.21	
*	7116.233	41.22	peak	6.23	47.45	74.00	150	285	-26.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:18:37 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3707.415	42.03	peak	1.01	43.04	74.00	150	310	-30.96	
*	7214.429	41.22	peak	6.00	47.22	74.00	150	0	-26.78	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

Time: 3:17:18 AM

Humidity: 66.0 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:20:05 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:40:32 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8115	29.87	peak	-8.04	21.83	43.50	110	20	-21.67	
	566.5130	28.72	peak	-1.40	27.32	46.00	138	275	-18.68	
	762.8456	28.60	peak	1.51	30.11	46.00	100	130	-15.89	
*	945.5711	32.67	peak	5.71	38.38	46.00	105	86	-7.62	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:41:33 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8116	29.16	peak	-8.04	21.12	43.50	100	245	-22.38	
	556.7936	28.86	peak	-1.30	27.56	46.00	134	130	-18.44	
	784.2285	29.07	peak	1.84	30.91	46.00	100	64	-15.09	
*	945.5711	32.84	peak	5.71	38.55	46.00	117	180	-7.45	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:23:38 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	42.34	peak	1.29	43.63	74.00	150	59	-30.37	
*	7214.429	41.47	peak	6.00	47.47	74.00	150	270	-26.53	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:26:26 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3707.415	41.84	peak	1.01	42.85	74.00	150	163	-31.15	
*	7116.233	41.31	peak	6.23	47.54	74.00	150	220	-26.46	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:25:04 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #4


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:28:13 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature:19.0 °C

80.0 dBuV/m

Time: 1:44:38 AM

Humidity:66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	28.58	peak	-6.63	21.95	43.50	124	64	-21.55	
	650.1001	28.31	peak	1.41	29.72	46.00	100	310	-16.28	
	788.1162	30.14	peak	1.90	32.04	46.00	105	255	-13.96	
*	945.5711	32.52	peak	5.71	38.23	46.00	138	104	-7.77	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

80.0 dBuV/m

Time: 1:45:39 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	133.0261	27.59	peak	-6.13	21.46	43.50	100	215	-22.04	
	650.1002	28.78	peak	1.41	30.19	46.00	127	40	-15.81	
	856.1523	28.20	peak	3.79	31.99	46.00	110	177	-14.01	
*	945.5711	33.13	peak	5.71	38.84	46.00	143	305	-7.16	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:34:18 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3791.583	41.46	peak	1.18	42.64	74.00	150	40	-31.36	
*	7130.261	40.54	peak	6.20	46.74	74.00	150	210	-27.26	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:35:07 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4128.257	41.88	peak	0.94	42.82	74.00	150	200	-31.18	
*	7060.120	40.31	peak	6.02	46.33	74.00	150	335	-27.67	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:34:30 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:35:19 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:34:52 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:35:41 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:34:59 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Horizontal

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:35:48 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

80.0 dBuV/m

Time: 1:48:39 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	28.19	peak	-6.10	22.09	43.50	120	92	-21.41	
	527.6352	28.64	peak	-1.70	26.94	46.00	134	280	-19.06	
	793.9480	29.54	peak	1.99	31.53	46.00	100	336	-14.47	
*	945.5711	32.41	peak	5.71	38.12	46.00	105	107	-7.88	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

80.0 dBuV/m

Time: 1:49:40 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5311	27.93	peak	-6.63	21.30	43.50	105	192	-22.20	
	494.5892	28.75	peak	-2.39	26.36	46.00	143	300	-19.64	
	774.5090	29.30	peak	1.69	30.99	46.00	100	86	-15.01	
*	945.5711	33.40	peak	5.71	39.11	46.00	112	100	-6.89	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:41:15 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.55	peak	1.29	42.84	74.00	150	200	-31.16	
*	7424.850	40.35	peak	6.30	46.65	74.00	150	310	-27.35	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #5


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:42:04 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4128.257	42.03	peak	0.94	42.97	74.00	150	227	-31.03	
*	7130.261	40.17	peak	6.20	46.37	74.00	150	140	-27.63	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:41:27 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #6


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:42:16 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 2/25/2022

Temperature: 19.0 °C

Time: 3:41:49 AM

Humidity: 66.0 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #7


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:42:38 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:41:56 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihsu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:42:45 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:52:17 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1382	28.02	peak	-5.99	22.03	43.50	100	120	-21.47	
	549.0180	28.22	peak	-1.26	26.96	46.00	141	77	-19.04	
	784.2285	29.26	peak	1.84	31.10	46.00	116	350	-14.90	
*	945.5711	32.75	peak	5.71	38.46	46.00	105	18	-7.54	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 2/25/2022

Temperature: 19.0 °C

Time: 1:53:17 AM

Humidity: 66.0 %

80.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: Vertical

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	28.74	peak	-6.16	22.58	43.50	116	54	-20.92	
	412.9460	28.93	peak	-3.23	25.70	46.00	100	210	-20.30	
	642.3246	28.86	peak	0.94	29.80	46.00	108	92	-16.20	
*	945.5711	33.47	peak	5.71	39.18	46.00	100	148	-6.82	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #1


Date: 2/25/2022

Temperature: 19.0 °C

Time: 3:47:28 AM

Humidity: 66.0 %

90.0 dBuV/m



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3034.068	42.58	peak	0.09	42.67	74.00	150	250	-31.33	
*	7452.906	41.54	peak	6.24	47.78	74.00	150	192	-26.22	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #3


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:51:20 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	41.90	peak	0.64	42.54	74.00	150	130	-31.46	
*	7116.233	40.78	peak	6.23	47.01	74.00	150	65	-26.99	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, NeiHu, Taipei
Tel: +886-2-6606-8877
Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File : 3

Data : #2


Date: 2/25/2022

Temperature: 19.0 °C

90.0 dBuV/m

Time: 3:49:39 AM

Humidity: 66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 2/25/2022

Temperature:19.0 °C

90.0 dBuV/m

Time: 3:53:51 AM

Humidity:66.0 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin