


MARK	ISSUE	DATE	REVER	DCN NO.
------	-------	------	-------	---------



Note :

1. Printing Color Spec :

Label background color	Clear
label graphics color	PMS Cool Gary 1C, matte

2. Material : PET (可移除不殘膠背膠)

3.This material must comply with UL's recogized component program for making and labeling systems.


4. The adhesive force:

3.5kgf min(90度拉拔测试规格) OR 1.2kgf min(180度剥离测试规格)

5. This part must comply with the latest version "HS-301" of Liteon .

PART NO	DESCRIPTION	QTY	MAT'L	TRETING	REMARK
SCALE: 1:1	TOLERANCE : UNSPECIFIED .XXX ± 0.05 .XX ± 0.1 .X ± 0.15 . ± 0.25 ANGLE ± 0.5°	LITEON ® SILITEK ELECTRONICS(DONGGUAN)CO.,LTD DONGGUAN LITE-ON COMPUTER CO., LTD.			
UNIT: mm				TITLE: SK2065 FCC Label	
DRAWN:		SHEET 1 OF 1			
DESIGER:					
CHECKED:					
APPROVED:		DRAWING NO: 836-26651-01A			

MARK	ISSUE	DATE	REVER	DCN NO.
------	-------	------	-------	---------




Note :

1. Printing Color Spec :

Label background color	Dark Ash
label Text color	PMS COOL GRAY 10C
barcode color	White

- 2. Material : 合成紙
- 3.This material must comply with UL’s recogized component program for making and labeling systems.
- 4. The adhesive force:
3.5kgf min(90度拉拔测试规格) OR 1.2kgf min(180度剥离测试规格)
- 5. This part must comply with the latest version "HS-301" of Liteon .

PART NO	DESCRIPTION	QTY	MAT'L	TRETING	REMARK
SCALE: 1:1	TOLERANCE : UNSPECIFIED .XXX ± 0.05 .XX ± 0.1 .X ± 0.15 ± 0.25 ANGLE ± 0.5°	LITEON® SILITEK ELECTRONICS(DONGGUAN)CO.,LTD DONGGUAN LITE-ON COMPUTER CO., LTD.			
UNIT: mm					
DRAWN:		TITLE: SK2065 FCC Label			
DESIGER:					
CHECKED:					
APPROVED:	SHEET 1 OF 1	DRAWING NO: 836-26651-00A			



Label location

