



Date: Oct 9 2001
 Tested by: Hung Trinh

KAVAL TELECOM INC.
 SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01
 Frequency: 1.931 MHz
 CDMA
 99 % OBW







KAVAL TELECOM INC.
SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01



Frequency: 1.9600 MHz
CDMA
99 % OBW

Date: Oct 9 2001
Tested by: Hung Trinh



Date: Oct. 9, 2001
 Tested by: Hung Trinh

KAVAL TELECOM INC.
 SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01
 Frequency: 1.9890 MHz
 CDMA
 99 % OBW







KAVAL TELECOM INC.
SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01

Frequency: 19.31 MHz

Date: Oct 9 2001
Tested by: Hung Trinh

99 % OBW







KAVAL TELECOM INC.
SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01

Frequency : 1960 MHz

99 % OBW

Date: Oct. 9 2001
Tested by: Hung Trinh



Date: Oct 9 2001
 Tested by: Hung Trinh

KAVAL TELECOM INC.
 SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01

Frequency: 19.89 MHz

99% OBW

