


Plot # 21

934.440, 934.445, 934.50 & 934.55 MHz



*** Multi Marker List ***

No. 1:	934.399 MHz	18.41 dBm	A
No. 2:	934.447 MHz	18.41 dBm	A
No. 3:	934.499 MHz	18.84 dBm	A
No. 4:	934.549 MHz	18.44 dBm	A
No. 5:	934.599 MHz	-13.22 dBm	A
No. 6:	934.649 MHz	-14.53 dBm	A
No. 7:	934.699 MHz	-19.06 dBm	A
No. 8:	934.749 MHz	-26.13 dBm	A
Δ:			



UltraTech
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.
SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 2 RF input signals in Paging 928 - 941 MHz band

Date: May 12, 2001
Tested by: Hung Trinh


Plot # 22

940.95 & 941 MHz

REF 30.0 dBm
10dB/

MKR
941.0979 MHz

RBW 1 kHz
VBW 1 kHz
SWP 1.0 s



CENTER 941.0000 MHz

SPAN 500 kHz

*** Multi Marker List ***

No. 1:
No. 2:
No. 3:
No. 4:
No. 5:
No. 6:
No. 7:
No. 8:
Δ:

940.9500 MHz
940.9993 MHz
941.0493 MHz
941.0979 MHz

22.69 dBm
22.44 dBm
-13.38 dBm
-42.59 dBm

A A A A



UltraTech
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.
SATELLINK RF – FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 3 RF input signals in Paging 928 – 941 MHz band

Date: May 12, 2001
Tested by: Hung Trinh


Plot # 23

940.9, 940.95 & 941 MHz

REF 30.0 dBm
10dB/

MKR
941.2490 MHz

RBW 1 kHz
VBW 1 kHz
SWP 1.4 S



*** Multi Marker List ***

940.8990 MHz	19.84 dBm	A
940.9490 MHz	19.91 dBm	A
940.9990 MHz	19.53 dBm	A
941.0490 MHz	-13.69 dBm	A
941.1000 MHz	-20.59 dBm	A
941.1490 MHz	-36.22 dBm	A
941.2000 MHz	-43.78 dBm	A
941.2490 MHz	-49.84 dBm	A

No. 1:
No. 2:
No. 3:
No. 4:
No. 5:
No. 6:
No. 7:
No. 8:
Δ:



UltraTech
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.
SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 4 RF input signals in Paging 928 - 941 MHz band
940.85, 940.90, 940.95 & 941 MHz


Date: May 13, 2001
Tested by: Hung Trinh

Plot # 24

REF 30.0 dBm
10dB/

MKR
941.250 MHz

RBW 1 kHz
VBW 1 kHz
SWP 2.0 s




CENTER 941.000 MHz

SPAN 1.000 MHz

*** Multi Marker List ***

No. 1:	940.849 MHz	18.88 dBm	A
No. 2:	940.897 MHz	19.09 dBm	A
No. 3:	940.949 MHz	18.91 dBm	A
No. 4:	940.999 MHz	18.84 dBm	A
No. 5:	941.049 MHz	-13.50 dBm	A
No. 6:	941.149 MHz	-17.56 dBm	A
No. 7:	941.201 MHz	-26.94 dBm	A
No. 8:	941.250 MHz	-27.56 dBm	A
Δ:			



*** Multi Marker List ***

Marker	Frequency (MHz)	Power (dBm)
1	851.0000	23.88
2	851.0500	23.41
3	851.1000	-13.19
4	851.1500	-41.91

No. 1:
No. 2:
No. 3:
No. 4:
No. 5:
No. 6:
No. 7:
No. 8:
A:

A A A A



UltraTech
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.
SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 3 RF input signals in Trunking 851 - 866 MHz band

Date: May 13, 2001
Tested by: Hung Trinh


Plot # 26

851, 851.05 & 851.10 MHz

REF 30.0 dBm
10dB/

MARKER
850.9990 MHz

RBW 1 kHz
VBW 1 kHz
SWP 1.4 S



CENTER 851.0000 MHz

SPAN 700 kHz

*** Multi Marker List ***		
850.9990 MHz	21.13 dBm	A
851.0490 MHz	21.66 dBm	A
851.0980 MHz	20.38 dBm	A
851.1480 MHz	-13.28 dBm	A
851.1980 MHz	-20.34 dBm	A
851.2480 MHz	-41.88 dBm	A
851.2980 MHz	-46.72 dBm	A

No. 1:
No. 2:
No. 3:
No. 4:
No. 5:
No. 6:
No. 7:
No. 8:
A:




SATELLINK RF – FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 4 RF input signals in Trunking 851 – 866 MHz band

Plot # 27

REF 30.0 dBm
10dB/MKR
851.350 MHz

RBW 1 KHZ
VBW 1 KHZ
SWP 2.0 S



No.	Multi Marker	List ***	
1.	850.999 MHz	20.38	dBm
2.	851.047 MHz	20.84	dBm
3.	851.100 MHz	20.03	dBm
4.	851.150 MHz	20.09	dBm
5.	851.199 MHz	-14.19	dBm
6.	851.250 MHz	-14.69	dBm
7.	851.301 MHz	-22.50	dBm
8.	851.350 MHz	-35.50	dBm




UltraTech
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.
SATELLINK RF – FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 2 RF input signals in Trunking 851 – 866 MHz band

Date: May 12, 2001
Tested by: Hung Trinh

Plot # 28

858.475 & 858.525



No. 1:
No. 2:
No. 3:
No. 4:
No. 5:
No. 6:
No. 7:
No. 8:
A:

*** Multi Marker List ***

858.4750 MHz	23.91 dBm	A
858.5250 MHz	24.00 dBm	A
858.5743 MHz	-13.13 dBm	A
858.6243 MHz	-39.56 dBm	A



UltraTech
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.
SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 3 RF input signals in Trunking 851 - 866 MHz band

Date: May 13 2001
Tested by: Hung Trinh


Plot # 29

858.445, 858.50 & 858.55 MHz

REF 30.0 dBm
10dB/

MKR
858.7490 MHz

RBW 1 kHz
VBW 1 kHz
SWP 1.4 S



CENTER 858.5000 MHz

SPAN 700 kHz

*** Multi Marker List ***

No. 1:
No. 2:
No. 3:
No. 4:
No. 5:
No. 6:
No. 7:
No. 8:
Δ:

858.4490 MHz	21.97 dBm	A
858.5010 MHz	22.09 dBm	A
858.5490 MHz	21.94 dBm	A
858.6010 MHz	-13.44 dBm	A
858.6500 MHz	-21.09 dBm	A
858.7000 MHz	-37.78 dBm	A
858.7490 MHz	-43.19 dBm	A



UltraTech
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.
SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Intermodulation with 4 RF input signals in Trunking 851 - 866 MHz band

855.440, 858.445, 858.500 & 858.555 MHz


Date: May 13, 2001
Tested by: Hung Trinh

Plot # 30

REF 30.0 dBm
10dB/

MKR
858.749 MHz

RBW 1 kHz
VBW 1 kHz
SWP 2.0 S



*** Multi Marker List ***

858.399 MHz	20.38 dBm	A
858.447 MHz	20.88 dBm	A
858.499 MHz	20.53 dBm	A
858.549 MHz	20.94 dBm	A
858.599 MHz	-13.34 dBm	A
858.649 MHz	-14.56 dBm	A
858.699 MHz	-19.75 dBm	A
858.749 MHz	-32.94 dBm	A

No. 1:
No. 2:
No. 3:
No. 4:
No. 5:
No. 6:
No. 7:
No. 8:
Δ: