


Exhibit 9 - Plot # 50

Date: April 08 2000
Tested by: Hung Trach

PLOT # 449

KAVAL TELECOM INC.
LINKnet OFR800 RF Modules, 800 - 881 MHz
Tx Freq: 800.0125 MHz, RF Output: 29 Watts
RF In at level of -30 dBm @ 800.0125 MHz
Mod: FM Modulated with 2.5 kHz Sine Wave signal. Freq. Dev: 12 kHz
Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No.1:	81 MHz	-32.56 dBm	A
No.2:	559 MHz	-34.94 dBm	A
No.3:	844 MHz	-29.44 dBm	A
No.4:	716 MHz	-21.69 dBm	A
No.5:	801 MHz	37.25 dBm	A
No.6:	887 MHz	-15.47 dBm	A
No.7:	1.607 GHz	-15.66 dBm	A
No.8:	4.023 GHz	-31.94 dBm	A





Exhibit 9 - Plot # 51

Date: April 26, 2000
Tested by: Hung Trinh

PLOT # 50

KAVAL TELECOM INC.
LINKnet OFR800 RF Modules, 800-821 MHz
Tx Freq: 800.0125 MHz, RF Output: 7.9 Watts
RF In at level of -30 dBm @ 800.0125 MHz
Mod FM Modulated with an external 5600 b/s random data, Freq Dev: kHz
Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No.1:	81 MHz	-33.28 dBm	A
No.2:	559 MHz	-35.00 dBm	A
No.3:	644 MHz	-29.22 dBm	A
No.4:	716 MHz	-22.75 dBm	A
No.5:	801 MHz	37.00 dBm	A
No.6:	887 MHz	-17.69 dBm	A
No.7:	1.607 GHz	-17.34 dBm	A
No.8:	4.023 GHz	-33.31 dBm	A
A:			




Exhibit 9 - Plot # 52

Date: April 08, 2000
Tested by: Hung Trinh

Plot # 51

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 806-821 MHz

Tx Freq: 813.0155 MHz, RF Output: 8Watts

RF In at level of -50dBm @ 813.0155 MHz

Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev: 2.2 kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	88 MHz	-35.53 dBm	A
No. 2:	473 MHz	-36.94 dBm	A
No. 3:	659 MHz	-28.88 dBm	A
No. 4:	718 MHz	-22.34 dBm	A
No. 5:	808 MHz	35.75 dBm	A
No. 6:	908 MHz	-22.56 dBm	A
No. 7:	965 MHz	-33.63 dBm	A
No. 8:	1.621 GHz	-17.63 dBm	A





Exhibit 9 - Plot # 53

Date: April 06 2000
Tested by: Hung Trinh

PLOT # 52

KAVAL TELECOM INC.
LINKnet OFR800 RF Modules, 800 - 831 MHz
Tx Freq: 813.0435 MHz, RF Output 80W Watts
RF in at level of -30 dBm @ 813.0435 MHz
Mod. FM Modulated with an external 9600 bps random data, Freq Dev: 12 kHz
Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	238 MHz	-35.84 dBm	A
No. 2:	659 MHz	-34.75 dBm	A
No. 3:	716 MHz	-29.94 dBm	A
No. 4:	808 MHz	35.34 dBm	A
No. 5:	901 MHz	-23.00 dBm	A
No. 6:	1.621 GHz	-20.72 dBm	A




Exhibit 9 - Plot # 54

Date: April 06 2000
Tested by: Hung Trinh

PLOT # 53

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 806 - 821 MHz

Tx Freq: 806.875 MHz, RF Output: 242 Watts

RF In at level of -30 dBm @ 806.875 MHz

Mod: FM Modulated with 2.5 kHz Sine Wave signal Freq Dev: 1 kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	238 MHz	-38.06 dBm	A
No. 2:	566 MHz	-37.66 dBm	A
No. 3:	666 MHz	-38.06 dBm	A
No. 4:	723 MHz	-37.56 dBm	A
No. 5:	808 MHz	34.25 dBm	A
No. 6:	901 MHz	-25.75 dBm	A
No. 7:	1.621 GHz	-20.13 dBm	A
No. 8:	808 MHz	34.25 dBm	A




Exhibit 9 - Plot # 55


Date: April 06, 2000
Tested by: Hung Trinh

PLOT # 54

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 800 - 821 MHz
Tx Freq: 820.985 MHz, RF Output: 8.2 Watts
RF In at level of -30 dBm @ 820.985 MHz
Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	566 MHz	-39.00 dBm	A
No. 2:	788 MHz	-30.16 dBm	A
No. 3:	816 MHz	34.50 dBm	A
No. 4:	901 MHz	-25.41 dBm	A
No. 5:	1.621 GHz	-22.59 dBm	A
No. 6:			
No. 7:			
No. 8:			
Δ:			



UltraTech
Engineering Labs Inc.

LINKnet OFR800 RF Modules, 8.57 - 8.66 MHz

Tx Freq.: 9.57.0125MHz, RF Output: 7.3 Watts

RF In at level of -30 dBm @ 857.0185 MHz

Mod FM Modulated with 2.5 kHz Sine Wave signal Freq Dev 2 kHz

Transmitter Antenna Power Conducted Emissions

Date: April / 2000
Tested by: Hung Trinh

Plot # 55





Exhibit 9 - Plot # 57

Date: April 01/2000
Tested by: Hung Trinh

PLOT # 56

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 867-826 MHz

Tx Freq: 857.0125 MHz, RF Output: 7.3 Watts

RF in at level of -30 dBm @ 857.0125 MHz

Mod: FM Modulated with an external 9600 b/s random data. Freq. Dev.: 2 kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	217 MHz	-38.50 dBm	A
No. 2:	609 MHz	-39.44 dBm	A
No. 3:	801 MHz	-31.88 dBm	A
No. 4:	844 MHz	34.38 dBm	A
No. 5:	1.707 GHz	-21.03 dBm	A
No. 6:			
No. 7:			
No. 8:			
A:			





Exhibit 9 - Plot # 58

Date: April 01 2000
Tested by: Hung Trinh

PLOT # 57

KAVAL TELECOM INC.
LINKnet OFR800 RF Modules, 857-0125 MHz
Tx Freq: 857-0125 MHz, RF Output: 2.0 Watts
RF In at level of -30 dBm @ 857-0125 MHz
Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq Dev: 2 kHz
Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No.	Freq	Power	Label
No.1:	816 MHz	-28.41 dBm	A
No.2:	851 MHz	35.44 dBm	A
No.3:	1.714 GHz	-20.41 dBm	A




Exhibit 9 - Plot # 59

Date: April 01, 2000
Tested by: Hung Trinh

Plot # 58

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 857-886 MHz

Tx Freq: 858.0185 MHz, RF Output: 36 Watts

RF In at level of -32 dBm @ 857.0185 MHz

Mod FM Modulated with an external 9600 b/s random data, Freq. Dev. 2.4 kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No.	Freq	Power	Marker
No. 1:	816 MHz	-26.69 dBm	A
No. 2:	851 MHz	36.25 dBm	A
No. 3:	1.714 GHz	-20.44 dBm	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
A:			




Exhibit 9 - Plot # 60

Date: April 02 2000
Tested by: Hung Trinh

Plot # 59

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 8.57-8.925 MHz

Tx Freq: 8.914 MHz, RF Output: 7.2 Watts

RF In at level of -10 dBm @ 8.57-8.925 MHz

Mod. FM Modulated with 2.5 kHz Sine Wave signal, Freq Dev: 2 kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No.1:	217 MHz	-36.56 dBm	A
No.2:	630 MHz	-36.97 dBm	A
No.3:	816 MHz	-20.25 dBm	A
No.4:	858 MHz	34.59 dBm	A
No.5:	1.728 GHz	-21.75 dBm	A
No.6:			
No.7:			
No.8:			
A:			




Exhibit 9 - Plot # 61

Date: April 01, 2000
Tested by: Hung Trinh

Plot #60

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 951 - 963 MHz

Tx Freq: 955.9875 MHz, RF Output: 7.2 Watts

RF in at level of -10 dBm @ 955.0125 MHz

Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev: 2 kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	217 MHz	-38.41 dBm	A
No. 2:	623 MHz	-35.72 dBm	A
No. 3:	816 MHz	-20.84 dBm	A
No. 4:	858 MHz	36.50 dBm	A
No. 5:	1.728 GHz	-20.58 dBm	A




Exhibit 9 - Plot # 62

Date: April 14, 2000
Tested by: Hung Trinh

Plot # 61

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 821-824 MHz

TX Freq.: 821.025 MHz, RF Output: 8.4 Watts

RF In at level of -30 dBm @ 821.025 MHz


Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq Dev: kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	99.1 MHz	-35.94 dBm	A
No. 2:	239.1 MHz	-34.63 dBm	A
No. 3:	339.5 MHz	-36.47 dBm	A
No. 4:	479.5 MHz	-33.72 dBm	A
No. 5:	680.4 MHz	-30.31 dBm	A
No. 6:	720.0 MHz	-31.44 dBm	A
No. 7:	775.1 MHz	-27.19 dBm	A
No. 8:	920.8 MHz	-25.31 dBm	A
A:			



*** Multi Marker List ***


No. 1:	1.051 GHz	-44.44 dBm	A
No. 2:	1.630 GHz	-22.84 dBm	A
No. 3:	4.060 GHz	-44.66 dBm	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
A:			

Exhibit 9 - Plot # 63

Date: April 14, 2000
Tested by: Hung Trinh


Plot #62

KAVAL TELECOM INC.
LINKnet OFR800 RF Modules, 881-824 MHz
Tx Freq.: 881.0125 MHz, RF Output: 8.41 Watts
RF In at level of -30 dBm @ 881.0125 MHz
Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: kHz
Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	100.5 MHz	-36.81 dBm	A
No. 2:	239.1 MHz	-35.08 dBm	A
No. 3:	339.5 MHz	-35.41 dBm	A
No. 4:	479.5 MHz	-33.47 dBm	A
No. 5:	680.4 MHz	-31.00 dBm	A
No. 6:	720.0 MHz	-30.81 dBm	A
No. 7:	775.1 MHz	-23.34 dBm	A
No. 8:	920.8 MHz	-25.59 dBm	A



*** Multi Marker List ***

No. 1:	1.051 GHz	-43.25 dBm	A
No. 2:	1.630 GHz	-21.00 dBm	A
No. 3:	4.099 GHz	-37.16 dBm	A
No. 4:	4.934 GHz	-49.25 dBm	A
No. 5:			
No. 6:			
No. 7:			
No. 8:			

Exhibit 9 - Plot # 64

Date: April 14, 2000
Tested by: Hung Trinh

PLOT # 64

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 831 - 834 MHz

Tx Freq.: 832.025 MHz, RF Output: 5.4 Watts

RF In at level of: -30 dBm @ 832.025 MHz


Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: _____ kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	100.5 MHz	-36.94 dBm	A
No. 2:	240.5 MHz	-42.09 dBm	A
No. 3:	340.9 MHz	-35.47 dBm	A
No. 4:	479.5 MHz	-36.13 dBm	A
No. 5:	684.6 MHz	-34.91 dBm	A
No. 6:	778.0 MHz	-25.75 dBm	A
No. 7:	821.8 MHz	38.56 dBm	A
No. 8:	923.6 MHz	-28.06 dBm	A



*** Multi Marker List ***

No. 1:	1.051 GHz	-43.31 dBm	A
No. 2:	1.630 GHz	-21.38 dBm	A
No. 3:	4.099 GHz	-38.88 dBm	A
No. 4:	4.921 GHz	-48.06 dBm	A
No. 5:			
No. 6:			
No. 7:			
No. 8:			
A:			

Exhibit 9 - Plot # 65

Date: April 14, 2009
Tested by: Hung Trinh

Plot # 65

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 821-834 MHz

Tx Freq: 823.9875 MHz, RF Output 8.3 Watts

RF In at level of -30 dBm @ 823.9875 MHz


Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev.: kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No.	Freq (MHz)	Power (dBm)	Label
No. 1:	219.3 MHz	-35.53 dBm	A
No. 2:	239.1 MHz	-38.16 dBm	A
No. 3:	342.4 MHz	-35.19 dBm	A
No. 4:	479.5 MHz	-38.38 dBm	A
No. 5:	582.8 MHz	-35.34 dBm	A
No. 6:	778.0 MHz	-21.97 dBm	A
No. 7:	823.2 MHz	35.22 dBm	A
No. 8:	926.5 MHz	-32.19 dBm	A




*** Multi Marker List ***

No.	Freq (GHz)	Power (dBm)	Label
No. 1:	1.051 GHz	-45.84 dBm	A
No. 2:	1.643 GHz	-21.34 dBm	A
No. 3:	4.111 GHz	-39.72 dBm	A
No. 4:	4.934 GHz	-47.63 dBm	A

Exhibit 9 - Plot # 66


Date: April 14, 2000
 Tested by: Hung Trinh
 PLOT # 66

KAVAL TELECOM INC.
 LINKnet OFR800 RF Modules, 821-824 MHz
 Tx Freq: 823.985 MHz, RF Output: 8.3 Watts
 RF In at level of -30 dBm @ 823.985 MHz
 Mod: FM Modulated with an external 9600 b/s random data. Freq. Dev.: kHz
 Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	239.1 MHz	-36.53 dBm	A
No. 2:	342.4 MHz	-35.78 dBm	A
No. 3:	479.5 MHz	-34.34 dBm	A
No. 4:	582.8 MHz	-35.16 dBm	A
No. 5:	686.0 MHz	-29.56 dBm	A
No. 6:	778.0 MHz	-21.88 dBm	A
No. 7:	823.2 MHz	37.81 dBm	A
No. 8:	926.5 MHz	-27.47 dBm	A
A:			



*** Multi Marker List ***

No. 1:	1.064 GHz	-45.72 dBm	A
No. 2:	1.643 GHz	-21.53 dBm	A
No. 3:	4.124 GHz	-36.09 dBm	A
No. 4:	4.934 GHz	-46.69 dBm	A
No. 5:			
No. 6:			
No. 7:			
No. 8:			
A:			

Exhibit 9 - Plot # 67

Date: May 23, 2000
Tested by: Hung Trinh

PLOT # 67

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 866 - 869 MHz

Tx Freq: 866.0125 MHz RF Output: 9.9 Watts

RF in at level of -30 dBm @ 866.0125 MHz


Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev.: kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	720.0 MHz	-36.06 dBm	A
No. 2:	770.9 MHz	-31.94 dBm	A
No. 3:	820.4 MHz	-19.19 dBm	A
No. 4:	865.6 MHz	38.13 dBm	A
No. 5:	889.7 MHz	-33.78 dBm	A
No. 6:	909.5 MHz	-33.44 dBm	A
No. 7:	961.8 MHz	-39.34 dBm	A
A:			



*** Multi Marker List ***

No. 1:	1.000 GHz	-37.39 dBm	A
No. 2:	1.720 GHz	-24.89 dBm	A
No. 3:	2.607 GHz	-44.89 dBm	A
No. 4:	4.317 GHz	-55.73 dBm	A
No. 5:	5.191 GHz	-49.04 dBm	A
No. 6:			
No. 7:			
No. 8:			
A:			

Exhibit 9 - Plot # 68

Date: May 03 2000
Tested by: Hung Trinh

Plot # 68

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 866 - 869 MHz

Tx Freq.: 866.0125 MHz, RF Output: 9.91 Watts

RF In at level of -30 dBm @ 866.0125 MHz


Mod: FM Modulated with an external 960.0 bps random data 1 reg. Dev.: kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	720.0 MHz	-34.38 dBm	A
No. 2:	769.5 MHz	-29.00 dBm	A
No. 3:	820.4 MHz	-23.44 dBm	A
No. 4:	865.6 MHz	38.88 dBm	A
No. 5:	889.7 MHz	-33.75 dBm	A
No. 6:	909.5 MHz	-30.16 dBm	A
No. 7:	960.4 MHz	-33.16 dBm	A
No. 8:			A



*** Multi Marker List ***

No. 1:	1.000 GHz	-34.58 dBm	A
No. 2:	1.720 GHz	-23.20 dBm	A
No. 3:	2.607 GHz	-43.73 dBm	A
No. 4:	4.317 GHz	-50.73 dBm	A
No. 5:	5.191 GHz	-51.61 dBm	A
No. 6:			A
No. 7:			A
No. 8:			A


Exhibit 9 - Plot # 69

Date: May 09, 2006
Tested by: Hung Trinh

Plot # 69


KAVAL TELECOM INC.

LINKnet OFR800 RF Modules, 866 - 869 MHz
Tx Freq: 867.0185 MHz, RF Output: 9.7 Watts
RF In at level of -30 dBm @ 867.0185 MHz
Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev.: kHz
Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	625.2 MHz	-36.59 dBm	A
No. 2:	718.6 MHz	-36.47 dBm	A
No. 3:	773.7 MHz	-30.88 dBm	A
No. 4:	821.8 MHz	-18.47 dBm	A
No. 5:	865.6 MHz	38.84 dBm	A
No. 6:	886.9 MHz	-31.83 dBm	A
No. 7:	910.9 MHz	-29.50 dBm	A
No. 8:	959.0 MHz	-36.06 dBm	A
A:			



*** Multi Marker List ***

No. 1:	1.000 GHz	-34.83 dBm	A
No. 2:	1.720 GHz	-23.79 dBm	A
No. 3:	2.594 GHz	-42.86 dBm	A
No. 4:	4.330 GHz	-57.78 dBm	A
No. 5:	5.191 GHz	-48.89 dBm	A
No. 6:			
No. 7:			
No. 8:			
A:			

Exhibit 9 - Plot # 70

Date: May 23 2000
Tested by: Hung Trinh

Plot # 70

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 866 - 869 MHz

Tx Freq.: 867.0135 MHz, RF Output: 9.7 Watts

RF In at level of: -30 dBm @ 867.0135 MHz


Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	718.6 MHz	-34.06 dBm	A
No. 2:	773.7 MHz	-28.84 dBm	A
No. 3:	821.8 MHz	-23.41 dBm	A
No. 4:	844.4 MHz	-36.78 dBm	A
No. 5:	865.6 MHz	39.03 dBm	A
No. 6:	886.9 MHz	-32.50 dBm	A
No. 7:	910.9 MHz	-29.31 dBm	A
No. 8:	959.0 MHz	-33.75 dBm	A



*** Multi Marker List ***

No. 1:	1.000 GHz	-32.70 dBm	A
No. 2:	1.720 GHz	-22.89 dBm	A
No. 3:	2.594 GHz	-41.98 dBm	A
No. 4:	4.330 GHz	-51.48 dBm	A
No. 5:	5.191 GHz	-48.23 dBm	A

Exhibit 9 - Plot # 71

Date: May 20, 2000
Tested by: Hung Trinh

PLOT # 71

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 866 - 869 MHz

TX Freq: 868.9875 MHz RF Output: 0.1 Watts

RF In at level of -30 dBm @ 868.9875 MHz


Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev. < 4Hz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	628.0 MHz	-34.13 dBm	A
No. 2:	720.0 MHz	-34.81 dBm	A
No. 3:	776.5 MHz	-28.69 dBm	A
No. 4:	824.6 MHz	-17.72 dBm	A
No. 5:	868.5 MHz	38.69 dBm	A
No. 6:	868.9 MHz	-31.19 dBm	A
No. 7:	912.3 MHz	-28.16 dBm	A
No. 8:	960.4 MHz	-36.06 dBm	A
A:			



*** Multi Marker List ***

No. 1:	1.013 GHz	-34.51 dBm	A
No. 2:	1.746 GHz	-24.17 dBm	A
No. 3:	2.594 GHz	-41.83 dBm	A
No. 4:	4.343 GHz	-55.89 dBm	A
No. 5:	5.217 GHz	-49.39 dBm	A
No. 6:			
No. 7:			
No. 8:			
A:			

Exhibit 9 - Plot # 72

Date: May 23 2020
Tested by: Hung Trinh


Plot # 72

KAVAL TELECOM INC.

LINKnet OFR800 RF Modules, 866 - 869 MHz
Tx Freq.: 868.875 MHz, RF Output: 9.1 Watts
RF In at level of -30 dBm @ 869.875 MHz


Mod. FM Modulated with an external 9600 b/s random data. Freq. Dev. _____ kHz

Transmitter Antenna Power Conducted Emissions



*** Multi Marker List ***

No. 1:	720.0 MHz	-33.00 dBm	A
No. 2:	776.5 MHz	-27.41 dBm	A
No. 3:	823.2 MHz	-19.41 dBm	A
No. 4:	848.7 MHz	-35.41 dBm	A
No. 5:	869.9 MHz	38.56 dBm	A
No. 6:	886.9 MHz	-30.78 dBm	A
No. 7:	912.3 MHz	-27.97 dBm	A
No. 8:	960.4 MHz	-31.56 dBm	A
A:			



*** Multi Marker List ***

No. 1:	1.013 GHz	-32.51 dBm	A
No. 2:	1.733 GHz	-22.84 dBm	A
No. 3:	2.607 GHz	-40.58 dBm	A
No. 4:	4.330 GHz	-50.23 dBm	A
No. 5:	5.204 GHz	-47.54 dBm	A
No. 6:			
No. 7:			
No. 8:			
A:			