

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5500 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.000    | Average                       | 28.06                                   | 11.90        | 39.96                        | 54.00                        | -14.04       |
| 11000.000    | Peak                          | 38.60                                   | 11.90        | 50.50                        | 74.00                        | -23.50       |
| 16500.000    | Peak                          | 40.58                                   | 12.00        | 52.58                        | 68.20                        | -15.62       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5500 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.000    | Average                       | 31.19                                   | 11.90        | 43.09                        | 54.00                        | -10.91       |
| 11000.000    | Peak                          | 41.07                                   | 11.90        | 52.97                        | 74.00                        | -21.03       |
| 16500.000    | Peak                          | 40.37                                   | 12.00        | 52.37                        | 68.20                        | -15.83       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5580 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11160.000    | Average                       | 29.31                                   | 9.88         | 39.19                        | 54.00                        | -14.81       |
| 11160.000    | Peak                          | 38.99                                   | 9.88         | 48.87                        | 74.00                        | -25.13       |
| 16740.000    | Peak                          | 42.53                                   | 11.66        | 54.19                        | 68.20                        | -14.01       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5580 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11160.000    | Average                       | 31.68                                   | 9.88         | 41.56                        | 54.00                        | -12.44       |
| 11160.000    | Peak                          | 40.37                                   | 9.88         | 50.25                        | 74.00                        | -23.75       |
| 16740.000    | Peak                          | 43.68                                   | 11.66        | 55.34                        | 68.20                        | -12.86       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5700 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.000    | Average                       | 29.63                                   | 9.80         | 39.43                        | 54.00                        | -14.57       |
| 11400.000    | Peak                          | 38.75                                   | 9.80         | 48.55                        | 74.00                        | -25.45       |
| 17100.000    | Peak                          | 40.88                                   | 12.20        | 53.08                        | 68.20                        | -15.12       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5700 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.000    | Average                       | 29.32                                   | 9.80         | 39.12                        | 54.00                        | -14.88       |
| 11400.000    | Peak                          | 38.33                                   | 9.80         | 48.13                        | 74.00                        | -25.87       |
| 17100.000    | Peak                          | 42.55                                   | 12.20        | 54.75                        | 68.20                        | -13.45       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5745 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.000    | Average                       | 37.30                                   | 11.06        | 48.36                        | 54.00                        | -5.64        |
| 11490.000    | Peak                          | 48.44                                   | 11.06        | 59.50                        | 74.00                        | -14.50       |
| 17235.000    | Peak                          | 44.45                                   | 10.82        | 55.27                        | 68.20                        | -12.93       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5745 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.000    | Average                       | 42.11                                   | 11.06        | 53.17                        | 54.00                        | -0.83        |
| 11490.000    | Peak                          | 54.93                                   | 11.06        | 65.99                        | 74.00                        | -8.01        |
| 17235.000    | Peak                          | 56.99                                   | 10.82        | 67.81                        | 68.20                        | -0.39        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5785 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.000    | Average                       | 36.01                                   | 10.15        | 46.16                        | 54.00                        | -7.84        |
| 11570.000    | Peak                          | 47.29                                   | 10.15        | 57.44                        | 74.00                        | -16.56       |
| 17355.000    | Peak                          | 43.44                                   | 11.82        | 55.26                        | 68.20                        | -12.94       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5785 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.000    | Average                       | 43.04                                   | 10.15        | 53.19                        | 54.00                        | -0.81        |
| 11570.000    | Peak                          | 54.28                                   | 10.15        | 64.43                        | 74.00                        | -9.57        |
| 17355.000    | Peak                          | 55.71                                   | 11.82        | 67.53                        | 68.20                        | -0.67        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5825 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.000    | Average                       | 35.43                                   | 10.05        | 45.48                        | 54.00                        | -8.52        |
| 11650.000    | Peak                          | 46.10                                   | 10.05        | 56.15                        | 74.00                        | -17.85       |
| 17475.000    | Peak                          | 43.06                                   | 11.10        | 54.16                        | 68.20                        | -14.04       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-21

Test Frequency :5825 MHz


Temp./Humi. :21.9°C/65%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.000    | Average                       | 42.72                                   | 10.05        | 52.77                        | 54.00                        | -1.23        |
| 11650.000    | Peak                          | 54.63                                   | 10.05        | 64.68                        | 74.00                        | -9.32        |
| 17475.000    | Peak                          | 50.13                                   | 11.10        | 61.23                        | 68.20                        | -6.97        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5190 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10380.000    | Peak                          | 39.57                                   | 9.44         | 49.01                        | 68.20                        | -19.19       |
| 15570.000    | Average                       | 31.26                                   | 11.93        | 43.19                        | 54.00                        | -10.81       |
| 15570.000    | Peak                          | 41.59                                   | 11.93        | 53.52                        | 74.00                        | -20.48       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5190 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10380.000    | Peak                          | 38.51                                   | 9.44         | 47.95                        | 68.20                        | -20.25       |
| 15570.000    | Average                       | 31.24                                   | 11.93        | 43.17                        | 54.00                        | -10.83       |
| 15570.000    | Peak                          | 41.93                                   | 11.93        | 53.86                        | 74.00                        | -20.14       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5230 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10460.000    | Peak                          | 38.87                                   | 9.74         | 48.61                        | 68.20                        | -19.59       |
| 15690.000    | Average                       | 36.81                                   | 12.53        | 49.34                        | 54.00                        | -4.66        |
| 15690.000    | Peak                          | 48.36                                   | 12.53        | 60.89                        | 74.00                        | -13.11       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5230 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10460.000    | Peak                          | 39.63                                   | 9.74         | 49.37                        | 68.20                        | -18.83       |
| 15690.000    | Average                       | 34.26                                   | 12.53        | 46.79                        | 54.00                        | -7.21        |
| 15690.000    | Peak                          | 46.29                                   | 12.53        | 58.82                        | 74.00                        | -15.18       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5270 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10540.000    | Peak                          | 40.67                                   | 9.94         | 50.61                        | 68.20                        | -17.59       |
| 15810.000    | Average                       | 32.44                                   | 12.38        | 44.82                        | 54.00                        | -9.18        |
| 15810.000    | Peak                          | 41.90                                   | 12.38        | 54.28                        | 74.00                        | -19.72       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5270 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10540.000    | Peak                          | 42.12                                   | 9.94         | 52.06                        | 68.20                        | -16.14       |
| 15810.000    | Average                       | 34.22                                   | 12.38        | 46.60                        | 54.00                        | -7.40        |
| 15810.000    | Peak                          | 46.40                                   | 12.38        | 58.78                        | 74.00                        | -15.22       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5310 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10620.000    | Average                       | 29.03                                   | 9.86         | 38.89                        | 54.00                        | -15.11       |
| 10620.000    | Peak                          | 39.67                                   | 9.86         | 49.53                        | 74.00                        | -24.47       |
| 15930.000    | Average                       | 31.44                                   | 12.05        | 43.49                        | 54.00                        | -10.51       |
| 15930.000    | Peak                          | 42.15                                   | 12.05        | 54.20                        | 74.00                        | -19.80       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5310 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10620.000    | Average                       | 29.26                                   | 9.86         | 39.12                        | 54.00                        | -14.88       |
| 10620.000    | Peak                          | 39.77                                   | 9.86         | 49.63                        | 74.00                        | -24.37       |
| 15930.000    | Average                       | 31.44                                   | 12.05        | 43.49                        | 54.00                        | -10.51       |
| 15930.000    | Peak                          | 43.58                                   | 12.05        | 55.63                        | 74.00                        | -18.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5510 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11020.000    | Average                       | 28.43                                   | 11.46        | 39.88                        | 54.00                        | -14.12       |
| 11020.000    | Peak                          | 38.76                                   | 11.46        | 50.22                        | 74.00                        | -23.78       |
| 16530.000    | Peak                          | 40.72                                   | 11.94        | 52.66                        | 68.20                        | -15.54       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5510 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11020.000    | Average                       | 28.33                                   | 11.46        | 39.79                        | 54.00                        | -14.21       |
| 11020.000    | Peak                          | 39.29                                   | 11.46        | 50.74                        | 74.00                        | -23.26       |
| 16530.000    | Peak                          | 40.77                                   | 11.94        | 52.71                        | 68.20                        | -15.49       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5550 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11100.000    | Average                       | 28.79                                   | 9.70         | 38.49                        | 54.00                        | -15.51       |
| 11100.000    | Peak                          | 39.74                                   | 9.70         | 49.44                        | 74.00                        | -24.56       |
| 16650.000    | Peak                          | 41.20                                   | 11.75        | 52.95                        | 68.20                        | -15.25       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5550 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11100.000    | Average                       | 29.01                                   | 9.70         | 38.71                        | 54.00                        | -15.29       |
| 11100.000    | Peak                          | 38.25                                   | 9.70         | 47.95                        | 74.00                        | -26.05       |
| 16650.000    | Peak                          | 42.08                                   | 11.75        | 53.83                        | 68.20                        | -14.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5670 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11340.000    | Average                       | 28.72                                   | 9.74         | 38.46                        | 54.00                        | -15.54       |
| 11340.000    | Peak                          | 39.14                                   | 9.74         | 48.88                        | 74.00                        | -25.12       |
| 17010.000    | Peak                          | 39.79                                   | 11.84        | 51.63                        | 68.20                        | -16.57       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5670 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11340.000    | Average                       | 30.31                                   | 9.74         | 40.05                        | 54.00                        | -13.95       |
| 11340.000    | Peak                          | 40.03                                   | 9.74         | 49.77                        | 74.00                        | -24.23       |
| 17010.000    | Peak                          | 41.41                                   | 11.84        | 53.25                        | 68.20                        | -14.95       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5710 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11420.000    | Average                       | 31.66                                   | 10.08        | 41.74                        | 54.00                        | -12.26       |
| 11420.000    | Peak                          | 42.89                                   | 10.08        | 52.97                        | 74.00                        | -21.03       |
| 17130.000    | Peak                          | 41.49                                   | 11.66        | 53.15                        | 68.20                        | -15.05       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5710 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11420.000    | Average                       | 34.71                                   | 10.08        | 44.79                        | 54.00                        | -9.21        |
| 11420.000    | Peak                          | 47.71                                   | 10.08        | 57.79                        | 74.00                        | -16.21       |
| 17130.000    | Peak                          | 50.65                                   | 11.66        | 62.31                        | 68.20                        | -5.89        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5755 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11510.000    | Average                       | 31.97                                   | 11.05        | 43.02                        | 54.00                        | -10.98       |
| 11510.000    | Peak                          | 42.33                                   | 11.05        | 53.38                        | 74.00                        | -20.62       |
| 17265.000    | Peak                          | 42.34                                   | 11.18        | 53.52                        | 68.20                        | -14.68       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5755 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11510.000    | Average                       | 35.19                                   | 11.05        | 46.24                        | 54.00                        | -7.76        |
| 11510.000    | Peak                          | 47.17                                   | 11.05        | 58.22                        | 74.00                        | -15.78       |
| 17265.000    | Peak                          | 42.99                                   | 11.18        | 54.17                        | 68.20                        | -14.03       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5795 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.000    | Average                       | 34.50                                   | 9.85         | 44.35                        | 54.00                        | -9.65        |
| 11590.000    | Peak                          | 45.41                                   | 9.85         | 55.26                        | 74.00                        | -18.74       |
| 17385.000    | Peak                          | 43.01                                   | 11.94        | 54.95                        | 68.20                        | -13.25       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-23

Test Frequency :5795 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.000    | Average                       | 42.96                                   | 9.85         | 52.81                        | 54.00                        | -1.19        |
| 11590.000    | Peak                          | 52.44                                   | 9.85         | 62.29                        | 74.00                        | -11.71       |
| 17385.000    | Peak                          | 51.25                                   | 11.94        | 63.19                        | 68.20                        | -5.01        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5210 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10420.000    | Peak                          | 38.65                                   | 9.58         | 48.23                        | 68.20                        | -19.97       |
| 15630.000    | Average                       | 31.25                                   | 12.11        | 43.36                        | 54.00                        | -10.64       |
| 15630.000    | Peak                          | 41.71                                   | 12.11        | 53.82                        | 74.00                        | -20.18       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5210 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10420.000    | Peak                          | 37.96                                   | 9.58         | 47.54                        | 68.20                        | -20.66       |
| 15630.000    | Average                       | 31.29                                   | 12.11        | 43.41                        | 54.00                        | -10.59       |
| 15630.000    | Peak                          | 41.49                                   | 12.11        | 53.60                        | 74.00                        | -20.40       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5290 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10580.000    | Peak                          | 38.68                                   | 9.98         | 48.66                        | 68.20                        | -19.54       |
| 15870.000    | Average                       | 31.74                                   | 12.26        | 44.00                        | 54.00                        | -10.00       |
| 15870.000    | Peak                          | 41.90                                   | 12.26        | 54.16                        | 74.00                        | -19.84       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5290 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10580.000    | Peak                          | 38.42                                   | 9.98         | 48.40                        | 68.20                        | -19.80       |
| 15870.000    | Average                       | 32.11                                   | 12.26        | 44.37                        | 54.00                        | -9.63        |
| 15870.000    | Peak                          | 42.37                                   | 12.26        | 54.63                        | 74.00                        | -19.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5530 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.000    | Average                       | 28.37                                   | 10.58        | 38.95                        | 54.00                        | -15.05       |
| 11060.000    | Peak                          | 37.78                                   | 10.58        | 48.36                        | 74.00                        | -25.64       |
| 16590.000    | Peak                          | 40.90                                   | 11.82        | 52.72                        | 68.20                        | -15.48       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5530 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.000    | Average                       | 28.66                                   | 10.58        | 39.24                        | 54.00                        | -14.76       |
| 11060.000    | Peak                          | 38.14                                   | 10.58        | 48.72                        | 74.00                        | -25.28       |
| 16590.000    | Peak                          | 40.83                                   | 11.82        | 52.65                        | 68.20                        | -15.55       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5610 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11220.000    | Average                       | 29.17                                   | 9.94         | 39.11                        | 54.00                        | -14.89       |
| 11220.000    | Peak                          | 40.08                                   | 9.94         | 50.02                        | 74.00                        | -23.98       |
| 16830.000    | Peak                          | 40.92                                   | 11.27        | 52.19                        | 68.20                        | -16.01       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5610 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11220.000    | Average                       | 29.29                                   | 9.94         | 39.23                        | 54.00                        | -14.77       |
| 11220.000    | Peak                          | 40.12                                   | 9.94         | 50.06                        | 74.00                        | -23.94       |
| 16830.000    | Peak                          | 42.23                                   | 11.27        | 53.50                        | 68.20                        | -14.70       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5690 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11380.000    | Average                       | 28.36                                   | 9.78         | 38.14                        | 54.00                        | -15.86       |
| 11380.000    | Peak                          | 37.94                                   | 9.78         | 47.72                        | 74.00                        | -26.28       |
| 17070.000    | Peak                          | 42.67                                   | 12.08        | 54.75                        | 68.20                        | -13.45       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5690 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11380.000    | Average                       | 34.10                                   | 9.78         | 43.88                        | 54.00                        | -10.12       |
| 11380.000    | Peak                          | 44.56                                   | 9.78         | 54.34                        | 74.00                        | -19.66       |
| 17070.000    | Peak                          | 42.41                                   | 12.08        | 54.49                        | 68.20                        | -13.71       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5775 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11550.000    | Average                       | 29.74                                   | 10.45        | 40.19                        | 54.00                        | -13.81       |
| 11550.000    | Peak                          | 39.00                                   | 10.45        | 49.45                        | 74.00                        | -24.55       |
| 17325.000    | Peak                          | 42.88                                   | 11.70        | 54.58                        | 68.20                        | -13.62       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-23

Test Frequency :5775 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11550.000    | Average                       | 32.96                                   | 10.45        | 43.41                        | 54.00                        | -10.59       |
| 11550.000    | Peak                          | 42.80                                   | 10.45        | 53.25                        | 74.00                        | -20.75       |
| 17325.000    | Peak                          | 41.84                                   | 11.70        | 53.54                        | 68.20                        | -14.66       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-09-23

Test Frequency :5250 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10500.000    | Peak                          | 37.87                                   | 9.90         | 47.77                        | 68.20                        | -20.43       |
| 15750.000    | Average                       | 31.84                                   | 12.50        | 44.34                        | 54.00                        | -9.66        |
| 15750.000    | Peak                          | 40.62                                   | 12.50        | 53.12                        | 74.00                        | -20.88       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-09-23

Test Frequency :5250 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10500.000    | Peak                          | 38.84                                   | 9.90         | 48.74                        | 68.20                        | -19.47       |
| 15750.000    | Average                       | 31.32                                   | 12.50        | 43.82                        | 54.00                        | -10.18       |
| 15750.000    | Peak                          | 41.95                                   | 12.50        | 54.45                        | 74.00                        | -19.55       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-09-23

Test Frequency :5570 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11140.000    | Average                       | 29.32                                   | 9.82         | 39.14                        | 54.00                        | -14.86       |
| 11140.000    | Peak                          | 38.35                                   | 9.82         | 48.17                        | 74.00                        | -25.83       |
| 16710.000    | Peak                          | 40.77                                   | 11.69        | 52.46                        | 68.20                        | -15.74       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-09-23

Test Frequency :5570 MHz


Temp./Humi. :21.8°C/63%

Test Mode :Tx

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11140.000    | Average                       | 29.33                                   | 9.82         | 39.15                        | 54.00                        | -14.85       |
| 11140.000    | Peak                          | 38.91                                   | 9.82         | 48.73                        | 74.00                        | -25.27       |
| 16710.000    | Peak                          | 40.84                                   | 11.69        | 52.53                        | 68.20                        | -15.67       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 11.6.2 Band edge falling to restricted band

## Mode: CDD

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5180 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5147.500     | Average                      | 45.51                                   | 3.77         | 49.27                        | 54.00                        | -4.73        |
| 5147.500     | Peak                         | 63.06                                   | 3.77         | 66.82                        | 74.00                        | -7.18        |
| 5150.000     | Average                      | 45.90                                   | 3.74         | 49.64                        | 54.00                        | -4.36        |
| 5150.000     | Peak                         | 61.94                                   | 3.74         | 65.68                        | 74.00                        | -8.32        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5180 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5148.900     | Average                      | 48.97                                   | 3.75         | 52.72                        | 54.00                        | -1.28        |
| 5148.900     | Peak                         | 62.57                                   | 3.75         | 66.32                        | 74.00                        | -7.68        |
| 5150.000     | Average                      | 50.11                                   | 3.74         | 53.85                        | 54.00                        | -0.15        |
| 5150.000     | Peak                         | 68.33                                   | 3.74         | 72.08                        | 74.00                        | -1.92        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5320 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 41.02                             | 3.37         | 44.39                  | 54.00                  | -9.61        |
| 5350.000     | Peak                         | 50.94                             | 3.37         | 54.31                  | 74.00                  | -19.69       |
| 5356.440     | Average                      | 41.07                             | 3.37         | 44.44                  | 54.00                  | -9.56        |
| 5356.440     | Peak                         | 52.47                             | 3.37         | 55.84                  | 74.00                  | -18.16       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5320 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 43.48                             | 3.37         | 46.85                  | 54.00                  | -7.15        |
| 5350.000     | Peak                         | 53.18                             | 3.37         | 56.55                  | 74.00                  | -17.45       |
| 5354.040     | Average                      | 43.21                             | 3.37         | 46.58                  | 54.00                  | -7.42        |
| 5354.040     | Peak                         | 54.48                             | 3.37         | 57.85                  | 74.00                  | -16.15       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5500 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5441.600     | Average                      | 40.78                             | 3.56         | 44.34                  | 54.00                  | -9.66        |
| 5441.600     | Peak                         | 52.18                             | 3.56         | 55.74                  | 74.00                  | -18.26       |
| 5460.000     | Average                      | 40.94                             | 3.68         | 44.62                  | 54.00                  | -9.38        |
| 5460.000     | Peak                         | 50.05                             | 3.68         | 53.73                  | 74.00                  | -20.27       |
| 5465.120     | Peak                         | 52.15                             | 3.72         | 55.87                  | 68.20                  | -12.33       |
| 5470.000     | Peak                         | 49.89                             | 3.76         | 53.65                  | 68.20                  | -14.55       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5500 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5453.960     | Average                      | 42.67                             | 3.63         | 46.30                  | 54.00                  | -7.70        |
| 5453.960     | Peak                         | 54.11                             | 3.63         | 57.74                  | 74.00                  | -16.26       |
| 5460.000     | Average                      | 43.35                             | 3.68         | 47.03                  | 54.00                  | -6.97        |
| 5460.000     | Peak                         | 53.60                             | 3.68         | 57.28                  | 74.00                  | -16.72       |
| 5467.880     | Peak                         | 55.56                             | 3.74         | 59.30                  | 68.20                  | -8.90        |
| 5470.000     | Peak                         | 54.40                             | 3.76         | 58.16                  | 68.20                  | -10.04       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5700 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 49.93                             | 5.57         | 55.51                  | 68.20                  | -12.69       |
| 5771.120     | Peak                         | 51.65                             | 5.60         | 57.25                  | 68.20                  | -10.95       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5700 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 56.63                             | 5.57         | 62.20                  | 68.20                  | -6.00        |
| 5725.880     | Peak                         | 57.89                             | 5.58         | 63.46                  | 68.20                  | -4.74        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5745 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5626.505     | Peak                         | 52.09                             | 4.38         | 56.47                  | 68.20                  | -11.73       |
| 5650.000     | Peak                         | 50.11                             | 4.76         | 54.87                  | 68.20                  | -13.33       |
| 5700.000     | Peak                         | 63.39                             | 5.56         | 68.95                  | 105.20                 | -36.25       |
| 5720.000     | Peak                         | 72.96                             | 5.57         | 78.53                  | 110.80                 | -32.27       |
| 5725.000     | Peak                         | 67.74                             | 5.57         | 73.31                  | 122.20                 | -48.89       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5745 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5616.895     | Peak                         | 56.64                             | 4.22         | 60.87                  | 68.20                  | -7.33        |
| 5650.000     | Peak                         | 54.44                             | 4.76         | 59.20                  | 68.20                  | -9.00        |
| 5700.000     | Peak                         | 66.36                             | 5.56         | 71.92                  | 105.20                 | -33.28       |
| 5720.000     | Peak                         | 76.10                             | 5.57         | 81.67                  | 110.80                 | -29.13       |
| 5725.000     | Peak                         | 91.53                             | 5.57         | 97.10                  | 122.20                 | -25.10       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5825 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 73.51                             | 5.66         | 79.17                  | 122.20                 | -43.03       |
| 5855.000     | Peak                         | 62.90                             | 5.68         | 68.58                  | 110.80                 | -42.22       |
| 5875.000     | Peak                         | 53.21                             | 5.78         | 58.99                  | 105.20                 | -46.21       |
| 5925.000     | Peak                         | 49.67                             | 5.66         | 55.32                  | 68.20                  | -12.88       |
| 5932.840     | Peak                         | 51.39                             | 5.58         | 56.97                  | 68.20                  | -11.23       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11a

Test Date :2023-10-18

Test Frequency :5825 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 81.44                             | 5.66         | 87.10                  | 122.20                 | -35.10       |
| 5855.000     | Peak                         | 73.16                             | 5.68         | 78.84                  | 110.80                 | -31.96       |
| 5875.000     | Peak                         | 61.76                             | 5.78         | 67.54                  | 105.20                 | -37.66       |
| 5925.000     | Peak                         | 49.89                             | 5.66         | 55.54                  | 68.20                  | -12.66       |
| 5931.990     | Peak                         | 52.22                             | 5.59         | 57.81                  | 68.20                  | -10.39       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-18

Test Frequency :5180 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5146.800     | Average          | 46.12                             | 3.77         | 49.89                  | 54.00                  | -4.11        |
| 5146.800     | Peak             | 65.32                             | 3.77         | 69.09                  | 74.00                  | -4.91        |
| 5150.000     | Average          | 47.36                             | 3.74         | 51.10                  | 54.00                  | -2.90        |
| 5150.000     | Peak             | 65.03                             | 3.74         | 68.77                  | 74.00                  | -5.23        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-18

Test Frequency :5180 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5148.900     | Average          | 47.93                             | 3.75         | 51.68                  | 54.00                  | -2.32        |
| 5148.900     | Peak             | 60.75                             | 3.75         | 64.50                  | 74.00                  | -9.50        |
| 5150.000     | Average          | 48.39                             | 3.74         | 52.13                  | 54.00                  | -1.87        |
| 5150.000     | Peak             | 61.99                             | 3.74         | 65.73                  | 74.00                  | -8.27        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5320 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 41.35                             | 3.37         | 44.72                  | 54.00                  | -9.28        |
| 5350.000     | Peak                         | 52.03                             | 3.37         | 55.40                  | 74.00                  | -18.60       |
| 5404.800     | Average                      | 40.70                             | 3.40         | 44.10                  | 54.00                  | -9.90        |
| 5404.800     | Peak                         | 52.37                             | 3.40         | 55.77                  | 74.00                  | -18.23       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5320 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 44.43                             | 3.37         | 47.80                  | 54.00                  | -6.20        |
| 5350.000     | Peak                         | 53.67                             | 3.37         | 57.04                  | 74.00                  | -16.96       |
| 5355.360     | Average                      | 43.59                             | 3.37         | 46.96                  | 54.00                  | -7.04        |
| 5355.360     | Peak                         | 55.21                             | 3.37         | 58.58                  | 74.00                  | -15.42       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5500 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5391.800     | Average                      | 40.92                             | 3.38         | 44.30                  | 54.00                  | -9.70        |
| 5391.800     | Peak                         | 52.34                             | 3.38         | 55.72                  | 74.00                  | -18.28       |
| 5460.000     | Average                      | 41.10                             | 3.68         | 44.78                  | 54.00                  | -9.22        |
| 5460.000     | Peak                         | 50.56                             | 3.68         | 54.24                  | 74.00                  | -19.76       |
| 5467.640     | Peak                         | 52.69                             | 3.74         | 56.43                  | 68.20                  | -11.77       |
| 5470.000     | Peak                         | 50.80                             | 3.76         | 54.56                  | 68.20                  | -13.64       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5500 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5456.360     | Average                      | 43.96                             | 3.65         | 47.61                  | 54.00                  | -6.39        |
| 5456.360     | Peak                         | 55.36                             | 3.65         | 59.00                  | 74.00                  | -15.00       |
| 5460.000     | Average                      | 44.10                             | 3.68         | 47.78                  | 54.00                  | -6.22        |
| 5460.000     | Peak                         | 53.56                             | 3.68         | 57.24                  | 74.00                  | -16.76       |
| 5464.880     | Peak                         | 56.65                             | 3.72         | 60.37                  | 68.20                  | -7.83        |
| 5470.000     | Peak                         | 56.81                             | 3.76         | 60.57                  | 68.20                  | -7.63        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Operation Mode :802.11n20

Test Frequency :5700 MHz

Test Mode :Bandedge

EUT Pol :E2 Plane


Test Site :SAC G Chamber

Test Date :2023-10-19

Temp./Humi. :20.2°C/65%

Antenna Pol. :Vertical

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 50.15                             | 5.57         | 55.73                  | 68.20                  | -12.47       |
| 5788.760     | Peak                         | 51.87                             | 5.61         | 57.48                  | 68.20                  | -10.72       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Operation Mode :802.11n20

Test Frequency :5700 MHz

Test Mode :Bandedge

EUT Pol :E2 Plane


Test Site :SAC G Chamber

Test Date :2023-10-19

Temp./Humi. :20.2°C/65%

Antenna Pol. :Horizontal

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 53.55                             | 5.57         | 59.12                  | 68.20                  | -9.08        |
| 5725.640     | Peak                         | 55.01                             | 5.58         | 60.58                  | 68.20                  | -7.62        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5745 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5636.115     | Peak                         | 51.83                             | 4.53         | 56.37                  | 68.20                  | -11.83       |
| 5650.000     | Peak                         | 49.57                             | 4.76         | 54.33                  | 68.20                  | -13.87       |
| 5700.000     | Peak                         | 58.84                             | 5.56         | 64.40                  | 105.20                 | -40.80       |
| 5720.000     | Peak                         | 69.95                             | 5.57         | 75.52                  | 110.80                 | -35.28       |
| 5725.000     | Peak                         | 73.80                             | 5.57         | 79.38                  | 122.20                 | -42.82       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5745 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5618.290     | Peak                         | 58.15                             | 4.25         | 62.40                  | 68.20                  | -5.80        |
| 5650.000     | Peak                         | 55.23                             | 4.76         | 59.99                  | 68.20                  | -8.21        |
| 5700.000     | Peak                         | 66.93                             | 5.56         | 72.49                  | 105.20                 | -32.71       |
| 5720.000     | Peak                         | 78.63                             | 5.57         | 84.20                  | 110.80                 | -26.60       |
| 5725.000     | Peak                         | 85.13                             | 5.57         | 90.70                  | 122.20                 | -31.50       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5825 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 70.33                             | 5.66         | 75.99                  | 122.20                 | -46.21       |
| 5855.000     | Peak                         | 65.95                             | 5.68         | 71.63                  | 110.80                 | -39.17       |
| 5875.000     | Peak                         | 57.23                             | 5.78         | 63.01                  | 105.20                 | -42.19       |
| 5925.000     | Peak                         | 49.69                             | 5.66         | 55.35                  | 68.20                  | -12.85       |
| 5936.070     | Peak                         | 52.00                             | 5.55         | 57.55                  | 68.20                  | -10.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-10-19

Test Frequency :5825 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 77.36                             | 5.66         | 83.02                  | 122.20                 | -39.18       |
| 5855.000     | Peak                         | 73.80                             | 5.68         | 79.48                  | 110.80                 | -31.32       |
| 5875.000     | Peak                         | 60.88                             | 5.78         | 66.66                  | 105.20                 | -38.54       |
| 5925.000     | Peak                         | 49.66                             | 5.66         | 55.31                  | 68.20                  | -12.89       |
| 5967.860     | Peak                         | 52.22                             | 5.20         | 57.42                  | 68.20                  | -10.78       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-18

Test Frequency :5190 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5148.900     | Average                      | 46.82                             | 3.75         | 50.58                  | 54.00                  | -3.42        |
| 5148.900     | Peak                         | 60.33                             | 3.75         | 64.09                  | 74.00                  | -9.91        |
| 5150.000     | Average                      | 47.33                             | 3.74         | 51.07                  | 54.00                  | -2.93        |
| 5150.000     | Peak                         | 59.97                             | 3.74         | 63.72                  | 74.00                  | -10.28       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-18

Test Frequency :5190 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5146.800     | Average          | 47.43                             | 3.77         | 51.21                  | 54.00                  | -2.79        |
| 5146.800     | Peak             | 61.48                             | 3.77         | 65.25                  | 74.00                  | -8.75        |
| 5150.000     | Average          | 48.80                             | 3.74         | 52.55                  | 54.00                  | -1.45        |
| 5150.000     | Peak             | 61.21                             | 3.74         | 64.95                  | 74.00                  | -9.05        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-18

Test Frequency :5310 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average          | 46.67                             | 3.37         | 50.04                  | 54.00                  | -3.96        |
| 5350.000     | Peak             | 57.71                             | 3.37         | 61.08                  | 74.00                  | -12.92       |
| 5350.760     | Average          | 46.58                             | 3.37         | 49.95                  | 54.00                  | -4.05        |
| 5350.760     | Peak             | 57.70                             | 3.37         | 61.07                  | 74.00                  | -12.93       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-18

Test Frequency :5310 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average          | 49.97                             | 3.37         | 53.34                  | 54.00                  | -0.66        |
| 5350.000     | Peak             | 61.15                             | 3.37         | 64.52                  | 74.00                  | -9.48        |
| 5351.480     | Average          | 48.88                             | 3.37         | 52.25                  | 54.00                  | -1.75        |
| 5351.480     | Peak             | 62.49                             | 3.37         | 65.86                  | 74.00                  | -8.14        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-19

Test Frequency :5510 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5445.840     | Average                      | 41.13                             | 3.58         | 44.71                  | 54.00                  | -9.29        |
| 5445.840     | Peak                         | 52.70                             | 3.58         | 56.28                  | 74.00                  | -17.72       |
| 5460.000     | Average                      | 41.43                             | 3.68         | 45.11                  | 54.00                  | -8.89        |
| 5460.000     | Peak                         | 50.54                             | 3.68         | 54.22                  | 74.00                  | -19.78       |
| 5469.240     | Peak                         | 52.51                             | 3.76         | 56.27                  | 68.20                  | -11.93       |
| 5470.000     | Peak                         | 50.91                             | 3.76         | 54.67                  | 68.20                  | -13.53       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-19

Test Frequency :5510 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5459.280     | Average                      | 44.05                             | 3.67         | 47.73                  | 54.00                  | -6.27        |
| 5459.280     | Peak                         | 55.43                             | 3.67         | 59.10                  | 74.00                  | -14.90       |
| 5460.000     | Average                      | 44.36                             | 3.68         | 48.04                  | 54.00                  | -5.96        |
| 5460.000     | Peak                         | 55.50                             | 3.68         | 59.18                  | 74.00                  | -14.82       |
| 5469.120     | Peak                         | 58.63                             | 3.75         | 62.39                  | 68.20                  | -5.81        |
| 5470.000     | Peak                         | 56.24                             | 3.76         | 60.00                  | 68.20                  | -8.20        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-19

Test Frequency :5670 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 49.56                             | 5.57         | 55.13                  | 68.20                  | -13.07       |
| 5747.480     | Peak                         | 51.24                             | 5.59         | 56.83                  | 68.20                  | -11.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-19

Test Frequency :5670 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 52.85                             | 5.57         | 58.43                  | 68.20                  | -9.77        |
| 5736.320     | Peak                         | 54.99                             | 5.58         | 60.57                  | 68.20                  | -7.63        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-18

Test Frequency :5755 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5647.025     | Peak                         | 53.37                             | 4.71         | 58.08                  | 68.20                  | -10.12       |
| 5650.000     | Peak                         | 52.37                             | 4.76         | 57.13                  | 68.20                  | -11.07       |
| 5700.000     | Peak                         | 61.76                             | 5.56         | 67.32                  | 105.20                 | -37.88       |
| 5720.000     | Peak                         | 71.01                             | 5.57         | 76.58                  | 110.80                 | -34.22       |
| 5725.000     | Peak                         | 70.94                             | 5.57         | 76.51                  | 122.20                 | -45.69       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-18

Test Frequency :5755 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5632.835     | Peak                         | 63.01                             | 4.48         | 67.49                  | 68.20                  | -0.71        |
| 5650.000     | Peak                         | 62.19                             | 4.76         | 66.95                  | 68.20                  | -1.25        |
| 5700.000     | Peak                         | 76.36                             | 5.56         | 81.92                  | 105.20                 | -23.28       |
| 5720.000     | Peak                         | 82.96                             | 5.57         | 88.54                  | 110.80                 | -22.26       |
| 5725.000     | Peak                         | 85.41                             | 5.57         | 90.98                  | 122.20                 | -31.22       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-19

Test Frequency :5795 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 67.70                             | 5.66         | 73.36                  | 122.20                 | -48.84       |
| 5855.000     | Peak                         | 65.39                             | 5.68         | 71.07                  | 110.80                 | -39.73       |
| 5875.000     | Peak                         | 59.36                             | 5.78         | 65.14                  | 105.20                 | -40.06       |
| 5925.000     | Peak                         | 50.28                             | 5.66         | 55.93                  | 68.20                  | -12.27       |
| 5966.260     | Peak                         | 52.23                             | 5.22         | 57.45                  | 68.20                  | -10.75       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2023-10-19

Test Frequency :5795 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 73.49                             | 5.66         | 79.15                  | 122.20                 | -43.05       |
| 5855.000     | Peak                         | 70.80                             | 5.68         | 76.49                  | 110.80                 | -34.32       |
| 5875.000     | Peak                         | 63.49                             | 5.78         | 69.28                  | 105.20                 | -35.92       |
| 5925.000     | Peak                         | 50.41                             | 5.66         | 56.06                  | 68.20                  | -12.14       |
| 5941.940     | Peak                         | 51.93                             | 5.49         | 57.42                  | 68.20                  | -10.78       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5210 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5125.680     | Average                      | 45.72                             | 3.97         | 49.68                  | 54.00                  | -4.32        |
| 5125.680     | Peak                         | 57.87                             | 3.97         | 61.83                  | 74.00                  | -12.17       |
| 5150.000     | Average                      | 48.03                             | 3.74         | 51.77                  | 54.00                  | -2.23        |
| 5150.000     | Peak                         | 57.44                             | 3.74         | 61.19                  | 74.00                  | -12.81       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5210 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5145.120     | Average          | 49.02                             | 3.79         | 52.80                  | 54.00                  | -1.20        |
| 5145.120     | Peak             | 59.63                             | 3.79         | 63.42                  | 74.00                  | -10.58       |
| 5150.000     | Average          | 48.45                             | 3.74         | 52.19                  | 54.00                  | -1.81        |
| 5150.000     | Peak             | 57.74                             | 3.74         | 61.49                  | 74.00                  | -12.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5290 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average          | 42.41                             | 3.37         | 45.78                  | 54.00                  | -8.22        |
| 5350.000     | Peak             | 51.93                             | 3.37         | 55.30                  | 74.00                  | -18.70       |
| 5353.600     | Average          | 44.32                             | 3.37         | 47.69                  | 54.00                  | -6.31        |
| 5353.600     | Peak             | 54.63                             | 3.37         | 58.00                  | 74.00                  | -16.00       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5290 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 47.19                             | 3.37         | 50.56                  | 54.00                  | -3.44        |
| 5350.000     | Peak                         | 56.01                             | 3.37         | 59.38                  | 74.00                  | -14.62       |
| 5354.100     | Average                      | 49.96                             | 3.37         | 53.33                  | 54.00                  | -0.67        |
| 5354.100     | Peak                         | 60.20                             | 3.37         | 63.58                  | 74.00                  | -10.42       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5530 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5452.400     | Average                      | 43.03                             | 3.62         | 46.65                  | 54.00                  | -7.35        |
| 5452.400     | Peak                         | 53.17                             | 3.62         | 56.79                  | 74.00                  | -17.21       |
| 5460.000     | Average                      | 41.96                             | 3.68         | 45.64                  | 54.00                  | -8.36        |
| 5460.000     | Peak                         | 51.80                             | 3.68         | 55.48                  | 74.00                  | -18.52       |
| 5463.300     | Peak                         | 54.39                             | 3.71         | 58.10                  | 68.20                  | -10.10       |
| 5470.000     | Peak                         | 50.91                             | 3.76         | 54.67                  | 68.20                  | -13.53       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5530 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5458.800     | Average                      | 49.66                             | 3.67         | 53.33                  | 54.00                  | -0.67        |
| 5458.800     | Peak                         | 60.90                             | 3.67         | 64.56                  | 74.00                  | -9.44        |
| 5460.000     | Average                      | 46.66                             | 3.68         | 50.34                  | 54.00                  | -3.66        |
| 5460.000     | Peak                         | 55.89                             | 3.68         | 59.57                  | 74.00                  | -14.43       |
| 5468.800     | Peak                         | 60.89                             | 3.75         | 64.65                  | 68.20                  | -3.55        |
| 5470.000     | Peak                         | 56.77                             | 3.76         | 60.53                  | 68.20                  | -7.67        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-19

Test Frequency :5610 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 5725.000 | Peak     | 49.86         | 5.57   | 55.43  | 68.20  | -12.77 |
| 5776.400 | Peak     | 51.37         | 5.61   | 56.98  | 68.20  | -11.22 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-19

Test Frequency :5610 MHz

Temp./Humi. :20.2°C/65%


Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen

:



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 52.68                             | 5.57         | 58.25                  | 68.20                  | -9.95        |
| 5730.680     | Peak                         | 55.59                             | 5.58         | 61.17                  | 68.20                  | -7.03        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5642.365     | Peak                         | 57.98                             | 4.63         | 62.61                  | 68.20                  | -5.59        |
| 5650.000     | Peak                         | 53.31                             | 4.76         | 58.07                  | 68.20                  | -10.13       |
| 5700.000     | Peak                         | 65.40                             | 5.56         | 70.96                  | 105.20                 | -34.24       |
| 5720.000     | Peak                         | 67.43                             | 5.57         | 73.00                  | 110.80                 | -37.80       |
| 5725.000     | Peak                         | 68.46                             | 5.57         | 74.04                  | 122.20                 | -48.16       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5648.100     | Peak                         | 59.46                             | 4.73         | 64.18                  | 68.20                  | -4.02        |
| 5650.000     | Peak                         | 54.91                             | 4.76         | 59.67                  | 68.20                  | -8.53        |
| 5700.000     | Peak                         | 66.17                             | 5.56         | 71.73                  | 105.20                 | -33.47       |
| 5720.000     | Peak                         | 66.36                             | 5.57         | 71.93                  | 110.80                 | -38.87       |
| 5725.000     | Peak                         | 65.82                             | 5.57         | 71.40                  | 122.20                 | -50.80       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 5850.000 | Peak     | 67.35         | 5.66   | 73.01  | 122.20 | -49.19 |
| 5855.000 | Peak     | 66.27         | 5.68   | 71.96  | 110.80 | -38.84 |
| 5875.000 | Peak     | 57.35         | 5.78   | 63.13  | 105.20 | -42.07 |
| 5925.000 | Peak     | 50.32         | 5.66   | 55.98  | 68.20  | -12.22 |
| 5943.200 | Peak     | 51.94         | 5.48   | 57.42  | 68.20  | -10.78 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 77.34                             | 5.66         | 83.00                  | 122.20                 | -39.20       |
| 5855.000     | Peak                         | 71.99                             | 5.68         | 77.68                  | 110.80                 | -33.12       |
| 5875.000     | Peak                         | 64.09                             | 5.78         | 69.87                  | 105.20                 | -35.33       |
| 5925.000     | Peak                         | 50.07                             | 5.66         | 55.73                  | 68.20                  | -12.47       |
| 5968.000     | Peak                         | 51.93                             | 5.20         | 57.14                  | 68.20                  | -11.06       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5093.560     | Average                      | 45.18                             | 4.19         | 49.37                  | 54.00                  | -4.63        |
| 5093.560     | Peak                         | 53.78                             | 4.19         | 57.97                  | 74.00                  | -16.03       |
| 5150.000     | Average                      | 44.72                             | 3.74         | 48.47                  | 54.00                  | -5.53        |
| 5150.000     | Peak                         | 54.03                             | 3.74         | 57.77                  | 74.00                  | -16.23       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5124.720     | Average          | 47.34                             | 3.97         | 51.32                  | 54.00                  | -2.68        |
| 5124.720     | Peak             | 57.65                             | 3.97         | 61.62                  | 74.00                  | -12.38       |
| 5150.000     | Average          | 48.93                             | 3.74         | 52.67                  | 54.00                  | -1.33        |
| 5150.000     | Peak             | 55.95                             | 3.74         | 59.70                  | 74.00                  | -14.30       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average          | 44.17                             | 3.37         | 47.54                  | 54.00                  | -6.46        |
| 5350.000     | Peak             | 52.68                             | 3.37         | 56.05                  | 74.00                  | -17.95       |
| 5350.230     | Average          | 44.12                             | 3.37         | 47.49                  | 54.00                  | -6.51        |
| 5350.230     | Peak             | 53.08                             | 3.37         | 56.45                  | 74.00                  | -17.55       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 48.67                             | 3.37         | 52.04                  | 54.00                  | -1.96        |
| 5350.000     | Peak                         | 58.84                             | 3.37         | 62.21                  | 74.00                  | -11.79       |
| 5361.020     | Average                      | 47.93                             | 3.37         | 51.30                  | 54.00                  | -2.70        |
| 5361.020     | Peak                         | 58.02                             | 3.37         | 61.39                  | 74.00                  | -12.61       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5448.330     | Average                      | 41.89                             | 3.59         | 45.48                  | 54.00                  | -8.52        |
| 5448.330     | Peak                         | 51.66                             | 3.59         | 55.25                  | 74.00                  | -18.75       |
| 5460.000     | Average                      | 42.29                             | 3.68         | 45.97                  | 54.00                  | -8.03        |
| 5460.000     | Peak                         | 50.89                             | 3.68         | 54.57                  | 74.00                  | -19.43       |
| 5460.300     | Peak                         | 51.41                             | 3.68         | 55.09                  | 68.20                  | -13.11       |
| 5470.000     | Peak                         | 49.73                             | 3.76         | 53.49                  | 68.20                  | -14.71       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5413.890     | Average                      | 48.18                             | 3.44         | 51.62                  | 54.00                  | -2.38        |
| 5413.890     | Peak                         | 57.87                             | 3.44         | 61.31                  | 74.00                  | -12.69       |
| 5460.000     | Average                      | 46.77                             | 3.68         | 50.45                  | 54.00                  | -3.55        |
| 5460.000     | Peak                         | 55.81                             | 3.68         | 59.49                  | 74.00                  | -14.51       |
| 5469.960     | Peak                         | 56.96                             | 3.76         | 60.72                  | 68.20                  | -7.48        |
| 5470.000     | Peak                         | 56.96                             | 3.76         | 60.72                  | 68.20                  | -7.48        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5725.000     | Peak                         | 48.48                                   | 5.57         | 54.05                        | 68.20                        | -14.15       |
| 5753.120     | Peak                         | 50.90                                   | 5.59         | 56.50                        | 68.20                        | -11.70       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 5725.000 | Peak     | 53.11         | 5.57   | 58.68  | 68.20  | -9.52  |
| 5749.970 | Peak     | 56.15         | 5.59   | 61.74  | 68.20  | -6.46  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-18

Test Frequency :5180 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5146.100     | Average          | 46.63                             | 3.78         | 50.41                  | 54.00                  | -3.59        |
| 5146.100     | Peak             | 59.55                             | 3.78         | 63.33                  | 74.00                  | -10.67       |
| 5150.000     | Average          | 47.62                             | 3.74         | 51.36                  | 54.00                  | -2.64        |
| 5150.000     | Peak             | 59.18                             | 3.74         | 62.92                  | 74.00                  | -11.08       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-18

Test Frequency :5180 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5144.000     | Average                      | 48.17                             | 3.80         | 51.97                  | 54.00                  | -2.03        |
| 5144.000     | Peak                         | 59.31                             | 3.80         | 63.11                  | 74.00                  | -10.89       |
| 5150.000     | Average                      | 49.64                             | 3.74         | 53.39                  | 54.00                  | -0.61        |
| 5150.000     | Peak                         | 59.86                             | 3.74         | 63.60                  | 74.00                  | -10.40       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5320 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average          | 42.83                             | 3.37         | 46.20                  | 54.00                  | -7.80        |
| 5350.000     | Peak             | 50.92                             | 3.37         | 54.29                  | 74.00                  | -19.71       |
| 5350.680     | Average          | 42.98                             | 3.37         | 46.35                  | 54.00                  | -7.65        |
| 5350.680     | Peak             | 53.60                             | 3.37         | 56.97                  | 74.00                  | -17.03       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5320 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average          | 46.25                             | 3.37         | 49.62                  | 54.00                  | -4.38        |
| 5350.000     | Peak             | 54.98                             | 3.37         | 58.35                  | 74.00                  | -15.65       |
| 5354.160     | Average          | 45.09                             | 3.37         | 48.46                  | 54.00                  | -5.54        |
| 5354.160     | Peak             | 56.49                             | 3.37         | 59.86                  | 74.00                  | -14.14       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5500 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5456.360     | Average                      | 42.00                             | 3.65         | 45.65                  | 54.00                  | -8.35        |
| 5456.360     | Peak                         | 52.21                             | 3.65         | 55.85                  | 74.00                  | -18.15       |
| 5460.000     | Average                      | 41.80                             | 3.68         | 45.48                  | 54.00                  | -8.52        |
| 5460.000     | Peak                         | 50.58                             | 3.68         | 54.26                  | 74.00                  | -19.74       |
| 5464.040     | Peak                         | 52.33                             | 3.71         | 56.04                  | 68.20                  | -12.16       |
| 5470.000     | Peak                         | 51.22                             | 3.76         | 54.99                  | 68.20                  | -13.21       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5500 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5457.680     | Average                      | 44.55                             | 3.66         | 48.20                  | 54.00                  | -5.80        |
| 5457.680     | Peak                         | 54.88                             | 3.66         | 58.54                  | 74.00                  | -15.46       |
| 5460.000     | Average                      | 44.21                             | 3.68         | 47.89                  | 54.00                  | -6.11        |
| 5460.000     | Peak                         | 52.73                             | 3.68         | 56.41                  | 74.00                  | -17.59       |
| 5468.600     | Peak                         | 56.06                             | 3.75         | 59.81                  | 68.20                  | -8.39        |
| 5470.000     | Peak                         | 54.87                             | 3.76         | 58.63                  | 68.20                  | -9.57        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5700 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 50.66                             | 5.57         | 56.23                  | 68.20                  | -11.97       |
| 5753.240     | Peak                         | 51.63                             | 5.59         | 57.22                  | 68.20                  | -10.98       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5700 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 55.79                             | 5.57         | 61.36                  | 68.20                  | -6.84        |
| 5728.640     | Peak                         | 56.85                             | 5.58         | 62.43                  | 68.20                  | -5.77        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5745 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5643.400     | Peak                         | 52.65                             | 4.65         | 57.30                  | 68.20                  | -10.90       |
| 5650.000     | Peak                         | 50.90                             | 4.76         | 55.66                  | 68.20                  | -12.54       |
| 5700.000     | Peak                         | 57.97                             | 5.56         | 63.53                  | 105.20                 | -41.67       |
| 5720.000     | Peak                         | 69.73                             | 5.57         | 75.31                  | 110.80                 | -35.49       |
| 5725.000     | Peak                         | 72.82                             | 5.57         | 78.39                  | 122.20                 | -43.81       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5745 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5647.895     | Peak                         | 57.83                             | 4.72         | 62.55                  | 68.20                  | -5.65        |
| 5650.000     | Peak                         | 55.04                             | 4.76         | 59.79                  | 68.20                  | -8.41        |
| 5700.000     | Peak                         | 70.87                             | 5.56         | 76.43                  | 105.20                 | -28.77       |
| 5720.000     | Peak                         | 80.46                             | 5.57         | 86.04                  | 110.80                 | -24.76       |
| 5725.000     | Peak                         | 80.01                             | 5.57         | 85.59                  | 122.20                 | -36.61       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5825 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 69.38                             | 5.66         | 75.04                  | 122.20                 | -47.16       |
| 5855.000     | Peak                         | 64.46                             | 5.68         | 70.15                  | 110.80                 | -40.65       |
| 5875.000     | Peak                         | 56.05                             | 5.78         | 61.83                  | 105.20                 | -43.37       |
| 5925.000     | Peak                         | 50.66                             | 5.66         | 56.31                  | 68.20                  | -11.89       |
| 5936.410     | Peak                         | 51.45                             | 5.54         | 56.99                  | 68.20                  | -11.21       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-10-19

Test Frequency :5825 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5850.000     | Peak                         | 75.08                                   | 5.66         | 80.74                        | 122.20                       | -41.46       |
| 5855.000     | Peak                         | 72.03                                   | 5.68         | 77.71                        | 110.80                       | -33.09       |
| 5875.000     | Peak                         | 60.15                                   | 5.78         | 65.93                        | 105.20                       | -39.27       |
| 5925.000     | Peak                         | 50.40                                   | 5.66         | 56.05                        | 68.20                        | -12.15       |
| 5945.250     | Peak                         | 51.73                                   | 5.46         | 57.19                        | 68.20                        | -11.01       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-18

Test Frequency :5190 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5148.200     | Average          | 47.34                             | 3.76         | 51.10                  | 54.00                  | -2.90        |
| 5148.200     | Peak             | 58.33                             | 3.76         | 62.09                  | 74.00                  | -11.91       |
| 5150.000     | Average          | 45.47                             | 3.74         | 49.21                  | 54.00                  | -4.79        |
| 5150.000     | Peak             | 55.43                             | 3.74         | 59.17                  | 74.00                  | -14.83       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-18

Test Frequency :5190 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5146.800     | Average          | 49.87                             | 3.77         | 53.64                  | 54.00                  | -0.36        |
| 5146.800     | Peak             | 60.10                             | 3.77         | 63.87                  | 74.00                  | -10.13       |
| 5150.000     | Average          | 47.24                             | 3.74         | 50.99                  | 54.00                  | -3.01        |
| 5150.000     | Peak             | 58.72                             | 3.74         | 62.46                  | 74.00                  | -11.54       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-18

Test Frequency :5310 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 44.40                             | 3.37         | 47.77                  | 54.00                  | -6.23        |
| 5350.000     | Peak                         | 54.74                             | 3.37         | 58.11                  | 74.00                  | -15.89       |
| 5350.160     | Average                      | 44.13                             | 3.37         | 47.50                  | 54.00                  | -6.50        |
| 5350.160     | Peak                         | 54.71                             | 3.37         | 58.08                  | 74.00                  | -15.92       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-18

Test Frequency :5310 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 48.47                             | 3.37         | 51.84                  | 54.00                  | -2.16        |
| 5350.000     | Peak                         | 57.66                             | 3.37         | 61.03                  | 74.00                  | -12.97       |
| 5352.440     | Average                      | 50.38                             | 3.37         | 53.75                  | 54.00                  | -0.25        |
| 5352.440     | Peak                         | 60.17                             | 3.37         | 63.54                  | 74.00                  | -10.46       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5510 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5459.640     | Average                      | 42.46                             | 3.68         | 46.14                  | 54.00                  | -7.86        |
| 5459.640     | Peak                         | 52.60                             | 3.68         | 56.28                  | 74.00                  | -17.72       |
| 5460.000     | Average                      | 42.44                             | 3.68         | 46.12                  | 54.00                  | -7.88        |
| 5460.000     | Peak                         | 50.94                             | 3.68         | 54.62                  | 74.00                  | -19.38       |
| 5469.720     | Peak                         | 54.82                             | 3.76         | 58.58                  | 68.20                  | -9.62        |
| 5470.000     | Peak                         | 54.70                             | 3.76         | 58.46                  | 68.20                  | -9.74        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5510 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5459.760     | Average                      | 47.20                             | 3.68         | 50.87                  | 54.00                  | -3.13        |
| 5459.760     | Peak                         | 57.28                             | 3.68         | 60.96                  | 74.00                  | -13.04       |
| 5460.000     | Average                      | 47.54                             | 3.68         | 51.22                  | 54.00                  | -2.78        |
| 5460.000     | Peak                         | 56.97                             | 3.68         | 60.65                  | 74.00                  | -13.35       |
| 5466.240     | Peak                         | 58.15                             | 3.73         | 61.88                  | 68.20                  | -6.32        |
| 5470.000     | Peak                         | 56.88                             | 3.76         | 60.64                  | 68.20                  | -7.56        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5670 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5725.000     | Peak                         | 49.40                                   | 5.57         | 54.97                        | 68.20                        | -13.23       |
| 5740.280     | Peak                         | 51.52                                   | 5.58         | 57.10                        | 68.20                        | -11.10       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5670 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 5725.000 | Peak     | 53.79         | 5.57   | 59.36  | 68.20  | -8.84  |
| 5725.520 | Peak     | 55.66         | 5.58   | 61.23  | 68.20  | -6.97  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5755 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5642.570     | Peak                         | 55.67                             | 4.64         | 60.31                  | 68.20                  | -7.89        |
| 5650.000     | Peak                         | 51.03                             | 4.76         | 55.79                  | 68.20                  | -12.41       |
| 5700.000     | Peak                         | 63.44                             | 5.56         | 69.00                  | 105.20                 | -36.20       |
| 5720.000     | Peak                         | 76.76                             | 5.57         | 82.34                  | 110.80                 | -28.46       |
| 5725.000     | Peak                         | 75.18                             | 5.57         | 80.76                  | 122.20                 | -41.44       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5755 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5648.675     | Peak                         | 62.37                             | 4.74         | 67.10                  | 68.20                  | -1.10        |
| 5650.000     | Peak                         | 59.42                             | 4.76         | 64.18                  | 68.20                  | -4.02        |
| 5700.000     | Peak                         | 71.84                             | 5.56         | 77.40                  | 105.20                 | -27.80       |
| 5720.000     | Peak                         | 82.62                             | 5.57         | 88.19                  | 110.80                 | -22.61       |
| 5725.000     | Peak                         | 77.62                             | 5.57         | 83.20                  | 122.20                 | -39.00       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5795 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 67.74                             | 5.66         | 73.40                  | 122.20                 | -48.80       |
| 5855.000     | Peak                         | 61.00                             | 5.68         | 66.69                  | 110.80                 | -44.11       |
| 5875.000     | Peak                         | 56.87                             | 5.78         | 62.65                  | 105.20                 | -42.55       |
| 5925.000     | Peak                         | 49.78                             | 5.66         | 55.44                  | 68.20                  | -12.76       |
| 5938.900     | Peak                         | 51.69                             | 5.52         | 57.21                  | 68.20                  | -10.99       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-10-19

Test Frequency :5795 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 75.54                             | 5.66         | 81.20                  | 122.20                 | -41.00       |
| 5855.000     | Peak                         | 69.46                             | 5.68         | 75.15                  | 110.80                 | -35.65       |
| 5875.000     | Peak                         | 64.62                             | 5.78         | 70.40                  | 105.20                 | -34.80       |
| 5925.000     | Peak                         | 50.33                             | 5.66         | 55.99                  | 68.20                  | -12.21       |
| 5973.290     | Peak                         | 52.91                             | 5.14         | 58.05                  | 68.20                  | -10.15       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5210 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5126.400     | Average          | 49.11                             | 3.96         | 53.07                  | 54.00                  | -0.93        |
| 5126.400     | Peak             | 60.02                             | 3.96         | 63.98                  | 74.00                  | -10.02       |
| 5150.000     | Average          | 48.28                             | 3.74         | 52.02                  | 54.00                  | -1.98        |
| 5150.000     | Peak             | 57.37                             | 3.74         | 61.11                  | 74.00                  | -12.89       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5210 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5140.080     | Average          | 48.18                             | 3.83         | 52.01                  | 54.00                  | -1.99        |
| 5140.080     | Peak             | 61.40                             | 3.83         | 65.23                  | 74.00                  | -8.77        |
| 5150.000     | Average          | 49.09                             | 3.74         | 52.84                  | 54.00                  | -1.16        |
| 5150.000     | Peak             | 58.82                             | 3.74         | 62.57                  | 74.00                  | -11.43       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5290 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 42.95                             | 3.37         | 46.32                  | 54.00                  | -7.68        |
| 5350.000     | Peak                         | 52.44                             | 3.37         | 55.81                  | 74.00                  | -18.19       |
| 5358.600     | Average                      | 44.82                             | 3.37         | 48.19                  | 54.00                  | -5.81        |
| 5358.600     | Peak                         | 54.84                             | 3.37         | 58.21                  | 74.00                  | -15.79       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5290 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 45.55                             | 3.37         | 48.92                  | 54.00                  | -5.08        |
| 5350.000     | Peak                         | 54.89                             | 3.37         | 58.26                  | 74.00                  | -15.74       |
| 5357.800     | Average                      | 49.36                             | 3.37         | 52.74                  | 54.00                  | -1.26        |
| 5357.800     | Peak                         | 60.21                             | 3.37         | 63.58                  | 74.00                  | -10.42       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5530 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5452.900     | Average                      | 41.61                             | 3.62         | 45.23                  | 54.00                  | -8.77        |
| 5452.900     | Peak                         | 53.12                             | 3.62         | 56.74                  | 74.00                  | -17.26       |
| 5460.000     | Average                      | 41.89                             | 3.68         | 45.57                  | 54.00                  | -8.43        |
| 5460.000     | Peak                         | 51.24                             | 3.68         | 54.92                  | 74.00                  | -19.08       |
| 5466.000     | Peak                         | 53.67                             | 3.73         | 57.40                  | 68.20                  | -10.80       |
| 5470.000     | Peak                         | 50.76                             | 3.76         | 54.52                  | 68.20                  | -13.68       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5530 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5442.000     | Average                      | 49.44                             | 3.56         | 53.00                  | 54.00                  | -1.00        |
| 5442.000     | Peak                         | 60.13                             | 3.56         | 63.69                  | 74.00                  | -10.31       |
| 5460.000     | Average                      | 49.38                             | 3.68         | 53.06                  | 54.00                  | -0.94        |
| 5460.000     | Peak                         | 58.12                             | 3.68         | 61.80                  | 74.00                  | -12.20       |
| 5466.200     | Peak                         | 62.20                             | 3.73         | 65.93                  | 68.20                  | -2.27        |
| 5470.000     | Peak                         | 58.71                             | 3.76         | 62.47                  | 68.20                  | -5.73        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-19

Test Frequency :5610 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 49.15                             | 5.57         | 54.73                  | 68.20                  | -13.47       |
| 5739.500     | Peak                         | 51.89                             | 5.58         | 57.47                  | 68.20                  | -10.73       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-19

Test Frequency :5610 MHz


Temp./Humi. :20.2°C/65%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 57.05                             | 5.57         | 62.62                  | 68.20                  | -5.58        |
| 5740.040     | Peak                         | 57.53                             | 5.58         | 63.11                  | 68.20                  | -5.09        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5643.290     | Peak                         | 54.88                             | 4.65         | 59.53                  | 68.20                  | -8.67        |
| 5650.000     | Peak                         | 51.52                             | 4.76         | 56.27                  | 68.20                  | -11.93       |
| 5700.000     | Peak                         | 63.93                             | 5.56         | 69.49                  | 105.20                 | -35.71       |
| 5720.000     | Peak                         | 64.15                             | 5.57         | 69.72                  | 110.80                 | -41.08       |
| 5725.000     | Peak                         | 63.06                             | 5.57         | 68.64                  | 122.20                 | -53.56       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5642.735     | Peak                         | 63.21                             | 4.64         | 67.85                  | 68.20                  | -0.35        |
| 5650.000     | Peak                         | 61.17                             | 4.76         | 65.92                  | 68.20                  | -2.28        |
| 5700.000     | Peak                         | 70.14                             | 5.56         | 75.70                  | 105.20                 | -29.50       |
| 5720.000     | Peak                         | 70.67                             | 5.57         | 76.24                  | 110.80                 | -34.56       |
| 5725.000     | Peak                         | 71.11                             | 5.57         | 76.69                  | 122.20                 | -45.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 61.64                             | 5.66         | 67.30                  | 122.20                 | -54.90       |
| 5855.000     | Peak                         | 62.01                             | 5.68         | 67.70                  | 110.80                 | -43.10       |
| 5875.000     | Peak                         | 54.29                             | 5.78         | 60.07                  | 105.20                 | -45.13       |
| 5925.000     | Peak                         | 50.36                             | 5.66         | 56.01                  | 68.20                  | -12.19       |
| 5939.800     | Peak                         | 51.39                             | 5.51         | 56.90                  | 68.20                  | -11.30       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-10-18

Test Frequency :5775 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                         | 79.43                             | 5.66         | 85.09                  | 122.20                 | -37.11       |
| 5855.000     | Peak                         | 69.95                             | 5.68         | 75.64                  | 110.80                 | -35.16       |
| 5875.000     | Peak                         | 59.02                             | 5.78         | 64.80                  | 105.20                 | -40.40       |
| 5925.000     | Peak                         | 49.67                             | 5.66         | 55.33                  | 68.20                  | -12.87       |
| 5941.600     | Peak                         | 52.16                             | 5.49         | 57.66                  | 68.20                  | -10.54       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5148.280     | Average                      | 46.70                             | 3.76         | 50.46                  | 54.00                  | -3.54        |
| 5148.280     | Peak                         | 56.91                             | 3.76         | 60.67                  | 74.00                  | -13.33       |
| 5150.000     | Average                      | 45.05                             | 3.74         | 48.79                  | 54.00                  | -5.21        |
| 5150.000     | Peak                         | 55.23                             | 3.74         | 58.97                  | 74.00                  | -15.03       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5149.800     | Average                      | 49.19                             | 3.75         | 52.93                  | 54.00                  | -1.07        |
| 5149.800     | Peak                         | 58.90                             | 3.75         | 62.65                  | 74.00                  | -11.35       |
| 5150.000     | Average                      | 48.86                             | 3.74         | 52.60                  | 54.00                  | -1.40        |
| 5150.000     | Peak                         | 58.91                             | 3.74         | 62.65                  | 74.00                  | -11.35       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 43.10                             | 3.37         | 46.47                  | 54.00                  | -7.53        |
| 5350.000     | Peak                         | 52.85                             | 3.37         | 56.22                  | 74.00                  | -17.78       |
| 5354.000     | Average                      | 43.52                             | 3.37         | 46.89                  | 54.00                  | -7.11        |
| 5354.000     | Peak                         | 53.90                             | 3.37         | 57.27                  | 74.00                  | -16.73       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5250 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                      | 48.19                             | 3.37         | 51.56                  | 54.00                  | -2.44        |
| 5350.000     | Peak                         | 57.13                             | 3.37         | 60.50                  | 74.00                  | -13.50       |
| 5353.870     | Average                      | 48.78                             | 3.37         | 52.15                  | 54.00                  | -1.85        |
| 5353.870     | Peak                         | 58.89                             | 3.37         | 62.26                  | 74.00                  | -11.74       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5409.900     | Average                      | 42.42                             | 3.42         | 45.84                  | 54.00                  | -8.16        |
| 5409.900     | Peak                         | 53.10                             | 3.42         | 56.52                  | 74.00                  | -17.48       |
| 5460.000     | Average                      | 42.51                             | 3.68         | 46.19                  | 54.00                  | -7.81        |
| 5460.000     | Peak                         | 51.19                             | 3.68         | 54.86                  | 74.00                  | -19.14       |
| 5463.240     | Peak                         | 52.29                             | 3.71         | 56.00                  | 68.20                  | -12.20       |
| 5470.000     | Peak                         | 50.04                             | 3.76         | 53.80                  | 68.20                  | -14.40       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5457.780     | Average                      | 49.47                             | 3.66         | 53.13                  | 54.00                  | -0.87        |
| 5457.780     | Peak                         | 59.74                             | 3.66         | 63.40                  | 74.00                  | -10.60       |
| 5460.000     | Average                      | 47.10                             | 3.68         | 50.78                  | 54.00                  | -3.22        |
| 5460.000     | Peak                         | 55.92                             | 3.68         | 59.60                  | 74.00                  | -14.40       |
| 5467.230     | Peak                         | 58.98                             | 3.74         | 62.72                  | 68.20                  | -5.48        |
| 5470.000     | Peak                         | 55.57                             | 3.76         | 59.33                  | 68.20                  | -8.87        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 5725.000     | Peak                         | 48.99                                   | 5.57         | 54.56                        | 68.20                        | -13.64       |
| 5769.710     | Peak                         | 51.11                                   | 5.60         | 56.71                        | 68.20                        | -11.49       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-10-18

Test Frequency :5570 MHz


Temp./Humi. :19.7°C/63%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                         | 51.98                             | 5.57         | 57.55                  | 68.20                  | -10.65       |
| 5752.280     | Peak                         | 55.40                             | 5.59         | 60.99                  | 68.20                  | -7.21        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Mode: Beamforming**

Report Number :TERF2308001923E2  
Operation Mode :802.11n20  
Test Frequency :5180 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2023-09-22  
Temp./Humi. :21.8°C/62%  
Antenna Pol. :Vertical  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 4761.100     | Average                       | 41.01                             | 3.27         | 44.28                  | 54.00                  | -9.72        |
| 4761.100     | Peak                          | 53.08                             | 3.27         | 56.35                  | 74.00                  | -17.65       |
| 5150.000     | Average                       | 42.07                             | 3.74         | 45.81                  | 54.00                  | -8.19        |
| 5150.000     | Peak                          | 52.00                             | 3.74         | 55.75                  | 74.00                  | -18.25       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2023-09-22

Test Frequency :5180 MHz


Temp./Humi. :21.8°C/62%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5149.600     | Average                       | 49.56                             | 3.75         | 53.31                  | 54.00                  | -0.69        |
| 5149.600     | Peak                          | 63.87                             | 3.75         | 67.62                  | 74.00                  | -6.38        |
| 5150.000     | Average                       | 49.47                             | 3.74         | 53.21                  | 54.00                  | -0.79        |
| 5150.000     | Peak                          | 62.97                             | 3.74         | 66.71                  | 74.00                  | -7.29        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2  
Operation Mode :802.11n20  
Test Frequency :5320 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-04  
Temp./Humi. :21.3°C/51%  
Antenna Pol. :Vertical  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 41.05                             | 3.37         | 44.42                  | 54.00                  | -9.58        |
| 5350.000     | Peak                          | 50.34                             | 3.37         | 53.71                  | 74.00                  | -20.29       |
| 5426.640     | Average                       | 40.73                             | 3.50         | 44.22                  | 54.00                  | -9.78        |
| 5426.640     | Peak                          | 52.44                             | 3.50         | 55.94                  | 74.00                  | -18.06       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n20  
Test Frequency :5320 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-04  
Temp./Humi. :21.3°C/51%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 42.73                             | 3.37         | 46.10                  | 54.00                  | -7.90        |
| 5350.000     | Peak                          | 52.51                             | 3.37         | 55.88                  | 74.00                  | -18.12       |
| 5350.320     | Average                       | 42.59                             | 3.37         | 45.96                  | 54.00                  | -8.04        |
| 5350.320     | Peak                          | 53.36                             | 3.37         | 56.73                  | 74.00                  | -17.27       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n20  
Test Frequency :5500 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-04  
Temp./Humi. :21.3°C/51%  
Antenna Pol. :Vertical  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5415.440     | Average                       | 40.57                             | 3.45         | 44.02                  | 54.00                  | -9.98        |
| 5415.440     | Peak                          | 52.24                             | 3.45         | 55.68                  | 74.00                  | -18.32       |
| 5460.000     | Average                       | 40.95                             | 3.68         | 44.63                  | 54.00                  | -9.37        |
| 5460.000     | Peak                          | 50.53                             | 3.68         | 54.21                  | 74.00                  | -19.79       |
| 5468.480     | Peak                          | 52.21                             | 3.75         | 55.96                  | 68.20                  | -12.24       |
| 5470.000     | Peak                          | 51.07                             | 3.76         | 54.83                  | 68.20                  | -13.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n20  
Test Frequency :5500 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-04  
Temp./Humi. :21.3°C/51%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5457.560     | Average                       | 43.08                             | 3.66         | 46.74                  | 54.00                  | -7.26        |
| 5457.560     | Peak                          | 54.57                             | 3.66         | 58.23                  | 74.00                  | -15.77       |
| 5460.000     | Average                       | 43.19                             | 3.68         | 46.87                  | 54.00                  | -7.13        |
| 5460.000     | Peak                          | 53.04                             | 3.68         | 56.71                  | 74.00                  | -17.29       |
| 5465.960     | Peak                          | 55.85                             | 3.73         | 59.58                  | 68.20                  | -8.62        |
| 5470.000     | Peak                          | 55.09                             | 3.76         | 58.85                  | 68.20                  | -9.35        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n20  
Test Frequency :5700 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-04  
Temp./Humi. :21.3°C/51%  
Antenna Pol. :Vertical  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 50.13                             | 5.57         | 55.70                  | 68.20                  | -12.50       |
| 5771.000     | Peak                          | 51.86                             | 5.60         | 57.47                  | 68.20                  | -10.73       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n20  
Test Frequency :5700 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-04  
Temp./Humi. :21.3°C/51%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 50.58                             | 5.57         | 56.15                  | 68.20                  | -12.05       |
| 5733.680     | Peak                          | 52.68                             | 5.58         | 58.26                  | 68.20                  | -9.94        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2024-01-04

Test Frequency :5720 MHz


Temp./Humi. :21.3°C/51%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5429.300     | Average                       | 41.15                             | 3.51         | 44.65                  | 54.00                  | -9.35        |
| 5429.300     | Peak                          | 52.75                             | 3.51         | 56.25                  | 74.00                  | -17.75       |
| 5460.000     | Average                       | 41.28                             | 3.68         | 44.96                  | 54.00                  | -9.04        |
| 5460.000     | Peak                          | 51.89                             | 3.68         | 55.57                  | 74.00                  | -18.43       |
| 5470.000     | Peak                          | 50.68                             | 3.76         | 54.44                  | 68.20                  | -13.76       |
| 5480.000     | Peak                          | 51.58                             | 3.84         | 55.43                  | 68.20                  | -12.77       |
| 5850.000     | Peak                          | 50.89                             | 5.66         | 56.55                  | 68.20                  | -11.65       |
| 5864.150     | Peak                          | 51.90                             | 5.73         | 57.63                  | 68.20                  | -10.57       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2024-01-04

Test Frequency :5720 MHz


Temp./Humi. :21.3°C/51%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5422.800     | Average                       | 45.47                             | 3.48         | 48.95                  | 54.00                  | -5.05        |
| 5422.800     | Peak                          | 59.89                             | 3.48         | 63.37                  | 74.00                  | -10.63       |
| 5460.000     | Average                       | 45.96                             | 3.68         | 49.64                  | 54.00                  | -4.36        |
| 5460.000     | Peak                          | 55.73                             | 3.68         | 59.41                  | 74.00                  | -14.59       |
| 5470.000     | Peak                          | 55.86                             | 3.76         | 59.63                  | 68.20                  | -8.57        |
| 5480.000     | Peak                          | 56.87                             | 3.84         | 60.72                  | 68.20                  | -7.48        |
| 5850.000     | Peak                          | 55.90                             | 5.66         | 61.56                  | 68.20                  | -6.64        |
| 5860.900     | Peak                          | 58.13                             | 5.71         | 63.85                  | 68.20                  | -4.35        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2024-01-04

Test Frequency :5745 MHz


Temp./Humi. :21.3°C/51%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5646.345     | Peak                          | 51.66                             | 4.70         | 56.36                  | 68.20                  | -11.84       |
| 5650.000     | Peak                          | 49.16                             | 4.76         | 53.92                  | 68.20                  | -14.28       |
| 5700.000     | Peak                          | 50.88                             | 5.56         | 56.44                  | 105.20                 | -48.76       |
| 5720.000     | Peak                          | 61.02                             | 5.57         | 66.59                  | 110.80                 | -44.21       |
| 5725.000     | Peak                          | 66.97                             | 5.57         | 72.55                  | 122.20                 | -49.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2024-01-04

Test Frequency :5745 MHz


Temp./Humi. :21.3°C/51%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5644.950     | Peak                          | 54.02                             | 4.68         | 58.69                  | 68.20                  | -9.51        |
| 5650.000     | Peak                          | 51.82                             | 4.76         | 56.57                  | 68.20                  | -11.63       |
| 5700.000     | Peak                          | 66.80                             | 5.56         | 72.36                  | 105.20                 | -32.84       |
| 5720.000     | Peak                          | 75.73                             | 5.57         | 81.31                  | 110.80                 | -29.49       |
| 5725.000     | Peak                          | 83.83                             | 5.57         | 89.40                  | 122.20                 | -32.80       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2024-01-04

Test Frequency :5825 MHz


Temp./Humi. :21.3°C/51%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 74.06                             | 5.66         | 79.72                  | 122.20                 | -42.48       |
| 5855.000     | Peak                          | 72.93                             | 5.68         | 78.62                  | 110.80                 | -32.18       |
| 5875.000     | Peak                          | 58.24                             | 5.78         | 64.02                  | 105.20                 | -41.18       |
| 5925.000     | Peak                          | 50.23                             | 5.66         | 55.88                  | 68.20                  | -12.32       |
| 5937.090     | Peak                          | 52.52                             | 5.54         | 58.06                  | 68.20                  | -10.14       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n20

Test Date :2024-01-04

Test Frequency :5825 MHz


Temp./Humi. :21.3°C/51%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 82.20                             | 5.66         | 87.86                  | 122.20                 | -34.34       |
| 5855.000     | Peak                          | 77.39                             | 5.68         | 83.07                  | 110.80                 | -27.73       |
| 5875.000     | Peak                          | 64.66                             | 5.78         | 70.44                  | 105.20                 | -34.76       |
| 5925.000     | Peak                          | 50.47                             | 5.66         | 56.13                  | 68.20                  | -12.07       |
| 5939.640     | Peak                          | 51.84                             | 5.51         | 57.35                  | 68.20                  | -10.85       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11n40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-22  
 Temp./Humi. :21.8°C/62%  
 Antenna Pol. :Vertical  
 Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5146.100     | Average                       | 42.58                             | 3.78         | 46.36                  | 54.00                  | -7.64        |
| 5146.100     | Peak                          | 54.15                             | 3.78         | 57.93                  | 74.00                  | -16.07       |
| 5150.000     | Average                       | 43.27                             | 3.74         | 47.02                  | 54.00                  | -6.98        |
| 5150.000     | Peak                          | 52.99                             | 3.74         | 56.73                  | 74.00                  | -17.27       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11n40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-22  
 Temp./Humi. :21.8°C/62%  
 Antenna Pol. :Horizontal  
 Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5142.600     | Average                       | 47.61                             | 3.81         | 51.42                  | 54.00                  | -2.58        |
| 5142.600     | Peak                          | 64.61                             | 3.81         | 68.42                  | 74.00                  | -5.58        |
| 5150.000     | Average                       | 49.65                             | 3.74         | 53.39                  | 54.00                  | -0.61        |
| 5150.000     | Peak                          | 61.06                             | 3.74         | 64.81                  | 74.00                  | -9.19        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2024-01-05

Test Frequency :5310 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 42.66                             | 3.37         | 46.03                  | 54.00                  | -7.97        |
| 5350.000     | Peak                          | 51.95                             | 3.37         | 55.32                  | 74.00                  | -18.68       |
| 5351.960     | Average                       | 42.49                             | 3.37         | 45.86                  | 54.00                  | -8.14        |
| 5351.960     | Peak                          | 54.14                             | 3.37         | 57.51                  | 74.00                  | -16.49       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2024-01-05

Test Frequency :5310 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 49.06                             | 3.37         | 52.43                  | 54.00                  | -1.57        |
| 5350.000     | Peak                          | 59.49                             | 3.37         | 62.86                  | 74.00                  | -11.14       |
| 5359.280     | Average                       | 47.32                             | 3.37         | 50.70                  | 54.00                  | -3.30        |
| 5359.280     | Peak                          | 61.41                             | 3.37         | 64.78                  | 74.00                  | -9.22        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n40  
Test Frequency :5510 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Vertical  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5453.040     | Average                       | 40.77                             | 3.62         | 44.39                  | 54.00                  | -9.61        |
| 5453.040     | Peak                          | 52.25                             | 3.62         | 55.87                  | 74.00                  | -18.13       |
| 5460.000     | Average                       | 41.01                             | 3.68         | 44.68                  | 54.00                  | -9.32        |
| 5460.000     | Peak                          | 51.11                             | 3.68         | 54.79                  | 74.00                  | -19.21       |
| 5468.520     | Peak                          | 52.82                             | 3.75         | 56.57                  | 68.20                  | -11.63       |
| 5470.000     | Peak                          | 51.03                             | 3.76         | 54.79                  | 68.20                  | -13.41       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n40  
Test Frequency :5510 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5458.440     | Average                       | 44.07                             | 3.67         | 47.73                  | 54.00                  | -6.27        |
| 5458.440     | Peak                          | 56.99                             | 3.67         | 60.66                  | 74.00                  | -13.34       |
| 5460.000     | Average                       | 44.46                             | 3.68         | 48.13                  | 54.00                  | -5.87        |
| 5460.000     | Peak                          | 54.70                             | 3.68         | 58.38                  | 74.00                  | -15.62       |
| 5469.240     | Peak                          | 60.16                             | 3.76         | 63.92                  | 68.20                  | -4.28        |
| 5470.000     | Peak                          | 58.00                             | 3.76         | 61.77                  | 68.20                  | -6.43        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n40  
Test Frequency :5670 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Vertical  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 49.27                             | 5.57         | 54.84                  | 68.20                  | -13.36       |
| 5741.960     | Peak                          | 51.58                             | 5.58         | 57.17                  | 68.20                  | -11.03       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2024-01-05

Test Frequency :5670 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 50.49                             | 5.57         | 56.07                  | 68.20                  | -12.13       |
| 5730.320     | Peak                          | 52.02                             | 5.58         | 57.60                  | 68.20                  | -10.60       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2024-01-05

Test Frequency :5710 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5434.500     | Average                       | 41.23                             | 3.53         | 44.76                  | 54.00                  | -9.24        |
| 5434.500     | Peak                          | 52.06                             | 3.53         | 55.58                  | 74.00                  | -18.42       |
| 5460.000     | Average                       | 41.46                             | 3.68         | 45.14                  | 54.00                  | -8.86        |
| 5460.000     | Peak                          | 50.36                             | 3.68         | 54.04                  | 74.00                  | -19.96       |
| 5470.000     | Peak                          | 50.97                             | 3.76         | 54.73                  | 68.20                  | -13.47       |
| 5480.000     | Peak                          | 50.65                             | 3.84         | 54.49                  | 68.20                  | -13.71       |
| 5850.000     | Peak                          | 50.23                             | 5.66         | 55.89                  | 68.20                  | -12.31       |
| 5892.100     | Peak                          | 51.47                             | 5.86         | 57.34                  | 68.20                  | -10.86       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2  
Operation Mode :802.11n40  
Test Frequency :5710 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5433.850     | Average                       | 46.45                             | 3.53         | 49.98                  | 54.00                  | -4.02        |
| 5433.850     | Peak                          | 60.78                             | 3.53         | 64.31                  | 74.00                  | -9.69        |
| 5460.000     | Average                       | 46.76                             | 3.68         | 50.43                  | 54.00                  | -3.57        |
| 5460.000     | Peak                          | 57.17                             | 3.68         | 60.84                  | 74.00                  | -13.16       |
| 5470.000     | Peak                          | 57.64                             | 3.76         | 61.40                  | 68.20                  | -6.80        |
| 5480.000     | Peak                          | 56.61                             | 3.84         | 60.45                  | 68.20                  | -7.75        |
| 5850.000     | Peak                          | 58.76                             | 5.66         | 64.42                  | 68.20                  | -3.78        |
| 5850.500     | Peak                          | 60.47                             | 5.66         | 66.13                  | 68.20                  | -2.07        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11n40  
Test Frequency :5755 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Vertical  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5641.745     | Peak                          | 53.07                             | 4.62         | 57.69                  | 68.20                  | -10.51       |
| 5650.000     | Peak                          | 50.82                             | 4.76         | 55.58                  | 68.20                  | -12.62       |
| 5700.000     | Peak                          | 64.52                             | 5.56         | 70.08                  | 105.20                 | -35.12       |
| 5720.000     | Peak                          | 76.13                             | 5.57         | 81.70                  | 110.80                 | -29.10       |
| 5725.000     | Peak                          | 78.73                             | 5.57         | 84.30                  | 122.20                 | -37.90       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2024-01-05

Test Frequency :5755 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5649.335     | Peak                          | 61.48                             | 4.75         | 66.23                  | 68.20                  | -1.97        |
| 5650.000     | Peak                          | 57.53                             | 4.76         | 62.28                  | 68.20                  | -5.92        |
| 5700.000     | Peak                          | 73.01                             | 5.56         | 78.57                  | 105.20                 | -26.63       |
| 5720.000     | Peak                          | 83.52                             | 5.57         | 89.09                  | 110.80                 | -21.71       |
| 5725.000     | Peak                          | 84.54                             | 5.57         | 90.12                  | 122.20                 | -32.08       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2024-01-05

Test Frequency :5795 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 62.91                             | 5.66         | 68.57                  | 122.20                 | -53.63       |
| 5855.000     | Peak                          | 62.44                             | 5.68         | 68.13                  | 110.80                 | -42.67       |
| 5875.000     | Peak                          | 53.34                             | 5.78         | 59.12                  | 105.20                 | -46.08       |
| 5925.000     | Peak                          | 49.88                             | 5.66         | 55.53                  | 68.20                  | -12.67       |
| 5926.170     | Peak                          | 53.32                             | 5.64         | 58.96                  | 68.20                  | -9.24        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11n40

Test Date :2024-01-05

Test Frequency :5795 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 75.33                             | 5.66         | 80.99                  | 122.20                 | -41.21       |
| 5855.000     | Peak                          | 70.21                             | 5.68         | 75.89                  | 110.80                 | -34.91       |
| 5875.000     | Peak                          | 60.41                             | 5.78         | 66.19                  | 105.20                 | -39.01       |
| 5925.000     | Peak                          | 50.05                             | 5.66         | 55.71                  | 68.20                  | -12.49       |
| 5929.400     | Peak                          | 51.68                             | 5.61         | 57.29                  | 68.20                  | -10.91       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2  
Operation Mode :802.11ac80  
Test Frequency :5210 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Vertical  
Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5116.320     | Average                       | 45.26                             | 4.05         | 49.31                  | 54.00                  | -4.69        |
| 5116.320     | Peak                          | 59.08                             | 4.05         | 63.13                  | 74.00                  | -10.87       |
| 5150.000     | Average                       | 43.79                             | 3.74         | 47.53                  | 54.00                  | -6.47        |
| 5150.000     | Peak                          | 54.71                             | 3.74         | 58.45                  | 74.00                  | -15.55       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11ac80  
Test Frequency :5210 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5121.360     | Average                       | 48.41                             | 4.00         | 52.42                  | 54.00                  | -1.58        |
| 5121.360     | Peak                          | 62.60                             | 4.00         | 66.60                  | 74.00                  | -7.40        |
| 5150.000     | Average                       | 46.84                             | 3.74         | 50.59                  | 54.00                  | -3.41        |
| 5150.000     | Peak                          | 58.34                             | 3.74         | 62.08                  | 74.00                  | -11.92       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5290 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 41.51                             | 3.37         | 44.88                  | 54.00                  | -9.12        |
| 5350.000     | Peak                          | 51.34                             | 3.37         | 54.71                  | 74.00                  | -19.29       |
| 5351.000     | Average                       | 41.60                             | 3.37         | 44.97                  | 54.00                  | -9.03        |
| 5351.000     | Peak                          | 52.68                             | 3.37         | 56.05                  | 74.00                  | -17.95       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5290 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 46.42                             | 3.37         | 49.79                  | 54.00                  | -4.21        |
| 5350.000     | Peak                          | 56.43                             | 3.37         | 59.80                  | 74.00                  | -14.20       |
| 5352.500     | Average                       | 46.61                             | 3.37         | 49.98                  | 54.00                  | -4.02        |
| 5352.500     | Peak                          | 58.12                             | 3.37         | 61.49                  | 74.00                  | -12.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-09-22

Test Frequency :5530 MHz


Temp./Humi. :21.8°C/62%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5442.700     | Average                       | 41.40                             | 3.56         | 44.96                  | 54.00                  | -9.04        |
| 5442.700     | Peak                          | 53.11                             | 3.56         | 56.68                  | 74.00                  | -17.32       |
| 5460.000     | Average                       | 41.73                             | 3.68         | 45.41                  | 54.00                  | -8.59        |
| 5460.000     | Peak                          | 50.60                             | 3.68         | 54.28                  | 74.00                  | -19.72       |
| 5468.800     | Peak                          | 52.38                             | 3.75         | 56.13                  | 68.20                  | -12.07       |
| 5470.000     | Peak                          | 51.51                             | 3.76         | 55.27                  | 68.20                  | -12.93       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2023-09-22

Test Frequency :5530 MHz


Temp./Humi. :21.8°C/62%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5443.200     | Average                       | 47.06                             | 3.57         | 50.63                  | 54.00                  | -3.37        |
| 5443.200     | Peak                          | 60.39                             | 3.57         | 63.96                  | 74.00                  | -10.04       |
| 5460.000     | Average                       | 48.93                             | 3.68         | 52.61                  | 54.00                  | -1.39        |
| 5460.000     | Peak                          | 58.41                             | 3.68         | 62.09                  | 74.00                  | -11.91       |
| 5462.800     | Peak                          | 60.71                             | 3.70         | 64.42                  | 68.20                  | -3.78        |
| 5470.000     | Peak                          | 57.61                             | 3.76         | 61.38                  | 68.20                  | -6.82        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11ac80  
Test Frequency :5610 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Vertical  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 49.95                             | 5.57         | 55.52                  | 68.20                  | -12.68       |
| 5767.760     | Peak                          | 51.49                             | 5.60         | 57.09                  | 68.20                  | -11.11       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5610 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 51.40                             | 5.57         | 56.98                  | 68.20                  | -11.22       |
| 5754.980     | Peak                          | 52.29                             | 5.59         | 57.88                  | 68.20                  | -10.32       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5690 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5373.400     | Average                       | 40.59                             | 3.37         | 43.96                  | 54.00                  | -10.04       |
| 5373.400     | Peak                          | 51.99                             | 3.37         | 55.37                  | 74.00                  | -18.63       |
| 5460.000     | Average                       | 41.15                             | 3.68         | 44.83                  | 54.00                  | -9.17        |
| 5460.000     | Peak                          | 51.21                             | 3.68         | 54.89                  | 74.00                  | -19.11       |
| 5470.000     | Peak                          | 50.31                             | 3.76         | 54.07                  | 68.20                  | -14.13       |
| 5480.000     | Peak                          | 50.27                             | 3.84         | 54.11                  | 68.20                  | -14.09       |
| 5850.000     | Peak                          | 50.58                             | 5.66         | 56.24                  | 68.20                  | -11.96       |
| 5860.250     | Peak                          | 51.81                             | 5.71         | 57.52                  | 68.20                  | -10.68       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5690 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5457.900     | Average                       | 44.33                             | 3.66         | 47.99                  | 54.00                  | -6.01        |
| 5457.900     | Peak                          | 56.12                             | 3.66         | 59.78                  | 74.00                  | -14.22       |
| 5460.000     | Average                       | 44.41                             | 3.68         | 48.09                  | 54.00                  | -5.91        |
| 5460.000     | Peak                          | 53.74                             | 3.68         | 57.42                  | 74.00                  | -16.58       |
| 5470.000     | Peak                          | 55.86                             | 3.76         | 59.63                  | 68.20                  | -8.57        |
| 5480.000     | Peak                          | 56.80                             | 3.84         | 60.64                  | 68.20                  | -7.56        |
| 5850.000     | Peak                          | 59.19                             | 5.66         | 64.85                  | 68.20                  | -3.35        |
| 5850.500     | Peak                          | 60.03                             | 5.66         | 65.69                  | 68.20                  | -2.51        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5649.950     | Peak                          | 57.47                             | 4.76         | 62.22                  | 68.20                  | -5.98        |
| 5650.000     | Peak                          | 57.46                             | 4.76         | 62.22                  | 68.20                  | -5.98        |
| 5700.000     | Peak                          | 64.82                             | 5.56         | 70.38                  | 105.20                 | -34.82       |
| 5720.000     | Peak                          | 64.97                             | 5.57         | 70.54                  | 110.80                 | -40.26       |
| 5725.000     | Peak                          | 65.28                             | 5.57         | 70.85                  | 122.20                 | -51.35       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5646.990     | Peak                          | 61.00                             | 4.71         | 65.71                  | 68.20                  | -2.49        |
| 5650.000     | Peak                          | 60.52                             | 4.76         | 65.27                  | 68.20                  | -2.93        |
| 5700.000     | Peak                          | 67.90                             | 5.56         | 73.46                  | 105.20                 | -31.74       |
| 5720.000     | Peak                          | 69.65                             | 5.57         | 75.22                  | 110.80                 | -35.58       |
| 5725.000     | Peak                          | 70.79                             | 5.57         | 76.37                  | 122.20                 | -45.83       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 61.38                             | 5.66         | 67.04                  | 122.20                 | -55.16       |
| 5855.000     | Peak                          | 57.78                             | 5.68         | 63.46                  | 110.80                 | -47.34       |
| 5875.000     | Peak                          | 52.73                             | 5.78         | 58.51                  | 105.20                 | -46.69       |
| 5925.000     | Peak                          | 50.11                             | 5.66         | 55.77                  | 68.20                  | -12.43       |
| 5946.000     | Peak                          | 52.06                             | 5.45         | 57.52                  | 68.20                  | -10.69       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 75.13                             | 5.66         | 80.79                  | 122.20                 | -41.41       |
| 5855.000     | Peak                          | 71.62                             | 5.68         | 77.31                  | 110.80                 | -33.49       |
| 5875.000     | Peak                          | 63.79                             | 5.78         | 69.57                  | 105.20                 | -35.63       |
| 5925.000     | Peak                          | 50.52                             | 5.66         | 56.18                  | 68.20                  | -12.02       |
| 5936.800     | Peak                          | 51.88                             | 5.54         | 57.42                  | 68.20                  | -10.78       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11ac160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2024-01-05  
 Temp./Humi. :21.0°C/56%  
 Antenna Pol. :Vertical  
 Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5092.800     | Average                       | 44.14                             | 4.19         | 48.33                  | 54.00                  | -5.67        |
| 5092.800     | Peak                          | 52.99                             | 4.19         | 57.18                  | 74.00                  | -16.82       |
| 5150.000     | Average                       | 41.81                             | 3.74         | 45.55                  | 54.00                  | -8.45        |
| 5150.000     | Peak                          | 49.74                             | 3.74         | 53.49                  | 74.00                  | -20.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11ac160  
Test Frequency :5250 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5092.800     | Average          | 46.53                             | 4.19         | 50.72                  | 54.00                  | -3.28        |
| 5092.800     | Peak             | 56.79                             | 4.19         | 60.98                  | 74.00                  | -13.02       |
| 5150.000     | Average          | 43.55                             | 3.74         | 47.30                  | 54.00                  | -6.70        |
| 5150.000     | Peak             | 53.49                             | 3.74         | 57.23                  | 74.00                  | -16.77       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2024-01-05

Test Frequency :5250 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 42.15                             | 3.37         | 45.52                  | 54.00                  | -8.48        |
| 5350.000     | Peak                          | 50.45                             | 3.37         | 53.82                  | 74.00                  | -20.18       |
| 5378.310     | Average                       | 42.32                             | 3.38         | 45.69                  | 54.00                  | -8.31        |
| 5378.310     | Peak                          | 51.96                             | 3.38         | 55.34                  | 74.00                  | -18.66       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2024-01-05

Test Frequency :5250 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 44.44                             | 3.37         | 47.81                  | 54.00                  | -6.19        |
| 5350.000     | Peak                          | 52.31                             | 3.37         | 55.68                  | 74.00                  | -18.32       |
| 5372.330     | Average                       | 44.96                             | 3.37         | 48.33                  | 54.00                  | -5.67        |
| 5372.330     | Peak                          | 54.98                             | 3.37         | 58.35                  | 74.00                  | -15.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2024-01-05

Test Frequency :5570 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5421.030     | Average                       | 41.78                             | 3.47         | 45.25                  | 54.00                  | -8.75        |
| 5421.030     | Peak                          | 51.82                             | 3.47         | 55.30                  | 74.00                  | -18.70       |
| 5460.000     | Average                       | 42.06                             | 3.68         | 45.74                  | 54.00                  | -8.26        |
| 5460.000     | Peak                          | 51.26                             | 3.68         | 54.94                  | 74.00                  | -19.06       |
| 5467.860     | Peak                          | 51.67                             | 3.74         | 55.41                  | 68.20                  | -12.79       |
| 5470.000     | Peak                          | 50.13                             | 3.76         | 53.89                  | 68.20                  | -14.31       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11ac160  
Test Frequency :5570 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5388.690     | Average                       | 45.21                             | 3.38         | 48.59                  | 54.00                  | -5.41        |
| 5388.690     | Peak                          | 55.79                             | 3.38         | 59.17                  | 74.00                  | -14.83       |
| 5460.000     | Average                       | 44.27                             | 3.68         | 47.95                  | 54.00                  | -6.05        |
| 5460.000     | Peak                          | 53.28                             | 3.68         | 56.96                  | 74.00                  | -17.04       |
| 5462.400     | Peak                          | 54.10                             | 3.70         | 57.79                  | 68.20                  | -10.41       |
| 5470.000     | Peak                          | 52.36                             | 3.76         | 56.12                  | 68.20                  | -12.08       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2024-01-05

Test Frequency :5570 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 49.35                             | 5.57         | 54.92                  | 68.20                  | -13.28       |
| 5742.410     | Peak                          | 51.56                             | 5.59         | 57.15                  | 68.20                  | -11.05       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11ac160

Test Date :2024-01-05

Test Frequency :5570 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 53.32                             | 5.57         | 58.89                  | 68.20                  | -9.31        |
| 5736.320     | Peak                          | 53.50                             | 5.58         | 59.08                  | 68.20                  | -9.12        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be20  
 Test Frequency :5180 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-19  
 Temp./Humi. :23.7°C/60%  
 Antenna Pol. :Vertical  
 Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5149.600     | Average                       | 42.58                             | 3.75         | 46.33                  | 54.00                  | -7.67        |
| 5149.600     | Peak                          | 53.97                             | 3.75         | 57.72                  | 74.00                  | -16.28       |
| 5150.000     | Average                       | 42.63                             | 3.74         | 46.38                  | 54.00                  | -7.62        |
| 5150.000     | Peak                          | 52.73                             | 3.74         | 56.47                  | 74.00                  | -17.53       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be20  
 Test Frequency :5180 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-19  
 Temp./Humi. :23.7°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5147.500     | Average                       | 48.80                             | 3.77         | 52.56                  | 54.00                  | -1.44        |
| 5147.500     | Peak                          | 62.80                             | 3.77         | 66.56                  | 74.00                  | -7.44        |
| 5150.000     | Average                       | 49.83                             | 3.74         | 53.57                  | 54.00                  | -0.43        |
| 5150.000     | Peak                          | 60.78                             | 3.74         | 64.53                  | 74.00                  | -9.47        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-19

Test Frequency :5320 MHz


Temp./Humi. :23.7°C/60%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 42.59                             | 3.37         | 45.96                  | 54.00                  | -8.04        |
| 5350.000     | Peak                          | 52.18                             | 3.37         | 55.55                  | 74.00                  | -18.45       |
| 5350.920     | Average                       | 42.51                             | 3.37         | 45.88                  | 54.00                  | -8.12        |
| 5350.920     | Peak                          | 53.79                             | 3.37         | 57.16                  | 74.00                  | -16.84       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2  
 Operation Mode :802.11be20  
 Test Frequency :5320 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-19  
 Temp./Humi. :23.7°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 48.09                             | 3.37         | 51.46                  | 54.00                  | -2.54        |
| 5350.000     | Peak                          | 59.08                             | 3.37         | 62.45                  | 74.00                  | -11.55       |
| 5350.440     | Average                       | 47.78                             | 3.37         | 51.15                  | 54.00                  | -2.85        |
| 5350.440     | Peak                          | 59.12                             | 3.37         | 62.49                  | 74.00                  | -11.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-19

Test Frequency :5500 MHz


Temp./Humi. :23.7°C/60%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5458.520     | Average                       | 42.18                             | 3.67         | 45.85                  | 54.00                  | -8.15        |
| 5458.520     | Peak                          | 53.30                             | 3.67         | 56.97                  | 74.00                  | -17.03       |
| 5460.000     | Average                       | 42.23                             | 3.68         | 45.91                  | 54.00                  | -8.09        |
| 5460.000     | Peak                          | 51.46                             | 3.68         | 55.14                  | 74.00                  | -18.86       |
| 5467.520     | Peak                          | 56.09                             | 3.74         | 59.83                  | 68.20                  | -8.37        |
| 5470.000     | Peak                          | 54.22                             | 3.76         | 57.98                  | 68.20                  | -10.22       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2  
 Operation Mode :802.11be20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-19  
 Temp./Humi. :23.7°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5459.120     | Average                       | 47.04                             | 3.67         | 50.71                  | 54.00                  | -3.29        |
| 5459.120     | Peak                          | 60.90                             | 3.67         | 64.57                  | 74.00                  | -9.43        |
| 5460.000     | Average                       | 46.92                             | 3.68         | 50.60                  | 54.00                  | -3.40        |
| 5460.000     | Peak                          | 61.83                             | 3.68         | 65.51                  | 74.00                  | -8.49        |
| 5469.920     | Peak                          | 64.26                             | 3.76         | 68.02                  | 68.20                  | -0.18        |
| 5470.000     | Peak                          | 64.10                             | 3.76         | 67.86                  | 68.20                  | -0.34        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-19  
 Temp./Humi. :23.7°C/60%  
 Antenna Pol. :Vertical  
 Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 49.89                             | 5.57         | 55.46                  | 68.20                  | -12.74       |
| 5725.280     | Peak                          | 52.13                             | 5.58         | 57.70                  | 68.20                  | -10.50       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-19  
 Temp./Humi. :23.7°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 60.49                             | 5.57         | 66.06                  | 68.20                  | -2.14        |
| 5726.360     | Peak                          | 60.87                             | 5.58         | 66.45                  | 68.20                  | -1.75        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2024-01-05

Test Frequency :5720 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5354.550     | Average                       | 41.44                             | 3.37         | 44.81                  | 54.00                  | -9.19        |
| 5354.550     | Peak                          | 53.06                             | 3.37         | 56.43                  | 74.00                  | -17.57       |
| 5460.000     | Average                       | 40.78                             | 3.68         | 44.46                  | 54.00                  | -9.54        |
| 5460.000     | Peak                          | 49.96                             | 3.68         | 53.64                  | 74.00                  | -20.36       |
| 5470.000     | Peak                          | 50.74                             | 3.76         | 54.50                  | 68.20                  | -13.70       |
| 5480.000     | Peak                          | 51.09                             | 3.84         | 54.94                  | 68.20                  | -13.26       |
| 5850.000     | Peak                          | 52.98                             | 5.66         | 58.64                  | 68.20                  | -9.56        |
| 5851.800     | Peak                          | 54.75                             | 5.67         | 60.42                  | 68.20                  | -7.78        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2024-01-05

Test Frequency :5720 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5445.550     | Average                       | 46.41                             | 3.58         | 49.99                  | 54.00                  | -4.01        |
| 5445.550     | Peak                          | 57.97                             | 3.58         | 61.55                  | 74.00                  | -12.45       |
| 5460.000     | Average                       | 46.30                             | 3.68         | 49.98                  | 54.00                  | -4.02        |
| 5460.000     | Peak                          | 56.93                             | 3.68         | 60.61                  | 74.00                  | -13.39       |
| 5470.000     | Peak                          | 55.57                             | 3.76         | 59.33                  | 68.20                  | -8.87        |
| 5480.000     | Peak                          | 57.00                             | 3.84         | 60.85                  | 68.20                  | -7.35        |
| 5850.000     | Peak                          | 57.89                             | 5.66         | 63.55                  | 68.20                  | -4.65        |
| 5851.150     | Peak                          | 59.11                             | 5.67         | 64.78                  | 68.20                  | -3.42        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2023-09-19

Test Frequency :5745 MHz


Temp./Humi. :23.7°C/60%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5647.585     | Peak                          | 53.20                             | 4.72         | 57.92                  | 68.20                  | -10.28       |
| 5650.000     | Peak                          | 52.66                             | 4.76         | 57.41                  | 68.20                  | -10.79       |
| 5700.000     | Peak                          | 70.30                             | 5.56         | 75.86                  | 105.20                 | -29.34       |
| 5720.000     | Peak                          | 85.47                             | 5.57         | 91.04                  | 110.80                 | -19.76       |
| 5725.000     | Peak                          | 89.46                             | 5.57         | 95.03                  | 122.20                 | -27.17       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2  
 Operation Mode :802.11be20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-19  
 Temp./Humi. :23.7°C/60%  
 Antenna Pol. :Horizontal  
 Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5648.670     | Peak                          | 61.51                             | 4.74         | 66.24                  | 68.20                  | -1.96        |
| 5650.000     | Peak                          | 59.15                             | 4.76         | 63.91                  | 68.20                  | -4.29        |
| 5700.000     | Peak                          | 77.51                             | 5.56         | 83.07                  | 105.20                 | -22.13       |
| 5720.000     | Peak                          | 89.18                             | 5.57         | 94.75                  | 110.80                 | -16.05       |
| 5725.000     | Peak                          | 94.29                             | 5.57         | 99.87                  | 122.20                 | -22.33       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2024-01-05

Test Frequency :5825 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 70.62                             | 5.66         | 76.28                  | 122.20                 | -45.92       |
| 5855.000     | Peak                          | 63.94                             | 5.68         | 69.62                  | 110.80                 | -41.18       |
| 5875.000     | Peak                          | 54.94                             | 5.78         | 60.72                  | 105.20                 | -44.48       |
| 5925.000     | Peak                          | 50.24                             | 5.66         | 55.89                  | 68.20                  | -12.31       |
| 5927.570     | Peak                          | 51.79                             | 5.63         | 57.42                  | 68.20                  | -10.78       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be20

Test Date :2024-01-05

Test Frequency :5825 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 80.32                             | 5.66         | 85.98                  | 122.20                 | -36.22       |
| 5855.000     | Peak                          | 74.03                             | 5.68         | 79.71                  | 110.80                 | -31.09       |
| 5875.000     | Peak                          | 61.97                             | 5.78         | 67.75                  | 105.20                 | -37.45       |
| 5925.000     | Peak                          | 50.86                             | 5.66         | 56.51                  | 68.20                  | -11.69       |
| 5941.510     | Peak                          | 51.75                             | 5.50         | 57.24                  | 68.20                  | -10.96       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-20  
 Temp./Humi. :22.4°C/58%  
 Antenna Pol. :Vertical  
 Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5147.500     | Average                       | 42.97                             | 3.77         | 46.73                  | 54.00                  | -7.27        |
| 5147.500     | Peak                          | 54.29                             | 3.77         | 58.06                  | 74.00                  | -15.94       |
| 5150.000     | Average                       | 43.66                             | 3.74         | 47.40                  | 54.00                  | -6.60        |
| 5150.000     | Peak                          | 53.86                             | 3.74         | 57.61                  | 74.00                  | -16.39       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-20  
 Temp./Humi. :22.4°C/58%  
 Antenna Pol. :Horizontal  
 Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5147.500     | Average                       | 49.32                             | 3.77         | 53.09                  | 54.00                  | -0.91        |
| 5147.500     | Peak                          | 59.56                             | 3.77         | 63.33                  | 74.00                  | -10.67       |
| 5150.000     | Average                       | 49.72                             | 3.74         | 53.47                  | 54.00                  | -0.53        |
| 5150.000     | Peak                          | 58.75                             | 3.74         | 62.49                  | 74.00                  | -11.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-20

Test Frequency :5310 MHz


Temp./Humi. :22.4°C/58%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 44.45                             | 3.37         | 47.82                  | 54.00                  | -6.18        |
| 5350.000     | Peak                          | 53.81                             | 3.37         | 57.18                  | 74.00                  | -16.82       |
| 5350.280     | Average                       | 44.51                             | 3.37         | 47.88                  | 54.00                  | -6.12        |
| 5350.280     | Peak                          | 55.56                             | 3.37         | 58.93                  | 74.00                  | -15.07       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-20

Test Frequency :5310 MHz


Temp./Humi. :22.4°C/58%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 49.16                             | 3.37         | 52.53                  | 54.00                  | -1.47        |
| 5350.000     | Peak                          | 59.14                             | 3.37         | 62.51                  | 74.00                  | -11.49       |
| 5353.640     | Average                       | 48.22                             | 3.37         | 51.59                  | 54.00                  | -2.41        |
| 5353.640     | Peak                          | 60.35                             | 3.37         | 63.72                  | 74.00                  | -10.28       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-20

Test Frequency :5510 MHz


Temp./Humi. :22.4°C/58%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5428.080     | Average                       | 41.30                             | 3.50         | 44.80                  | 54.00                  | -9.20        |
| 5428.080     | Peak                          | 53.08                             | 3.50         | 56.58                  | 74.00                  | -17.42       |
| 5460.000     | Average                       | 42.14                             | 3.68         | 45.81                  | 54.00                  | -8.19        |
| 5460.000     | Peak                          | 51.47                             | 3.68         | 55.15                  | 74.00                  | -18.85       |
| 5469.120     | Peak                          | 53.83                             | 3.75         | 57.58                  | 68.20                  | -10.62       |
| 5470.000     | Peak                          | 51.56                             | 3.76         | 55.32                  | 68.20                  | -12.88       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2023-09-20

Test Frequency :5510 MHz


Temp./Humi. :22.4℃/58%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5455.680     | Average                       | 48.22                             | 3.64         | 51.86                  | 54.00                  | -2.14        |
| 5455.680     | Peak                          | 59.39                             | 3.64         | 63.03                  | 74.00                  | -10.97       |
| 5460.000     | Average                       | 48.91                             | 3.68         | 52.59                  | 54.00                  | -1.41        |
| 5460.000     | Peak                          | 57.95                             | 3.68         | 61.63                  | 74.00                  | -12.37       |
| 5467.560     | Peak                          | 62.57                             | 3.74         | 66.31                  | 68.20                  | -1.89        |
| 5470.000     | Peak                          | 60.38                             | 3.76         | 64.14                  | 68.20                  | -4.06        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5670 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 49.24                             | 5.57         | 54.82                  | 68.20                  | -13.38       |
| 5755.760     | Peak                          | 51.49                             | 5.59         | 57.09                  | 68.20                  | -11.11       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5670 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 50.99                             | 5.57         | 56.57                  | 68.20                  | -11.63       |
| 5729.000     | Peak                          | 53.30                             | 5.58         | 58.87                  | 68.20                  | -9.33        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5720 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5355.850     | Average                       | 41.54                             | 3.37         | 44.91                  | 54.00                  | -9.09        |
| 5355.850     | Peak                          | 52.13                             | 3.37         | 55.50                  | 74.00                  | -18.50       |
| 5460.000     | Average                       | 41.09                             | 3.68         | 44.77                  | 54.00                  | -9.23        |
| 5460.000     | Peak                          | 51.54                             | 3.68         | 55.22                  | 74.00                  | -18.78       |
| 5470.000     | Peak                          | 50.51                             | 3.76         | 54.28                  | 68.20                  | -13.92       |
| 5480.000     | Peak                          | 50.13                             | 3.84         | 53.98                  | 68.20                  | -14.22       |
| 5850.000     | Peak                          | 53.13                             | 5.66         | 58.79                  | 68.20                  | -9.41        |
| 5851.150     | Peak                          | 52.80                             | 5.67         | 58.47                  | 68.20                  | -9.73        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5720 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5452.050     | Average                       | 47.15                             | 3.61         | 50.77                  | 54.00                  | -3.23        |
| 5452.050     | Peak                          | 58.58                             | 3.61         | 62.19                  | 74.00                  | -11.81       |
| 5460.000     | Average                       | 47.14                             | 3.68         | 50.82                  | 54.00                  | -3.18        |
| 5460.000     | Peak                          | 56.97                             | 3.68         | 60.65                  | 74.00                  | -13.35       |
| 5470.000     | Peak                          | 57.01                             | 3.76         | 60.78                  | 68.20                  | -7.42        |
| 5480.000     | Peak                          | 57.42                             | 3.84         | 61.26                  | 68.20                  | -6.94        |
| 5850.000     | Peak                          | 60.40                             | 5.66         | 66.06                  | 68.20                  | -2.14        |
| 5850.500     | Peak                          | 60.41                             | 5.66         | 66.08                  | 68.20                  | -2.12        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5755 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5649.005     | Peak                          | 52.71                             | 4.74         | 57.45                  | 68.20                  | -10.75       |
| 5650.000     | Peak                          | 51.56                             | 4.76         | 56.32                  | 68.20                  | -11.88       |
| 5700.000     | Peak                          | 63.88                             | 5.56         | 69.44                  | 105.20                 | -35.76       |
| 5720.000     | Peak                          | 70.69                             | 5.57         | 76.26                  | 110.80                 | -34.54       |
| 5725.000     | Peak                          | 70.86                             | 5.57         | 76.43                  | 122.20                 | -45.77       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5755 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5647.520     | Peak                          | 61.52                             | 4.72         | 66.24                  | 68.20                  | -1.96        |
| 5650.000     | Peak                          | 61.10                             | 4.76         | 65.85                  | 68.20                  | -2.35        |
| 5700.000     | Peak                          | 73.13                             | 5.56         | 78.69                  | 105.20                 | -26.51       |
| 5720.000     | Peak                          | 80.95                             | 5.57         | 86.53                  | 110.80                 | -24.27       |
| 5725.000     | Peak                          | 83.93                             | 5.57         | 89.51                  | 122.20                 | -32.69       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5795 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 62.21                             | 5.66         | 67.87                  | 122.20                 | -54.33       |
| 5855.000     | Peak                          | 62.08                             | 5.68         | 67.76                  | 110.80                 | -43.04       |
| 5875.000     | Peak                          | 56.70                             | 5.78         | 62.48                  | 105.20                 | -42.72       |
| 5925.000     | Peak                          | 49.41                             | 5.66         | 55.07                  | 68.20                  | -13.13       |
| 5939.850     | Peak                          | 52.18                             | 5.51         | 57.69                  | 68.20                  | -10.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be40

Test Date :2024-01-05

Test Frequency :5795 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 72.45                             | 5.66         | 78.11                  | 122.20                 | -44.09       |
| 5855.000     | Peak                          | 69.27                             | 5.68         | 74.95                  | 110.80                 | -35.85       |
| 5875.000     | Peak                          | 61.65                             | 5.78         | 67.44                  | 105.20                 | -37.77       |
| 5925.000     | Peak                          | 50.06                             | 5.66         | 55.71                  | 68.20                  | -12.49       |
| 5934.530     | Peak                          | 51.59                             | 5.56         | 57.15                  | 68.20                  | -11.05       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be80  
 Test Frequency :5210 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-20  
 Temp./Humi. :22.4°C/58%  
 Antenna Pol. :Vertical  
 Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5142.240     | Average                       | 45.75                             | 3.81         | 49.56                  | 54.00                  | -4.44        |
| 5142.240     | Peak                          | 56.28                             | 3.81         | 60.10                  | 74.00                  | -13.90       |
| 5150.000     | Average                       | 45.97                             | 3.74         | 49.71                  | 54.00                  | -4.29        |
| 5150.000     | Peak                          | 54.60                             | 3.74         | 58.35                  | 74.00                  | -15.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2023-09-20

Test Frequency :5210 MHz


Temp./Humi. :22.4°C/58%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5117.040     | Average                       | 48.96                             | 4.04         | 53.00                  | 54.00                  | -1.00        |
| 5117.040     | Peak                          | 60.95                             | 4.04         | 64.99                  | 74.00                  | -9.01        |
| 5150.000     | Average                       | 48.06                             | 3.74         | 51.81                  | 54.00                  | -2.19        |
| 5150.000     | Peak                          | 58.42                             | 3.74         | 62.17                  | 74.00                  | -11.83       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5290 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 42.24                             | 3.37         | 45.61                  | 54.00                  | -8.39        |
| 5350.000     | Peak                          | 51.68                             | 3.37         | 55.05                  | 74.00                  | -18.95       |
| 5358.400     | Average                       | 42.23                             | 3.37         | 45.61                  | 54.00                  | -8.39        |
| 5358.400     | Peak                          | 52.42                             | 3.37         | 55.79                  | 74.00                  | -18.21       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11be80  
Test Frequency :5290 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 47.51                             | 3.37         | 50.88                  | 54.00                  | -3.12        |
| 5350.000     | Peak                          | 57.11                             | 3.37         | 60.48                  | 74.00                  | -13.52       |
| 5351.700     | Average                       | 47.91                             | 3.37         | 51.28                  | 54.00                  | -2.72        |
| 5351.700     | Peak                          | 58.98                             | 3.37         | 62.35                  | 74.00                  | -11.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5530 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5457.200     | Average                       | 42.19                             | 3.66         | 45.84                  | 54.00                  | -8.16        |
| 5457.200     | Peak                          | 53.40                             | 3.66         | 57.06                  | 74.00                  | -16.94       |
| 5460.000     | Average                       | 41.87                             | 3.68         | 45.55                  | 54.00                  | -8.45        |
| 5460.000     | Peak                          | 51.05                             | 3.68         | 54.73                  | 74.00                  | -19.27       |
| 5468.700     | Peak                          | 52.36                             | 3.75         | 56.12                  | 68.20                  | -12.08       |
| 5470.000     | Peak                          | 51.03                             | 3.76         | 54.79                  | 68.20                  | -13.41       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5530 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5457.300     | Average                       | 49.00                             | 3.66         | 52.65                  | 54.00                  | -1.35        |
| 5457.300     | Peak                          | 60.92                             | 3.66         | 64.58                  | 74.00                  | -9.42        |
| 5460.000     | Average                       | 49.47                             | 3.68         | 53.15                  | 54.00                  | -0.85        |
| 5460.000     | Peak                          | 58.91                             | 3.68         | 62.59                  | 74.00                  | -11.41       |
| 5466.700     | Peak                          | 60.11                             | 3.73         | 63.85                  | 68.20                  | -4.35        |
| 5470.000     | Peak                          | 57.98                             | 3.76         | 61.74                  | 68.20                  | -6.46        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5610 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 49.28                             | 5.57         | 54.86                  | 68.20                  | -13.34       |
| 5777.480     | Peak                          | 51.07                             | 5.61         | 56.67                  | 68.20                  | -11.53       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11be80  
Test Frequency :5610 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 51.92                             | 5.57         | 57.50                  | 68.20                  | -10.70       |
| 5726.360     | Peak                          | 53.07                             | 5.58         | 58.64                  | 68.20                  | -9.56        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5690 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5441.000     | Average                       | 40.87                             | 3.56         | 44.43                  | 54.00                  | -9.57        |
| 5441.000     | Peak                          | 51.63                             | 3.56         | 55.19                  | 74.00                  | -18.81       |
| 5460.000     | Average                       | 40.87                             | 3.68         | 44.55                  | 54.00                  | -9.45        |
| 5460.000     | Peak                          | 50.28                             | 3.68         | 53.96                  | 74.00                  | -20.04       |
| 5470.000     | Peak                          | 51.58                             | 3.76         | 55.34                  | 68.20                  | -12.86       |
| 5480.000     | Peak                          | 51.32                             | 3.84         | 55.16                  | 68.20                  | -13.04       |
| 5850.000     | Peak                          | 56.95                             | 5.66         | 62.61                  | 68.20                  | -5.59        |
| 5852.450     | Peak                          | 57.25                             | 5.67         | 62.92                  | 68.20                  | -5.28        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5690 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5457.250     | Average                       | 46.75                             | 3.66         | 50.41                  | 54.00                  | -3.59        |
| 5457.250     | Peak                          | 62.30                             | 3.66         | 65.95                  | 74.00                  | -8.05        |
| 5460.000     | Average                       | 46.34                             | 3.68         | 50.02                  | 54.00                  | -3.98        |
| 5460.000     | Peak                          | 58.23                             | 3.68         | 61.91                  | 74.00                  | -12.09       |
| 5470.000     | Peak                          | 57.85                             | 3.76         | 61.62                  | 68.20                  | -6.58        |
| 5480.000     | Peak                          | 58.47                             | 3.84         | 62.31                  | 68.20                  | -5.89        |
| 5850.000     | Peak                          | 59.25                             | 5.66         | 64.91                  | 68.20                  | -3.29        |
| 5853.750     | Peak                          | 59.74                             | 5.68         | 65.42                  | 68.20                  | -2.78        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5617.760     | Peak                          | 55.92                             | 4.24         | 60.15                  | 68.20                  | -8.05        |
| 5650.000     | Peak                          | 52.87                             | 4.76         | 57.62                  | 68.20                  | -10.58       |
| 5700.000     | Peak                          | 63.19                             | 5.56         | 68.75                  | 105.20                 | -36.45       |
| 5720.000     | Peak                          | 65.29                             | 5.57         | 70.86                  | 110.80                 | -39.94       |
| 5725.000     | Peak                          | 62.57                             | 5.57         | 68.15                  | 122.20                 | -54.05       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5626.455     | Peak                          | 63.32                             | 4.38         | 67.70                  | 68.20                  | -0.50        |
| 5650.000     | Peak                          | 56.54                             | 4.76         | 61.30                  | 68.20                  | -6.90        |
| 5700.000     | Peak                          | 67.03                             | 5.56         | 72.59                  | 105.20                 | -32.61       |
| 5720.000     | Peak                          | 68.43                             | 5.57         | 74.00                  | 110.80                 | -36.80       |
| 5725.000     | Peak                          | 71.62                             | 5.57         | 77.19                  | 122.20                 | -45.01       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 61.84                             | 5.66         | 67.50                  | 122.20                 | -54.70       |
| 5855.000     | Peak                          | 59.98                             | 5.68         | 65.67                  | 110.80                 | -45.13       |
| 5875.000     | Peak                          | 54.14                             | 5.78         | 59.92                  | 105.20                 | -45.28       |
| 5925.000     | Peak                          | 50.21                             | 5.66         | 55.86                  | 68.20                  | -12.34       |
| 5958.800     | Peak                          | 51.67                             | 5.31         | 56.98                  | 68.20                  | -11.22       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be80

Test Date :2024-01-05

Test Frequency :5775 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5850.000     | Peak                          | 76.26                             | 5.66         | 81.92                  | 122.20                 | -40.28       |
| 5855.000     | Peak                          | 69.17                             | 5.68         | 74.86                  | 110.80                 | -35.94       |
| 5875.000     | Peak                          | 60.95                             | 5.78         | 66.73                  | 105.20                 | -38.47       |
| 5925.000     | Peak                          | 50.13                             | 5.66         | 55.79                  | 68.20                  | -12.41       |
| 5928.800     | Peak                          | 51.88                             | 5.62         | 57.50                  | 68.20                  | -10.70       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
 Operation Mode :802.11be160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge  
 EUT Pol :E2 Plane

Test Site :SAC G Chamber  
 Test Date :2023-09-20  
 Temp./Humi. :22.4°C/58%  
 Antenna Pol. :Vertical  
 Engineer :Temo Chen




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5085.960     | Average                       | 42.32                             | 4.17         | 46.49                  | 54.00                  | -7.51        |
| 5085.960     | Peak                          | 53.73                             | 4.17         | 57.91                  | 74.00                  | -16.09       |
| 5150.000     | Average                       | 42.72                             | 3.74         | 46.46                  | 54.00                  | -7.54        |
| 5150.000     | Peak                          | 51.15                             | 3.74         | 54.90                  | 74.00                  | -19.10       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2  
Operation Mode :802.11be160  
Test Frequency :5250 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2023-09-20  
Temp./Humi. :22.4°C/58%  
Antenna Pol. :Horizontal  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5122.440     | Average                       | 49.69                             | 3.99         | 53.68                  | 54.00                  | -0.32        |
| 5122.440     | Peak                          | 59.97                             | 3.99         | 63.97                  | 74.00                  | -10.03       |
| 5150.000     | Average                       | 49.44                             | 3.74         | 53.18                  | 54.00                  | -0.82        |
| 5150.000     | Peak                          | 58.53                             | 3.74         | 62.27                  | 74.00                  | -11.73       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-09-20

Test Frequency :5250 MHz


Temp./Humi. :22.4°C/58%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 43.26                             | 3.37         | 46.63                  | 54.00                  | -7.37        |
| 5350.000     | Peak                          | 50.70                             | 3.37         | 54.07                  | 74.00                  | -19.93       |
| 5374.150     | Average                       | 44.12                             | 3.37         | 47.50                  | 54.00                  | -6.50        |
| 5374.150     | Peak                          | 54.87                             | 3.37         | 58.24                  | 74.00                  | -15.76       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2023-09-20

Test Frequency :5250 MHz


Temp./Humi. :22.4°C/58%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5350.000     | Average                       | 46.75                             | 3.37         | 50.12                  | 54.00                  | -3.88        |
| 5350.000     | Peak                          | 55.53                             | 3.37         | 58.90                  | 74.00                  | -15.10       |
| 5356.340     | Average                       | 47.29                             | 3.37         | 50.66                  | 54.00                  | -3.34        |
| 5356.340     | Peak                          | 58.12                             | 3.37         | 61.49                  | 74.00                  | -12.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

Report Number :TERF2308001923E2  
Operation Mode :802.11be160  
Test Frequency :5570 MHz  
Test Mode :Bandedge  
EUT Pol :E2 Plane

Test Site :SAC G Chamber  
Test Date :2024-01-05  
Temp./Humi. :21.0°C/56%  
Antenna Pol. :Vertical  
Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5427.120     | Average                       | 41.90                             | 3.50         | 45.40                  | 54.00                  | -8.60        |
| 5427.120     | Peak                          | 52.77                             | 3.50         | 56.26                  | 74.00                  | -17.74       |
| 5460.000     | Average                       | 42.51                             | 3.68         | 46.19                  | 54.00                  | -7.81        |
| 5460.000     | Peak                          | 50.41                             | 3.68         | 54.09                  | 74.00                  | -19.91       |
| 5469.330     | Peak                          | 51.60                             | 3.76         | 55.36                  | 68.20                  | -12.84       |
| 5470.000     | Peak                          | 50.63                             | 3.76         | 54.39                  | 68.20                  | -13.81       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2024-01-05

Test Frequency :5570 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5458.200     | Average                       | 46.50                             | 3.66         | 50.17                  | 54.00                  | -3.83        |
| 5458.200     | Peak                          | 55.76                             | 3.66         | 59.42                  | 74.00                  | -14.58       |
| 5460.000     | Average                       | 46.30                             | 3.68         | 49.98                  | 54.00                  | -4.02        |
| 5460.000     | Peak                          | 54.01                             | 3.68         | 57.68                  | 74.00                  | -16.32       |
| 5469.120     | Peak                          | 56.62                             | 3.75         | 60.37                  | 68.20                  | -7.83        |
| 5470.000     | Peak                          | 56.37                             | 3.76         | 60.13                  | 68.20                  | -8.07        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2024-01-05

Test Frequency :5570 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 49.69                             | 5.57         | 55.26                  | 68.20                  | -12.94       |
| 5754.170     | Peak                          | 52.00                             | 5.59         | 57.59                  | 68.20                  | -10.61       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2308001923E2

Test Site :SAC G Chamber

Operation Mode :802.11be160

Test Date :2024-01-05

Test Frequency :5570 MHz


Temp./Humi. :21.0°C/56%

Test Mode :Bandedge

Antenna Pol. :Horizontal

EUT Pol :E2 Plane

Engineer :Temo Chen



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AVG | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|-------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 5725.000     | Peak                          | 50.86                             | 5.57         | 56.43                  | 68.20                  | -11.77       |
| 5772.860     | Peak                          | 53.85                             | 5.60         | 59.46                  | 68.20                  | -8.74        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 12 TRANSMISSION IN THE ABSENCE OF DATA

### 12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

### 12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

## 13 ANTENNA REQUIREMENT

### 13.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

### 13.2 Antenna Connected Construction:

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group