


802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.06	54.00	-8.94	6.41	3	Horizontal	355	3.00	-	38.65	31.62	8.70	33.91
AV	5.5008G	95.17	Inf	-Inf	6.54	3	Horizontal	355	3.00	-	88.63	31.70	8.76	33.92
PK	5.4642G	67.98	68.20	-0.22	6.42	3	Horizontal	355	3.00	-	61.56	31.63	8.70	33.91
PK	5.498G	106.35	Inf	-Inf	6.53	3	Horizontal	355	3.00	-	99.82	31.70	8.75	33.92

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99712G	42.76	54.00	-11.24	18.85	3	Vertical	49	1.45	-	23.91	40.20	12.50	33.85
PK	11.00618G	57.25	74.00	-16.75	18.84	3	Vertical	49	1.45	-	38.41	40.18	12.51	33.85

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99454G	42.70	54.00	-11.30	18.84	3	Horizontal	285	2.56	-	23.86	40.19	12.50	33.85
PK	11.00426G	56.13	74.00	-17.87	18.85	3	Horizontal	285	2.56	-	37.28	40.19	12.51	33.85

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.69	54.00	-8.31	6.41	3	Vertical	255	1.17	-	39.28	31.62	8.70	33.91
AV	5.5788G	103.30	Inf	-Inf	6.54	3	Vertical	255	1.17	-	96.76	31.60	8.87	33.93
PK	5.469G	58.39	68.20	-9.81	6.44	3	Vertical	255	1.17	-	51.95	31.64	8.71	33.91
PK	5.5794G	113.84	Inf	-Inf	6.54	3	Vertical	255	1.17	-	107.30	31.60	8.87	33.93
PK	5.7258G	56.29	68.20	-11.91	6.95	3	Vertical	255	1.17	-	49.34	31.90	9.01	33.96

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.01	54.00	-7.99	6.41	3	Horizontal	10	2.76	-	39.60	31.62	8.70	33.91
AV	5.5788G	105.00	Inf	-Inf	6.54	3	Horizontal	10	2.76	-	98.46	31.60	8.87	33.93
PK	5.4666G	61.62	68.20	-6.58	6.43	3	Horizontal	10	2.76	-	55.19	31.63	8.71	33.91
PK	5.5776G	116.37	Inf	-Inf	6.54	3	Horizontal	10	2.76	-	109.83	31.60	8.87	33.93
PK	5.73G	57.17	68.20	-11.03	6.98	3	Horizontal	10	2.76	-	50.19	31.92	9.02	33.96

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5580MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16126G	42.25	54.00	-11.75	18.55	3	Vertical	240	1.93	-	23.70	39.78	12.59	33.82
PK	11.17494G	56.76	74.00	-17.24	18.52	3	Vertical	240	1.93	-	38.24	39.75	12.59	33.82

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16474G	42.24	54.00	-11.76	18.54	3	Horizontal	14	1.10	-	23.70	39.77	12.59	33.82
PK	11.1687G	56.01	74.00	-17.99	18.53	3	Horizontal	14	1.10	-	37.48	39.76	12.59	33.82

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	96.88	Inf	-Inf	6.84	3	Vertical	254	1.12	-	90.04	31.80	8.99	33.95
PK	5.7012G	107.04	Inf	-Inf	6.84	3	Vertical	254	1.12	-	100.20	31.80	8.99	33.95
PK	5.7256G	67.66	68.20	-0.54	6.95	3	Vertical	254	1.12	-	60.71	31.90	9.01	33.96

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6996G	97.00	Inf	-Inf	6.84	3	Horizontal	353	2.86	-	90.16	31.80	8.99	33.95
PK	5.6984G	107.44	Inf	-Inf	6.84	3	Horizontal	353	2.86	-	100.60	31.80	8.99	33.95
PK	5.7256G	68.03	68.20	-0.17	6.95	3	Horizontal	353	2.86	-	61.08	31.90	9.01	33.96

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4075G	42.21	54.00	-11.79	18.74	3	Vertical	300	1.94	-	23.47	39.81	12.71	33.78
PK	11.39148G	56.34	74.00	-17.66	18.70	3	Vertical	300	1.94	-	37.64	39.79	12.70	33.79

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38722G	42.25	54.00	-11.75	18.70	3	Horizontal	169	2.17	-	23.55	39.79	12.70	33.79
PK	11.39706G	55.63	74.00	-18.37	18.72	3	Horizontal	169	2.17	-	36.91	39.80	12.71	33.79

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.432G	43.71	54.00	-10.29	6.25	3	Vertical	269	1.00	-	37.46	31.49	8.66	33.90
AV	5.7188G	103.40	Inf	-Inf	6.93	3	Vertical	269	1.00	-	96.47	31.88	9.01	33.96
PK	5.4632G	56.91	68.20	-11.29	6.42	3	Vertical	269	1.00	-	50.49	31.63	8.70	33.91
PK	5.7212G	113.54	Inf	-Inf	6.93	3	Vertical	269	1.00	-	106.61	31.88	9.01	33.96
PK	5.9144G	58.18	68.20	-10.02	7.44	3	Vertical	269	1.00	-	50.74	32.30	9.13	33.99

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.42	54.00	-8.58	6.40	3	Horizontal	353	1.49	-	39.02	31.62	8.69	33.91
AV	5.7188G	103.32	Inf	-Inf	6.93	3	Horizontal	353	1.49	-	96.39	31.88	9.01	33.96
PK	5.4632G	57.55	68.20	-10.65	6.42	3	Horizontal	353	1.49	-	51.13	31.63	8.70	33.91
PK	5.7188G	113.74	Inf	-Inf	6.93	3	Horizontal	353	1.49	-	106.81	31.88	9.01	33.96
PK	5.9804G	59.41	68.20	-8.79	7.52	3	Horizontal	353	1.49	-	51.89	32.36	9.16	34.00

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44912G	42.29	54.00	-11.71	18.85	3	Vertical	170	1.25	-	23.44	39.90	12.73	33.78
PK	11.43322G	56.03	74.00	-17.97	18.81	3	Vertical	170	1.25	-	37.22	39.87	12.72	33.78

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.45164G	42.29	54.00	-11.71	18.85	3	Horizontal	193	1.88	-	23.44	39.90	12.73	33.78
PK	11.43628G	56.01	74.00	-17.99	18.82	3	Horizontal	193	1.88	-	37.19	39.87	12.73	33.78

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.745G	103.20	Inf	-Inf	7.05	3	Vertical	254	1.00	-	96.15	31.98	9.03	33.96
PK	5.6502G	60.11	68.35	-8.24	6.71	3	Vertical	254	1.00	-	53.40	31.70	8.95	33.94
PK	5.7462G	113.65	Inf	-Inf	7.05	3	Vertical	254	1.00	-	106.60	31.98	9.03	33.96
PK	5.9262G	57.41	68.20	-10.79	7.45	3	Vertical	254	1.00	-	49.96	32.30	9.14	33.99

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	101.64	Inf	-Inf	7.05	3	Horizontal	1	1.26	-	94.59	31.98	9.03	33.96
PK	5.6418G	60.09	68.20	-8.11	6.68	3	Horizontal	1	1.26	-	53.41	31.68	8.94	33.94
PK	5.7462G	112.41	Inf	-Inf	7.05	3	Horizontal	1	1.26	-	105.36	31.98	9.03	33.96
PK	5.9382G	57.54	68.20	-10.66	7.45	3	Horizontal	1	1.26	-	50.09	32.30	9.14	33.99

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49648G	42.58	54.00	-11.42	18.98	3	Vertical	274	1.13	-	23.60	39.99	12.76	33.77
PK	11.49324G	56.68	74.00	-17.32	18.97	3	Vertical	274	1.13	-	37.71	39.99	12.75	33.77

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5745MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49636G	42.80	54.00	-11.20	18.98	3	Horizontal	243	2.19	-	23.82	39.99	12.76	33.77
PK	11.49762G	56.75	74.00	-17.25	18.99	3	Horizontal	243	2.19	-	37.76	40.00	12.76	33.77

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	105.68	Inf	-Inf	7.10	3	Vertical	255	1.15	-	98.58	32.00	9.07	33.97
PK	5.7862G	115.94	Inf	-Inf	7.10	3	Vertical	255	1.15	-	108.84	32.00	9.07	33.97
PK	5.9314G	58.92	68.20	-9.28	7.45	3	Vertical	255	1.15	-	51.47	32.30	9.14	33.99

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	102.78	Inf	-Inf	7.10	3	Horizontal	14	2.68	-	95.68	32.00	9.07	33.97
PK	5.5294G	57.76	68.20	-10.44	6.52	3	Horizontal	14	2.68	-	51.24	31.64	8.80	33.92
PK	5.7838G	113.52	Inf	-Inf	7.10	3	Horizontal	14	2.68	-	106.42	32.00	9.07	33.97
PK	5.9458G	58.43	68.20	-9.77	7.46	3	Horizontal	14	2.68	-	50.97	32.30	9.15	33.99

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55554G	42.61	54.00	-11.39	18.93	3	Vertical	151	1.08	-	23.68	39.94	12.79	33.80
PK	11.58134G	56.40	74.00	-17.60	18.91	3	Vertical	151	1.08	-	37.49	39.92	12.80	33.81

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55776G	42.58	54.00	-11.42	18.93	3	Horizontal	359	2.26	-	23.65	39.94	12.79	33.80
PK	11.56898G	56.24	74.00	-17.76	18.92	3	Horizontal	359	2.26	-	37.32	39.93	12.79	33.80

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	106.51	Inf	-Inf	7.22	3	Vertical	255	1.00	-	99.29	32.10	9.09	33.97
PK	5.5946G	57.06	68.20	-11.14	6.55	3	Vertical	255	1.00	-	50.51	31.60	8.89	33.94
PK	5.8262G	116.66	Inf	-Inf	7.22	3	Vertical	255	1.00	-	109.44	32.10	9.09	33.97
PK	5.9966G	58.95	68.20	-9.25	7.56	3	Vertical	255	1.00	-	51.39	32.39	9.17	34.00

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	102.26	Inf	-Inf	7.22	3	Horizontal	0	1.50	-	95.04	32.10	9.09	33.97
PK	5.802G	57.52	68.20	-10.68	6.54	3	Horizontal	0	1.50	-	50.98	31.60	8.87	33.93
PK	5.8274G	112.62	Inf	-Inf	7.23	3	Horizontal	0	1.50	-	105.39	32.11	9.09	33.97
PK	6.1022G	58.57	68.20	-9.63	7.65	3	Horizontal	0	1.50	-	50.92	32.40	9.25	34.00

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65708G	42.01	54.00	-11.99	18.49	3	Vertical	180	1.34	-	23.52	39.50	12.84	33.85
PK	11.66458G	55.58	74.00	-18.42	18.44	3	Vertical	180	1.34	-	37.14	39.45	12.84	33.85

802.11a_Nss1,(6Mbps)_1TX(Port1)

12/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63668G	42.01	54.00	-11.99	18.63	3	Horizontal	293	2.18	-	23.38	39.64	12.83	33.84
PK	11.65828G	55.86	74.00	-18.14	18.48	3	Horizontal	293	2.18	-	37.38	39.49	12.84	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020


5180MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.63	54.00	-0.37	6.38	3	Horizontal	170	1.41	-	47.25	31.70	8.52	33.84
AV	5.1812G	96.77	Inf	-Inf	6.29	3	Horizontal	170	1.41	-	90.48	31.58	8.55	33.84
PK	5.1488G	72.10	74.00	-1.90	6.38	3	Horizontal	170	1.41	-	65.72	31.70	8.52	33.84
PK	5.1812G	111.11	Inf	-Inf	6.29	3	Horizontal	170	1.41	-	104.82	31.58	8.55	33.84

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5180MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.36246G	55.35	68.20	-12.85	17.34	3	Vertical	205	1.06	-	38.01	39.39	12.18	34.23

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5180MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.3495G	55.78	68.20	-12.42	17.29	3	Horizontal	24	1.12	-	38.49	39.35	12.18	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.00	54.00	-1.00	6.38	3	Vertical	233	1.72	-	46.62	31.70	8.52	33.84
AV	5.2004G	99.61	Inf	-Inf	6.22	3	Vertical	233	1.72	-	93.39	31.50	8.57	33.85
PK	5.1496G	68.99	74.00	-5.01	6.38	3	Vertical	233	1.72	-	62.61	31.70	8.52	33.84
PK	5.1984G	112.67	Inf	-Inf	6.23	3	Vertical	233	1.72	-	106.44	31.51	8.57	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.42	54.00	-0.58	6.38	3	Horizontal	171	1.41	-	47.04	31.70	8.52	33.84
AV	5.2012G	101.01	Inf	-Inf	6.21	3	Horizontal	171	1.41	-	94.80	31.49	8.57	33.85
PK	5.15G	68.37	74.00	-5.63	6.38	3	Horizontal	171	1.41	-	61.99	31.70	8.52	33.84
PK	5.1984G	113.78	Inf	-Inf	6.23	3	Horizontal	171	1.41	-	107.55	31.51	8.57	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4111G	56.01	68.20	-12.19	17.54	3	Vertical	154	1.34	-	38.47	39.52	12.21	34.19

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3928G	55.52	68.20	-12.68	17.48	3	Horizontal	243	1.43	-	38.04	39.48	12.20	34.20

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.56	54.00	-1.44	6.38	3	Vertical	115	2.77	-	46.18	31.70	8.52	33.84
AV	5.2394G	104.89	Inf	-Inf	5.98	3	Vertical	115	2.77	-	98.91	31.26	8.58	33.86
AV	5.35G	49.60	54.00	-4.40	5.72	3	Vertical	115	2.77	-	43.88	31.00	8.60	33.88
PK	5.1476G	70.48	74.00	-3.52	6.38	3	Vertical	115	2.77	-	64.10	31.70	8.52	33.84
PK	5.2394G	118.45	Inf	-Inf	5.98	3	Vertical	115	2.77	-	112.47	31.26	8.58	33.86
PK	5.351G	67.10	74.00	-6.90	5.73	3	Vertical	115	2.77	-	61.37	31.01	8.60	33.88

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020


5240MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47652G	56.67	68.20	-11.53	17.76	3	Vertical	338	2.06	-	38.91	39.65	12.24	34.13

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48342G	55.33	68.20	-12.87	17.79	3	Horizontal	315	1.50	-	37.54	39.67	12.24	34.12

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020


5260MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.75	54.00	-4.25	6.38	3	Horizontal	347	2.99	-	43.37	31.70	8.52	33.84
AV	5.2588G	104.07	Inf	-Inf	5.90	3	Horizontal	347	2.99	-	98.17	31.18	8.58	33.86
AV	5.3512G	51.61	54.00	-2.39	5.73	3	Horizontal	347	2.99	-	45.88	31.01	8.60	33.88
PK	5.149G	63.77	74.00	-10.23	6.38	3	Horizontal	347	2.99	-	57.39	31.70	8.52	33.84
PK	5.2636G	117.21	Inf	-Inf	5.89	3	Horizontal	347	2.99	-	111.32	31.17	8.58	33.86
PK	5.3536G	65.38	74.00	-8.62	5.74	3	Horizontal	347	2.99	-	59.64	31.02	8.60	33.88

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52138G	55.79	68.20	-12.41	17.88	3	Vertical	38	2.18	-	37.91	39.72	12.26	34.10

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.5326G	56.06	68.20	-12.14	17.91	3	Horizontal	314	2.31	-	38.15	39.73	12.27	34.09

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3004G	101.24	Inf	-Inf	5.82	3	Vertical	250	1.14	-	95.42	31.10	8.59	33.87
AV	5.3504G	53.76	54.00	-0.24	5.72	3	Vertical	250	1.14	-	48.04	31.00	8.60	33.88
PK	5.3004G	113.54	Inf	-Inf	5.82	3	Vertical	250	1.14	-	107.72	31.10	8.59	33.87
PK	5.3504G	70.07	74.00	-3.93	5.72	3	Vertical	250	1.14	-	64.35	31.00	8.60	33.88

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	99.53	Inf	-Inf	5.82	3	Horizontal	193	1.01	-	93.71	31.10	8.59	33.87
AV	5.3512G	50.72	54.00	-3.28	5.73	3	Horizontal	193	1.01	-	44.99	31.01	8.60	33.88
PK	5.2988G	111.99	Inf	-Inf	5.82	3	Horizontal	193	1.01	-	106.17	31.10	8.59	33.87
PK	5.3564G	64.67	74.00	-9.33	5.75	3	Horizontal	193	1.01	-	58.92	31.04	8.60	33.89

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60672G	42.19	54.00	-11.81	18.07	3	Vertical	49	1.59	-	24.12	39.81	12.31	34.05
PK	10.61236G	55.62	74.00	-18.38	18.07	3	Vertical	49	1.59	-	37.55	39.81	12.31	34.05

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6105G	42.09	54.00	-11.91	18.07	3	Horizontal	195	1.61	-	24.02	39.81	12.31	34.05
PK	10.59868G	55.69	68.20	-12.51	18.04	3	Horizontal	195	1.61	-	37.65	39.80	12.30	34.06

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020


5320MHz_TX



802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.321G	97.83	Inf	-Inf	5.77	3	Horizontal	355	1.02	-	92.06	31.06	8.59	33.88
AV	5.3508G	52.17	54.00	-1.83	5.72	3	Horizontal	355	1.02	-	46.45	31.00	8.60	33.88
PK	5.3214G	110.15	Inf	-Inf	5.77	3	Horizontal	355	1.02	-	104.38	31.06	8.59	33.88
PK	5.3512G	71.31	74.00	-2.69	5.73	3	Horizontal	355	1.02	-	65.58	31.01	8.60	33.88

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63892G	42.31	54.00	-11.69	18.12	3	Vertical	305	2.15	-	24.19	39.84	12.32	34.04
PK	10.63928G	56.52	74.00	-17.48	18.12	3	Vertical	305	2.15	-	38.40	39.84	12.32	34.04

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6463G	42.32	54.00	-11.68	18.15	3	Horizontal	9	1.43	-	24.17	39.85	12.33	34.03
PK	10.65134G	55.94	74.00	-18.06	18.15	3	Horizontal	9	1.43	-	37.79	39.85	12.33	34.03

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	45.12	54.00	-8.88	6.41	3	Vertical	250	1.14	-	38.71	31.62	8.70	33.91
AV	5.5004G	96.72	Inf	-Inf	6.54	3	Vertical	250	1.14	-	90.18	31.70	8.76	33.92
PK	5.4676G	68.03	68.20	-0.17	6.44	3	Vertical	250	1.14	-	61.59	31.64	8.71	33.91
PK	5.5006G	109.79	Inf	-Inf	6.54	3	Vertical	250	1.14	-	103.25	31.70	8.76	33.92

802.11ax HEW20_Nss1,(MCS0)_2TX

16/09/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.82	54.00	-9.18	6.41	3	Horizontal	352	1.07	-	38.41	31.62	8.70	33.91
AV	5.501G	94.54	Inf	-Inf	6.54	3	Horizontal	352	1.07	-	88.00	31.70	8.76	33.92
PK	5.4688G	67.09	68.20	-1.11	6.44	3	Horizontal	352	1.07	-	60.65	31.64	8.71	33.91
PK	5.4988G	107.51	Inf	-Inf	6.53	3	Horizontal	352	1.07	-	100.98	31.70	8.75	33.92

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98956G	42.89	54.00	-11.11	18.83	3	Vertical	179	1.12	-	24.06	40.19	12.50	33.86
PK	11.01488G	56.47	74.00	-17.53	18.82	3	Vertical	179	1.12	-	37.65	40.16	12.51	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5500MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00258G	42.93	54.00	-11.07	18.85	3	Horizontal	81	1.16	-	24.08	40.19	12.51	33.85
PK	11.01248G	56.28	74.00	-17.72	18.82	3	Horizontal	81	1.16	-	37.46	40.16	12.51	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	48.16	54.00	-5.84	6.41	3	Vertical	120	2.63	-	41.75	31.62	8.70	33.91
AV	5.5794G	106.23	Inf	-Inf	6.54	3	Vertical	120	2.63	-	99.69	31.60	8.87	33.93
PK	5.4612G	62.40	68.20	-5.80	6.41	3	Vertical	120	2.63	-	55.99	31.62	8.70	33.91
PK	5.5794G	118.50	Inf	-Inf	6.54	3	Vertical	120	2.63	-	111.96	31.60	8.87	33.93
PK	5.7282G	59.25	68.20	-8.95	6.97	3	Vertical	120	2.63	-	52.28	31.91	9.02	33.96

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.50	54.00	-6.50	6.41	3	Horizontal	332	1.16	-	41.09	31.62	8.70	33.91
AV	5.5794G	104.26	Inf	-Inf	6.54	3	Horizontal	332	1.16	-	97.72	31.60	8.87	33.93
PK	5.469G	60.87	68.20	-7.33	6.44	3	Horizontal	332	1.16	-	54.43	31.64	8.71	33.91
PK	5.5818G	115.59	Inf	-Inf	6.54	3	Horizontal	332	1.16	-	109.05	31.60	8.87	33.93
PK	5.7258G	56.84	68.20	-11.36	6.95	3	Horizontal	332	1.16	-	49.89	31.90	9.01	33.96

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16126G	42.46	54.00	-11.54	18.55	3	Vertical	253	2.29	-	23.91	39.78	12.59	33.82
PK	11.16444G	56.22	74.00	-17.78	18.54	3	Vertical	253	2.29	-	37.68	39.77	12.59	33.82

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16768G	42.48	54.00	-11.52	18.53	3	Horizontal	106	2.08	-	23.95	39.76	12.59	33.82
PK	11.16318G	56.13	74.00	-17.87	18.54	3	Horizontal	106	2.08	-	37.59	39.77	12.59	33.82

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	96.87	Inf	-Inf	6.84	3	Vertical	198	1.00	-	90.03	31.80	8.99	33.95
PK	5.702G	109.24	Inf	-Inf	6.85	3	Vertical	198	1.00	-	102.39	31.81	8.99	33.95
PK	5.7272G	67.70	68.20	-0.50	6.96	3	Vertical	198	1.00	-	60.74	31.91	9.01	33.96

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	97.25	Inf	-Inf	6.84	3	Horizontal	70	1.09	-	90.41	31.80	8.99	33.95
PK	5.6972G	108.51	Inf	-Inf	6.83	3	Horizontal	70	1.09	-	101.68	31.79	8.99	33.95
PK	5.7268G	67.84	68.20	-0.36	6.96	3	Horizontal	70	1.09	-	60.88	31.91	9.01	33.96

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40642G	42.59	54.00	-11.41	18.74	3	Vertical	136	1.10	-	23.85	39.81	12.71	33.78
PK	11.409G	56.44	74.00	-17.56	18.75	3	Vertical	136	1.10	-	37.69	39.82	12.71	33.78

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41092G	42.61	54.00	-11.39	18.75	3	Horizontal	100	1.37	-	23.86	39.82	12.71	33.78
PK	11.40738G	56.00	74.00	-18.00	18.74	3	Horizontal	100	1.37	-	37.26	39.81	12.71	33.78

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4224G	44.48	54.00	-9.52	6.17	3	Vertical	125	2.64	-	38.31	31.43	8.64	33.90
AV	5.7188G	115.60	Inf	-Inf	6.93	3	Vertical	125	2.64	-	108.67	31.88	9.01	33.96
PK	5.4632G	57.90	68.20	-10.30	6.42	3	Vertical	125	2.64	-	51.48	31.63	8.70	33.91
PK	5.72G	129.01	Inf	-Inf	6.93	3	Vertical	125	2.64	-	122.08	31.88	9.01	33.96
PK	5.852G	67.66	68.20	-0.54	7.32	3	Vertical	125	2.64	-	60.34	32.20	9.10	33.98

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	44.13	54.00	-9.87	6.37	3	Horizontal	333	1.00	-	37.76	31.60	8.68	33.91
AV	5.7188G	112.01	Inf	-Inf	6.93	3	Horizontal	333	1.00	-	105.08	31.88	9.01	33.96
PK	5.4644G	56.67	68.20	-11.53	6.42	3	Horizontal	333	1.00	-	50.25	31.63	8.70	33.91
PK	5.7188G	124.42	Inf	-Inf	6.93	3	Horizontal	333	1.00	-	117.49	31.88	9.01	33.96
PK	5.8544G	62.28	68.20	-5.92	7.33	3	Horizontal	333	1.00	-	54.95	32.21	9.10	33.98

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.45374G	42.76	54.00	-11.24	18.86	3	Vertical	263	2.35	-	23.90	39.91	12.73	33.78
PK	11.45146G	56.35	74.00	-17.65	18.85	3	Vertical	263	2.35	-	37.50	39.90	12.73	33.78

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4535G	42.71	54.00	-11.29	18.86	3	Horizontal	54	1.89	-	23.85	39.91	12.73	33.78
PK	11.43826G	57.07	74.00	-16.93	18.83	3	Horizontal	54	1.89	-	38.24	39.88	12.73	33.78

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	106.08	Inf	-Inf	7.05	3	Vertical	126	2.72	-	99.03	31.98	9.03	33.96
PK	5.6502G	66.46	68.35	-1.89	6.71	3	Vertical	126	2.72	-	59.75	31.70	8.95	33.94
PK	5.7414G	118.80	Inf	-Inf	7.04	3	Vertical	126	2.72	-	111.76	31.97	9.03	33.96
PK	5.955G	58.24	68.20	-9.96	7.47	3	Vertical	126	2.72	-	50.77	32.31	9.15	33.99

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.745G	101.65	Inf	-Inf	7.05	3	Horizontal	219	1.04	-	94.60	31.98	9.03	33.96
PK	5.6526G	65.46	70.12	-4.66	6.72	3	Horizontal	219	1.04	-	58.74	31.71	8.95	33.94
PK	5.7426G	114.19	Inf	-Inf	7.04	3	Horizontal	219	1.04	-	107.15	31.97	9.03	33.96
PK	5.9358G	58.47	68.20	-9.73	7.45	3	Horizontal	219	1.04	-	51.02	32.30	9.14	33.99

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49834G	43.15	54.00	-10.85	18.99	3	Vertical	300	1.59	-	24.16	40.00	12.76	33.77
PK	11.49876G	56.76	74.00	-17.24	18.99	3	Vertical	300	1.59	-	37.77	40.00	12.76	33.77

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49594G	43.18	54.00	-10.82	18.98	3	Horizontal	221	2.29	-	24.20	39.99	12.76	33.77
PK	11.47848G	56.50	74.00	-17.50	18.94	3	Horizontal	221	2.29	-	37.56	39.96	12.75	33.77

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	104.28	Inf	-Inf	7.10	3	Vertical	253	1.17	-	97.18	32.00	9.07	33.97
PK	5.6266G	58.03	68.20	-10.17	6.63	3	Vertical	253	1.17	-	51.40	31.65	8.92	33.94
PK	5.7838G	116.20	Inf	-Inf	7.10	3	Vertical	253	1.17	-	109.10	32.00	9.07	33.97
PK	5.9302G	58.60	68.20	-9.60	7.45	3	Vertical	253	1.17	-	51.15	32.30	9.14	33.99

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	101.29	Inf	-Inf	7.10	3	Horizontal	4	1.51	-	94.19	32.00	9.07	33.97
PK	5.6182G	57.96	68.20	-10.24	6.62	3	Horizontal	4	1.51	-	51.34	31.64	8.92	33.94
PK	5.7862G	113.24	Inf	-Inf	7.10	3	Horizontal	4	1.51	-	106.14	32.00	9.07	33.97
PK	6.0214G	58.17	68.20	-10.03	7.55	3	Horizontal	4	1.51	-	50.62	32.36	9.19	34.00

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56964G	43.01	54.00	-10.99	18.92	3	Vertical	349	1.59	-	24.09	39.93	12.79	33.80
PK	11.56274G	56.51	74.00	-17.49	18.93	3	Vertical	349	1.59	-	37.58	39.94	12.79	33.80

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55512G	43.04	54.00	-10.96	18.93	3	Horizontal	29	2.17	-	24.11	39.94	12.79	33.80
PK	11.56394G	56.56	74.00	-17.44	18.93	3	Horizontal	29	2.17	-	37.63	39.94	12.79	33.80

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	98.20	Inf	-Inf	7.22	3	Vertical	135	2.68	-	90.98	32.10	9.09	33.97
PK	5.8238G	57.47	68.20	-10.73	6.55	3	Vertical	135	2.68	-	50.92	31.60	8.88	33.93
PK	5.8238G	109.95	Inf	-Inf	7.22	3	Vertical	135	2.68	-	102.73	32.10	9.09	33.97
PK	6.0614G	58.63	68.20	-9.57	7.54	3	Vertical	135	2.68	-	51.09	32.32	9.22	34.00

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	103.61	Inf	-Inf	7.22	3	Horizontal	161	1.10	-	96.39	32.10	9.09	33.97
PK	5.555G	57.49	68.20	-10.71	6.50	3	Horizontal	161	1.10	-	50.99	31.60	8.83	33.93
PK	5.8214G	115.26	Inf	-Inf	7.21	3	Horizontal	161	1.10	-	108.05	32.09	9.09	33.97
PK	5.9246G	60.68	68.50	-7.82	7.45	3	Horizontal	161	1.10	-	53.23	32.30	9.14	33.99

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63896G	42.48	54.00	-11.52	18.62	3	Vertical	70	1.74	-	23.86	39.63	12.83	33.84
PK	11.6641G	55.71	74.00	-18.29	18.44	3	Vertical	70	1.74	-	37.27	39.45	12.84	33.85

802.11ax HEW20_Nss1,(MCS0)_2TX

17/09/2020

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63836G	42.54	54.00	-11.46	18.62	3	Horizontal	86	2.13	-	23.92	39.63	12.83	33.84
PK	11.63512G	56.72	74.00	-17.28	18.65	3	Horizontal	86	2.13	-	38.07	39.65	12.83	33.83

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.89	54.00	-0.11	6.38	3	Vertical	110	2.67	-	47.51	31.70	8.52	33.84
AV	5.1848G	93.55	Inf	-Inf	6.28	3	Vertical	110	2.67	-	87.27	31.56	8.56	33.84
PK	5.1496G	69.66	74.00	-4.34	6.38	3	Vertical	110	2.67	-	63.28	31.70	8.52	33.84
PK	5.1972G	105.79	Inf	-Inf	6.23	3	Vertical	110	2.67	-	99.56	31.51	8.57	33.85

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.88	54.00	-0.12	6.38	3	Horizontal	358	2.51	-	47.50	31.70	8.52	33.84
AV	5.186G	90.56	Inf	-Inf	6.28	3	Horizontal	358	2.51	-	84.28	31.56	8.56	33.84
PK	5.1488G	70.39	74.00	-3.61	6.38	3	Horizontal	358	2.51	-	64.01	31.70	8.52	33.84
PK	5.1856G	102.82	Inf	-Inf	6.28	3	Horizontal	358	2.51	-	96.54	31.56	8.56	33.84

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38492G	55.77	68.20	-12.43	17.43	3	Vertical	67	2.24	-	38.34	39.45	12.19	34.21

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3761G	55.18	68.20	-13.02	17.40	3	Horizontal	301	1.11	-	37.78	39.43	12.19	34.22

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.64	54.00	-3.36	6.38	3	Vertical	115	2.92	-	44.26	31.70	8.52	33.84
AV	5.2272G	95.04	Inf	-Inf	6.07	3	Vertical	115	2.92	-	88.97	31.34	8.58	33.85
PK	5.1484G	65.94	74.00	-8.06	6.38	3	Vertical	115	2.92	-	59.56	31.70	8.52	33.84
PK	5.232G	106.60	Inf	-Inf	6.03	3	Vertical	115	2.92	-	100.57	31.31	8.58	33.86

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.91	54.00	-0.09	6.38	3	Horizontal	338	2.63	-	47.53	31.70	8.52	33.84
AV	5.232G	96.39	Inf	-Inf	6.03	3	Horizontal	338	2.63	-	90.36	31.31	8.58	33.86
PK	5.1488G	70.84	74.00	-3.16	6.38	3	Horizontal	338	2.63	-	64.46	31.70	8.52	33.84
PK	5.2292G	108.30	Inf	-Inf	6.04	3	Horizontal	338	2.63	-	102.26	31.32	8.58	33.86

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46438G	55.82	68.20	-12.38	17.72	3	Vertical	224	2.11	-	38.10	39.63	12.23	34.14

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4663G	55.95	68.20	-12.25	17.73	3	Horizontal	308	1.82	-	38.22	39.63	12.24	34.14

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2848G	97.02	Inf	-Inf	5.85	3	Vertical	211	1.49	-	91.17	31.13	8.59	33.87
AV	5.35G	53.34	54.00	-0.66	5.72	3	Vertical	211	1.49	-	47.62	31.00	8.60	33.88
PK	5.2848G	109.29	Inf	-Inf	5.85	3	Vertical	211	1.49	-	103.44	31.13	8.59	33.87
PK	5.3508G	68.83	74.00	-5.17	5.72	3	Vertical	211	1.49	-	63.11	31.00	8.60	33.88

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2836G	96.39	Inf	-Inf	5.85	3	Horizontal	354	1.49	-	90.54	31.13	8.59	33.87
AV	5.3516G	52.31	54.00	-1.69	5.73	3	Horizontal	354	1.49	-	46.58	31.01	8.60	33.88
PK	5.2716G	108.07	Inf	-Inf	5.87	3	Horizontal	354	1.49	-	102.20	31.16	8.58	33.87
PK	5.3624G	67.43	74.00	-6.57	5.78	3	Horizontal	354	1.49	-	61.65	31.07	8.60	33.89

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5270MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.53622G	56.45	68.20	-11.75	17.92	3	Vertical	293	1.64	-	38.53	39.74	12.27	34.09

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5270MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.53298G	55.85	68.20	-12.35	17.91	3	Horizontal	359	2.10	-	37.94	39.73	12.27	34.09

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	92.85	Inf	-Inf	5.77	3	Vertical	214	1.49	-	87.08	31.06	8.59	33.88
AV	5.352G	53.00	54.00	-1.00	5.73	3	Vertical	214	1.49	-	47.27	31.01	8.60	33.88
PK	5.2944G	104.85	Inf	-Inf	5.83	3	Vertical	214	1.49	-	99.02	31.11	8.59	33.87
PK	5.3516G	67.56	74.00	-6.44	5.73	3	Vertical	214	1.49	-	61.83	31.01	8.60	33.88

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3208G	92.99	Inf	-Inf	5.77	3	Horizontal	216	1.00	-	87.22	31.06	8.59	33.88
AV	5.3508G	53.39	54.00	-0.61	5.72	3	Horizontal	216	1.00	-	47.67	31.00	8.60	33.88
PK	5.3136G	104.81	Inf	-Inf	5.78	3	Horizontal	216	1.00	-	99.03	31.07	8.59	33.88
PK	5.3508G	68.92	74.00	-5.08	5.72	3	Horizontal	216	1.00	-	63.20	31.00	8.60	33.88

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61376G	43.32	54.00	-10.68	18.07	3	Vertical	320	1.89	-	25.25	39.81	12.31	34.05
PK	10.63464G	55.56	74.00	-18.44	18.11	3	Vertical	320	1.89	-	37.45	39.83	12.32	34.04

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62858G	43.45	54.00	-10.55	18.11	3	Horizontal	23	1.98	-	25.34	39.83	12.32	34.04
PK	10.60554G	56.03	74.00	-17.97	18.06	3	Horizontal	23	1.98	-	37.97	39.81	12.31	34.06

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.90	54.00	-6.10	6.41	3	Vertical	262	2.51	-	41.49	31.62	8.70	33.91
AV	5.514G	93.63	Inf	-Inf	6.53	3	Vertical	262	2.51	-	87.10	31.67	8.78	33.92
PK	5.4696G	66.93	68.20	-1.27	6.44	3	Vertical	262	2.51	-	60.49	31.64	8.71	33.91
PK	5.5088G	105.72	Inf	-Inf	6.53	3	Vertical	262	2.51	-	99.19	31.68	8.77	33.92

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.24	54.00	-5.76	6.41	3	Horizontal	162	1.00	-	41.83	31.62	8.70	33.91
AV	5.5216G	92.76	Inf	-Inf	6.53	3	Horizontal	162	1.00	-	86.23	31.66	8.79	33.92
PK	5.4672G	67.98	68.20	-0.22	6.43	3	Horizontal	162	1.00	-	61.55	31.63	8.71	33.91
PK	5.5244G	104.62	Inf	-Inf	6.52	3	Horizontal	162	1.00	-	98.10	31.65	8.79	33.92

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02336G	43.77	54.00	-10.23	18.80	3	Vertical	232	2.20	-	24.97	40.13	12.52	33.85
PK	11.0239G	56.18	74.00	-17.82	18.80	3	Vertical	232	2.20	-	37.38	40.13	12.52	33.85

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03164G	44.04	54.00	-9.96	18.79	3	Horizontal	266	1.15	-	25.25	40.11	12.52	33.84
PK	11.01772G	56.50	74.00	-17.50	18.81	3	Horizontal	266	1.15	-	37.69	40.15	12.51	33.85

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.24	54.00	-4.76	6.41	3	Vertical	120	2.79	-	42.83	31.62	8.70	33.91
AV	5.554G	98.22	Inf	-Inf	6.50	3	Vertical	120	2.79	-	91.72	31.60	8.83	33.93
PK	5.4684G	64.64	68.20	-3.56	6.44	3	Vertical	120	2.79	-	58.20	31.64	8.71	33.91
PK	5.5444G	110.78	Inf	-Inf	6.50	3	Vertical	120	2.79	-	104.28	31.61	8.82	33.93

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.26	54.00	-2.74	6.41	3	Horizontal	161	1.00	-	44.85	31.62	8.70	33.91
AV	5.554G	97.50	Inf	-Inf	6.50	3	Horizontal	161	1.00	-	91.00	31.60	8.83	33.93
PK	5.4688G	67.77	68.20	-0.43	6.44	3	Horizontal	161	1.00	-	61.33	31.64	8.71	33.91
PK	5.534G	109.08	Inf	-Inf	6.50	3	Horizontal	161	1.00	-	102.58	31.63	8.80	33.93

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09148G	43.39	54.00	-10.61	18.64	3	Vertical	136	1.90	-	24.75	39.93	12.55	33.84
PK	11.09484G	55.72	74.00	-18.28	18.64	3	Vertical	136	1.90	-	37.08	39.92	12.55	33.83

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10882G	43.38	54.00	-10.62	18.61	3	Horizontal	165	1.28	-	24.77	39.88	12.56	33.83
PK	11.08752G	55.61	74.00	-18.39	18.65	3	Horizontal	165	1.28	-	36.96	39.94	12.55	33.84

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6766G	98.12	Inf	-Inf	6.77	3	Vertical	120	2.66	-	91.35	31.75	8.97	33.95
PK	5.6766G	110.16	Inf	-Inf	6.77	3	Vertical	120	2.66	-	103.39	31.75	8.97	33.95
PK	5.733G	68.02	68.20	-0.18	6.99	3	Vertical	120	2.66	-	61.03	31.93	9.02	33.96

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6766G	96.16	Inf	-Inf	6.77	3	Horizontal	162	1.00	-	89.39	31.75	8.97	33.95
PK	5.679G	108.23	Inf	-Inf	6.78	3	Horizontal	162	1.00	-	101.45	31.76	8.97	33.95
PK	5.7264G	67.85	68.20	-0.35	6.96	3	Horizontal	162	1.00	-	60.89	31.91	9.01	33.96

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3346G	43.65	54.00	-10.35	18.60	3	Vertical	360	2.87	-	25.05	39.73	12.67	33.80
PK	11.32758G	55.70	74.00	-18.30	18.60	3	Vertical	360	2.87	-	37.10	39.73	12.67	33.80

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33544G	43.82	54.00	-10.18	18.61	3	Horizontal	360	1.59	-	25.21	39.74	12.67	33.80
PK	11.32788G	56.43	74.00	-17.57	18.60	3	Horizontal	360	1.59	-	37.83	39.73	12.67	33.80

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	100.26	Inf	-Inf	7.08	3	Vertical	117	2.72	-	93.18	32.00	9.04	33.96
PK	5.6434G	67.04	68.20	-1.16	6.69	3	Vertical	117	2.72	-	60.35	31.69	8.94	33.94
PK	5.7694G	112.16	Inf	-Inf	7.09	3	Vertical	117	2.72	-	105.07	32.00	9.05	33.96
PK	5.9302G	60.18	68.20	-8.02	7.45	3	Vertical	117	2.72	-	52.73	32.30	9.14	33.99

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	99.11	Inf	-Inf	7.05	3	Horizontal	161	1.22	-	92.06	31.98	9.03	33.96
PK	5.6446G	67.64	68.20	-0.56	6.69	3	Horizontal	161	1.22	-	60.95	31.69	8.94	33.94
PK	5.7538G	110.72	Inf	-Inf	7.08	3	Horizontal	161	1.22	-	103.64	32.00	9.04	33.96
PK	5.9302G	59.48	68.20	-8.72	7.45	3	Horizontal	161	1.22	-	52.03	32.30	9.14	33.99

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5136G	44.28	54.00	-9.72	18.97	3	Vertical	189	2.88	-	25.31	39.99	12.76	33.78
PK	11.51348G	56.80	74.00	-17.20	18.97	3	Vertical	189	2.88	-	37.83	39.99	12.76	33.78

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5755MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51312G	44.14	54.00	-9.86	18.97	3	Horizontal	173	1.49	-	25.17	39.99	12.76	33.78
PK	11.5091G	57.29	74.00	-16.71	18.98	3	Horizontal	173	1.49	-	38.31	39.99	12.76	33.77

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	101.09	Inf	-Inf	7.10	3	Vertical	125	2.26	-	93.99	32.00	9.07	33.97
PK	5.6462G	60.69	68.20	-7.51	6.69	3	Vertical	125	2.26	-	54.00	31.69	8.94	33.94
PK	5.7986G	112.20	Inf	-Inf	7.11	3	Vertical	125	2.26	-	105.09	32.00	9.08	33.97
PK	5.9234G	64.57	69.38	-4.81	7.45	3	Vertical	125	2.26	-	57.12	32.30	9.14	33.99

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	100.16	Inf	-Inf	7.10	3	Horizontal	166	1.00	-	93.06	32.00	9.07	33.97
PK	5.6498G	62.17	68.20	-6.03	6.70	3	Horizontal	166	1.00	-	55.47	31.70	8.94	33.94
PK	5.7914G	111.69	Inf	-Inf	7.10	3	Horizontal	166	1.00	-	104.59	32.00	9.07	33.97
PK	5.9246G	65.55	68.50	-2.95	7.45	3	Horizontal	166	1.00	-	58.10	32.30	9.14	33.99

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5999G	43.91	54.00	-10.09	18.89	3	Vertical	0	1.49	-	25.02	39.90	12.81	33.82
PK	11.60128G	56.37	74.00	-17.63	18.88	3	Vertical	0	1.49	-	37.49	39.89	12.81	33.82

802.11ax HEW40_Nss1,(MCS0)_2TX

17/09/2020

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58478G	43.62	54.00	-10.38	18.91	3	Horizontal	326	1.48	-	24.71	39.92	12.80	33.81
PK	11.58964G	55.58	74.00	-18.42	18.90	3	Horizontal	326	1.48	-	36.68	39.91	12.80	33.81

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.93	54.00	-1.07	6.38	3	Vertical	113	2.66	-	46.55	31.70	8.52	33.84
AV	5.225G	90.02	Inf	-Inf	6.07	3	Vertical	113	2.66	-	83.95	31.35	8.57	33.85
AV	5.36G	47.20	54.00	-6.80	5.77	3	Vertical	113	2.66	-	41.43	31.06	8.60	33.89
PK	5.146G	67.69	74.00	-6.31	6.38	3	Vertical	113	2.66	-	61.31	31.70	8.52	33.84
PK	5.24G	100.98	Inf	-Inf	5.98	3	Vertical	113	2.66	-	95.00	31.26	8.58	33.86
PK	5.368G	61.95	74.00	-12.05	5.82	3	Vertical	113	2.66	-	56.13	31.11	8.60	33.89

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.77	54.00	-0.23	6.38	3	Horizontal	220	1.00	-	47.39	31.70	8.52	33.84
AV	5.226G	88.08	Inf	-Inf	6.07	3	Horizontal	220	1.00	-	82.01	31.34	8.58	33.85
AV	5.387G	46.61	54.00	-7.39	5.94	3	Horizontal	220	1.00	-	40.67	31.22	8.61	33.89
PK	5.146G	70.54	74.00	-3.46	6.38	3	Horizontal	220	1.00	-	64.16	31.70	8.52	33.84
PK	5.213G	100.54	Inf	-Inf	6.14	3	Horizontal	220	1.00	-	94.40	31.42	8.57	33.85
PK	5.387G	62.42	74.00	-11.58	5.94	3	Horizontal	220	1.00	-	56.48	31.22	8.61	33.89

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43308G	55.66	68.20	-12.54	17.62	3	Vertical	149	1.88	-	38.04	39.57	12.22	34.17

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4233G	56.13	68.20	-12.07	17.58	3	Horizontal	354	1.94	-	38.55	39.55	12.21	34.18

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	48.42	54.00	-5.58	6.39	3	Vertical	123	2.16	-	42.03	31.70	8.52	33.83
AV	5.277G	90.94	Inf	-Inf	5.87	3	Vertical	123	2.16	-	85.07	31.15	8.59	33.87
AV	5.35G	53.55	54.00	-0.45	5.72	3	Vertical	123	2.16	-	47.83	31.00	8.60	33.88
PK	5.147G	63.48	74.00	-10.52	6.38	3	Vertical	123	2.16	-	57.10	31.70	8.52	33.84
PK	5.297G	103.94	Inf	-Inf	5.83	3	Vertical	123	2.16	-	98.11	31.11	8.59	33.87
PK	5.355G	67.59	74.00	-6.41	5.74	3	Vertical	123	2.16	-	61.85	31.03	8.60	33.89

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.76	54.00	-5.24	6.38	3	Horizontal	166	1.01	-	42.38	31.70	8.52	33.84
AV	5.306G	90.54	Inf	-Inf	5.81	3	Horizontal	166	1.01	-	84.73	31.09	8.59	33.87
AV	5.357G	53.81	54.00	-0.19	5.75	3	Horizontal	166	1.01	-	48.06	31.04	8.60	33.89
PK	5.149G	63.16	74.00	-10.84	6.38	3	Horizontal	166	1.01	-	56.78	31.70	8.52	33.84
PK	5.269G	102.63	Inf	-Inf	5.88	3	Horizontal	166	1.01	-	96.75	31.16	8.58	33.86
PK	5.352G	68.41	74.00	-5.59	5.73	3	Horizontal	166	1.01	-	62.68	31.01	8.60	33.88

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5290MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.59086G	55.57	68.20	-12.63	18.03	3	Vertical	11	1.74	-	37.54	39.79	12.30	34.06

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5290MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.56764G	55.86	68.20	-12.34	17.99	3	Horizontal	330	1.12	-	37.87	39.77	12.29	34.07

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020


5530MHz_TX



802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.69	54.00	-3.31	6.41	3	Horizontal	165	1.03	-	44.28	31.62	8.70	33.91
AV	5.541G	89.91	Inf	-Inf	6.50	3	Horizontal	165	1.03	-	83.41	31.62	8.81	33.93
PK	5.468G	67.84	68.20	-0.36	6.44	3	Horizontal	165	1.03	-	61.40	31.64	8.71	33.91
PK	5.501G	101.99	Inf	-Inf	6.54	3	Horizontal	165	1.03	-	95.45	31.70	8.76	33.92
PK	5.771G	58.90	68.20	-9.30	7.09	3	Horizontal	165	1.03	-	51.81	32.00	9.05	33.96

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5530MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.04824G	44.08	54.00	-9.92	18.75	3	Vertical	44	1.50	-	25.33	40.06	12.53	33.84
PK	11.0489G	56.14	74.00	-17.86	18.74	3	Vertical	44	1.50	-	37.40	40.05	12.53	33.84

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5530MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.06888G	43.85	54.00	-10.15	18.69	3	Horizontal	33	2.43	-	25.16	39.99	12.54	33.84
PK	11.0543G	56.18	74.00	-17.82	18.73	3	Horizontal	33	2.43	-	37.45	40.04	12.53	33.84

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	92.82	Inf	-Inf	7.10	3	Vertical	124	2.47	-	85.72	32.00	9.07	33.97
PK	5.6502G	67.83	68.35	-0.52	6.71	3	Vertical	124	2.47	-	61.12	31.70	8.95	33.94
PK	5.787G	104.12	Inf	-Inf	7.10	3	Vertical	124	2.47	-	97.02	32.00	9.07	33.97
PK	5.9334G	65.18	68.20	-3.02	7.45	3	Vertical	124	2.47	-	57.73	32.30	9.14	33.99

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7894G	91.11	Inf	-Inf	7.10	3	Horizontal	164	1.00	-	84.01	32.00	9.07	33.97
PK	5.649G	67.60	68.20	-0.60	6.70	3	Horizontal	164	1.00	-	60.90	31.70	8.94	33.94
PK	5.7618G	103.50	Inf	-Inf	7.09	3	Horizontal	164	1.00	-	96.41	32.00	9.05	33.96
PK	5.9346G	63.84	68.20	-4.36	7.45	3	Horizontal	164	1.00	-	56.39	32.30	9.14	33.99

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5626G	44.32	54.00	-9.68	18.93	3	Vertical	198	1.07	-	25.39	39.94	12.79	33.80
PK	11.55672G	57.04	74.00	-16.96	18.93	3	Vertical	198	1.07	-	38.11	39.94	12.79	33.80

802.11ax HEW80_Nss1,(MCS0)_2TX

17/09/2020

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5368G	44.18	54.00	-9.82	18.95	3	Horizontal	300	1.55	-	25.23	39.96	12.78	33.79
PK	11.547G	56.41	74.00	-17.59	18.94	3	Horizontal	300	1.55	-	37.47	39.95	12.78	33.79


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.892G	29.73	54.00	-24.27	Vertical

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.276G	26.69	54.00	-27.31	3	Vertical	270	1.47	-
Mode 1	Pass	AV	2.292G	28.64	54.00	-25.36	3	Vertical	242	1.68	-
Mode 1	Pass	AV	2.892G	29.73	54.00	-24.27	3	Vertical	187	1.24	-
Mode 1	Pass	PK	1.276G	39.92	74.00	-34.08	3	Vertical	270	1.47	-
Mode 1	Pass	PK	2.292G	43.35	74.00	-30.65	3	Vertical	242	1.68	-
Mode 1	Pass	PK	2.892G	43.63	74.00	-30.37	3	Vertical	187	1.24	-
Mode 1	Pass	AV	1.308G	26.52	54.00	-27.48	3	Horizontal	134	1.75	-
Mode 1	Pass	AV	2.152G	28.15	54.00	-25.85	3	Horizontal	302	1.60	-
Mode 1	Pass	AV	2.848G	29.73	54.00	-24.27	3	Horizontal	254	1.07	-
Mode 1	Pass	PK	1.308G	39.86	74.00	-34.14	3	Horizontal	134	1.75	-
Mode 1	Pass	PK	2.152G	42.14	74.00	-31.86	3	Horizontal	302	1.60	-
Mode 1	Pass	PK	2.848G	43.26	74.00	-30.74	3	Horizontal	254	1.07	-

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.276G	26.69	54.00	-27.31	-4.42	3	Vertical	270	1.47	-	31.11	25.60	4.49	34.51
AV	2.292G	28.64	54.00	-25.36	-0.48	3	Vertical	242	1.68	-	29.12	27.92	5.88	34.28
AV	2.892G	29.73	54.00	-24.27	0.65	3	Vertical	187	1.24	-	29.08	28.37	6.48	34.20
PK	1.276G	39.92	74.00	-34.08	-4.42	3	Vertical	270	1.47	-	44.34	25.60	4.49	34.51
PK	2.292G	43.35	74.00	-30.65	-0.48	3	Vertical	242	1.68	-	43.83	27.92	5.88	34.28
PK	2.892G	43.63	74.00	-30.37	0.65	3	Vertical	187	1.24	-	42.98	28.37	6.48	34.20

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.308G	26.52	54.00	-27.48	-4.17	3	Horizontal	134	1.75	-	30.69	25.75	4.54	34.46
AV	2.152G	28.15	54.00	-25.85	-0.87	3	Horizontal	302	1.60	-	29.02	27.61	5.75	34.23
AV	2.848G	29.73	54.00	-24.27	0.42	3	Horizontal	254	1.07	-	29.31	28.20	6.44	34.22
PK	1.308G	39.86	74.00	-34.14	-4.17	3	Horizontal	134	1.75	-	44.03	25.75	4.54	34.46
PK	2.152G	42.14	74.00	-31.86	-0.87	3	Horizontal	302	1.60	-	43.01	27.61	5.75	34.23
PK	2.848G	43.26	74.00	-30.74	0.42	3	Horizontal	254	1.07	-	42.84	28.20	6.44	34.22