



802.11be (EHT40)


Spectrum Plot




802.11be (EHT40) / Chain 0 : CH 3




802.11be (EHT40) / Chain 0 : CH 43




802.11be (EHT40) / Chain 0 : CH 91



802.11be (EHT40) / Chain 0 : CH 99




802.11be (EHT40) / Chain 0 : CH 107




802.11be (EHT40) / Chain 0 : CH 115


Spectrum Plot




802.11be (EHT40) / Chain 0 : CH 123




802.11be (EHT40) / Chain 0 : CH 155




802.11be (EHT40) / Chain 0 : CH 179



802.11be (EHT40) / Chain 0 : CH 187




802.11be (EHT40) / Chain 0 : CH 211




802.11be (EHT40) / Chain 0 : CH 227


Spectrum Plot




802.11be (EHT40) / Chain 1 : CH 3




802.11be (EHT40) / Chain 1 : CH 43




802.11be (EHT40) / Chain 1 : CH 91



802.11be (EHT40) / Chain 1 : CH 99




802.11be (EHT40) / Chain 1 : CH 107




802.11be (EHT40) / Chain 1 : CH 115


Spectrum Plot




802.11be (EHT40) / Chain 1 : CH 123




802.11be (EHT40) / Chain 1 : CH 155




802.11be (EHT40) / Chain 1 : CH 179



802.11be (EHT40) / Chain 1 : CH 187




802.11be (EHT40) / Chain 1 : CH 211




802.11be (EHT40) / Chain 1 : CH 227


Spectrum Plot




802.11be (EHT40) / Chain 2 : CH 3




802.11be (EHT40) / Chain 2 : CH 43




802.11be (EHT40) / Chain 2 : CH 91



802.11be (EHT40) / Chain 2 : CH 99




802.11be (EHT40) / Chain 2 : CH 107




802.11be (EHT40) / Chain 2 : CH 115


Spectrum Plot




802.11be (EHT40) / Chain 2 : CH 123




802.11be (EHT40) / Chain 2 : CH 155




802.11be (EHT40) / Chain 2 : CH 179



802.11be (EHT40) / Chain 2 : CH 187




802.11be (EHT40) / Chain 2 : CH 211




802.11be (EHT40) / Chain 2 : CH 227


Spectrum Plot




802.11be (EHT40) / Chain 3 : CH 3




802.11be (EHT40) / Chain 3 : CH 43




802.11be (EHT40) / Chain 3 : CH 91



802.11be (EHT40) / Chain 3 : CH 99




802.11be (EHT40) / Chain 3 : CH 107




802.11be (EHT40) / Chain 3 : CH 115


Spectrum Plot




802.11be (EHT40) / Chain 3 : CH 123




802.11be (EHT40) / Chain 3 : CH 155




802.11be (EHT40) / Chain 3 : CH 179



802.11be (EHT40) / Chain 3 : CH 187




802.11be (EHT40) / Chain 3 : CH 211




802.11be (EHT40) / Chain 3 : CH 227

802.11be (EHT80)


Spectrum Plot




802.11be (EHT80) / Chain 0 : CH 7




802.11be (EHT80) / Chain 0 : CH 39




802.11be (EHT80) / Chain 0 : CH 87



802.11be (EHT80) / Chain 0 : CH 103




802.11be (EHT80) / Chain 0 : CH 119




802.11be (EHT80) / Chain 0 : CH 151


Spectrum Plot




802.11be (EHT80) / Chain 0 : CH 183




802.11be (EHT80) / Chain 0 : CH 199




802.11be (EHT80) / Chain 0 : CH 215



802.11be (EHT80) / Chain 1 : CH 7




802.11be (EHT80) / Chain 1 : CH 39




802.11be (EHT80) / Chain 1 : CH 87


Spectrum Plot




802.11be (EHT80) / Chain 1 : CH 103




802.11be (EHT80) / Chain 1 : CH 119




802.11be (EHT80) / Chain 1 : CH 151



802.11be (EHT80) / Chain 1 : CH 183




802.11be (EHT80) / Chain 1 : CH 199




802.11be (EHT80) / Chain 1 : CH 215


Spectrum Plot




802.11be (EHT80) / Chain 2 : CH 7




802.11be (EHT80) / Chain 2 : CH 39




802.11be (EHT80) / Chain 2 : CH 87



802.11be (EHT80) / Chain 2 : CH 103




802.11be (EHT80) / Chain 2 : CH 119




802.11be (EHT80) / Chain 2 : CH 151


Spectrum Plot




802.11be (EHT80) / Chain 2 : CH 183




802.11be (EHT80) / Chain 2 : CH 199




802.11be (EHT80) / Chain 2 : CH 215



802.11be (EHT80) / Chain 3 : CH 7




802.11be (EHT80) / Chain 3 : CH 39




802.11be (EHT80) / Chain 3 : CH 87


Spectrum Plot




802.11be (EHT80) / Chain 3 : CH 103




802.11be (EHT80) / Chain 3 : CH 119




802.11be (EHT80) / Chain 3 : CH 151



802.11be (EHT80) / Chain 3 : CH 183




802.11be (EHT80) / Chain 3 : CH 199




802.11be (EHT80) / Chain 3 : CH 215

802.11be (EHT160)


Spectrum Plot




802.11be (EHT160) / Chain 0 : CH 15




802.11be (EHT160) / Chain 0 : CH 47




802.11be (EHT160) / Chain 0 : CH 79



802.11be (EHT160) / Chain 0 : CH 111




802.11be (EHT160) / Chain 0 : CH 143




802.11be (EHT160) / Chain 0 : CH 175


Spectrum Plot




802.11be (EHT160) / Chain 0 : CH 207




802.11be (EHT160) / Chain 1 : CH 15




802.11be (EHT160) / Chain 1 : CH 47



802.11be (EHT160) / Chain 1 : CH 79




802.11be (EHT160) / Chain 1 : CH 111




802.11be (EHT160) / Chain 1 : CH 143


Spectrum Plot




802.11be (EHT160) / Chain 1 : CH 175




802.11be (EHT160) / Chain 1 : CH 207




802.11be (EHT160) / Chain 2 : CH 15



802.11be (EHT160) / Chain 2 : CH 47









802.11be (EHT160) / Chain 2 : CH 79




802.11be (EHT160) / Chain 2 : CH 111


Spectrum Plot




Spectrum Plot




802.11be (EHT160) / Chain 3 : CH 111



802.11be (EHT160) / Chain 3 : CH 143




802.11be (EHT160) / Chain 3 : CH 175




802.11be (EHT160) / Chain 3 : CH 207

802.11be (EHT320)


Spectrum Plot




802.11be (EHT320) / Chain 0 : CH 31




802.11be (EHT320) / Chain 0 : CH 63




802.11be (EHT320) / Chain 0 : CH 95



802.11be (EHT320) / Chain 0 : CH 127




802.11be (EHT320) / Chain 0 : CH 159




802.11be (EHT320) / Chain 0 : CH 191


Spectrum Plot




802.11be (EHT320) / Chain 1 : CH 31




802.11be (EHT320) / Chain 1 : CH 63




802.11be (EHT320) / Chain 1 : CH 95



802.11be (EHT320) / Chain 1 : CH 127




802.11be (EHT320) / Chain 1 : CH 159




802.11be (EHT320) / Chain 1 : CH 191


Spectrum Plot




802.11be (EHT320) / Chain 2 : CH 31




802.11be (EHT320) / Chain 2 : CH 63



802.11be (EHT320) / Chain 2 : CH 95



802.11be (EHT320) / Chain 2 : CH 127




802.11be (EHT320) / Chain 2 : CH 159




802.11be (EHT320) / Chain 2 : CH 191


Spectrum Plot




802.11be (EHT320) / Chain 3 : CH 31




802.11be (EHT320) / Chain 3 : CH 63




802.11be (EHT320) / Chain 3 : CH 95



802.11be (EHT320) / Chain 3 : CH 127



802.11be (EHT320) / Chain 3 : CH 159



802.11be (EHT320) / Chain 3 : CH 191

7.5 Occupied Bandwidth

Environmental Conditions:	25°C, 60% RH	Tested By:	Match Tsui
---------------------------	--------------	------------	------------

802.11a

Channel	Frequency (MHz)	Occupied Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
1	5955	17.04	17.04	17.04	17.04
45	6175	17.04	17.04	17.04	17.04
93	6415	17.04	17.04	16.92	17.04
97	6435	17.04	17.04	17.04	17.04
105	6475	17.04	17.04	16.92	17.04
113	6515	17.04	17.04	16.92	17.04
117	6535	17.04	17.04	16.92	17.04
149	6695	17.04	17.16	17.04	17.04
181	6855	17.04	17.16	17.16	17.04
185	6875	17.04	17.04	17.04	17.04
209	6995	17.04	17.04	16.92	17.04
233	7115	17.04	17.04	17.04	17.04

802.11be (EHT20)

Channel	Frequency (MHz)	Occupied Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
1	5955	19.20	19.08	19.08	19.08
45	6175	19.20	19.08	19.20	19.08
93	6415	19.08	19.20	19.20	19.08
97	6435	19.08	19.08	19.20	19.08
105	6475	19.08	19.08	19.08	19.08
113	6515	19.20	19.08	19.08	19.08
117	6535	19.20	19.08	19.08	19.08
149	6695	19.08	19.08	19.20	19.08
181	6855	19.20	19.20	19.20	19.20
185	6875	19.20	19.08	19.20	19.08
209	6995	19.20	19.08	19.20	19.08
233	7115	19.20	19.08	19.20	19.08

802.11be (EHT40)

Channel	Frequency (MHz)	Occupied Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
3	5965	38.40	38.64	38.64	38.64
43	6165	38.64	38.64	38.40	38.64
91	6405	38.40	38.40	38.64	38.64
99	6445	38.64	38.40	38.16	38.64
107	6485	38.64	38.64	38.64	38.40
115	6525	38.40	38.64	38.64	38.40
123	6565	38.64	38.64	38.64	38.40
155	6725	38.40	38.64	38.64	38.16
179	6845	38.40	38.40	38.40	38.64
187	6885	38.64	38.64	38.40	38.40
211	7005	38.64	38.64	38.40	38.40
227	7085	38.64	38.64	38.64	38.64

802.11be (EHT80)

Channel	Frequency (MHz)	Occupied Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
7	5985	78.24	77.76	78.24	78.24
39	6145	78.24	78.24	78.24	78.24
87	6385	77.76	77.76	78.24	78.24
103	6465	77.76	78.24	78.24	78.24
119	6545	78.24	78.24	78.24	77.76
151	6705	78.24	78.24	78.24	77.76
183	6865	78.24	78.24	77.76	78.24
199	6945	78.24	78.24	77.76	77.76
215	7025	78.24	78.24	78.24	78.24


802.11be (EHT160)

Channel	Frequency (MHz)	Occupied Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
15	6025	157.44	157.44	157.44	157.44
47	6185	158.40	158.40	158.40	158.40
79	6345	157.44	158.40	157.44	157.44
111	6505	158.40	158.40	158.40	157.44
143	6665	157.44	158.40	158.40	157.44
175	6825	158.40	158.40	158.40	157.44
207	6985	158.40	158.40	158.40	158.40


802.11be (EHT320)

Channel	Frequency (MHz)	Occupied Bandwidth (MHz)			
		Chain 0	Chain 1	Chain 2	Chain 3
31	6105	314.88	314.88	314.88	314.88
63	6265	316.80	316.80	316.80	316.80
95	6425	316.80	316.80	316.80	316.80
127	6585	316.80	316.80	316.80	316.80
159	6745	316.80	316.80	316.80	316.80
191	6905	316.80	316.80	316.80	316.80


Spectrum Plot of Maximum Value




802.11a / Chain 1 : CH 149




802.11be (EHT20) / Chain 0 : CH 1




802.11be (EHT40) / Chain 0 : CH 43



802.11be (EHT80) / Chain 0 : CH 7



802.11be (EHT160) / Chain 0 : CH 47



802.11be (EHT320) / Chain 0 : CH 63

7.6 Contention-based Protocol

Environmental Conditions:	25°C, 60% RH	Tested By:	Frankie Chang
---------------------------	--------------	------------	---------------

Companion Device Information			
Product	Brand	Model No.	Software/Firmware Version
Wireless Module	Intel	AX210	22.45.1.1

For U-NII-5


Contention Based Protocol Measurement										
Operation Mode	Channel Bandwidth (MHz)	Channel Number	Channel Freq. (MHz)	Injected Signal (AWGN)		Antenna Gain (dBi)	Path Loss (dB) (Note 3)	Adjusted Power (dBm)	Detection Limit	EUT TX Status
				Freq. (MHz)	Power (dBm)					
802.11be	20	45	6175	6175	-62	4.5	0	-66.5	-62	OFF
					-69	4.5	0	-73.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
	320	31	6105	5950	-63	4.5	0	-67.5	-62	OFF
					-65	4.5	0	-69.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
				6105	-58	4.5	0	-62.5	-62	OFF
					-62	4.5	0	-66.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
				6260	-64	4.5	0	-68.5	-62	OFF
					-67	4.5	0	-71.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON

Notes:


1. After investigation (consider antenna gain and path loss) , the one representative port (Chain 0) was measured and presented in the report.
2. Adjusted Power (dBm) = Injected Signal (AWGN) Power (dBm) - Antenna Gain (dBi) + Path Loss (dB)
3. Antenna gain values include all the applicable path losses.
4. This device does not use the channel puncturing and bandwidth reduction mechanisms for incumbent avoidance, but instead switches to other channels to perform its function.

Contention Based Protocol Detection Probability															
Operation Mode	Channel Bandwidth (MHz)	AWGN Signal Freq. (MHz)	#01	#02	#03	#04	#05	#06	#07	#08	#09	#10	Detection Probability	Detection Limit	Test Result
802.11be	20	6175	v	v	v	v	v	v	v	v	v	x	90%	90%	Pass
	320	5950	v	v	v	v	v	v	v	x	v	v	90%	90%	Pass
		6105	v	v	v	v	v	v	v	v	x	v	90%	90%	Pass
		6260	v	v	v	v	v	v	v	v	x	v	90%	90%	Pass

Plots of EUT Tx waveform




802.11be (EHT20) / CH45




802.11be (EHT320) / CH31


Plots of Injected signal (AWGN) level




802.11be (EHT20) / CH45



802.11be (EHT320) / CH31 (Low Edge)




802.11be (EHT320) / CH31 (Middle)



802.11be (EHT320) / CH31 (High Edge)


Plots of EUT ceased transmission in the time domain

CBP




802.11be (EHT20) / CH45

CBP




802.11be (EHT320) / CH31(Low Edge)

CBP



802.11be (EHT320) / CH31(Middle)

Plots of EUT ceased transmission in the time domain

CBP

For U-NII-6


Contention Based Protocol Measurement										
Operation Mode	Channel Bandwidth (MHz)	Channel Number	Channel Freq. (MHz)	Injected Signal (AWGN)		Antenna Gain (dBi)	Path Loss (dB) (Note 3)	Adjusted Power (dBm)	Detection Limit	EUT TX Status
				Freq. (MHz)	Power (dBm)					
802.11be	20	105	6475	6475	-61	4.5	0	-65.5	-62	OFF
					-69	4.5	0	-73.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
	320	95	6425	6270	-64	4.5	0	-68.5	-62	OFF
					-67	4.5	0	-71.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
				6425	-59	4.5	0	-63.5	-62	OFF
					-62	4.5	0	-66.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
				6580	-63	4.5	0	-67.5	-62	OFF
					-66	4.5	0	-70.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON

Notes:


1. After investigation (consider antenna gain and path loss) , the one representative port (Chain 0) was measured and presented in the report.
2. Adjusted Power (dBm) = Injected Signal (AWGN) Power (dBm) - Antenna Gain (dBi) + Path Loss (dB)
3. Antenna gain values include all the applicable path losses.
4. This device does not use the channel puncturing and bandwidth reduction mechanisms for incumbent avoidance, but instead switches to other channels to perform its function.

Contention Based Protocol Detection Probability															
Operation Mode	Channel Bandwidth (MHz)	AWGN Signal Freq. (MHz)	#01	#02	#03	#04	#05	#06	#07	#08	#09	#10	Detection Probability	Detection Limit	Test Result
802.11be	20	6475	v	v	v	v	v	v	v	x	v	v	90%	90%	Pass
	320	6270	v	v	v	v	v	v	v	x	v	v	90%	90%	Pass
		6425	v	v	v	v	v	v	v	v	x	v	90%	90%	Pass
		6580	v	v	v	v	v	v	x	v	v	v	90%	90%	Pass

Plots of EUT Tx waveform




802.11be (EHT20) / CH105




802.11be (EHT320) / CH95


Plots of Injected signal (AWGN) level




802.11be (EHT20) / CH105



802.11be (EHT320) / CH95(Low Edge)




802.11be (EHT320) / CH95(Middle)



802.11be (EHT320) / CH95(High Edge)


Plots of EUT ceased transmission in the time domain

CBP




802.11be (EHT20) / CH105

CBP



802.11be (EHT320) / CH95(Low Edge)


CBP



802.11be (EHT320) / CH95(Middle)

Plots of EUT ceased transmission in the time domain

CBP



For U-NII-7


Contention Based Protocol Measurement										
Operation Mode	Channel Bandwidth (MHz)	Channel Number	Channel Freq. (MHz)	Injected Signal (AWGN)		Antenna Gain (dBi)	Path Loss (dB) (Note 3)	Adjusted Power (dBm)	Detection Limit	EUT TX Status
				Freq. (MHz)	Power (dBm)					
802.11be	20	161	6755	6755	-62	4.5	0	-66.5	-62	OFF
					-68	4.5	0	-72.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
	320	159	6745	6590	-64	4.5	0	-68.5	-62	OFF
					-67	4.5	0	-71.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
				6745	-59	4.5	0	-63.5	-62	OFF
					-63	4.5	0	-67.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON
				6900	-63	4.5	0	-67.5	-62	OFF
					-67	4.5	0	-71.5	-62	Minimal
					-77.5	4.5	0	-82	-62	ON

Notes:


1. After investigation (consider antenna gain and path loss) , the one representative port (Chain 0) was measured and presented in the report.
2. Adjusted Power (dBm) = Injected Signal (AWGN) Power (dBm) - Antenna Gain (dBi) + Path Loss (dB)
3. Antenna gain values include all the applicable path losses.
4. This device does not use the channel puncturing and bandwidth reduction mechanisms for incumbent avoidance, but instead switches to other channels to perform its function.

Contention Based Protocol Detection Probability															
Operation Mode	Channel Bandwidth (MHz)	AWGN Signal Freq. (MHz)	#01	#02	#03	#04	#05	#06	#07	#08	#09	#10	Detection Probability	Detection Limit	Test Result
802.11be	20	6755	v	v	v	v	v	v	v	v	v	x	90%	90%	Pass
	320	6590	v	v	v	v	v	v	v	v	x	v	90%	90%	Pass
		6745	v	v	v	v	v	v	v	v	v	x	90%	90%	Pass
		6900	v	v	v	v	v	v	v	v	x	v	90%	90%	Pass

Plots of EUT Tx waveform




802.11be (EHT20) / CH161




802.11be (EHT320) / CH159


Plots of Injected signal (AWGN) level




802.11be (EHT20) / CH161



802.11be (EHT320) / CH159(Low Edge)



802.11be (EHT320) / CH159(Middle)



802.11be (EHT320) / CH159(High Edge)