


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12930.00	47.32	48.58	-1.26	68.20	-40.88	200	51	Peak	Horizontal		
2	12930.00	39.83	41.09	-1.26	68.20	-28.37	200	51	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12930.00	44.38	45.64	-1.26	68.20	-43.82	100	219	Peak	Vertical		
2	12930.00	37.42	38.68	-1.26	68.20	-30.78	100	219	RMS	Vertical		


802.11ax HE80

CH119 (Horizontal)

CH119 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13099.00	44.55	45.95	-1.40	68.20	-43.65	106	360	Peak	Horizontal		
2	13099.00	41.83	43.23	-1.40	68.20	-26.37	186	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13099.00	44.00	45.40	-1.40	68.20	-44.20	300	262	Peak	Vertical		
2	13099.00	40.83	42.23	-1.40	68.20	-27.37	300	262	RMS	Vertical		


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13810.00	46.44	47.80	-1.36	88.20	-41.76	400	342 Peak	Horizontal
2	13810.00	35.63	36.99	-1.36	68.20	-32.57	400	342 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13810.00	46.53	47.89	-1.36	88.20	-41.67	100	198 Peak	Vertical
2	13810.00	34.94	36.30	-1.36	68.20	-33.26	100	198 RMS	Vertical

U-NII-7


802.11ax HE20

CH117 (Horizontal)

CH117 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13870.00	45.88	47.27	-1.39	88.20	-42.32	400	334	Peak	Horizontal	
2	13870.00	34.94	36.33	-1.39	68.20	-33.26	400	334	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13870.00	47.06	48.45	-1.39	88.20	-41.14	200	78	Peak	Vertical	
2	13870.00	35.08	36.47	-1.39	68.20	-33.12	200	78	RMS	Vertical	


802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13398.00	39.12	40.88	-0.96	54.00	-14.88	319	360	Average	Horizontal		
2	13398.00	47.81	48.77	-0.96	74.00	-26.19	319	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13398.00	35.26	36.22	-0.96	54.00	-18.74	400	325	Average	Vertical		
2	13398.00	48.11	49.07	-0.96	74.00	-25.89	400	325	Peak	Vertical		


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13718.00	46.13	47.03	-0.90	88.20	-42.07	369	360	Peak	Horizontal		
2	13718.00	36.03	36.93	-0.90	68.20	-32.17	369	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13718.00	48.66	49.58	-0.90	88.20	-39.52	400	137	Peak	Vertical		
2	13718.00	34.16	35.06	-0.90	68.20	-34.04	400	137	RMS	Vertical		


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	48.61	49.44	-0.83	66.20	-39.59	490	202	Peak	Horizontal		
2	13750.00	39.28	40.11	-0.83	66.20	-26.92	490	202	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	49.07	49.90	-0.83	66.20	-39.13	300	234	Peak	Vertical		
2	13750.00	41.54	42.37	-0.83	66.20	-26.66	300	234	RMS	Vertical		


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13130.00	44.55	45.89	-1.34	66.20	-43.65	162	301	Peak	Horizontal		
2	13130.00	40.28	41.62	-1.34	66.20	-27.92	162	301	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13130.00	43.55	44.89	-1.34	66.20	-44.65	100	273	Peak	Vertical		
2	13130.00	39.04	40.38	-1.34	66.20	-29.16	100	273	RMS	Vertical		


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13450.00	45.39	46.27	-0.88	88.20	-42.81	100	25	Peak	Horizontal		
2	13450.00	39.37	40.26	-0.89	88.20	-20.83	100	25	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13450.00	47.19	48.07	-0.88	88.20	-41.01	267	172	Peak	Vertical		
2	13450.00	40.81	41.70	-0.89	88.20	-27.39	267	172	RMS	Vertical		


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13698.00	45.42	46.31	-0.89	88.20	-42.78	100	302	Peak	Horizontal		
2	13698.00	39.49	40.38	-0.89	68.20	-28.71	100	302	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13698.00	47.03	47.92	-0.89	88.20	-41.17	100	172	Peak	Vertical		
2	13698.00	37.66	38.55	-0.89	68.20	-30.54	100	172	RMS	Vertical		


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13778.00	43.89	44.68	-0.79	88.20	-44.31	100	115	Peak	Horizontal		
2	13778.00	39.29	40.08	-0.79	68.20	-28.91	100	115	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13778.00	43.51	44.30	-0.79	88.20	-44.69	300	102	Peak	Vertical		
2	13778.00	38.84	39.63	-0.79	68.20	-29.36	300	102	RMS	Vertical		


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13250.00	39.23	40.26	-1.03	54.00	-14.77	100	360	Average	Horizontal		
2	13250.00	42.82	43.85	-1.03	74.00	-31.18	100	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13250.00	38.67	39.70	-1.03	54.00	-15.33	200	254	Average	Vertical		
2	13250.00	42.80	43.83	-1.03	74.00	-31.20	200	254	Peak	Vertical		


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	45.66	46.60	-0.94	88.20	-42.54	100	21	Peak	Horizontal		
2	13410.00	41.03	41.97	-0.94	68.20	-27.17	100	21	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	46.07	47.01	-0.94	88.20	-42.13	400	238	Peak	Vertical		
2	13410.00	42.47	43.41	-0.94	68.20	-25.73	400	238	RMS	Vertical		


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13578.00	48.56	49.33	-0.77	68.20	-39.64	100	22	Peak	Horizontal		
2	13578.00	40.57	41.34	-0.77	68.20	-27.63	100	22	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13578.00	49.97	50.74	-0.77	68.20	-38.23	300	234	Peak	Vertical		
2	13578.00	45.19	45.96	-0.77	68.20	-23.01	300	234	RMS	Vertical		


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	46.80	46.95	-0.87	88.20	-42.12	100	44	Peak	Horizontal		
2	13730.00	35.96	36.83	-0.87	68.20	-32.24	100	44	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	45.91	46.78	-0.87	88.20	-42.29	200	128	Peak	Vertical		
2	13730.00	33.27	34.14	-0.87	68.20	-34.93	200	128	RMS	Vertical		


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13338.00	38.81	39.73	-0.92	54.00	-15.19	157	360	Average	Horizontal		
2	13338.00	47.24	48.16	-0.92	74.00	-26.76	157	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13338.00	41.94	42.86	-0.92	54.00	-12.06	300	235	Average	Vertical		
2	13338.00	48.40	49.32	-0.92	74.00	-25.60	300	235	Peak	Vertical		


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13650.00	47.30	48.21	-0.83	88.20	-40.82	490	205	Peak	Horizontal		
2	13650.00	38.03	38.86	-0.83	68.20	-30.17	480	205	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13650.00	47.62	48.45	-0.83	88.20	-40.58	200	240	Peak	Vertical		
2	13650.00	37.32	38.15	-0.83	68.20	-30.88	200	240	RMS	Vertical		

U-NII-8


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13798.00	47.43	48.19	-0.76	88.20	-40.77	100	33	Peak	Horizontal	
2	13798.00	38.15	38.92	-0.77	68.20	-30.05	100	33	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13798.00	47.65	48.41	-0.76	88.20	-40.55	400	48	Peak	Vertical	
2	13798.00	37.61	38.38	-0.77	68.20	-30.59	400	48	RMS	Vertical	


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13999.00	48.53	48.61	-0.08	88.20	-39.67	100	38	Peak	Horizontal	
2	13999.00	35.01	35.09	-0.08	68.20	-33.19	100	38	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13999.00	51.62	51.70	-0.08	88.20	-36.58	100	92	Peak	Vertical	
2	13999.00	38.25	38.33	-0.08	68.20	-29.95	100	92	RMS	Vertical	


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14230.00	45.24	44.73	0.51	88.20	-42.96	290	311	Peak	Horizontal		
2	14230.00	40.67	40.16	0.51	68.20	-27.53	280	311	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14230.00	46.42	45.91	0.51	88.20	-41.78	100	252	Peak	Vertical		
2	14230.00	39.42	38.91	0.51	68.20	-28.78	100	252	RMS	Vertical		


802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13850.00	43.55	44.12	-0.57	66.20	-44.65	300	322	Peak	Horizontal		
2	13850.00	38.24	38.81	-0.57	66.20	-29.96	300	322	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13850.00	44.45	45.02	-0.57	66.20	-43.75	300	244	Peak	Vertical		
2	13850.00	40.65	41.22	-0.57	66.20	-27.55	300	244	RMS	Vertical		


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14810.00	45.35	45.38	-0.03	88.20	-42.85	400	80	Peak	Horizontal	
2	14810.00	40.10	40.13	-0.03	68.20	-28.10	400	80	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14810.00	44.27	44.30	-0.03	88.20	-43.93	300	36	Peak	Vertical	
2	14810.00	39.33	39.36	-0.03	68.20	-28.87	300	36	RMS	Vertical	


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14170.00	43.41	43.11	0.30	88.20	-44.79	343	360 Peak	Horizontal
2	14170.00	39.19	38.89	0.30	68.20	-29.01	343	360 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14170.00	44.49	44.19	0.30	88.20	-43.71	300	236 Peak	Vertical
2	14170.00	40.69	40.39	0.30	68.20	-27.51	300	236 RMS	Vertical


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13899.00	47.70	48.14	-0.44	88.20	-40.50	285	12	Peak	Horizontal	
2	13899.00	39.17	39.61	-0.44	68.20	-29.03	285	12	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13899.00	47.81	48.25	-0.44	88.20	-40.39	400	49	Peak	Vertical	
2	13899.00	37.06	37.50	-0.44	68.20	-31.14	400	49	RMS	Vertical	


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14950.00	45.84	45.77	0.07	88.20	-42.36	290	352	Peak	Horizontal	
2	14950.00	32.07	31.11	0.96	68.20	-36.13	280	352	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14950.00	45.34	45.27	0.07	88.20	-42.86	100	55	Peak	Vertical	
2	14950.00	32.07	32.00	0.07	68.20	-36.13	100	55	RMS	Vertical	


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13970.00	48.94	49.10	-0.16	88.20	-39.26	109	360	Peak	Horizontal	
2	13970.00	39.69	39.85	-0.16	68.20	-28.51	109	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13970.00	47.08	47.24	-0.16	88.20	-41.12	174	360	Peak	Vertical	
2	13970.00	34.07	34.23	-0.16	68.20	-34.13	174	360	RMS	Vertical	

Conducted Emissions on a.c. mains port, 150kHz ~ 30MHz


IEEE 802.11ax HE40 2452 MHz, IEEE 802.11ax HE160 5250 MHz
and IEEE 802.11ax HE20 7115 MHz

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-19, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan (R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

