


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT Z_4TX
Setting 31.5
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99063G	61.05	83.54	-22.49	56.13	1	Horizontal	296	2.07	-	37.96	16.23	49.27			
AV	19.9907G	53.52	63.54	-10.02	48.60	1	Horizontal	296	2.07	-	37.96	16.23	49.27			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 20
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	78.10	88.20	-10.10	80.03	3	Vertical	290	2.58	-	32.30	9.05	43.28			
RMS	5.9214G	67.85	68.20	-0.35	69.78	3	Vertical	290	2.58	-	32.30	9.05	43.28			
PK	6.2394G	114.02	Inf	-Inf	114.86	3	Vertical	290	2.58	-	32.96	9.32	43.12			
RMS	6.2202G	103.48	Inf	-Inf	104.44	3	Vertical	290	2.58	-	32.88	9.29	43.13			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 20
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8938G	69.90	88.20	-18.30	71.91	3	Horizontal	202	2.05	-	32.28	9.02	43.31			
RMS	5.913G	56.62	68.20	-11.58	58.57	3	Horizontal	202	2.05	-	32.30	9.04	43.29			
PK	6.0342G	100.56	Inf	-Inf	102.19	3	Horizontal	202	2.05	-	32.40	9.16	43.19			
RMS	6.0558G	91.90	Inf	-Inf	93.49	3	Horizontal	202	2.05	-	32.41	9.18	43.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Z_4TX
Setting 20
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20633G	58.52	74.00	-15.48	49.28	3	Vertical	171	1.80	-	38.99	13.85	43.60			
AV	12.20999G	50.70	54.00	-3.30	41.48	3	Vertical	171	1.80	-	38.98	13.85	43.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Z_4TX
Setting 20
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21018G	58.27	74.00	-15.73	49.05	3	Horizontal	117	1.59	-	38.98	13.85	43.61			
AV	12.21005G	50.35	54.00	-3.65	41.13	3	Horizontal	117	1.59	-	38.98	13.85	43.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Z_4TX
Setting 20
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31703G	50.81	83.54	-32.73	47.22	1	Vertical	34	1.80	-	37.67	15.56	49.64			
AV	18.31618G	40.46	63.54	-23.08	36.88	1	Vertical	34	1.80	-	37.66	15.56	49.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Z_4TX
Setting 20
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	18.31226G	45.96	83.54	-37.58	42.38	1	Horizontal	224	1.80	-	37.65	15.56	49.63				
AV	18.31721G	36.38	63.54	-27.16	32.79	1	Horizontal	224	1.80	-	37.67	15.56	49.64				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Z_4TX
Setting 31.5
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52902G	56.95	74.00	-17.05	48.16	3	Vertical	326	1.80	-	38.34	14.25	43.80			
AV	12.52841G	47.47	54.00	-6.53	38.68	3	Vertical	326	1.80	-	38.34	14.25	43.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Z_4TX
Setting 31.5
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52791G	58.18	74.00	-15.82	49.39	3	Horizontal	120	1.17	-	38.34	14.25	43.80			
AV	12.52535G	47.92	54.00	-6.08	39.13	3	Horizontal	120	1.17	-	38.35	14.24	43.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX

EUT Z_4TX
Setting 31.5
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79614G	59.72	83.54	-23.82	55.36	1	Vertical	185	1.56	-	38.00	15.84	49.48			
AV	18.79614G	53.08	63.54	-10.46	48.72	1	Vertical	185	1.56	-	38.00	15.84	49.48			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6265MHz_TX

EUT Z_4TX
Setting 31.5
04-I-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79015G	63.42	83.54	-20.12	59.07	1	Horizontal	165	1.57	-	38.00	15.83	49.48			
AV	18.79027G	53.74	63.54	-9.80	49.39	1	Horizontal	165	1.57	-	38.00	15.83	49.48			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.45002G	51.91	54.00	-2.09	3	Horizontal	215	1.85	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 43
01-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9068G	64.42	88.20	-23.78	54.59	3	Vertical	248	1.06	-	34.84	7.43	32.44			
RMS	5.9116G	48.84	68.20	-19.36	38.98	3	Vertical	248	1.06	-	34.87	7.43	32.44			
PK	5.9619G	110.72	Inf	-Inf	100.54	3	Vertical	248	1.06	-	35.15	7.47	32.44			
RMS	5.9616G	96.58	Inf	-Inf	86.40	3	Vertical	248	1.06	-	35.15	7.47	32.44			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 43
01-U-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9208G	61.79	88.20	-26.41	51.87	3	Horizontal	243	1.18	-	34.92	7.44	32.44			
RMS	5.9234G	48.45	68.20	-19.75	38.51	3	Horizontal	243	1.18	-	34.94	7.44	32.44			
PK	5.9608G	100.90	Inf	-Inf	90.73	3	Horizontal	243	1.18	-	35.14	7.47	32.44			
RMS	5.9636G	91.71	Inf	-Inf	81.53	3	Horizontal	243	1.18	-	35.15	7.47	32.44			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90995G	54.84	74.00	-19.16	48.14	3	Vertical	216	2.10	-	39.30	12.74	45.34			
AV	11.91G	49.82	54.00	-4.18	43.12	3	Vertical	216	2.10	-	39.30	12.74	45.34			
PK	17.86414G	58.97	74.00	-15.03	41.52	3	Vertical	1	1.18	-	46.56	15.21	44.32			
AV	17.87366G	45.25	54.00	-8.75	27.77	3	Vertical	1	1.18	-	46.59	15.21	44.32			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91016G	52.69	74.00	-21.31	45.99	3	Horizontal	151	1.69	-	39.30	12.74	45.34			
AV	11.90996G	47.27	54.00	-6.73	40.57	3	Horizontal	151	1.69	-	39.30	12.74	45.34			
PK	17.86088G	58.35	74.00	-15.65	40.93	3	Horizontal	100	1.80	-	46.54	15.21	44.33			
AV	17.86851G	45.12	54.00	-8.88	27.66	3	Horizontal	100	1.80	-	46.57	15.21	44.32			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82522G	53.16	83.54	-30.38	42.69	1	Vertical	207	1.50	-	38.85	18.76	47.14			
AV	23.81938G	38.31	63.54	-25.23	27.83	1	Vertical	207	1.50	-	38.86	18.76	47.14			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8135G	51.15	83.54	-32.39	40.67	1	Horizontal	176	1.80	-	38.87	18.76	47.15			
AV	23.82004G	37.41	63.54	-26.13	26.93	1	Horizontal	176	1.80	-	38.86	18.76	47.14			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38994G	53.95	74.00	-20.05	47.97	3	Vertical	241	1.87	-	38.70	12.85	45.57			
AV	12.38998G	50.21	54.00	-3.79	44.23	3	Vertical	241	1.87	-	38.70	12.85	45.57			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39008G	55.30	74.00	-18.70	49.32	3	Horizontal	238	2.55	-	38.70	12.85	45.57			
AV	12.38999G	50.04	54.00	-3.96	44.06	3	Horizontal	238	2.55	-	38.70	12.85	45.57			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58546G	45.11	83.54	-38.43	40.31	1	Vertical	138	1.80	-	37.87	16.58	49.65			
AV	18.58444G	31.90	63.54	-31.64	27.10	1	Vertical	138	1.80	-	37.87	16.58	49.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58491G	45.68	83.54	-37.86	40.88	1	Horizontal	360	1.80	-	37.87	16.58	49.65			
AV	18.5873G	32.06	63.54	-31.48	27.26	1	Horizontal	360	1.80	-	37.87	16.58	49.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82995G	53.27	88.20	-34.93	46.59	3	Vertical	167	2.91	-	39.02	12.92	45.26			
RMS	12.83001G	47.45	68.20	-20.75	40.77	3	Vertical	167	2.91	-	39.02	12.92	45.26			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83007G	52.57	88.20	-35.63	45.89	3	Horizontal	159	1.62	-	39.02	12.92	45.26			
RMS	12.82999G	47.58	68.20	-20.62	40.90	3	Horizontal	159	1.62	-	39.02	12.92	45.26			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24608G	51.55	83.54	-31.99	46.17	1	Vertical	191	1.60	-	37.90	16.93	49.45			
AV	19.2444G	34.28	63.54	-29.26	28.90	1	Vertical	191	1.60	-	37.90	16.93	49.45			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24022G	46.57	83.54	-36.97	41.19	1	Horizontal	271	1.13	-	37.90	16.93	49.45			
AV	19.24952G	33.41	63.54	-30.13	28.03	1	Horizontal	271	1.13	-	37.90	16.93	49.45			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07007G	53.52	88.20	-34.68	46.09	3	Vertical	147	1.76	-	39.48	12.96	45.01			
RMS	13.07002G	46.35	68.20	-21.85	38.92	3	Vertical	147	1.76	-	39.48	12.96	45.01			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06998G	52.96	88.20	-35.24	45.53	3	Horizontal	203	1.80	-	39.48	12.96	45.01			
RMS	13.07G	47.30	68.20	-20.90	39.87	3	Horizontal	203	1.80	-	39.48	12.96	45.01			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60759G	46.77	83.54	-36.77	41.28	1	Vertical	215	1.80	-	37.88	17.14	49.53			
AV	19.60109G	32.98	63.54	-30.56	27.47	1	Vertical	215	1.80	-	37.90	17.14	49.53			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60018G	45.56	83.54	-37.98	40.05	1	Horizontal	255	2.28	-	37.90	17.14	49.53			
AV	19.60131G	32.67	63.54	-30.87	27.16	1	Horizontal	255	2.28	-	37.90	17.14	49.53			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39003G	51.45	74.00	-22.55	42.93	3	Vertical	148	1.80	-	40.26	13.01	44.75			
AV	13.39005G	43.43	54.00	-10.57	34.91	3	Vertical	148	1.80	-	40.26	13.01	44.75			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39001G	53.60	74.00	-20.40	45.08	3	Horizontal	228	1.78	-	40.26	13.01	44.75			
AV	13.38998G	47.63	54.00	-6.37	39.11	3	Horizontal	228	1.78	-	40.26	13.01	44.75			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08028G	46.59	83.54	-36.95	40.61	1	Vertical	204	1.49	-	37.86	17.38	49.26			
AV	20.08686G	33.03	63.54	-30.51	27.03	1	Vertical	204	1.49	-	37.87	17.38	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08556G	46.73	83.54	-36.81	40.73	1	Horizontal	195	1.77	-	37.87	17.38	49.25			
AV	20.08712G	33.63	63.54	-29.91	27.63	1	Horizontal	195	1.77	-	37.87	17.38	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6855MHz_TX

EUT_Z_4TX
Setting 41
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71006G	53.61	88.20	-34.59	44.34	3	Vertical	182	1.73	-	40.72	13.06	44.51			
AV	13.71004G	44.33	68.20	-23.87	35.06	3	Vertical	182	1.73	-	40.72	13.06	44.51			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6855MHz_TX

EUT_Z_4TX
Setting 41
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71003G	55.43	88.20	-32.77	46.16	3	Horizontal	178	1.85	-	40.72	13.06	44.51			
RMS	13.71G	48.80	68.20	-19.40	39.53	3	Horizontal	178	1.85	-	40.72	13.06	44.51			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 41
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56425G	46.88	83.54	-36.66	40.70	1	Vertical	196	1.20	-	37.93	17.45	49.20			
AV	20.56454G	33.60	63.54	-29.94	27.42	1	Vertical	196	1.20	-	37.93	17.45	49.20			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 41
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56284G	46.60	83.54	-36.94	40.42	1	Horizontal	141	2.32	-	37.93	17.45	49.20			
AV	20.56553G	33.67	63.54	-29.87	27.49	1	Horizontal	141	2.32	-	37.93	17.45	49.20			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 44
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8814G	62.72	88.20	-25.48	55.52	3	Vertical	196	1.00	-	32.23	7.41	32.44			
RMS	5.923G	47.30	68.20	-20.90	40.00	3	Vertical	196	1.00	-	32.30	7.44	32.44			
PK	5.973G	114.42	Inf	-Inf	107.03	3	Vertical	196	1.00	-	32.35	7.48	32.44			
RMS	5.97G	102.74	Inf	-Inf	95.36	3	Vertical	196	1.00	-	32.34	7.48	32.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 44
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8892G	59.00	88.20	-29.20	51.76	3	Horizontal	139	1.80	-	32.26	7.42	32.44			
RMS	5.8656G	45.67	68.20	-22.53	38.56	3	Horizontal	139	1.80	-	32.16	7.40	32.45			
PK	5.973G	93.93	Inf	-Inf	86.54	3	Horizontal	139	1.80	-	32.35	7.48	32.44			
RMS	5.97G	82.07	Inf	-Inf	74.69	3	Horizontal	139	1.80	-	32.34	7.48	32.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Z_4TX
Setting 44
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9301G	55.12	74.00	-18.88	48.41	3	Vertical	216	2.62	-	39.30	12.75	45.34			
AV	11.93003G	51.06	54.00	-2.94	44.35	3	Vertical	216	2.62	-	39.30	12.75	45.34			
PK	17.89976G	59.48	74.00	-14.52	41.87	3	Vertical	277	2.34	-	46.70	15.22	44.31			
AV	17.89833G	45.52	54.00	-8.48	27.92	3	Vertical	277	2.34	-	46.69	15.22	44.31			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Z_4TX
Setting 44
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92995G	53.48	74.00	-20.52	46.77	3	Horizontal	256	1.78	-	39.30	12.75	45.34			
AV	11.92999G	48.05	54.00	-5.95	41.34	3	Horizontal	256	1.78	-	39.30	12.75	45.34			
PK	17.89265G	58.89	74.00	-15.11	41.31	3	Horizontal	52	1.80	-	46.67	15.22	44.31			
AV	17.89602G	45.53	54.00	-8.47	27.94	3	Horizontal	52	1.80	-	46.68	15.22	44.31			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Z_4TX
Setting 44
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85856G	50.02	83.54	-33.52	39.57	1	Vertical	26	2.14	-	38.82	18.76	47.13			
AV	23.86156G	37.22	63.54	-26.32	26.76	1	Vertical	26	2.14	-	38.82	18.76	47.12			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Z_4TX
Setting 44
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86195G	49.98	83.54	-33.56	39.52	1	Horizontal	288	1.43	-	38.82	18.76	47.12			
AV	23.85988G	36.88	63.54	-26.66	26.42	1	Horizontal	288	1.43	-	38.82	18.76	47.12			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40992G	53.68	74.00	-20.32	47.71	3	Vertical	228	1.78	-	38.70	12.85	45.58			
AV	12.41002G	49.38	54.00	-4.62	43.41	3	Vertical	228	1.78	-	38.70	12.85	45.58			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41009G	54.02	74.00	-19.98	48.05	3	Horizontal	220	1.88	-	38.70	12.85	45.58			
AV	12.41002G	49.39	54.00	-4.61	43.42	3	Horizontal	220	1.88	-	38.70	12.85	45.58			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61667G	45.30	83.54	-38.24	40.40	1	Vertical	32	1.22	-	37.93	16.59	49.62			
AV	18.61261G	32.57	63.54	-30.97	27.68	1	Vertical	32	1.22	-	37.93	16.59	49.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61253G	45.34	83.54	-38.20	40.45	1	Horizontal	177	1.57	-	37.93	16.59	49.63			
AV	18.61611G	32.72	63.54	-30.82	27.82	1	Horizontal	177	1.57	-	37.93	16.59	49.62			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81005G	52.85	88.20	-35.35	46.27	3	Vertical	166	2.98	-	38.94	12.92	45.28			
RMS	12.81003G	47.52	68.20	-20.68	40.94	3	Vertical	166	2.98	-	38.94	12.92	45.28			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81011G	52.25	88.20	-35.95	45.67	3	Horizontal	151	1.72	-	38.94	12.92	45.28			
RMS	12.81002G	47.30	68.20	-20.90	40.72	3	Horizontal	151	1.72	-	38.94	12.92	45.28			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21598G	45.04	83.54	-38.50	39.66	1	Vertical	350	2.25	-	37.90	16.92	49.44			
AV	19.21413G	32.44	63.54	-31.10	27.06	1	Vertical	350	2.25	-	37.90	16.91	49.43			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21258G	44.67	83.54	-38.87	39.29	1	Horizontal	65	2.91	-	37.90	16.91	49.43			
AV	19.21277G	31.89	63.54	-31.65	26.51	1	Horizontal	65	2.91	-	37.90	16.91	49.43			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12984G	52.37	88.20	-35.83	44.70	3	Vertical	178	1.00	-	39.66	12.97	44.96			
RMS	13.13G	47.03	68.20	-21.17	39.36	3	Vertical	178	1.00	-	39.66	12.97	44.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12991G	53.95	88.20	-34.25	46.28	3	Horizontal	232	1.80	-	39.66	12.97	44.96			
RMS	13.13G	44.82	68.20	-23.38	37.15	3	Horizontal	232	1.80	-	39.66	12.97	44.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69294G	45.66	83.54	-37.88	40.14	1	Vertical	264	1.94	-	37.80	17.19	49.47			
AV	19.69268G	33.02	63.54	-30.52	27.50	1	Vertical	264	1.94	-	37.80	17.19	49.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69287G	45.58	83.54	-37.96	40.06	1	Horizontal	324	2.33	-	37.80	17.19	49.47			
AV	19.69597G	32.37	63.54	-31.17	26.85	1	Horizontal	324	2.33	-	37.80	17.19	49.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37009G	53.47	74.00	-20.53	45.06	3	Vertical	218	1.00	-	40.18	13.00	44.77			
AV	13.37005G	47.65	54.00	-6.35	39.24	3	Vertical	218	1.00	-	40.18	13.00	44.77			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37006G	54.62	74.00	-19.38	46.21	3	Horizontal	229	1.77	-	40.18	13.00	44.77			
AV	13.37001G	49.21	54.00	-4.79	40.80	3	Horizontal	229	1.77	-	40.18	13.00	44.77			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05705G	45.88	83.54	-37.66	39.95	1	Vertical	208	2.71	-	37.81	17.38	49.26			
AV	20.05701G	32.85	63.54	-30.69	26.92	1	Vertical	208	2.71	-	37.81	17.38	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0575G	45.39	83.54	-38.15	39.46	1	Horizontal	220	2.79	-	37.81	17.38	49.26			
AV	20.05393G	32.55	63.54	-30.99	26.62	1	Horizontal	220	2.79	-	37.81	17.38	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69019G	54.40	88.20	-33.80	45.20	3	Vertical	181	1.80	-	40.68	13.05	44.53			
RMS	13.68997G	45.57	68.20	-22.63	36.37	3	Vertical	181	1.80	-	40.68	13.05	44.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69006G	55.22	88.20	-32.98	46.02	3	Horizontal	178	1.82	-	40.68	13.05	44.53			
RMS	13.69002G	48.54	68.20	-19.66	39.34	3	Horizontal	178	1.82	-	40.68	13.05	44.53			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53666G	46.02	83.54	-37.52	39.85	1	Vertical	236	1.29	-	37.93	17.45	49.21			
AV	20.53572G	33.55	63.54	-29.99	27.38	1	Vertical	236	1.29	-	37.93	17.45	49.21			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6845MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53333G	46.14	83.54	-37.40	39.98	1	Horizontal	255	1.83	-	37.93	17.44	49.21			
AV	20.53546G	33.33	63.54	-30.21	27.17	1	Horizontal	255	1.83	-	37.93	17.44	49.21			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 42
01-U-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	63.81	88.20	-24.39	51.67	3	Vertical	220	1.00	-	34.15	8.15	30.16			
RMS	5.9195G	52.98	68.20	-15.22	40.84	3	Vertical	220	1.00	-	34.14	8.16	30.16			
PK	5.972G	113.03	Inf	-Inf	100.80	3	Vertical	220	1.00	-	34.24	8.13	30.14			
RMS	5.981G	103.92	Inf	-Inf	91.67	3	Vertical	220	1.00	-	34.26	8.13	30.14			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 42
01-U-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7695G	61.78	88.20	-26.42	49.83	3	Horizontal	320	1.71	-	34.00	8.16	30.21			
RMS	5.912G	49.75	68.20	-18.45	37.63	3	Horizontal	320	1.71	-	34.12	8.16	30.16			
PK	5.972G	98.43	Inf	-Inf	86.20	3	Horizontal	320	1.71	-	34.24	8.13	30.14			
RMS	5.9775G	87.26	Inf	-Inf	75.01	3	Horizontal	320	1.71	-	34.26	8.13	30.14			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96999G	53.74	74.00	-20.26	47.06	3	Vertical	168	1.92	-	39.26	12.77	45.35			
AV	11.96999G	49.02	54.00	-4.98	42.34	3	Vertical	168	1.92	-	39.26	12.77	45.35			
PK	17.95616G	59.05	74.00	-14.95	41.52	3	Vertical	173	1.80	-	46.59	15.23	44.29			
AV	17.95426G	45.74	54.00	-8.26	28.21	3	Vertical	173	1.80	-	46.59	15.23	44.29			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97002G	52.72	74.00	-21.28	46.04	3	Horizontal	215	1.91	-	39.26	12.77	45.35			
AV	11.97G	46.80	54.00	-7.20	40.12	3	Horizontal	215	1.91	-	39.26	12.77	45.35			
PK	17.95469G	59.03	74.00	-14.97	41.50	3	Horizontal	244	2.30	-	46.59	15.23	44.29			
AV	17.95548G	45.70	54.00	-8.30	28.17	3	Horizontal	244	2.30	-	46.59	15.23	44.29			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94142G	50.22	83.54	-33.32	39.56	1	Vertical	286	2.70	-	38.98	18.77	47.09			
AV	23.94129G	36.94	63.54	-26.60	26.28	1	Vertical	286	2.70	-	38.98	18.77	47.09			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93849G	49.86	83.54	-33.68	39.20	1	Horizontal	170	1.65	-	38.98	18.77	47.09			
AV	23.9405G	36.61	63.54	-26.93	25.95	1	Horizontal	170	1.65	-	38.98	18.77	47.09			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44996G	53.95	74.00	-20.05	47.99	3	Vertical	208	1.88	-	38.70	12.86	45.60			
AV	12.44999G	50.25	54.00	-3.75	44.29	3	Vertical	208	1.88	-	38.70	12.86	45.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44999G	55.21	74.00	-18.79	49.25	3	Horizontal	215	1.85	-	38.70	12.86	45.60			
AV	12.45002G	51.91	54.00	-2.09	45.95	3	Horizontal	215	1.85	-	38.70	12.86	45.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67663G	46.04	83.54	-37.50	41.10	1	Vertical	209	2.98	-	37.89	16.63	49.58			
AV	18.6749G	32.14	63.54	-31.40	27.20	1	Vertical	209	2.98	-	37.90	16.62	49.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67692G	44.82	83.54	-38.72	39.87	1	Horizontal	253	1.75	-	37.89	16.63	49.57			
AV	18.67665G	31.86	63.54	-31.68	26.92	1	Horizontal	253	1.75	-	37.89	16.63	49.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76982G	51.54	88.20	-36.66	45.12	3	Vertical	309	1.22	-	38.84	12.91	45.33			
RMS	12.77005G	45.54	68.20	-22.66	39.12	3	Vertical	309	1.22	-	38.84	12.91	45.33			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76986G	51.34	88.20	-36.86	44.92	3	Horizontal	190	1.80	-	38.84	12.91	45.33			
RMS	12.77G	46.18	68.20	-22.02	39.76	3	Horizontal	190	1.80	-	38.84	12.91	45.33			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15543G	44.40	83.54	-39.14	39.02	1	Vertical	262	2.22	-	37.90	16.88	49.40			
AV	19.1545G	31.72	63.54	-31.82	26.34	1	Vertical	262	2.22	-	37.90	16.88	49.40			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15483G	44.25	83.54	-39.29	38.87	1	Horizontal	355	1.04	-	37.90	16.88	49.40			
AV	19.15431G	31.54	63.54	-32.00	26.16	1	Horizontal	355	1.04	-	37.90	16.88	49.40			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25001G	53.87	74.00	-20.13	45.85	3	Vertical	181	1.03	-	39.90	12.98	44.86			
AV	13.25G	48.58	54.00	-5.42	40.56	3	Vertical	181	1.03	-	39.90	12.98	44.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Z_4TX
Setting 43
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25011G	52.27	74.00	-21.73	44.25	3	Horizontal	228	1.75	-	39.90	12.98	44.86			
AV	13.25007G	43.94	54.00	-10.06	35.92	3	Horizontal	228	1.75	-	39.90	12.98	44.86			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87535G	46.28	83.54	-37.26	40.42	1	Vertical	1	1.35	-	37.90	17.30	49.34			
AV	19.87273G	33.27	63.54	-30.27	27.42	1	Vertical	1	1.35	-	37.90	17.30	49.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87606G	46.62	83.54	-36.92	40.76	1	Horizontal	219	2.83	-	37.90	17.30	49.34			
AV	19.87302G	33.09	63.54	-30.45	27.24	1	Horizontal	219	2.83	-	37.90	17.30	49.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40983G	51.74	88.20	-36.46	43.14	3	Vertical	178	1.75	-	40.32	13.01	44.73			
RMS	13.40996G	43.89	68.20	-24.31	35.29	3	Vertical	178	1.75	-	40.32	13.01	44.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40991G	54.23	88.20	-33.97	45.63	3	Horizontal	228	1.78	-	40.32	13.01	44.73			
RMS	13.41G	48.52	68.20	-19.68	39.92	3	Horizontal	228	1.78	-	40.32	13.01	44.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11718G	45.22	83.54	-38.32	39.18	1	Vertical	300	1.21	-	37.90	17.39	49.25			
AV	20.11508G	32.59	63.54	-30.95	26.55	1	Vertical	300	1.21	-	37.90	17.39	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11648G	45.45	83.54	-38.09	39.41	1	Horizontal	215	1.18	-	37.90	17.39	49.25			
AV	20.11463G	32.36	63.54	-31.18	26.32	1	Horizontal	215	1.18	-	37.90	17.39	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56993G	52.47	88.20	-35.73	43.55	3	Vertical	134	1.00	-	40.50	13.03	44.61			
RMS	13.56999G	44.74	68.20	-23.46	35.82	3	Vertical	134	1.00	-	40.50	13.03	44.61			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57006G	53.34	88.20	-34.86	44.42	3	Horizontal	228	1.77	-	40.50	13.03	44.61			
RMS	13.57003G	46.74	68.20	-21.46	37.82	3	Horizontal	228	1.77	-	40.50	13.03	44.61			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35501G	46.35	83.54	-37.19	40.17	1	Vertical	294	1.73	-	38.00	17.42	49.24			
AV	20.35405G	34.01	63.54	-29.53	27.83	1	Vertical	294	1.73	-	38.00	17.42	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3534G	47.01	83.54	-36.53	40.83	1	Horizontal	80	1.73	-	38.00	17.42	49.24			
AV	20.3562G	33.66	63.54	-29.88	27.48	1	Horizontal	80	1.73	-	38.00	17.42	49.24			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 42
02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9138G	63.32	88.20	-24.88	51.19	3	Vertical	193	1.00	-	34.13	8.16	30.16			
AV	5.925G	49.42	68.20	-18.78	37.28	3	Vertical	193	1.00	-	34.15	8.15	30.16			
PK	6.0786G	109.69	Inf	-Inf	97.31	3	Vertical	193	1.00	-	34.46	8.08	30.16			
AV	6.089G	97.39	Inf	-Inf	85.01	3	Vertical	193	1.00	-	34.48	8.07	30.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 42
02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8802G	61.81	88.20	-26.39	49.79	3	Horizontal	205	1.80	-	34.02	8.17	30.17			
AV	5.9194G	48.35	68.20	-19.85	36.21	3	Horizontal	205	1.80	-	34.14	8.16	30.16			
PK	6.0858G	93.25	Inf	-Inf	80.87	3	Horizontal	205	1.80	-	34.47	8.07	30.16			
AV	6.085G	80.10	Inf	-Inf	67.72	3	Horizontal	205	1.80	-	34.47	8.07	30.16			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 42
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04999G	51.27	74.00	-22.73	30.79	3	Vertical	240	1.81	-	39.10	12.80	31.42			
AV	12.05001G	45.09	54.00	-8.91	24.61	3	Vertical	240	1.81	-	39.10	12.80	31.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting42
02-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05008G	52.66	74.00	-21.34	32.18	3	Horizontal	223	1.82	-	39.10	12.80	31.42			
AV	12.05001G	47.43	54.00	-6.57	26.95	3	Horizontal	223	1.82	-	39.10	12.80	31.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 42
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07439G	45.82	83.54	-37.72	41.69	1	Vertical	131	1.38	-	37.33	16.32	49.52			
AV	18.07491G	32.51	63.54	-31.03	28.38	1	Vertical	131	1.38	-	37.33	16.32	49.52			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 42
02-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07551G	45.80	83.54	-37.74	41.67	1	Horizontal	15	2.89	-	37.33	16.32	49.52			
AV	18.077G	32.42	63.54	-31.12	28.30	1	Horizontal	15	2.89	-	37.33	16.32	49.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36996G	50.06	74.00	-23.94	44.07	3	Vertical	204	1.41	-	38.70	12.85	45.56			
AV	12.37006G	44.03	54.00	-9.97	38.04	3	Vertical	204	1.41	-	38.70	12.85	45.56			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3701G	53.74	74.00	-20.26	47.75	3	Horizontal	232	1.80	-	38.70	12.85	45.56			
AV	12.37004G	50.61	54.00	-3.39	44.62	3	Horizontal	232	1.80	-	38.70	12.85	45.56			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55618G	59.49	83.54	-24.05	42.04	1	Vertical	303	2.18	-	45.39	20.42	48.36			
AV	18.55423G	46.09	63.54	-17.45	28.63	1	Vertical	303	2.18	-	45.39	20.42	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55261G	58.90	83.54	-24.64	41.45	1	Horizontal	120	1.13	-	45.39	20.41	48.35			
AV	18.55629G	45.62	63.54	-17.92	28.17	1	Horizontal	120	1.13	-	45.39	20.42	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69008G	52.57	74.00	-21.43	46.41	3	Vertical	207	2.00	-	38.68	12.90	45.42			
AV	12.69004G	48.87	54.00	-5.13	42.71	3	Vertical	207	2.00	-	38.68	12.90	45.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69008G	51.11	74.00	-22.89	44.95	3	Horizontal	206	1.80	-	38.68	12.90	45.42			
AV	12.69G	46.13	54.00	-7.87	39.97	3	Horizontal	206	1.80	-	38.68	12.90	45.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03311G	46.25	83.54	-37.29	40.74	1	Vertical	358	2.50	-	38.03	16.81	49.33			
AV	19.03555G	33.79	63.54	-29.75	28.27	1	Vertical	358	2.50	-	38.04	16.81	49.33			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Z_4TX
Setting 42
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0339G	46.80	83.54	-36.74	41.28	1	Horizontal	276	2.48	-	38.04	16.81	49.33			
AV	19.03735G	33.25	63.54	-30.29	27.72	1	Horizontal	276	2.48	-	38.05	16.81	49.33			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33012G	49.79	74.00	-24.21	41.49	3	Vertical	152	2.12	-	40.10	13.00	44.80			
AV	13.33G	44.05	54.00	-9.95	35.75	3	Vertical	152	2.12	-	40.10	13.00	44.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33012G	48.98	74.00	-25.02	40.68	3	Horizontal	224	1.79	-	40.10	13.00	44.80			
AV	13.33002G	42.71	54.00	-11.29	34.41	3	Horizontal	224	1.79	-	40.10	13.00	44.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99482G	46.53	83.54	-37.01	40.44	1	Vertical	40	2.26	-	37.98	17.37	49.26			
AV	19.99656G	33.58	63.54	-29.96	27.48	1	Vertical	40	2.26	-	37.99	17.37	49.26			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99308G	46.93	83.54	-36.61	40.85	1	Horizontal	232	1.74	-	37.97	17.37	49.26			
AV	19.99407G	33.29	63.54	-30.25	27.20	1	Horizontal	232	1.74	-	37.98	17.37	49.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 43
02-D-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8974G	61.91	88.20	-26.29	49.82	3	Vertical	164	1.01	-	34.09	8.17	30.17			
RMS	5.913G	51.04	68.20	-17.16	38.91	3	Vertical	164	1.01	-	34.13	8.16	30.16			
PK	5.9862G	106.33	Inf	-Inf	94.06	3	Vertical	164	1.01	-	34.27	8.13	30.13			
RMS	6.2226G	96.91	Inf	-Inf	84.48	3	Vertical	164	1.01	-	34.60	8.05	30.22			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 43
02-D-M-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7594G	61.88	88.20	-26.32	49.96	3	Horizontal	158	2.44	-	34.00	8.14	30.22			
RMS	5.9034G	50.04	68.20	-18.16	37.93	3	Horizontal	158	2.44	-	34.11	8.16	30.16			
PK	6.1482G	92.65	Inf	-Inf	80.20	3	Horizontal	158	2.44	-	34.60	8.04	30.19			
RMS	6.1542G	81.88	Inf	-Inf	69.43	3	Horizontal	158	2.44	-	34.60	8.04	30.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20994G	54.17	74.00	-19.83	48.04	3	Vertical	173	2.72	-	38.78	12.82	45.47			
AV	12.21004G	50.84	54.00	-3.16	44.71	3	Vertical	173	2.72	-	38.78	12.82	45.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21012G	52.07	74.00	-21.93	45.94	3	Horizontal	182	2.93	-	38.78	12.82	45.47			
AV	12.21004G	47.74	54.00	-6.26	41.61	3	Horizontal	182	2.93	-	38.78	12.82	45.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31599G	46.73	83.54	-36.81	42.27	1	Vertical	82	2.72	-	37.66	16.44	49.64			
AV	18.3163G	33.64	63.54	-29.90	29.17	1	Vertical	82	2.72	-	37.67	16.44	49.64			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31339G	45.74	83.54	-37.80	41.28	1	Horizontal	121	2.79	-	37.65	16.44	49.63			
AV	18.31527G	32.96	63.54	-30.58	28.50	1	Horizontal	121	2.79	-	37.66	16.44	49.64			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53018G	59.24	74.00	-14.76	39.00	3	Vertical	219	2.46	-	38.64	12.87	31.27			
AV	12.53004G	51.00	54.00	-3.00	30.76	3	Vertical	219	2.46	-	38.64	12.87	31.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52998G	59.41	74.00	-14.59	39.17	3	Horizontal	228	1.49	-	38.64	12.87	31.27			
AV	12.53006G	51.06	54.00	-2.94	30.82	3	Horizontal	228	1.49	-	38.64	12.87	31.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6265MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79259G	45.87	83.54	-37.67	40.67	1	Vertical	15	1.29	-	38.00	16.68	49.48			
AV	18.7975G	34.49	63.54	-29.05	29.28	1	Vertical	15	1.29	-	38.00	16.69	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX

EUT_Z_4TX
Setting 43
02-D-M-1


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79694G	46.02	83.54	-37.52	40.81	1	Horizontal	54	1.21	-	38.00	16.69	49.48			
AV	18.79742G	33.32	63.54	-30.22	28.11	1	Horizontal	54	1.21	-	38.00	16.69	49.48			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

23/06/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

23/06/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

23/06/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416225G	5.79	6.395375G	-23.17	-14.61	-8.56	1
6.408777G	6.03	6.4339G	-23.42	-14.03	-9.39	2
6.413825G	4.68	6.43275G	-24.29	-15.38	-8.91	3
6.411826G	4.37	6.4312G	-26.62	-15.53	-11.09	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

23/06/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.533675G	5.99	6.5539G	-22.48	-14.07	-8.41	1
6.540099G	5.47	6.55145G	-24.77	-14.94	-9.83	2
6.531226G	4.19	6.552725G	-24.67	-15.87	-8.80	3
6.5338G	4.66	6.552775G	-27.01	-16.73	-10.28	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

23/06/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

24/06/2025

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412598G	4.60	6.4435G	-23.98	-15.78	-8.20	1
6.400551G	5.48	6.4423G	-22.43	-14.63	-7.80	2
6.40335G	3.79	6.4431G	-25.24	-16.46	-8.78	3
6.408899G	3.45	6.37205G	-27.06	-16.98	-10.08	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

24/06/2025

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5634G	3.91	6.60235G	-26.25	-16.62	-9.63	1
6.567399G	2.66	6.48895G	-46.46	-36.42	-10.04	2
6.5633G	2.21	6.53185G	-29.04	-18.33	-10.71	3
6.56315G	1.88	6.4904G	-45.72	-36.82	-8.90	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

24/06/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

24/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/06/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

24/06/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

24/06/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

22/08/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

25/08/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

25/08/2025

CF (Hz)
6.435G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

25/08/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

25/08/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

25/08/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

25/08/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

25/08/2025



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

25/08/2025

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.216497G	1.52	6.2262G	-27.19	-18.56	-8.63	1
6.221196G	3.11	6.184G	-25.56	-16.89	-8.67	2
6.196102G	1.24	6.22595G	-27.17	-17.76	-9.41	3
6.221046G	0.95	6.226G	-27.71	-19.05	-8.66	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

25/08/2025

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.420896G	1.38	6.42605G	-27.93	-18.64	-9.29	1
6.395602G	2.42	6.426G	-26.43	-17.58	-8.85	2
6.420946G	0.97	6.42635G	-28.38	-19.18	-9.20	3
6.420996G	0.49	6.42605G	-28.42	-19.53	-8.89	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

25/08/2025

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.461246G	1.85	6.46605G	-26.86	-18.17	-8.69	1
6.461046G	2.19	6.4239G	-26.72	-17.85	-8.87	2
6.434603G	1.11	6.424G	-26.89	-18.89	-8.00	3
6.456647G	0.80	6.4663G	-28.20	-19.33	-8.87	4


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

25/08/2025

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.501146G	2.12	6.5061G	-27.18	-17.92	-9.26	1
6.500746G	1.90	6.506G	-25.64	-18.10	-7.54	2
6.500896G	1.09	6.50605G	-28.05	-18.93	-9.12	3
6.501046G	0.87	6.50635G	-28.44	-19.28	-9.16	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

25/08/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

25/08/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

25/08/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

25/08/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

25/08/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

25/08/2025

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

25/08/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

25/08/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

25/08/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09838G	-1.81	6.2808G	-53.47	-41.81	-11.66	1
6.09938G	0.29	6.2808G	-52.45	-39.71	-12.74	2
6.09798G	-2.70	6.4004G	-53.45	-42.70	-10.75	3
6.09938G	-2.99	6.2876G	-53.56	-42.99	-10.57	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

25/08/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11162G	-2.30	6.452G	-53.18	-42.30	-10.88	1
6.10842G	0.09	6.4476G	-52.40	-39.91	-12.49	2
6.11182G	-2.69	6.4894G	-53.62	-42.69	-10.93	3
6.12462G	-3.03	6.5G	-53.67	-43.03	-10.64	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

25/08/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27202G	-1.56	6.6028G	-53.91	-41.56	-12.35	1
6.41498G	-0.76	6.608G	-53.48	-40.76	-12.72	2
6.41858G	-2.59	6.08G	-53.85	-42.59	-11.26	3
6.26922G	-2.45	6.0806G	-53.99	-42.45	-11.54	4

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

25/08/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42842G	-2.19	6.8808G	-53.12	-42.19	-10.93	1
6.57878G	-0.86	6.9036G	-52.88	-40.86	-12.02	2
6.43022G	-2.96	6.8964G	-53.26	-42.96	-10.30	3
6.52839G	-3.08	6.8984G	-53.20	-43.08	-10.12	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

25/08/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

25/08/2025

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11264G	-2.98	7.005G	-50.84	-42.98	-7.86	1
6.11064G	-0.65	6.999G	-50.51	-40.65	-9.86	2
6.11184G	-3.97	6.9834G	-51.13	-43.97	-7.16	3
6.11184G	-3.47	6.9482G	-50.86	-43.47	-7.39	4


6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

25/08/2025

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27704G	-1.99	6.9686G	-50.46	-41.99	-8.47	1
6.4114G	-1.52	6.9374G	-49.78	-41.52	-8.26	2
6.27584G	-2.67	6.9466G	-50.59	-42.67	-7.92	3
6.27384G	-3.03	7.0038G	-50.43	-43.03	-7.40	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

25/08/2025

