


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 14
02-D-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06681G	58.65	74.00	-15.35	39.14	3	Horizontal	205	1.46	-	38.53	11.49	30.51			
AV	11.06303G	48.11	54.00	-5.89	28.60	3	Horizontal	205	1.46	-	38.53	11.49	30.51			
PK	16.578G	60.95	68.20	-7.25	41.55	3	Horizontal	302	2.49	-	39.32	12.14	32.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 17
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4335G	64.30	74.00	-9.70	54.10	3	Vertical	116	1.90	-	33.90	7.07	30.77
PK	5.464G	64.16	68.20	-4.04	53.81	3	Vertical	116	1.90	-	33.93	7.17	30.75
AV	5.452G	51.18	54.00	-2.82	40.91	3	Vertical	116	1.90	-	33.90	7.13	30.76
PK	5.6015G	112.25	Inf	-Inf	101.34	3	Vertical	116	1.90	-	34.00	7.62	30.71
AV	5.6205G	101.93	Inf	-Inf	90.99	3	Vertical	116	1.90	-	34.00	7.64	30.70
PK	5.7385G	68.02	68.20	-0.18	56.95	3	Vertical	116	1.90	-	34.00	7.74	30.67

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 17
02-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.409G	60.31	74.00	-13.69	50.20	3	Horizontal	192	1.83	-	33.90	6.99	30.78			
PK	5.463G	61.25	68.20	-6.95	50.90	3	Horizontal	192	1.83	-	33.93	7.17	30.75			
AV	5.4585G	50.43	54.00	-3.57	40.11	3	Horizontal	192	1.83	-	33.92	7.15	30.75			
PK	5.638G	105.92	Inf	-Inf	94.97	3	Horizontal	192	1.83	-	34.00	7.65	30.70			
AV	5.639G	95.70	Inf	-Inf	84.74	3	Horizontal	192	1.83	-	34.00	7.66	30.70			
PK	5.738G	63.66	68.20	-4.54	52.59	3	Horizontal	192	1.83	-	34.00	7.74	30.67			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 17
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22651G	58.72	74.00	-15.28	39.21	3	Vertical	122	2.12	-	38.50	11.59	30.58			
AV	11.21568G	47.61	54.00	-6.39	28.11	3	Vertical	122	2.12	-	38.50	11.58	30.58			
PK	16.83666G	63.76	68.20	-4.44	43.22	3	Vertical	162	2.62	-	40.37	12.27	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 17
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20518G	57.66	74.00	-16.34	38.15	3	Horizontal	90	2.49	-	38.50	11.58	30.57			
AV	11.22777G	47.46	54.00	-6.54	27.95	3	Horizontal	90	2.49	-	38.50	11.59	30.58			
PK	16.84104G	63.34	68.20	-4.86	42.79	3	Horizontal	212	1.19	-	40.38	12.27	32.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 20
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4416G	62.79	74.00	-11.21	52.55	3	Vertical	121	1.80	-	33.90	7.10	30.76
AV	5.3978G	50.50	54.00	-3.50	40.43	3	Vertical	121	1.80	-	33.90	6.96	30.79
PK	5.4602G	61.53	68.20	-6.67	51.20	3	Vertical	121	1.80	-	33.92	7.16	30.75
PK	5.7158G	113.90	Inf	-Inf	102.86	3	Vertical	121	1.80	-	34.00	7.72	30.68
AV	5.7152G	104.46	Inf	-Inf	93.42	3	Vertical	121	1.80	-	34.00	7.72	30.68
PK	5.855G	68.08	68.20	-0.12	56.96	3	Vertical	121	1.80	-	33.92	7.84	30.64

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 20
02-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4248G	59.90	74.00	-14.10	49.73	3	Horizontal	192	1.86	-	33.90	7.04	30.77				
AV	5.3972G	50.20	54.00	-3.80	40.13	3	Horizontal	192	1.86	-	33.90	6.96	30.79				
PK	5.4662G	60.39	68.20	-7.81	50.03	3	Horizontal	192	1.86	-	33.93	7.18	30.75				
PK	5.6984G	109.94	Inf	-Inf	98.91	3	Horizontal	192	1.86	-	34.00	7.71	30.68				
AV	5.6984G	99.62	Inf	-Inf	88.59	3	Horizontal	192	1.86	-	34.00	7.71	30.68				
PK	5.8538G	63.66	68.20	-4.54	52.56	3	Horizontal	192	1.86	-	33.92	7.83	30.65				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 20
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38858G	59.69	74.00	-14.31	39.96	3	Vertical	321	2.78	-	38.70	11.69	30.66			
AV	11.38801G	48.24	54.00	-5.76	28.51	3	Vertical	321	2.78	-	38.70	11.69	30.66			
PK	17.07708G	63.05	68.20	-5.15	41.47	3	Vertical	124	2.25	-	41.35	12.38	32.15			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 20
02-D-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3716G	59.36	74.00	-14.64	39.63	3	Horizontal	199	1.31	-	38.70	11.68	30.65			
AV	11.37898G	48.63	54.00	-5.37	28.89	3	Horizontal	199	1.31	-	38.70	11.69	30.65			
PK	17.07G	63.17	68.20	-5.03	41.60	3	Horizontal	343	2.54	-	41.34	12.38	32.15			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 14
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.129G	71.14	74.00	-2.86	61.56	3	Vertical	75	2.14	-	33.56	6.96	30.94
AV	5.128G	51.45	54.00	-2.55	41.87	3	Vertical	75	2.14	-	33.56	6.96	30.94
PK	5.226G	103.57	Inf	-Inf	93.75	3	Vertical	75	2.14	-	33.70	7.00	30.88
AV	5.2275G	94.44	Inf	-Inf	84.62	3	Vertical	75	2.14	-	33.70	7.00	30.88
PK	5.387G	69.50	74.00	-4.50	59.43	3	Vertical	75	2.14	-	33.90	6.96	30.79
AV	5.406G	53.51	54.00	-0.49	43.41	3	Vertical	75	2.14	-	33.90	6.98	30.78
PK	5.484G	63.54	68.20	-4.66	53.07	3	Vertical	75	2.14	-	33.97	7.24	30.74

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 14
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.122G	65.48	74.00	-8.52	55.92	3	Horizontal	348	1.88	-	33.54	6.96	30.94			
AV	5.1235G	50.14	54.00	-3.86	40.57	3	Horizontal	348	1.88	-	33.55	6.96	30.94			
PK	5.2615G	98.03	Inf	-Inf	88.18	3	Horizontal	348	1.88	-	33.72	6.99	30.86			
AV	5.3235G	88.81	Inf	-Inf	78.81	3	Horizontal	348	1.88	-	33.85	6.98	30.83			
PK	5.384G	65.17	74.00	-8.83	55.10	3	Horizontal	348	1.88	-	33.90	6.96	30.79			
AV	5.403G	50.97	54.00	-3.03	40.88	3	Horizontal	348	1.88	-	33.90	6.97	30.78			
PK	5.4825G	62.42	68.20	-5.78	51.96	3	Horizontal	348	1.88	-	33.97	7.23	30.74			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 14
02-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74535G	58.09	74.00	-15.91	40.79	3	Vertical	124	1.73	-	37.51	11.86	32.07			
AV	15.74985G	47.54	54.00	-6.46	30.25	3	Vertical	124	1.73	-	37.50	11.86	32.07			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 14
02-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74082G	58.53	74.00	-15.47	41.21	3	Horizontal	356	1.52	-	37.52	11.86	32.06			
AV	15.75858G	47.44	54.00	-6.56	30.18	3	Horizontal	356	1.52	-	37.48	11.86	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 12.5
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	60.10	74.00	-13.90	50.04	3	Vertical	119	2.00	-	33.90	6.97	30.81			
PK	5.4405G	70.50	74.00	-3.50	60.27	3	Vertical	119	2.00	-	33.90	7.09	30.76			
AV	5.447G	53.16	54.00	-0.84	42.90	3	Vertical	119	2.00	-	33.90	7.12	30.76			
PK	5.461G	66.97	68.20	-1.23	56.64	3	Vertical	119	2.00	-	33.92	7.16	30.75			
PK	5.579G	103.89	Inf	-Inf	93.01	3	Vertical	119	2.00	-	34.04	7.55	30.71			
AV	5.579G	93.95	Inf	-Inf	83.07	3	Vertical	119	2.00	-	34.04	7.55	30.71			
PK	5.798G	63.80	68.20	-4.40	52.66	3	Vertical	119	2.00	-	34.00	7.80	30.66			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 12.5
02-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3285G	59.41	68.20	-8.79	49.40	3	Horizontal	192	1.82	-	33.86	6.98	30.83			
PK	5.4435G	65.57	74.00	-8.43	55.33	3	Horizontal	192	1.82	-	33.90	7.10	30.76			
AV	5.4415G	50.59	54.00	-3.41	40.35	3	Horizontal	192	1.82	-	33.90	7.10	30.76			
PK	5.462G	61.64	68.20	-6.56	51.31	3	Horizontal	192	1.82	-	33.92	7.16	30.75			
PK	5.6195G	97.33	Inf	-Inf	86.39	3	Horizontal	192	1.82	-	34.00	7.64	30.70			
AV	5.639G	88.34	Inf	-Inf	77.38	3	Horizontal	192	1.82	-	34.00	7.66	30.70			
PK	5.7685G	61.81	68.20	-6.39	50.71	3	Horizontal	192	1.82	-	34.00	7.77	30.67			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 12.5
02-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14018G	56.99	74.00	-17.01	37.48	3	Vertical	32	2.52	-	38.52	11.53	30.54			
AV	11.13793G	46.12	54.00	-7.88	26.61	3	Vertical	32	2.52	-	38.52	11.53	30.54			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX

EUT_Z_4TX
Setting 12.5
02-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14717G	57.11	74.00	-16.89	37.61	3	Horizontal	136	2.40	-	38.51	11.54	30.55			
AV	11.13925G	46.55	54.00	-7.45	27.04	3	Horizontal	136	2.40	-	38.52	11.53	30.54			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4656G	68.13	68.20	-0.07	3	Vertical	96	1.90	-

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Z_4TX
Setting 63
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1427G	60.29	74.00	-13.71	53.84	3	Vertical	73.4	2.18	-	33.90	7.48	34.93			
AV	5.1487G	48.15	54.00	-5.85	41.69	3	Vertical	73.4	2.18	-	33.90	7.49	34.93			
PK	5.2657G	123.84	Inf	-Inf	116.87	3	Vertical	73.4	2.18	-	34.19	7.69	34.91			
AV	5.2513G	114.44	Inf	-Inf	107.57	3	Vertical	73.4	2.18	-	34.11	7.67	34.91			
PK	5.3512G	63.97	74.00	-10.03	56.56	3	Vertical	73.4	2.18	-	34.50	7.80	34.89			
AV	5.35G	50.81	54.00	-3.19	43.40	3	Vertical	73.4	2.18	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 63
03-E-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1202G	59.89	74.00	-14.11	53.51	3	Horizontal	55.2	2.03	-	33.90	7.42	34.94			
AV	5.1418G	47.36	54.00	-6.64	40.92	3	Horizontal	55.2	2.03	-	33.90	7.47	34.93			
PK	5.2537G	118.65	Inf	-Inf	111.76	3	Horizontal	55.2	2.03	-	34.12	7.68	34.91			
AV	5.2567G	108.66	Inf	-Inf	101.75	3	Horizontal	55.2	2.03	-	34.14	7.68	34.91			
PK	5.3773G	61.78	74.00	-12.22	54.22	3	Horizontal	55.2	2.03	-	34.61	7.83	34.88			
AV	5.3542G	48.72	54.00	-5.28	41.29	3	Horizontal	55.2	2.03	-	34.52	7.80	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 63
03-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51726G	55.57	68.20	-12.63	41.11	3	Vertical	27	1.19	-	38.13	11.23	34.90			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Z_4TX
Setting 63
03-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51691G	55.41	68.20	-12.79	40.95	3	Horizontal	177.4	2.76	-	38.13	11.23	34.90			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 54
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2984G	122.16	Inf	-Inf	114.94	3	Vertical	328.7	2.09	-	34.39	7.73	34.90			
AV	5.3046G	111.55	Inf	-Inf	104.30	3	Vertical	328.7	2.09	-	34.41	7.74	34.90			
PK	5.3518G	69.92	74.00	-4.08	62.50	3	Vertical	328.7	2.09	-	34.51	7.80	34.89			
AV	5.35G	53.88	54.00	-0.12	46.47	3	Vertical	328.7	2.09	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 54
03-E-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3056G	118.11	Inf	-Inf	110.86	3	Horizontal	54.8	1.99	-	34.41	7.74	34.90			
AV	5.3086G	108.38	Inf	-Inf	101.11	3	Horizontal	54.8	1.99	-	34.42	7.75	34.90			
PK	5.35G	65.79	74.00	-8.21	58.38	3	Horizontal	54.8	1.99	-	34.50	7.80	34.89			
AV	5.35G	52.80	54.00	-1.20	45.39	3	Horizontal	54.8	1.99	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Z_4TX
Setting 54
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.60357G	56.75	74.00	-17.25	42.21	3	Vertical	135	2.51	-	38.20	11.26	34.92			
AV	10.60117G	42.75	54.00	-11.25	28.21	3	Vertical	135	2.51	-	38.20	11.26	34.92			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Z_4TX
Setting 54
03-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60065G	56.52	74.00	-17.48	41.98	3	Horizontal	204	2.71	-	38.20	11.26	34.92			
AV	10.60117G	42.66	54.00	-11.34	28.12	3	Horizontal	204	2.71	-	38.20	11.26	34.92			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 47
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3256G	120.61	Inf	-Inf	113.28	3	Vertical	74.7	2.10	-	34.45	7.77	34.89			
AV	5.3274G	110.42	Inf	-Inf	103.09	3	Vertical	74.7	2.10	-	34.45	7.77	34.89			
PK	5.35G	66.39	74.00	-7.61	58.98	3	Vertical	74.7	2.10	-	34.50	7.80	34.89			
AV	5.354G	52.60	54.00	-1.40	45.17	3	Vertical	74.7	2.10	-	34.52	7.80	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 47
03-E-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3272G	117.34	Inf	-Inf	110.01	3	Horizontal	56.7	2.01	-	34.45	7.77	34.89			
AV	5.3138G	105.54	Inf	-Inf	98.26	3	Horizontal	56.7	2.01	-	34.43	7.75	34.90			
PK	5.3526G	64.62	74.00	-9.38	57.20	3	Horizontal	56.7	2.01	-	34.51	7.80	34.89			
AV	5.3514G	52.04	54.00	-1.96	44.62	3	Horizontal	56.7	2.01	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Z_4TX
Setting 47
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63924G	56.17	74.00	-17.83	41.62	3	Vertical	19	2.47	-	38.20	11.28	34.93			
AV	10.64109G	42.81	54.00	-11.19	28.26	3	Vertical	19	2.47	-	38.20	11.28	34.93			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5320MHz_TX

EUT_Z_4TX
Setting 47
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63889G	56.37	74.00	-17.63	41.82	3	Horizontal	81	1.49	-	38.20	11.28	34.93			
AV	10.64061G	42.91	54.00	-11.09	28.36	3	Horizontal	81	1.49	-	38.20	11.28	34.93			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 45
03-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	66.10	74.00	-7.90	58.58	3	Vertical	96	1.90	-	34.60	7.79	34.87			
AV	5.4596G	53.27	54.00	-0.73	45.75	3	Vertical	96	1.90	-	34.60	7.79	34.87			
PK	5.4656G	68.13	68.20	-0.07	60.62	3	Vertical	96	1.90	-	34.60	7.78	34.87			
PK	5.5073G	120.44	Inf	-Inf	112.98	3	Vertical	96	1.90	-	34.59	7.73	34.86			
AV	5.5061G	108.43	Inf	-Inf	100.97	3	Vertical	96	1.90	-	34.59	7.73	34.86			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 45
03-E-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	65.83	74.00	-8.17	58.31	3	Horizontal	39	2.01	-	34.60	7.79	34.87			
AV	5.4593G	50.89	54.00	-3.11	43.37	3	Horizontal	39	2.01	-	34.60	7.79	34.87			
PK	5.4696G	66.54	68.20	-1.66	59.04	3	Horizontal	39	2.01	-	34.60	7.77	34.87			
PK	5.5056G	113.19	Inf	-Inf	105.73	3	Horizontal	39	2.01	-	34.59	7.73	34.86			
AV	5.5074G	102.89	Inf	-Inf	95.43	3	Horizontal	39	2.01	-	34.59	7.73	34.86			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 45
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99846G	55.54	74.00	-18.46	40.81	3	Vertical	90	2.19	-	38.30	11.42	34.99			
AV	11.00419G	41.76	54.00	-12.24	27.01	3	Vertical	90	2.19	-	38.31	11.43	34.99			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Z_4TX
Setting 45
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00032G	55.64	74.00	-18.36	40.90	3	Horizontal	0	2.81	-	38.30	11.43	34.99			
AV	10.99925G	41.80	54.00	-12.20	27.07	3	Horizontal	0	2.81	-	38.30	11.42	34.99			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 63
03-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	63.67	74.00	-10.33	56.15	3	Vertical	109.9	1.95	-	34.60	7.79	34.87
AV	5.4164G	51.73	54.00	-2.27	44.10	3	Vertical	109.9	1.95	-	34.67	7.84	34.88
PK	5.47G	63.62	68.20	-4.58	56.12	3	Vertical	109.9	1.95	-	34.60	7.77	34.87
PK	5.5772G	124.28	Inf	-Inf	117.13	3	Vertical	109.9	1.95	-	34.39	7.64	34.88
AV	5.5716G	114.04	Inf	-Inf	106.86	3	Vertical	109.9	1.95	-	34.41	7.65	34.88
PK	5.726G	61.44	68.20	-6.76	54.34	3	Vertical	109.9	1.95	-	34.20	7.83	34.93

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 63
03-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.28	74.00	-11.72	54.76	3	Horizontal	354.3	1.80	-	34.60	7.79	34.87
AV	5.4256G	50.08	54.00	-3.92	42.47	3	Horizontal	354.3	1.80	-	34.65	7.83	34.87
PK	5.4692G	64.55	68.20	-3.65	57.05	3	Horizontal	354.3	1.80	-	34.60	7.77	34.87
PK	5.5872G	122.86	Inf	-Inf	115.77	3	Horizontal	354.3	1.80	-	34.35	7.63	34.89
AV	5.586G	110.93	Inf	-Inf	103.83	3	Horizontal	354.3	1.80	-	34.36	7.63	34.89
PK	5.7464G	61.94	68.20	-6.26	54.80	3	Horizontal	354.3	1.80	-	34.20	7.87	34.93

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Z_4TX
Setting 63
03-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16454G	55.78	74.00	-18.22	40.89	3	Vertical	47	1.92	-	38.43	11.49	35.03			
AV	11.16122G	42.82	54.00	-11.18	27.94	3	Vertical	47	1.92	-	38.42	11.49	35.03			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Z_4TX
Setting 63
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16355G	56.89	74.00	-17.11	42.00	3	Horizontal	266	1.76	-	38.43	11.49	35.03			
AV	11.16137G	42.71	54.00	-11.29	27.83	3	Horizontal	266	1.76	-	38.42	11.49	35.03			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 49
03-E-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7056G	121.73	Inf	-Inf	114.66	3	Vertical	79.2	1.89	-	34.20	7.79	34.92			
AV	5.7074G	111.31	Inf	-Inf	104.23	3	Vertical	79.2	1.89	-	34.20	7.80	34.92			
PK	5.7256G	67.76	68.20	-0.44	60.66	3	Vertical	79.2	1.89	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 49
03-E-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7074G	114.11	Inf	-Inf	107.03	3	Horizontal	215	1.64	-	34.20	7.80	34.92			
AV	5.6924G	104.89	Inf	-Inf	97.82	3	Horizontal	215	1.64	-	34.22	7.77	34.92			
PK	5.7286G	63.25	68.20	-4.95	56.14	3	Horizontal	215	1.64	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Z_4TX
Setting 49
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40007G	57.20	74.00	-16.80	41.99	3	Vertical	143	2.99	-	38.70	11.59	35.08			
AV	11.39752G	43.17	54.00	-10.83	27.96	3	Vertical	143	2.99	-	38.70	11.59	35.08			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Z_4TX
Setting 49
03-E-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40327G	56.57	74.00	-17.43	41.35	3	Horizontal	52	2.27	-	38.71	11.59	35.08			
AV	11.40315G	43.11	54.00	-10.89	27.89	3	Horizontal	52	2.27	-	38.71	11.59	35.08			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 63
03-E-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7184G	127.15	Inf	-Inf	120.06	3	Vertical	12	2.16	-	34.20	7.82	34.93			
AV	5.7208G	115.87	Inf	-Inf	108.78	3	Vertical	12	2.16	-	34.20	7.82	34.93			
PK	5.8832G	62.36	68.20	-5.84	54.85	3	Vertical	12	2.16	-	34.43	8.05	34.97			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 63
03-E-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7272G	119.97	Inf	-Inf	112.87	3	Horizontal	194	1.84	-	34.20	7.83	34.93			
AV	5.716G	110.22	Inf	-Inf	103.13	3	Horizontal	194	1.84	-	34.20	7.81	34.92			
PK	5.8816G	61.04	68.20	-7.16	53.53	3	Horizontal	194	1.84	-	34.43	8.05	34.97			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 63
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43978G	56.43	74.00	-17.57	41.14	3	Vertical	151	2.25	-	38.78	11.60	35.09			
AV	11.43503G	42.92	54.00	-11.08	27.64	3	Vertical	151	2.25	-	38.77	11.60	35.09			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 63
03-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44326G	56.47	74.00	-17.53	41.17	3	Horizontal	216	1.69	-	38.79	11.60	35.09			
AV	11.43653G	42.97	54.00	-11.03	27.69	3	Horizontal	216	1.69	-	38.77	11.60	35.09			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 53
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	60.17	74.00	-13.83	53.73	3	Vertical	78.5	2.43	-	33.90	7.47	34.93			
AV	5.1494G	48.24	54.00	-5.76	41.78	3	Vertical	78.5	2.43	-	33.90	7.49	34.93			
PK	5.2886G	119.28	Inf	-Inf	112.13	3	Vertical	78.5	2.43	-	34.33	7.72	34.90			
AV	5.285G	108.02	Inf	-Inf	100.89	3	Vertical	78.5	2.43	-	34.31	7.72	34.90			
PK	5.3528G	65.92	74.00	-8.08	58.50	3	Vertical	78.5	2.43	-	34.51	7.80	34.89			
AV	5.35G	53.39	54.00	-0.61	45.98	3	Vertical	78.5	2.43	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 53
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	59.80	74.00	-14.20	53.34	3	Horizontal	257.9	1.99	-	33.90	7.49	34.93			
AV	5.1485G	47.39	54.00	-6.61	40.93	3	Horizontal	257.9	1.99	-	33.90	7.49	34.93			
PK	5.2676G	113.40	Inf	-Inf	106.41	3	Horizontal	257.9	1.99	-	34.21	7.69	34.91			
AV	5.2667G	103.18	Inf	-Inf	96.20	3	Horizontal	257.9	1.99	-	34.20	7.69	34.91			
PK	5.3531G	63.53	74.00	-10.47	56.11	3	Horizontal	257.9	1.99	-	34.51	7.80	34.89			
AV	5.3504G	50.12	54.00	-3.88	42.71	3	Horizontal	257.9	1.99	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Z_4TX
Setting 53
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54449G	44.19	68.20	-24.01	61.44	3	Vertical	100	2.90	-	38.19	11.24	66.68			
PK	15.8062G	33.25	74.00	-40.75	46.54	3	Vertical	320	2.60	-	37.52	13.12	63.93			
AV	15.80743G	20.15	54.00	-33.85	33.43	3	Vertical	320	2.60	-	37.53	13.12	63.93			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Z_4TX
Setting 53
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54383G	44.37	68.20	-23.83	61.62	3	Horizontal	29	2.07	-	38.19	11.24	66.68			
PK	15.808G	33.68	74.00	-40.32	46.96	3	Horizontal	37	1.55	-	37.53	13.12	63.93			
AV	15.80507G	20.12	54.00	-33.88	33.41	3	Horizontal	37	1.55	-	37.52	13.12	63.93			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 48
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2934G	117.02	Inf	-Inf	109.83	3	Vertical	78	2.62	-	34.36	7.73	34.90			
AV	5.2926G	105.54	Inf	-Inf	98.35	3	Vertical	78	2.62	-	34.36	7.73	34.90			
PK	5.3508G	67.88	74.00	-6.12	60.47	3	Vertical	78	2.62	-	34.50	7.80	34.89			
AV	5.3514G	52.44	54.00	-1.56	45.02	3	Vertical	78	2.62	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 48
03-E-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3012G	111.53	Inf	-Inf	104.29	3	Horizontal	55	1.85	-	34.40	7.74	34.90			
AV	5.2946G	98.91	Inf	-Inf	91.71	3	Horizontal	55	1.85	-	34.37	7.73	34.90			
PK	5.3514G	73.31	74.00	-0.69	65.89	3	Horizontal	55	1.85	-	34.51	7.80	34.89			
AV	5.35G	52.92	54.00	-1.08	45.51	3	Horizontal	55	1.85	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Z_4TX
Setting 48
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61655G	43.85	74.00	-30.15	60.98	3	Vertical	218	2.68	-	38.20	11.27	66.60			
AV	10.6245G	29.80	54.00	-24.20	46.93	3	Vertical	218	2.68	-	38.20	11.27	66.60			
PK	15.92684G	34.70	74.00	-39.30	47.77	3	Vertical	12	2.10	-	37.69	13.21	63.97			
AV	15.93028G	21.27	54.00	-32.73	34.35	3	Vertical	12	2.10	-	37.68	13.21	63.97			

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX

EUT_Z_4TX
Setting 48
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62422G	43.36	74.00	-30.64	60.49	3	Horizontal	158	1.74	-	38.20	11.27	66.60			
AV	10.61594G	29.80	54.00	-24.20	46.93	3	Horizontal	158	1.74	-	38.20	11.27	66.60			
PK	15.92872G	34.76	74.00	-39.24	47.83	3	Horizontal	278	2.08	-	37.69	13.21	63.97			
AV	15.93173G	21.26	54.00	-32.74	34.34	3	Horizontal	278	2.08	-	37.67	13.22	63.97			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 40
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4538G	65.69	74.00	-8.31	58.17	3	Vertical	70.5	2.27	-	34.60	7.79	34.87			
AV	5.46G	50.90	54.00	-3.10	43.38	3	Vertical	70.5	2.27	-	34.60	7.79	34.87			
PK	5.4668G	66.24	68.20	-1.96	58.73	3	Vertical	70.5	2.27	-	34.60	7.78	34.87			
PK	5.5074G	114.38	Inf	-Inf	106.92	3	Vertical	70.5	2.27	-	34.59	7.73	34.86			
AV	5.5066G	104.18	Inf	-Inf	96.72	3	Vertical	70.5	2.27	-	34.59	7.73	34.86			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 40
03-E-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4542G	61.33	74.00	-12.67	53.81	3	Horizontal	43.2	2.36	-	34.60	7.79	34.87			
AV	5.4554G	48.41	54.00	-5.59	40.89	3	Horizontal	43.2	2.36	-	34.60	7.79	34.87			
PK	5.4694G	61.09	68.20	-7.11	53.59	3	Horizontal	43.2	2.36	-	34.60	7.77	34.87			
PK	5.5074G	107.98	Inf	-Inf	100.52	3	Horizontal	43.2	2.36	-	34.59	7.73	34.86			
AV	5.5066G	97.73	Inf	-Inf	90.27	3	Horizontal	43.2	2.36	-	34.59	7.73	34.86			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 40
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01763G	43.40	74.00	-30.60	59.82	3	Vertical	181	2.46	-	38.34	11.43	66.19			
AV	11.01976G	29.41	54.00	-24.59	45.83	3	Vertical	181	2.46	-	38.34	11.43	66.19			
PK	16.5308G	41.95	68.20	-26.25	54.01	3	Vertical	344	1.26	-	38.18	13.53	63.77			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Z_4TX
Setting 40
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0235G	43.60	74.00	-30.40	60.01	3	Horizontal	6	1.02	-	38.35	11.43	66.19			
AV	11.02075G	29.40	54.00	-24.60	45.82	3	Horizontal	6	1.02	-	38.34	11.43	66.19			
PK	16.5325G	42.11	68.20	-26.09	54.17	3	Horizontal	48	1.87	-	38.19	13.53	63.78			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 48
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	63.99	74.00	-10.01	56.47	3	Vertical	97.8	1.98	-	34.60	7.79	34.87			
AV	5.4596G	50.99	54.00	-3.01	43.47	3	Vertical	97.8	1.98	-	34.60	7.79	34.87			
PK	5.4676G	67.98	68.20	-0.22	60.47	3	Vertical	97.8	1.98	-	34.60	7.78	34.87			
PK	5.5334G	116.30	Inf	-Inf	108.95	3	Vertical	97.8	1.98	-	34.53	7.69	34.87			
AV	5.5326G	104.94	Inf	-Inf	97.59	3	Vertical	97.8	1.98	-	34.53	7.69	34.87			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 48
03-E-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4574G	61.44	74.00	-12.56	53.92	3	Horizontal	41	2.56	-	34.60	7.79	34.87			
AV	5.46G	49.37	54.00	-4.63	41.85	3	Horizontal	41	2.56	-	34.60	7.79	34.87			
PK	5.467G	63.53	68.20	-4.67	56.02	3	Horizontal	41	2.56	-	34.60	7.78	34.87			
PK	5.5474G	111.64	Inf	-Inf	104.32	3	Horizontal	41	2.56	-	34.51	7.68	34.87			
AV	5.5466G	101.18	Inf	-Inf	93.86	3	Horizontal	41	2.56	-	34.51	7.68	34.87			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Z_4TX
Setting 48
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10162G	44.19	74.00	-29.81	60.41	3	Vertical	288	2.48	-	38.50	11.47	66.19			
AV	11.09704G	30.13	54.00	-23.87	46.37	3	Vertical	288	2.48	-	38.49	11.46	66.19			
PK	16.65104G	42.25	68.20	-25.95	53.77	3	Vertical	166	1.14	-	38.80	13.59	63.91			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Z_4TX
Setting 48
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09503G	43.79	74.00	-30.21	60.03	3	Horizontal	228	2.33	-	38.49	11.46	66.19			
AV	11.09828G	30.07	54.00	-23.93	46.30	3	Horizontal	228	2.33	-	38.50	11.46	66.19			
PK	16.65171G	42.33	68.20	-25.87	53.85	3	Horizontal	328	2.86	-	38.80	13.59	63.91			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 49
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6888G	116.33	Inf	-Inf	104.55	3	Vertical	268.6	1.00	-	34.00	8.02	30.24			
AV	5.6848G	106.93	Inf	-Inf	95.16	3	Vertical	268.6	1.00	-	34.00	8.01	30.24			
PK	5.7274G	67.41	68.20	-0.79	55.56	3	Vertical	268.6	1.00	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Z_4TX
Setting 49
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6716G	110.26	Inf	-Inf	98.52	3	Horizontal	133	1.09	-	34.00	7.99	30.25			
AV	5.6572G	102.06	Inf	-Inf	90.35	3	Horizontal	133	1.09	-	34.00	7.96	30.25			
PK	5.727G	62.81	68.20	-5.39	50.96	3	Horizontal	133	1.09	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 49
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33774G	45.45	74.00	-28.55	60.51	3	Vertical	189	2.76	-	38.68	12.46	66.20			
AV	11.34418G	31.98	54.00	-22.02	47.03	3	Vertical	189	2.76	-	38.69	12.46	66.20			
PK	17.01475G	47.23	68.20	-20.97	55.25	3	Vertical	288	3.00	-	41.23	15.04	64.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Z_4TX
Setting 49
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3388G	46.07	74.00	-27.93	61.13	3	Horizontal	205	2.95	-	38.68	12.46	66.20			
AV	11.33522G	31.87	54.00	-22.13	46.95	3	Horizontal	205	2.95	-	38.67	12.45	66.20			
PK	17.00815G	47.34	68.20	-20.86	55.37	3	Horizontal	132	1.99	-	41.22	15.04	64.29			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 63
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7256G	121.55	Inf	-Inf	109.70	3	Vertical	93	1.12	-	34.00	8.08	30.23			
AV	5.7244G	111.67	Inf	-Inf	99.82	3	Vertical	93	1.12	-	34.00	8.08	30.23			
PK	5.8504G	65.25	68.20	-2.95	53.34	3	Vertical	93	1.12	-	33.90	8.19	30.18			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 63
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6968G	117.81	Inf	-Inf	106.02	3	Horizontal	158	1.26	-	34.00	8.03	30.24			
AV	5.712G	107.37	Inf	-Inf	95.54	3	Horizontal	158	1.26	-	34.00	8.06	30.23			
PK	5.8536G	67.34	68.20	-0.86	55.42	3	Horizontal	158	1.26	-	33.91	8.19	30.18			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 63
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.41642G	45.70	74.00	-28.30	60.67	3	Vertical	280	1.43	-	38.73	12.50	66.20			
AV	11.42053G	31.51	54.00	-22.49	46.47	3	Vertical	280	1.43	-	38.74	12.50	66.20			
PK	17.13299G	46.97	68.20	-21.23	54.66	3	Vertical	127	1.55	-	41.53	15.06	64.28			

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 63
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42041G	45.57	74.00	-28.43	60.53	3	Horizontal	334	2.60	-	38.74	12.50	66.20			
AV	11.41971G	31.59	54.00	-22.41	46.55	3	Horizontal	334	2.60	-	38.74	12.50	66.20			
PK	17.13337G	46.94	68.20	-21.26	54.63	3	Horizontal	320	1.29	-	41.53	15.06	64.28			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 47
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.07G	61.64	74.00	-12.36	50.73	3	Vertical	85.7	1.03	-	33.44	7.56	30.09			
AV	5.15G	48.64	54.00	-5.36	37.59	3	Vertical	85.7	1.03	-	33.60	7.58	30.13			
AV	5.286G	100.85	Inf	-Inf	89.63	3	Vertical	85.7	1.03	-	33.77	7.65	30.20			
PK	5.288G	110.86	Inf	-Inf	99.62	3	Vertical	85.7	1.03	-	33.78	7.66	30.20			
AV	5.35G	53.28	54.00	-0.72	41.91	3	Vertical	85.7	1.03	-	33.90	7.70	30.23			
PK	5.352G	67.31	74.00	-6.69	55.94	3	Vertical	85.7	1.03	-	33.90	7.70	30.23			
PK	5.4725G	60.92	68.20	-7.28	49.49	3	Vertical	85.7	1.03	-	33.95	7.78	30.30			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Z_4TX
Setting 47
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0415G	60.92	74.00	-13.08	50.03	3	Horizontal	62.9	1.00	-	33.40	7.56	30.07
AV	5.0705G	48.56	54.00	-5.44	37.65	3	Horizontal	62.9	1.00	-	33.44	7.56	30.09
PK	5.284G	107.71	Inf	-Inf	96.49	3	Horizontal	62.9	1.00	-	33.77	7.65	30.20
AV	5.264G	96.44	Inf	-Inf	85.26	3	Horizontal	62.9	1.00	-	33.73	7.64	30.19
PK	5.356G	71.52	74.00	-2.48	60.15	3	Horizontal	62.9	1.00	-	33.90	7.71	30.24
AV	5.3535G	51.04	54.00	-2.96	39.66	3	Horizontal	62.9	1.00	-	33.90	7.71	30.23
PK	5.53G	62.14	68.20	-6.06	50.56	3	Horizontal	62.9	1.00	-	34.06	7.82	30.30

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Z_4TX
Setting 47
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57743G	44.71	68.20	-23.49	60.94	3	Vertical	248	1.50	-	38.35	12.07	66.65			
PK	15.86693G	36.44	74.00	-37.56	48.11	3	Vertical	229	2.02	-	37.57	14.71	63.95			
AV	15.87131G	22.42	54.00	-31.58	34.06	3	Vertical	229	2.02	-	37.59	14.72	63.95			

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Z_4TX
Setting 47
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57549G	45.44	68.20	-22.76	61.67	3	Horizontal	249	1.93	-	38.35	12.07	66.65			
PK	15.86806G	35.97	74.00	-38.03	47.63	3	Horizontal	257	2.08	-	37.57	14.72	63.95			
AV	15.8709G	22.46	54.00	-31.54	34.11	3	Horizontal	257	2.08	-	37.58	14.72	63.95			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3005G	61.73	68.20	-6.47	50.47	3	Vertical	320.3	1.00	-	33.80	7.67	30.21				
PK	5.4425G	64.97	74.00	-9.03	53.58	3	Vertical	320.3	1.00	-	33.90	7.77	30.28				
AV	5.436G	50.96	54.00	-3.04	39.58	3	Vertical	320.3	1.00	-	33.90	7.76	30.28				
PK	5.4665G	65.70	68.20	-2.50	54.28	3	Vertical	320.3	1.00	-	33.93	7.78	30.29				
PK	5.5285G	109.57	Inf	-Inf	97.99	3	Vertical	320.3	1.00	-	34.06	7.82	30.30				
AV	5.529G	99.45	Inf	-Inf	87.87	3	Vertical	320.3	1.00	-	34.06	7.82	30.30				
PK	5.7525G	61.89	68.20	-6.31	49.98	3	Vertical	320.3	1.00	-	34.00	8.13	30.22				

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3205G	61.13	68.20	-7.07	49.83	3	Horizontal	167.8	1.00	-	33.84	7.68	30.22			
PK	5.4495G	63.70	74.00	-10.30	52.31	3	Horizontal	167.8	1.00	-	33.90	7.77	30.28			
AV	5.449G	50.01	54.00	-3.99	38.62	3	Horizontal	167.8	1.00	-	33.90	7.77	30.28			
PK	5.4615G	63.31	68.20	-4.89	51.90	3	Horizontal	167.8	1.00	-	33.92	7.78	30.29			
PK	5.5095G	105.54	Inf	-Inf	94.02	3	Horizontal	167.8	1.00	-	34.02	7.81	30.31			
AV	5.5115G	93.30	Inf	-Inf	81.78	3	Horizontal	167.8	1.00	-	34.02	7.81	30.31			
PK	5.731G	62.03	68.20	-6.17	50.17	3	Horizontal	167.8	1.00	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05608G	45.06	74.00	-28.94	60.43	3	Vertical	126	2.24	-	38.51	12.31	66.19			
AV	11.06287G	31.31	54.00	-22.69	46.65	3	Vertical	126	2.24	-	38.53	12.32	66.19			
PK	16.59351G	45.17	68.20	-23.03	54.61	3	Vertical	338	1.96	-	39.45	14.95	63.84			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Z_4TX
Setting 42
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05703G	45.41	74.00	-28.59	60.78	3	Horizontal	131	1.40	-	38.51	12.31	66.19			
AV	11.06117G	31.43	54.00	-22.57	46.78	3	Horizontal	131	1.40	-	38.52	12.32	66.19			
PK	16.59172G	44.78	68.20	-23.42	54.24	3	Horizontal	122	2.77	-	39.43	14.95	63.84			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 44
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4555G	63.52	74.00	-10.48	52.13	3	Vertical	229.4	1.00	-	33.91	7.77	30.29			
PK	5.464G	64.60	68.20	-3.60	53.18	3	Vertical	229.4	1.00	-	33.93	7.78	30.29			
AV	5.46G	50.35	54.00	-3.65	38.94	3	Vertical	229.4	1.00	-	33.92	7.78	30.29			
PK	5.5735G	109.56	Inf	-Inf	97.95	3	Vertical	229.4	1.00	-	34.05	7.84	30.28			
AV	5.5735G	100.06	Inf	-Inf	88.45	3	Vertical	229.4	1.00	-	34.05	7.84	30.28			
PK	5.725G	67.63	68.20	-0.57	55.78	3	Vertical	229.4	1.00	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 44
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.431G	61.85	74.00	-12.15	50.46	3	Horizontal	347.5	1.00	-	33.90	7.76	30.27			
AV	5.3735G	49.09	54.00	-4.91	37.71	3	Horizontal	347.5	1.00	-	33.90	7.72	30.24			
PK	5.4635G	61.47	68.20	-6.73	50.05	3	Horizontal	347.5	1.00	-	33.93	7.78	30.29			
PK	5.6375G	103.49	Inf	-Inf	91.82	3	Horizontal	347.5	1.00	-	34.00	7.93	30.26			
AV	5.5715G	93.60	Inf	-Inf	81.98	3	Horizontal	347.5	1.00	-	34.06	7.84	30.28			
PK	5.7865G	62.82	68.20	-5.38	50.84	3	Horizontal	347.5	1.00	-	34.00	8.19	30.21			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Z_4TX
Setting 44
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2207G	46.23	74.00	-27.77	61.52	3	Vertical	161	2.33	-	38.50	12.40	66.19			
AV	11.22282G	31.70	54.00	-22.30	46.99	3	Vertical	161	2.33	-	38.50	12.40	66.19			
PK	16.83021G	46.46	68.20	-21.74	55.20	3	Vertical	334	1.10	-	40.36	15.00	64.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Z_4TX
Setting 44
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22439G	45.38	74.00	-28.62	60.67	3	Horizontal	327	1.59	-	38.50	12.40	66.19			
AV	11.21939G	31.64	54.00	-22.36	46.93	3	Horizontal	327	1.59	-	38.50	12.40	66.19			
PK	16.8282G	46.80	68.20	-21.40	55.54	3	Horizontal	280	1.90	-	40.36	15.00	64.10			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 54
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	62.47	74.00	-11.53	51.08	3	Vertical	278.1	1.00	-	33.91	7.77	30.29
AV	5.459G	50.02	54.00	-3.98	38.61	3	Vertical	278.1	1.00	-	33.92	7.78	30.29
PK	5.469G	62.17	68.20	-6.03	50.74	3	Vertical	278.1	1.00	-	33.94	7.78	30.29
PK	5.7095G	118.75	Inf	-Inf	106.93	3	Vertical	278.1	1.00	-	34.00	8.05	30.23
AV	5.7175G	107.34	Inf	-Inf	95.50	3	Vertical	278.1	1.00	-	34.00	8.07	30.23
PK	5.8575G	67.92	68.20	-0.28	55.99	3	Vertical	278.1	1.00	-	33.93	8.18	30.18

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 54
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.446G	61.92	74.00	-12.08	50.53	3	Horizontal	166.2	1.32	-	33.90	7.77	30.28			
AV	5.4455G	49.04	54.00	-4.96	37.65	3	Horizontal	166.2	1.32	-	33.90	7.77	30.28			
PK	5.4675G	60.50	68.20	-7.70	49.08	3	Horizontal	166.2	1.32	-	33.93	7.78	30.29			
PK	5.7145G	111.65	Inf	-Inf	99.82	3	Horizontal	166.2	1.32	-	34.00	8.06	30.23			
AV	5.6575G	99.31	Inf	-Inf	87.60	3	Horizontal	166.2	1.32	-	34.00	7.96	30.25			
PK	5.8555G	64.12	68.20	-4.08	52.19	3	Horizontal	166.2	1.32	-	33.92	8.19	30.18			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_4TX
Setting 54
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3826G	44.99	74.00	-29.01	60.01	3	Vertical	57	1.97	-	38.70	12.48	66.20			
AV	11.38049G	31.69	54.00	-22.31	46.71	3	Vertical	57	1.97	-	38.70	12.48	66.20			
PK	17.06832G	46.71	68.20	-21.49	54.61	3	Vertical	323	2.20	-	41.34	15.05	64.29			

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_4TX
Setting 54
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.37859G	45.14	74.00	-28.86	60.16	3	Horizontal	160	1.32	-	38.70	12.48	66.20			
AV	11.37978G	31.72	54.00	-22.28	46.74	3	Horizontal	160	1.32	-	38.70	12.48	66.20			
PK	17.07443G	47.43	68.20	-20.77	55.32	3	Horizontal	175	2.29	-	41.35	15.05	64.29			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 46
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.65	74.00	-8.35	54.60	3	Vertical	285.6	1.00	-	33.60	7.58	30.13
AV	5.1496G	52.38	54.00	-1.62	41.33	3	Vertical	285.6	1.00	-	33.60	7.58	30.13
PK	5.2584G	107.17	Inf	-Inf	96.00	3	Vertical	285.6	1.00	-	33.72	7.63	30.18
AV	5.2476G	96.21	Inf	-Inf	85.06	3	Vertical	285.6	1.00	-	33.70	7.63	30.18
PK	5.352G	65.77	74.00	-8.23	54.40	3	Vertical	285.6	1.00	-	33.90	7.70	30.23
AV	5.3548G	52.84	54.00	-1.16	41.46	3	Vertical	285.6	1.00	-	33.90	7.71	30.23

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 46
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	62.41	74.00	-11.59	51.38	3	Horizontal	165.7	1.00	-	33.57	7.58	30.12
AV	5.1476G	50.43	54.00	-3.57	39.38	3	Horizontal	165.7	1.00	-	33.60	7.58	30.13
PK	5.2664G	103.16	Inf	-Inf	91.98	3	Horizontal	165.7	1.00	-	33.73	7.64	30.19
AV	5.3132G	92.52	Inf	-Inf	81.23	3	Horizontal	165.7	1.00	-	33.83	7.67	30.21
PK	5.3884G	64.89	74.00	-9.11	53.51	3	Horizontal	165.7	1.00	-	33.90	7.73	30.25
AV	5.3836G	52.18	54.00	-1.82	40.80	3	Horizontal	165.7	1.00	-	33.90	7.73	30.25

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 46
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49824G	45.44	68.20	-22.76	61.84	3	Vertical	212	2.88	-	38.30	12.03	66.73			
PK	15.75279G	36.76	74.00	-37.24	48.56	3	Vertical	281	1.41	-	37.49	14.62	63.91			
AV	15.74547G	23.28	54.00	-30.72	35.06	3	Vertical	281	1.41	-	37.51	14.61	63.90			

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_4TX
Setting 46
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49607G	45.42	68.20	-22.78	61.83	3	Horizontal	54	2.60	-	38.29	12.03	66.73			
PK	15.74619G	37.22	74.00	-36.78	49.00	3	Horizontal	183	1.08	-	37.51	14.61	63.90			
AV	15.74517G	23.32	54.00	-30.68	35.10	3	Horizontal	183	1.08	-	37.51	14.61	63.90			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 41
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3465G	62.16	68.20	-6.04	50.80	3	Vertical	107.9	1.00	-	33.89	7.70	30.23				
PK	5.41G	63.45	74.00	-10.55	52.06	3	Vertical	107.9	1.00	-	33.90	7.75	30.26				
PK	5.4605G	64.79	68.20	-3.41	53.38	3	Vertical	107.9	1.00	-	33.92	7.78	30.29				
AV	5.455G	51.37	54.00	-2.63	39.98	3	Vertical	107.9	1.00	-	33.91	7.77	30.29				
PK	5.5775G	104.91	Inf	-Inf	93.29	3	Vertical	107.9	1.00	-	34.05	7.85	30.28				
AV	5.575G	95.43	Inf	-Inf	83.81	3	Vertical	107.9	1.00	-	34.05	7.85	30.28				
PK	5.777G	62.55	68.20	-5.65	50.59	3	Vertical	107.9	1.00	-	34.00	8.17	30.21				

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Z_4TX
Setting 41
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.332G	61.78	68.20	-6.42	50.45	3	Horizontal	167.7	1.00	-	33.86	7.69	30.22			
PK	5.4595G	63.53	74.00	-10.47	52.12	3	Horizontal	167.7	1.00	-	33.92	7.78	30.29			
AV	5.455G	50.30	54.00	-3.70	38.91	3	Horizontal	167.7	1.00	-	33.91	7.77	30.29			
PK	5.4615G	62.58	68.20	-5.62	51.17	3	Horizontal	167.7	1.00	-	33.92	7.78	30.29			
PK	5.5095G	101.27	Inf	-Inf	89.75	3	Horizontal	167.7	1.00	-	34.02	7.81	30.31			
AV	5.5075G	90.44	Inf	-Inf	78.93	3	Horizontal	167.7	1.00	-	34.02	7.80	30.31			
PK	5.7305G	63.17	68.20	-5.03	51.31	3	Horizontal	167.7	1.00	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Z_4TX
Setting 41
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14001G	46.09	74.00	-27.91	61.40	3	Vertical	199	2.14	-	38.52	12.36	66.19			
AV	11.13998G	37.34	54.00	-16.66	52.65	3	Vertical	199	2.14	-	38.52	12.36	66.19			
PK	16.71051G	45.22	68.20	-22.98	54.29	3	Vertical	84	1.63	-	39.92	14.98	63.97			

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX

EUT_Z_4TX
Setting 41
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14006G	46.81	74.00	-27.19	62.12	3	Horizontal	224	1.65	-	38.52	12.36	66.19			
AV	11.13997G	37.27	54.00	-16.73	52.58	3	Horizontal	224	1.65	-	38.52	12.36	66.19			
PK	16.70999G	45.09	68.20	-23.11	54.16	3	Horizontal	134	2.69	-	39.92	14.98	63.97			