


R-8392-1 PPT4600 Antenna C.E. ND 2/1/00
REF 2.7 dBm ATTEN 10 dB

hp
10 dB/
OFFSET
10.0
dB
DL
-17.3
dBm



START 6.00 GHz STOP 7.00 GHz
RES BW 100 kHz VBW 300 kHz SWP 20.0 sec

Customer: Symbol Technologies
Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
Model No.: PPT4600 FCC ID: H99PPT4600S01WTV9
Test Method: FCC 15.247 (c) Antenna Conducted Emissions 30 MHz to 25 GHz
Notes: Carrier Frequency Tested: 2.412 GHz

Date: February 4, 2000 Tech: N. Dragoma Sheet: 7 of 45



Retliff Testing Laboratories
Report No. R-8392-1

Date: February 4, 2000
 Time: 1:00:00
 N. Dragana
 Sheet 8 of 15


Outlier:
 Test Sample: PPT4600
 Model No.: PPT4600
 Test Method: FCC ID: E101PPT4600/NEWVW9
 Notes: FCC 15.247 (c) Antenna Conducted Emissions 30 MHz to 25 GHz
 Carrier Frequency Tested: 2.412 GHz



Retif Testing Laboratories
 Report No. R-8392-1

R-8392-1 PPT4600 Antenna C.E. ND 2/1/00
 REF 2.7 dBm ATTEN 10 dB

hp
 10 dB/
 OFFSET
 10.0
 dB
 DL
 -17.3
 dBm



START 7.00 GHz STOP 8.00 GHz
 RES BW 100 kHz VBW 300 kHz SWP 20.0 sec

Customer: Symbol Technologies
Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
Model No.: PPT4600 FCC ID: H99TPT460001WV9
Test Method: FCC 15.247 (c) Antenna Conducted Emissions 30 MHz to 25 GHz
Notes: Carrier Frequency Tested: 2.412 GHz

Date: February 4, 2000

Tests:

N Outputs:

Start:

9

dB




Retif Testing Laboratories

Report No. R-8392-1

R-8392-1 PPT4600 Antenna C.E. ND 2/1/00

REF 2.7 dBm ATTN 10 dB

hp
10 dB/
OFFSET
10.0
dB
DL
-17.3
dBm



START 8.00 GHz

RES BW 100 kHz


VBW 300 kHz

STOP 9.00 GHz

SWP 20.0 sec

R-8392-1 PPT4600 Antenna C.E. ND 2/1/00
REF 2.7 dBm ATTEN 10 dB

10 dB/
OFFSET
10.0
dB
DL
-17.3
dBm



START 9.00 GHz RES BW 100 kHz VBW 300 kHz STOP 10.00 GHz
SWP 20.0 sec

Customer: Symbol Technologies
Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
Model No.: PPT4600 FCC ID: H09PPT14600/01W1W9
Test Method: FCC 15.247 (c) Antenna Conducted Emissions 30 MHz to 25 GHz
Notes: Carrier Frequency Tested: 2.412 GHz
Date: February 4, 2000 Page: 1 of 1



Retif Testing Laboratories
Report No. R-8392-1

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: B9PPT4600C01E1W9
 Test Method: FCC 15.247 (c) Antenna Conducted Emissions 30 kHz to 25 GHz
 Note: Center Frequency Tested: 2.412 GHz


Date: February 4, 2000 Tech: N Daughton Sheet 11 of 45



Retlif Testing Laboratories
 Report No. R-8392-1

R-8392-1 PPT4600 Antenna C.E. ND 2/1/00
 REF 2.7 dBm ATTEN 10 dB

10 dB/
 OFFSET 10.0 dB
 DL -17.3 dBm



START 10.00 GHz STOP 12.00 GHz
 RES BW 100 kHz VBW 300 kHz SWP 20.0 sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H99PPT4600NHNW9
 Test Method: FCC 15.247 (c) Antenna Conducted Emission 30 MHz to 25 GHz
 Notes: Carrier Frequency Testset: 2.412 GHz

Date: February 4, 2000 Tech: N. Dragotta Sheet 12 of 45



Retif Testing Laboratories

Report No. R-8392-1

