


Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H9FET4600/CHWV9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Notes: Carrier Frequency Tested: 2.412 GHz
 Lead Tested: Hot Detector Function: Peak

Date: February 4, 2000 Tech: N. Dragana Sheet: 1 of 6



Retif Testing Laboratories
 Report No. R-8392-1




Customer:		Symbol Technologies	
Test Sample:		2.4 GHz Direct Sequence Spread Spectrum Transceiver	
Model No.:		PPT4600 FCC ID: H253274600001WV9	
Test Method:		FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz	
Notes:		Carrier Frequency Tested: 2.412 GHz	
Lead Tested: Neutral		Detector Function: Peak	
Date:	February 4, 2000	Test:	N. Diagnostics
		Sheet:	2 of 6



Retlif Testing Laboratories
Report No. R-8392-1

ATTEN 10dB

RL 85.0dBV 10dB/



R-8392-1 PPT4600

Cond Emis. Lead-NEUTRAL

START 450kHz

STOP 30.00MHz

*RBW 10kHz

*VBW 30kHz

*SWP 20.0sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H9PPT4600X01W EW9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Noise: Carrier Frequency Tested: 2.437 GHz
 Lead Tested: Hot Detector Function: Peak

Date: February 4, 2000 Tech: N Drapals Sheet 3 of 6




Retlif Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB

RL 85.0dB_V

10dB/



START 450kHz

STOP 30.00MHz

*RBW 10kHz

*VBW 30kHz

*SWP 20.0sec


Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT4600 FCC ID: H99PPT4600S01HWV9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Notes: Carrier Frequency Tested: 2.437 GHz
 Lead Tested: Neutral Detector Function: Peak
 Date: February 4, 2000 Tech: N Drapchak Sheet: 4 of 6



Retif Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB

RL 85.00dB/V 10dB/



START 450kHz

STOP 30.00MHz

*RBW 10kHz

*VBW 30kHz

*SWP 20.0sec

Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transceiver
 Model No.: PPT14600 FCC ID: H5PPT1400SCHWEW9
 Test Method: FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz
 Notes: Carrier Frequency Tested: 2.482 GHz
 Lead Tested: Hot Detector Function: Peak


Date: February 4, 2000 Test: N Dragsola Sheet 5 of 6



Retif Testing Laboratories
 Report No. R-8392-1

ATTEN 10dB

RL 85.0dBm 10dB/



R-8392-1 PPT4600
 Cond Emis. Lead-

Hot

START 450kHz

STOP 30.00MHz

*RBW 10kHz

*VBW 30kHz

*SWP 20.0sec

Customer:		Symbol Technologies	
Test Sample:		2.4 GHz Direct Sequence Spread Spectrum Transceiver	
Model No.:		PPT4600 FCC ID: H99PPT4600S01WEV9	
Test Method:		FCC 15.207 (a) Conducted Emissions 450 kHz to 30 MHz	
Notes:		Carrier Frequency Tested: 2.452 GHz	
Lead Tested: Neutral		Detector Function: Peak	
Date: February 4, 2000	Technician: N. Dragotta	Sheet: 6	of: 6




Retif Testing Laboratories

Report No. R-8392-1

ATTEN 10dB

RL 85.0dBV 10dB/



R-8392-1 PPT4600

Cond Emis. Lead-

NEUTRAL

START 450kHz

STOP 30.00MHz

*RBW 10kHz

*VBW 30kHz

*SWP 20.0sec