


Custom: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transmitter
 Model No.: PPT 4600 FCC ID: H9PPT4600SHWV9
 Test Method: 15.247(b)(1), Power Output
 Notes: Center Frequency= 2412 MHz
 Maximum output power does not exceed 1 Watt (+ 30 dBm)
 Date: February 12, 2000 Tech: T. Schneider Shield 1 of 3




Retif Testing Laboratories
 Report No. R-8392-1



Customer: Symbol Technologies
 Test Sample: PPT 4600 Direct Sequence Spread Spectrum Transmitter
 Model No.: PPT 4600 FCC ID: H9FE714000C/HWEN/5
 Test Method: 15.247(b)(1), Power Output
 Notes: Center Frequency= 2437 MHz
 Maximum output power does not exceed 1 Watt (+30 dBm)
 Date: February 12, 2000
 Tech: T. Schnader
 Sheet: 2 of 3



Retif Testing Laboratories
 Report No. R-8392-1



Customer: Symbol Technologies
 Test Sample: 2.4 GHz Direct Sequence Spread Spectrum Transmitter
 Model No.: PPT 4600 FCC ID: H97PPT4600S01WTV9
 Test Method: 15.247(b)(1), Power Output
 Notes: Center Frequency= 2482 MHz
 Maximum output power does not exceed 1 Watt (+30 dBm)

Date: February 12, 2000 Tech: T. Schneider Sheet: 3 of 3



Retif Testing Laboratories
 Report No. R-8392-1

