



SPORTON International Inc.
TEL : 886-2-2696-2468
FAX : 886-2-2696-2255




symbol
PART NO 55-002333-01
REVISION: A Li-Ion 3.7V2860 mAh
WARNING: DO NOT short circuit,overcharge,crush,mutilate,nail, penetrate, heat, reverse the + or - terminals or disassemble the battery. DO NOT allow metal objects to come into contact with the battery terminals. These and any other abuses of the battery may cause serious injury and/or burns. To ensure proper charging use the charger supplied with your device. Keep battery DRY.
Lead
MADE IN CHINA
S/N 30000014
CELL MFD:250506
PACK MFD:160606





SPORTON International Inc.
TEL : 886-2-2696-2468
FAX : 886-2-2696-2255


2 3 4 5 6 7 8 9 10 1 2



MODEL WT4070
(S)SN 6167520100153
FCC ID H9PWT4070 IC 1549D-WT4070
BD_ADDR
P/N
MFD 15JUN06
ORDER
MADE IN TAIWAN
THIS DEVICE CONTAINS AN APPROVED RADIO MODULE
SYMBOL TECHNOLOGIES INC., HOLTSVILLE N.Y. 11742
SEE REGULATORY GUIDE FOR PATENT AND RADIO INFORMATION
COMPLIES WITH 21CFR1040.10 AND 1040.11 EXCEPT FOR DEVIATIONS PURSUANT TO LASER NOTICE No. 50, DATED JULY 26, 2001, IEC 825-1:1993 + A2:2001, EN60825-:1994+A11: 1996+A2:2001. THIS CLASS B DIGITAL APPARATUS COMPLIES WITH CANADIAN ICES-103. CET APPAREIL NUMÉRIQUE DE LA CLASSE B EST CONFORME À LA NORME NMB-003 DU CANADA.
9B97
LISTED I.T.E.
0168
N410
IF APPLICABLE AFFIX COUNTRY STAMP HERE





SYMBOL TECHNOLOGIES INC., HOLTSVILLE, NY, 11742
P/N:21-21160-11 Rev.A
MAC: 0015702485D2
FCC ID: H9P2121160
IC: 1549D-2121160
TYPE: 21-21160
Mfg Date: 05-JUN-06
N410
Made in Taiwan
0168






SYMBOL TECHNOLOGIES INC., HOLTSVILLE, NY. 11742
P/N:21-21160-11 Rev.A
MAC: 00157024B5D2
FCC ID: H9P2121160
IC: 1549D-2121160
TYPE: 21-21160
Mfg Date: 05-JUN-06
N410
Made in Taiwan
0168
RoHS








GW3888IKZ
P0615BBBL


64
12IRZ
H609HA








6 7 8 9 70 1 2 3 4



ISL36921IRZ
NOGOBMACN



ISL3692IRZ
N0608MACN









































SPORTON International Inc.
TEL : 886-2-2696-2468
FAX : 886-2-2696-2255





LTP233DV-F02-005















SPORTON International Inc.
TEL : 886-2-2696-2468
FAX : 886-2-2696-2255


P1
P2
ENTER


WARNING
Do NOT burn or incinerate.
Do Not heat above 85°C or 185°F.
14-956652-01
0605