



Transmit at 5240MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.2	42.85	1.680	68.30	25.45	PK	Vertic	PASS
2	15720.00	36.6	46.06	9.500	74.00	27.94	PK	Vertic	PASS
3	15720.00	27.7	37.16	9.500	54.00	16.84	AV	Vertic	PASS

Transmit at 5260MHz by 802.11ax(20MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.3	43.01	1.690	68.30	25.29	PK	Horizo	PASS
2	15780.00	37.1	46.45	9.330	74.00	27.55	PK	Horizo	PASS
3	15780.00	27.8	37.11	9.330	54.00	16.89	AV	Horizo	PASS


Transmit at 5260MHz by 802.11ax(20MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	43.6	45.31	1.690	68.30	22.99	PK	Vertic	PASS
2	15780.00	35.8	45.17	9.330	74.00	28.83	PK	Vertic	PASS
3	15780.00	28.2	37.51	9.330	54.00	16.49	AV	Vertic	PASS

Transmit at 5280MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.5	43.16	1.630	68.30	25.14	PK	Horizo	PASS
2	15840.00	37.9	47.14	9.280	74.00	26.86	PK	Horizo	PASS
3	15840.00	27.9	37.19	9.280	54.00	16.81	AV	Horizo	PASS

Transmit at 5280MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	40.7	42.37	1.630	68.30	25.93	PK	Vertic	PASS
2	15840.00	36.9	46.16	9.280	74.00	27.84	PK	Vertic	PASS
3	15840.00	27.6	36.88	9.280	54.00	17.12	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	43.4	45.21	1.800	74.00	28.79	PK	Horizo	PASS
2	10640.00	33.8	35.59	1.800	54.00	18.41	AV	Horizo	PASS
3	15960.00	33.9	43.47	9.590	74.00	30.53	PK	Horizo	PASS
4	15960.00	25.8	35.35	9.590	54.00	18.65	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz)



Data List									
NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	41.6	43.35	1.800	74.00	30.65	PK	Vertic	PASS
2	10640.00	32.7	34.54	1.800	54.00	19.46	AV	Vertic	PASS
3	15960.00	35.1	44.64	9.590	74.00	29.36	PK	Vertic	PASS
4	15960.00	26.5	36.13	9.590	54.00	17.87	AV	Vertic	PASS


Transmit at 5500MHz by 802.11ax(20MHz)



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	41.1	43.16	2.020	74.00	30.84	PK	Horizo	PASS
2	11000.00	32.0	33.99	2.020	54.00	20.01	AV	Horizo	PASS
3	16500.00	36.6	46.08	9.470	68.30	22.22	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.5	42.52	2.020	74.00	31.48	PK	Vertic	PASS
2	11000.00	31.9	33.89	2.020	54.00	20.11	AV	Vertic	PASS
3	16500.00	35.6	45.04	9.470	68.30	23.26	PK	Vertic	PASS

Transmit at 5580MHz by 802.11ax(20MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	39.1	42.88	3.750	74.00	31.12	PK	Horizo	PASS
2	11160.00	31.1	34.84	3.750	54.00	19.16	AV	Horizo	PASS
3	16740.00	37.0	46.95	9.950	68.30	21.35	PK	Horizo	PASS


Transmit at 5580MHz by 802.11ax(20MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	40.1	43.87	3.750	74.00	30.13	PK	Vertic	PASS
2	11160.00	31.3	35.02	3.750	54.00	18.98	AV	Vertic	PASS
3	16740.00	37.1	47.02	9.950	68.30	21.28	PK	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	39.2	43.31	4.080	74.00	30.69	PK	Horizo	PASS
2	11400.00	31.9	36.01	4.080	54.00	17.99	AV	Horizo	PASS
3	17100.00	35.9	45.79	9.860	68.30	22.51	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	39.8	43.85	4.080	74.00	30.15	PK	Vertic	PASS
2	11400.00	31.0	35.03	4.080	54.00	18.97	AV	Vertic	PASS
3	17100.00	37.1	46.95	9.860	68.30	21.35	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.6	44.82	4.250	74.00	29.18	PK	Horizo	PASS
2	11490.00	32.1	36.35	4.250	54.00	17.65	AV	Horizo	PASS
3	17235.00	36.0	46.32	10.290	68.30	21.98	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1188.31	64.6	58.85	-5.740	74.00	15.15	PK	Vertic	PASS
2	1188.77	50.5	44.73	-5.730	54.00	9.27	AV	Vertic	PASS
3	11490.00	31.4	35.68	4.250	54.00	18.32	AV	Vertic	PASS
4	11490.00	41.9	46.18	4.250	74.00	27.82	PK	Vertic	PASS
5	17235.00	36.0	46.26	10.290	68.30	22.04	PK	Vertic	PASS

Transmit at 5785MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	40.9	45.39	4.480	74.00	28.61	PK	Horizo	PASS
2	11570.00	31.7	36.20	4.480	54.00	17.80	AV	Horizo	PASS
3	17355.00	36.0	46.43	10.390	68.30	21.87	PK	Horizo	PASS

Transmit at 5785MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	39.8	44.25	4.480	74.00	29.75	PK	Vertic	PASS
2	11570.00	31.7	36.15	4.480	54.00	17.85	AV	Vertic	PASS
3	17355.00	36.5	46.88	10.390	68.30	21.42	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	40.4	44.79	4.430	74.00	29.21	PK	Horizo	PASS
2	11650.00	31.1	35.57	4.430	54.00	18.43	AV	Horizo	PASS
3	17475.00	37.8	47.96	10.200	68.30	20.34	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	40.0	44.43	4.430	74.00	29.57	PK	Vertic	PASS
2	11650.00	31.4	35.82	4.430	54.00	18.18	AV	Vertic	PASS
3	17475.00	36.5	46.65	10.200	68.30	21.65	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.1	42.65	1.580	68.30	25.65	PK	Horizo	PASS
2	15570.00	35.4	44.57	9.200	74.00	29.43	PK	Horizo	PASS
3	15570.00	27.5	36.70	9.200	54.00	17.30	AV	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1189.23	61.6	55.86	-5.730	74.00	18.14	PK	Vertic	PASS
2	1189.69	43.4	37.65	-5.730	54.00	16.35	AV	Vertic	PASS
3	10380.00	42.1	43.65	1.580	68.30	24.65	PK	Vertic	PASS
4	15570.00	27.7	36.88	9.200	54.00	17.12	AV	Vertic	PASS
5	15570.00	36.3	45.45	9.200	74.00	28.55	PK	Vertic	PASS

Transmit at 5230MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	42.1	43.72	1.650	68.30	24.58	PK	Horizo	PASS
2	15690.00	36.2	45.75	9.540	74.00	28.25	PK	Horizo	PASS
3	15690.00	27.8	37.29	9.540	54.00	16.71	AV	Horizo	PASS

Transmit at 5230MHz by 802.11n(40MHz)




Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	10460.00	41.1	42.74	1.650	68.30	25.56	PK	Vertic	PASS
2	15690.00	36.2	45.73	9.540	74.00	28.27	PK	Vertic	PASS
3	15690.00	27.7	37.28	9.540	54.00	16.72	AV	Vertic	PASS

Transmit at 5270MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.7	42.34	1.670	68.30	25.96	PK	Horizo	PASS
2	15810.00	36.5	45.80	9.270	74.00	28.20	PK	Horizo	PASS
3	15810.00	27.9	37.18	9.270	54.00	16.82	AV	Horizo	PASS

Transmit at 5270MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	41.8	43.48	1.670	68.30	24.82	PK	Vertic	PASS
2	15810.00	36.4	45.65	9.270	74.00	28.35	PK	Vertic	PASS
3	15810.00	28.1	37.38	9.270	54.00	16.62	AV	Vertic	PASS

Transmit at 5310MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	41.0	42.64	1.680	74.00	31.36	PK	Horizo	PASS
2	10620.00	31.9	33.62	1.680	54.00	20.38	AV	Horizo	PASS
3	15930.00	36.4	45.86	9.460	74.00	28.14	PK	Horizo	PASS
4	15930.00	27.0	36.43	9.460	54.00	17.57	AV	Horizo	PASS

Transmit at 5310MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	41.3	42.95	1.680	74.00	31.05	PK	Vertic	PASS
2	10620.00	32.3	34.01	1.680	54.00	19.99	AV	Vertic	PASS
3	15930.00	35.2	44.70	9.460	74.00	29.30	PK	Vertic	PASS
4	15930.00	26.3	35.80	9.460	54.00	18.20	AV	Vertic	PASS

Transmit at 5510MHz by 802.11n(40MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	41.4	43.72	2.330	74.00	30.28	PK	Horizo	PASS
2	11020.00	31.9	34.24	2.330	54.00	19.76	AV	Horizo	PASS
3	16530.00	34.9	44.45	9.520	68.30	23.85	PK	Horizo	PASS


Transmit at 5510MHz by 802.11n(40MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.7	43.03	2.330	74.00	30.97	PK	Vertic	PASS
2	11020.00	32.4	34.69	2.330	54.00	19.31	AV	Vertic	PASS
3	16530.00	35.3	44.80	9.520	68.30	23.50	PK	Vertic	PASS

Transmit at 5550MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1183.69	45.8	40.02	-5.770	54.00	13.98	AV	Horizo	PASS
2	1191.08	59.6	53.86	-5.720	74.00	20.14	PK	Horizo	PASS
3	11100.00	39.6	43.11	3.520	74.00	30.89	PK	Horizo	PASS
4	11100.00	31.4	34.95	3.520	54.00	19.05	AV	Horizo	PASS
5	16650.00	35.5	45.19	9.740	68.30	23.11	PK	Horizo	PASS

Transmit at 5550MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	39.0	42.53	3.520	74.00	31.47	PK	Vertic	PASS
2	11100.00	31.1	34.65	3.520	54.00	19.35	AV	Vertic	PASS
3	16650.00	36.3	46.01	9.740	68.30	22.29	PK	Vertic	PASS

Transmit at 5670MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	40.8	44.68	3.850	74.00	29.32	PK	Horizo	PASS
2	11340.00	31.1	34.94	3.850	54.00	19.06	AV	Horizo	PASS
3	17010.00	36.4	46.61	10.170	68.30	21.69	PK	Horizo	PASS

Transmit at 5670MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1188.31	63.7	57.95	-5.740	74.00	16.05	PK	Vertic	PASS
2	1188.77	51.2	45.51	-5.730	54.00	8.49	AV	Vertic	PASS
3	11340.00	30.6	34.42	3.850	54.00	19.58	AV	Vertic	PASS
4	11340.00	39.8	43.66	3.850	74.00	30.34	PK	Vertic	PASS
5	17010.00	35.4	45.53	10.170	68.30	22.77	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	40.1	44.42	4.300	74.00	29.58	PK	Horizo	PASS
2	11510.00	32.4	36.73	4.300	54.00	17.27	AV	Horizo	PASS
3	17265.00	37.0	47.26	10.300	68.30	21.04	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1185.08	45.2	39.41	-5.760	54.00	14.59	AV	Vertic	PASS
2	1186.92	62.0	56.21	-5.740	74.00	17.79	PK	Vertic	PASS
3	11510.00	40.8	45.06	4.300	74.00	28.94	PK	Vertic	PASS
4	11510.00	32.4	36.68	4.300	54.00	17.32	AV	Vertic	PASS
5	17265.00	35.6	45.88	10.300	68.30	22.42	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	40.8	45.32	4.530	74.00	28.68	PK	Horizo	PASS
2	11590.00	31.4	35.95	4.530	54.00	18.05	AV	Horizo	PASS
3	17385.00	35.3	45.74	10.470	68.30	22.56	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	40.1	44.63	4.530	74.00	29.37	PK	Vertic	PASS
2	11590.00	31.0	35.55	4.530	54.00	18.45	AV	Vertic	PASS
3	17385.00	35.8	46.29	10.470	68.30	22.01	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.0	42.53	1.580	68.30	25.77	PK	Horizo	PASS
2	15570.00	37.4	46.56	9.200	74.00	27.44	PK	Horizo	PASS
3	15570.00	27.8	36.95	9.200	54.00	17.05	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	43.1	44.65	1.580	68.30	23.65	PK	Vertic	PASS
2	15570.00	36.6	45.75	9.200	74.00	28.25	PK	Vertic	PASS
3	15570.00	28.2	37.39	9.200	54.00	16.61	AV	Vertic	PASS

Transmit at 5230MHz by 802.11ac(40MHz)




Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	10460.00	41.4	43.02	1.650	68.30	25.28	PK	Horizo	PASS
2	15690.00	36.5	45.99	9.540	74.00	28.01	PK	Horizo	PASS
3	15690.00	28.3	37.82	9.540	54.00	16.18	AV	Horizo	PASS

Transmit at 5230MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.1	42.72	1.650	68.30	25.58	PK	Vertic	PASS
2	15690.00	35.8	45.33	9.540	74.00	28.67	PK	Vertic	PASS
3	15690.00	28.0	37.52	9.540	54.00	16.48	AV	Vertic	PASS

Transmit at 5270MHz by 802.11ac(40MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	42.4	44.08	1.670	68.30	24.22	PK	Horizo	PASS
2	15810.00	37.4	46.68	9.270	74.00	27.32	PK	Horizo	PASS
3	15810.00	27.9	37.13	9.270	54.00	16.87	AV	Horizo	PASS


Transmit at 5270MHz by 802.11ac(40MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	41.7	43.32	1.670	68.30	24.98	PK	Vertic	PASS
2	15810.00	37.3	46.60	9.270	74.00	27.40	PK	Vertic	PASS
3	15810.00	28.4	37.66	9.270	54.00	16.34	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.9	42.62	1.680	74.00	31.38	PK	Horizo	PASS
2	10620.00	31.9	33.62	1.680	54.00	20.38	AV	Horizo	PASS
3	15930.00	36.6	46.07	9.460	74.00	27.93	PK	Horizo	PASS
4	15930.00	26.9	36.39	9.460	54.00	17.61	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ac(40MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.7	42.39	1.680	74.00	31.61	PK	Vertic	PASS
2	10620.00	31.9	33.58	1.680	54.00	20.42	AV	Vertic	PASS
3	15930.00	34.8	44.24	9.460	74.00	29.76	PK	Vertic	PASS
4	15930.00	26.7	36.20	9.460	54.00	17.80	AV	Vertic	PASS


Transmit at 5510MHz by 802.11ac(40MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.8	43.08	2.330	74.00	30.92	PK	Horizo	PASS
2	11020.00	31.9	34.26	2.330	54.00	19.74	AV	Horizo	PASS
3	16530.00	36.8	46.33	9.520	68.30	21.97	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11020.00	40.6	42.93	2.330	74.00	31.07	PK	Vertic	PASS
2	11020.00	33.0	35.28	2.330	54.00	18.72	AV	Vertic	PASS
3	16530.00	36.3	45.83	9.520	68.30	22.47	PK	Vertic	PASS


Transmit at 5550MHz by 802.11ac(40MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	40.3	43.77	3.520	74.00	30.23	PK	Horizo	PASS
2	11100.00	30.9	34.43	3.520	54.00	19.57	AV	Horizo	PASS
3	16650.00	36.4	46.13	9.740	68.30	22.17	PK	Horizo	PASS

Transmit at 5550MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	40.8	44.36	3.520	74.00	29.64	PK	Vertic	PASS
2	11100.00	31.1	34.57	3.520	54.00	19.43	AV	Vertic	PASS
3	16650.00	36.5	46.24	9.740	68.30	22.06	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	38.9	42.77	3.850	74.00	31.23	PK	Horizo	PASS
2	11340.00	30.4	34.27	3.850	54.00	19.73	AV	Horizo	PASS
3	17010.00	35.0	45.14	10.170	68.30	23.16	PK	Horizo	PASS


Transmit at 5670MHz by 802.11ac(40MHz)



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11340.00	39.8	43.63	3.850	74.00	30.37	PK	Vertic	PASS
2	11340.00	31.1	34.97	3.850	54.00	19.03	AV	Vertic	PASS
3	17010.00	36.2	46.41	10.170	68.30	21.89	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ac(40MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.8	44.13	4.300	74.00	29.87	PK	Horizo	PASS
2	11510.00	31.2	35.49	4.300	54.00	18.51	AV	Horizo	PASS
3	17265.00	37.0	47.30	10.300	68.30	21.00	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.3	43.60	4.300	74.00	30.40	PK	Vertic	PASS
2	11510.00	30.9	35.24	4.300	54.00	18.76	AV	Vertic	PASS
3	17265.00	35.9	46.16	10.300	68.30	22.14	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.8	44.34	4.530	74.00	29.66	PK	Horizo	PASS
2	11590.00	31.0	35.48	4.530	54.00	18.52	AV	Horizo	PASS
3	17385.00	35.9	46.34	10.470	68.30	21.96	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz)




Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	11590.00	39.4	43.88	4.530	74.00	30.12	PK	Vertic	PASS
2	11590.00	31.0	35.50	4.530	54.00	18.50	AV	Vertic	PASS
3	17385.00	37.5	47.94	10.470	68.30	20.36	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.1	42.72	1.580	68.30	25.58	PK	Horizo	PASS
2	15570.00	35.6	44.77	9.200	74.00	29.23	PK	Horizo	PASS
3	15570.00	27.3	36.45	9.200	54.00	17.55	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.6	43.17	1.580	68.30	25.13	PK	Vertic	PASS
2	15570.00	35.4	44.60	9.200	74.00	29.40	PK	Vertic	PASS
3	15570.00	27.0	36.19	9.200	54.00	17.81	AV	Vertic	PASS

Transmit at 5230MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1191.54	59.5	53.75	-5.720	74.00	20.25	PK	Horizo	PASS
2	1192.92	47.0	41.31	-5.710	54.00	12.69	AV	Horizo	PASS
3	10460.00	40.6	42.28	1.650	68.30	26.02	PK	Horizo	PASS
4	15690.00	27.2	36.75	9.540	54.00	17.25	AV	Horizo	PASS
5	15690.00	36.5	46.04	9.540	74.00	27.96	PK	Horizo	PASS

Transmit at 5230MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1185.54	47.8	42.04	-5.760	54.00	11.96	AV	Vertic	PASS
2	1187.38	62.1	56.32	-5.740	74.00	17.68	PK	Vertic	PASS
3	10460.00	40.5	42.13	1.650	68.30	26.17	PK	Vertic	PASS
4	15690.00	28.0	37.55	9.540	54.00	16.45	AV	Vertic	PASS
5	15690.00	35.8	45.36	9.540	74.00	28.64	PK	Vertic	PASS

Transmit at 5270MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.6	42.24	1.670	68.30	26.06	PK	Horizo	PASS
2	15810.00	36.1	45.40	9.270	74.00	28.60	PK	Horizo	PASS
3	15810.00	27.6	36.91	9.270	54.00	17.09	AV	Horizo	PASS

Transmit at 5270MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1188.31	64.2	58.47	-5.740	74.00	15.53	PK	Vertic	PASS
2	1188.77	53.9	48.16	-5.730	54.00	5.84	AV	Vertic	PASS
3	10540.00	41.5	43.16	1.670	68.30	25.14	PK	Vertic	PASS
4	15810.00	28.0	37.30	9.270	54.00	16.70	AV	Vertic	PASS
5	15810.00	36.0	45.29	9.270	74.00	28.71	PK	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.0	41.69	1.680	74.00	32.31	PK	Horizo	PASS
2	10620.00	31.4	33.04	1.680	54.00	20.96	AV	Horizo	PASS
3	15930.00	34.8	44.26	9.460	74.00	29.74	PK	Horizo	PASS
4	15930.00	26.2	35.68	9.460	54.00	18.32	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1192.00	47.4	41.71	-5.710	54.00	12.29	AV	Vertic	PASS
2	1192.92	62.8	57.04	-5.710	74.00	16.96	PK	Vertic	PASS
3	10620.00	31.6	33.27	1.680	54.00	20.73	AV	Vertic	PASS
4	10620.00	39.3	41.02	1.680	74.00	32.98	PK	Vertic	PASS
5	15930.00	25.9	35.36	9.460	54.00	18.64	AV	Vertic	PASS
6	15930.00	34.4	43.89	9.460	74.00	30.11	PK	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1186.46	62.0	56.29	-5.750	74.00	17.71	PK	Horizo	PASS
2	1188.31	53.1	47.35	-5.740	54.00	6.65	AV	Horizo	PASS
3	11020.00	40.6	42.88	2.330	74.00	31.12	PK	Horizo	PASS
4	11020.00	31.7	34.03	2.330	54.00	19.97	AV	Horizo	PASS
5	16530.00	35.4	44.93	9.520	68.30	23.37	PK	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1188.31	67.7	61.94	-5.740	74.00	12.06	PK	Vertic	PASS
2	1188.77	53.9	48.15	-5.730	54.00	5.85	AV	Vertic	PASS
3	11020.00	41.3	43.58	2.330	74.00	30.42	PK	Vertic	PASS
4	11020.00	32.0	34.37	2.330	54.00	19.63	AV	Vertic	PASS
5	16530.00	35.9	45.37	9.520	68.30	22.93	PK	Vertic	PASS

Transmit at 5550MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11100.00	40.0	43.51	3.520	74.00	30.49	PK	Horizo	PASS
2	11100.00	30.9	34.41	3.520	54.00	19.59	AV	Horizo	PASS
3	16650.00	35.7	45.43	9.740	68.30	22.87	PK	Horizo	PASS

Transmit at 5550MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1183.69	49.0	43.25	-5.770	54.00	10.75	AV	Vertic	PASS
2	1189.69	64.0	58.27	-5.730	74.00	15.73	PK	Vertic	PASS
3	11100.00	39.2	42.72	3.520	74.00	31.28	PK	Vertic	PASS
4	11100.00	30.5	34.02	3.520	54.00	19.98	AV	Vertic	PASS
5	16650.00	35.1	44.84	9.740	68.30	23.46	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1187.85	59.6	53.88	-5.740	74.00	20.12	PK	Horizo	PASS
2	1193.38	48.3	42.62	-5.710	54.00	11.38	AV	Horizo	PASS
3	11340.00	38.5	42.31	3.850	74.00	31.69	PK	Horizo	PASS
4	11340.00	30.6	34.42	3.850	54.00	19.58	AV	Horizo	PASS
5	17010.00	34.2	44.34	10.170	68.30	23.96	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1187.85	62.1	56.31	-5.740	74.00	17.69	PK	Vertic	PASS
2	1188.31	48.9	43.20	-5.740	54.00	10.80	AV	Vertic	PASS
3	11340.00	39.1	42.94	3.850	74.00	31.06	PK	Vertic	PASS
4	11340.00	30.9	34.72	3.850	54.00	19.28	AV	Vertic	PASS
5	17010.00	33.9	44.10	10.170	68.30	24.20	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	41.3	45.55	4.300	74.00	28.45	PK	Horizo	PASS
2	11510.00	30.6	34.85	4.300	54.00	19.15	AV	Horizo	PASS
3	17265.00	35.5	45.83	10.300	68.30	22.47	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.00	39.5	43.81	4.300	74.00	30.19	PK	Vertic	PASS
2	11510.00	30.8	35.09	4.300	54.00	18.91	AV	Vertic	PASS
3	17265.00	35.7	45.98	10.300	68.30	22.32	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.7	44.21	4.530	74.00	29.79	PK	Horizo	PASS
2	11590.00	30.5	35.06	4.530	54.00	18.94	AV	Horizo	PASS
3	17385.00	34.9	45.34	10.470	68.30	22.96	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	39.0	43.48	4.530	74.00	30.52	PK	Vertic	PASS
2	17385.00	34.5	45.00	10.470	68.30	23.30	PK	Vertic	PASS
3	17385.00	25.9	36.39	10.470	-	-	AV	Vertic	NA

Transmit at 5210MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.5	42.07	1.580	68.30	26.23	PK	Horizo	PASS
2	15630.00	35.0	44.41	9.400	74.00	29.59	PK	Horizo	PASS
3	15630.00	26.1	35.50	9.400	54.00	18.50	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	40.3	41.83	1.580	68.30	26.47	PK	Vertic	PASS
2	15630.00	35.5	44.93	9.400	74.00	29.07	PK	Vertic	PASS
3	15630.00	26.3	35.69	9.400	54.00	18.31	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	40.5	42.12	1.590	68.30	26.18	PK	Horizo	PASS
2	15870.00	35.8	45.06	9.300	74.00	28.94	PK	Horizo	PASS
3	15870.00	26.0	35.32	9.300	54.00	18.68	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz)



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.2	42.75	1.590	68.30	25.55	PK	Vertic	PASS
2	15870.00	26.3	35.60	9.300	54.00	18.40	AV	Vertic	PASS
3	15870.00	34.5	43.76	9.300	74.00	30.24	PK	Vertic	PASS


Transmit at 5530MHz by 802.11ac(80MHz)



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	39.7	42.60	2.940	74.00	31.40	PK	Horizo	PASS
2	11060.00	31.3	34.28	2.940	54.00	19.72	AV	Horizo	PASS
3	16590.00	34.9	44.61	9.670	68.30	23.69	PK	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	39.1	42.07	2.940	74.00	31.93	PK	Vertic	PASS
2	11060.00	31.0	33.98	2.940	54.00	20.02	AV	Vertic	PASS
3	16590.00	34.6	44.22	9.670	68.30	24.08	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.6	43.42	3.860	74.00	30.58	PK	Horizo	PASS
2	11220.00	30.6	34.46	3.860	54.00	19.54	AV	Horizo	PASS
3	16830.00	34.2	44.56	10.330	68.30	23.74	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz)




Data List									
NO	Freque ncy [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	11220.00	38.8	42.61	3.860	74.00	31.39	PK	Vertic	PASS
2	11220.00	30.5	34.38	3.860	54.00	19.62	AV	Vertic	PASS
3	16830.00	34.2	44.54	10.330	68.30	23.76	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	39.8	44.19	4.440	74.00	29.81	PK	Horizo	PASS
2	11550.00	31.8	36.24	4.440	54.00	17.76	AV	Horizo	PASS
3	17325.00	35.0	45.29	10.340	68.30	23.01	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1188.77	63.2	57.51	-5.730	74.00	16.49	PK	Vertic	PASS
2	1189.23	48.9	43.13	-5.730	54.00	10.87	AV	Vertic	PASS
3	11550.00	39.7	44.12	4.440	74.00	29.88	PK	Vertic	PASS
4	11550.00	31.2	35.62	4.440	54.00	18.38	AV	Vertic	PASS
5	17325.00	34.7	45.03	10.340	68.30	23.27	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	39.9	41.49	1.580	68.30	26.81	PK	Horizo	PASS
2	15630.00	34.0	43.41	9.400	74.00	30.59	PK	Horizo	PASS
3	15630.00	26.0	35.41	9.400	54.00	18.59	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1186.92	59.4	53.66	-5.740	74.00	20.34	PK	Vertic	PASS
2	1188.31	43.0	37.25	-5.740	54.00	16.75	AV	Vertic	PASS
3	10420.00	40.0	41.57	1.580	68.30	26.73	PK	Vertic	PASS
4	15630.00	25.7	35.14	9.400	54.00	18.86	AV	Vertic	PASS
5	15630.00	34.9	44.34	9.400	74.00	29.66	PK	Vertic	PASS

Transmit at 5290MHz by 802.11ax(80MHz)




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	1188.31	61.4	55.63	-5.740	74.00	18.37	PK	Horizo	PASS
2	1188.77	50.0	44.30	-5.730	54.00	9.70	AV	Horizo	PASS
3	10580.00	40.1	41.73	1.590	68.30	26.57	PK	Horizo	PASS
4	15870.00	26.1	35.44	9.300	54.00	18.56	AV	Horizo	PASS
5	15870.00	34.5	43.81	9.300	74.00	30.19	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	40.2	41.81	1.590	68.30	26.49	PK	Vertic	PASS
2	15870.00	34.5	43.84	9.300	74.00	30.16	PK	Vertic	PASS
3	15870.00	25.7	34.99	9.300	54.00	19.01	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz)



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	39.9	42.82	2.940	74.00	31.18	PK	Horizo	PASS
2	11060.00	30.7	33.62	2.940	54.00	20.38	AV	Horizo	PASS
3	16590.00	34.8	44.43	9.670	68.30	23.87	PK	Horizo	PASS