









Mode	45																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full_6705MHz																																																																																																																									
ANT	6+7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>44.56</td><td>88.20</td><td>-43.64</td><td>51.81</td><td>38.89</td><td>16.24</td><td>62.38</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	44.56	88.20	-43.64	51.81	38.89	16.24	62.38	0.00	---											PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>45.14</td><td>88.20</td><td>-43.06</td><td>52.39</td><td>38.89</td><td>16.24</td><td>62.38</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	45.14	88.20	-43.06	52.39	38.89	16.24	62.38	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	44.56	88.20	-43.64	51.81	38.89	16.24	62.38	0.00	---																																																																																																																
										PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	45.14	88.20	-43.06	52.39	38.89	16.24	62.38	0.00	---																																																																																																																
										PEAK																																																																																																																



Mode	46																																																										
	Harmonic																																																										
	U-NII-5_5.925-6.425_802.11ax HE160_CH143_Full_6665MHz																																																										
ANT	6+7																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>52.57</td><td>39.04</td><td>16.20</td><td>62.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13330.00	45.49	74.00	-28.51	52.57	39.04	16.20	62.32	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13330.00	45.49	74.00	-28.51	52.57	39.04	16.20	62.32	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>53.17</td><td>39.04</td><td>16.20</td><td>62.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13330.00	46.09	74.00	-27.91	53.17	39.04	16.20	62.32	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	13330.00	46.09	74.00	-27.91	53.17	39.04	16.20	62.32	0.00	---	---	PEAK																																															



Mode	47																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_5.925-6.425_802.11ax HE80_CH167_Full_6785MHz																																																																																																								
ANT	6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>44.69</td><td>88.20</td><td>-43.51</td><td>52.20</td><td>38.66</td><td>16.32</td><td>62.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	44.69	88.20	-43.51	52.20	38.66	16.32	62.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>45.28</td><td>88.20</td><td>-42.92</td><td>52.79</td><td>38.66</td><td>16.32</td><td>62.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13570.00	45.28	88.20	-42.92	52.79	38.66	16.32	62.49	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13570.00	44.69	88.20	-43.51	52.20	38.66	16.32	62.49	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	13570.00	45.28	88.20	-42.92	52.79	38.66	16.32	62.49	0.00	---	---	PEAK																																																																																													



<Simultaneous transmission>





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	2400-2483.5	6+7	802.11ax HE40	04	2427	MCS0	Full	-
	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full	-
Mode 2	2400-2483.5	2400-2483.5	6+7	Bluetooth-LE	39	2480	2Mbps	Full	-
	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11ax HE40	04	2386.57	50.93	54.00	-3.07	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	04	7281.00	42.78	74.00	-31.22	H	-	Pass	Harmonic
	802.11ax HE80	7	5923.40	59.97	68.20	-8.23	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	7	11970.00	46.16	74.00	-27.84	H	PEAK	Pass	Harmonic
2	Bluetooth-LE	39	2495.92	45.71	54.00	-8.29	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	41.62	74.00	-32.38	H	Peak	Pass	Harmonic
	802.11ax HE80	7	5922.44	59.84	68.20	-8.36	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	7	11970.00	47.21	74.00	-26.79	V	PEAK	Pass	Harmonic



		1																																																				
Mode		Simultaneous transmission Band Edge																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2386.96</td><td>64.46</td><td>74.00</td><td>-9.54</td><td>51.60</td><td>32.44</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2386.96	64.46	74.00	-9.54	51.60	32.44	6.60	32.18	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2386.96	64.46	74.00	-9.54	51.60	32.44	6.60	32.18	6.00	100	79 PEAK																																												
Fundamental																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2427.00</td><td>110.06</td><td>-----</td><td>-----</td><td>97.12</td><td>32.48</td><td>6.66</td><td>32.20</td><td>6.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2427.00	110.06	-----	-----	97.12	32.48	6.66	32.20	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2427.00	110.06	-----	-----	97.12	32.48	6.66	32.20	6.00	100	79 PEAK																																												
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2386.57</td><td>50.93</td><td>54.00</td><td>-3.07</td><td>38.07</td><td>32.44</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2386.57	50.93	54.00	-3.07	38.07	32.44	6.60	32.18	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2386.57	50.93	54.00	-3.07	38.07	32.44	6.60	32.18	6.00	100	79 AVERAGE																																												
Fundamental																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2427.00</td><td>100.18</td><td>-----</td><td>-----</td><td>87.20</td><td>32.52</td><td>6.65</td><td>32.19</td><td>6.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2427.00	100.18	-----	-----	87.20	32.52	6.65	32.19	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2427.00	100.18	-----	-----	87.20	32.52	6.65	32.19	6.00	100	79 AVERAGE																																												



1

Mode


Simultaneous transmission Band Edge

Pol.


Vertical

Fundamental

Peak




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2389.82	59.65	74.00	-14.35	46.75	32.48	6.60	32.18	6.00	331 105 PEAK




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2427.00	105.86	-----	-----	92.68	32.52	6.65	32.19	6.00	331 105 PEAK

Avg





	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2389.56	46.37	54.00	-7.63	33.48	32.47	6.60	32.18	6.00	331 105 AVERAGE







	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2428.00	94.77	-----	-----	81.82	32.49	6.66	32.20	6.00	331 105 Average



		1																																																																																																																													
Mode		Simultaneous transmission Harmonic																																																																																																																													
Pol.		Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4854.00</td><td>41.45</td><td>74.00</td><td>-32.55</td><td>59.00</td><td>34.19</td><td>9.50</td><td>61.24</td><td>0.00</td><td>100</td><td>82</td></tr><tr><td>2</td><td>7281.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>56.10</td><td>35.66</td><td>11.68</td><td>60.66</td><td>0.00</td><td>100</td><td>246</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	41.45	74.00	-32.55	59.00	34.19	9.50	61.24	0.00	100	82	2	7281.00	42.78	74.00	-31.22	56.10	35.66	11.68	60.66	0.00	100	246	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4854.00</td><td>40.30</td><td>74.00</td><td>-33.70</td><td>57.85</td><td>34.19</td><td>9.50</td><td>61.24</td><td>0.00</td><td>149</td><td>360</td></tr><tr><td>2</td><td>7281.00</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>55.30</td><td>35.66</td><td>11.68</td><td>60.66</td><td>0.00</td><td>300</td><td>223</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	40.30	74.00	-33.70	57.85	34.19	9.50	61.24	0.00	149	360	2	7281.00	41.98	74.00	-32.02	55.30	35.66	11.68	60.66	0.00	300	223
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4854.00	41.45	74.00	-32.55	59.00	34.19	9.50	61.24	0.00	100	82																																																																																																																				
2	7281.00	42.78	74.00	-31.22	56.10	35.66	11.68	60.66	0.00	100	246																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4854.00	40.30	74.00	-33.70	57.85	34.19	9.50	61.24	0.00	149	360																																																																																																																				
2	7281.00	41.98	74.00	-32.02	55.30	35.66	11.68	60.66	0.00	300	223																																																																																																																				



		1																																																																	
Mode		Simultaneous transmission Band Edge																																																																	
Pol.		Horizontal					Fundamental																																																												
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>69.82</td><td>88.20</td><td>-18.38</td><td>56.43</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	69.82	88.20	-18.38	56.43	35.04	10.51	32.16	0.00	100	221 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5923.56	69.82	88.20	-18.38	56.43	35.04	10.51	32.16	0.00	100	221 PEAK																																																								
Fundamental																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2431.00</td><td>103.34</td><td>-----</td><td>-----</td><td>96.40</td><td>32.48</td><td>6.66</td><td>32.20</td><td>0.00</td><td>100</td><td>221 Peak</td></tr><tr><td>2</td><td>5985.00</td><td>106.80</td><td>-----</td><td>-----</td><td>93.01</td><td>35.38</td><td>10.58</td><td>32.17</td><td>0.00</td><td>100</td><td>221 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2431.00	103.34	-----	-----	96.40	32.48	6.66	32.20	0.00	100	221 Peak	2	5985.00	106.80	-----	-----	93.01	35.38	10.58	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2431.00	103.34	-----	-----	96.40	32.48	6.66	32.20	0.00	100	221 Peak																																																								
2	5985.00	106.80	-----	-----	93.01	35.38	10.58	32.17	0.00	100	221 PEAK																																																								
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.40</td><td>59.97</td><td>68.20</td><td>-8.23</td><td>46.58</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>221 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	59.97	68.20	-8.23	46.58	35.04	10.51	32.16	0.00	100	221 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5923.40	59.97	68.20	-8.23	46.58	35.04	10.51	32.16	0.00	100	221 AVERAGE																																																								
Fundamental																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>94.48</td><td>-----</td><td>-----</td><td>87.51</td><td>32.51</td><td>6.65</td><td>32.19</td><td>0.00</td><td>100</td><td>221 Average</td></tr><tr><td>2</td><td>5985.00</td><td>97.89</td><td>-----</td><td>-----</td><td>84.15</td><td>35.34</td><td>10.57</td><td>32.17</td><td>0.00</td><td>100</td><td>221 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	94.48	-----	-----	87.51	32.51	6.65	32.19	0.00	100	221 Average	2	5985.00	97.89	-----	-----	84.15	35.34	10.57	32.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2422.00	94.48	-----	-----	87.51	32.51	6.65	32.19	0.00	100	221 Average																																																								
2	5985.00	97.89	-----	-----	84.15	35.34	10.57	32.17	0.00	100	221 AVERAGE																																																								



1

Mode


Simultaneous transmission Band Edge

Pol.


Vertical

Fundamental

Peak




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	5922.76	68.55	88.20	-19.65	55.16	35.04	10.51	32.16	0.00	280	270	PEAK




		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	2422.00	95.07	-----	88.10	32.51	6.65	32.19	0.00	280	270	Peak
2	5985.00	104.31	-----	90.61	35.31	10.56	32.17	0.00	280	270	PEAK

Avg




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	5923.08	56.46	68.20	-11.74	43.07	35.04	10.51	32.16	0.00	280	270	AVERAGE



		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	2422.00	85.72	-----	78.75	32.51	6.65	32.19	0.00	280	270	Average
2	5985.00	95.63	-----	81.89	35.34	10.57	32.17	0.00	280	270	AVERAGE



		1																																																						
Mode		Simultaneous transmission Harmonic																																																						
Pol.		Horizontal					Vertical																																																	
Peak Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11978.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>53.52</td><td>38.70</td><td>15.25</td><td>61.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11978.00	46.16	74.00	-27.84	53.52	38.70	15.25	61.31	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11978.00	46.16	74.00	-27.84	53.52	38.70	15.25	61.31	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11978.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>53.19</td><td>38.70</td><td>15.25</td><td>61.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11978.00	45.83	74.00	-28.17	53.19	38.70	15.25	61.31	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11978.00	45.83	74.00	-28.17	53.19	38.70	15.25	61.31	0.00	---	---	PEAK																																													



		2																																																				
Mode		Simultaneous transmission Band Edge																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2499.58</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>42.78</td><td>32.70</td><td>6.75</td><td>32.24</td><td>6.00</td><td>100</td><td>308 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2499.58	55.99	74.00	-18.01	42.78	32.70	6.75	32.24	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2499.58	55.99	74.00	-18.01	42.78	32.70	6.75	32.24	6.00	100	308 PEAK																																												
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.16</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>32.53</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>308 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2484.16	45.63	54.00	-8.37	32.53	32.60	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2484.16	45.63	54.00	-8.37	32.53	32.60	6.73	32.23	6.00	100	308 AVERAGE																																												
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>103.75</td><td>-----</td><td>-----</td><td>90.67</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>308 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	103.75	-----	-----	90.67	32.58	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2480.00	103.75	-----	-----	90.67	32.58	6.73	32.23	6.00	100	308 PEAK																																												
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>101.37</td><td>-----</td><td>-----</td><td>88.29</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>308 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	101.37	-----	-----	88.29	32.58	6.73	32.23	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2480.00	101.37	-----	-----	88.29	32.58	6.73	32.23	6.00	100	308 AVERAGE																																												



2

Mode


Simultaneous transmission Band Edge

Pol.


Vertical

Fundamental

Peak




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2499.52	55.29	74.00	-18.71	42.08	32.70	6.75	32.24	6.00	247	0 PEAK




		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	2480.00	100.07	-----	-----	86.99	32.58	6.73	32.23	6.00	247	0 PEAK

Avg



	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2495.92	45.71	54.00	-8.29	32.52	32.68	6.75	32.24	6.00	247	0 AVERAGE



		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	2480.00	97.85	-----	-----	84.77	32.58	6.73	32.23	6.00	247	0 AVERAGE



2


Mode

Simultaneous transmission Harmonic


Pol.

Horizontal


Vertical

Peak
Avg

Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Limit	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 4960.50	40.35	74.00	-33.65	59.43	33.96	10.44	63.48	0.00	---	---	Peak
2 7440.00	41.62	74.00	-32.38	56.80	35.64	12.93	63.75	0.00	---	---	Peak



Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line	Limit	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 4960.50	39.99	74.00	-34.01	59.07	33.96	10.44	63.48	0.00	---	---	Peak
2 7440.00	40.60	74.00	-33.40	55.78	35.64	12.93	63.75	0.00	---	---	Peak





2

Mode


Simultaneous transmission Band Edge

Pol.


Vertical

Fundamental

Peak




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5923.40	68.69	88.20	-19.51	55.30	35.04	10.51	32.16	0.00	317 270 PEAK




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2476.00	89.61	-----	-----	82.56	32.56	6.72	32.23	0.00	317 270 Peak
2	5985.00	105.04	-----	-----	91.39	35.27	10.55	32.17	0.00	317 270 PEAK


Avg




	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5922.92	57.21	68.20	-10.99	43.82	35.04	10.51	32.16	0.00	317 270 AVERAGE



	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2476.00	85.48	-----	-----	78.43	32.56	6.72	32.23	0.00	317 270 Average
2	5985.00	95.58	-----	-----	81.84	35.34	10.57	32.17	0.00	317 270 AVERAGE





Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.



Note: Only the worst case has assessed 18G ~40GHz to test.




Mode	1																																																																																																																																																																																									
	Simultaneous transmission 30MHz-1GHz																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																			
Peak																																																																																																																																																																																										
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.86</td><td>40.00</td><td>-19.14</td><td>27.31</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>112.45</td><td>19.52</td><td>43.50</td><td>-23.98</td><td>33.78</td><td>16.97</td><td>1.57</td><td>32.80</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>183.26</td><td>22.91</td><td>43.50</td><td>-20.59</td><td>38.65</td><td>15.08</td><td>1.98</td><td>32.80</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>258.92</td><td>19.96</td><td>46.00</td><td>-26.04</td><td>31.26</td><td>19.56</td><td>2.17</td><td>33.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>444.19</td><td>22.71</td><td>46.00</td><td>-23.29</td><td>29.90</td><td>22.83</td><td>3.12</td><td>33.14</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>783.69</td><td>30.78</td><td>46.00</td><td>-15.22</td><td>31.94</td><td>27.96</td><td>4.17</td><td>33.29</td><td>0.00</td><td>--- Peak</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	20.86	40.00	-19.14	27.31	25.74	0.76	32.95	0.00	--- Peak	2	112.45	19.52	43.50	-23.98	33.78	16.97	1.57	32.80	0.00	--- Peak	3	183.26	22.91	43.50	-20.59	38.65	15.08	1.98	32.80	0.00	--- Peak	4	258.92	19.96	46.00	-26.04	31.26	19.56	2.17	33.03	0.00	--- Peak	5	444.19	22.71	46.00	-23.29	29.90	22.83	3.12	33.14	0.00	--- Peak	6	783.69	30.78	46.00	-15.22	31.94	27.96	4.17	33.29	0.00	--- Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.43</td><td>23.87</td><td>40.00</td><td>-16.13</td><td>40.37</td><td>15.45</td><td>0.98</td><td>32.93</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>61.04</td><td>23.20</td><td>40.00</td><td>-16.80</td><td>42.36</td><td>12.48</td><td>1.08</td><td>32.72</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>113.42</td><td>25.60</td><td>43.50</td><td>-17.90</td><td>39.76</td><td>17.05</td><td>1.58</td><td>32.79</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>431.58</td><td>20.59</td><td>46.00</td><td>-25.41</td><td>28.13</td><td>22.56</td><td>3.09</td><td>33.19</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>734.22</td><td>26.04</td><td>46.00</td><td>-19.96</td><td>28.16</td><td>27.22</td><td>4.03</td><td>33.37</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>829.28</td><td>28.82</td><td>46.00</td><td>-17.18</td><td>29.11</td><td>28.46</td><td>4.24</td><td>32.99</td><td>0.00</td><td>--- Peak</td></tr></table>					Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	48.43	23.87	40.00	-16.13	40.37	15.45	0.98	32.93	0.00	--- Peak	2	61.04	23.20	40.00	-16.80	42.36	12.48	1.08	32.72	0.00	--- Peak	3	113.42	25.60	43.50	-17.90	39.76	17.05	1.58	32.79	0.00	--- Peak	4	431.58	20.59	46.00	-25.41	28.13	22.56	3.09	33.19	0.00	--- Peak	5	734.22	26.04	46.00	-19.96	28.16	27.22	4.03	33.37	0.00	--- Peak	6	829.28	28.82	46.00	-17.18	29.11	28.46	4.24	32.99	0.00
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																
1	30.00	20.86	40.00	-19.14	27.31	25.74	0.76	32.95	0.00	--- Peak																																																																																																																																																																																
2	112.45	19.52	43.50	-23.98	33.78	16.97	1.57	32.80	0.00	--- Peak																																																																																																																																																																																
3	183.26	22.91	43.50	-20.59	38.65	15.08	1.98	32.80	0.00	--- Peak																																																																																																																																																																																
4	258.92	19.96	46.00	-26.04	31.26	19.56	2.17	33.03	0.00	--- Peak																																																																																																																																																																																
5	444.19	22.71	46.00	-23.29	29.90	22.83	3.12	33.14	0.00	--- Peak																																																																																																																																																																																
6	783.69	30.78	46.00	-15.22	31.94	27.96	4.17	33.29	0.00	--- Peak																																																																																																																																																																																
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																
1	48.43	23.87	40.00	-16.13	40.37	15.45	0.98	32.93	0.00	--- Peak																																																																																																																																																																																
2	61.04	23.20	40.00	-16.80	42.36	12.48	1.08	32.72	0.00	--- Peak																																																																																																																																																																																
3	113.42	25.60	43.50	-17.90	39.76	17.05	1.58	32.79	0.00	--- Peak																																																																																																																																																																																
4	431.58	20.59	46.00	-25.41	28.13	22.56	3.09	33.19	0.00	--- Peak																																																																																																																																																																																
5	734.22	26.04	46.00	-19.96	28.16	27.22	4.03	33.37	0.00	--- Peak																																																																																																																																																																																
6	829.28	28.82	46.00	-17.18	29.11	28.46	4.24	32.99	0.00	--- Peak																																																																																																																																																																																

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz

802.11a







802.11ax HE20




802.11ax HE40








802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

