





型號
Model ,Modelo :
CT60L0N
中國製造
MADE IN CHINA
MFD : 20171020
DOLPHIN™ CT60
Honeywell International Inc
www.honeywellaidc.com
Patent: www.hsmpats.com
輸入 INPUT 5V 2A
PROTOTYPE
BUSINESS DEVELOPMENT UNIT - NOT FOR SALE
This device has not been authorized as required by the rules
device is not, and may not be, offered for sale or lease, or
sold or leased, until authorization is obtained.
BDA : 001020CCFE8E
CN : CT60-L0N-ASC210F
MAC : 001020CCFE8D
SN : 17292D809B
HARDWARE : CT60L0N









BARCODE
CT60 Carrier Board V1.0






BARCODE
CT60 Carrier Board V1.0



Q1601
RDTP610
U1103 U1106
MCD
Honeywell International Inc.







1601
RDTP610
U1103 U1106
SDX
660
V20
SEC 713
B041
KLMBG2JENB



40
41
42
43
44
45
46
47


OW
ESPB09
740



C171028-018-009-001


DVT Sample,Not for sale
LCD with Ink FPC
CT60LCD-V2-7A1301D3














Rechargeable Li-ion battery P/N:318-055-001
charged only with CT50 www.honeywellaidc.com
Manufactured by Inventus Power Inc. in its factory Lion Battery
Systems (Shanghai) Ltd. for Honeywell International Inc
Minimum Capacity 3950mAh IS 16046/IEC 62133
LPS 1ICP6/60/80
2217-2548
INGRAM MICRO
(THAILAND) LTD.
MH29577 R-41019909
Li-ion
신고번호:
YU10590-16007
전지
서비스번호:
02-799-3517
电芯原产中国，电池中国制造
Cell Origin China, Finished in China
Rating:3.6Vdc,4040mAh,14.6Wh
Limited Charge Voltage:4.23V
SN:PEPA1722201989
Model / 型号: CT50-BTSC
锂离子电池组 Li-Ion
标称电压: 3.6Vdc /额定容量:4040mAh 14.6Wh
充电限制电压: 4.23V
警示：禁止拆解、撞击、挤压、或投入火中。
若出现严重鼓胀，请勿继续使用。请勿置于
高温环境中。电池浸水后禁止使用！