

---

## FCC Approval

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications made to this equipment not expressly approved by Honeywell International Inc may void the authorization to operate this equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.

The highest reported FCC SAR values for head, body-worn and extremity use conditions are 1.09 W/kg (1g), 0.83 W/kg (1g) and 2.36 W/kg (10g).

For 6CD category

Operation of transmitters in the 5925 ~ 7125MHz band is prohibited for control of or communications with unmanned aircraft systems.

For 6VL Category

The operation of this device is prohibited on oil platforms and aircraft, except that operation of this device in 5.925-6.425 GHz is permitted in large aircraft while flying above 10,000 feet.

Installation on outdoor fixed infrastructure is prohibited.

Controlling or communications with unmanned aircraft systems, including drones, is prohibited.

---

## ISED Approval

This device complies with Industry Canada license-exempt RSSs. Operation is subject to the following two conditions:

1. This device may not cause interference, and
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1. l'appareil ne doit pas produire de brouillage;
2. l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The highest reported IC SAR values for head, body-worn and extremity use conditions are 1.09 W/kg (1g), 0.83 W/kg (1g) and 2.36 W/kg (10g).

Les valeurs maximales rapportées de SAR IC pour les conditions d'utilisation sur la tête, portées sur le corps et sur les extrémités sont respectivement de 1,09 W/kg (1 g), 0,83 W/kg (1 g) et 2,36 W/kg (10 g).

The device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.

Avertissement:

Le dispositif fonctionnant dans la bande 5150-5250 MHz est réservé uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux.

This device shall not be used for control of or communications with unmanned aircraft systems.

This device shall not be used on oil platforms.

This device shall not be used on aircraft, except for low-power client class and very low-power class when operating in the 5925-6425 MHz band, that may be used on large aircraft as defined in the Canadian Aviation Regulations, while flying above 3,048 metres (10,000 feet).

Except for very low-power class, this device shall not be used on automobiles, on trains, or on maritime vessels.

Cet appareil ne doit pas être utilisé pour la commande ou la communication avec des systèmes d'aéronefs sans pilote.

Cet appareil ne doit pas être utilisé sur les plates-formes pétrolières.

Cet appareil ne doit pas être utilisé sur les aéronefs, sauf pour les appareils de classe client à faible puissance et de classe très faible puissance fonctionnant dans la bande de 5925 - 6425 MHz, qui peuvent être utilisés sur les grands aéronefs tels que définis dans le Règlement canadien de l'aviation, lorsqu'ils volent à plus de 3 048 mètres (10 000 pieds).

Sauf pour les appareils de classe très faible puissance, cet appareil ne doit pas être utilisé sur les automobiles, les trains ou les navires.

---

For body worn operation, this device has been tested and meets the limits regarding human exposure to electromagnetic radiation when body to device minimum space is 15mm for FCC/ISED compliance.

Pour une utilisation portée sur le corps, cet appareil a été testé et respecte les limites concernant l'exposition humaine aux rayonnements électromagnétiques lorsque l'espace minimal entre le corps et l'appareil est de 15 mm pour la conformité FCC/ISED.

## CE Approval

Honeywell International Inc hereby declares that the radio equipment type, non-specific SRD (Model: CT70-L0), are in compliance with the following directives:

2014/53/EU Radio Equipment

The full text of the EU declaration of conformity is available at the following internet address:

[Honeywell.com/PSScompliance](http://Honeywell.com/PSScompliance).

European contact:

Honeywell Productivity Solutions BV

Burgemeester Burgerslaan 40 5245NH Rosmalen The Netherlands

Model CT70-L0: European Community Restrictions: 5150-5350 is for indoor use only; when connecting to LPI access point or bridge, 5945-6425 MHz is for indoor use only.

|                                                                                     |    |    |    |    |    |    |    |        |
|-------------------------------------------------------------------------------------|----|----|----|----|----|----|----|--------|
|  | AT | BE | BG | CH | CY | CZ | DE | DK     |
|                                                                                     | EE | EL | ES | FI | FR | HR | HU | IE     |
|                                                                                     | IS | IT | LI | LT | LU | LV | MT | NL     |
|                                                                                     | NO | PL | PT | RO | SE | SI | SK | UK(NI) |

## Operating Frequency ranges:

2400-2483.5 MHz (PAN Bluetooth): 16 dBm EIRP

2400-2483.5 MHz (WLAN 802.11b/g/n/ax/be/VHT): 20 dBm EIRP

5150-5725 MHz, 5725-5850 MHz (WLAN/RLAN IEEE 802.11 a/n/ac/ax/be): 23 dBm and 13.98 dBm EIRP

5945-6425 MHz (WLAN/RLAN IEEE 802.11a/ax/be): 16.83 dBm EIRP

13.56 MHz (NFC): -16.63 dBμA/m @10m

The highest reported CE SAR values for head, body-worn and extremity use conditions are 0.285 W/kg (10g), 1.361 W/kg (10g) and 1.361 W/kg (10g).