

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	75.7	5			431.292
2	3	94.6	5	1540	1191	279.513
3	1	51	5			480.02
4	2	84.6	5	1019		19.55
5	1	78.2	5			117.22
6	3	91.9	5	1473	1488	568
7	2	66.5	5	1118		152.53
8	2	70.2	5	1766		526.68
9	2	62.6	5	1285		98.42
10	3	58.1	5	1334	1933	511.58
11	2	72.6	5	1422		313.96
12	2	80.9	5	1026		341.71
13	3	77.5	5	1571	1480	101.26
14	2	66.1	5	1285		105.16
15	1	78.6	5			406.51
16	1	72.8	5			398.05
17	2	86.7	5	1609		7.59
18	3	55.8	5	1384	1675	546.5
19	2	87	5	1564		56.4
20	3	59.2	5	1469	1152	455.2

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	66.5	10	1999		619.273
2	1	70.9	10			418.311
3	1	63	10			360.092
4	3	67.7	10	1094	1856	280.033
5	2	95.5	10	1537		592.334
6	2	54.7	10	1250		503.235
7	1	68.8	10			86.356
8	1	98	10			476.697
9	2	66.6	10	1293		617.108
10	1	54.2	10			480.299
11	3	68.4	10	1389	1701	342.841
12	1	81.6	10			135.472
13	2	71.9	10	1768		325.783
14	3	89.6	10	1313	1145	402.614
15	3	96.1	10	1501	1217	290.705
16	1	66.5	10			598.316
17	2	56.6	10	1236		264.737
18	2	57.3	10	1653		399.458
19	2	54.5	10	1005		112.179

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	50.3	9	1145		153.411
2	1	98.2	9			71.832
3	2	84.5	9	1047		47.46
4	2	95.1	9	1102		523.63
5	2	67	9	1481		447.87
6	3	70	9	1751	1316	113.41
7	2	50.4	9	1065		731.96
8	1	86.9	9			517.12
9	3	80.8	9	1723	1721	316.24
10	2	63.9	9	1941		92.18
11	3	96.4	9	1460	1564	61.61
12	2	92.7	9	1066		318.19
13	1	70	9			275.92
14	2	50.5	9	1293		10.35
15	2	56.6	9	1108		679.1
16	1	83	9			149.6

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	56	10	1402		592.862
2	2	74	10	1230		13.58
3	2	96.6	10	1527		606.115
4	1	66.4	10			122.493
5	2	76	10	1106		151.901
6	1	89.1	10			671.608
7	2	80.6	10	1124		681.006
8	1	86.9	10			117.174
9	1	55.1	10			546.151
10	2	98.8	10	1923		624.609
11	1	90.8	10			394.056
12	3	77.5	10	1949	1600	367.944
13	2	95	10	1142		314.762
14	1	55.4	10			31.689
15	1	94.9	10			80.097
16	1	50.2	10			13.465
17	3	97.6	10	1209	1437	443.782

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	75.2	10	1440		275.93
2	1	81.8	10			298.74
3	2	56.6	10	1179		735.01
4	2	86.1	10	1498		103.17
5	3	53.3	10	1076	1831	646.74
6	3	76.6	10	1218	1816	408.18
7	1	55.9	10			598.7
8	1	67.8	10			679.17
9	3	58	10	1791	1906	179.18
10	2	71.9	10	1122		66.85
11	2	60.1	10	1843		477.41
12	3	74.5	10	1065	1545	500.99
13	2	84.2	10	1962		486.6
14	3	64.5	10	1786	1413	541.8
15	1	55.1	10			672.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	64.6	11			519.061
2	3	75.3	11	1588	1726	480.791
3	2	58.6	11	1311		487.922
4	2	63	11	1430		108.953
5	2	80.2	11	1358		433.834
6	3	91.1	11	1147	1773	203.415
7	2	54.7	11	1378		597.246
8	3	60.8	11	1551	1476	350.457
9	3	83.6	11	1907	1528	397.628
10	2	97	11	1617		560.829
11	2	65.2	11	1544		496.321
12	2	96.2	11	1875		617.152
13	2	88.8	11	1399		501.713
14	3	50.1	11	1724	1779	452.644
15	3	95.6	11	1299	1403	517.495
16	2	61.3	11	1381		545.116
17	2	91.4	11	1640		368.337
18	3	93.7	11	1674	1917	260.458
19	3	100	11	1746	1030	93.379

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	91.9	19			981.84
2	2	77	19	1954		394.61
3	1	72	19			954.26
4	2	90.9	19	1539		968.57
5	2	81.3	19	1646		85.22
6	2	84.6	19	1122		369.38
7	2	67.9	19	1777		729.1
8	2	67.9	19	1847		100.42
9	3	85.5	19	1629	1191	202.23
10	2	80.1	19	1183		549.43
11	3	72.5	19	1473	1856	873.7
12	2	61.5	19	1421		263.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	54.1	15	1869		355.024
2	3	77.6	15	1134	1995	406.081
3	1	86.1	15			179.802
4	1	84	15			470.673
5	1	76.9	15			53.974
6	2	86.4	15	1757		215.485
7	2	98.2	15	1398		174.536
8	3	89	15	1970	1268	443.227
9	1	69	15			130.268
10	3	62.1	15	1852	1573	35.199
11	3	85.2	15	1947	1846	569.631
12	2	71.2	15	1052		297.592
13	1	65	15			28.543
14	2	66	15	1500		549.814
15	2	65.6	15	1967		377.335
16	2	50.1	15	1740		438.666
17	1	80.4	15			535.637
18	2	88.6	15	1277		138.658
19	2	63.1	15	1089		222.379

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	99	11	1357		380.306
2	2	71.6	11	1274		411.708
3	1	63.8	11			252.355
4	1	58.2	11			483.403
5	1	86.1	11			491.551
6	1	67.7	11			562.798
7	2	52.5	11	1534		96.606
8	2	69.9	11	1597		325.864
9	2	69.1	11	1594		129.711
10	1	69.7	11			107.999
11	2	81.4	11	1494		546.876
12	2	52.2	11	1042		85.094
13	1	71.6	11			599.862
14	1	98	11			535.269
15	2	89.2	11	1061		573.047
16	2	62.4	11	1229		387.565
17	2	62.9	11	1079		133.582

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	81.2	11	1341		105.999
2	1	91.9	11			348.593
3	2	97.3	11	1151		451.967
4	1	93.7	11			189.56
5	2	97	11	1867		319.633
6	3	50.7	11	1062	1512	487.737
7	3	89.2	11	1038	1611	242.75
8	2	52.5	11	1607		496.013
9	3	54	11	1438	1708	157.577
10	2	99.7	11	1197		551.47
11	2	56.9	11	1716		521.773
12	1	61.5	11			15.217
13	2	52.3	11	1117		650.84
14	3	54.3	11	1304	1363	374.053
15	3	66	11	1711	1901	265.217
16	2	61.9	11	1465		376.6
17	3	66.2	11	1856	1615	334.933
18	2	89.3	11	1988		471.867

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	72.3	14	1917		633.406
2	2	90.3	14	1222		540.7
3	2	98	14	1868		340.88
4	3	88.8	14	1734	1400	98.85
5	1	55.3	14			367.58
6	2	87.3	14	1445		605.6
7	3	57.3	14	1041	1422	438.56
8	3	53.7	14	1780	1452	56.08
9	2	93.8	14	1719		403.92
10	1	98.5	14			422.47
11	2	78.4	14	1966		66.95
12	3	67.7	14	1062	1415	651.57
13	2	60.7	14	1902		660.59
14	1	87.2	14			319
15	2	74.8	14	1104		714.5
16	2	73.5	14	1703		696.8

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.407	20	
2	5.5	5.549	20	
3	5.5	5.464	20	
4	5.5	5.341	20	
5	5.5	5.507	20	
6	5.5	5.344	20	
7	5.5	5.524	20	
8	5.5	5.272	20	
9	5.5	5.376	20	
10	5.5	5.281	20	
11	5.5	5.361	20	
12	5.5	5.3	20	
13	5.5	5.569	20	
14	5.5	5.255	20	
15	5.5	5.275	20	
16	5.5	5.397	20	
17	5.5	5.432	20	
18	5.5	5.699	20	
19	5.5	5.58	20	
20	5.5	5.302	20	
21	5.5	5.513	20	
22	5.5	5.279	20	
23	5.5	5.531	20	
24	5.5	5.709	20	
25	5.5	5.46	20	
26	5.5	5.681	20	
27	5.5	5.346	20	
28	5.5	5.419	20	
29	5.5	5.592	20	*
30	5.5	5.572	20	
31	5.5	5.415	20	
32	5.5	5.256	20	
33	5.5	5.656	20	
34	5.5	5.326	20	
35	5.5	5.476	20	
36	5.5	5.644	20	
37	5.5	5.354	20	
38	5.5	5.555	20	
39	5.5	5.483	20	
40	5.5	5.588	20	
41	5.5	5.688	20	
42	5.5	5.312	20	
43	5.5	5.622	20	
44	5.5	5.292	20	
45	5.5	5.667	20	
46	5.5	5.356	20	
47	5.5	5.707	20	

48	5.5	5.389	20	
49	5.5	5.254	20	
50	5.5	5.695	20	
51	5.5	5.318	20	
52	5.5	5.672	20	
53	5.5	5.269	20	
54	5.5	5.545	20	
55	5.5	5.604	20	*
56	5.5	5.696	20	
57	5.5	5.437	20	
58	5.5	5.351	20	
59	5.5	5.342	20	
60	5.5	5.338	20	
61	5.5	5.324	20	
62	5.5	5.491	20	
63	5.5	5.398	20	
64	5.5	5.591	20	*
65	5.5	5.657	20	
66	5.5	5.626	20	
67	5.5	5.469	20	
68	5.5	5.698	20	
69	5.5	5.547	20	
70	5.5	5.529	20	
71	5.5	5.478	20	
72	5.5	5.405	20	
73	5.5	5.619	20	
74	5.5	5.649	20	
75	5.5	5.49	20	
76	5.5	5.347	20	
77	5.5	5.624	20	
78	5.5	5.428	20	
79	5.5	5.38	20	
80	5.5	5.636	20	
81	5.5	5.72	20	
82	5.5	5.632	20	
83	5.5	5.518	20	
84	5.5	5.548	20	
85	5.5	5.704	20	
86	5.5	5.479	20	
87	5.5	5.662	20	
88	5.5	5.565	20	
89	5.5	5.305	20	
90	5.5	5.299	20	
91	5.5	5.638	20	
92	5.5	5.525	20	
93	5.5	5.503	20	
94	5.5	5.509	20	
95	5.5	5.589	20	*
96	5.5	5.431	20	
97	5.5	5.542	20	
98	5.5	5.309	20	
99	5.5	5.416	20	
100	5.5	5.523	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.532	20	
2	5.5	5.708	20	
3	5.5	5.54	20	
4	5.5	5.512	20	
5	5.5	5.252	20	
6	5.5	5.588	20	
7	5.5	5.61	20	
8	5.5	5.492	20	
9	5.5	5.514	20	
10	5.5	5.526	20	
11	5.5	5.337	20	
12	5.5	5.272	20	
13	5.5	5.612	20	
14	5.5	5.286	20	
15	5.5	5.467	20	
16	5.5	5.638	20	
17	5.5	5.328	20	
18	5.5	5.289	20	
19	5.5	5.495	20	
20	5.5	5.472	20	
21	5.5	5.724	20	
22	5.5	5.292	20	
23	5.5	5.672	20	
24	5.5	5.645	20	
25	5.5	5.368	20	
26	5.5	5.6	20	*
27	5.5	5.284	20	
28	5.5	5.415	20	
29	5.5	5.696	20	
30	5.5	5.468	20	
31	5.5	5.717	20	
32	5.5	5.271	20	
33	5.5	5.65	20	
34	5.5	5.653	20	
35	5.5	5.62	20	
36	5.5	5.712	20	
37	5.5	5.31	20	
38	5.5	5.641	20	
39	5.5	5.361	20	
40	5.5	5.565	20	
41	5.5	5.507	20	
42	5.5	5.695	20	
43	5.5	5.319	20	
44	5.5	5.428	20	
45	5.5	5.388	20	
46	5.5	5.544	20	
47	5.5	5.499	20	

48	5.5	5.352	20	
49	5.5	5.541	20	
50	5.5	5.308	20	
51	5.5	5.443	20	
52	5.5	5.425	20	
53	5.5	5.355	20	
54	5.5	5.446	20	
55	5.5	5.615	20	
56	5.5	5.652	20	
57	5.5	5.471	20	
58	5.5	5.606	20	*
59	5.5	5.515	20	
60	5.5	5.44	20	
61	5.5	5.291	20	
62	5.5	5.279	20	
63	5.5	5.349	20	
64	5.5	5.274	20	
65	5.5	5.585	20	
66	5.5	5.668	20	
67	5.5	5.527	20	
68	5.5	5.367	20	
69	5.5	5.3	20	
70	5.5	5.438	20	
71	5.5	5.537	20	
72	5.5	5.634	20	
73	5.5	5.304	20	
74	5.5	5.346	20	
75	5.5	5.39	20	
76	5.5	5.516	20	
77	5.5	5.643	20	
78	5.5	5.297	20	
79	5.5	5.342	20	
80	5.5	5.702	20	
81	5.5	5.398	20	
82	5.5	5.549	20	
83	5.5	5.718	20	
84	5.5	5.529	20	
85	5.5	5.295	20	
86	5.5	5.257	20	
87	5.5	5.655	20	
88	5.5	5.456	20	
89	5.5	5.436	20	
90	5.5	5.442	20	
91	5.5	5.489	20	
92	5.5	5.621	20	
93	5.5	5.685	20	
94	5.5	5.296	20	
95	5.5	5.439	20	
96	5.5	5.343	20	
97	5.5	5.441	20	
98	5.5	5.403	20	
99	5.5	5.659	20	
100	5.5	5.613	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.62	20	
2	5.5	5.253	20	
3	5.5	5.517	20	
4	5.5	5.606	20	*
5	5.5	5.433	20	
6	5.5	5.498	20	
7	5.5	5.428	20	
8	5.5	5.394	20	
9	5.5	5.675	20	
10	5.5	5.26	20	
11	5.5	5.494	20	
12	5.5	5.407	20	
13	5.5	5.67	20	
14	5.5	5.272	20	
15	5.5	5.615	20	
16	5.5	5.6	20	*
17	5.5	5.614	20	
18	5.5	5.591	20	*
19	5.5	5.668	20	
20	5.5	5.474	20	
21	5.5	5.475	20	
22	5.5	5.417	20	
23	5.5	5.691	20	
24	5.5	5.547	20	
25	5.5	5.305	20	
26	5.5	5.521	20	
27	5.5	5.251	20	
28	5.5	5.38	20	
29	5.5	5.71	20	
30	5.5	5.505	20	
31	5.5	5.697	20	
32	5.5	5.452	20	
33	5.5	5.531	20	
34	5.5	5.508	20	
35	5.5	5.382	20	
36	5.5	5.386	20	
37	5.5	5.282	20	
38	5.5	5.325	20	
39	5.5	5.501	20	
40	5.5	5.273	20	
41	5.5	5.538	20	
42	5.5	5.684	20	
43	5.5	5.446	20	
44	5.5	5.528	20	
45	5.5	5.275	20	
46	5.5	5.343	20	
47	5.5	5.593	20	*

48	5.5	5.283	20	
49	5.5	5.264	20	
50	5.5	5.412	20	
51	5.5	5.358	20	
52	5.5	5.589	20	*
53	5.5	5.401	20	
54	5.5	5.661	20	
55	5.5	5.369	20	
56	5.5	5.673	20	
57	5.5	5.678	20	
58	5.5	5.713	20	
59	5.5	5.641	20	
60	5.5	5.423	20	
61	5.5	5.486	20	
62	5.5	5.719	20	
63	5.5	5.418	20	
64	5.5	5.322	20	
65	5.5	5.717	20	
66	5.5	5.316	20	
67	5.5	5.451	20	
68	5.5	5.698	20	
69	5.5	5.699	20	
70	5.5	5.68	20	
71	5.5	5.613	20	
72	5.5	5.278	20	
73	5.5	5.465	20	
74	5.5	5.284	20	
75	5.5	5.287	20	
76	5.5	5.276	20	
77	5.5	5.569	20	
78	5.5	5.406	20	
79	5.5	5.416	20	
80	5.5	5.541	20	
81	5.5	5.499	20	
82	5.5	5.366	20	
83	5.5	5.405	20	
84	5.5	5.353	20	
85	5.5	5.706	20	
86	5.5	5.471	20	
87	5.5	5.302	20	
88	5.5	5.321	20	
89	5.5	5.268	20	
90	5.5	5.492	20	
91	5.5	5.36	20	
92	5.5	5.65	20	
93	5.5	5.653	20	
94	5.5	5.345	20	
95	5.5	5.556	20	
96	5.5	5.319	20	
97	5.5	5.324	20	
98	5.5	5.723	20	
99	5.5	5.434	20	
100	5.5	5.564	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.427	20	
2	5.5	5.532	20	
3	5.5	5.262	20	
4	5.5	5.295	20	
5	5.5	5.292	20	
6	5.5	5.539	20	
7	5.5	5.417	20	
8	5.5	5.375	20	
9	5.5	5.502	20	
10	5.5	5.394	20	
11	5.5	5.626	20	
12	5.5	5.581	20	
13	5.5	5.277	20	
14	5.5	5.29	20	
15	5.5	5.704	20	
16	5.5	5.671	20	
17	5.5	5.265	20	
18	5.5	5.67	20	
19	5.5	5.337	20	
20	5.5	5.634	20	
21	5.5	5.293	20	
22	5.5	5.328	20	
23	5.5	5.682	20	
24	5.5	5.701	20	
25	5.5	5.393	20	
26	5.5	5.557	20	
27	5.5	5.338	20	
28	5.5	5.662	20	
29	5.5	5.503	20	
30	5.5	5.303	20	
31	5.5	5.319	20	
32	5.5	5.722	20	
33	5.5	5.434	20	
34	5.5	5.426	20	
35	5.5	5.649	20	
36	5.5	5.268	20	
37	5.5	5.673	20	
38	5.5	5.381	20	
39	5.5	5.576	20	
40	5.5	5.441	20	
41	5.5	5.267	20	
42	5.5	5.589	20	*
43	5.5	5.47	20	
44	5.5	5.254	20	
45	5.5	5.645	20	
46	5.5	5.642	20	
47	5.5	5.588	20	

48	5.5	5.48	20	
49	5.5	5.484	20	
50	5.5	5.361	20	
51	5.5	5.545	20	
52	5.5	5.643	20	
53	5.5	5.717	20	
54	5.5	5.425	20	
55	5.5	5.466	20	
56	5.5	5.54	20	
57	5.5	5.485	20	
58	5.5	5.281	20	
59	5.5	5.3	20	
60	5.5	5.263	20	
61	5.5	5.491	20	
62	5.5	5.407	20	
63	5.5	5.322	20	
64	5.5	5.552	20	
65	5.5	5.531	20	
66	5.5	5.591	20	*
67	5.5	5.313	20	
68	5.5	5.723	20	
69	5.5	5.353	20	
70	5.5	5.285	20	
71	5.5	5.459	20	
72	5.5	5.45	20	
73	5.5	5.705	20	
74	5.5	5.423	20	
75	5.5	5.463	20	
76	5.5	5.274	20	
77	5.5	5.554	20	
78	5.5	5.507	20	
79	5.5	5.406	20	
80	5.5	5.311	20	
81	5.5	5.264	20	
82	5.5	5.333	20	
83	5.5	5.464	20	
84	5.5	5.715	20	
85	5.5	5.461	20	
86	5.5	5.667	20	
87	5.5	5.51	20	
88	5.5	5.33	20	
89	5.5	5.363	20	
90	5.5	5.472	20	
91	5.5	5.719	20	
92	5.5	5.72	20	
93	5.5	5.372	20	
94	5.5	5.519	20	
95	5.5	5.592	20	*
96	5.5	5.52	20	
97	5.5	5.314	20	
98	5.5	5.297	20	
99	5.5	5.533	20	
100	5.5	5.565	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.524	20	
2	5.5	5.615	20	
3	5.5	5.641	20	
4	5.5	5.32	20	
5	5.5	5.419	20	
6	5.5	5.281	20	
7	5.5	5.562	20	
8	5.5	5.623	20	
9	5.5	5.655	20	
10	5.5	5.489	20	
11	5.5	5.308	20	
12	5.5	5.592	20	*
13	5.5	5.653	20	
14	5.5	5.689	20	
15	5.5	5.673	20	
16	5.5	5.425	20	
17	5.5	5.401	20	
18	5.5	5.5	20	
19	5.5	5.58	20	
20	5.5	5.269	20	
21	5.5	5.651	20	
22	5.5	5.267	20	
23	5.5	5.643	20	
24	5.5	5.458	20	
25	5.5	5.559	20	
26	5.5	5.661	20	
27	5.5	5.681	20	
28	5.5	5.42	20	
29	5.5	5.646	20	
30	5.5	5.718	20	
31	5.5	5.309	20	
32	5.5	5.636	20	
33	5.5	5.479	20	
34	5.5	5.596	20	*
35	5.5	5.275	20	
36	5.5	5.383	20	
37	5.5	5.427	20	
38	5.5	5.276	20	
39	5.5	5.366	20	
40	5.5	5.55	20	
41	5.5	5.481	20	
42	5.5	5.319	20	
43	5.5	5.402	20	
44	5.5	5.529	20	
45	5.5	5.307	20	
46	5.5	5.645	20	
47	5.5	5.266	20	

48	5.5	5.711	20	
49	5.5	5.329	20	
50	5.5	5.414	20	
51	5.5	5.7	20	
52	5.5	5.672	20	
53	5.5	5.288	20	
54	5.5	5.272	20	
55	5.5	5.332	20	
56	5.5	5.418	20	
57	5.5	5.411	20	
58	5.5	5.301	20	
59	5.5	5.605	20	*
60	5.5	5.568	20	
61	5.5	5.385	20	
62	5.5	5.663	20	
63	5.5	5.262	20	
64	5.5	5.331	20	
65	5.5	5.64	20	
66	5.5	5.713	20	
67	5.5	5.45	20	
68	5.5	5.408	20	
69	5.5	5.447	20	
70	5.5	5.574	20	
71	5.5	5.4	20	
72	5.5	5.662	20	
73	5.5	5.543	20	
74	5.5	5.392	20	
75	5.5	5.722	20	
76	5.5	5.43	20	
77	5.5	5.352	20	
78	5.5	5.513	20	
79	5.5	5.633	20	
80	5.5	5.507	20	
81	5.5	5.536	20	
82	5.5	5.577	20	
83	5.5	5.293	20	
84	5.5	5.604	20	*
85	5.5	5.346	20	
86	5.5	5.573	20	
87	5.5	5.33	20	
88	5.5	5.716	20	
89	5.5	5.652	20	
90	5.5	5.273	20	
91	5.5	5.68	20	
92	5.5	5.403	20	
93	5.5	5.61	20	
94	5.5	5.394	20	
95	5.5	5.705	20	
96	5.5	5.271	20	
97	5.5	5.473	20	
98	5.5	5.256	20	
99	5.5	5.328	20	
100	5.5	5.541	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.294	20	
2	5.5	5.576	20	
3	5.5	5.394	20	
4	5.5	5.495	20	
5	5.5	5.653	20	
6	5.5	5.564	20	
7	5.5	5.597	20	*
8	5.5	5.586	20	
9	5.5	5.599	20	*
10	5.5	5.308	20	
11	5.5	5.395	20	
12	5.5	5.632	20	
13	5.5	5.384	20	
14	5.5	5.445	20	
15	5.5	5.467	20	
16	5.5	5.452	20	
17	5.5	5.685	20	
18	5.5	5.702	20	
19	5.5	5.635	20	
20	5.5	5.382	20	
21	5.5	5.385	20	
22	5.5	5.717	20	
23	5.5	5.482	20	
24	5.5	5.712	20	
25	5.5	5.66	20	
26	5.5	5.509	20	
27	5.5	5.398	20	
28	5.5	5.417	20	
29	5.5	5.594	20	*
30	5.5	5.669	20	
31	5.5	5.435	20	
32	5.5	5.326	20	
33	5.5	5.485	20	
34	5.5	5.522	20	
35	5.5	5.648	20	
36	5.5	5.362	20	
37	5.5	5.32	20	
38	5.5	5.504	20	
39	5.5	5.338	20	
40	5.5	5.708	20	
41	5.5	5.591	20	*
42	5.5	5.461	20	
43	5.5	5.433	20	
44	5.5	5.36	20	
45	5.5	5.715	20	
46	5.5	5.273	20	
47	5.5	5.476	20	

48	5.5	5.621	20	
49	5.5	5.642	20	
50	5.5	5.619	20	
51	5.5	5.438	20	
52	5.5	5.271	20	
53	5.5	5.419	20	
54	5.5	5.27	20	
55	5.5	5.543	20	
56	5.5	5.67	20	
57	5.5	5.512	20	
58	5.5	5.491	20	
59	5.5	5.442	20	
60	5.5	5.593	20	*
61	5.5	5.629	20	
62	5.5	5.39	20	
63	5.5	5.269	20	
64	5.5	5.661	20	
65	5.5	5.292	20	
66	5.5	5.393	20	
67	5.5	5.631	20	
68	5.5	5.659	20	
69	5.5	5.614	20	
70	5.5	5.657	20	
71	5.5	5.409	20	
72	5.5	5.389	20	
73	5.5	5.547	20	
74	5.5	5.692	20	
75	5.5	5.69	20	
76	5.5	5.489	20	
77	5.5	5.519	20	
78	5.5	5.281	20	
79	5.5	5.322	20	
80	5.5	5.444	20	
81	5.5	5.602	20	*
82	5.5	5.399	20	
83	5.5	5.253	20	
84	5.5	5.647	20	
85	5.5	5.255	20	
86	5.5	5.645	20	
87	5.5	5.683	20	
88	5.5	5.265	20	
89	5.5	5.488	20	
90	5.5	5.696	20	
91	5.5	5.672	20	
92	5.5	5.686	20	
93	5.5	5.272	20	
94	5.5	5.43	20	
95	5.5	5.4	20	
96	5.5	5.351	20	
97	5.5	5.257	20	
98	5.5	5.638	20	
99	5.5	5.622	20	
100	5.5	5.427	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.512	20	
2	5.5	5.338	20	
3	5.5	5.365	20	
4	5.5	5.427	20	
5	5.5	5.312	20	
6	5.5	5.556	20	
7	5.5	5.514	20	
8	5.5	5.577	20	
9	5.5	5.508	20	
10	5.5	5.278	20	
11	5.5	5.275	20	
12	5.5	5.707	20	
13	5.5	5.651	20	
14	5.5	5.266	20	
15	5.5	5.537	20	
16	5.5	5.289	20	
17	5.5	5.666	20	
18	5.5	5.57	20	
19	5.5	5.518	20	
20	5.5	5.259	20	
21	5.5	5.52	20	
22	5.5	5.369	20	
23	5.5	5.624	20	
24	5.5	5.449	20	
25	5.5	5.412	20	
26	5.5	5.649	20	
27	5.5	5.592	20	*
28	5.5	5.377	20	
29	5.5	5.443	20	
30	5.5	5.406	20	
31	5.5	5.394	20	
32	5.5	5.302	20	
33	5.5	5.569	20	
34	5.5	5.708	20	
35	5.5	5.698	20	
36	5.5	5.55	20	
37	5.5	5.332	20	
38	5.5	5.439	20	
39	5.5	5.523	20	
40	5.5	5.613	20	
41	5.5	5.7	20	
42	5.5	5.444	20	
43	5.5	5.399	20	
44	5.5	5.299	20	
45	5.5	5.322	20	
46	5.5	5.605	20	*
47	5.5	5.361	20	

48	5.5	5.309	20	
49	5.5	5.647	20	
50	5.5	5.283	20	
51	5.5	5.475	20	
52	5.5	5.617	20	
53	5.5	5.272	20	
54	5.5	5.502	20	
55	5.5	5.622	20	
56	5.5	5.596	20	*
57	5.5	5.255	20	
58	5.5	5.638	20	
59	5.5	5.334	20	
60	5.5	5.453	20	
61	5.5	5.323	20	
62	5.5	5.491	20	
63	5.5	5.474	20	
64	5.5	5.589	20	*
65	5.5	5.667	20	
66	5.5	5.515	20	
67	5.5	5.404	20	
68	5.5	5.381	20	
69	5.5	5.425	20	
70	5.5	5.438	20	
71	5.5	5.636	20	
72	5.5	5.493	20	
73	5.5	5.62	20	
74	5.5	5.555	20	
75	5.5	5.648	20	
76	5.5	5.258	20	
77	5.5	5.516	20	
78	5.5	5.531	20	
79	5.5	5.671	20	
80	5.5	5.606	20	*
81	5.5	5.49	20	
82	5.5	5.473	20	
83	5.5	5.571	20	
84	5.5	5.441	20	
85	5.5	5.696	20	
86	5.5	5.477	20	
87	5.5	5.662	20	
88	5.5	5.271	20	
89	5.5	5.472	20	
90	5.5	5.554	20	
91	5.5	5.363	20	
92	5.5	5.608	20	*
93	5.5	5.625	20	
94	5.5	5.461	20	
95	5.5	5.712	20	
96	5.5	5.601	20	*
97	5.5	5.294	20	
98	5.5	5.565	20	
99	5.5	5.527	20	
100	5.5	5.681	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.671	20	
2	5.5	5.4	20	
3	5.5	5.553	20	
4	5.5	5.406	20	
5	5.5	5.262	20	
6	5.5	5.503	20	
7	5.5	5.7	20	
8	5.5	5.301	20	
9	5.5	5.598	20	*
10	5.5	5.329	20	
11	5.5	5.634	20	
12	5.5	5.537	20	
13	5.5	5.388	20	
14	5.5	5.611	20	
15	5.5	5.658	20	
16	5.5	5.326	20	
17	5.5	5.325	20	
18	5.5	5.489	20	
19	5.5	5.445	20	
20	5.5	5.696	20	
21	5.5	5.31	20	
22	5.5	5.709	20	
23	5.5	5.632	20	
24	5.5	5.41	20	
25	5.5	5.39	20	
26	5.5	5.343	20	
27	5.5	5.403	20	
28	5.5	5.465	20	
29	5.5	5.315	20	
30	5.5	5.517	20	
31	5.5	5.254	20	
32	5.5	5.651	20	
33	5.5	5.497	20	
34	5.5	5.641	20	
35	5.5	5.699	20	
36	5.5	5.71	20	
37	5.5	5.261	20	
38	5.5	5.269	20	
39	5.5	5.266	20	
40	5.5	5.649	20	
41	5.5	5.476	20	
42	5.5	5.299	20	
43	5.5	5.718	20	
44	5.5	5.667	20	
45	5.5	5.259	20	
46	5.5	5.596	20	*
47	5.5	5.707	20	

48	5.5	5.298	20	
49	5.5	5.453	20	
50	5.5	5.352	20	
51	5.5	5.304	20	
52	5.5	5.627	20	
53	5.5	5.324	20	
54	5.5	5.509	20	
55	5.5	5.615	20	
56	5.5	5.549	20	
57	5.5	5.585	20	
58	5.5	5.308	20	
59	5.5	5.383	20	
60	5.5	5.494	20	
61	5.5	5.592	20	*
62	5.5	5.468	20	
63	5.5	5.566	20	
64	5.5	5.618	20	
65	5.5	5.34	20	
66	5.5	5.619	20	
67	5.5	5.458	20	
68	5.5	5.495	20	
69	5.5	5.614	20	
70	5.5	5.487	20	
71	5.5	5.419	20	
72	5.5	5.716	20	
73	5.5	5.723	20	
74	5.5	5.685	20	
75	5.5	5.27	20	
76	5.5	5.423	20	
77	5.5	5.63	20	
78	5.5	5.556	20	
79	5.5	5.522	20	
80	5.5	5.686	20	
81	5.5	5.37	20	
82	5.5	5.479	20	
83	5.5	5.359	20	
84	5.5	5.521	20	
85	5.5	5.605	20	*
86	5.5	5.564	20	
87	5.5	5.513	20	
88	5.5	5.604	20	*
89	5.5	5.42	20	
90	5.5	5.353	20	
91	5.5	5.526	20	
92	5.5	5.589	20	*
93	5.5	5.302	20	
94	5.5	5.665	20	
95	5.5	5.502	20	
96	5.5	5.431	20	
97	5.5	5.311	20	
98	5.5	5.434	20	
99	5.5	5.263	20	
100	5.5	5.576	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.269	20	
2	5.5	5.386	20	
3	5.5	5.333	20	
4	5.5	5.255	20	
5	5.5	5.716	20	
6	5.5	5.474	20	
7	5.5	5.345	20	
8	5.5	5.506	20	
9	5.5	5.589	20	*
10	5.5	5.273	20	
11	5.5	5.598	20	*
12	5.5	5.483	20	
13	5.5	5.602	20	*
14	5.5	5.33	20	
15	5.5	5.625	20	
16	5.5	5.712	20	
17	5.5	5.663	20	
18	5.5	5.326	20	
19	5.5	5.437	20	
20	5.5	5.44	20	
21	5.5	5.621	20	
22	5.5	5.478	20	
23	5.5	5.317	20	
24	5.5	5.29	20	
25	5.5	5.701	20	
26	5.5	5.431	20	
27	5.5	5.659	20	
28	5.5	5.313	20	
29	5.5	5.397	20	
30	5.5	5.264	20	
31	5.5	5.718	20	
32	5.5	5.47	20	
33	5.5	5.298	20	
34	5.5	5.43	20	
35	5.5	5.416	20	
36	5.5	5.527	20	
37	5.5	5.674	20	
38	5.5	5.627	20	
39	5.5	5.367	20	
40	5.5	5.63	20	
41	5.5	5.325	20	
42	5.5	5.373	20	
43	5.5	5.519	20	
44	5.5	5.668	20	
45	5.5	5.322	20	
46	5.5	5.565	20	
47	5.5	5.297	20	

48	5.5	5.309	20	
49	5.5	5.338	20	
50	5.5	5.638	20	
51	5.5	5.514	20	
52	5.5	5.496	20	
53	5.5	5.688	20	
54	5.5	5.335	20	
55	5.5	5.666	20	
56	5.5	5.398	20	
57	5.5	5.284	20	
58	5.5	5.488	20	
59	5.5	5.646	20	
60	5.5	5.703	20	
61	5.5	5.422	20	
62	5.5	5.536	20	
63	5.5	5.375	20	
64	5.5	5.409	20	
65	5.5	5.376	20	
66	5.5	5.636	20	
67	5.5	5.405	20	
68	5.5	5.349	20	
69	5.5	5.571	20	
70	5.5	5.634	20	
71	5.5	5.651	20	
72	5.5	5.513	20	
73	5.5	5.425	20	
74	5.5	5.281	20	
75	5.5	5.274	20	
76	5.5	5.421	20	
77	5.5	5.539	20	
78	5.5	5.708	20	
79	5.5	5.378	20	
80	5.5	5.648	20	
81	5.5	5.592	20	*
82	5.5	5.473	20	
83	5.5	5.67	20	
84	5.5	5.392	20	
85	5.5	5.25	20	
86	5.5	5.616	20	
87	5.5	5.449	20	
88	5.5	5.36	20	
89	5.5	5.272	20	
90	5.5	5.327	20	
91	5.5	5.324	20	
92	5.5	5.692	20	
93	5.5	5.482	20	
94	5.5	5.562	20	
95	5.5	5.574	20	
96	5.5	5.471	20	
97	5.5	5.594	20	*
98	5.5	5.288	20	
99	5.5	5.545	20	
100	5.5	5.296	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.265	20	
2	5.5	5.665	20	
3	5.5	5.615	20	
4	5.5	5.449	20	
5	5.5	5.381	20	
6	5.5	5.307	20	
7	5.5	5.605	20	*
8	5.5	5.427	20	
9	5.5	5.349	20	
10	5.5	5.606	20	*
11	5.5	5.468	20	
12	5.5	5.479	20	
13	5.5	5.706	20	
14	5.5	5.436	20	
15	5.5	5.426	20	
16	5.5	5.292	20	
17	5.5	5.539	20	
18	5.5	5.358	20	
19	5.5	5.688	20	
20	5.5	5.382	20	
21	5.5	5.602	20	*
22	5.5	5.278	20	
23	5.5	5.559	20	
24	5.5	5.268	20	
25	5.5	5.598	20	*
26	5.5	5.336	20	
27	5.5	5.36	20	
28	5.5	5.566	20	
29	5.5	5.565	20	
30	5.5	5.451	20	
31	5.5	5.672	20	
32	5.5	5.587	20	
33	5.5	5.629	20	
34	5.5	5.339	20	
35	5.5	5.724	20	
36	5.5	5.676	20	
37	5.5	5.452	20	
38	5.5	5.416	20	
39	5.5	5.524	20	
40	5.5	5.359	20	
41	5.5	5.275	20	
42	5.5	5.27	20	
43	5.5	5.498	20	
44	5.5	5.607	20	*
45	5.5	5.454	20	
46	5.5	5.492	20	
47	5.5	5.596	20	*

48	5.5	5.675	20	
49	5.5	5.67	20	
50	5.5	5.507	20	
51	5.5	5.55	20	
52	5.5	5.692	20	
53	5.5	5.527	20	
54	5.5	5.59	20	*
55	5.5	5.518	20	
56	5.5	5.462	20	
57	5.5	5.64	20	
58	5.5	5.412	20	
59	5.5	5.658	20	
60	5.5	5.623	20	
61	5.5	5.482	20	
62	5.5	5.361	20	
63	5.5	5.263	20	
64	5.5	5.703	20	
65	5.5	5.671	20	
66	5.5	5.58	20	
67	5.5	5.516	20	
68	5.5	5.574	20	
69	5.5	5.618	20	
70	5.5	5.715	20	
71	5.5	5.645	20	
72	5.5	5.709	20	
73	5.5	5.53	20	
74	5.5	5.342	20	
75	5.5	5.547	20	
76	5.5	5.634	20	
77	5.5	5.463	20	
78	5.5	5.489	20	
79	5.5	5.601	20	*
80	5.5	5.35	20	
81	5.5	5.538	20	
82	5.5	5.397	20	
83	5.5	5.445	20	
84	5.5	5.33	20	
85	5.5	5.556	20	
86	5.5	5.476	20	
87	5.5	5.365	20	
88	5.5	5.259	20	
89	5.5	5.423	20	
90	5.5	5.378	20	
91	5.5	5.652	20	
92	5.5	5.525	20	
93	5.5	5.619	20	
94	5.5	5.364	20	
95	5.5	5.52	20	
96	5.5	5.505	20	
97	5.5	5.72	20	
98	5.5	5.661	20	
99	5.5	5.495	20	
100	5.5	5.691	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.499	20	
2	5.5	5.714	20	
3	5.5	5.531	20	
4	5.5	5.501	20	
5	5.5	5.456	20	
6	5.5	5.403	20	
7	5.5	5.599	20	*
8	5.5	5.363	20	
9	5.5	5.611	20	
10	5.5	5.454	20	
11	5.5	5.359	20	
12	5.5	5.577	20	
13	5.5	5.616	20	
14	5.5	5.27	20	
15	5.5	5.48	20	
16	5.5	5.598	20	*
17	5.5	5.668	20	
18	5.5	5.54	20	
19	5.5	5.471	20	
20	5.5	5.472	20	
21	5.5	5.484	20	
22	5.5	5.429	20	
23	5.5	5.315	20	
24	5.5	5.324	20	
25	5.5	5.482	20	
26	5.5	5.334	20	
27	5.5	5.415	20	
28	5.5	5.706	20	
29	5.5	5.605	20	*
30	5.5	5.65	20	
31	5.5	5.272	20	
32	5.5	5.278	20	
33	5.5	5.619	20	
34	5.5	5.538	20	
35	5.5	5.514	20	
36	5.5	5.529	20	
37	5.5	5.433	20	
38	5.5	5.306	20	
39	5.5	5.449	20	
40	5.5	5.333	20	
41	5.5	5.72	20	
42	5.5	5.342	20	
43	5.5	5.287	20	
44	5.5	5.527	20	
45	5.5	5.629	20	
46	5.5	5.582	20	
47	5.5	5.695	20	

48	5.5	5.713	20	
49	5.5	5.478	20	
50	5.5	5.329	20	
51	5.5	5.337	20	
52	5.5	5.614	20	
53	5.5	5.304	20	
54	5.5	5.498	20	
55	5.5	5.41	20	
56	5.5	5.29	20	
57	5.5	5.265	20	
58	5.5	5.267	20	
59	5.5	5.348	20	
60	5.5	5.44	20	
61	5.5	5.397	20	
62	5.5	5.432	20	
63	5.5	5.636	20	
64	5.5	5.525	20	
65	5.5	5.589	20	*
66	5.5	5.579	20	
67	5.5	5.365	20	
68	5.5	5.366	20	
69	5.5	5.571	20	
70	5.5	5.37	20	
71	5.5	5.521	20	
72	5.5	5.537	20	
73	5.5	5.628	20	
74	5.5	5.625	20	
75	5.5	5.384	20	
76	5.5	5.399	20	
77	5.5	5.489	20	
78	5.5	5.632	20	
79	5.5	5.271	20	
80	5.5	5.674	20	
81	5.5	5.468	20	
82	5.5	5.657	20	
83	5.5	5.396	20	
84	5.5	5.382	20	
85	5.5	5.578	20	
86	5.5	5.412	20	
87	5.5	5.322	20	
88	5.5	5.664	20	
89	5.5	5.483	20	
90	5.5	5.591	20	*
91	5.5	5.377	20	
92	5.5	5.445	20	
93	5.5	5.347	20	
94	5.5	5.561	20	
95	5.5	5.504	20	
96	5.5	5.622	20	
97	5.5	5.416	20	
98	5.5	5.543	20	
99	5.5	5.679	20	
100	5.5	5.678	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.337	20	
2	5.5	5.667	20	
3	5.5	5.301	20	
4	5.5	5.35	20	
5	5.5	5.307	20	
6	5.5	5.556	20	
7	5.5	5.293	20	
8	5.5	5.439	20	
9	5.5	5.363	20	
10	5.5	5.399	20	
11	5.5	5.493	20	
12	5.5	5.271	20	
13	5.5	5.279	20	
14	5.5	5.434	20	
15	5.5	5.481	20	
16	5.5	5.654	20	
17	5.5	5.335	20	
18	5.5	5.387	20	
19	5.5	5.603	20	*
20	5.5	5.575	20	
21	5.5	5.661	20	
22	5.5	5.386	20	
23	5.5	5.485	20	
24	5.5	5.584	20	
25	5.5	5.645	20	
26	5.5	5.578	20	
27	5.5	5.49	20	
28	5.5	5.506	20	
29	5.5	5.381	20	
30	5.5	5.28	20	
31	5.5	5.39	20	
32	5.5	5.629	20	
33	5.5	5.566	20	
34	5.5	5.567	20	
35	5.5	5.378	20	
36	5.5	5.354	20	
37	5.5	5.487	20	
38	5.5	5.428	20	
39	5.5	5.624	20	
40	5.5	5.658	20	
41	5.5	5.446	20	
42	5.5	5.497	20	
43	5.5	5.535	20	
44	5.5	5.299	20	
45	5.5	5.656	20	
46	5.5	5.379	20	
47	5.5	5.375	20	

48	5.5	5.268	20	
49	5.5	5.562	20	
50	5.5	5.357	20	
51	5.5	5.718	20	
52	5.5	5.591	20	*
53	5.5	5.373	20	
54	5.5	5.641	20	
55	5.5	5.391	20	
56	5.5	5.367	20	
57	5.5	5.561	20	
58	5.5	5.323	20	
59	5.5	5.361	20	
60	5.5	5.707	20	
61	5.5	5.639	20	
62	5.5	5.558	20	
63	5.5	5.517	20	
64	5.5	5.276	20	
65	5.5	5.38	20	
66	5.5	5.353	20	
67	5.5	5.294	20	
68	5.5	5.253	20	
69	5.5	5.459	20	
70	5.5	5.401	20	
71	5.5	5.272	20	
72	5.5	5.356	20	
73	5.5	5.267	20	
74	5.5	5.565	20	
75	5.5	5.318	20	
76	5.5	5.372	20	
77	5.5	5.475	20	
78	5.5	5.614	20	
79	5.5	5.5	20	
80	5.5	5.258	20	
81	5.5	5.612	20	
82	5.5	5.692	20	
83	5.5	5.693	20	
84	5.5	5.32	20	
85	5.5	5.589	20	*
86	5.5	5.325	20	
87	5.5	5.701	20	
88	5.5	5.668	20	
89	5.5	5.252	20	
90	5.5	5.45	20	
91	5.5	5.721	20	
92	5.5	5.699	20	
93	5.5	5.637	20	
94	5.5	5.577	20	
95	5.5	5.48	20	
96	5.5	5.64	20	
97	5.5	5.463	20	
98	5.5	5.705	20	
99	5.5	5.709	20	
100	5.5	5.582	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.479	20	
2	5.5	5.66	20	
3	5.5	5.44	20	
4	5.5	5.588	20	
5	5.5	5.596	20	*
6	5.5	5.262	20	
7	5.5	5.377	20	
8	5.5	5.275	20	
9	5.5	5.258	20	
10	5.5	5.314	20	
11	5.5	5.619	20	
12	5.5	5.443	20	
13	5.5	5.345	20	
14	5.5	5.637	20	
15	5.5	5.447	20	
16	5.5	5.573	20	
17	5.5	5.587	20	
18	5.5	5.486	20	
19	5.5	5.492	20	
20	5.5	5.285	20	
21	5.5	5.372	20	
22	5.5	5.47	20	
23	5.5	5.541	20	
24	5.5	5.662	20	
25	5.5	5.336	20	
26	5.5	5.342	20	
27	5.5	5.419	20	
28	5.5	5.273	20	
29	5.5	5.344	20	
30	5.5	5.298	20	
31	5.5	5.362	20	
32	5.5	5.284	20	
33	5.5	5.445	20	
34	5.5	5.654	20	
35	5.5	5.6	20	*
36	5.5	5.531	20	
37	5.5	5.514	20	
38	5.5	5.651	20	
39	5.5	5.575	20	
40	5.5	5.27	20	
41	5.5	5.692	20	
42	5.5	5.332	20	
43	5.5	5.348	20	
44	5.5	5.694	20	
45	5.5	5.511	20	
46	5.5	5.317	20	
47	5.5	5.68	20	

48	5.5	5.646	20	
49	5.5	5.714	20	
50	5.5	5.288	20	
51	5.5	5.69	20	
52	5.5	5.307	20	
53	5.5	5.657	20	
54	5.5	5.669	20	
55	5.5	5.537	20	
56	5.5	5.507	20	
57	5.5	5.407	20	
58	5.5	5.485	20	
59	5.5	5.381	20	
60	5.5	5.408	20	
61	5.5	5.563	20	
62	5.5	5.549	20	
63	5.5	5.519	20	
64	5.5	5.423	20	
65	5.5	5.475	20	
66	5.5	5.571	20	
67	5.5	5.351	20	
68	5.5	5.546	20	
69	5.5	5.442	20	
70	5.5	5.59	20	*
71	5.5	5.29	20	
72	5.5	5.434	20	
73	5.5	5.382	20	
74	5.5	5.658	20	
75	5.5	5.291	20	
76	5.5	5.722	20	
77	5.5	5.383	20	
78	5.5	5.361	20	
79	5.5	5.457	20	
80	5.5	5.43	20	
81	5.5	5.346	20	
82	5.5	5.547	20	
83	5.5	5.286	20	
84	5.5	5.452	20	
85	5.5	5.586	20	
86	5.5	5.369	20	
87	5.5	5.303	20	
88	5.5	5.396	20	
89	5.5	5.417	20	
90	5.5	5.37	20	
91	5.5	5.347	20	
92	5.5	5.496	20	
93	5.5	5.532	20	
94	5.5	5.551	20	
95	5.5	5.268	20	
96	5.5	5.566	20	
97	5.5	5.634	20	
98	5.5	5.367	20	
99	5.5	5.391	20	
100	5.5	5.477	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.601	20	*
2	5.5	5.678	20	
3	5.5	5.457	20	
4	5.5	5.67	20	
5	5.5	5.515	20	
6	5.5	5.283	20	
7	5.5	5.435	20	
8	5.5	5.265	20	
9	5.5	5.645	20	
10	5.5	5.636	20	
11	5.5	5.323	20	
12	5.5	5.695	20	
13	5.5	5.321	20	
14	5.5	5.27	20	
15	5.5	5.707	20	
16	5.5	5.25	20	
17	5.5	5.522	20	
18	5.5	5.401	20	
19	5.5	5.689	20	
20	5.5	5.396	20	
21	5.5	5.646	20	
22	5.5	5.356	20	
23	5.5	5.359	20	
24	5.5	5.633	20	
25	5.5	5.309	20	
26	5.5	5.347	20	
27	5.5	5.329	20	
28	5.5	5.449	20	
29	5.5	5.252	20	
30	5.5	5.349	20	
31	5.5	5.257	20	
32	5.5	5.305	20	
33	5.5	5.623	20	
34	5.5	5.415	20	
35	5.5	5.351	20	
36	5.5	5.425	20	
37	5.5	5.473	20	
38	5.5	5.504	20	
39	5.5	5.597	20	*
40	5.5	5.261	20	
41	5.5	5.523	20	
42	5.5	5.516	20	
43	5.5	5.414	20	
44	5.5	5.287	20	
45	5.5	5.384	20	
46	5.5	5.723	20	
47	5.5	5.284	20	

48	5.5	5.688	20	
49	5.5	5.403	20	
50	5.5	5.3	20	
51	5.5	5.438	20	
52	5.5	5.635	20	
53	5.5	5.656	20	
54	5.5	5.572	20	
55	5.5	5.708	20	
56	5.5	5.281	20	
57	5.5	5.71	20	
58	5.5	5.491	20	
59	5.5	5.446	20	
60	5.5	5.576	20	
61	5.5	5.251	20	
62	5.5	5.412	20	
63	5.5	5.699	20	
64	5.5	5.538	20	
65	5.5	5.471	20	
66	5.5	5.662	20	
67	5.5	5.326	20	
68	5.5	5.684	20	
69	5.5	5.39	20	
70	5.5	5.4	20	
71	5.5	5.317	20	
72	5.5	5.521	20	
73	5.5	5.547	20	
74	5.5	5.509	20	
75	5.5	5.571	20	
76	5.5	5.381	20	
77	5.5	5.638	20	
78	5.5	5.659	20	
79	5.5	5.353	20	
80	5.5	5.512	20	
81	5.5	5.621	20	
82	5.5	5.468	20	
83	5.5	5.556	20	
84	5.5	5.33	20	
85	5.5	5.65	20	
86	5.5	5.671	20	
87	5.5	5.619	20	
88	5.5	5.357	20	
89	5.5	5.316	20	
90	5.5	5.525	20	
91	5.5	5.574	20	
92	5.5	5.552	20	
93	5.5	5.685	20	
94	5.5	5.311	20	
95	5.5	5.6	20	*
96	5.5	5.277	20	
97	5.5	5.7	20	
98	5.5	5.38	20	
99	5.5	5.587	20	
100	5.5	5.487	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.482	20	
2	5.5	5.641	20	
3	5.5	5.59	20	*
4	5.5	5.444	20	
5	5.5	5.702	20	
6	5.5	5.656	20	
7	5.5	5.268	20	
8	5.5	5.267	20	
9	5.5	5.383	20	
10	5.5	5.471	20	
11	5.5	5.645	20	
12	5.5	5.442	20	
13	5.5	5.387	20	
14	5.5	5.553	20	
15	5.5	5.27	20	
16	5.5	5.506	20	
17	5.5	5.668	20	
18	5.5	5.432	20	
19	5.5	5.415	20	
20	5.5	5.578	20	
21	5.5	5.455	20	
22	5.5	5.434	20	
23	5.5	5.588	20	
24	5.5	5.602	20	*
25	5.5	5.326	20	
26	5.5	5.569	20	
27	5.5	5.558	20	
28	5.5	5.505	20	
29	5.5	5.484	20	
30	5.5	5.543	20	
31	5.5	5.414	20	
32	5.5	5.566	20	
33	5.5	5.647	20	
34	5.5	5.397	20	
35	5.5	5.466	20	
36	5.5	5.382	20	
37	5.5	5.675	20	
38	5.5	5.493	20	
39	5.5	5.672	20	
40	5.5	5.265	20	
41	5.5	5.682	20	
42	5.5	5.269	20	
43	5.5	5.486	20	
44	5.5	5.274	20	
45	5.5	5.378	20	
46	5.5	5.593	20	*
47	5.5	5.724	20	

48	5.5	5.412	20	
49	5.5	5.562	20	
50	5.5	5.655	20	
51	5.5	5.498	20	
52	5.5	5.421	20	
53	5.5	5.323	20	
54	5.5	5.417	20	
55	5.5	5.661	20	
56	5.5	5.276	20	
57	5.5	5.305	20	
58	5.5	5.252	20	
59	5.5	5.286	20	
60	5.5	5.714	20	
61	5.5	5.577	20	
62	5.5	5.364	20	
63	5.5	5.462	20	
64	5.5	5.671	20	
65	5.5	5.399	20	
66	5.5	5.686	20	
67	5.5	5.332	20	
68	5.5	5.58	20	
69	5.5	5.662	20	
70	5.5	5.683	20	
71	5.5	5.342	20	
72	5.5	5.512	20	
73	5.5	5.296	20	
74	5.5	5.65	20	
75	5.5	5.44	20	
76	5.5	5.503	20	
77	5.5	5.68	20	
78	5.5	5.712	20	
79	5.5	5.537	20	
80	5.5	5.467	20	
81	5.5	5.485	20	
82	5.5	5.634	20	
83	5.5	5.365	20	
84	5.5	5.525	20	
85	5.5	5.353	20	
86	5.5	5.609	20	*
87	5.5	5.705	20	
88	5.5	5.587	20	
89	5.5	5.322	20	
90	5.5	5.375	20	
91	5.5	5.318	20	
92	5.5	5.348	20	
93	5.5	5.407	20	
94	5.5	5.372	20	
95	5.5	5.26	20	
96	5.5	5.684	20	
97	5.5	5.451	20	
98	5.5	5.291	20	
99	5.5	5.658	20	
100	5.5	5.441	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.276	20	
2	5.5	5.495	20	
3	5.5	5.464	20	
4	5.5	5.483	20	
5	5.5	5.456	20	
6	5.5	5.723	20	
7	5.5	5.419	20	
8	5.5	5.484	20	
9	5.5	5.508	20	
10	5.5	5.493	20	
11	5.5	5.343	20	
12	5.5	5.617	20	
13	5.5	5.697	20	
14	5.5	5.605	20	*
15	5.5	5.422	20	
16	5.5	5.563	20	
17	5.5	5.679	20	
18	5.5	5.585	20	
19	5.5	5.714	20	
20	5.5	5.705	20	
21	5.5	5.699	20	
22	5.5	5.322	20	
23	5.5	5.296	20	
24	5.5	5.46	20	
25	5.5	5.61	20	
26	5.5	5.715	20	
27	5.5	5.568	20	
28	5.5	5.69	20	
29	5.5	5.424	20	
30	5.5	5.683	20	
31	5.5	5.293	20	
32	5.5	5.684	20	
33	5.5	5.558	20	
34	5.5	5.397	20	
35	5.5	5.72	20	
36	5.5	5.255	20	
37	5.5	5.528	20	
38	5.5	5.587	20	
39	5.5	5.32	20	
40	5.5	5.501	20	
41	5.5	5.589	20	*
42	5.5	5.289	20	
43	5.5	5.274	20	
44	5.5	5.369	20	
45	5.5	5.388	20	
46	5.5	5.381	20	
47	5.5	5.257	20	

48	5.5	5.336	20	
49	5.5	5.478	20	
50	5.5	5.373	20	
51	5.5	5.252	20	
52	5.5	5.375	20	
53	5.5	5.259	20	
54	5.5	5.279	20	
55	5.5	5.511	20	
56	5.5	5.43	20	
57	5.5	5.505	20	
58	5.5	5.328	20	
59	5.5	5.387	20	
60	5.5	5.466	20	
61	5.5	5.311	20	
62	5.5	5.267	20	
63	5.5	5.49	20	
64	5.5	5.305	20	
65	5.5	5.654	20	
66	5.5	5.649	20	
67	5.5	5.41	20	
68	5.5	5.353	20	
69	5.5	5.374	20	
70	5.5	5.562	20	
71	5.5	5.394	20	
72	5.5	5.444	20	
73	5.5	5.48	20	
74	5.5	5.496	20	
75	5.5	5.519	20	
76	5.5	5.559	20	
77	5.5	5.579	20	
78	5.5	5.308	20	
79	5.5	5.52	20	
80	5.5	5.689	20	
81	5.5	5.489	20	
82	5.5	5.709	20	
83	5.5	5.625	20	
84	5.5	5.667	20	
85	5.5	5.428	20	
86	5.5	5.515	20	
87	5.5	5.351	20	
88	5.5	5.676	20	
89	5.5	5.385	20	
90	5.5	5.656	20	
91	5.5	5.67	20	
92	5.5	5.582	20	
93	5.5	5.292	20	
94	5.5	5.318	20	
95	5.5	5.596	20	*
96	5.5	5.686	20	
97	5.5	5.561	20	
98	5.5	5.673	20	
99	5.5	5.724	20	
100	5.5	5.282	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.627	20	
2	5.5	5.663	20	
3	5.5	5.321	20	
4	5.5	5.717	20	
5	5.5	5.513	20	
6	5.5	5.35	20	
7	5.5	5.493	20	
8	5.5	5.501	20	
9	5.5	5.62	20	
10	5.5	5.409	20	
11	5.5	5.634	20	
12	5.5	5.696	20	
13	5.5	5.636	20	
14	5.5	5.489	20	
15	5.5	5.645	20	
16	5.5	5.613	20	
17	5.5	5.56	20	
18	5.5	5.574	20	
19	5.5	5.614	20	
20	5.5	5.379	20	
21	5.5	5.324	20	
22	5.5	5.318	20	
23	5.5	5.582	20	
24	5.5	5.525	20	
25	5.5	5.544	20	
26	5.5	5.491	20	
27	5.5	5.381	20	
28	5.5	5.365	20	
29	5.5	5.716	20	
30	5.5	5.677	20	
31	5.5	5.667	20	
32	5.5	5.311	20	
33	5.5	5.684	20	
34	5.5	5.258	20	
35	5.5	5.396	20	
36	5.5	5.577	20	
37	5.5	5.697	20	
38	5.5	5.444	20	
39	5.5	5.619	20	
40	5.5	5.334	20	
41	5.5	5.532	20	
42	5.5	5.473	20	
43	5.5	5.407	20	
44	5.5	5.278	20	
45	5.5	5.679	20	
46	5.5	5.309	20	
47	5.5	5.585	20	

48	5.5	5.371	20	
49	5.5	5.32	20	
50	5.5	5.26	20	
51	5.5	5.391	20	
52	5.5	5.534	20	
53	5.5	5.401	20	
54	5.5	5.721	20	
55	5.5	5.521	20	
56	5.5	5.291	20	
57	5.5	5.605	20	*
58	5.5	5.403	20	
59	5.5	5.701	20	
60	5.5	5.524	20	
61	5.5	5.65	20	
62	5.5	5.587	20	
63	5.5	5.323	20	
64	5.5	5.546	20	
65	5.5	5.399	20	
66	5.5	5.461	20	
67	5.5	5.374	20	
68	5.5	5.584	20	
69	5.5	5.346	20	
70	5.5	5.45	20	
71	5.5	5.72	20	
72	5.5	5.531	20	
73	5.5	5.36	20	
74	5.5	5.344	20	
75	5.5	5.347	20	
76	5.5	5.471	20	
77	5.5	5.438	20	
78	5.5	5.269	20	
79	5.5	5.688	20	
80	5.5	5.6	20	*
81	5.5	5.554	20	
82	5.5	5.512	20	
83	5.5	5.504	20	
84	5.5	5.413	20	
85	5.5	5.358	20	
86	5.5	5.63	20	
87	5.5	5.342	20	
88	5.5	5.523	20	
89	5.5	5.408	20	
90	5.5	5.339	20	
91	5.5	5.316	20	
92	5.5	5.447	20	
93	5.5	5.624	20	
94	5.5	5.452	20	
95	5.5	5.253	20	
96	5.5	5.383	20	
97	5.5	5.261	20	
98	5.5	5.432	20	
99	5.5	5.583	20	
100	5.5	5.57	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.683	20	
2	5.5	5.278	20	
3	5.5	5.457	20	
4	5.5	5.276	20	
5	5.5	5.409	20	
6	5.5	5.674	20	
7	5.5	5.496	20	
8	5.5	5.687	20	
9	5.5	5.284	20	
10	5.5	5.39	20	
11	5.5	5.503	20	
12	5.5	5.465	20	
13	5.5	5.542	20	
14	5.5	5.347	20	
15	5.5	5.615	20	
16	5.5	5.506	20	
17	5.5	5.367	20	
18	5.5	5.684	20	
19	5.5	5.611	20	
20	5.5	5.562	20	
21	5.5	5.254	20	
22	5.5	5.491	20	
23	5.5	5.526	20	
24	5.5	5.391	20	
25	5.5	5.502	20	
26	5.5	5.402	20	
27	5.5	5.648	20	
28	5.5	5.403	20	
29	5.5	5.528	20	
30	5.5	5.563	20	
31	5.5	5.632	20	
32	5.5	5.3	20	
33	5.5	5.295	20	
34	5.5	5.656	20	
35	5.5	5.616	20	
36	5.5	5.463	20	
37	5.5	5.588	20	
38	5.5	5.662	20	
39	5.5	5.67	20	
40	5.5	5.285	20	
41	5.5	5.642	20	
42	5.5	5.702	20	
43	5.5	5.331	20	
44	5.5	5.655	20	
45	5.5	5.272	20	
46	5.5	5.378	20	
47	5.5	5.362	20	

48	5.5	5.55	20	
49	5.5	5.456	20	
50	5.5	5.504	20	
51	5.5	5.467	20	
52	5.5	5.319	20	
53	5.5	5.313	20	
54	5.5	5.471	20	
55	5.5	5.622	20	
56	5.5	5.555	20	
57	5.5	5.613	20	
58	5.5	5.303	20	
59	5.5	5.596	20	*
60	5.5	5.291	20	
61	5.5	5.482	20	
62	5.5	5.256	20	
63	5.5	5.271	20	
64	5.5	5.375	20	
65	5.5	5.34	20	
66	5.5	5.591	20	*
67	5.5	5.446	20	
68	5.5	5.547	20	
69	5.5	5.376	20	
70	5.5	5.43	20	
71	5.5	5.27	20	
72	5.5	5.392	20	
73	5.5	5.659	20	
74	5.5	5.458	20	
75	5.5	5.565	20	
76	5.5	5.342	20	
77	5.5	5.633	20	
78	5.5	5.31	20	
79	5.5	5.325	20	
80	5.5	5.318	20	
81	5.5	5.592	20	*
82	5.5	5.652	20	
83	5.5	5.441	20	
84	5.5	5.531	20	
85	5.5	5.536	20	
86	5.5	5.42	20	
87	5.5	5.626	20	
88	5.5	5.7	20	
89	5.5	5.309	20	
90	5.5	5.387	20	
91	5.5	5.398	20	
92	5.5	5.558	20	
93	5.5	5.587	20	
94	5.5	5.523	20	
95	5.5	5.604	20	*
96	5.5	5.634	20	
97	5.5	5.355	20	
98	5.5	5.275	20	
99	5.5	5.661	20	
100	5.5	5.478	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.269	20	
2	5.5	5.286	20	
3	5.5	5.493	20	
4	5.5	5.368	20	
5	5.5	5.689	20	
6	5.5	5.435	20	
7	5.5	5.641	20	
8	5.5	5.719	20	
9	5.5	5.519	20	
10	5.5	5.531	20	
11	5.5	5.364	20	
12	5.5	5.303	20	
13	5.5	5.448	20	
14	5.5	5.54	20	
15	5.5	5.573	20	
16	5.5	5.695	20	
17	5.5	5.3	20	
18	5.5	5.403	20	
19	5.5	5.399	20	
20	5.5	5.252	20	
21	5.5	5.386	20	
22	5.5	5.717	20	
23	5.5	5.623	20	
24	5.5	5.305	20	
25	5.5	5.563	20	
26	5.5	5.311	20	
27	5.5	5.504	20	
28	5.5	5.507	20	
29	5.5	5.708	20	
30	5.5	5.259	20	
31	5.5	5.577	20	
32	5.5	5.568	20	
33	5.5	5.288	20	
34	5.5	5.63	20	
35	5.5	5.451	20	
36	5.5	5.302	20	
37	5.5	5.261	20	
38	5.5	5.437	20	
39	5.5	5.307	20	
40	5.5	5.33	20	
41	5.5	5.692	20	
42	5.5	5.513	20	
43	5.5	5.321	20	
44	5.5	5.268	20	
45	5.5	5.29	20	
46	5.5	5.597	20	*
47	5.5	5.276	20	

48	5.5	5.342	20	
49	5.5	5.333	20	
50	5.5	5.464	20	
51	5.5	5.354	20	
52	5.5	5.34	20	
53	5.5	5.357	20	
54	5.5	5.614	20	
55	5.5	5.478	20	
56	5.5	5.669	20	
57	5.5	5.38	20	
58	5.5	5.348	20	
59	5.5	5.327	20	
60	5.5	5.341	20	
61	5.5	5.613	20	
62	5.5	5.517	20	
63	5.5	5.31	20	
64	5.5	5.505	20	
65	5.5	5.556	20	
66	5.5	5.406	20	
67	5.5	5.43	20	
68	5.5	5.585	20	
69	5.5	5.336	20	
70	5.5	5.615	20	
71	5.5	5.446	20	
72	5.5	5.473	20	
73	5.5	5.721	20	
74	5.5	5.361	20	
75	5.5	5.436	20	
76	5.5	5.68	20	
77	5.5	5.694	20	
78	5.5	5.605	20	*
79	5.5	5.541	20	
80	5.5	5.335	20	
81	5.5	5.417	20	
82	5.5	5.47	20	
83	5.5	5.631	20	
84	5.5	5.616	20	
85	5.5	5.581	20	
86	5.5	5.482	20	
87	5.5	5.266	20	
88	5.5	5.457	20	
89	5.5	5.687	20	
90	5.5	5.696	20	
91	5.5	5.347	20	
92	5.5	5.711	20	
93	5.5	5.516	20	
94	5.5	5.315	20	
95	5.5	5.647	20	
96	5.5	5.709	20	
97	5.5	5.628	20	
98	5.5	5.598	20	*
99	5.5	5.57	20	
100	5.5	5.25	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.601	20	*
2	5.5	5.338	20	
3	5.5	5.398	20	
4	5.5	5.692	20	
5	5.5	5.559	20	
6	5.5	5.413	20	
7	5.5	5.348	20	
8	5.5	5.459	20	
9	5.5	5.52	20	
10	5.5	5.467	20	
11	5.5	5.546	20	
12	5.5	5.675	20	
13	5.5	5.254	20	
14	5.5	5.665	20	
15	5.5	5.547	20	
16	5.5	5.538	20	
17	5.5	5.718	20	
18	5.5	5.558	20	
19	5.5	5.7	20	
20	5.5	5.303	20	
21	5.5	5.469	20	
22	5.5	5.713	20	
23	5.5	5.491	20	
24	5.5	5.685	20	
25	5.5	5.305	20	
26	5.5	5.72	20	
27	5.5	5.579	20	
28	5.5	5.625	20	
29	5.5	5.49	20	
30	5.5	5.393	20	
31	5.5	5.429	20	
32	5.5	5.62	20	
33	5.5	5.702	20	
34	5.5	5.589	20	*
35	5.5	5.704	20	
36	5.5	5.607	20	*
37	5.5	5.339	20	
38	5.5	5.629	20	
39	5.5	5.355	20	
40	5.5	5.688	20	
41	5.5	5.651	20	
42	5.5	5.342	20	
43	5.5	5.325	20	
44	5.5	5.571	20	
45	5.5	5.528	20	
46	5.5	5.277	20	
47	5.5	5.583	20	

48	5.5	5.532	20	
49	5.5	5.503	20	
50	5.5	5.421	20	
51	5.5	5.317	20	
52	5.5	5.45	20	
53	5.5	5.402	20	
54	5.5	5.714	20	
55	5.5	5.58	20	
56	5.5	5.645	20	
57	5.5	5.501	20	
58	5.5	5.647	20	
59	5.5	5.509	20	
60	5.5	5.531	20	
61	5.5	5.543	20	
62	5.5	5.396	20	
63	5.5	5.706	20	
64	5.5	5.346	20	
65	5.5	5.257	20	
66	5.5	5.294	20	
67	5.5	5.548	20	
68	5.5	5.681	20	
69	5.5	5.666	20	
70	5.5	5.278	20	
71	5.5	5.643	20	
72	5.5	5.55	20	
73	5.5	5.46	20	
74	5.5	5.273	20	
75	5.5	5.435	20	
76	5.5	5.494	20	
77	5.5	5.444	20	
78	5.5	5.689	20	
79	5.5	5.519	20	
80	5.5	5.454	20	
81	5.5	5.68	20	
82	5.5	5.518	20	
83	5.5	5.565	20	
84	5.5	5.506	20	
85	5.5	5.676	20	
86	5.5	5.511	20	
87	5.5	5.581	20	
88	5.5	5.588	20	
89	5.5	5.373	20	
90	5.5	5.416	20	
91	5.5	5.701	20	
92	5.5	5.694	20	
93	5.5	5.309	20	
94	5.5	5.667	20	
95	5.5	5.623	20	
96	5.5	5.669	20	
97	5.5	5.328	20	
98	5.5	5.357	20	
99	5.5	5.66	20	
100	5.5	5.366	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.471	20	
2	5.5	5.679	20	
3	5.5	5.466	20	
4	5.5	5.662	20	
5	5.5	5.496	20	
6	5.5	5.456	20	
7	5.5	5.405	20	
8	5.5	5.365	20	
9	5.5	5.497	20	
10	5.5	5.36	20	
11	5.5	5.633	20	
12	5.5	5.391	20	
13	5.5	5.682	20	
14	5.5	5.644	20	
15	5.5	5.341	20	
16	5.5	5.673	20	
17	5.5	5.509	20	
18	5.5	5.369	20	
19	5.5	5.569	20	
20	5.5	5.702	20	
21	5.5	5.446	20	
22	5.5	5.379	20	
23	5.5	5.485	20	
24	5.5	5.72	20	
25	5.5	5.721	20	
26	5.5	5.613	20	
27	5.5	5.371	20	
28	5.5	5.551	20	
29	5.5	5.449	20	
30	5.5	5.47	20	
31	5.5	5.256	20	
32	5.5	5.622	20	
33	5.5	5.448	20	
34	5.5	5.279	20	
35	5.5	5.595	20	*
36	5.5	5.457	20	
37	5.5	5.437	20	
38	5.5	5.272	20	
39	5.5	5.469	20	
40	5.5	5.706	20	
41	5.5	5.699	20	
42	5.5	5.641	20	
43	5.5	5.556	20	
44	5.5	5.716	20	
45	5.5	5.351	20	
46	5.5	5.467	20	
47	5.5	5.709	20	

48	5.5	5.52	20	
49	5.5	5.573	20	
50	5.5	5.612	20	
51	5.5	5.599	20	*
52	5.5	5.288	20	
53	5.5	5.3	20	
54	5.5	5.267	20	
55	5.5	5.618	20	
56	5.5	5.542	20	
57	5.5	5.513	20	
58	5.5	5.674	20	
59	5.5	5.465	20	
60	5.5	5.292	20	
61	5.5	5.434	20	
62	5.5	5.414	20	
63	5.5	5.489	20	
64	5.5	5.29	20	
65	5.5	5.539	20	
66	5.5	5.324	20	
67	5.5	5.508	20	
68	5.5	5.651	20	
69	5.5	5.39	20	
70	5.5	5.435	20	
71	5.5	5.704	20	
72	5.5	5.255	20	
73	5.5	5.617	20	
74	5.5	5.432	20	
75	5.5	5.581	20	
76	5.5	5.34	20	
77	5.5	5.589	20	*
78	5.5	5.291	20	
79	5.5	5.382	20	
80	5.5	5.264	20	
81	5.5	5.615	20	
82	5.5	5.453	20	
83	5.5	5.565	20	
84	5.5	5.252	20	
85	5.5	5.294	20	
86	5.5	5.681	20	
87	5.5	5.64	20	
88	5.5	5.44	20	
89	5.5	5.707	20	
90	5.5	5.25	20	
91	5.5	5.588	20	
92	5.5	5.598	20	*
93	5.5	5.349	20	
94	5.5	5.46	20	
95	5.5	5.33	20	
96	5.5	5.309	20	
97	5.5	5.425	20	
98	5.5	5.541	20	
99	5.5	5.333	20	
100	5.5	5.375	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.721	20	
2	5.5	5.38	20	
3	5.5	5.679	20	
4	5.5	5.498	20	
5	5.5	5.304	20	
6	5.5	5.484	20	
7	5.5	5.354	20	
8	5.5	5.298	20	
9	5.5	5.708	20	
10	5.5	5.46	20	
11	5.5	5.397	20	
12	5.5	5.707	20	
13	5.5	5.423	20	
14	5.5	5.616	20	
15	5.5	5.254	20	
16	5.5	5.266	20	
17	5.5	5.434	20	
18	5.5	5.519	20	
19	5.5	5.29	20	
20	5.5	5.263	20	
21	5.5	5.32	20	
22	5.5	5.473	20	
23	5.5	5.458	20	
24	5.5	5.644	20	
25	5.5	5.641	20	
26	5.5	5.671	20	
27	5.5	5.48	20	
28	5.5	5.583	20	
29	5.5	5.549	20	
30	5.5	5.372	20	
31	5.5	5.405	20	
32	5.5	5.638	20	
33	5.5	5.355	20	
34	5.5	5.459	20	
35	5.5	5.268	20	
36	5.5	5.343	20	
37	5.5	5.501	20	
38	5.5	5.619	20	
39	5.5	5.425	20	
40	5.5	5.532	20	
41	5.5	5.531	20	
42	5.5	5.573	20	
43	5.5	5.682	20	
44	5.5	5.472	20	
45	5.5	5.381	20	
46	5.5	5.713	20	
47	5.5	5.646	20	

48	5.5	5.427	20	
49	5.5	5.364	20	
50	5.5	5.445	20	
51	5.5	5.306	20	
52	5.5	5.586	20	
53	5.5	5.446	20	
54	5.5	5.491	20	
55	5.5	5.324	20	
56	5.5	5.451	20	
57	5.5	5.724	20	
58	5.5	5.633	20	
59	5.5	5.689	20	
60	5.5	5.373	20	
61	5.5	5.511	20	
62	5.5	5.719	20	
63	5.5	5.697	20	
64	5.5	5.6	20	*
65	5.5	5.523	20	
66	5.5	5.377	20	
67	5.5	5.609	20	*
68	5.5	5.368	20	
69	5.5	5.252	20	
70	5.5	5.559	20	
71	5.5	5.261	20	
72	5.5	5.421	20	
73	5.5	5.387	20	
74	5.5	5.599	20	*
75	5.5	5.311	20	
76	5.5	5.653	20	
77	5.5	5.317	20	
78	5.5	5.722	20	
79	5.5	5.718	20	
80	5.5	5.525	20	
81	5.5	5.688	20	
82	5.5	5.347	20	
83	5.5	5.591	20	*
84	5.5	5.668	20	
85	5.5	5.253	20	
86	5.5	5.703	20	
87	5.5	5.348	20	
88	5.5	5.651	20	
89	5.5	5.28	20	
90	5.5	5.635	20	
91	5.5	5.655	20	
92	5.5	5.587	20	
93	5.5	5.402	20	
94	5.5	5.407	20	
95	5.5	5.517	20	
96	5.5	5.345	20	
97	5.5	5.65	20	
98	5.5	5.685	20	
99	5.5	5.515	20	
100	5.5	5.585	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.306	20	
2	5.5	5.716	20	
3	5.5	5.333	20	
4	5.5	5.411	20	
5	5.5	5.616	20	
6	5.5	5.313	20	
7	5.5	5.704	20	
8	5.5	5.554	20	
9	5.5	5.351	20	
10	5.5	5.389	20	
11	5.5	5.331	20	
12	5.5	5.403	20	
13	5.5	5.377	20	
14	5.5	5.673	20	
15	5.5	5.452	20	
16	5.5	5.609	20	*
17	5.5	5.39	20	
18	5.5	5.722	20	
19	5.5	5.368	20	
20	5.5	5.259	20	
21	5.5	5.562	20	
22	5.5	5.299	20	
23	5.5	5.267	20	
24	5.5	5.33	20	
25	5.5	5.423	20	
26	5.5	5.657	20	
27	5.5	5.623	20	
28	5.5	5.451	20	
29	5.5	5.437	20	
30	5.5	5.688	20	
31	5.5	5.62	20	
32	5.5	5.427	20	
33	5.5	5.637	20	
34	5.5	5.7	20	
35	5.5	5.26	20	
36	5.5	5.284	20	
37	5.5	5.71	20	
38	5.5	5.597	20	*
39	5.5	5.58	20	
40	5.5	5.602	20	*
41	5.5	5.358	20	
42	5.5	5.446	20	
43	5.5	5.459	20	
44	5.5	5.683	20	
45	5.5	5.395	20	
46	5.5	5.428	20	
47	5.5	5.516	20	

48	5.5	5.577	20	
49	5.5	5.275	20	
50	5.5	5.601	20	*
51	5.5	5.412	20	
52	5.5	5.391	20	
53	5.5	5.375	20	
54	5.5	5.429	20	
55	5.5	5.436	20	
56	5.5	5.474	20	
57	5.5	5.539	20	
58	5.5	5.4	20	
59	5.5	5.371	20	
60	5.5	5.627	20	
61	5.5	5.569	20	
62	5.5	5.533	20	
63	5.5	5.53	20	
64	5.5	5.285	20	
65	5.5	5.36	20	
66	5.5	5.546	20	
67	5.5	5.42	20	
68	5.5	5.415	20	
69	5.5	5.304	20	
70	5.5	5.52	20	
71	5.5	5.458	20	
72	5.5	5.295	20	
73	5.5	5.257	20	
74	5.5	5.28	20	
75	5.5	5.702	20	
76	5.5	5.526	20	
77	5.5	5.335	20	
78	5.5	5.512	20	
79	5.5	5.624	20	
80	5.5	5.651	20	
81	5.5	5.399	20	
82	5.5	5.543	20	
83	5.5	5.486	20	
84	5.5	5.277	20	
85	5.5	5.535	20	
86	5.5	5.706	20	
87	5.5	5.675	20	
88	5.5	5.379	20	
89	5.5	5.64	20	
90	5.5	5.669	20	
91	5.5	5.442	20	
92	5.5	5.629	20	
93	5.5	5.491	20	
94	5.5	5.493	20	
95	5.5	5.369	20	
96	5.5	5.634	20	
97	5.5	5.456	20	
98	5.5	5.336	20	
99	5.5	5.541	20	
100	5.5	5.705	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.323	20	
2	5.5	5.595	20	*
3	5.5	5.723	20	
4	5.5	5.48	20	
5	5.5	5.515	20	
6	5.5	5.592	20	*
7	5.5	5.597	20	*
8	5.5	5.586	20	
9	5.5	5.711	20	
10	5.5	5.421	20	
11	5.5	5.546	20	
12	5.5	5.305	20	
13	5.5	5.367	20	
14	5.5	5.44	20	
15	5.5	5.512	20	
16	5.5	5.393	20	
17	5.5	5.458	20	
18	5.5	5.301	20	
19	5.5	5.518	20	
20	5.5	5.533	20	
21	5.5	5.572	20	
22	5.5	5.547	20	
23	5.5	5.5	20	
24	5.5	5.501	20	
25	5.5	5.324	20	
26	5.5	5.34	20	
27	5.5	5.453	20	
28	5.5	5.535	20	
29	5.5	5.386	20	
30	5.5	5.378	20	
31	5.5	5.621	20	
32	5.5	5.266	20	
33	5.5	5.599	20	*
34	5.5	5.38	20	
35	5.5	5.358	20	
36	5.5	5.252	20	
37	5.5	5.613	20	
38	5.5	5.678	20	
39	5.5	5.716	20	
40	5.5	5.569	20	
41	5.5	5.676	20	
42	5.5	5.703	20	
43	5.5	5.362	20	
44	5.5	5.466	20	
45	5.5	5.656	20	
46	5.5	5.397	20	
47	5.5	5.486	20	

48	5.5	5.355	20	
49	5.5	5.295	20	
50	5.5	5.379	20	
51	5.5	5.545	20	
52	5.5	5.282	20	
53	5.5	5.646	20	
54	5.5	5.652	20	
55	5.5	5.577	20	
56	5.5	5.302	20	
57	5.5	5.432	20	
58	5.5	5.614	20	
59	5.5	5.617	20	
60	5.5	5.478	20	
61	5.5	5.578	20	
62	5.5	5.31	20	
63	5.5	5.685	20	
64	5.5	5.444	20	
65	5.5	5.68	20	
66	5.5	5.298	20	
67	5.5	5.555	20	
68	5.5	5.319	20	
69	5.5	5.541	20	
70	5.5	5.574	20	
71	5.5	5.253	20	
72	5.5	5.493	20	
73	5.5	5.619	20	
74	5.5	5.267	20	
75	5.5	5.54	20	
76	5.5	5.596	20	*
77	5.5	5.441	20	
78	5.5	5.647	20	
79	5.5	5.538	20	
80	5.5	5.407	20	
81	5.5	5.612	20	
82	5.5	5.475	20	
83	5.5	5.259	20	
84	5.5	5.629	20	
85	5.5	5.58	20	
86	5.5	5.531	20	
87	5.5	5.544	20	
88	5.5	5.563	20	
89	5.5	5.671	20	
90	5.5	5.471	20	
91	5.5	5.524	20	
92	5.5	5.63	20	
93	5.5	5.633	20	
94	5.5	5.284	20	
95	5.5	5.449	20	
96	5.5	5.424	20	
97	5.5	5.49	20	
98	5.5	5.603	20	*
99	5.5	5.526	20	
100	5.5	5.536	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.688	20	
2	5.5	5.578	20	
3	5.5	5.581	20	
4	5.5	5.388	20	
5	5.5	5.447	20	
6	5.5	5.35	20	
7	5.5	5.353	20	
8	5.5	5.44	20	
9	5.5	5.487	20	
10	5.5	5.426	20	
11	5.5	5.58	20	
12	5.5	5.307	20	
13	5.5	5.683	20	
14	5.5	5.576	20	
15	5.5	5.647	20	
16	5.5	5.692	20	
17	5.5	5.384	20	
18	5.5	5.429	20	
19	5.5	5.703	20	
20	5.5	5.467	20	
21	5.5	5.389	20	
22	5.5	5.412	20	
23	5.5	5.722	20	
24	5.5	5.343	20	
25	5.5	5.398	20	
26	5.5	5.268	20	
27	5.5	5.394	20	
28	5.5	5.258	20	
29	5.5	5.455	20	
30	5.5	5.475	20	
31	5.5	5.302	20	
32	5.5	5.572	20	
33	5.5	5.484	20	
34	5.5	5.288	20	
35	5.5	5.48	20	
36	5.5	5.514	20	
37	5.5	5.469	20	
38	5.5	5.609	20	*
39	5.5	5.499	20	
40	5.5	5.393	20	
41	5.5	5.354	20	
42	5.5	5.535	20	
43	5.5	5.285	20	
44	5.5	5.491	20	
45	5.5	5.27	20	
46	5.5	5.665	20	
47	5.5	5.529	20	

48	5.5	5.702	20	
49	5.5	5.28	20	
50	5.5	5.586	20	
51	5.5	5.399	20	
52	5.5	5.666	20	
53	5.5	5.351	20	
54	5.5	5.373	20	
55	5.5	5.298	20	
56	5.5	5.515	20	
57	5.5	5.459	20	
58	5.5	5.664	20	
59	5.5	5.34	20	
60	5.5	5.266	20	
61	5.5	5.366	20	
62	5.5	5.694	20	
63	5.5	5.618	20	
64	5.5	5.432	20	
65	5.5	5.41	20	
66	5.5	5.416	20	
67	5.5	5.262	20	
68	5.5	5.597	20	*
69	5.5	5.312	20	
70	5.5	5.442	20	
71	5.5	5.414	20	
72	5.5	5.59	20	*
73	5.5	5.644	20	
74	5.5	5.265	20	
75	5.5	5.681	20	
76	5.5	5.293	20	
77	5.5	5.621	20	
78	5.5	5.512	20	
79	5.5	5.697	20	
80	5.5	5.452	20	
81	5.5	5.521	20	
82	5.5	5.259	20	
83	5.5	5.546	20	
84	5.5	5.55	20	
85	5.5	5.313	20	
86	5.5	5.638	20	
87	5.5	5.284	20	
88	5.5	5.547	20	
89	5.5	5.438	20	
90	5.5	5.367	20	
91	5.5	5.362	20	
92	5.5	5.684	20	
93	5.5	5.337	20	
94	5.5	5.369	20	
95	5.5	5.397	20	
96	5.5	5.345	20	
97	5.5	5.712	20	
98	5.5	5.31	20	
99	5.5	5.396	20	
100	5.5	5.67	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.436	20	
2	5.5	5.541	20	
3	5.5	5.373	20	
4	5.5	5.711	20	
5	5.5	5.565	20	
6	5.5	5.648	20	
7	5.5	5.601	20	*
8	5.5	5.603	20	*
9	5.5	5.58	20	
10	5.5	5.328	20	
11	5.5	5.633	20	
12	5.5	5.294	20	
13	5.5	5.305	20	
14	5.5	5.285	20	
15	5.5	5.652	20	
16	5.5	5.375	20	
17	5.5	5.677	20	
18	5.5	5.386	20	
19	5.5	5.31	20	
20	5.5	5.54	20	
21	5.5	5.473	20	
22	5.5	5.639	20	
23	5.5	5.314	20	
24	5.5	5.451	20	
25	5.5	5.503	20	
26	5.5	5.572	20	
27	5.5	5.423	20	
28	5.5	5.319	20	
29	5.5	5.317	20	
30	5.5	5.513	20	
31	5.5	5.397	20	
32	5.5	5.364	20	
33	5.5	5.57	20	
34	5.5	5.365	20	
35	5.5	5.477	20	
36	5.5	5.383	20	
37	5.5	5.662	20	
38	5.5	5.311	20	
39	5.5	5.674	20	
40	5.5	5.343	20	
41	5.5	5.501	20	
42	5.5	5.299	20	
43	5.5	5.528	20	
44	5.5	5.371	20	
45	5.5	5.281	20	
46	5.5	5.257	20	
47	5.5	5.452	20	

48	5.5	5.706	20	
49	5.5	5.629	20	
50	5.5	5.399	20	
51	5.5	5.519	20	
52	5.5	5.409	20	
53	5.5	5.487	20	
54	5.5	5.443	20	
55	5.5	5.355	20	
56	5.5	5.496	20	
57	5.5	5.344	20	
58	5.5	5.334	20	
59	5.5	5.723	20	
60	5.5	5.415	20	
61	5.5	5.398	20	
62	5.5	5.349	20	
63	5.5	5.585	20	
64	5.5	5.589	20	*
65	5.5	5.695	20	
66	5.5	5.258	20	
67	5.5	5.605	20	*
68	5.5	5.428	20	
69	5.5	5.269	20	
70	5.5	5.518	20	
71	5.5	5.512	20	
72	5.5	5.367	20	
73	5.5	5.594	20	*
74	5.5	5.264	20	
75	5.5	5.453	20	
76	5.5	5.276	20	
77	5.5	5.708	20	
78	5.5	5.369	20	
79	5.5	5.49	20	
80	5.5	5.72	20	
81	5.5	5.419	20	
82	5.5	5.643	20	
83	5.5	5.43	20	
84	5.5	5.574	20	
85	5.5	5.593	20	*
86	5.5	5.37	20	
87	5.5	5.534	20	
88	5.5	5.553	20	
89	5.5	5.505	20	
90	5.5	5.597	20	*
91	5.5	5.292	20	
92	5.5	5.569	20	
93	5.5	5.587	20	
94	5.5	5.331	20	
95	5.5	5.266	20	
96	5.5	5.577	20	
97	5.5	5.438	20	
98	5.5	5.653	20	
99	5.5	5.492	20	
100	5.5	5.5	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.655	20	
2	5.5	5.306	20	
3	5.5	5.34	20	
4	5.5	5.337	20	
5	5.5	5.624	20	
6	5.5	5.36	20	
7	5.5	5.526	20	
8	5.5	5.647	20	
9	5.5	5.258	20	
10	5.5	5.389	20	
11	5.5	5.391	20	
12	5.5	5.668	20	
13	5.5	5.567	20	
14	5.5	5.441	20	
15	5.5	5.677	20	
16	5.5	5.545	20	
17	5.5	5.324	20	
18	5.5	5.46	20	
19	5.5	5.297	20	
20	5.5	5.305	20	
21	5.5	5.427	20	
22	5.5	5.298	20	
23	5.5	5.491	20	
24	5.5	5.489	20	
25	5.5	5.399	20	
26	5.5	5.518	20	
27	5.5	5.682	20	
28	5.5	5.722	20	
29	5.5	5.345	20	
30	5.5	5.385	20	
31	5.5	5.418	20	
32	5.5	5.382	20	
33	5.5	5.649	20	
34	5.5	5.252	20	
35	5.5	5.4	20	
36	5.5	5.715	20	
37	5.5	5.256	20	
38	5.5	5.344	20	
39	5.5	5.625	20	
40	5.5	5.303	20	
41	5.5	5.457	20	
42	5.5	5.407	20	
43	5.5	5.374	20	
44	5.5	5.618	20	
45	5.5	5.622	20	
46	5.5	5.433	20	
47	5.5	5.49	20	

48	5.5	5.352	20	
49	5.5	5.529	20	
50	5.5	5.628	20	
51	5.5	5.493	20	
52	5.5	5.268	20	
53	5.5	5.269	20	
54	5.5	5.565	20	
55	5.5	5.301	20	
56	5.5	5.609	20	*
57	5.5	5.705	20	
58	5.5	5.415	20	
59	5.5	5.37	20	
60	5.5	5.664	20	
61	5.5	5.354	20	
62	5.5	5.559	20	
63	5.5	5.295	20	
64	5.5	5.466	20	
65	5.5	5.292	20	
66	5.5	5.614	20	
67	5.5	5.494	20	
68	5.5	5.468	20	
69	5.5	5.707	20	
70	5.5	5.445	20	
71	5.5	5.504	20	
72	5.5	5.548	20	
73	5.5	5.524	20	
74	5.5	5.449	20	
75	5.5	5.405	20	
76	5.5	5.53	20	
77	5.5	5.432	20	
78	5.5	5.414	20	
79	5.5	5.368	20	
80	5.5	5.639	20	
81	5.5	5.631	20	
82	5.5	5.443	20	
83	5.5	5.718	20	
84	5.5	5.281	20	
85	5.5	5.474	20	
86	5.5	5.59	20	*
87	5.5	5.334	20	
88	5.5	5.283	20	
89	5.5	5.42	20	
90	5.5	5.7	20	
91	5.5	5.642	20	
92	5.5	5.488	20	
93	5.5	5.583	20	
94	5.5	5.351	20	
95	5.5	5.672	20	
96	5.5	5.481	20	
97	5.5	5.52	20	
98	5.5	5.678	20	
99	5.5	5.525	20	
100	5.5	5.486	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.617	20	
2	5.5	5.318	20	
3	5.5	5.327	20	
4	5.5	5.649	20	
5	5.5	5.63	20	
6	5.5	5.338	20	
7	5.5	5.44	20	
8	5.5	5.288	20	
9	5.5	5.629	20	
10	5.5	5.647	20	
11	5.5	5.399	20	
12	5.5	5.515	20	
13	5.5	5.571	20	
14	5.5	5.633	20	
15	5.5	5.476	20	
16	5.5	5.517	20	
17	5.5	5.358	20	
18	5.5	5.388	20	
19	5.5	5.282	20	
20	5.5	5.678	20	
21	5.5	5.356	20	
22	5.5	5.307	20	
23	5.5	5.538	20	
24	5.5	5.628	20	
25	5.5	5.612	20	
26	5.5	5.626	20	
27	5.5	5.284	20	
28	5.5	5.557	20	
29	5.5	5.435	20	
30	5.5	5.597	20	*
31	5.5	5.522	20	
32	5.5	5.722	20	
33	5.5	5.596	20	*
34	5.5	5.686	20	
35	5.5	5.644	20	
36	5.5	5.48	20	
37	5.5	5.62	20	
38	5.5	5.547	20	
39	5.5	5.427	20	
40	5.5	5.366	20	
41	5.5	5.595	20	*
42	5.5	5.354	20	
43	5.5	5.724	20	
44	5.5	5.448	20	
45	5.5	5.567	20	
46	5.5	5.544	20	
47	5.5	5.624	20	

48	5.5	5.719	20	
49	5.5	5.566	20	
50	5.5	5.537	20	
51	5.5	5.463	20	
52	5.5	5.545	20	
53	5.5	5.255	20	
54	5.5	5.527	20	
55	5.5	5.364	20	
56	5.5	5.636	20	
57	5.5	5.273	20	
58	5.5	5.394	20	
59	5.5	5.396	20	
60	5.5	5.402	20	
61	5.5	5.561	20	
62	5.5	5.637	20	
63	5.5	5.715	20	
64	5.5	5.299	20	
65	5.5	5.634	20	
66	5.5	5.475	20	
67	5.5	5.582	20	
68	5.5	5.319	20	
69	5.5	5.333	20	
70	5.5	5.429	20	
71	5.5	5.664	20	
72	5.5	5.291	20	
73	5.5	5.641	20	
74	5.5	5.278	20	
75	5.5	5.272	20	
76	5.5	5.342	20	
77	5.5	5.71	20	
78	5.5	5.645	20	
79	5.5	5.277	20	
80	5.5	5.302	20	
81	5.5	5.536	20	
82	5.5	5.718	20	
83	5.5	5.49	20	
84	5.5	5.671	20	
85	5.5	5.587	20	
86	5.5	5.374	20	
87	5.5	5.309	20	
88	5.5	5.437	20	
89	5.5	5.357	20	
90	5.5	5.623	20	
91	5.5	5.294	20	
92	5.5	5.696	20	
93	5.5	5.608	20	*
94	5.5	5.414	20	
95	5.5	5.341	20	
96	5.5	5.564	20	
97	5.5	5.267	20	
98	5.5	5.445	20	
99	5.5	5.723	20	
100	5.5	5.72	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.548	20	
2	5.5	5.34	20	
3	5.5	5.595	20	*
4	5.5	5.426	20	
5	5.5	5.464	20	
6	5.5	5.463	20	
7	5.5	5.489	20	
8	5.5	5.545	20	
9	5.5	5.554	20	
10	5.5	5.315	20	
11	5.5	5.394	20	
12	5.5	5.707	20	
13	5.5	5.33	20	
14	5.5	5.283	20	
15	5.5	5.496	20	
16	5.5	5.58	20	
17	5.5	5.622	20	
18	5.5	5.68	20	
19	5.5	5.415	20	
20	5.5	5.57	20	
21	5.5	5.393	20	
22	5.5	5.435	20	
23	5.5	5.28	20	
24	5.5	5.535	20	
25	5.5	5.602	20	*
26	5.5	5.466	20	
27	5.5	5.576	20	
28	5.5	5.718	20	
29	5.5	5.635	20	
30	5.5	5.626	20	
31	5.5	5.644	20	
32	5.5	5.413	20	
33	5.5	5.523	20	
34	5.5	5.633	20	
35	5.5	5.286	20	
36	5.5	5.354	20	
37	5.5	5.544	20	
38	5.5	5.637	20	
39	5.5	5.552	20	
40	5.5	5.668	20	
41	5.5	5.385	20	
42	5.5	5.673	20	
43	5.5	5.512	20	
44	5.5	5.667	20	
45	5.5	5.348	20	
46	5.5	5.262	20	
47	5.5	5.274	20	

48	5.5	5.472	20	
49	5.5	5.709	20	
50	5.5	5.686	20	
51	5.5	5.669	20	
52	5.5	5.565	20	
53	5.5	5.421	20	
54	5.5	5.69	20	
55	5.5	5.367	20	
56	5.5	5.351	20	
57	5.5	5.681	20	
58	5.5	5.442	20	
59	5.5	5.661	20	
60	5.5	5.61	20	
61	5.5	5.638	20	
62	5.5	5.372	20	
63	5.5	5.331	20	
64	5.5	5.282	20	
65	5.5	5.519	20	
66	5.5	5.515	20	
67	5.5	5.474	20	
68	5.5	5.495	20	
69	5.5	5.358	20	
70	5.5	5.696	20	
71	5.5	5.514	20	
72	5.5	5.585	20	
73	5.5	5.437	20	
74	5.5	5.368	20	
75	5.5	5.651	20	
76	5.5	5.458	20	
77	5.5	5.72	20	
78	5.5	5.574	20	
79	5.5	5.631	20	
80	5.5	5.536	20	
81	5.5	5.447	20	
82	5.5	5.42	20	
83	5.5	5.561	20	
84	5.5	5.509	20	
85	5.5	5.4	20	
86	5.5	5.494	20	
87	5.5	5.273	20	
88	5.5	5.51	20	
89	5.5	5.459	20	
90	5.5	5.452	20	
91	5.5	5.483	20	
92	5.5	5.454	20	
93	5.5	5.685	20	
94	5.5	5.524	20	
95	5.5	5.264	20	
96	5.5	5.553	20	
97	5.5	5.387	20	
98	5.5	5.328	20	
99	5.5	5.7	20	
100	5.5	5.307	20	

--

802.11ax(HE20) - 5500MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.5	5.463	20	
2	5.5	5.681	20	
3	5.5	5.418	20	
4	5.5	5.558	20	
5	5.5	5.708	20	
6	5.5	5.448	20	
7	5.5	5.318	20	
8	5.5	5.316	20	
9	5.5	5.685	20	
10	5.5	5.384	20	
11	5.5	5.362	20	
12	5.5	5.396	20	
13	5.5	5.71	20	
14	5.5	5.464	20	
15	5.5	5.413	20	
16	5.5	5.483	20	
17	5.5	5.564	20	
18	5.5	5.329	20	
19	5.5	5.253	20	
20	5.5	5.467	20	
21	5.5	5.397	20	
22	5.5	5.595	20	*
23	5.5	5.481	20	
24	5.5	5.27	20	
25	5.5	5.526	20	
26	5.5	5.296	20	
27	5.5	5.29	20	
28	5.5	5.391	20	
29	5.5	5.266	20	
30	5.5	5.667	20	
31	5.5	5.319	20	
32	5.5	5.35	20	
33	5.5	5.334	20	
34	5.5	5.44	20	
35	5.5	5.444	20	
36	5.5	5.665	20	
37	5.5	5.354	20	
38	5.5	5.699	20	
39	5.5	5.308	20	
40	5.5	5.368	20	
41	5.5	5.693	20	
42	5.5	5.573	20	
43	5.5	5.335	20	
44	5.5	5.303	20	
45	5.5	5.434	20	
46	5.5	5.402	20	
47	5.5	5.585	20	

48	5.5	5.534	20	
49	5.5	5.628	20	
50	5.5	5.429	20	
51	5.5	5.715	20	
52	5.5	5.414	20	
53	5.5	5.631	20	
54	5.5	5.557	20	
55	5.5	5.4	20	
56	5.5	5.294	20	
57	5.5	5.255	20	
58	5.5	5.415	20	
59	5.5	5.707	20	
60	5.5	5.371	20	
61	5.5	5.406	20	
62	5.5	5.514	20	
63	5.5	5.568	20	
64	5.5	5.282	20	
65	5.5	5.404	20	
66	5.5	5.337	20	
67	5.5	5.332	20	
68	5.5	5.421	20	
69	5.5	5.375	20	
70	5.5	5.527	20	
71	5.5	5.323	20	
72	5.5	5.365	20	
73	5.5	5.668	20	
74	5.5	5.488	20	
75	5.5	5.508	20	
76	5.5	5.561	20	
77	5.5	5.567	20	
78	5.5	5.58	20	
79	5.5	5.723	20	
80	5.5	5.25	20	
81	5.5	5.383	20	
82	5.5	5.339	20	
83	5.5	5.293	20	
84	5.5	5.295	20	
85	5.5	5.689	20	
86	5.5	5.619	20	
87	5.5	5.305	20	
88	5.5	5.627	20	
89	5.5	5.714	20	
90	5.5	5.469	20	
91	5.5	5.683	20	
92	5.5	5.341	20	
93	5.5	5.456	20	
94	5.5	5.487	20	
95	5.5	5.381	20	
96	5.5	5.572	20	
97	5.5	5.37	20	
98	5.5	5.511	20	
99	5.5	5.642	20	
100	5.5	5.428	20	

--

802.11ax(HE40) - 5510MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	63	1	838
2	18	1	3066
3	59	1	898
4	83	1	638
5	61	1	878
6	62	1	858
7	83	1	638
8	70	1	758
9	58	1	918
10	76	1	698
11	61	1	878
12	57	1	938
13	98	1	538
14	62	1	858
15	89	1	598
16	86	1	618
17	83	1	638
18	83	1	638
19	68	1	778
20	59	1	898
21	74	1	718
22	70	1	758
23	57	1	938
24	59	1	898
25	83	1	638
26	81	1	658
27	81	1	658
28	68	1	778
29	102	1	518
30	57	1	938

802.11ax(HE40) - 5510MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	27	1.3	186
2	25	1.6	167
3	24	1.6	228
4	29	3.5	179
5	27	1.6	215
6	25	1.5	221
7	28	1.4	200
8	24	1.4	175
9	25	2.1	172
10	24	1.2	156
11	28	4.5	213
12	29	3.7	214
13	24	2.1	156
14	28	2.9	210
15	24	5	196
16	27	3.9	219
17	27	4.9	173
18	26	3.7	162
19	24	3.5	205
20	27	1.7	204
21	25	2.1	204
22	25	3.7	206
23	24	4.1	204
24	26	2.8	198
25	24	3.5	178
26	27	1.9	181
27	25	4.1	177
28	24	4.4	161
29	26	2	226
30	28	1.2	173

802.11ax(HE40) - 5510MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	8.6	477
2	16	8	371
3	17	6.7	467
4	17	9.4	402
5	16	6.6	267
6	17	9.5	308
7	18	7.9	287
8	18	9.2	217
9	17	9.8	321
10	17	6.7	344
11	17	9	376
12	16	7.1	345
13	16	8.8	281
14	17	7	202
15	17	9.5	487
16	18	7.7	225
17	18	6.1	315
18	18	9.7	420
19	18	7	374
20	16	9.2	330
21	18	9.2	234
22	17	7.9	309
23	17	7.7	213
24	17	7.3	439
25	16	8.2	343
26	17	7.3	285
27	17	7.6	410
28	17	7.8	273
29	16	7.5	430
30	18	8.4	285

802.11ax(HE40) - 5510MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	15	12.9	363
2	16	13.5	436
3	12	18.5	284
4	13	11.3	420
5	16	17.6	444
6	15	18.4	276
7	13	12.9	291
8	13	12	393
9	13	16.2	410
10	15	17.2	426
11	14	20	493
12	16	19.4	484
13	15	13.4	249
14	16	12	374
15	15	12.5	339
16	15	14	228
17	13	14.4	246
18	13	14.1	274
19	15	17	217
20	13	14.3	392
21	16	15.8	335
22	14	11.7	319
23	12	13.6	354
24	14	11.8	376
25	12	15.9	293
26	13	14.9	363
27	13	12.2	298
28	14	14.3	220
29	15	14.3	401
30	12	14.3	316

802.11ax(HE40) - 5510MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	11	1	5510
2	9	1	5510
3	7	1	5510
4	17	1	5510
5	20	1	5510
6	14	1	5510
7	17	1	5510
8	18	1	5510
9	19	1	5510
10	17	1	5510
11	14	2	5496.6
12	17	2	5497.8
13	11	2	5495.4
14	18	2	5498.2
15	16	2	5497.4
16	9	2	5494.6
17	18	2	5498.2
18	12	2	5495.8
19	13	2	5496.2
20	5	2	5493
21	18	3	5521.8
22	6	3	5526.6
23	18	3	5521.8
24	16	3	5522.6
25	17	3	5522.2
26	6	3	5526.6
27	5	3	5527
28	15	3	5523
29	15	3	5523
30	5	3	5527

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	52.6	11	1786		989.931
2	2	84.1	11	1904		833.91
3	2	96.5	11	1455		239.14
4	2	59.6	11	1564		940.54
5	1	92.8	11			212.89
6	1	68	11			71.18
7	2	95.5	11	1651		489.18
8	1	59.1	11			404.29
9	3	92.2	11	1634	1736	180.34
10	2	80	11	1435		150.2
11	3	53.7	11	1769	1080	939.2
12	3	86.5	11	1162	1604	677.6

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 3						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	57.2	7	1668	1751	533.619
2	2	58.2	7	1188		149.178
3	1	60.9	7			44.397
4	1	74.8	7			422.17
5	2	69.5	7	1706		632.433
6	3	73.9	7	1071	1395	250.847
7	2	82.4	7	1611		2.59
8	1	74.6	7			91.313
9	2	94.8	7	1215		528.267
10	1	50.4	7			97.1
11	2	86.8	7	1170		387.323
12	3	87.6	7	1985	1518	118.537
13	2	97.7	7	1026		452.11
14	2	81.8	7	1219		376.443
15	2	57.3	7	1757		328.147
16	3	92.6	7	1677	1391	526.5
17	2	92.1	7	1552		570.833
18	1	81.8	7			496.467

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	91.5	17	1863		308.519
2	2	71.5	17	1603		564.25
3	2	51.6	17	1082		770.21
4	2	77.8	17	1379		616.32
5	2	66.8	17	1504		504.53
6	1	90	17			792.13
7	1	94	17			482.94
8	1	83.3	17			160.37
9	3	75	17	1266	1350	239.75
10	1	85.4	17			769.16
11	2	96.2	17	1120		276.77
12	1	64	17			141.09
13	3	70.9	17	1505	1814	197.97
14	3	77.4	17	1580	1309	209.3
15	2	52.2	17	1453		353

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	99.2	20	1854	1085	590.998
2	2	71.8	20	1007		471.54
3	2	53.7	20	1583		364.43
4	2	83.3	20	1284		132.41
5	3	79.4	20	1702	1953	309.87
6	2	83.4	20	1996		525.9
7	2	65.5	20	1709		593.98
8	1	99.1	20			388.34
9	1	78.8	20			403.11
10	3	58.4	20	1002	1616	415.17
11	2	65.8	20	1502		496.51
12	2	57.2	20	1541		445.52
13	1	59.6	20			414
14	1	80.1	20			575.13
15	1	95.7	20			518.54
16	3	52.7	20	1579	1460	498.99
17	2	51.1	20	1085		187.84
18	2	55	20	1327		569.1
19	1	69.9	20			587.4
20	3	74.9	20	1689	1951	4.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	69.3	14	1352		280.769
2	1	86.5	14			47.786
3	1	84.6	14			400.806
4	3	76.8	14	1084	1808	904.659
5	2	60	14	1741		433.692
6	2	73	14	1633		228.245
7	2	97.4	14	1542		403.928
8	1	96.7	14			847.172
9	2	91.9	14	1533		517.785
10	1	86.9	14			74.698
11	3	92.4	14	1026	1077	701.701
12	2	91.6	14	1769		301.454
13	2	81.2	14	1140		788.577

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	88.2	17	1922		475.564
2	3	65.6	17	1624	1005	426.65
3	3	84.6	17	1835	1842	58.95
4	3	91.4	17	1977	1097	504.63
5	1	55.6	17			254.43
6	2	86.1	17	1217		768.54
7	3	98.5	17	1997	1781	168.72
8	2	56.3	17	1547		406.23
9	3	94.3	17	1589	1480	696.25
10	2	50.9	17	1512		131.38
11	2	69.8	17	1713		528.95
12	2	88	17	1793		108.88
13	2	86.9	17	1336		758.6
14	3	71.6	17	1993	1087	440.5
15	2	97	17	1633		726.3

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	51.7	18	1121		70.69
2	2	79.8	18	1938		628.123
3	2	93.3	18	1260		573.887
4	1	59.8	18			445
5	2	86.7	18	1770		115.313
6	2	75.7	18	1858		183.747
7	1	67.8	18			569.08
8	3	68.7	18	1379	1634	124.603
9	1	74.4	18			408.877
10	2	83.9	18	1557		600.36
11	3	65.8	18	1522	1449	381.433
12	2	64.1	18	1007		160.467
13	2	86.2	18	1882		297.2
14	1	89.3	18			8.893
15	2	83.2	18	1549		94.177
16	3	95.8	18	1851	1170	123.7
17	2	62	18	1495		372.133
18	2	71.2	18	1369		220.767

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	100	19			206.851
2	2	69.2	19	1493		876.253
3	3	85.5	19	1511	1881	726.056
4	3	66.4	19	1496	1968	827.029
5	1	57.1	19			197.992
6	1	62.3	19			903.235
7	2	77.1	19	1616		783.408
8	2	60.5	19	1130		880.882
9	1	74.9	19			581.775
10	2	73.4	19	1927		838.288
11	2	72.6	19	1083		683.901
12	3	60.9	19	1459	1515	153.754
13	2	88.5	19	1390		600.577

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 13						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	59.7	11			193.114
2	2	50.2	11	1457		576.82
3	2	95.3	11	1628		319.94
4	2	84	11	1506		666.06
5	2	50.4	11	1691		429.16
6	1	69.8	11			348.78
7	2	87.8	11	1281		439.39
8	1	85.3	11			421.59
9	2	90.1	11	1553		572.74
10	3	51.9	11	1344	1029	129.87
11	1	86.8	11			553.97
12	2	65.8	11	1939		110.48
13	3	69.8	11	1791	1435	775.1
14	3	95.5	11	1071	1422	167.5
15	1	56.8	11			562.8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	74	18	1166	1710	146.01
2	1	71.7	18			336.041
3	2	71.6	18	1691		473.442
4	3	64.7	18	1525	1715	307.783
5	1	92.2	18			540.114
6	2	82.3	18	1208		380.195
7	3	74.5	18	1140	1089	425.766
8	1	94.2	18			444.207
9	2	94.7	18	1937		599.008
10	2	59.2	18	1798		15.779
11	1	85.9	18			108.801
12	2	70.1	18	1703		308.322
13	1	99.7	18			150.823
14	2	63.6	18	1837		298.584
15	2	76.8	18	1573		562.115
16	1	63.4	18			315.236
17	2	64.6	18	1749		478.437
18	3	81.3	18	1771	1912	458.858
19	2	57.1	18	1744		470.579

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	61.4	16	1134		946.891
2	2	65.8	16	1694		411.2
3	2	87.4	16	1107		814.92
4	3	53.6	16	1499	1759	496.34
5	1	80.5	16			895.11
6	2	79.9	16	1130		705.75
7	1	88.6	16			920.02
8	2	64.2	16	1118		14.45
9	1	52.4	16			136.58
10	3	83.2	16	1536	1123	116.83
11	2	95.5	16	1867		940.4
12	1	83.7	16			724.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	91.9	9	1682		178.31
2	1	69.5	9			150.597
3	2	96.8	9	1166		611.88
4	2	77.4	9	1184		191.77
5	1	97.1	9			303.49
6	2	57.1	9	1644		142.94
7	3	88.4	9	1445	1185	306.68
8	1	86.4	9			297.96
9	3	88.8	9	1719	1938	604.23
10	2	69.9	9	1590		296.21
11	3	93.7	9	1336	1481	205.18
12	1	91.3	9			571.65
13	3	93.3	9	1556	1383	754.8
14	2	56.1	9	1839		391.6
15	3	52	9	1101	1591	165.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	85.1	18	1097		279.4
2	2	71.1	18	1401		743.36
3	3	55.2	18	1404	1560	520.7
4	1	88.3	18			194.56
5	1	66.3	18			620.8
6	1	67.4	18			196.44
7	2	97.8	18	1323		302.75
8	2	90	18	1031		19.19
9	3	84.4	18	1517	1293	464.42
10	3	74.7	18	1880	1944	17.93
11	3	66.1	18	1098	1769	402.32
12	3	54.5	18	1673	1283	169.13
13	1	87.9	18			247.13
14	2	59.8	18	1266		220.4
15	1	90.7	18			585.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	85.3	12	1648		136.759
2	3	92.8	12	1474	1589	505.318
3	2	56.6	12	1862		118.065
4	2	94.2	12	1782		238.513
5	1	80.7	12			105.851
6	3	78.5	12	1565	1118	78.528
7	2	65.6	12	1333		570.276
8	3	71.6	12	1452	1464	554.534
9	2	72	12	1223		16.251
10	2	51.6	12	1846		60.919
11	3	55.4	12	1561	1295	76.836
12	1	67.8	12			597.204
13	1	61.5	12			602.782
14	1	83.3	12			418.929
15	2	81.3	12	1014		359.847
16	2	96	12	1594		243.965
17	2	58.7	12	1230		99.882

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	66.1	13	1085		358.985
2	2	95.4	13	1525		137.157
3	2	69.8	13	1251		198.825
4	2	65.9	13	1788		10.923
5	2	77.3	13	1838		259.571
6	1	78.5	13			229.078
7	1	96.2	13			455.346
8	1	61.9	13			167.994
9	3	70.8	13	1225	1529	618.781
10	2	77.1	13	1978		618.219
11	2	88.2	13	1894		68.836
12	2	68	13	1440		646.844
13	2	68.1	13	1290		470.592
14	1	95.4	13			601.549
15	2	53.6	13	1591		636.147
16	1	54.4	13			637.765
17	2	58.5	13	1511		437.982

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	80.9	5			703.466
2	3	91.5	5	1043	1963	579.83
3	3	92	5	1983	1968	529.58
4	2	89	5	1916		693.67
5	3	52.8	5	1426	1539	890.66
6	2	83.7	5	1272		534
7	1	95	5			889.47
8	2	62.9	5	1042		287.45
9	2	87.9	5	1454		569.17
10	2	87.8	5	1120		813.57
11	1	87.6	5			311.3
12	2	75.6	5	1473		679.3

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	91.6	6			229.684
2	3	92	6	1236	1132	45.761
3	2	59.6	6	1120		570.566
4	2	90.1	6	1956		459.979
5	2	69	6	1064		885.182
6	2	77	6	1292		629.615
7	1	99.9	6			520.338
8	2	66	6	1564		836.492
9	3	87.1	6	1630	1348	850.095
10	1	86.9	6			465.058
11	2	82.9	6	1715		852.331
12	2	60.5	6	1662		839.054
13	3	53.1	6	1392	1651	418.277

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	66.7	18	1800		473.886
2	3	56.8	18	1899	1247	693.388
3	3	68	18	1214	1901	205.415
4	2	86.4	18	1225		590.303
5	2	87	18	1800		135.471
6	2	70.5	18	1595		693.458
7	2	92.2	18	1721		698.876
8	1	90.8	18			190.394
9	3	93.3	18	1361	1779	179.121
10	3	71.9	18	1129	1850	220.309
11	2	50.6	18	1974		125.836
12	3	97.2	18	1291	1686	523.134
13	1	67.9	18			483.162
14	1	74.2	18			589.239
15	1	79.3	18			606.747
16	2	75.1	18	1556		321.365
17	3	75.4	18	1442	1116	628.582

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	74.5	16			21.514
2	3	81.7	16	1869	1649	460.483
3	2	56.4	16	1116		574.947
4	1	65.3	16			102.12
5	1	60.6	16			495.293
6	2	76.1	16	1749		262.547
7	2	97.2	16	1790		71.61
8	2	81.1	16	1960		497.123
9	2	85.8	16	1928		441.487
10	3	94.8	16	1356	1191	90.35
11	1	62.6	16			428.033
12	3	93.8	16	1713	1901	258.307
13	1	90.9	16			336.87
14	2	84.1	16	1346		213.493
15	3	51.1	16	1087	1100	272.757
16	2	65.3	16	1915		443.7
17	1	96.3	16			322.833
18	2	84.7	16	1420		420.867

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	69.1	17			534.933
2	2	78.5	17	1857		137.088
3	2	59.1	17	1182		781.714
4	2	73.5	17	1614		817.951
5	2	74.8	17	1597		714.489
6	2	88.8	17	1600		196.326
7	3	57.3	17	1818	1378	476.543
8	2	50.9	17	1941		149.45
9	2	88.7	17	1893		495.417
10	1	64.2	17			711.164
11	1	59.6	17			11.161
12	3	52	17	1465	1291	801.529
13	2	64.2	17	1022		374.886
14	1	51.2	17			510.043

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	78.5	6	1929		255.252
2	1	55.9	6			167.465
3	1	52.4	6			33.972
4	3	50.4	6	1690	1579	256.573
5	1	59.1	6			322.114
6	1	87.6	6			297.815
7	1	71.8	6			347.106
8	3	55.9	6	1439	1874	474.407
9	3	57.8	6	1935	1747	385.718
10	1	80.8	6			133.359
11	1	81.4	6			8.771
12	3	73.5	6	1280	1474	443.742
13	2	79.3	6	1448		181.353
14	2	64.8	6	1958		322.994
15	3	76.4	6	1587	1469	555.255
16	1	55.3	6			23.946
17	3	86	6	1284	1144	14.837
18	3	51.6	6	1240	1168	553.158
19	2	68	6	1948		338.979

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	68.4	5	1275	1540	531.606
2	3	60.3	5	1021	1826	54.232
3	1	99.1	5			488.324
4	3	70.5	5	1665	1581	487.241
5	2	77.4	5	1960		753.129
6	3	74.2	5	1001	1509	77.966
7	3	97	5	1790	1578	409.093
8	3	75.7	5	1568	1922	611.03
9	2	60.7	5	1399		14.387
10	2	71	5	1746		233.374
11	2	100	5	1972		730.701
12	3	92.5	5	1478	1702	786.929
13	2	86.5	5	1763		187.086
14	2	92.6	5	1358		752.243

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	81.4	5			521.267
2	2	55.2	5	1150		655.943
3	3	59.1	5	1150	1289	253.807
4	2	60.5	5	1828		513.7
5	2	60.4	5	1279		211.523
6	2	84.4	5	1246		620.227
7	3	78.5	5	1867	1002	172.9
8	2	96.5	5	1255		301.893
9	3	87.3	5	1832	1810	77.367
10	2	73.2	5	1821		170.4
11	1	71.8	5			56.063
12	1	52.2	5			498.457
13	1	50.2	5			33.08
14	2	73.5	5	1342		64.103
15	2	50.8	5	1897		171.387
16	2	50	5	1665		50.4
17	2	74.8	5	1873		486.733
18	2	87.2	5	1956		421.267

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.407	40	
2	5.51	5.549	40	
3	5.51	5.464	40	
4	5.51	5.341	40	
5	5.51	5.507	40	
6	5.51	5.344	40	
7	5.51	5.524	40	
8	5.51	5.272	40	
9	5.51	5.376	40	
10	5.51	5.281	40	
11	5.51	5.361	40	
12	5.51	5.3	40	
13	5.51	5.569	40	
14	5.51	5.255	40	
15	5.51	5.275	40	
16	5.51	5.397	40	
17	5.51	5.432	40	
18	5.51	5.699	40	
19	5.51	5.58	40	
20	5.51	5.302	40	
21	5.51	5.513	40	
22	5.51	5.279	40	
23	5.51	5.531	40	
24	5.51	5.709	40	
25	5.51	5.46	40	
26	5.51	5.681	40	
27	5.51	5.346	40	
28	5.51	5.419	40	
29	5.51	5.592	40	*
30	5.51	5.572	40	
31	5.51	5.415	40	
32	5.51	5.256	40	
33	5.51	5.656	40	
34	5.51	5.326	40	
35	5.51	5.476	40	
36	5.51	5.644	40	
37	5.51	5.354	40	
38	5.51	5.555	40	
39	5.51	5.483	40	
40	5.51	5.588	40	
41	5.51	5.688	40	
42	5.51	5.312	40	
43	5.51	5.622	40	
44	5.51	5.292	40	
45	5.51	5.667	40	
46	5.51	5.356	40	
47	5.51	5.707	40	

48	5.51	5.389	40	
49	5.51	5.254	40	
50	5.51	5.695	40	
51	5.51	5.318	40	
52	5.51	5.672	40	
53	5.51	5.269	40	
54	5.51	5.545	40	
55	5.51	5.604	40	*
56	5.51	5.696	40	
57	5.51	5.437	40	
58	5.51	5.351	40	
59	5.51	5.342	40	
60	5.51	5.338	40	
61	5.51	5.324	40	
62	5.51	5.491	40	
63	5.51	5.398	40	
64	5.51	5.591	40	*
65	5.51	5.657	40	
66	5.51	5.626	40	
67	5.51	5.469	40	
68	5.51	5.698	40	
69	5.51	5.547	40	
70	5.51	5.529	40	
71	5.51	5.478	40	
72	5.51	5.405	40	
73	5.51	5.619	40	
74	5.51	5.649	40	
75	5.51	5.49	40	
76	5.51	5.347	40	
77	5.51	5.624	40	
78	5.51	5.428	40	
79	5.51	5.38	40	
80	5.51	5.636	40	
81	5.51	5.72	40	
82	5.51	5.632	40	
83	5.51	5.518	40	
84	5.51	5.548	40	
85	5.51	5.704	40	
86	5.51	5.479	40	
87	5.51	5.662	40	
88	5.51	5.565	40	
89	5.51	5.305	40	
90	5.51	5.299	40	
91	5.51	5.638	40	
92	5.51	5.525	40	
93	5.51	5.503	40	
94	5.51	5.509	40	
95	5.51	5.589	40	*
96	5.51	5.431	40	
97	5.51	5.542	40	
98	5.51	5.309	40	
99	5.51	5.416	40	
100	5.51	5.523	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.532	40	
2	5.51	5.708	40	
3	5.51	5.54	40	
4	5.51	5.512	40	
5	5.51	5.252	40	
6	5.51	5.588	40	
7	5.51	5.61	40	
8	5.51	5.492	40	
9	5.51	5.514	40	
10	5.51	5.526	40	
11	5.51	5.337	40	
12	5.51	5.272	40	
13	5.51	5.612	40	
14	5.51	5.286	40	
15	5.51	5.467	40	
16	5.51	5.638	40	
17	5.51	5.328	40	
18	5.51	5.289	40	
19	5.51	5.495	40	
20	5.51	5.472	40	
21	5.51	5.724	40	
22	5.51	5.292	40	
23	5.51	5.672	40	
24	5.51	5.645	40	
25	5.51	5.368	40	
26	5.51	5.6	40	*
27	5.51	5.284	40	
28	5.51	5.415	40	
29	5.51	5.696	40	
30	5.51	5.468	40	
31	5.51	5.717	40	
32	5.51	5.271	40	
33	5.51	5.65	40	
34	5.51	5.653	40	
35	5.51	5.62	40	
36	5.51	5.712	40	
37	5.51	5.31	40	
38	5.51	5.641	40	
39	5.51	5.361	40	
40	5.51	5.565	40	
41	5.51	5.507	40	
42	5.51	5.695	40	
43	5.51	5.319	40	
44	5.51	5.428	40	
45	5.51	5.388	40	
46	5.51	5.544	40	
47	5.51	5.499	40	

48	5.51	5.352	40	
49	5.51	5.541	40	
50	5.51	5.308	40	
51	5.51	5.443	40	
52	5.51	5.425	40	
53	5.51	5.355	40	
54	5.51	5.446	40	
55	5.51	5.615	40	
56	5.51	5.652	40	
57	5.51	5.471	40	
58	5.51	5.606	40	*
59	5.51	5.515	40	
60	5.51	5.44	40	
61	5.51	5.291	40	
62	5.51	5.279	40	
63	5.51	5.349	40	
64	5.51	5.274	40	
65	5.51	5.585	40	
66	5.51	5.668	40	
67	5.51	5.527	40	
68	5.51	5.367	40	
69	5.51	5.3	40	
70	5.51	5.438	40	
71	5.51	5.537	40	
72	5.51	5.634	40	
73	5.51	5.304	40	
74	5.51	5.346	40	
75	5.51	5.39	40	
76	5.51	5.516	40	
77	5.51	5.643	40	
78	5.51	5.297	40	
79	5.51	5.342	40	
80	5.51	5.702	40	
81	5.51	5.398	40	
82	5.51	5.549	40	
83	5.51	5.718	40	
84	5.51	5.529	40	
85	5.51	5.295	40	
86	5.51	5.257	40	
87	5.51	5.655	40	
88	5.51	5.456	40	
89	5.51	5.436	40	
90	5.51	5.442	40	
91	5.51	5.489	40	
92	5.51	5.621	40	
93	5.51	5.685	40	
94	5.51	5.296	40	
95	5.51	5.439	40	
96	5.51	5.343	40	
97	5.51	5.441	40	
98	5.51	5.403	40	
99	5.51	5.659	40	
100	5.51	5.613	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.62	40	
2	5.51	5.253	40	
3	5.51	5.517	40	
4	5.51	5.606	40	*
5	5.51	5.433	40	
6	5.51	5.498	40	
7	5.51	5.428	40	
8	5.51	5.394	40	
9	5.51	5.675	40	
10	5.51	5.26	40	
11	5.51	5.494	40	
12	5.51	5.407	40	
13	5.51	5.67	40	
14	5.51	5.272	40	
15	5.51	5.615	40	
16	5.51	5.6	40	*
17	5.51	5.614	40	
18	5.51	5.591	40	*
19	5.51	5.668	40	
20	5.51	5.474	40	
21	5.51	5.475	40	
22	5.51	5.417	40	
23	5.51	5.691	40	
24	5.51	5.547	40	
25	5.51	5.305	40	
26	5.51	5.521	40	
27	5.51	5.251	40	
28	5.51	5.38	40	
29	5.51	5.71	40	
30	5.51	5.505	40	
31	5.51	5.697	40	
32	5.51	5.452	40	
33	5.51	5.531	40	
34	5.51	5.508	40	
35	5.51	5.382	40	
36	5.51	5.386	40	
37	5.51	5.282	40	
38	5.51	5.325	40	
39	5.51	5.501	40	
40	5.51	5.273	40	
41	5.51	5.538	40	
42	5.51	5.684	40	
43	5.51	5.446	40	
44	5.51	5.528	40	
45	5.51	5.275	40	
46	5.51	5.343	40	
47	5.51	5.593	40	*

48	5.51	5.283	40	
49	5.51	5.264	40	
50	5.51	5.412	40	
51	5.51	5.358	40	
52	5.51	5.589	40	*
53	5.51	5.401	40	
54	5.51	5.661	40	
55	5.51	5.369	40	
56	5.51	5.673	40	
57	5.51	5.678	40	
58	5.51	5.713	40	
59	5.51	5.641	40	
60	5.51	5.423	40	
61	5.51	5.486	40	
62	5.51	5.719	40	
63	5.51	5.418	40	
64	5.51	5.322	40	
65	5.51	5.717	40	
66	5.51	5.316	40	
67	5.51	5.451	40	
68	5.51	5.698	40	
69	5.51	5.699	40	
70	5.51	5.68	40	
71	5.51	5.613	40	
72	5.51	5.278	40	
73	5.51	5.465	40	
74	5.51	5.284	40	
75	5.51	5.287	40	
76	5.51	5.276	40	
77	5.51	5.569	40	
78	5.51	5.406	40	
79	5.51	5.416	40	
80	5.51	5.541	40	
81	5.51	5.499	40	
82	5.51	5.366	40	
83	5.51	5.405	40	
84	5.51	5.353	40	
85	5.51	5.706	40	
86	5.51	5.471	40	
87	5.51	5.302	40	
88	5.51	5.321	40	
89	5.51	5.268	40	
90	5.51	5.492	40	
91	5.51	5.36	40	
92	5.51	5.65	40	
93	5.51	5.653	40	
94	5.51	5.345	40	
95	5.51	5.556	40	
96	5.51	5.319	40	
97	5.51	5.324	40	
98	5.51	5.723	40	
99	5.51	5.434	40	
100	5.51	5.564	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.427	40	
2	5.51	5.532	40	
3	5.51	5.262	40	
4	5.51	5.295	40	
5	5.51	5.292	40	
6	5.51	5.539	40	
7	5.51	5.417	40	
8	5.51	5.375	40	
9	5.51	5.502	40	
10	5.51	5.394	40	
11	5.51	5.626	40	
12	5.51	5.581	40	
13	5.51	5.277	40	
14	5.51	5.29	40	
15	5.51	5.704	40	
16	5.51	5.671	40	
17	5.51	5.265	40	
18	5.51	5.67	40	
19	5.51	5.337	40	
20	5.51	5.634	40	
21	5.51	5.293	40	
22	5.51	5.328	40	
23	5.51	5.682	40	
24	5.51	5.701	40	
25	5.51	5.393	40	
26	5.51	5.557	40	
27	5.51	5.338	40	
28	5.51	5.662	40	
29	5.51	5.503	40	
30	5.51	5.303	40	
31	5.51	5.319	40	
32	5.51	5.722	40	
33	5.51	5.434	40	
34	5.51	5.426	40	
35	5.51	5.649	40	
36	5.51	5.268	40	
37	5.51	5.673	40	
38	5.51	5.381	40	
39	5.51	5.576	40	
40	5.51	5.441	40	
41	5.51	5.267	40	
42	5.51	5.589	40	*
43	5.51	5.47	40	
44	5.51	5.254	40	
45	5.51	5.645	40	
46	5.51	5.642	40	
47	5.51	5.588	40	

48	5.51	5.48	40	
49	5.51	5.484	40	
50	5.51	5.361	40	
51	5.51	5.545	40	
52	5.51	5.643	40	
53	5.51	5.717	40	
54	5.51	5.425	40	
55	5.51	5.466	40	
56	5.51	5.54	40	
57	5.51	5.485	40	
58	5.51	5.281	40	
59	5.51	5.3	40	
60	5.51	5.263	40	
61	5.51	5.491	40	
62	5.51	5.407	40	
63	5.51	5.322	40	
64	5.51	5.552	40	
65	5.51	5.531	40	
66	5.51	5.591	40	*
67	5.51	5.313	40	
68	5.51	5.723	40	
69	5.51	5.353	40	
70	5.51	5.285	40	
71	5.51	5.459	40	
72	5.51	5.45	40	
73	5.51	5.705	40	
74	5.51	5.423	40	
75	5.51	5.463	40	
76	5.51	5.274	40	
77	5.51	5.554	40	
78	5.51	5.507	40	
79	5.51	5.406	40	
80	5.51	5.311	40	
81	5.51	5.264	40	
82	5.51	5.333	40	
83	5.51	5.464	40	
84	5.51	5.715	40	
85	5.51	5.461	40	
86	5.51	5.667	40	
87	5.51	5.51	40	
88	5.51	5.33	40	
89	5.51	5.363	40	
90	5.51	5.472	40	
91	5.51	5.719	40	
92	5.51	5.72	40	
93	5.51	5.372	40	
94	5.51	5.519	40	
95	5.51	5.592	40	*
96	5.51	5.52	40	
97	5.51	5.314	40	
98	5.51	5.297	40	
99	5.51	5.533	40	
100	5.51	5.565	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.524	40	
2	5.51	5.615	40	
3	5.51	5.641	40	
4	5.51	5.32	40	
5	5.51	5.419	40	
6	5.51	5.281	40	
7	5.51	5.562	40	
8	5.51	5.623	40	
9	5.51	5.655	40	
10	5.51	5.489	40	
11	5.51	5.308	40	
12	5.51	5.592	40	*
13	5.51	5.653	40	
14	5.51	5.689	40	
15	5.51	5.673	40	
16	5.51	5.425	40	
17	5.51	5.401	40	
18	5.51	5.5	40	
19	5.51	5.58	40	
20	5.51	5.269	40	
21	5.51	5.651	40	
22	5.51	5.267	40	
23	5.51	5.643	40	
24	5.51	5.458	40	
25	5.51	5.559	40	
26	5.51	5.661	40	
27	5.51	5.681	40	
28	5.51	5.42	40	
29	5.51	5.646	40	
30	5.51	5.718	40	
31	5.51	5.309	40	
32	5.51	5.636	40	
33	5.51	5.479	40	
34	5.51	5.596	40	*
35	5.51	5.275	40	
36	5.51	5.383	40	
37	5.51	5.427	40	
38	5.51	5.276	40	
39	5.51	5.366	40	
40	5.51	5.55	40	
41	5.51	5.481	40	
42	5.51	5.319	40	
43	5.51	5.402	40	
44	5.51	5.529	40	
45	5.51	5.307	40	
46	5.51	5.645	40	
47	5.51	5.266	40	

48	5.51	5.711	40	
49	5.51	5.329	40	
50	5.51	5.414	40	
51	5.51	5.7	40	
52	5.51	5.672	40	
53	5.51	5.288	40	
54	5.51	5.272	40	
55	5.51	5.332	40	
56	5.51	5.418	40	
57	5.51	5.411	40	
58	5.51	5.301	40	
59	5.51	5.605	40	*
60	5.51	5.568	40	
61	5.51	5.385	40	
62	5.51	5.663	40	
63	5.51	5.262	40	
64	5.51	5.331	40	
65	5.51	5.64	40	
66	5.51	5.713	40	
67	5.51	5.45	40	
68	5.51	5.408	40	
69	5.51	5.447	40	
70	5.51	5.574	40	
71	5.51	5.4	40	
72	5.51	5.662	40	
73	5.51	5.543	40	
74	5.51	5.392	40	
75	5.51	5.722	40	
76	5.51	5.43	40	
77	5.51	5.352	40	
78	5.51	5.513	40	
79	5.51	5.633	40	
80	5.51	5.507	40	
81	5.51	5.536	40	
82	5.51	5.577	40	
83	5.51	5.293	40	
84	5.51	5.604	40	*
85	5.51	5.346	40	
86	5.51	5.573	40	
87	5.51	5.33	40	
88	5.51	5.716	40	
89	5.51	5.652	40	
90	5.51	5.273	40	
91	5.51	5.68	40	
92	5.51	5.403	40	
93	5.51	5.61	40	
94	5.51	5.394	40	
95	5.51	5.705	40	
96	5.51	5.271	40	
97	5.51	5.473	40	
98	5.51	5.256	40	
99	5.51	5.328	40	
100	5.51	5.541	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.294	40	
2	5.51	5.576	40	
3	5.51	5.394	40	
4	5.51	5.495	40	
5	5.51	5.653	40	
6	5.51	5.564	40	
7	5.51	5.597	40	*
8	5.51	5.586	40	
9	5.51	5.599	40	*
10	5.51	5.308	40	
11	5.51	5.395	40	
12	5.51	5.632	40	
13	5.51	5.384	40	
14	5.51	5.445	40	
15	5.51	5.467	40	
16	5.51	5.452	40	
17	5.51	5.685	40	
18	5.51	5.702	40	
19	5.51	5.635	40	
20	5.51	5.382	40	
21	5.51	5.385	40	
22	5.51	5.717	40	
23	5.51	5.482	40	
24	5.51	5.712	40	
25	5.51	5.66	40	
26	5.51	5.509	40	
27	5.51	5.398	40	
28	5.51	5.417	40	
29	5.51	5.594	40	*
30	5.51	5.669	40	
31	5.51	5.435	40	
32	5.51	5.326	40	
33	5.51	5.485	40	
34	5.51	5.522	40	
35	5.51	5.648	40	
36	5.51	5.362	40	
37	5.51	5.32	40	
38	5.51	5.504	40	
39	5.51	5.338	40	
40	5.51	5.708	40	
41	5.51	5.591	40	*
42	5.51	5.461	40	
43	5.51	5.433	40	
44	5.51	5.36	40	
45	5.51	5.715	40	
46	5.51	5.273	40	
47	5.51	5.476	40	

48	5.51	5.621	40	
49	5.51	5.642	40	
50	5.51	5.619	40	
51	5.51	5.438	40	
52	5.51	5.271	40	
53	5.51	5.419	40	
54	5.51	5.27	40	
55	5.51	5.543	40	
56	5.51	5.67	40	
57	5.51	5.512	40	
58	5.51	5.491	40	
59	5.51	5.442	40	
60	5.51	5.593	40	*
61	5.51	5.629	40	
62	5.51	5.39	40	
63	5.51	5.269	40	
64	5.51	5.661	40	
65	5.51	5.292	40	
66	5.51	5.393	40	
67	5.51	5.631	40	
68	5.51	5.659	40	
69	5.51	5.614	40	
70	5.51	5.657	40	
71	5.51	5.409	40	
72	5.51	5.389	40	
73	5.51	5.547	40	
74	5.51	5.692	40	
75	5.51	5.69	40	
76	5.51	5.489	40	
77	5.51	5.519	40	
78	5.51	5.281	40	
79	5.51	5.322	40	
80	5.51	5.444	40	
81	5.51	5.602	40	*
82	5.51	5.399	40	
83	5.51	5.253	40	
84	5.51	5.647	40	
85	5.51	5.255	40	
86	5.51	5.645	40	
87	5.51	5.683	40	
88	5.51	5.265	40	
89	5.51	5.488	40	
90	5.51	5.696	40	
91	5.51	5.672	40	
92	5.51	5.686	40	
93	5.51	5.272	40	
94	5.51	5.43	40	
95	5.51	5.4	40	
96	5.51	5.351	40	
97	5.51	5.257	40	
98	5.51	5.638	40	
99	5.51	5.622	40	
100	5.51	5.427	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.512	40	
2	5.51	5.338	40	
3	5.51	5.365	40	
4	5.51	5.427	40	
5	5.51	5.312	40	
6	5.51	5.556	40	
7	5.51	5.514	40	
8	5.51	5.577	40	
9	5.51	5.508	40	
10	5.51	5.278	40	
11	5.51	5.275	40	
12	5.51	5.707	40	
13	5.51	5.651	40	
14	5.51	5.266	40	
15	5.51	5.537	40	
16	5.51	5.289	40	
17	5.51	5.666	40	
18	5.51	5.57	40	
19	5.51	5.518	40	
20	5.51	5.259	40	
21	5.51	5.52	40	
22	5.51	5.369	40	
23	5.51	5.624	40	
24	5.51	5.449	40	
25	5.51	5.412	40	
26	5.51	5.649	40	
27	5.51	5.592	40	*
28	5.51	5.377	40	
29	5.51	5.443	40	
30	5.51	5.406	40	
31	5.51	5.394	40	
32	5.51	5.302	40	
33	5.51	5.569	40	
34	5.51	5.708	40	
35	5.51	5.698	40	
36	5.51	5.55	40	
37	5.51	5.332	40	
38	5.51	5.439	40	
39	5.51	5.523	40	
40	5.51	5.613	40	
41	5.51	5.7	40	
42	5.51	5.444	40	
43	5.51	5.399	40	
44	5.51	5.299	40	
45	5.51	5.322	40	
46	5.51	5.605	40	*
47	5.51	5.361	40	

48	5.51	5.309	40	
49	5.51	5.647	40	
50	5.51	5.283	40	
51	5.51	5.475	40	
52	5.51	5.617	40	
53	5.51	5.272	40	
54	5.51	5.502	40	
55	5.51	5.622	40	
56	5.51	5.596	40	*
57	5.51	5.255	40	
58	5.51	5.638	40	
59	5.51	5.334	40	
60	5.51	5.453	40	
61	5.51	5.323	40	
62	5.51	5.491	40	
63	5.51	5.474	40	
64	5.51	5.589	40	*
65	5.51	5.667	40	
66	5.51	5.515	40	
67	5.51	5.404	40	
68	5.51	5.381	40	
69	5.51	5.425	40	
70	5.51	5.438	40	
71	5.51	5.636	40	
72	5.51	5.493	40	
73	5.51	5.62	40	
74	5.51	5.555	40	
75	5.51	5.648	40	
76	5.51	5.258	40	
77	5.51	5.516	40	
78	5.51	5.531	40	
79	5.51	5.671	40	
80	5.51	5.606	40	*
81	5.51	5.49	40	
82	5.51	5.473	40	
83	5.51	5.571	40	
84	5.51	5.441	40	
85	5.51	5.696	40	
86	5.51	5.477	40	
87	5.51	5.662	40	
88	5.51	5.271	40	
89	5.51	5.472	40	
90	5.51	5.554	40	
91	5.51	5.363	40	
92	5.51	5.608	40	*
93	5.51	5.625	40	
94	5.51	5.461	40	
95	5.51	5.712	40	
96	5.51	5.601	40	*
97	5.51	5.294	40	
98	5.51	5.565	40	
99	5.51	5.527	40	
100	5.51	5.681	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.671	40	
2	5.51	5.4	40	
3	5.51	5.553	40	
4	5.51	5.406	40	
5	5.51	5.262	40	
6	5.51	5.503	40	
7	5.51	5.7	40	
8	5.51	5.301	40	
9	5.51	5.598	40	*
10	5.51	5.329	40	
11	5.51	5.634	40	
12	5.51	5.537	40	
13	5.51	5.388	40	
14	5.51	5.611	40	
15	5.51	5.658	40	
16	5.51	5.326	40	
17	5.51	5.325	40	
18	5.51	5.489	40	
19	5.51	5.445	40	
20	5.51	5.696	40	
21	5.51	5.31	40	
22	5.51	5.709	40	
23	5.51	5.632	40	
24	5.51	5.41	40	
25	5.51	5.39	40	
26	5.51	5.343	40	
27	5.51	5.403	40	
28	5.51	5.465	40	
29	5.51	5.315	40	
30	5.51	5.517	40	
31	5.51	5.254	40	
32	5.51	5.651	40	
33	5.51	5.497	40	
34	5.51	5.641	40	
35	5.51	5.699	40	
36	5.51	5.71	40	
37	5.51	5.261	40	
38	5.51	5.269	40	
39	5.51	5.266	40	
40	5.51	5.649	40	
41	5.51	5.476	40	
42	5.51	5.299	40	
43	5.51	5.718	40	
44	5.51	5.667	40	
45	5.51	5.259	40	
46	5.51	5.596	40	*
47	5.51	5.707	40	

48	5.51	5.298	40	
49	5.51	5.453	40	
50	5.51	5.352	40	
51	5.51	5.304	40	
52	5.51	5.627	40	
53	5.51	5.324	40	
54	5.51	5.509	40	
55	5.51	5.615	40	
56	5.51	5.549	40	
57	5.51	5.585	40	
58	5.51	5.308	40	
59	5.51	5.383	40	
60	5.51	5.494	40	
61	5.51	5.592	40	*
62	5.51	5.468	40	
63	5.51	5.566	40	
64	5.51	5.618	40	
65	5.51	5.34	40	
66	5.51	5.619	40	
67	5.51	5.458	40	
68	5.51	5.495	40	
69	5.51	5.614	40	
70	5.51	5.487	40	
71	5.51	5.419	40	
72	5.51	5.716	40	
73	5.51	5.723	40	
74	5.51	5.685	40	
75	5.51	5.27	40	
76	5.51	5.423	40	
77	5.51	5.63	40	
78	5.51	5.556	40	
79	5.51	5.522	40	
80	5.51	5.686	40	
81	5.51	5.37	40	
82	5.51	5.479	40	
83	5.51	5.359	40	
84	5.51	5.521	40	
85	5.51	5.605	40	*
86	5.51	5.564	40	
87	5.51	5.513	40	
88	5.51	5.604	40	*
89	5.51	5.42	40	
90	5.51	5.353	40	
91	5.51	5.526	40	
92	5.51	5.589	40	*
93	5.51	5.302	40	
94	5.51	5.665	40	
95	5.51	5.502	40	
96	5.51	5.431	40	
97	5.51	5.311	40	
98	5.51	5.434	40	
99	5.51	5.263	40	
100	5.51	5.576	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.269	40	
2	5.51	5.386	40	
3	5.51	5.333	40	
4	5.51	5.255	40	
5	5.51	5.716	40	
6	5.51	5.474	40	
7	5.51	5.345	40	
8	5.51	5.506	40	
9	5.51	5.589	40	*
10	5.51	5.273	40	
11	5.51	5.598	40	*
12	5.51	5.483	40	
13	5.51	5.602	40	*
14	5.51	5.33	40	
15	5.51	5.625	40	
16	5.51	5.712	40	
17	5.51	5.663	40	
18	5.51	5.326	40	
19	5.51	5.437	40	
20	5.51	5.44	40	
21	5.51	5.621	40	
22	5.51	5.478	40	
23	5.51	5.317	40	
24	5.51	5.29	40	
25	5.51	5.701	40	
26	5.51	5.431	40	
27	5.51	5.659	40	
28	5.51	5.313	40	
29	5.51	5.397	40	
30	5.51	5.264	40	
31	5.51	5.718	40	
32	5.51	5.47	40	
33	5.51	5.298	40	
34	5.51	5.43	40	
35	5.51	5.416	40	
36	5.51	5.527	40	
37	5.51	5.674	40	
38	5.51	5.627	40	
39	5.51	5.367	40	
40	5.51	5.63	40	
41	5.51	5.325	40	
42	5.51	5.373	40	
43	5.51	5.519	40	
44	5.51	5.668	40	
45	5.51	5.322	40	
46	5.51	5.565	40	
47	5.51	5.297	40	

48	5.51	5.309	40	
49	5.51	5.338	40	
50	5.51	5.638	40	
51	5.51	5.514	40	
52	5.51	5.496	40	
53	5.51	5.688	40	
54	5.51	5.335	40	
55	5.51	5.666	40	
56	5.51	5.398	40	
57	5.51	5.284	40	
58	5.51	5.488	40	
59	5.51	5.646	40	
60	5.51	5.703	40	
61	5.51	5.422	40	
62	5.51	5.536	40	
63	5.51	5.375	40	
64	5.51	5.409	40	
65	5.51	5.376	40	
66	5.51	5.636	40	
67	5.51	5.405	40	
68	5.51	5.349	40	
69	5.51	5.571	40	
70	5.51	5.634	40	
71	5.51	5.651	40	
72	5.51	5.513	40	
73	5.51	5.425	40	
74	5.51	5.281	40	
75	5.51	5.274	40	
76	5.51	5.421	40	
77	5.51	5.539	40	
78	5.51	5.708	40	
79	5.51	5.378	40	
80	5.51	5.648	40	
81	5.51	5.592	40	*
82	5.51	5.473	40	
83	5.51	5.67	40	
84	5.51	5.392	40	
85	5.51	5.25	40	
86	5.51	5.616	40	
87	5.51	5.449	40	
88	5.51	5.36	40	
89	5.51	5.272	40	
90	5.51	5.327	40	
91	5.51	5.324	40	
92	5.51	5.692	40	
93	5.51	5.482	40	
94	5.51	5.562	40	
95	5.51	5.574	40	
96	5.51	5.471	40	
97	5.51	5.594	40	*
98	5.51	5.288	40	
99	5.51	5.545	40	
100	5.51	5.296	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.265	40	
2	5.51	5.665	40	
3	5.51	5.615	40	
4	5.51	5.449	40	
5	5.51	5.381	40	
6	5.51	5.307	40	
7	5.51	5.605	40	*
8	5.51	5.427	40	
9	5.51	5.349	40	
10	5.51	5.606	40	*
11	5.51	5.468	40	
12	5.51	5.479	40	
13	5.51	5.706	40	
14	5.51	5.436	40	
15	5.51	5.426	40	
16	5.51	5.292	40	
17	5.51	5.539	40	
18	5.51	5.358	40	
19	5.51	5.688	40	
20	5.51	5.382	40	
21	5.51	5.602	40	*
22	5.51	5.278	40	
23	5.51	5.559	40	
24	5.51	5.268	40	
25	5.51	5.598	40	*
26	5.51	5.336	40	
27	5.51	5.36	40	
28	5.51	5.566	40	
29	5.51	5.565	40	
30	5.51	5.451	40	
31	5.51	5.672	40	
32	5.51	5.587	40	
33	5.51	5.629	40	
34	5.51	5.339	40	
35	5.51	5.724	40	
36	5.51	5.676	40	
37	5.51	5.452	40	
38	5.51	5.416	40	
39	5.51	5.524	40	
40	5.51	5.359	40	
41	5.51	5.275	40	
42	5.51	5.27	40	
43	5.51	5.498	40	
44	5.51	5.607	40	*
45	5.51	5.454	40	
46	5.51	5.492	40	
47	5.51	5.596	40	*

48	5.51	5.675	40	
49	5.51	5.67	40	
50	5.51	5.507	40	
51	5.51	5.55	40	
52	5.51	5.692	40	
53	5.51	5.527	40	
54	5.51	5.59	40	*
55	5.51	5.518	40	
56	5.51	5.462	40	
57	5.51	5.64	40	
58	5.51	5.412	40	
59	5.51	5.658	40	
60	5.51	5.623	40	
61	5.51	5.482	40	
62	5.51	5.361	40	
63	5.51	5.263	40	
64	5.51	5.703	40	
65	5.51	5.671	40	
66	5.51	5.58	40	
67	5.51	5.516	40	
68	5.51	5.574	40	
69	5.51	5.618	40	
70	5.51	5.715	40	
71	5.51	5.645	40	
72	5.51	5.709	40	
73	5.51	5.53	40	
74	5.51	5.342	40	
75	5.51	5.547	40	
76	5.51	5.634	40	
77	5.51	5.463	40	
78	5.51	5.489	40	
79	5.51	5.601	40	*
80	5.51	5.35	40	
81	5.51	5.538	40	
82	5.51	5.397	40	
83	5.51	5.445	40	
84	5.51	5.33	40	
85	5.51	5.556	40	
86	5.51	5.476	40	
87	5.51	5.365	40	
88	5.51	5.259	40	
89	5.51	5.423	40	
90	5.51	5.378	40	
91	5.51	5.652	40	
92	5.51	5.525	40	
93	5.51	5.619	40	
94	5.51	5.364	40	
95	5.51	5.52	40	
96	5.51	5.505	40	
97	5.51	5.72	40	
98	5.51	5.661	40	
99	5.51	5.495	40	
100	5.51	5.691	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.499	40	
2	5.51	5.714	40	
3	5.51	5.531	40	
4	5.51	5.501	40	
5	5.51	5.456	40	
6	5.51	5.403	40	
7	5.51	5.599	40	*
8	5.51	5.363	40	
9	5.51	5.611	40	
10	5.51	5.454	40	
11	5.51	5.359	40	
12	5.51	5.577	40	
13	5.51	5.616	40	
14	5.51	5.27	40	
15	5.51	5.48	40	
16	5.51	5.598	40	*
17	5.51	5.668	40	
18	5.51	5.54	40	
19	5.51	5.471	40	
20	5.51	5.472	40	
21	5.51	5.484	40	
22	5.51	5.429	40	
23	5.51	5.315	40	
24	5.51	5.324	40	
25	5.51	5.482	40	
26	5.51	5.334	40	
27	5.51	5.415	40	
28	5.51	5.706	40	
29	5.51	5.605	40	*
30	5.51	5.65	40	
31	5.51	5.272	40	
32	5.51	5.278	40	
33	5.51	5.619	40	
34	5.51	5.538	40	
35	5.51	5.514	40	
36	5.51	5.529	40	
37	5.51	5.433	40	
38	5.51	5.306	40	
39	5.51	5.449	40	
40	5.51	5.333	40	
41	5.51	5.72	40	
42	5.51	5.342	40	
43	5.51	5.287	40	
44	5.51	5.527	40	
45	5.51	5.629	40	
46	5.51	5.582	40	
47	5.51	5.695	40	

48	5.51	5.713	40	
49	5.51	5.478	40	
50	5.51	5.329	40	
51	5.51	5.337	40	
52	5.51	5.614	40	
53	5.51	5.304	40	
54	5.51	5.498	40	
55	5.51	5.41	40	
56	5.51	5.29	40	
57	5.51	5.265	40	
58	5.51	5.267	40	
59	5.51	5.348	40	
60	5.51	5.44	40	
61	5.51	5.397	40	
62	5.51	5.432	40	
63	5.51	5.636	40	
64	5.51	5.525	40	
65	5.51	5.589	40	*
66	5.51	5.579	40	
67	5.51	5.365	40	
68	5.51	5.366	40	
69	5.51	5.571	40	
70	5.51	5.37	40	
71	5.51	5.521	40	
72	5.51	5.537	40	
73	5.51	5.628	40	
74	5.51	5.625	40	
75	5.51	5.384	40	
76	5.51	5.399	40	
77	5.51	5.489	40	
78	5.51	5.632	40	
79	5.51	5.271	40	
80	5.51	5.674	40	
81	5.51	5.468	40	
82	5.51	5.657	40	
83	5.51	5.396	40	
84	5.51	5.382	40	
85	5.51	5.578	40	
86	5.51	5.412	40	
87	5.51	5.322	40	
88	5.51	5.664	40	
89	5.51	5.483	40	
90	5.51	5.591	40	*
91	5.51	5.377	40	
92	5.51	5.445	40	
93	5.51	5.347	40	
94	5.51	5.561	40	
95	5.51	5.504	40	
96	5.51	5.622	40	
97	5.51	5.416	40	
98	5.51	5.543	40	
99	5.51	5.679	40	
100	5.51	5.678	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.337	40	
2	5.51	5.667	40	
3	5.51	5.301	40	
4	5.51	5.35	40	
5	5.51	5.307	40	
6	5.51	5.556	40	
7	5.51	5.293	40	
8	5.51	5.439	40	
9	5.51	5.363	40	
10	5.51	5.399	40	
11	5.51	5.493	40	
12	5.51	5.271	40	
13	5.51	5.279	40	
14	5.51	5.434	40	
15	5.51	5.481	40	
16	5.51	5.654	40	
17	5.51	5.335	40	
18	5.51	5.387	40	
19	5.51	5.603	40	*
20	5.51	5.575	40	
21	5.51	5.661	40	
22	5.51	5.386	40	
23	5.51	5.485	40	
24	5.51	5.584	40	
25	5.51	5.645	40	
26	5.51	5.578	40	
27	5.51	5.49	40	
28	5.51	5.506	40	
29	5.51	5.381	40	
30	5.51	5.28	40	
31	5.51	5.39	40	
32	5.51	5.629	40	
33	5.51	5.566	40	
34	5.51	5.567	40	
35	5.51	5.378	40	
36	5.51	5.354	40	
37	5.51	5.487	40	
38	5.51	5.428	40	
39	5.51	5.624	40	
40	5.51	5.658	40	
41	5.51	5.446	40	
42	5.51	5.497	40	
43	5.51	5.535	40	
44	5.51	5.299	40	
45	5.51	5.656	40	
46	5.51	5.379	40	
47	5.51	5.375	40	

48	5.51	5.268	40	
49	5.51	5.562	40	
50	5.51	5.357	40	
51	5.51	5.718	40	
52	5.51	5.591	40	*
53	5.51	5.373	40	
54	5.51	5.641	40	
55	5.51	5.391	40	
56	5.51	5.367	40	
57	5.51	5.561	40	
58	5.51	5.323	40	
59	5.51	5.361	40	
60	5.51	5.707	40	
61	5.51	5.639	40	
62	5.51	5.558	40	
63	5.51	5.517	40	
64	5.51	5.276	40	
65	5.51	5.38	40	
66	5.51	5.353	40	
67	5.51	5.294	40	
68	5.51	5.253	40	
69	5.51	5.459	40	
70	5.51	5.401	40	
71	5.51	5.272	40	
72	5.51	5.356	40	
73	5.51	5.267	40	
74	5.51	5.565	40	
75	5.51	5.318	40	
76	5.51	5.372	40	
77	5.51	5.475	40	
78	5.51	5.614	40	
79	5.51	5.5	40	
80	5.51	5.258	40	
81	5.51	5.612	40	
82	5.51	5.692	40	
83	5.51	5.693	40	
84	5.51	5.32	40	
85	5.51	5.589	40	*
86	5.51	5.325	40	
87	5.51	5.701	40	
88	5.51	5.668	40	
89	5.51	5.252	40	
90	5.51	5.45	40	
91	5.51	5.721	40	
92	5.51	5.699	40	
93	5.51	5.637	40	
94	5.51	5.577	40	
95	5.51	5.48	40	
96	5.51	5.64	40	
97	5.51	5.463	40	
98	5.51	5.705	40	
99	5.51	5.709	40	
100	5.51	5.582	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.479	40	
2	5.51	5.66	40	
3	5.51	5.44	40	
4	5.51	5.588	40	
5	5.51	5.596	40	*
6	5.51	5.262	40	
7	5.51	5.377	40	
8	5.51	5.275	40	
9	5.51	5.258	40	
10	5.51	5.314	40	
11	5.51	5.619	40	
12	5.51	5.443	40	
13	5.51	5.345	40	
14	5.51	5.637	40	
15	5.51	5.447	40	
16	5.51	5.573	40	
17	5.51	5.587	40	
18	5.51	5.486	40	
19	5.51	5.492	40	
20	5.51	5.285	40	
21	5.51	5.372	40	
22	5.51	5.47	40	
23	5.51	5.541	40	
24	5.51	5.662	40	
25	5.51	5.336	40	
26	5.51	5.342	40	
27	5.51	5.419	40	
28	5.51	5.273	40	
29	5.51	5.344	40	
30	5.51	5.298	40	
31	5.51	5.362	40	
32	5.51	5.284	40	
33	5.51	5.445	40	
34	5.51	5.654	40	
35	5.51	5.6	40	*
36	5.51	5.531	40	
37	5.51	5.514	40	
38	5.51	5.651	40	
39	5.51	5.575	40	
40	5.51	5.27	40	
41	5.51	5.692	40	
42	5.51	5.332	40	
43	5.51	5.348	40	
44	5.51	5.694	40	
45	5.51	5.511	40	
46	5.51	5.317	40	
47	5.51	5.68	40	

48	5.51	5.646	40	
49	5.51	5.714	40	
50	5.51	5.288	40	
51	5.51	5.69	40	
52	5.51	5.307	40	
53	5.51	5.657	40	
54	5.51	5.669	40	
55	5.51	5.537	40	
56	5.51	5.507	40	
57	5.51	5.407	40	
58	5.51	5.485	40	
59	5.51	5.381	40	
60	5.51	5.408	40	
61	5.51	5.563	40	
62	5.51	5.549	40	
63	5.51	5.519	40	
64	5.51	5.423	40	
65	5.51	5.475	40	
66	5.51	5.571	40	
67	5.51	5.351	40	
68	5.51	5.546	40	
69	5.51	5.442	40	
70	5.51	5.59	40	*
71	5.51	5.29	40	
72	5.51	5.434	40	
73	5.51	5.382	40	
74	5.51	5.658	40	
75	5.51	5.291	40	
76	5.51	5.722	40	
77	5.51	5.383	40	
78	5.51	5.361	40	
79	5.51	5.457	40	
80	5.51	5.43	40	
81	5.51	5.346	40	
82	5.51	5.547	40	
83	5.51	5.286	40	
84	5.51	5.452	40	
85	5.51	5.586	40	
86	5.51	5.369	40	
87	5.51	5.303	40	
88	5.51	5.396	40	
89	5.51	5.417	40	
90	5.51	5.37	40	
91	5.51	5.347	40	
92	5.51	5.496	40	
93	5.51	5.532	40	
94	5.51	5.551	40	
95	5.51	5.268	40	
96	5.51	5.566	40	
97	5.51	5.634	40	
98	5.51	5.367	40	
99	5.51	5.391	40	
100	5.51	5.477	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.601	40	*
2	5.51	5.678	40	
3	5.51	5.457	40	
4	5.51	5.67	40	
5	5.51	5.515	40	
6	5.51	5.283	40	
7	5.51	5.435	40	
8	5.51	5.265	40	
9	5.51	5.645	40	
10	5.51	5.636	40	
11	5.51	5.323	40	
12	5.51	5.695	40	
13	5.51	5.321	40	
14	5.51	5.27	40	
15	5.51	5.707	40	
16	5.51	5.25	40	
17	5.51	5.522	40	
18	5.51	5.401	40	
19	5.51	5.689	40	
20	5.51	5.396	40	
21	5.51	5.646	40	
22	5.51	5.356	40	
23	5.51	5.359	40	
24	5.51	5.633	40	
25	5.51	5.309	40	
26	5.51	5.347	40	
27	5.51	5.329	40	
28	5.51	5.449	40	
29	5.51	5.252	40	
30	5.51	5.349	40	
31	5.51	5.257	40	
32	5.51	5.305	40	
33	5.51	5.623	40	
34	5.51	5.415	40	
35	5.51	5.351	40	
36	5.51	5.425	40	
37	5.51	5.473	40	
38	5.51	5.504	40	
39	5.51	5.597	40	*
40	5.51	5.261	40	
41	5.51	5.523	40	
42	5.51	5.516	40	
43	5.51	5.414	40	
44	5.51	5.287	40	
45	5.51	5.384	40	
46	5.51	5.723	40	
47	5.51	5.284	40	

48	5.51	5.688	40	
49	5.51	5.403	40	
50	5.51	5.3	40	
51	5.51	5.438	40	
52	5.51	5.635	40	
53	5.51	5.656	40	
54	5.51	5.572	40	
55	5.51	5.708	40	
56	5.51	5.281	40	
57	5.51	5.71	40	
58	5.51	5.491	40	
59	5.51	5.446	40	
60	5.51	5.576	40	
61	5.51	5.251	40	
62	5.51	5.412	40	
63	5.51	5.699	40	
64	5.51	5.538	40	
65	5.51	5.471	40	
66	5.51	5.662	40	
67	5.51	5.326	40	
68	5.51	5.684	40	
69	5.51	5.39	40	
70	5.51	5.4	40	
71	5.51	5.317	40	
72	5.51	5.521	40	
73	5.51	5.547	40	
74	5.51	5.509	40	
75	5.51	5.571	40	
76	5.51	5.381	40	
77	5.51	5.638	40	
78	5.51	5.659	40	
79	5.51	5.353	40	
80	5.51	5.512	40	
81	5.51	5.621	40	
82	5.51	5.468	40	
83	5.51	5.556	40	
84	5.51	5.33	40	
85	5.51	5.65	40	
86	5.51	5.671	40	
87	5.51	5.619	40	
88	5.51	5.357	40	
89	5.51	5.316	40	
90	5.51	5.525	40	
91	5.51	5.574	40	
92	5.51	5.552	40	
93	5.51	5.685	40	
94	5.51	5.311	40	
95	5.51	5.6	40	*
96	5.51	5.277	40	
97	5.51	5.7	40	
98	5.51	5.38	40	
99	5.51	5.587	40	
100	5.51	5.487	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.482	40	
2	5.51	5.641	40	
3	5.51	5.59	40	*
4	5.51	5.444	40	
5	5.51	5.702	40	
6	5.51	5.656	40	
7	5.51	5.268	40	
8	5.51	5.267	40	
9	5.51	5.383	40	
10	5.51	5.471	40	
11	5.51	5.645	40	
12	5.51	5.442	40	
13	5.51	5.387	40	
14	5.51	5.553	40	
15	5.51	5.27	40	
16	5.51	5.506	40	
17	5.51	5.668	40	
18	5.51	5.432	40	
19	5.51	5.415	40	
20	5.51	5.578	40	
21	5.51	5.455	40	
22	5.51	5.434	40	
23	5.51	5.588	40	
24	5.51	5.602	40	*
25	5.51	5.326	40	
26	5.51	5.569	40	
27	5.51	5.558	40	
28	5.51	5.505	40	
29	5.51	5.484	40	
30	5.51	5.543	40	
31	5.51	5.414	40	
32	5.51	5.566	40	
33	5.51	5.647	40	
34	5.51	5.397	40	
35	5.51	5.466	40	
36	5.51	5.382	40	
37	5.51	5.675	40	
38	5.51	5.493	40	
39	5.51	5.672	40	
40	5.51	5.265	40	
41	5.51	5.682	40	
42	5.51	5.269	40	
43	5.51	5.486	40	
44	5.51	5.274	40	
45	5.51	5.378	40	
46	5.51	5.593	40	*
47	5.51	5.724	40	

48	5.51	5.412	40	
49	5.51	5.562	40	
50	5.51	5.655	40	
51	5.51	5.498	40	
52	5.51	5.421	40	
53	5.51	5.323	40	
54	5.51	5.417	40	
55	5.51	5.661	40	
56	5.51	5.276	40	
57	5.51	5.305	40	
58	5.51	5.252	40	
59	5.51	5.286	40	
60	5.51	5.714	40	
61	5.51	5.577	40	
62	5.51	5.364	40	
63	5.51	5.462	40	
64	5.51	5.671	40	
65	5.51	5.399	40	
66	5.51	5.686	40	
67	5.51	5.332	40	
68	5.51	5.58	40	
69	5.51	5.662	40	
70	5.51	5.683	40	
71	5.51	5.342	40	
72	5.51	5.512	40	
73	5.51	5.296	40	
74	5.51	5.65	40	
75	5.51	5.44	40	
76	5.51	5.503	40	
77	5.51	5.68	40	
78	5.51	5.712	40	
79	5.51	5.537	40	
80	5.51	5.467	40	
81	5.51	5.485	40	
82	5.51	5.634	40	
83	5.51	5.365	40	
84	5.51	5.525	40	
85	5.51	5.353	40	
86	5.51	5.609	40	*
87	5.51	5.705	40	
88	5.51	5.587	40	
89	5.51	5.322	40	
90	5.51	5.375	40	
91	5.51	5.318	40	
92	5.51	5.348	40	
93	5.51	5.407	40	
94	5.51	5.372	40	
95	5.51	5.26	40	
96	5.51	5.684	40	
97	5.51	5.451	40	
98	5.51	5.291	40	
99	5.51	5.658	40	
100	5.51	5.441	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.276	40	
2	5.51	5.495	40	
3	5.51	5.464	40	
4	5.51	5.483	40	
5	5.51	5.456	40	
6	5.51	5.723	40	
7	5.51	5.419	40	
8	5.51	5.484	40	
9	5.51	5.508	40	
10	5.51	5.493	40	
11	5.51	5.343	40	
12	5.51	5.617	40	
13	5.51	5.697	40	
14	5.51	5.605	40	*
15	5.51	5.422	40	
16	5.51	5.563	40	
17	5.51	5.679	40	
18	5.51	5.585	40	
19	5.51	5.714	40	
20	5.51	5.705	40	
21	5.51	5.699	40	
22	5.51	5.322	40	
23	5.51	5.296	40	
24	5.51	5.46	40	
25	5.51	5.61	40	
26	5.51	5.715	40	
27	5.51	5.568	40	
28	5.51	5.69	40	
29	5.51	5.424	40	
30	5.51	5.683	40	
31	5.51	5.293	40	
32	5.51	5.684	40	
33	5.51	5.558	40	
34	5.51	5.397	40	
35	5.51	5.72	40	
36	5.51	5.255	40	
37	5.51	5.528	40	
38	5.51	5.587	40	
39	5.51	5.32	40	
40	5.51	5.501	40	
41	5.51	5.589	40	*
42	5.51	5.289	40	
43	5.51	5.274	40	
44	5.51	5.369	40	
45	5.51	5.388	40	
46	5.51	5.381	40	
47	5.51	5.257	40	

48	5.51	5.336	40	
49	5.51	5.478	40	
50	5.51	5.373	40	
51	5.51	5.252	40	
52	5.51	5.375	40	
53	5.51	5.259	40	
54	5.51	5.279	40	
55	5.51	5.511	40	
56	5.51	5.43	40	
57	5.51	5.505	40	
58	5.51	5.328	40	
59	5.51	5.387	40	
60	5.51	5.466	40	
61	5.51	5.311	40	
62	5.51	5.267	40	
63	5.51	5.49	40	
64	5.51	5.305	40	
65	5.51	5.654	40	
66	5.51	5.649	40	
67	5.51	5.41	40	
68	5.51	5.353	40	
69	5.51	5.374	40	
70	5.51	5.562	40	
71	5.51	5.394	40	
72	5.51	5.444	40	
73	5.51	5.48	40	
74	5.51	5.496	40	
75	5.51	5.519	40	
76	5.51	5.559	40	
77	5.51	5.579	40	
78	5.51	5.308	40	
79	5.51	5.52	40	
80	5.51	5.689	40	
81	5.51	5.489	40	
82	5.51	5.709	40	
83	5.51	5.625	40	
84	5.51	5.667	40	
85	5.51	5.428	40	
86	5.51	5.515	40	
87	5.51	5.351	40	
88	5.51	5.676	40	
89	5.51	5.385	40	
90	5.51	5.656	40	
91	5.51	5.67	40	
92	5.51	5.582	40	
93	5.51	5.292	40	
94	5.51	5.318	40	
95	5.51	5.596	40	*
96	5.51	5.686	40	
97	5.51	5.561	40	
98	5.51	5.673	40	
99	5.51	5.724	40	
100	5.51	5.282	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.627	40	
2	5.51	5.663	40	
3	5.51	5.321	40	
4	5.51	5.717	40	
5	5.51	5.513	40	
6	5.51	5.35	40	
7	5.51	5.493	40	
8	5.51	5.501	40	
9	5.51	5.62	40	
10	5.51	5.409	40	
11	5.51	5.634	40	
12	5.51	5.696	40	
13	5.51	5.636	40	
14	5.51	5.489	40	
15	5.51	5.645	40	
16	5.51	5.613	40	
17	5.51	5.56	40	
18	5.51	5.574	40	
19	5.51	5.614	40	
20	5.51	5.379	40	
21	5.51	5.324	40	
22	5.51	5.318	40	
23	5.51	5.582	40	
24	5.51	5.525	40	
25	5.51	5.544	40	
26	5.51	5.491	40	
27	5.51	5.381	40	
28	5.51	5.365	40	
29	5.51	5.716	40	
30	5.51	5.677	40	
31	5.51	5.667	40	
32	5.51	5.311	40	
33	5.51	5.684	40	
34	5.51	5.258	40	
35	5.51	5.396	40	
36	5.51	5.577	40	
37	5.51	5.697	40	
38	5.51	5.444	40	
39	5.51	5.619	40	
40	5.51	5.334	40	
41	5.51	5.532	40	
42	5.51	5.473	40	
43	5.51	5.407	40	
44	5.51	5.278	40	
45	5.51	5.679	40	
46	5.51	5.309	40	
47	5.51	5.585	40	

48	5.51	5.371	40	
49	5.51	5.32	40	
50	5.51	5.26	40	
51	5.51	5.391	40	
52	5.51	5.534	40	
53	5.51	5.401	40	
54	5.51	5.721	40	
55	5.51	5.521	40	
56	5.51	5.291	40	
57	5.51	5.605	40	*
58	5.51	5.403	40	
59	5.51	5.701	40	
60	5.51	5.524	40	
61	5.51	5.65	40	
62	5.51	5.587	40	
63	5.51	5.323	40	
64	5.51	5.546	40	
65	5.51	5.399	40	
66	5.51	5.461	40	
67	5.51	5.374	40	
68	5.51	5.584	40	
69	5.51	5.346	40	
70	5.51	5.45	40	
71	5.51	5.72	40	
72	5.51	5.531	40	
73	5.51	5.36	40	
74	5.51	5.344	40	
75	5.51	5.347	40	
76	5.51	5.471	40	
77	5.51	5.438	40	
78	5.51	5.269	40	
79	5.51	5.688	40	
80	5.51	5.6	40	*
81	5.51	5.554	40	
82	5.51	5.512	40	
83	5.51	5.504	40	
84	5.51	5.413	40	
85	5.51	5.358	40	
86	5.51	5.63	40	
87	5.51	5.342	40	
88	5.51	5.523	40	
89	5.51	5.408	40	
90	5.51	5.339	40	
91	5.51	5.316	40	
92	5.51	5.447	40	
93	5.51	5.624	40	
94	5.51	5.452	40	
95	5.51	5.253	40	
96	5.51	5.383	40	
97	5.51	5.261	40	
98	5.51	5.432	40	
99	5.51	5.583	40	
100	5.51	5.57	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.683	40	
2	5.51	5.278	40	
3	5.51	5.457	40	
4	5.51	5.276	40	
5	5.51	5.409	40	
6	5.51	5.674	40	
7	5.51	5.496	40	
8	5.51	5.687	40	
9	5.51	5.284	40	
10	5.51	5.39	40	
11	5.51	5.503	40	
12	5.51	5.465	40	
13	5.51	5.542	40	
14	5.51	5.347	40	
15	5.51	5.615	40	
16	5.51	5.506	40	
17	5.51	5.367	40	
18	5.51	5.684	40	
19	5.51	5.611	40	
20	5.51	5.562	40	
21	5.51	5.254	40	
22	5.51	5.491	40	
23	5.51	5.526	40	
24	5.51	5.391	40	
25	5.51	5.502	40	
26	5.51	5.402	40	
27	5.51	5.648	40	
28	5.51	5.403	40	
29	5.51	5.528	40	
30	5.51	5.563	40	
31	5.51	5.632	40	
32	5.51	5.3	40	
33	5.51	5.295	40	
34	5.51	5.656	40	
35	5.51	5.616	40	
36	5.51	5.463	40	
37	5.51	5.588	40	
38	5.51	5.662	40	
39	5.51	5.67	40	
40	5.51	5.285	40	
41	5.51	5.642	40	
42	5.51	5.702	40	
43	5.51	5.331	40	
44	5.51	5.655	40	
45	5.51	5.272	40	
46	5.51	5.378	40	
47	5.51	5.362	40	

48	5.51	5.55	40	
49	5.51	5.456	40	
50	5.51	5.504	40	
51	5.51	5.467	40	
52	5.51	5.319	40	
53	5.51	5.313	40	
54	5.51	5.471	40	
55	5.51	5.622	40	
56	5.51	5.555	40	
57	5.51	5.613	40	
58	5.51	5.303	40	
59	5.51	5.596	40	*
60	5.51	5.291	40	
61	5.51	5.482	40	
62	5.51	5.256	40	
63	5.51	5.271	40	
64	5.51	5.375	40	
65	5.51	5.34	40	
66	5.51	5.591	40	*
67	5.51	5.446	40	
68	5.51	5.547	40	
69	5.51	5.376	40	
70	5.51	5.43	40	
71	5.51	5.27	40	
72	5.51	5.392	40	
73	5.51	5.659	40	
74	5.51	5.458	40	
75	5.51	5.565	40	
76	5.51	5.342	40	
77	5.51	5.633	40	
78	5.51	5.31	40	
79	5.51	5.325	40	
80	5.51	5.318	40	
81	5.51	5.592	40	*
82	5.51	5.652	40	
83	5.51	5.441	40	
84	5.51	5.531	40	
85	5.51	5.536	40	
86	5.51	5.42	40	
87	5.51	5.626	40	
88	5.51	5.7	40	
89	5.51	5.309	40	
90	5.51	5.387	40	
91	5.51	5.398	40	
92	5.51	5.558	40	
93	5.51	5.587	40	
94	5.51	5.523	40	
95	5.51	5.604	40	*
96	5.51	5.634	40	
97	5.51	5.355	40	
98	5.51	5.275	40	
99	5.51	5.661	40	
100	5.51	5.478	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.269	40	
2	5.51	5.286	40	
3	5.51	5.493	40	
4	5.51	5.368	40	
5	5.51	5.689	40	
6	5.51	5.435	40	
7	5.51	5.641	40	
8	5.51	5.719	40	
9	5.51	5.519	40	
10	5.51	5.531	40	
11	5.51	5.364	40	
12	5.51	5.303	40	
13	5.51	5.448	40	
14	5.51	5.54	40	
15	5.51	5.573	40	
16	5.51	5.695	40	
17	5.51	5.3	40	
18	5.51	5.403	40	
19	5.51	5.399	40	
20	5.51	5.252	40	
21	5.51	5.386	40	
22	5.51	5.717	40	
23	5.51	5.623	40	
24	5.51	5.305	40	
25	5.51	5.563	40	
26	5.51	5.311	40	
27	5.51	5.504	40	
28	5.51	5.507	40	
29	5.51	5.708	40	
30	5.51	5.259	40	
31	5.51	5.577	40	
32	5.51	5.568	40	
33	5.51	5.288	40	
34	5.51	5.63	40	
35	5.51	5.451	40	
36	5.51	5.302	40	
37	5.51	5.261	40	
38	5.51	5.437	40	
39	5.51	5.307	40	
40	5.51	5.33	40	
41	5.51	5.692	40	
42	5.51	5.513	40	
43	5.51	5.321	40	
44	5.51	5.268	40	
45	5.51	5.29	40	
46	5.51	5.597	40	*
47	5.51	5.276	40	

48	5.51	5.342	40	
49	5.51	5.333	40	
50	5.51	5.464	40	
51	5.51	5.354	40	
52	5.51	5.34	40	
53	5.51	5.357	40	
54	5.51	5.614	40	
55	5.51	5.478	40	
56	5.51	5.669	40	
57	5.51	5.38	40	
58	5.51	5.348	40	
59	5.51	5.327	40	
60	5.51	5.341	40	
61	5.51	5.613	40	
62	5.51	5.517	40	
63	5.51	5.31	40	
64	5.51	5.505	40	
65	5.51	5.556	40	
66	5.51	5.406	40	
67	5.51	5.43	40	
68	5.51	5.585	40	
69	5.51	5.336	40	
70	5.51	5.615	40	
71	5.51	5.446	40	
72	5.51	5.473	40	
73	5.51	5.721	40	
74	5.51	5.361	40	
75	5.51	5.436	40	
76	5.51	5.68	40	
77	5.51	5.694	40	
78	5.51	5.605	40	*
79	5.51	5.541	40	
80	5.51	5.335	40	
81	5.51	5.417	40	
82	5.51	5.47	40	
83	5.51	5.631	40	
84	5.51	5.616	40	
85	5.51	5.581	40	
86	5.51	5.482	40	
87	5.51	5.266	40	
88	5.51	5.457	40	
89	5.51	5.687	40	
90	5.51	5.696	40	
91	5.51	5.347	40	
92	5.51	5.711	40	
93	5.51	5.516	40	
94	5.51	5.315	40	
95	5.51	5.647	40	
96	5.51	5.709	40	
97	5.51	5.628	40	
98	5.51	5.598	40	*
99	5.51	5.57	40	
100	5.51	5.25	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.601	40	*
2	5.51	5.338	40	
3	5.51	5.398	40	
4	5.51	5.692	40	
5	5.51	5.559	40	
6	5.51	5.413	40	
7	5.51	5.348	40	
8	5.51	5.459	40	
9	5.51	5.52	40	
10	5.51	5.467	40	
11	5.51	5.546	40	
12	5.51	5.675	40	
13	5.51	5.254	40	
14	5.51	5.665	40	
15	5.51	5.547	40	
16	5.51	5.538	40	
17	5.51	5.718	40	
18	5.51	5.558	40	
19	5.51	5.7	40	
20	5.51	5.303	40	
21	5.51	5.469	40	
22	5.51	5.713	40	
23	5.51	5.491	40	
24	5.51	5.685	40	
25	5.51	5.305	40	
26	5.51	5.72	40	
27	5.51	5.579	40	
28	5.51	5.625	40	
29	5.51	5.49	40	
30	5.51	5.393	40	
31	5.51	5.429	40	
32	5.51	5.62	40	
33	5.51	5.702	40	
34	5.51	5.589	40	*
35	5.51	5.704	40	
36	5.51	5.607	40	*
37	5.51	5.339	40	
38	5.51	5.629	40	
39	5.51	5.355	40	
40	5.51	5.688	40	
41	5.51	5.651	40	
42	5.51	5.342	40	
43	5.51	5.325	40	
44	5.51	5.571	40	
45	5.51	5.528	40	
46	5.51	5.277	40	
47	5.51	5.583	40	

48	5.51	5.532	40	
49	5.51	5.503	40	
50	5.51	5.421	40	
51	5.51	5.317	40	
52	5.51	5.45	40	
53	5.51	5.402	40	
54	5.51	5.714	40	
55	5.51	5.58	40	
56	5.51	5.645	40	
57	5.51	5.501	40	
58	5.51	5.647	40	
59	5.51	5.509	40	
60	5.51	5.531	40	
61	5.51	5.543	40	
62	5.51	5.396	40	
63	5.51	5.706	40	
64	5.51	5.346	40	
65	5.51	5.257	40	
66	5.51	5.294	40	
67	5.51	5.548	40	
68	5.51	5.681	40	
69	5.51	5.666	40	
70	5.51	5.278	40	
71	5.51	5.643	40	
72	5.51	5.55	40	
73	5.51	5.46	40	
74	5.51	5.273	40	
75	5.51	5.435	40	
76	5.51	5.494	40	
77	5.51	5.444	40	
78	5.51	5.689	40	
79	5.51	5.519	40	
80	5.51	5.454	40	
81	5.51	5.68	40	
82	5.51	5.518	40	
83	5.51	5.565	40	
84	5.51	5.506	40	
85	5.51	5.676	40	
86	5.51	5.511	40	
87	5.51	5.581	40	
88	5.51	5.588	40	
89	5.51	5.373	40	
90	5.51	5.416	40	
91	5.51	5.701	40	
92	5.51	5.694	40	
93	5.51	5.309	40	
94	5.51	5.667	40	
95	5.51	5.623	40	
96	5.51	5.669	40	
97	5.51	5.328	40	
98	5.51	5.357	40	
99	5.51	5.66	40	
100	5.51	5.366	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.471	40	
2	5.51	5.679	40	
3	5.51	5.466	40	
4	5.51	5.662	40	
5	5.51	5.496	40	
6	5.51	5.456	40	
7	5.51	5.405	40	
8	5.51	5.365	40	
9	5.51	5.497	40	
10	5.51	5.36	40	
11	5.51	5.633	40	
12	5.51	5.391	40	
13	5.51	5.682	40	
14	5.51	5.644	40	
15	5.51	5.341	40	
16	5.51	5.673	40	
17	5.51	5.509	40	
18	5.51	5.369	40	
19	5.51	5.569	40	
20	5.51	5.702	40	
21	5.51	5.446	40	
22	5.51	5.379	40	
23	5.51	5.485	40	
24	5.51	5.72	40	
25	5.51	5.721	40	
26	5.51	5.613	40	
27	5.51	5.371	40	
28	5.51	5.551	40	
29	5.51	5.449	40	
30	5.51	5.47	40	
31	5.51	5.256	40	
32	5.51	5.622	40	
33	5.51	5.448	40	
34	5.51	5.279	40	
35	5.51	5.595	40	*
36	5.51	5.457	40	
37	5.51	5.437	40	
38	5.51	5.272	40	
39	5.51	5.469	40	
40	5.51	5.706	40	
41	5.51	5.699	40	
42	5.51	5.641	40	
43	5.51	5.556	40	
44	5.51	5.716	40	
45	5.51	5.351	40	
46	5.51	5.467	40	
47	5.51	5.709	40	

48	5.51	5.52	40	
49	5.51	5.573	40	
50	5.51	5.612	40	
51	5.51	5.599	40	*
52	5.51	5.288	40	
53	5.51	5.3	40	
54	5.51	5.267	40	
55	5.51	5.618	40	
56	5.51	5.542	40	
57	5.51	5.513	40	
58	5.51	5.674	40	
59	5.51	5.465	40	
60	5.51	5.292	40	
61	5.51	5.434	40	
62	5.51	5.414	40	
63	5.51	5.489	40	
64	5.51	5.29	40	
65	5.51	5.539	40	
66	5.51	5.324	40	
67	5.51	5.508	40	
68	5.51	5.651	40	
69	5.51	5.39	40	
70	5.51	5.435	40	
71	5.51	5.704	40	
72	5.51	5.255	40	
73	5.51	5.617	40	
74	5.51	5.432	40	
75	5.51	5.581	40	
76	5.51	5.34	40	
77	5.51	5.589	40	*
78	5.51	5.291	40	
79	5.51	5.382	40	
80	5.51	5.264	40	
81	5.51	5.615	40	
82	5.51	5.453	40	
83	5.51	5.565	40	
84	5.51	5.252	40	
85	5.51	5.294	40	
86	5.51	5.681	40	
87	5.51	5.64	40	
88	5.51	5.44	40	
89	5.51	5.707	40	
90	5.51	5.25	40	
91	5.51	5.588	40	
92	5.51	5.598	40	*
93	5.51	5.349	40	
94	5.51	5.46	40	
95	5.51	5.33	40	
96	5.51	5.309	40	
97	5.51	5.425	40	
98	5.51	5.541	40	
99	5.51	5.333	40	
100	5.51	5.375	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.721	40	
2	5.51	5.38	40	
3	5.51	5.679	40	
4	5.51	5.498	40	
5	5.51	5.304	40	
6	5.51	5.484	40	
7	5.51	5.354	40	
8	5.51	5.298	40	
9	5.51	5.708	40	
10	5.51	5.46	40	
11	5.51	5.397	40	
12	5.51	5.707	40	
13	5.51	5.423	40	
14	5.51	5.616	40	
15	5.51	5.254	40	
16	5.51	5.266	40	
17	5.51	5.434	40	
18	5.51	5.519	40	
19	5.51	5.29	40	
20	5.51	5.263	40	
21	5.51	5.32	40	
22	5.51	5.473	40	
23	5.51	5.458	40	
24	5.51	5.644	40	
25	5.51	5.641	40	
26	5.51	5.671	40	
27	5.51	5.48	40	
28	5.51	5.583	40	
29	5.51	5.549	40	
30	5.51	5.372	40	
31	5.51	5.405	40	
32	5.51	5.638	40	
33	5.51	5.355	40	
34	5.51	5.459	40	
35	5.51	5.268	40	
36	5.51	5.343	40	
37	5.51	5.501	40	
38	5.51	5.619	40	
39	5.51	5.425	40	
40	5.51	5.532	40	
41	5.51	5.531	40	
42	5.51	5.573	40	
43	5.51	5.682	40	
44	5.51	5.472	40	
45	5.51	5.381	40	
46	5.51	5.713	40	
47	5.51	5.646	40	

48	5.51	5.427	40	
49	5.51	5.364	40	
50	5.51	5.445	40	
51	5.51	5.306	40	
52	5.51	5.586	40	
53	5.51	5.446	40	
54	5.51	5.491	40	
55	5.51	5.324	40	
56	5.51	5.451	40	
57	5.51	5.724	40	
58	5.51	5.633	40	
59	5.51	5.689	40	
60	5.51	5.373	40	
61	5.51	5.511	40	
62	5.51	5.719	40	
63	5.51	5.697	40	
64	5.51	5.6	40	*
65	5.51	5.523	40	
66	5.51	5.377	40	
67	5.51	5.609	40	*
68	5.51	5.368	40	
69	5.51	5.252	40	
70	5.51	5.559	40	
71	5.51	5.261	40	
72	5.51	5.421	40	
73	5.51	5.387	40	
74	5.51	5.599	40	*
75	5.51	5.311	40	
76	5.51	5.653	40	
77	5.51	5.317	40	
78	5.51	5.722	40	
79	5.51	5.718	40	
80	5.51	5.525	40	
81	5.51	5.688	40	
82	5.51	5.347	40	
83	5.51	5.591	40	*
84	5.51	5.668	40	
85	5.51	5.253	40	
86	5.51	5.703	40	
87	5.51	5.348	40	
88	5.51	5.651	40	
89	5.51	5.28	40	
90	5.51	5.635	40	
91	5.51	5.655	40	
92	5.51	5.587	40	
93	5.51	5.402	40	
94	5.51	5.407	40	
95	5.51	5.517	40	
96	5.51	5.345	40	
97	5.51	5.65	40	
98	5.51	5.685	40	
99	5.51	5.515	40	
100	5.51	5.585	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.306	40	
2	5.51	5.716	40	
3	5.51	5.333	40	
4	5.51	5.411	40	
5	5.51	5.616	40	
6	5.51	5.313	40	
7	5.51	5.704	40	
8	5.51	5.554	40	
9	5.51	5.351	40	
10	5.51	5.389	40	
11	5.51	5.331	40	
12	5.51	5.403	40	
13	5.51	5.377	40	
14	5.51	5.673	40	
15	5.51	5.452	40	
16	5.51	5.609	40	*
17	5.51	5.39	40	
18	5.51	5.722	40	
19	5.51	5.368	40	
20	5.51	5.259	40	
21	5.51	5.562	40	
22	5.51	5.299	40	
23	5.51	5.267	40	
24	5.51	5.33	40	
25	5.51	5.423	40	
26	5.51	5.657	40	
27	5.51	5.623	40	
28	5.51	5.451	40	
29	5.51	5.437	40	
30	5.51	5.688	40	
31	5.51	5.62	40	
32	5.51	5.427	40	
33	5.51	5.637	40	
34	5.51	5.7	40	
35	5.51	5.26	40	
36	5.51	5.284	40	
37	5.51	5.71	40	
38	5.51	5.597	40	*
39	5.51	5.58	40	
40	5.51	5.602	40	*
41	5.51	5.358	40	
42	5.51	5.446	40	
43	5.51	5.459	40	
44	5.51	5.683	40	
45	5.51	5.395	40	
46	5.51	5.428	40	
47	5.51	5.516	40	

48	5.51	5.577	40	
49	5.51	5.275	40	
50	5.51	5.601	40	*
51	5.51	5.412	40	
52	5.51	5.391	40	
53	5.51	5.375	40	
54	5.51	5.429	40	
55	5.51	5.436	40	
56	5.51	5.474	40	
57	5.51	5.539	40	
58	5.51	5.4	40	
59	5.51	5.371	40	
60	5.51	5.627	40	
61	5.51	5.569	40	
62	5.51	5.533	40	
63	5.51	5.53	40	
64	5.51	5.285	40	
65	5.51	5.36	40	
66	5.51	5.546	40	
67	5.51	5.42	40	
68	5.51	5.415	40	
69	5.51	5.304	40	
70	5.51	5.52	40	
71	5.51	5.458	40	
72	5.51	5.295	40	
73	5.51	5.257	40	
74	5.51	5.28	40	
75	5.51	5.702	40	
76	5.51	5.526	40	
77	5.51	5.335	40	
78	5.51	5.512	40	
79	5.51	5.624	40	
80	5.51	5.651	40	
81	5.51	5.399	40	
82	5.51	5.543	40	
83	5.51	5.486	40	
84	5.51	5.277	40	
85	5.51	5.535	40	
86	5.51	5.706	40	
87	5.51	5.675	40	
88	5.51	5.379	40	
89	5.51	5.64	40	
90	5.51	5.669	40	
91	5.51	5.442	40	
92	5.51	5.629	40	
93	5.51	5.491	40	
94	5.51	5.493	40	
95	5.51	5.369	40	
96	5.51	5.634	40	
97	5.51	5.456	40	
98	5.51	5.336	40	
99	5.51	5.541	40	
100	5.51	5.705	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.323	40	
2	5.51	5.595	40	*
3	5.51	5.723	40	
4	5.51	5.48	40	
5	5.51	5.515	40	
6	5.51	5.592	40	*
7	5.51	5.597	40	*
8	5.51	5.586	40	
9	5.51	5.711	40	
10	5.51	5.421	40	
11	5.51	5.546	40	
12	5.51	5.305	40	
13	5.51	5.367	40	
14	5.51	5.44	40	
15	5.51	5.512	40	
16	5.51	5.393	40	
17	5.51	5.458	40	
18	5.51	5.301	40	
19	5.51	5.518	40	
20	5.51	5.533	40	
21	5.51	5.572	40	
22	5.51	5.547	40	
23	5.51	5.5	40	
24	5.51	5.501	40	
25	5.51	5.324	40	
26	5.51	5.34	40	
27	5.51	5.453	40	
28	5.51	5.535	40	
29	5.51	5.386	40	
30	5.51	5.378	40	
31	5.51	5.621	40	
32	5.51	5.266	40	
33	5.51	5.599	40	*
34	5.51	5.38	40	
35	5.51	5.358	40	
36	5.51	5.252	40	
37	5.51	5.613	40	
38	5.51	5.678	40	
39	5.51	5.716	40	
40	5.51	5.569	40	
41	5.51	5.676	40	
42	5.51	5.703	40	
43	5.51	5.362	40	
44	5.51	5.466	40	
45	5.51	5.656	40	
46	5.51	5.397	40	
47	5.51	5.486	40	

48	5.51	5.355	40	
49	5.51	5.295	40	
50	5.51	5.379	40	
51	5.51	5.545	40	
52	5.51	5.282	40	
53	5.51	5.646	40	
54	5.51	5.652	40	
55	5.51	5.577	40	
56	5.51	5.302	40	
57	5.51	5.432	40	
58	5.51	5.614	40	
59	5.51	5.617	40	
60	5.51	5.478	40	
61	5.51	5.578	40	
62	5.51	5.31	40	
63	5.51	5.685	40	
64	5.51	5.444	40	
65	5.51	5.68	40	
66	5.51	5.298	40	
67	5.51	5.555	40	
68	5.51	5.319	40	
69	5.51	5.541	40	
70	5.51	5.574	40	
71	5.51	5.253	40	
72	5.51	5.493	40	
73	5.51	5.619	40	
74	5.51	5.267	40	
75	5.51	5.54	40	
76	5.51	5.596	40	*
77	5.51	5.441	40	
78	5.51	5.647	40	
79	5.51	5.538	40	
80	5.51	5.407	40	
81	5.51	5.612	40	
82	5.51	5.475	40	
83	5.51	5.259	40	
84	5.51	5.629	40	
85	5.51	5.58	40	
86	5.51	5.531	40	
87	5.51	5.544	40	
88	5.51	5.563	40	
89	5.51	5.671	40	
90	5.51	5.471	40	
91	5.51	5.524	40	
92	5.51	5.63	40	
93	5.51	5.633	40	
94	5.51	5.284	40	
95	5.51	5.449	40	
96	5.51	5.424	40	
97	5.51	5.49	40	
98	5.51	5.603	40	*
99	5.51	5.526	40	
100	5.51	5.536	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.688	40	
2	5.51	5.578	40	
3	5.51	5.581	40	
4	5.51	5.388	40	
5	5.51	5.447	40	
6	5.51	5.35	40	
7	5.51	5.353	40	
8	5.51	5.44	40	
9	5.51	5.487	40	
10	5.51	5.426	40	
11	5.51	5.58	40	
12	5.51	5.307	40	
13	5.51	5.683	40	
14	5.51	5.576	40	
15	5.51	5.647	40	
16	5.51	5.692	40	
17	5.51	5.384	40	
18	5.51	5.429	40	
19	5.51	5.703	40	
20	5.51	5.467	40	
21	5.51	5.389	40	
22	5.51	5.412	40	
23	5.51	5.722	40	
24	5.51	5.343	40	
25	5.51	5.398	40	
26	5.51	5.268	40	
27	5.51	5.394	40	
28	5.51	5.258	40	
29	5.51	5.455	40	
30	5.51	5.475	40	
31	5.51	5.302	40	
32	5.51	5.572	40	
33	5.51	5.484	40	
34	5.51	5.288	40	
35	5.51	5.48	40	
36	5.51	5.514	40	
37	5.51	5.469	40	
38	5.51	5.609	40	*
39	5.51	5.499	40	
40	5.51	5.393	40	
41	5.51	5.354	40	
42	5.51	5.535	40	
43	5.51	5.285	40	
44	5.51	5.491	40	
45	5.51	5.27	40	
46	5.51	5.665	40	
47	5.51	5.529	40	

48	5.51	5.702	40	
49	5.51	5.28	40	
50	5.51	5.586	40	
51	5.51	5.399	40	
52	5.51	5.666	40	
53	5.51	5.351	40	
54	5.51	5.373	40	
55	5.51	5.298	40	
56	5.51	5.515	40	
57	5.51	5.459	40	
58	5.51	5.664	40	
59	5.51	5.34	40	
60	5.51	5.266	40	
61	5.51	5.366	40	
62	5.51	5.694	40	
63	5.51	5.618	40	
64	5.51	5.432	40	
65	5.51	5.41	40	
66	5.51	5.416	40	
67	5.51	5.262	40	
68	5.51	5.597	40	*
69	5.51	5.312	40	
70	5.51	5.442	40	
71	5.51	5.414	40	
72	5.51	5.59	40	*
73	5.51	5.644	40	
74	5.51	5.265	40	
75	5.51	5.681	40	
76	5.51	5.293	40	
77	5.51	5.621	40	
78	5.51	5.512	40	
79	5.51	5.697	40	
80	5.51	5.452	40	
81	5.51	5.521	40	
82	5.51	5.259	40	
83	5.51	5.546	40	
84	5.51	5.55	40	
85	5.51	5.313	40	
86	5.51	5.638	40	
87	5.51	5.284	40	
88	5.51	5.547	40	
89	5.51	5.438	40	
90	5.51	5.367	40	
91	5.51	5.362	40	
92	5.51	5.684	40	
93	5.51	5.337	40	
94	5.51	5.369	40	
95	5.51	5.397	40	
96	5.51	5.345	40	
97	5.51	5.712	40	
98	5.51	5.31	40	
99	5.51	5.396	40	
100	5.51	5.67	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.436	40	
2	5.51	5.541	40	
3	5.51	5.373	40	
4	5.51	5.711	40	
5	5.51	5.565	40	
6	5.51	5.648	40	
7	5.51	5.601	40	*
8	5.51	5.603	40	*
9	5.51	5.58	40	
10	5.51	5.328	40	
11	5.51	5.633	40	
12	5.51	5.294	40	
13	5.51	5.305	40	
14	5.51	5.285	40	
15	5.51	5.652	40	
16	5.51	5.375	40	
17	5.51	5.677	40	
18	5.51	5.386	40	
19	5.51	5.31	40	
20	5.51	5.54	40	
21	5.51	5.473	40	
22	5.51	5.639	40	
23	5.51	5.314	40	
24	5.51	5.451	40	
25	5.51	5.503	40	
26	5.51	5.572	40	
27	5.51	5.423	40	
28	5.51	5.319	40	
29	5.51	5.317	40	
30	5.51	5.513	40	
31	5.51	5.397	40	
32	5.51	5.364	40	
33	5.51	5.57	40	
34	5.51	5.365	40	
35	5.51	5.477	40	
36	5.51	5.383	40	
37	5.51	5.662	40	
38	5.51	5.311	40	
39	5.51	5.674	40	
40	5.51	5.343	40	
41	5.51	5.501	40	
42	5.51	5.299	40	
43	5.51	5.528	40	
44	5.51	5.371	40	
45	5.51	5.281	40	
46	5.51	5.257	40	
47	5.51	5.452	40	

48	5.51	5.706	40	
49	5.51	5.629	40	
50	5.51	5.399	40	
51	5.51	5.519	40	
52	5.51	5.409	40	
53	5.51	5.487	40	
54	5.51	5.443	40	
55	5.51	5.355	40	
56	5.51	5.496	40	
57	5.51	5.344	40	
58	5.51	5.334	40	
59	5.51	5.723	40	
60	5.51	5.415	40	
61	5.51	5.398	40	
62	5.51	5.349	40	
63	5.51	5.585	40	
64	5.51	5.589	40	*
65	5.51	5.695	40	
66	5.51	5.258	40	
67	5.51	5.605	40	*
68	5.51	5.428	40	
69	5.51	5.269	40	
70	5.51	5.518	40	
71	5.51	5.512	40	
72	5.51	5.367	40	
73	5.51	5.594	40	*
74	5.51	5.264	40	
75	5.51	5.453	40	
76	5.51	5.276	40	
77	5.51	5.708	40	
78	5.51	5.369	40	
79	5.51	5.49	40	
80	5.51	5.72	40	
81	5.51	5.419	40	
82	5.51	5.643	40	
83	5.51	5.43	40	
84	5.51	5.574	40	
85	5.51	5.593	40	*
86	5.51	5.37	40	
87	5.51	5.534	40	
88	5.51	5.553	40	
89	5.51	5.505	40	
90	5.51	5.597	40	*
91	5.51	5.292	40	
92	5.51	5.569	40	
93	5.51	5.587	40	
94	5.51	5.331	40	
95	5.51	5.266	40	
96	5.51	5.577	40	
97	5.51	5.438	40	
98	5.51	5.653	40	
99	5.51	5.492	40	
100	5.51	5.5	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.655	40	
2	5.51	5.306	40	
3	5.51	5.34	40	
4	5.51	5.337	40	
5	5.51	5.624	40	
6	5.51	5.36	40	
7	5.51	5.526	40	
8	5.51	5.647	40	
9	5.51	5.258	40	
10	5.51	5.389	40	
11	5.51	5.391	40	
12	5.51	5.668	40	
13	5.51	5.567	40	
14	5.51	5.441	40	
15	5.51	5.677	40	
16	5.51	5.545	40	
17	5.51	5.324	40	
18	5.51	5.46	40	
19	5.51	5.297	40	
20	5.51	5.305	40	
21	5.51	5.427	40	
22	5.51	5.298	40	
23	5.51	5.491	40	
24	5.51	5.489	40	
25	5.51	5.399	40	
26	5.51	5.518	40	
27	5.51	5.682	40	
28	5.51	5.722	40	
29	5.51	5.345	40	
30	5.51	5.385	40	
31	5.51	5.418	40	
32	5.51	5.382	40	
33	5.51	5.649	40	
34	5.51	5.252	40	
35	5.51	5.4	40	
36	5.51	5.715	40	
37	5.51	5.256	40	
38	5.51	5.344	40	
39	5.51	5.625	40	
40	5.51	5.303	40	
41	5.51	5.457	40	
42	5.51	5.407	40	
43	5.51	5.374	40	
44	5.51	5.618	40	
45	5.51	5.622	40	
46	5.51	5.433	40	
47	5.51	5.49	40	

48	5.51	5.352	40	
49	5.51	5.529	40	
50	5.51	5.628	40	
51	5.51	5.493	40	
52	5.51	5.268	40	
53	5.51	5.269	40	
54	5.51	5.565	40	
55	5.51	5.301	40	
56	5.51	5.609	40	*
57	5.51	5.705	40	
58	5.51	5.415	40	
59	5.51	5.37	40	
60	5.51	5.664	40	
61	5.51	5.354	40	
62	5.51	5.559	40	
63	5.51	5.295	40	
64	5.51	5.466	40	
65	5.51	5.292	40	
66	5.51	5.614	40	
67	5.51	5.494	40	
68	5.51	5.468	40	
69	5.51	5.707	40	
70	5.51	5.445	40	
71	5.51	5.504	40	
72	5.51	5.548	40	
73	5.51	5.524	40	
74	5.51	5.449	40	
75	5.51	5.405	40	
76	5.51	5.53	40	
77	5.51	5.432	40	
78	5.51	5.414	40	
79	5.51	5.368	40	
80	5.51	5.639	40	
81	5.51	5.631	40	
82	5.51	5.443	40	
83	5.51	5.718	40	
84	5.51	5.281	40	
85	5.51	5.474	40	
86	5.51	5.59	40	*
87	5.51	5.334	40	
88	5.51	5.283	40	
89	5.51	5.42	40	
90	5.51	5.7	40	
91	5.51	5.642	40	
92	5.51	5.488	40	
93	5.51	5.583	40	
94	5.51	5.351	40	
95	5.51	5.672	40	
96	5.51	5.481	40	
97	5.51	5.52	40	
98	5.51	5.678	40	
99	5.51	5.525	40	
100	5.51	5.486	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.617	40	
2	5.51	5.318	40	
3	5.51	5.327	40	
4	5.51	5.649	40	
5	5.51	5.63	40	
6	5.51	5.338	40	
7	5.51	5.44	40	
8	5.51	5.288	40	
9	5.51	5.629	40	
10	5.51	5.647	40	
11	5.51	5.399	40	
12	5.51	5.515	40	
13	5.51	5.571	40	
14	5.51	5.633	40	
15	5.51	5.476	40	
16	5.51	5.517	40	
17	5.51	5.358	40	
18	5.51	5.388	40	
19	5.51	5.282	40	
20	5.51	5.678	40	
21	5.51	5.356	40	
22	5.51	5.307	40	
23	5.51	5.538	40	
24	5.51	5.628	40	
25	5.51	5.612	40	
26	5.51	5.626	40	
27	5.51	5.284	40	
28	5.51	5.557	40	
29	5.51	5.435	40	
30	5.51	5.597	40	*
31	5.51	5.522	40	
32	5.51	5.722	40	
33	5.51	5.596	40	*
34	5.51	5.686	40	
35	5.51	5.644	40	
36	5.51	5.48	40	
37	5.51	5.62	40	
38	5.51	5.547	40	
39	5.51	5.427	40	
40	5.51	5.366	40	
41	5.51	5.595	40	*
42	5.51	5.354	40	
43	5.51	5.724	40	
44	5.51	5.448	40	
45	5.51	5.567	40	
46	5.51	5.544	40	
47	5.51	5.624	40	

48	5.51	5.719	40	
49	5.51	5.566	40	
50	5.51	5.537	40	
51	5.51	5.463	40	
52	5.51	5.545	40	
53	5.51	5.255	40	
54	5.51	5.527	40	
55	5.51	5.364	40	
56	5.51	5.636	40	
57	5.51	5.273	40	
58	5.51	5.394	40	
59	5.51	5.396	40	
60	5.51	5.402	40	
61	5.51	5.561	40	
62	5.51	5.637	40	
63	5.51	5.715	40	
64	5.51	5.299	40	
65	5.51	5.634	40	
66	5.51	5.475	40	
67	5.51	5.582	40	
68	5.51	5.319	40	
69	5.51	5.333	40	
70	5.51	5.429	40	
71	5.51	5.664	40	
72	5.51	5.291	40	
73	5.51	5.641	40	
74	5.51	5.278	40	
75	5.51	5.272	40	
76	5.51	5.342	40	
77	5.51	5.71	40	
78	5.51	5.645	40	
79	5.51	5.277	40	
80	5.51	5.302	40	
81	5.51	5.536	40	
82	5.51	5.718	40	
83	5.51	5.49	40	
84	5.51	5.671	40	
85	5.51	5.587	40	
86	5.51	5.374	40	
87	5.51	5.309	40	
88	5.51	5.437	40	
89	5.51	5.357	40	
90	5.51	5.623	40	
91	5.51	5.294	40	
92	5.51	5.696	40	
93	5.51	5.608	40	*
94	5.51	5.414	40	
95	5.51	5.341	40	
96	5.51	5.564	40	
97	5.51	5.267	40	
98	5.51	5.445	40	
99	5.51	5.723	40	
100	5.51	5.72	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.548	40	
2	5.51	5.34	40	
3	5.51	5.595	40	*
4	5.51	5.426	40	
5	5.51	5.464	40	
6	5.51	5.463	40	
7	5.51	5.489	40	
8	5.51	5.545	40	
9	5.51	5.554	40	
10	5.51	5.315	40	
11	5.51	5.394	40	
12	5.51	5.707	40	
13	5.51	5.33	40	
14	5.51	5.283	40	
15	5.51	5.496	40	
16	5.51	5.58	40	
17	5.51	5.622	40	
18	5.51	5.68	40	
19	5.51	5.415	40	
20	5.51	5.57	40	
21	5.51	5.393	40	
22	5.51	5.435	40	
23	5.51	5.28	40	
24	5.51	5.535	40	
25	5.51	5.602	40	*
26	5.51	5.466	40	
27	5.51	5.576	40	
28	5.51	5.718	40	
29	5.51	5.635	40	
30	5.51	5.626	40	
31	5.51	5.644	40	
32	5.51	5.413	40	
33	5.51	5.523	40	
34	5.51	5.633	40	
35	5.51	5.286	40	
36	5.51	5.354	40	
37	5.51	5.544	40	
38	5.51	5.637	40	
39	5.51	5.552	40	
40	5.51	5.668	40	
41	5.51	5.385	40	
42	5.51	5.673	40	
43	5.51	5.512	40	
44	5.51	5.667	40	
45	5.51	5.348	40	
46	5.51	5.262	40	
47	5.51	5.274	40	

48	5.51	5.472	40	
49	5.51	5.709	40	
50	5.51	5.686	40	
51	5.51	5.669	40	
52	5.51	5.565	40	
53	5.51	5.421	40	
54	5.51	5.69	40	
55	5.51	5.367	40	
56	5.51	5.351	40	
57	5.51	5.681	40	
58	5.51	5.442	40	
59	5.51	5.661	40	
60	5.51	5.61	40	
61	5.51	5.638	40	
62	5.51	5.372	40	
63	5.51	5.331	40	
64	5.51	5.282	40	
65	5.51	5.519	40	
66	5.51	5.515	40	
67	5.51	5.474	40	
68	5.51	5.495	40	
69	5.51	5.358	40	
70	5.51	5.696	40	
71	5.51	5.514	40	
72	5.51	5.585	40	
73	5.51	5.437	40	
74	5.51	5.368	40	
75	5.51	5.651	40	
76	5.51	5.458	40	
77	5.51	5.72	40	
78	5.51	5.574	40	
79	5.51	5.631	40	
80	5.51	5.536	40	
81	5.51	5.447	40	
82	5.51	5.42	40	
83	5.51	5.561	40	
84	5.51	5.509	40	
85	5.51	5.4	40	
86	5.51	5.494	40	
87	5.51	5.273	40	
88	5.51	5.51	40	
89	5.51	5.459	40	
90	5.51	5.452	40	
91	5.51	5.483	40	
92	5.51	5.454	40	
93	5.51	5.685	40	
94	5.51	5.524	40	
95	5.51	5.264	40	
96	5.51	5.553	40	
97	5.51	5.387	40	
98	5.51	5.328	40	
99	5.51	5.7	40	
100	5.51	5.307	40	

--

802.11ax(HE40) - 5510MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.51	5.463	40	
2	5.51	5.681	40	
3	5.51	5.418	40	
4	5.51	5.558	40	
5	5.51	5.708	40	
6	5.51	5.448	40	
7	5.51	5.318	40	
8	5.51	5.316	40	
9	5.51	5.685	40	
10	5.51	5.384	40	
11	5.51	5.362	40	
12	5.51	5.396	40	
13	5.51	5.71	40	
14	5.51	5.464	40	
15	5.51	5.413	40	
16	5.51	5.483	40	
17	5.51	5.564	40	
18	5.51	5.329	40	
19	5.51	5.253	40	
20	5.51	5.467	40	
21	5.51	5.397	40	
22	5.51	5.595	40	*
23	5.51	5.481	40	
24	5.51	5.27	40	
25	5.51	5.526	40	
26	5.51	5.296	40	
27	5.51	5.29	40	
28	5.51	5.391	40	
29	5.51	5.266	40	
30	5.51	5.667	40	
31	5.51	5.319	40	
32	5.51	5.35	40	
33	5.51	5.334	40	
34	5.51	5.44	40	
35	5.51	5.444	40	
36	5.51	5.665	40	
37	5.51	5.354	40	
38	5.51	5.699	40	
39	5.51	5.308	40	
40	5.51	5.368	40	
41	5.51	5.693	40	
42	5.51	5.573	40	
43	5.51	5.335	40	
44	5.51	5.303	40	
45	5.51	5.434	40	
46	5.51	5.402	40	
47	5.51	5.585	40	

48	5.51	5.534	40	
49	5.51	5.628	40	
50	5.51	5.429	40	
51	5.51	5.715	40	
52	5.51	5.414	40	
53	5.51	5.631	40	
54	5.51	5.557	40	
55	5.51	5.4	40	
56	5.51	5.294	40	
57	5.51	5.255	40	
58	5.51	5.415	40	
59	5.51	5.707	40	
60	5.51	5.371	40	
61	5.51	5.406	40	
62	5.51	5.514	40	
63	5.51	5.568	40	
64	5.51	5.282	40	
65	5.51	5.404	40	
66	5.51	5.337	40	
67	5.51	5.332	40	
68	5.51	5.421	40	
69	5.51	5.375	40	
70	5.51	5.527	40	
71	5.51	5.323	40	
72	5.51	5.365	40	
73	5.51	5.668	40	
74	5.51	5.488	40	
75	5.51	5.508	40	
76	5.51	5.561	40	
77	5.51	5.567	40	
78	5.51	5.58	40	
79	5.51	5.723	40	
80	5.51	5.25	40	
81	5.51	5.383	40	
82	5.51	5.339	40	
83	5.51	5.293	40	
84	5.51	5.295	40	
85	5.51	5.689	40	
86	5.51	5.619	40	
87	5.51	5.305	40	
88	5.51	5.627	40	
89	5.51	5.714	40	
90	5.51	5.469	40	
91	5.51	5.683	40	
92	5.51	5.341	40	
93	5.51	5.456	40	
94	5.51	5.487	40	
95	5.51	5.381	40	
96	5.51	5.572	40	
97	5.51	5.37	40	
98	5.51	5.511	40	
99	5.51	5.642	40	
100	5.51	5.428	40	

--

802.11ax(HE80) - 5530MHz**RADAR TYPE 1**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	89	1	598
2	67	1	798
3	92	1	578
4	81	1	658
5	72	1	738
6	74	1	718
7	89	1	598
8	86	1	618
9	78	1	678
10	61	1	878
11	81	1	658
12	70	1	758
13	65	1	818
14	67	1	798
15	81	1	658
16	68	1	778
17	68	1	778
18	74	1	718
19	95	1	558
20	68	1	778
21	74	1	718
22	67	1	798
23	78	1	678
24	68	1	778
25	95	1	558
26	70	1	758
27	74	1	718
28	67	1	798
29	62	1	858
30	83	1	638

802.11ax(HE80) - 5530MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	28	1.7	181
2	26	3.6	172
3	25	2.3	156
4	25	2.7	210
5	28	3.2	196
6	24	4.8	230
7	26	1.5	169
8	24	1.4	192
9	24	4.9	179
10	24	1.6	197
11	27	1.4	183
12	23	4.6	196
13	25	1.1	218
14	28	2.3	214
15	26	3.4	188
16	25	2.9	159
17	26	1	203
18	29	2.4	167
19	27	5	168
20	28	4.9	199
21	27	5	197
22	25	3.2	211
23	26	4.1	222
24	28	1.1	152
25	24	5	201
26	24	4.1	160
27	25	4.2	194
28	26	4.6	170
29	27	3.9	180
30	24	2.2	199

802.11ax(HE80) - 5530MHz**RADAR TYPE 3**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	17	6.1	332
2	17	9.7	289
3	16	7.8	285
4	17	10	266
5	17	9.2	382
6	16	9.6	465
7	17	7.8	357
8	17	7.3	398
9	16	9.7	316
10	17	6.8	251
11	17	9.4	468
12	17	6.8	201
13	17	7.7	476
14	18	6.2	330
15	18	6.7	495
16	16	6.7	498
17	16	9.5	342
18	17	8.7	447
19	16	6.2	369
20	17	8.2	395
21	17	7	303
22	17	6.9	320
23	17	8.4	381
24	17	9.5	253
25	16	6	364
26	18	8.9	275
27	16	6.1	487
28	18	6.7	438
29	18	8.7	460
30	16	9.4	365

802.11ax(HE80) - 5530MHz			
RADAR TYPE 4			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	13	19.8	211
2	16	11.4	338
3	14	19.6	244
4	12	15.7	334
5	14	14.4	290
6	15	14.9	241
7	12	19.3	291
8	13	14.8	269
9	15	19.5	294
10	15	15.9	414
11	14	11.9	370
12	12	17.4	310
13	16	11.8	485
14	14	12.3	300
15	13	18.9	329
16	14	16.1	213
17	15	19.4	277
18	15	12	269
19	14	17.4	436
20	14	12.6	266
21	14	17.7	336
22	16	16.6	215
23	15	13.6	467
24	15	15.1	212
25	12	16.2	438
26	15	12.7	440
27	14	13	282
28	13	14.9	345
29	14	16.3	267
30	14	12.7	302

802.11ax(HE80) - 5530MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	11	1	5530
2	17	1	5530
3	10	1	5530
4	6	1	5530
5	19	1	5530
6	8	1	5530
7	19	1	5530
8	15	1	5530
9	18	1	5530
10	9	1	5530
11	8	2	5494.2
12	15	2	5497
13	18	2	5498.2
14	9	2	5494.6
15	12	2	5495.8
16	10	2	5495
17	9	2	5494.6
18	7	2	5493.8
19	18	2	5498.2
20	6	2	5493.4
21	8	3	5565.8
22	7	3	5566.2
23	8	3	5565.8
24	19	3	5561.4
25	8	3	5565.8
26	18	3	5561.8
27	11	3	5564.6
28	10	3	5565
29	15	3	5563
30	9	3	5565.4

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	87.7	11			242.646
2	3	93.3	11	1854	1053	230.21
3	2	92.5	11	1632		13.207
4	3	62.3	11	1993	1266	560.04
5	2	93.2	11	1778		544.173
6	1	92	11			285.697
7	2	74.9	11	1706		399.74
8	1	60.9	11			1.743
9	2	76.8	11	1434		548.877
10	2	50.3	11	1697		190.65
11	3	60.5	11	1883	1729	249.923
12	2	88.2	11	1959		592.537
13	1	91	11			548.57
14	1	56.4	11			660.503
15	2	51.8	11	1778		64.557
16	2	90.6	11	1171		309.5
17	2	72.1	11	1940		304.233
18	2	84.7	11	1278		656.167

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 2						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	52.8	17			375.979
2	2	66.2	17	1834		726.163
3	2	50.8	17	1653		249.336
4	1	79.7	17			777.319
5	1	71.8	17			235.272
6	2	55.8	17	1610		599.685
7	2	93.9	17	1381		160.898
8	2	74.4	17	1191		92.742
9	3	71.8	17	1219	1805	675.085
10	3	52.2	17	1793	1431	756.368
11	3	81.2	17	1893	1993	144.051
12	2	69.9	17	1067		362.154
13	2	76.5	17	1566		808.377

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	67	6	1219		228.723
2	2	52.8	6	1668		339.708
3	3	50.9	6	1944	1990	472.422
4	3	59.4	6	1458	1884	527.213
5	3	53.1	6	1007	1419	460.624
6	3	95.6	6	1546	1711	306.625
7	2	93.5	6	1649		283.686
8	2	75.9	6	1014		594.277
9	3	85.7	6	1763	1095	184.338
10	1	77.4	6			518.689
11	3	80.9	6	1392	1426	6.561
12	2	57.7	6	1440		126.312
13	1	99.8	6			94.503
14	2	78.1	6	1199		461.554
15	2	91.7	6	1168		527.835
16	3	95.3	6	1077	1942	502.646
17	1	76.9	6			550.137
18	2	59.6	6	1868		344.058
19	2	53.1	6	1829		136.679

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	63.9	19	1493	1587	128.846
2	2	86.3	19	1332		756.53
3	3	81.9	19	1565	1865	47.88
4	3	79.3	19	1446	1631	177.4
5	2	60.5	19	1614		269.08
6	1	58.5	19			386.09
7	2	89	19	1960		398.25
8	2	82.7	19	1652		204.25
9	2	97.6	19	1086		698.56
10	1	87.4	19			20.12
11	1	64.6	19			326.81
12	3	88.1	19	1921	1294	94.15
13	2	71.1	19	1243		659
14	2	69.5	19	1837		136.1
15	3	55.2	19	1152	1647	128.8

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 6						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	65.6	8	1876		377.868
2	2	72.7	8	1532		28.436
3	3	90.6	8	1763	1109	668.16
4	2	79.2	8	1689		704.51
5	2	78.9	8	1725		141.96
6	2	88.6	8	1604		193.42
7	2	79.1	8	1136		311.97
8	2	53.6	8	1193		620.18
9	2	88.7	8	1310		714.07
10	3	68	8	1519	1860	728.67
11	2	95.9	8	1203		554.55
12	3	89.2	8	1136	1109	746.91
13	1	90.9	8			519.8
14	2	61.4	8	1804		27.6
15	2	89	8	1850		318.6

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	88	19	1938	1541	528.457
2	1	77.9	19			836.417
3	2	84.7	19	1117		565.864
4	1	74.5	19			151.341
5	2	85.2	19	1937		56.669
6	2	92.1	19	1906		308.636
7	2	75.3	19	1355		670.773
8	1	70	19			398.96
9	3	53.2	19	1237	1807	239.547
10	2	55.1	19	1420		109.814
11	2	69	19	1784		116.961
12	3	91	19	1364	1638	501.339
13	2	65.8	19	1052		796.086
14	3	98.7	19	1993	1659	107.143

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 8						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	83.5	15	1454	1583	601.093
2	2	73.4	15	1088		14.591
3	1	65.2	15			170.832
4	2	95.2	15	1500		205.253
5	2	89.7	15	1973		261.324
6	2	74.8	15	1233		513.425
7	2	73	15	1725		466.236
8	1	88.6	15			123.537
9	3	68.7	15	1627	1101	80.928
10	3	94	15	1478	1488	133.279
11	1	65.1	15			241.311
12	2	94.9	15	1728		439.042
13	2	92	15	1945		403.373
14	1	74.7	15			481.094
15	2	74.5	15	1261		413.255
16	2	62.5	15	1236		331.556
17	1	64.2	15			530.537
18	1	84.7	15			362.758
19	1	93.2	15			525.079

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	55.6	18	1085		98.937
2	2	55.3	18	1169		709.39
3	3	60.7	18	1380	1345	487.43
4	2	77.2	18	1031		258.75
5	1	63.5	18			520.52
6	2	81.5	18	1520		97.37
7	1	65.6	18			470.15
8	3	50.6	18	1589	1514	203.97
9	2	73.9	18	1094		12.29
10	2	89.9	18	1521		648.02
11	1	81.9	18			321.37
12	2	74.2	18	1504		55.34
13	3	67.5	18	1193	1508	95.14
14	1	73.3	18			738.9
15	1	51.6	18			200.1
16	1	90.6	18			339.2

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (µsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (µsec)	Pulse 2-to-3 PRI (µsec)	Start Location Within Interval (msec)
1	2	73	9	1129		291.152
2	2	63.2	9	1472		550.068
3	1	68.6	9			333.385
4	2	89.2	9	1065		621.263
5	1	98.6	9			279.921
6	1	97.3	9			25.048
7	2	64.4	9	1383		427.726
8	1	81.3	9			587.324
9	2	73.4	9	1616		602.881
10	3	72.9	9	1861	1386	282.879
11	1	77.8	9			163.106
12	2	87.3	9	1621		37.904
13	2	58.2	9	1104		675.182
14	2	55	9	1894		4.309
15	3	55.9	9	1526	1919	73.227
16	3	80.4	9	1007	1771	588.465
17	2	85.7	9	1455		267.382

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 11						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	64.5	8			665.827
2	2	70.6	8	1212		708.903
3	2	80.2	8	1735		141.226
4	3	97.1	8	1867	1498	546.559
5	1	97	8			203.752
6	2	65.9	8	1855		866.405
7	1	96.8	8			501.738
8	3	80.5	8	1180	1380	373.662
9	3	53	8	1831	1887	362.095
10	2	64.8	8	1181		787.558
11	2	89.4	8	1113		430.941
12	1	75.8	8			623.854
13	1	60.3	8			808.377

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	68	9	1691		259.813
2	2	55.5	9	1759		455.221
3	3	71.8	9	1893	1865	216.442
4	3	79	9	1724	1674	366.983
5	3	53.3	9	1803	1991	282.904
6	2	66	9	1181		106.955
7	2	63.5	9	1220		484.416
8	1	85.5	9			388.797
9	2	85	9	1537		75.258
10	2	72.7	9	1141		196.289
11	3	53	9	1086	1243	522.411
12	3	66.2	9	1666	1354	72.072
13	2	51.8	9	1283		108.353
14	2	65.3	9	1632		150.504
15	2	87.7	9	1599		66.025
16	2	77.1	9	1652		394.716
17	2	53.8	9	1462		25.237
18	2	94.9	9	1692		149.558
19	3	94.5	9	1972	1923	43.879

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 15						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	66.9	12			347.109
2	2	99.7	12	1266		392.463
3	2	69.3	12	1616		132.437
4	2	65.2	12	1902		523.34
5	2	98	12	1583		296.213
6	2	53.9	12	1646		299.507
7	2	91.7	12	1633		63.8
8	1	82.2	12			37.433
9	2	94.9	12	1958		294.157
10	1	55.5	12			407.79
11	3	90.4	12	1455	1232	164.433
12	2	69.2	12	1927		73.827
13	2	95.2	12	1443		178.05
14	2	81.5	12	1557		422.863
15	2	67.4	12	1030		90.607
16	3	89	12	1721	1710	57.1
17	1	64.3	12			486.333
18	2	96.5	12	1670		137.167

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 16						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	71.6	10	1738		405.463
2	2	95.9	10	1335		157.297
3	2	86.8	10	1750		591.05
4	1	65.5	10			434.1
5	2	53.8	10	1286		235.73
6	3	94.6	10	1999	1047	443.65
7	2	52.9	10	1736		410.11
8	3	50.7	10	1190	1779	579.54
9	2	66.3	10	1030		117.6
10	3	50.9	10	1503	1952	308.07
11	1	77.1	10			160.82
12	2	55.3	10	1213		551.68
13	2	62.4	10	1606		369.54
14	2	95.7	10	1227		581.33
15	1	50.8	10			307.4
16	2	94.1	10	1878		149.94
17	2	92.7	10	1488		565.8
18	2	81.7	10	1173		183.1
19	2	98	10	1949		25.3
20	2	95.1	10	1064		324.1

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	59.3	9	1162		622.429
2	2	71.9	9	1400		224.582
3	2	59.6	9	1796		314.695
4	1	63.8	9			82.813
5	2	84	9	1316		241.881
6	3	59.8	9	1056	1566	367.578
7	2	86.7	9	1271		245.206
8	2	71.9	9	1556		526.024
9	3	85.8	9	1334	1980	391.491
10	2	58.8	9	1014		15.439
11	3	65.8	9	1963	1395	584.636
12	1	53.2	9			536.374
13	2	62.9	9	1047		299.212
14	1	87.8	9			603.109
15	2	78.8	9	1109		557.447
16	3	82.9	9	1812	1506	200.265
17	2	57.1	9	1904		496.182

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	61.8	7	1991		678.161
2	2	70.8	7	1815		111.82
3	2	82.6	7	1158		793.884
4	1	52.2	7			396.131
5	2	72.4	7	1221		679.229
6	3	78.3	7	1658	1469	375.346
7	2	79.1	7	1799		693.403
8	2	96.2	7	1252		485.34
9	3	97	7	1739	1249	277.167
10	2	99.1	7	1698		381.794
11	2	79	7	1946		445.851
12	2	80.1	7	1443		689.629
13	2	63.3	7	1957		502.986
14	1	81.4	7			739.943

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	59.2	18	1191		83.763
2	1	98.1	18			285.161
3	3	71	18	1407	1113	519.585
4	1	60.6	18			383.503
5	3	92.2	18	1242	1299	362.801
6	2	59.4	18	1631		232.778
7	1	72.3	18			635.056
8	2	50.6	18	1187		353.534
9	2	67.1	18	1966		461.271
10	2	73	18	1094		249.209
11	2	50.9	18	1997		276.656
12	3	92.3	18	1316	1926	462.324
13	2	98.1	18	1607		81.862
14	1	66.9	18			307.499
15	3	99.9	18	1019	1450	58.367
16	3	60.7	18	1195	1555	362.465
17	3	81.9	18	1241	1293	377.182

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	81.5	6	1696		550.768
2	3	78	6	1597	1311	518.72
3	1	88.2	6			74.27
4	2	54.8	6	1146		19.98
5	2	78.5	6	1696		688.52
6	1	84.4	6			44.31
7	2	99.6	6	1254		404.32
8	2	82.4	6	1794		273.62
9	3	86.7	6	1225	1432	141.51
10	1	58.7	6			229.27
11	2	53.9	6	1056		403.11
12	2	50.5	6	1494		575.12
13	3	90.5	6	1081	1965	367.55
14	2	95.2	6	1344		732.4
15	2	94.9	6	1776		376.5
16	2	78.6	6	1925		573.2

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	91.6	8	1332	1126	245.275
2	1	51.3	8			215.11
3	1	67.4	8			968.78
4	2	51	8	1358		554.73
5	3	53.1	8	1674	1615	771.74
6	2	91.1	8	1255		233.81
7	1	59.2	8			453.69
8	3	93.2	8	1319	1487	724.43
9	2	92.2	8	1955		117.71
10	3	79.9	8	1681	1582	186.33
11	2	89.5	8	1608		254.3
12	2	64.9	8	1494		54.9

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	96.2	7	1746		47.938
2	2	72.9	7	1360		581.04
3	2	99.6	7	1664		156.17
4	3	91.9	7	1980	1010	469.35
5	2	59.7	7	1474		638.85
6	2	77.2	7	1879		739.58
7	2	86.1	7	1538		314.86
8	2	62.8	7	1698		141.36
9	1	90.8	7			327.79
10	1	89.2	7			442.31
11	3	54.1	7	1036	1696	570.1
12	2	75.1	7	1839		296.75
13	2	83.9	7	1622		206.44
14	2	64.5	7	1210		465.4
15	1	81.4	7			410.6
16	2	57.5	7	1215		658.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	58.4	8	1952	1407	695.84
2	2	52.4	8	1357		429.237
3	2	74	8	1947		691.354
4	2	97.1	8	1559		461.181
5	2	88.5	8	1655		214.859
6	2	81.2	8	1155		710.656
7	2	90.1	8	1208		215.703
8	1	73.1	8			803.77
9	2	77.6	8	1937		0.997
10	3	85.1	8	1149	1768	247.164
11	3	95.6	8	1105	1104	481.671
12	3	67.8	8	1703	1907	343.859
13	2	66.9	8	1037		508.286
14	3	76.3	8	1647	1520	72.443

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	90.7	19	1748		249.633
2	2	71.8	19	1718		745.731
3	2	83.8	19	1926		705.212
4	1	54	19			360.753
5	1	78.3	19			292.144
6	3	97.4	19	1350	1400	839.085
7	2	50.2	19	1187		337.055
8	3	70.9	19	1871	1564	155.046
9	2	81.1	19	1851		431.387
10	1	61.8	19			873.818
11	2	88	19	1478		783.709

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	79.7	8	1590	1428	6.037
2	2	62.1	8	1387		173.792
3	1	86.7	8			267.2
4	2	68.2	8	1490		630.52
5	2	64	8	1073		571.03
6	1	77.9	8			501.91
7	1	69.3	8			380.16
8	2	97.8	8	1653		54.89
9	2	91.1	8	1639		735.32
10	3	66.4	8	1622	1362	265.12
11	1	80.4	8			419.34
12	1	67.2	8			83.01
13	1	54.9	8			495.71
14	2	59.6	8	1489		440.3
15	2	95.7	8	1732		710.3
16	1	66.6	8			282.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	61.5	18			72.358
2	3	59.6	18	1737	1238	556.401
3	2	91.1	18	1063		320.862
4	2	56.1	18	1595		70.883
5	1	60.6	18			163.144
6	2	90.9	18	1466		297.185
7	2	84.5	18	1266		534.086
8	3	99.2	18	1528	1535	46.577
9	3	96.7	18	1513	1287	46.438
10	3	57.7	18	1200	1471	21.529
11	2	79.9	18	1573		493.991
12	1	99.5	18			119.612
13	2	58.4	18	1873		568.023
14	2	75.3	18	1233		33.314
15	2	56.1	18	1671		378.705
16	1	69.1	18			85.476
17	2	61.2	18	1219		385.037
18	3	69.1	18	1098	1472	582.458
19	2	99.4	18	1236		37.579

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	96.4	11	1881	1316	103.721
2	1	66.4	11			89.841
3	2	98.7	11	1136		108.837
4	2	86	11	1090		534.99
5	2	54.2	11	1062		529.933
6	1	61.3	11			13.427
7	1	80.7	11			183.7
8	2	85.1	11	1503		519.543
9	2	73.7	11	1007		214.107
10	3	50.8	11	1139	1678	350
11	1	69.1	11			291.343
12	2	79.3	11	1048		81.887
13	2	56.7	11	1993		62.68
14	2	61.3	11	1605		254.093
15	1	82.7	11			616.277
16	1	66.1	11			423.3
17	2	60.5	11	1691		300.333
18	1	92.6	11			548.467

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	70	10	1321		511.691
2	3	90.4	10	1304	1523	886.841
3	2	79.2	10	1938		342.772
4	2	82.4	10	1568		1017.943
5	3	58.9	10	1631	1038	34.904
6	2	53.9	10	1347		629.015
7	2	63.5	10	1899		35.275
8	3	82.4	10	1474	1505	425.256
9	3	97.3	10	1592	1721	257.007
10	1	76.6	10			182.918
11	2	75.2	10	1284		702.509

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	1	84.5	15			367.555
2	3	66.9	15	1899	1975	782.761
3	2	87.3	15	1196		937.832
4	2	84.2	15	1087		31.543
5	1	54.9	15			323.444
6	2	56.3	15	1426		910.585
7	2	99.8	15	1726		375.655
8	2	53.3	15	1767		996.296
9	2	63.8	15	1372		541.147
10	2	84.7	15	1329		531.818
11	2	91.5	15	1833		391.609

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	63.2	9	1569		489.801
2	2	87.9	9	1947		66.611
3	1	80.8	9			119.182
4	2	91.1	9	1298		193.383
5	3	53.9	9	1879	1326	573.774
6	1	89.2	9			22.575
7	3	78.9	9	1922	1291	551.756
8	2	50.5	9	1376		403.747
9	3	60.3	9	1012	1854	118.048
10	2	79.6	9	1568		18.949
11	2	67.5	9	1107		179.411
12	2	55.4	9	1329		111.052
13	2	80.3	9	1326		155.613
14	3	53.4	9	1512	1584	193.534
15	3	80	9	1712	1864	590.505
16	2	62.6	9	1358		77.826
17	2	64.9	9	1949		237.737
18	1	75.5	9			511.558
19	1	83.1	9			94.779

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.661	80	
2	5.53	5.485	80	
3	5.53	5.675	80	
4	5.53	5.532	80	*
5	5.53	5.429	80	
6	5.53	5.624	80	
7	5.53	5.521	80	*
8	5.53	5.67	80	
9	5.53	5.574	80	
10	5.53	5.709	80	
11	5.53	5.325	80	
12	5.53	5.507	80	
13	5.53	5.464	80	
14	5.53	5.399	80	
15	5.53	5.583	80	
16	5.53	5.664	80	
17	5.53	5.678	80	
18	5.53	5.354	80	
19	5.53	5.605	80	
20	5.53	5.519	80	
21	5.53	5.686	80	
22	5.53	5.32	80	
23	5.53	5.702	80	
24	5.53	5.484	80	
25	5.53	5.253	80	
26	5.53	5.266	80	
27	5.53	5.685	80	
28	5.53	5.411	80	
29	5.53	5.317	80	
30	5.53	5.528	80	*
31	5.53	5.603	80	
32	5.53	5.71	80	
33	5.53	5.36	80	
34	5.53	5.296	80	
35	5.53	5.453	80	
36	5.53	5.336	80	
37	5.53	5.48	80	
38	5.53	5.517	80	
39	5.53	5.26	80	
40	5.53	5.367	80	
41	5.53	5.523	80	*
42	5.53	5.444	80	
43	5.53	5.66	80	
44	5.53	5.299	80	
45	5.53	5.55	80	
46	5.53	5.343	80	
47	5.53	5.705	80	

48	5.53	5.724	80	
49	5.53	5.295	80	
50	5.53	5.466	80	
51	5.53	5.442	80	
52	5.53	5.394	80	
53	5.53	5.563	80	
54	5.53	5.52	80	*
55	5.53	5.703	80	
56	5.53	5.403	80	
57	5.53	5.4	80	
58	5.53	5.534	80	*
59	5.53	5.368	80	
60	5.53	5.401	80	
61	5.53	5.531	80	*
62	5.53	5.365	80	
63	5.53	5.496	80	
64	5.53	5.5	80	
65	5.53	5.68	80	
66	5.53	5.646	80	
67	5.53	5.545	80	
68	5.53	5.407	80	
69	5.53	5.448	80	
70	5.53	5.621	80	
71	5.53	5.59	80	
72	5.53	5.643	80	
73	5.53	5.571	80	
74	5.53	5.431	80	
75	5.53	5.251	80	
76	5.53	5.364	80	
77	5.53	5.465	80	
78	5.53	5.379	80	
79	5.53	5.718	80	
80	5.53	5.578	80	
81	5.53	5.293	80	
82	5.53	5.315	80	
83	5.53	5.452	80	
84	5.53	5.599	80	
85	5.53	5.615	80	
86	5.53	5.282	80	
87	5.53	5.633	80	
88	5.53	5.458	80	
89	5.53	5.58	80	
90	5.53	5.6	80	
91	5.53	5.268	80	
92	5.53	5.409	80	
93	5.53	5.565	80	
94	5.53	5.454	80	
95	5.53	5.601	80	
96	5.53	5.666	80	
97	5.53	5.258	80	
98	5.53	5.388	80	
99	5.53	5.595	80	
100	5.53	5.694	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.631	80	
2	5.53	5.434	80	
3	5.53	5.358	80	
4	5.53	5.438	80	
5	5.53	5.326	80	
6	5.53	5.585	80	
7	5.53	5.707	80	
8	5.53	5.498	80	
9	5.53	5.597	80	
10	5.53	5.255	80	
11	5.53	5.278	80	
12	5.53	5.625	80	
13	5.53	5.687	80	
14	5.53	5.347	80	
15	5.53	5.306	80	
16	5.53	5.632	80	
17	5.53	5.628	80	
18	5.53	5.521	80	*
19	5.53	5.598	80	
20	5.53	5.571	80	
21	5.53	5.31	80	
22	5.53	5.25	80	
23	5.53	5.689	80	
24	5.53	5.34	80	
25	5.53	5.423	80	
26	5.53	5.399	80	
27	5.53	5.441	80	
28	5.53	5.602	80	
29	5.53	5.563	80	
30	5.53	5.335	80	
31	5.53	5.367	80	
32	5.53	5.44	80	
33	5.53	5.466	80	
34	5.53	5.527	80	*
35	5.53	5.591	80	
36	5.53	5.605	80	
37	5.53	5.344	80	
38	5.53	5.717	80	
39	5.53	5.534	80	*
40	5.53	5.476	80	
41	5.53	5.651	80	
42	5.53	5.509	80	
43	5.53	5.398	80	
44	5.53	5.412	80	
45	5.53	5.279	80	
46	5.53	5.402	80	
47	5.53	5.297	80	

48	5.53	5.681	80	
49	5.53	5.694	80	
50	5.53	5.387	80	
51	5.53	5.718	80	
52	5.53	5.396	80	
53	5.53	5.532	80	*
54	5.53	5.302	80	
55	5.53	5.339	80	
56	5.53	5.688	80	
57	5.53	5.316	80	
58	5.53	5.723	80	
59	5.53	5.552	80	
60	5.53	5.324	80	
61	5.53	5.382	80	
62	5.53	5.662	80	
63	5.53	5.282	80	
64	5.53	5.678	80	
65	5.53	5.643	80	
66	5.53	5.661	80	
67	5.53	5.497	80	
68	5.53	5.482	80	
69	5.53	5.522	80	*
70	5.53	5.644	80	
71	5.53	5.356	80	
72	5.53	5.311	80	
73	5.53	5.56	80	
74	5.53	5.704	80	
75	5.53	5.677	80	
76	5.53	5.452	80	
77	5.53	5.512	80	
78	5.53	5.447	80	
79	5.53	5.506	80	
80	5.53	5.271	80	
81	5.53	5.648	80	
82	5.53	5.371	80	
83	5.53	5.724	80	
84	5.53	5.526	80	*
85	5.53	5.68	80	
86	5.53	5.379	80	
87	5.53	5.309	80	
88	5.53	5.701	80	
89	5.53	5.256	80	
90	5.53	5.259	80	
91	5.53	5.53	80	*
92	5.53	5.67	80	
93	5.53	5.501	80	
94	5.53	5.601	80	
95	5.53	5.691	80	
96	5.53	5.672	80	
97	5.53	5.696	80	
98	5.53	5.548	80	
99	5.53	5.566	80	
100	5.53	5.337	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.456	80	
2	5.53	5.633	80	
3	5.53	5.545	80	
4	5.53	5.552	80	
5	5.53	5.373	80	
6	5.53	5.513	80	
7	5.53	5.415	80	
8	5.53	5.338	80	
9	5.53	5.561	80	
10	5.53	5.258	80	
11	5.53	5.573	80	
12	5.53	5.704	80	
13	5.53	5.323	80	
14	5.53	5.686	80	
15	5.53	5.505	80	
16	5.53	5.342	80	
17	5.53	5.547	80	
18	5.53	5.475	80	
19	5.53	5.64	80	
20	5.53	5.34	80	
21	5.53	5.346	80	
22	5.53	5.325	80	
23	5.53	5.497	80	
24	5.53	5.257	80	
25	5.53	5.304	80	
26	5.53	5.482	80	
27	5.53	5.486	80	
28	5.53	5.713	80	
29	5.53	5.297	80	
30	5.53	5.596	80	
31	5.53	5.299	80	
32	5.53	5.544	80	
33	5.53	5.632	80	
34	5.53	5.347	80	
35	5.53	5.27	80	
36	5.53	5.285	80	
37	5.53	5.677	80	
38	5.53	5.322	80	
39	5.53	5.301	80	
40	5.53	5.477	80	
41	5.53	5.446	80	
42	5.53	5.528	80	*
43	5.53	5.355	80	
44	5.53	5.526	80	*
45	5.53	5.332	80	
46	5.53	5.639	80	
47	5.53	5.69	80	

48	5.53	5.261	80	
49	5.53	5.661	80	
50	5.53	5.461	80	
51	5.53	5.705	80	
52	5.53	5.372	80	
53	5.53	5.385	80	
54	5.53	5.431	80	
55	5.53	5.673	80	
56	5.53	5.499	80	
57	5.53	5.423	80	
58	5.53	5.542	80	
59	5.53	5.611	80	
60	5.53	5.459	80	
61	5.53	5.452	80	
62	5.53	5.676	80	
63	5.53	5.31	80	
64	5.53	5.691	80	
65	5.53	5.265	80	
66	5.53	5.255	80	
67	5.53	5.652	80	
68	5.53	5.408	80	
69	5.53	5.387	80	
70	5.53	5.418	80	
71	5.53	5.681	80	
72	5.53	5.328	80	
73	5.53	5.445	80	
74	5.53	5.714	80	
75	5.53	5.555	80	
76	5.53	5.574	80	
77	5.53	5.425	80	
78	5.53	5.541	80	
79	5.53	5.341	80	
80	5.53	5.498	80	
81	5.53	5.33	80	
82	5.53	5.47	80	
83	5.53	5.438	80	
84	5.53	5.579	80	
85	5.53	5.534	80	*
86	5.53	5.71	80	
87	5.53	5.326	80	
88	5.53	5.626	80	
89	5.53	5.523	80	*
90	5.53	5.25	80	
91	5.53	5.298	80	
92	5.53	5.351	80	
93	5.53	5.583	80	
94	5.53	5.412	80	
95	5.53	5.716	80	
96	5.53	5.518	80	
97	5.53	5.278	80	
98	5.53	5.578	80	
99	5.53	5.392	80	
100	5.53	5.383	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.588	80	
2	5.53	5.331	80	
3	5.53	5.355	80	
4	5.53	5.406	80	
5	5.53	5.659	80	
6	5.53	5.542	80	
7	5.53	5.685	80	
8	5.53	5.252	80	
9	5.53	5.351	80	
10	5.53	5.319	80	
11	5.53	5.541	80	
12	5.53	5.423	80	
13	5.53	5.332	80	
14	5.53	5.438	80	
15	5.53	5.573	80	
16	5.53	5.365	80	
17	5.53	5.489	80	
18	5.53	5.655	80	
19	5.53	5.297	80	
20	5.53	5.605	80	
21	5.53	5.454	80	
22	5.53	5.416	80	
23	5.53	5.565	80	
24	5.53	5.344	80	
25	5.53	5.501	80	
26	5.53	5.463	80	
27	5.53	5.623	80	
28	5.53	5.689	80	
29	5.53	5.334	80	
30	5.53	5.699	80	
31	5.53	5.294	80	
32	5.53	5.54	80	*
33	5.53	5.321	80	
34	5.53	5.528	80	*
35	5.53	5.529	80	*
36	5.53	5.578	80	
37	5.53	5.662	80	
38	5.53	5.428	80	
39	5.53	5.341	80	
40	5.53	5.697	80	
41	5.53	5.491	80	
42	5.53	5.469	80	
43	5.53	5.513	80	
44	5.53	5.264	80	
45	5.53	5.593	80	
46	5.53	5.322	80	
47	5.53	5.446	80	

48	5.53	5.671	80	
49	5.53	5.664	80	
50	5.53	5.57	80	
51	5.53	5.507	80	
52	5.53	5.486	80	
53	5.53	5.424	80	
54	5.53	5.478	80	
55	5.53	5.427	80	
56	5.53	5.608	80	
57	5.53	5.695	80	
58	5.53	5.429	80	
59	5.53	5.48	80	
60	5.53	5.476	80	
61	5.53	5.494	80	
62	5.53	5.49	80	
63	5.53	5.62	80	
64	5.53	5.452	80	
65	5.53	5.312	80	
66	5.53	5.684	80	
67	5.53	5.638	80	
68	5.53	5.505	80	
69	5.53	5.718	80	
70	5.53	5.58	80	
71	5.53	5.42	80	
72	5.53	5.566	80	
73	5.53	5.721	80	
74	5.53	5.394	80	
75	5.53	5.555	80	
76	5.53	5.375	80	
77	5.53	5.496	80	
78	5.53	5.362	80	
79	5.53	5.434	80	
80	5.53	5.275	80	
81	5.53	5.587	80	
82	5.53	5.317	80	
83	5.53	5.437	80	
84	5.53	5.367	80	
85	5.53	5.345	80	
86	5.53	5.658	80	
87	5.53	5.693	80	
88	5.53	5.622	80	
89	5.53	5.255	80	
90	5.53	5.525	80	*
91	5.53	5.674	80	
92	5.53	5.419	80	
93	5.53	5.388	80	
94	5.53	5.535	80	*
95	5.53	5.547	80	
96	5.53	5.443	80	
97	5.53	5.472	80	
98	5.53	5.305	80	
99	5.53	5.337	80	
100	5.53	5.512	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.349	80	
2	5.53	5.529	80	*
3	5.53	5.535	80	*
4	5.53	5.55	80	
5	5.53	5.396	80	
6	5.53	5.42	80	
7	5.53	5.41	80	
8	5.53	5.536	80	*
9	5.53	5.672	80	
10	5.53	5.359	80	
11	5.53	5.353	80	
12	5.53	5.637	80	
13	5.53	5.677	80	
14	5.53	5.559	80	
15	5.53	5.325	80	
16	5.53	5.671	80	
17	5.53	5.711	80	
18	5.53	5.582	80	
19	5.53	5.678	80	
20	5.53	5.554	80	
21	5.53	5.568	80	
22	5.53	5.355	80	
23	5.53	5.418	80	
24	5.53	5.45	80	
25	5.53	5.318	80	
26	5.53	5.688	80	
27	5.53	5.327	80	
28	5.53	5.416	80	
29	5.53	5.62	80	
30	5.53	5.717	80	
31	5.53	5.452	80	
32	5.53	5.377	80	
33	5.53	5.544	80	
34	5.53	5.288	80	
35	5.53	5.706	80	
36	5.53	5.401	80	
37	5.53	5.266	80	
38	5.53	5.681	80	
39	5.53	5.618	80	
40	5.53	5.26	80	
41	5.53	5.329	80	
42	5.53	5.605	80	
43	5.53	5.383	80	
44	5.53	5.382	80	
45	5.53	5.606	80	
46	5.53	5.427	80	
47	5.53	5.545	80	

48	5.53	5.304	80	
49	5.53	5.624	80	
50	5.53	5.547	80	
51	5.53	5.297	80	
52	5.53	5.655	80	
53	5.53	5.701	80	
54	5.53	5.275	80	
55	5.53	5.696	80	
56	5.53	5.645	80	
57	5.53	5.425	80	
58	5.53	5.431	80	
59	5.53	5.441	80	
60	5.53	5.375	80	
61	5.53	5.294	80	
62	5.53	5.575	80	
63	5.53	5.303	80	
64	5.53	5.459	80	
65	5.53	5.287	80	
66	5.53	5.659	80	
67	5.53	5.646	80	
68	5.53	5.305	80	
69	5.53	5.291	80	
70	5.53	5.539	80	*
71	5.53	5.599	80	
72	5.53	5.593	80	
73	5.53	5.524	80	*
74	5.53	5.674	80	
75	5.53	5.282	80	
76	5.53	5.669	80	
77	5.53	5.272	80	
78	5.53	5.483	80	
79	5.53	5.627	80	
80	5.53	5.516	80	
81	5.53	5.716	80	
82	5.53	5.326	80	
83	5.53	5.57	80	
84	5.53	5.619	80	
85	5.53	5.525	80	*
86	5.53	5.662	80	
87	5.53	5.446	80	
88	5.53	5.497	80	
89	5.53	5.369	80	
90	5.53	5.526	80	*
91	5.53	5.277	80	
92	5.53	5.724	80	
93	5.53	5.665	80	
94	5.53	5.309	80	
95	5.53	5.443	80	
96	5.53	5.411	80	
97	5.53	5.611	80	
98	5.53	5.651	80	
99	5.53	5.508	80	
100	5.53	5.351	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.555	80	
2	5.53	5.328	80	
3	5.53	5.651	80	
4	5.53	5.431	80	
5	5.53	5.406	80	
6	5.53	5.548	80	
7	5.53	5.653	80	
8	5.53	5.312	80	
9	5.53	5.449	80	
10	5.53	5.509	80	
11	5.53	5.586	80	
12	5.53	5.471	80	
13	5.53	5.453	80	
14	5.53	5.702	80	
15	5.53	5.701	80	
16	5.53	5.391	80	
17	5.53	5.315	80	
18	5.53	5.428	80	
19	5.53	5.589	80	
20	5.53	5.532	80	*
21	5.53	5.346	80	
22	5.53	5.654	80	
23	5.53	5.563	80	
24	5.53	5.447	80	
25	5.53	5.537	80	*
26	5.53	5.4	80	
27	5.53	5.376	80	
28	5.53	5.706	80	
29	5.53	5.303	80	
30	5.53	5.485	80	
31	5.53	5.611	80	
32	5.53	5.278	80	
33	5.53	5.426	80	
34	5.53	5.392	80	
35	5.53	5.699	80	
36	5.53	5.363	80	
37	5.53	5.612	80	
38	5.53	5.251	80	
39	5.53	5.429	80	
40	5.53	5.296	80	
41	5.53	5.63	80	
42	5.53	5.54	80	*
43	5.53	5.301	80	
44	5.53	5.495	80	
45	5.53	5.442	80	
46	5.53	5.512	80	
47	5.53	5.441	80	

48	5.53	5.648	80	
49	5.53	5.64	80	
50	5.53	5.685	80	
51	5.53	5.605	80	
52	5.53	5.258	80	
53	5.53	5.395	80	
54	5.53	5.291	80	
55	5.53	5.668	80	
56	5.53	5.342	80	
57	5.53	5.388	80	
58	5.53	5.343	80	
59	5.53	5.464	80	
60	5.53	5.335	80	
61	5.53	5.565	80	
62	5.53	5.42	80	
63	5.53	5.566	80	
64	5.53	5.38	80	
65	5.53	5.326	80	
66	5.53	5.337	80	
67	5.53	5.703	80	
68	5.53	5.663	80	
69	5.53	5.314	80	
70	5.53	5.287	80	
71	5.53	5.643	80	
72	5.53	5.271	80	
73	5.53	5.292	80	
74	5.53	5.316	80	
75	5.53	5.53	80	*
76	5.53	5.585	80	
77	5.53	5.592	80	
78	5.53	5.416	80	
79	5.53	5.379	80	
80	5.53	5.598	80	
81	5.53	5.618	80	
82	5.53	5.355	80	
83	5.53	5.538	80	*
84	5.53	5.374	80	
85	5.53	5.724	80	
86	5.53	5.455	80	
87	5.53	5.683	80	
88	5.53	5.327	80	
89	5.53	5.709	80	
90	5.53	5.679	80	
91	5.53	5.381	80	
92	5.53	5.628	80	
93	5.53	5.627	80	
94	5.53	5.51	80	
95	5.53	5.505	80	
96	5.53	5.673	80	
97	5.53	5.375	80	
98	5.53	5.311	80	
99	5.53	5.587	80	
100	5.53	5.323	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.622	80	
2	5.53	5.442	80	
3	5.53	5.414	80	
4	5.53	5.501	80	
5	5.53	5.617	80	
6	5.53	5.307	80	
7	5.53	5.59	80	
8	5.53	5.293	80	
9	5.53	5.703	80	
10	5.53	5.294	80	
11	5.53	5.608	80	
12	5.53	5.604	80	
13	5.53	5.544	80	
14	5.53	5.494	80	
15	5.53	5.502	80	
16	5.53	5.352	80	
17	5.53	5.587	80	
18	5.53	5.328	80	
19	5.53	5.537	80	*
20	5.53	5.529	80	*
21	5.53	5.479	80	
22	5.53	5.662	80	
23	5.53	5.573	80	
24	5.53	5.627	80	
25	5.53	5.625	80	
26	5.53	5.46	80	
27	5.53	5.468	80	
28	5.53	5.724	80	
29	5.53	5.265	80	
30	5.53	5.358	80	
31	5.53	5.57	80	
32	5.53	5.491	80	
33	5.53	5.412	80	
34	5.53	5.341	80	
35	5.53	5.58	80	
36	5.53	5.467	80	
37	5.53	5.672	80	
38	5.53	5.685	80	
39	5.53	5.61	80	
40	5.53	5.711	80	
41	5.53	5.595	80	
42	5.53	5.388	80	
43	5.53	5.606	80	
44	5.53	5.357	80	
45	5.53	5.325	80	
46	5.53	5.336	80	
47	5.53	5.569	80	

48	5.53	5.418	80	
49	5.53	5.583	80	
50	5.53	5.458	80	
51	5.53	5.373	80	
52	5.53	5.677	80	
53	5.53	5.72	80	
54	5.53	5.709	80	
55	5.53	5.43	80	
56	5.53	5.317	80	
57	5.53	5.678	80	
58	5.53	5.723	80	
59	5.53	5.258	80	
60	5.53	5.348	80	
61	5.53	5.698	80	
62	5.53	5.545	80	
63	5.53	5.6	80	
64	5.53	5.691	80	
65	5.53	5.575	80	
66	5.53	5.66	80	
67	5.53	5.454	80	
68	5.53	5.396	80	
69	5.53	5.256	80	
70	5.53	5.654	80	
71	5.53	5.506	80	
72	5.53	5.715	80	
73	5.53	5.287	80	
74	5.53	5.383	80	
75	5.53	5.62	80	
76	5.53	5.349	80	
77	5.53	5.556	80	
78	5.53	5.666	80	
79	5.53	5.704	80	
80	5.53	5.472	80	
81	5.53	5.4	80	
82	5.53	5.42	80	
83	5.53	5.615	80	
84	5.53	5.572	80	
85	5.53	5.384	80	
86	5.53	5.589	80	
87	5.53	5.289	80	
88	5.53	5.438	80	
89	5.53	5.68	80	
90	5.53	5.477	80	
91	5.53	5.315	80	
92	5.53	5.321	80	
93	5.53	5.609	80	
94	5.53	5.482	80	
95	5.53	5.702	80	
96	5.53	5.264	80	
97	5.53	5.578	80	
98	5.53	5.486	80	
99	5.53	5.323	80	
100	5.53	5.51	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.408	80	
2	5.53	5.388	80	
3	5.53	5.487	80	
4	5.53	5.649	80	
5	5.53	5.468	80	
6	5.53	5.533	80	*
7	5.53	5.312	80	
8	5.53	5.564	80	
9	5.53	5.614	80	
10	5.53	5.526	80	*
11	5.53	5.397	80	
12	5.53	5.504	80	
13	5.53	5.486	80	
14	5.53	5.698	80	
15	5.53	5.269	80	
16	5.53	5.64	80	
17	5.53	5.499	80	
18	5.53	5.575	80	
19	5.53	5.251	80	
20	5.53	5.663	80	
21	5.53	5.44	80	
22	5.53	5.286	80	
23	5.53	5.492	80	
24	5.53	5.257	80	
25	5.53	5.433	80	
26	5.53	5.322	80	
27	5.53	5.419	80	
28	5.53	5.482	80	
29	5.53	5.681	80	
30	5.53	5.329	80	
31	5.53	5.587	80	
32	5.53	5.297	80	
33	5.53	5.441	80	
34	5.53	5.685	80	
35	5.53	5.425	80	
36	5.53	5.692	80	
37	5.53	5.338	80	
38	5.53	5.384	80	
39	5.53	5.377	80	
40	5.53	5.36	80	
41	5.53	5.476	80	
42	5.53	5.528	80	*
43	5.53	5.724	80	
44	5.53	5.335	80	
45	5.53	5.672	80	
46	5.53	5.455	80	
47	5.53	5.362	80	

48	5.53	5.284	80	
49	5.53	5.438	80	
50	5.53	5.515	80	
51	5.53	5.645	80	
52	5.53	5.302	80	
53	5.53	5.363	80	
54	5.53	5.414	80	
55	5.53	5.274	80	
56	5.53	5.651	80	
57	5.53	5.4	80	
58	5.53	5.694	80	
59	5.53	5.707	80	
60	5.53	5.702	80	
61	5.53	5.416	80	
62	5.53	5.392	80	
63	5.53	5.275	80	
64	5.53	5.546	80	
65	5.53	5.327	80	
66	5.53	5.571	80	
67	5.53	5.67	80	
68	5.53	5.68	80	
69	5.53	5.326	80	
70	5.53	5.661	80	
71	5.53	5.63	80	
72	5.53	5.635	80	
73	5.53	5.556	80	
74	5.53	5.51	80	
75	5.53	5.56	80	
76	5.53	5.382	80	
77	5.53	5.347	80	
78	5.53	5.541	80	
79	5.53	5.448	80	
80	5.53	5.502	80	
81	5.53	5.273	80	
82	5.53	5.422	80	
83	5.53	5.484	80	
84	5.53	5.473	80	
85	5.53	5.259	80	
86	5.53	5.372	80	
87	5.53	5.595	80	
88	5.53	5.641	80	
89	5.53	5.703	80	
90	5.53	5.453	80	
91	5.53	5.3	80	
92	5.53	5.387	80	
93	5.53	5.299	80	
94	5.53	5.678	80	
95	5.53	5.677	80	
96	5.53	5.475	80	
97	5.53	5.436	80	
98	5.53	5.34	80	
99	5.53	5.559	80	
100	5.53	5.592	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.343	80	
2	5.53	5.386	80	
3	5.53	5.578	80	
4	5.53	5.357	80	
5	5.53	5.581	80	
6	5.53	5.635	80	
7	5.53	5.306	80	
8	5.53	5.387	80	
9	5.53	5.61	80	
10	5.53	5.719	80	
11	5.53	5.7	80	
12	5.53	5.443	80	
13	5.53	5.678	80	
14	5.53	5.282	80	
15	5.53	5.385	80	
16	5.53	5.532	80	*
17	5.53	5.389	80	
18	5.53	5.286	80	
19	5.53	5.713	80	
20	5.53	5.421	80	
21	5.53	5.398	80	
22	5.53	5.517	80	
23	5.53	5.268	80	
24	5.53	5.643	80	
25	5.53	5.432	80	
26	5.53	5.654	80	
27	5.53	5.551	80	
28	5.53	5.425	80	
29	5.53	5.709	80	
30	5.53	5.665	80	
31	5.53	5.516	80	
32	5.53	5.706	80	
33	5.53	5.717	80	
34	5.53	5.406	80	
35	5.53	5.512	80	
36	5.53	5.724	80	
37	5.53	5.612	80	
38	5.53	5.64	80	
39	5.53	5.488	80	
40	5.53	5.56	80	
41	5.53	5.384	80	
42	5.53	5.519	80	
43	5.53	5.675	80	
44	5.53	5.405	80	
45	5.53	5.307	80	
46	5.53	5.419	80	
47	5.53	5.394	80	

48	5.53	5.427	80	
49	5.53	5.329	80	
50	5.53	5.647	80	
51	5.53	5.409	80	
52	5.53	5.606	80	
53	5.53	5.35	80	
54	5.53	5.309	80	
55	5.53	5.723	80	
56	5.53	5.372	80	
57	5.53	5.378	80	
58	5.53	5.305	80	
59	5.53	5.614	80	
60	5.53	5.298	80	
61	5.53	5.26	80	
62	5.53	5.403	80	
63	5.53	5.542	80	
64	5.53	5.54	80	*
65	5.53	5.499	80	
66	5.53	5.496	80	
67	5.53	5.344	80	
68	5.53	5.362	80	
69	5.53	5.337	80	
70	5.53	5.402	80	
71	5.53	5.455	80	
72	5.53	5.627	80	
73	5.53	5.69	80	
74	5.53	5.393	80	
75	5.53	5.442	80	
76	5.53	5.359	80	
77	5.53	5.351	80	
78	5.53	5.676	80	
79	5.53	5.313	80	
80	5.53	5.576	80	
81	5.53	5.507	80	
82	5.53	5.563	80	
83	5.53	5.487	80	
84	5.53	5.43	80	
85	5.53	5.433	80	
86	5.53	5.668	80	
87	5.53	5.569	80	
88	5.53	5.429	80	
89	5.53	5.259	80	
90	5.53	5.27	80	
91	5.53	5.68	80	
92	5.53	5.482	80	
93	5.53	5.32	80	
94	5.53	5.597	80	
95	5.53	5.6	80	
96	5.53	5.649	80	
97	5.53	5.526	80	*
98	5.53	5.311	80	
99	5.53	5.252	80	
100	5.53	5.594	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.686	80	
2	5.53	5.327	80	
3	5.53	5.546	80	
4	5.53	5.525	80	*
5	5.53	5.276	80	
6	5.53	5.504	80	
7	5.53	5.43	80	
8	5.53	5.352	80	
9	5.53	5.646	80	
10	5.53	5.621	80	
11	5.53	5.445	80	
12	5.53	5.642	80	
13	5.53	5.464	80	
14	5.53	5.372	80	
15	5.53	5.308	80	
16	5.53	5.318	80	
17	5.53	5.289	80	
18	5.53	5.633	80	
19	5.53	5.585	80	
20	5.53	5.554	80	
21	5.53	5.692	80	
22	5.53	5.284	80	
23	5.53	5.258	80	
24	5.53	5.595	80	
25	5.53	5.333	80	
26	5.53	5.607	80	
27	5.53	5.63	80	
28	5.53	5.277	80	
29	5.53	5.542	80	
30	5.53	5.355	80	
31	5.53	5.297	80	
32	5.53	5.506	80	
33	5.53	5.402	80	
34	5.53	5.455	80	
35	5.53	5.602	80	
36	5.53	5.553	80	
37	5.53	5.581	80	
38	5.53	5.283	80	
39	5.53	5.693	80	
40	5.53	5.365	80	
41	5.53	5.272	80	
42	5.53	5.538	80	*
43	5.53	5.565	80	
44	5.53	5.374	80	
45	5.53	5.705	80	
46	5.53	5.556	80	
47	5.53	5.401	80	

48	5.53	5.344	80	
49	5.53	5.507	80	
50	5.53	5.483	80	
51	5.53	5.501	80	
52	5.53	5.391	80	
53	5.53	5.322	80	
54	5.53	5.394	80	
55	5.53	5.648	80	
56	5.53	5.278	80	
57	5.53	5.32	80	
58	5.53	5.518	80	
59	5.53	5.617	80	
60	5.53	5.715	80	
61	5.53	5.587	80	
62	5.53	5.348	80	
63	5.53	5.569	80	
64	5.53	5.393	80	
65	5.53	5.71	80	
66	5.53	5.422	80	
67	5.53	5.53	80	*
68	5.53	5.39	80	
69	5.53	5.442	80	
70	5.53	5.264	80	
71	5.53	5.619	80	
72	5.53	5.545	80	
73	5.53	5.326	80	
74	5.53	5.366	80	
75	5.53	5.699	80	
76	5.53	5.508	80	
77	5.53	5.325	80	
78	5.53	5.274	80	
79	5.53	5.716	80	
80	5.53	5.697	80	
81	5.53	5.711	80	
82	5.53	5.484	80	
83	5.53	5.479	80	
84	5.53	5.717	80	
85	5.53	5.582	80	
86	5.53	5.317	80	
87	5.53	5.408	80	
88	5.53	5.373	80	
89	5.53	5.59	80	
90	5.53	5.695	80	
91	5.53	5.398	80	
92	5.53	5.338	80	
93	5.53	5.527	80	*
94	5.53	5.639	80	
95	5.53	5.664	80	
96	5.53	5.547	80	
97	5.53	5.552	80	
98	5.53	5.436	80	
99	5.53	5.429	80	
100	5.53	5.478	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.64	80	
2	5.53	5.488	80	
3	5.53	5.612	80	
4	5.53	5.481	80	
5	5.53	5.296	80	
6	5.53	5.625	80	
7	5.53	5.557	80	
8	5.53	5.286	80	
9	5.53	5.269	80	
10	5.53	5.471	80	
11	5.53	5.72	80	
12	5.53	5.532	80	*
13	5.53	5.332	80	
14	5.53	5.659	80	
15	5.53	5.566	80	
16	5.53	5.323	80	
17	5.53	5.38	80	
18	5.53	5.421	80	
19	5.53	5.353	80	
20	5.53	5.257	80	
21	5.53	5.721	80	
22	5.53	5.288	80	
23	5.53	5.449	80	
24	5.53	5.271	80	
25	5.53	5.437	80	
26	5.53	5.325	80	
27	5.53	5.658	80	
28	5.53	5.613	80	
29	5.53	5.274	80	
30	5.53	5.272	80	
31	5.53	5.714	80	
32	5.53	5.677	80	
33	5.53	5.483	80	
34	5.53	5.577	80	
35	5.53	5.433	80	
36	5.53	5.661	80	
37	5.53	5.35	80	
38	5.53	5.562	80	
39	5.53	5.58	80	
40	5.53	5.423	80	
41	5.53	5.708	80	
42	5.53	5.415	80	
43	5.53	5.499	80	
44	5.53	5.681	80	
45	5.53	5.391	80	
46	5.53	5.715	80	
47	5.53	5.414	80	

48	5.53	5.405	80	
49	5.53	5.258	80	
50	5.53	5.666	80	
51	5.53	5.386	80	
52	5.53	5.536	80	*
53	5.53	5.493	80	
54	5.53	5.412	80	
55	5.53	5.629	80	
56	5.53	5.689	80	
57	5.53	5.568	80	
58	5.53	5.419	80	
59	5.53	5.432	80	
60	5.53	5.491	80	
61	5.53	5.522	80	*
62	5.53	5.478	80	
63	5.53	5.648	80	
64	5.53	5.606	80	
65	5.53	5.275	80	
66	5.53	5.607	80	
67	5.53	5.469	80	
68	5.53	5.427	80	
69	5.53	5.417	80	
70	5.53	5.436	80	
71	5.53	5.517	80	
72	5.53	5.335	80	
73	5.53	5.317	80	
74	5.53	5.318	80	
75	5.53	5.67	80	
76	5.53	5.447	80	
77	5.53	5.315	80	
78	5.53	5.366	80	
79	5.53	5.403	80	
80	5.53	5.651	80	
81	5.53	5.487	80	
82	5.53	5.309	80	
83	5.53	5.313	80	
84	5.53	5.685	80	
85	5.53	5.565	80	
86	5.53	5.55	80	
87	5.53	5.492	80	
88	5.53	5.381	80	
89	5.53	5.387	80	
90	5.53	5.617	80	
91	5.53	5.614	80	
92	5.53	5.328	80	
93	5.53	5.724	80	
94	5.53	5.479	80	
95	5.53	5.482	80	
96	5.53	5.707	80	
97	5.53	5.468	80	
98	5.53	5.31	80	
99	5.53	5.546	80	
100	5.53	5.696	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.436	80	
2	5.53	5.491	80	
3	5.53	5.492	80	
4	5.53	5.57	80	
5	5.53	5.555	80	
6	5.53	5.678	80	
7	5.53	5.275	80	
8	5.53	5.601	80	
9	5.53	5.702	80	
10	5.53	5.509	80	
11	5.53	5.56	80	
12	5.53	5.569	80	
13	5.53	5.582	80	
14	5.53	5.58	80	
15	5.53	5.3	80	
16	5.53	5.308	80	
17	5.53	5.691	80	
18	5.53	5.323	80	
19	5.53	5.639	80	
20	5.53	5.348	80	
21	5.53	5.368	80	
22	5.53	5.255	80	
23	5.53	5.657	80	
24	5.53	5.64	80	
25	5.53	5.503	80	
26	5.53	5.65	80	
27	5.53	5.554	80	
28	5.53	5.345	80	
29	5.53	5.282	80	
30	5.53	5.495	80	
31	5.53	5.384	80	
32	5.53	5.431	80	
33	5.53	5.66	80	
34	5.53	5.611	80	
35	5.53	5.674	80	
36	5.53	5.654	80	
37	5.53	5.499	80	
38	5.53	5.595	80	
39	5.53	5.705	80	
40	5.53	5.367	80	
41	5.53	5.438	80	
42	5.53	5.261	80	
43	5.53	5.267	80	
44	5.53	5.541	80	
45	5.53	5.279	80	
46	5.53	5.485	80	
47	5.53	5.316	80	

48	5.53	5.607	80	
49	5.53	5.426	80	
50	5.53	5.375	80	
51	5.53	5.553	80	
52	5.53	5.463	80	
53	5.53	5.519	80	
54	5.53	5.473	80	
55	5.53	5.526	80	*
56	5.53	5.333	80	
57	5.53	5.536	80	*
58	5.53	5.661	80	
59	5.53	5.382	80	
60	5.53	5.25	80	
61	5.53	5.545	80	
62	5.53	5.633	80	
63	5.53	5.29	80	
64	5.53	5.669	80	
65	5.53	5.613	80	
66	5.53	5.462	80	
67	5.53	5.427	80	
68	5.53	5.649	80	
69	5.53	5.511	80	
70	5.53	5.684	80	
71	5.53	5.631	80	
72	5.53	5.43	80	
73	5.53	5.694	80	
74	5.53	5.719	80	
75	5.53	5.387	80	
76	5.53	5.456	80	
77	5.53	5.277	80	
78	5.53	5.343	80	
79	5.53	5.459	80	
80	5.53	5.612	80	
81	5.53	5.643	80	
82	5.53	5.506	80	
83	5.53	5.422	80	
84	5.53	5.392	80	
85	5.53	5.616	80	
86	5.53	5.36	80	
87	5.53	5.673	80	
88	5.53	5.683	80	
89	5.53	5.318	80	
90	5.53	5.679	80	
91	5.53	5.498	80	
92	5.53	5.621	80	
93	5.53	5.556	80	
94	5.53	5.666	80	
95	5.53	5.404	80	
96	5.53	5.418	80	
97	5.53	5.486	80	
98	5.53	5.377	80	
99	5.53	5.585	80	
100	5.53	5.304	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.25	80	
2	5.53	5.63	80	
3	5.53	5.698	80	
4	5.53	5.454	80	
5	5.53	5.543	80	
6	5.53	5.329	80	
7	5.53	5.576	80	
8	5.53	5.582	80	
9	5.53	5.699	80	
10	5.53	5.373	80	
11	5.53	5.416	80	
12	5.53	5.276	80	
13	5.53	5.428	80	
14	5.53	5.299	80	
15	5.53	5.308	80	
16	5.53	5.476	80	
17	5.53	5.591	80	
18	5.53	5.512	80	
19	5.53	5.478	80	
20	5.53	5.676	80	
21	5.53	5.375	80	
22	5.53	5.575	80	
23	5.53	5.565	80	
24	5.53	5.528	80	*
25	5.53	5.37	80	
26	5.53	5.516	80	
27	5.53	5.584	80	
28	5.53	5.717	80	
29	5.53	5.503	80	
30	5.53	5.32	80	
31	5.53	5.259	80	
32	5.53	5.713	80	
33	5.53	5.4	80	
34	5.53	5.483	80	
35	5.53	5.69	80	
36	5.53	5.607	80	
37	5.53	5.451	80	
38	5.53	5.406	80	
39	5.53	5.531	80	*
40	5.53	5.341	80	
41	5.53	5.447	80	
42	5.53	5.696	80	
43	5.53	5.548	80	
44	5.53	5.506	80	
45	5.53	5.515	80	
46	5.53	5.471	80	
47	5.53	5.482	80	

48	5.53	5.547	80	
49	5.53	5.613	80	
50	5.53	5.466	80	
51	5.53	5.714	80	
52	5.53	5.413	80	
53	5.53	5.423	80	
54	5.53	5.367	80	
55	5.53	5.467	80	
56	5.53	5.344	80	
57	5.53	5.41	80	
58	5.53	5.602	80	
59	5.53	5.581	80	
60	5.53	5.302	80	
61	5.53	5.52	80	*
62	5.53	5.261	80	
63	5.53	5.682	80	
64	5.53	5.709	80	
65	5.53	5.657	80	
66	5.53	5.347	80	
67	5.53	5.688	80	
68	5.53	5.561	80	
69	5.53	5.292	80	
70	5.53	5.712	80	
71	5.53	5.339	80	
72	5.53	5.295	80	
73	5.53	5.606	80	
74	5.53	5.281	80	
75	5.53	5.646	80	
76	5.53	5.298	80	
77	5.53	5.556	80	
78	5.53	5.273	80	
79	5.53	5.533	80	*
80	5.53	5.521	80	*
81	5.53	5.673	80	
82	5.53	5.279	80	
83	5.53	5.477	80	
84	5.53	5.403	80	
85	5.53	5.722	80	
86	5.53	5.426	80	
87	5.53	5.578	80	
88	5.53	5.552	80	
89	5.53	5.359	80	
90	5.53	5.659	80	
91	5.53	5.511	80	
92	5.53	5.535	80	*
93	5.53	5.604	80	
94	5.53	5.322	80	
95	5.53	5.328	80	
96	5.53	5.464	80	
97	5.53	5.677	80	
98	5.53	5.539	80	*
99	5.53	5.365	80	
100	5.53	5.603	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.343	80	
2	5.53	5.584	80	
3	5.53	5.263	80	
4	5.53	5.394	80	
5	5.53	5.678	80	
6	5.53	5.254	80	
7	5.53	5.32	80	
8	5.53	5.679	80	
9	5.53	5.31	80	
10	5.53	5.402	80	
11	5.53	5.518	80	
12	5.53	5.657	80	
13	5.53	5.62	80	
14	5.53	5.281	80	
15	5.53	5.687	80	
16	5.53	5.508	80	
17	5.53	5.451	80	
18	5.53	5.622	80	
19	5.53	5.533	80	*
20	5.53	5.392	80	
21	5.53	5.506	80	
22	5.53	5.534	80	*
23	5.53	5.667	80	
24	5.53	5.572	80	
25	5.53	5.631	80	
26	5.53	5.387	80	
27	5.53	5.269	80	
28	5.53	5.652	80	
29	5.53	5.305	80	
30	5.53	5.304	80	
31	5.53	5.452	80	
32	5.53	5.498	80	
33	5.53	5.543	80	
34	5.53	5.363	80	
35	5.53	5.33	80	
36	5.53	5.648	80	
37	5.53	5.318	80	
38	5.53	5.512	80	
39	5.53	5.257	80	
40	5.53	5.523	80	*
41	5.53	5.594	80	
42	5.53	5.647	80	
43	5.53	5.405	80	
44	5.53	5.353	80	
45	5.53	5.386	80	
46	5.53	5.264	80	
47	5.53	5.356	80	

48	5.53	5.707	80	
49	5.53	5.547	80	
50	5.53	5.409	80	
51	5.53	5.331	80	
52	5.53	5.44	80	
53	5.53	5.546	80	
54	5.53	5.636	80	
55	5.53	5.47	80	
56	5.53	5.672	80	
57	5.53	5.43	80	
58	5.53	5.467	80	
59	5.53	5.285	80	
60	5.53	5.635	80	
61	5.53	5.633	80	
62	5.53	5.59	80	
63	5.53	5.556	80	
64	5.53	5.616	80	
65	5.53	5.315	80	
66	5.53	5.426	80	
67	5.53	5.497	80	
68	5.53	5.457	80	
69	5.53	5.626	80	
70	5.53	5.702	80	
71	5.53	5.598	80	
72	5.53	5.715	80	
73	5.53	5.662	80	
74	5.53	5.408	80	
75	5.53	5.434	80	
76	5.53	5.334	80	
77	5.53	5.718	80	
78	5.53	5.586	80	
79	5.53	5.524	80	*
80	5.53	5.627	80	
81	5.53	5.722	80	
82	5.53	5.35	80	
83	5.53	5.429	80	
84	5.53	5.293	80	
85	5.53	5.705	80	
86	5.53	5.577	80	
87	5.53	5.319	80	
88	5.53	5.515	80	
89	5.53	5.326	80	
90	5.53	5.341	80	
91	5.53	5.436	80	
92	5.53	5.339	80	
93	5.53	5.643	80	
94	5.53	5.514	80	
95	5.53	5.502	80	
96	5.53	5.348	80	
97	5.53	5.422	80	
98	5.53	5.313	80	
99	5.53	5.536	80	*
100	5.53	5.464	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.326	80	
2	5.53	5.599	80	
3	5.53	5.673	80	
4	5.53	5.649	80	
5	5.53	5.52	80	*
6	5.53	5.69	80	
7	5.53	5.404	80	
8	5.53	5.674	80	
9	5.53	5.435	80	
10	5.53	5.684	80	
11	5.53	5.473	80	
12	5.53	5.612	80	
13	5.53	5.523	80	*
14	5.53	5.458	80	
15	5.53	5.268	80	
16	5.53	5.415	80	
17	5.53	5.55	80	
18	5.53	5.624	80	
19	5.53	5.358	80	
20	5.53	5.522	80	*
21	5.53	5.588	80	
22	5.53	5.257	80	
23	5.53	5.36	80	
24	5.53	5.619	80	
25	5.53	5.563	80	
26	5.53	5.569	80	
27	5.53	5.608	80	
28	5.53	5.529	80	*
29	5.53	5.27	80	
30	5.53	5.319	80	
31	5.53	5.545	80	
32	5.53	5.271	80	
33	5.53	5.334	80	
34	5.53	5.501	80	
35	5.53	5.551	80	
36	5.53	5.431	80	
37	5.53	5.723	80	
38	5.53	5.292	80	
39	5.53	5.708	80	
40	5.53	5.574	80	
41	5.53	5.699	80	
42	5.53	5.467	80	
43	5.53	5.471	80	
44	5.53	5.517	80	
45	5.53	5.466	80	
46	5.53	5.562	80	
47	5.53	5.722	80	

48	5.53	5.263	80	
49	5.53	5.591	80	
50	5.53	5.669	80	
51	5.53	5.287	80	
52	5.53	5.552	80	
53	5.53	5.393	80	
54	5.53	5.647	80	
55	5.53	5.251	80	
56	5.53	5.255	80	
57	5.53	5.566	80	
58	5.53	5.67	80	
59	5.53	5.623	80	
60	5.53	5.345	80	
61	5.53	5.397	80	
62	5.53	5.605	80	
63	5.53	5.655	80	
64	5.53	5.571	80	
65	5.53	5.532	80	*
66	5.53	5.37	80	
67	5.53	5.68	80	
68	5.53	5.434	80	
69	5.53	5.372	80	
70	5.53	5.305	80	
71	5.53	5.291	80	
72	5.53	5.437	80	
73	5.53	5.297	80	
74	5.53	5.335	80	
75	5.53	5.677	80	
76	5.53	5.688	80	
77	5.53	5.493	80	
78	5.53	5.414	80	
79	5.53	5.568	80	
80	5.53	5.519	80	
81	5.53	5.478	80	
82	5.53	5.429	80	
83	5.53	5.544	80	
84	5.53	5.32	80	
85	5.53	5.573	80	
86	5.53	5.506	80	
87	5.53	5.448	80	
88	5.53	5.594	80	
89	5.53	5.561	80	
90	5.53	5.272	80	
91	5.53	5.453	80	
92	5.53	5.258	80	
93	5.53	5.476	80	
94	5.53	5.7	80	
95	5.53	5.406	80	
96	5.53	5.402	80	
97	5.53	5.604	80	
98	5.53	5.597	80	
99	5.53	5.541	80	
100	5.53	5.313	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.444	80	
2	5.53	5.6	80	
3	5.53	5.373	80	
4	5.53	5.434	80	
5	5.53	5.361	80	
6	5.53	5.543	80	
7	5.53	5.597	80	
8	5.53	5.499	80	
9	5.53	5.522	80	*
10	5.53	5.325	80	
11	5.53	5.306	80	
12	5.53	5.407	80	
13	5.53	5.547	80	
14	5.53	5.539	80	*
15	5.53	5.303	80	
16	5.53	5.291	80	
17	5.53	5.4	80	
18	5.53	5.602	80	
19	5.53	5.609	80	
20	5.53	5.46	80	
21	5.53	5.311	80	
22	5.53	5.448	80	
23	5.53	5.608	80	
24	5.53	5.328	80	
25	5.53	5.429	80	
26	5.53	5.629	80	
27	5.53	5.321	80	
28	5.53	5.326	80	
29	5.53	5.585	80	
30	5.53	5.624	80	
31	5.53	5.702	80	
32	5.53	5.533	80	*
33	5.53	5.34	80	
34	5.53	5.594	80	
35	5.53	5.29	80	
36	5.53	5.525	80	*
37	5.53	5.651	80	
38	5.53	5.529	80	*
39	5.53	5.333	80	
40	5.53	5.432	80	
41	5.53	5.655	80	
42	5.53	5.658	80	
43	5.53	5.564	80	
44	5.53	5.721	80	
45	5.53	5.557	80	
46	5.53	5.336	80	
47	5.53	5.711	80	

48	5.53	5.284	80	
49	5.53	5.469	80	
50	5.53	5.687	80	
51	5.53	5.359	80	
52	5.53	5.283	80	
53	5.53	5.705	80	
54	5.53	5.634	80	
55	5.53	5.648	80	
56	5.53	5.459	80	
57	5.53	5.271	80	
58	5.53	5.644	80	
59	5.53	5.343	80	
60	5.53	5.722	80	
61	5.53	5.339	80	
62	5.53	5.553	80	
63	5.53	5.329	80	
64	5.53	5.32	80	
65	5.53	5.443	80	
66	5.53	5.415	80	
67	5.53	5.69	80	
68	5.53	5.314	80	
69	5.53	5.683	80	
70	5.53	5.507	80	
71	5.53	5.318	80	
72	5.53	5.473	80	
73	5.53	5.413	80	
74	5.53	5.296	80	
75	5.53	5.513	80	
76	5.53	5.7	80	
77	5.53	5.289	80	
78	5.53	5.461	80	
79	5.53	5.379	80	
80	5.53	5.661	80	
81	5.53	5.701	80	
82	5.53	5.673	80	
83	5.53	5.567	80	
84	5.53	5.707	80	
85	5.53	5.391	80	
86	5.53	5.698	80	
87	5.53	5.716	80	
88	5.53	5.587	80	
89	5.53	5.412	80	
90	5.53	5.605	80	
91	5.53	5.384	80	
92	5.53	5.68	80	
93	5.53	5.497	80	
94	5.53	5.421	80	
95	5.53	5.308	80	
96	5.53	5.612	80	
97	5.53	5.556	80	
98	5.53	5.518	80	
99	5.53	5.27	80	
100	5.53	5.454	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.383	80	
2	5.53	5.293	80	
3	5.53	5.294	80	
4	5.53	5.687	80	
5	5.53	5.488	80	
6	5.53	5.321	80	
7	5.53	5.355	80	
8	5.53	5.576	80	
9	5.53	5.582	80	
10	5.53	5.574	80	
11	5.53	5.362	80	
12	5.53	5.356	80	
13	5.53	5.282	80	
14	5.53	5.592	80	
15	5.53	5.642	80	
16	5.53	5.409	80	
17	5.53	5.598	80	
18	5.53	5.359	80	
19	5.53	5.567	80	
20	5.53	5.718	80	
21	5.53	5.288	80	
22	5.53	5.457	80	
23	5.53	5.385	80	
24	5.53	5.351	80	
25	5.53	5.32	80	
26	5.53	5.526	80	*
27	5.53	5.542	80	
28	5.53	5.399	80	
29	5.53	5.28	80	
30	5.53	5.395	80	
31	5.53	5.433	80	
32	5.53	5.446	80	
33	5.53	5.495	80	
34	5.53	5.715	80	
35	5.53	5.529	80	*
36	5.53	5.325	80	
37	5.53	5.599	80	
38	5.53	5.371	80	
39	5.53	5.349	80	
40	5.53	5.647	80	
41	5.53	5.641	80	
42	5.53	5.381	80	
43	5.53	5.494	80	
44	5.53	5.332	80	
45	5.53	5.64	80	
46	5.53	5.407	80	
47	5.53	5.55	80	

48	5.53	5.65	80	
49	5.53	5.301	80	
50	5.53	5.372	80	
51	5.53	5.539	80	*
52	5.53	5.365	80	
53	5.53	5.709	80	
54	5.53	5.256	80	
55	5.53	5.348	80	
56	5.53	5.633	80	
57	5.53	5.396	80	
58	5.53	5.52	80	*
59	5.53	5.453	80	
60	5.53	5.679	80	
61	5.53	5.691	80	
62	5.53	5.657	80	
63	5.53	5.298	80	
64	5.53	5.473	80	
65	5.53	5.519	80	
66	5.53	5.51	80	
67	5.53	5.284	80	
68	5.53	5.512	80	
69	5.53	5.431	80	
70	5.53	5.478	80	
71	5.53	5.717	80	
72	5.53	5.417	80	
73	5.53	5.548	80	
74	5.53	5.638	80	
75	5.53	5.402	80	
76	5.53	5.631	80	
77	5.53	5.374	80	
78	5.53	5.316	80	
79	5.53	5.594	80	
80	5.53	5.477	80	
81	5.53	5.637	80	
82	5.53	5.666	80	
83	5.53	5.585	80	
84	5.53	5.684	80	
85	5.53	5.711	80	
86	5.53	5.722	80	
87	5.53	5.713	80	
88	5.53	5.375	80	
89	5.53	5.703	80	
90	5.53	5.612	80	
91	5.53	5.432	80	
92	5.53	5.434	80	
93	5.53	5.324	80	
94	5.53	5.475	80	
95	5.53	5.339	80	
96	5.53	5.302	80	
97	5.53	5.337	80	
98	5.53	5.425	80	
99	5.53	5.397	80	
100	5.53	5.354	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.514	80	
2	5.53	5.298	80	
3	5.53	5.32	80	
4	5.53	5.272	80	
5	5.53	5.393	80	
6	5.53	5.694	80	
7	5.53	5.36	80	
8	5.53	5.441	80	
9	5.53	5.613	80	
10	5.53	5.587	80	
11	5.53	5.691	80	
12	5.53	5.575	80	
13	5.53	5.48	80	
14	5.53	5.473	80	
15	5.53	5.292	80	
16	5.53	5.311	80	
17	5.53	5.651	80	
18	5.53	5.515	80	
19	5.53	5.357	80	
20	5.53	5.283	80	
21	5.53	5.426	80	
22	5.53	5.429	80	
23	5.53	5.364	80	
24	5.53	5.529	80	*
25	5.53	5.469	80	
26	5.53	5.316	80	
27	5.53	5.463	80	
28	5.53	5.664	80	
29	5.53	5.526	80	*
30	5.53	5.607	80	
31	5.53	5.335	80	
32	5.53	5.629	80	
33	5.53	5.367	80	
34	5.53	5.437	80	
35	5.53	5.483	80	
36	5.53	5.261	80	
37	5.53	5.67	80	
38	5.53	5.536	80	*
39	5.53	5.397	80	
40	5.53	5.403	80	
41	5.53	5.485	80	
42	5.53	5.424	80	
43	5.53	5.595	80	
44	5.53	5.284	80	
45	5.53	5.458	80	
46	5.53	5.63	80	
47	5.53	5.666	80	

48	5.53	5.42	80	
49	5.53	5.699	80	
50	5.53	5.657	80	
51	5.53	5.574	80	
52	5.53	5.377	80	
53	5.53	5.445	80	
54	5.53	5.481	80	
55	5.53	5.34	80	
56	5.53	5.46	80	
57	5.53	5.504	80	
58	5.53	5.716	80	
59	5.53	5.413	80	
60	5.53	5.452	80	
61	5.53	5.488	80	
62	5.53	5.373	80	
63	5.53	5.517	80	
64	5.53	5.702	80	
65	5.53	5.327	80	
66	5.53	5.318	80	
67	5.53	5.303	80	
68	5.53	5.671	80	
69	5.53	5.557	80	
70	5.53	5.705	80	
71	5.53	5.572	80	
72	5.53	5.581	80	
73	5.53	5.679	80	
74	5.53	5.551	80	
75	5.53	5.53	80	*
76	5.53	5.253	80	
77	5.53	5.308	80	
78	5.53	5.635	80	
79	5.53	5.568	80	
80	5.53	5.482	80	
81	5.53	5.66	80	
82	5.53	5.28	80	
83	5.53	5.571	80	
84	5.53	5.563	80	
85	5.53	5.547	80	
86	5.53	5.58	80	
87	5.53	5.662	80	
88	5.53	5.57	80	
89	5.53	5.418	80	
90	5.53	5.3	80	
91	5.53	5.528	80	*
92	5.53	5.374	80	
93	5.53	5.489	80	
94	5.53	5.258	80	
95	5.53	5.7	80	
96	5.53	5.359	80	
97	5.53	5.677	80	
98	5.53	5.611	80	
99	5.53	5.395	80	
100	5.53	5.642	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.48	80	
2	5.53	5.418	80	
3	5.53	5.439	80	
4	5.53	5.54	80	*
5	5.53	5.552	80	
6	5.53	5.605	80	
7	5.53	5.565	80	
8	5.53	5.663	80	
9	5.53	5.517	80	
10	5.53	5.352	80	
11	5.53	5.422	80	
12	5.53	5.616	80	
13	5.53	5.252	80	
14	5.53	5.372	80	
15	5.53	5.444	80	
16	5.53	5.297	80	
17	5.53	5.403	80	
18	5.53	5.468	80	
19	5.53	5.61	80	
20	5.53	5.319	80	
21	5.53	5.671	80	
22	5.53	5.311	80	
23	5.53	5.718	80	
24	5.53	5.437	80	
25	5.53	5.391	80	
26	5.53	5.7	80	
27	5.53	5.593	80	
28	5.53	5.705	80	
29	5.53	5.432	80	
30	5.53	5.536	80	*
31	5.53	5.29	80	
32	5.53	5.419	80	
33	5.53	5.286	80	
34	5.53	5.532	80	*
35	5.53	5.584	80	
36	5.53	5.251	80	
37	5.53	5.273	80	
38	5.53	5.265	80	
39	5.53	5.441	80	
40	5.53	5.648	80	
41	5.53	5.388	80	
42	5.53	5.521	80	*
43	5.53	5.684	80	
44	5.53	5.692	80	
45	5.53	5.32	80	
46	5.53	5.65	80	
47	5.53	5.257	80	

48	5.53	5.402	80	
49	5.53	5.633	80	
50	5.53	5.551	80	
51	5.53	5.361	80	
52	5.53	5.423	80	
53	5.53	5.415	80	
54	5.53	5.293	80	
55	5.53	5.467	80	
56	5.53	5.328	80	
57	5.53	5.318	80	
58	5.53	5.438	80	
59	5.53	5.476	80	
60	5.53	5.644	80	
61	5.53	5.569	80	
62	5.53	5.315	80	
63	5.53	5.457	80	
64	5.53	5.449	80	
65	5.53	5.331	80	
66	5.53	5.341	80	
67	5.53	5.542	80	
68	5.53	5.618	80	
69	5.53	5.632	80	
70	5.53	5.426	80	
71	5.53	5.41	80	
72	5.53	5.42	80	
73	5.53	5.606	80	
74	5.53	5.489	80	
75	5.53	5.704	80	
76	5.53	5.51	80	
77	5.53	5.598	80	
78	5.53	5.677	80	
79	5.53	5.269	80	
80	5.53	5.383	80	
81	5.53	5.378	80	
82	5.53	5.398	80	
83	5.53	5.698	80	
84	5.53	5.463	80	
85	5.53	5.345	80	
86	5.53	5.675	80	
87	5.53	5.613	80	
88	5.53	5.31	80	
89	5.53	5.492	80	
90	5.53	5.658	80	
91	5.53	5.406	80	
92	5.53	5.505	80	
93	5.53	5.342	80	
94	5.53	5.271	80	
95	5.53	5.585	80	
96	5.53	5.393	80	
97	5.53	5.291	80	
98	5.53	5.382	80	
99	5.53	5.564	80	
100	5.53	5.253	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.591	80	
2	5.53	5.532	80	*
3	5.53	5.424	80	
4	5.53	5.442	80	
5	5.53	5.292	80	
6	5.53	5.673	80	
7	5.53	5.611	80	
8	5.53	5.655	80	
9	5.53	5.475	80	
10	5.53	5.52	80	*
11	5.53	5.553	80	
12	5.53	5.273	80	
13	5.53	5.375	80	
14	5.53	5.291	80	
15	5.53	5.324	80	
16	5.53	5.426	80	
17	5.53	5.661	80	
18	5.53	5.537	80	*
19	5.53	5.472	80	
20	5.53	5.592	80	
21	5.53	5.542	80	
22	5.53	5.396	80	
23	5.53	5.252	80	
24	5.53	5.262	80	
25	5.53	5.602	80	
26	5.53	5.585	80	
27	5.53	5.647	80	
28	5.53	5.627	80	
29	5.53	5.487	80	
30	5.53	5.34	80	
31	5.53	5.361	80	
32	5.53	5.481	80	
33	5.53	5.386	80	
34	5.53	5.669	80	
35	5.53	5.495	80	
36	5.53	5.39	80	
37	5.53	5.527	80	*
38	5.53	5.672	80	
39	5.53	5.418	80	
40	5.53	5.59	80	
41	5.53	5.562	80	
42	5.53	5.503	80	
43	5.53	5.428	80	
44	5.53	5.667	80	
45	5.53	5.652	80	
46	5.53	5.578	80	
47	5.53	5.329	80	

48	5.53	5.659	80	
49	5.53	5.445	80	
50	5.53	5.654	80	
51	5.53	5.44	80	
52	5.53	5.581	80	
53	5.53	5.256	80	
54	5.53	5.342	80	
55	5.53	5.321	80	
56	5.53	5.356	80	
57	5.53	5.319	80	
58	5.53	5.433	80	
59	5.53	5.55	80	
60	5.53	5.267	80	
61	5.53	5.371	80	
62	5.53	5.586	80	
63	5.53	5.657	80	
64	5.53	5.372	80	
65	5.53	5.281	80	
66	5.53	5.296	80	
67	5.53	5.63	80	
68	5.53	5.546	80	
69	5.53	5.714	80	
70	5.53	5.322	80	
71	5.53	5.326	80	
72	5.53	5.595	80	
73	5.53	5.533	80	*
74	5.53	5.476	80	
75	5.53	5.687	80	
76	5.53	5.305	80	
77	5.53	5.511	80	
78	5.53	5.259	80	
79	5.53	5.346	80	
80	5.53	5.466	80	
81	5.53	5.385	80	
82	5.53	5.287	80	
83	5.53	5.432	80	
84	5.53	5.624	80	
85	5.53	5.61	80	
86	5.53	5.336	80	
87	5.53	5.643	80	
88	5.53	5.33	80	
89	5.53	5.364	80	
90	5.53	5.468	80	
91	5.53	5.384	80	
92	5.53	5.28	80	
93	5.53	5.642	80	
94	5.53	5.414	80	
95	5.53	5.485	80	
96	5.53	5.701	80	
97	5.53	5.53	80	*
98	5.53	5.274	80	
99	5.53	5.3	80	
100	5.53	5.58	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.567	80	
2	5.53	5.723	80	
3	5.53	5.649	80	
4	5.53	5.436	80	
5	5.53	5.494	80	
6	5.53	5.399	80	
7	5.53	5.504	80	
8	5.53	5.679	80	
9	5.53	5.453	80	
10	5.53	5.408	80	
11	5.53	5.713	80	
12	5.53	5.435	80	
13	5.53	5.672	80	
14	5.53	5.595	80	
15	5.53	5.418	80	
16	5.53	5.696	80	
17	5.53	5.484	80	
18	5.53	5.69	80	
19	5.53	5.603	80	
20	5.53	5.299	80	
21	5.53	5.351	80	
22	5.53	5.525	80	*
23	5.53	5.396	80	
24	5.53	5.266	80	
25	5.53	5.533	80	*
26	5.53	5.665	80	
27	5.53	5.338	80	
28	5.53	5.405	80	
29	5.53	5.698	80	
30	5.53	5.254	80	
31	5.53	5.465	80	
32	5.53	5.488	80	
33	5.53	5.357	80	
34	5.53	5.315	80	
35	5.53	5.647	80	
36	5.53	5.645	80	
37	5.53	5.629	80	
38	5.53	5.544	80	
39	5.53	5.372	80	
40	5.53	5.278	80	
41	5.53	5.281	80	
42	5.53	5.506	80	
43	5.53	5.335	80	
44	5.53	5.472	80	
45	5.53	5.635	80	
46	5.53	5.443	80	
47	5.53	5.594	80	

48	5.53	5.309	80	
49	5.53	5.43	80	
50	5.53	5.473	80	
51	5.53	5.661	80	
52	5.53	5.431	80	
53	5.53	5.596	80	
54	5.53	5.393	80	
55	5.53	5.49	80	
56	5.53	5.584	80	
57	5.53	5.462	80	
58	5.53	5.701	80	
59	5.53	5.318	80	
60	5.53	5.341	80	
61	5.53	5.681	80	
62	5.53	5.652	80	
63	5.53	5.589	80	
64	5.53	5.493	80	
65	5.53	5.688	80	
66	5.53	5.664	80	
67	5.53	5.705	80	
68	5.53	5.289	80	
69	5.53	5.509	80	
70	5.53	5.587	80	
71	5.53	5.425	80	
72	5.53	5.724	80	
73	5.53	5.562	80	
74	5.53	5.471	80	
75	5.53	5.676	80	
76	5.53	5.343	80	
77	5.53	5.25	80	
78	5.53	5.495	80	
79	5.53	5.475	80	
80	5.53	5.657	80	
81	5.53	5.613	80	
82	5.53	5.415	80	
83	5.53	5.389	80	
84	5.53	5.442	80	
85	5.53	5.58	80	
86	5.53	5.411	80	
87	5.53	5.459	80	
88	5.53	5.363	80	
89	5.53	5.448	80	
90	5.53	5.293	80	
91	5.53	5.456	80	
92	5.53	5.286	80	
93	5.53	5.302	80	
94	5.53	5.499	80	
95	5.53	5.675	80	
96	5.53	5.3	80	
97	5.53	5.38	80	
98	5.53	5.374	80	
99	5.53	5.296	80	
100	5.53	5.512	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.332	80	
2	5.53	5.597	80	
3	5.53	5.585	80	
4	5.53	5.383	80	
5	5.53	5.545	80	
6	5.53	5.626	80	
7	5.53	5.678	80	
8	5.53	5.319	80	
9	5.53	5.526	80	*
10	5.53	5.618	80	
11	5.53	5.608	80	
12	5.53	5.605	80	
13	5.53	5.415	80	
14	5.53	5.55	80	
15	5.53	5.718	80	
16	5.53	5.682	80	
17	5.53	5.386	80	
18	5.53	5.673	80	
19	5.53	5.561	80	
20	5.53	5.454	80	
21	5.53	5.347	80	
22	5.53	5.315	80	
23	5.53	5.345	80	
24	5.53	5.266	80	
25	5.53	5.449	80	
26	5.53	5.564	80	
27	5.53	5.45	80	
28	5.53	5.494	80	
29	5.53	5.43	80	
30	5.53	5.418	80	
31	5.53	5.394	80	
32	5.53	5.705	80	
33	5.53	5.653	80	
34	5.53	5.298	80	
35	5.53	5.634	80	
36	5.53	5.603	80	
37	5.53	5.478	80	
38	5.53	5.7	80	
39	5.53	5.307	80	
40	5.53	5.264	80	
41	5.53	5.664	80	
42	5.53	5.515	80	
43	5.53	5.412	80	
44	5.53	5.269	80	
45	5.53	5.355	80	
46	5.53	5.607	80	
47	5.53	5.393	80	

48	5.53	5.611	80	
49	5.53	5.351	80	
50	5.53	5.491	80	
51	5.53	5.259	80	
52	5.53	5.559	80	
53	5.53	5.715	80	
54	5.53	5.322	80	
55	5.53	5.398	80	
56	5.53	5.588	80	
57	5.53	5.4	80	
58	5.53	5.278	80	
59	5.53	5.27	80	
60	5.53	5.487	80	
61	5.53	5.622	80	
62	5.53	5.538	80	*
63	5.53	5.421	80	
64	5.53	5.691	80	
65	5.53	5.689	80	
66	5.53	5.503	80	
67	5.53	5.375	80	
68	5.53	5.297	80	
69	5.53	5.527	80	*
70	5.53	5.575	80	
71	5.53	5.609	80	
72	5.53	5.433	80	
73	5.53	5.334	80	
74	5.53	5.469	80	
75	5.53	5.681	80	
76	5.53	5.459	80	
77	5.53	5.488	80	
78	5.53	5.489	80	
79	5.53	5.35	80	
80	5.53	5.581	80	
81	5.53	5.637	80	
82	5.53	5.554	80	
83	5.53	5.592	80	
84	5.53	5.566	80	
85	5.53	5.326	80	
86	5.53	5.716	80	
87	5.53	5.265	80	
88	5.53	5.422	80	
89	5.53	5.616	80	
90	5.53	5.279	80	
91	5.53	5.348	80	
92	5.53	5.688	80	
93	5.53	5.669	80	
94	5.53	5.537	80	*
95	5.53	5.647	80	
96	5.53	5.5	80	
97	5.53	5.263	80	
98	5.53	5.407	80	
99	5.53	5.465	80	
100	5.53	5.434	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.275	80	
2	5.53	5.347	80	
3	5.53	5.652	80	
4	5.53	5.645	80	
5	5.53	5.412	80	
6	5.53	5.454	80	
7	5.53	5.691	80	
8	5.53	5.369	80	
9	5.53	5.361	80	
10	5.53	5.282	80	
11	5.53	5.371	80	
12	5.53	5.292	80	
13	5.53	5.323	80	
14	5.53	5.622	80	
15	5.53	5.505	80	
16	5.53	5.509	80	
17	5.53	5.435	80	
18	5.53	5.648	80	
19	5.53	5.649	80	
20	5.53	5.573	80	
21	5.53	5.675	80	
22	5.53	5.709	80	
23	5.53	5.281	80	
24	5.53	5.617	80	
25	5.53	5.296	80	
26	5.53	5.339	80	
27	5.53	5.544	80	
28	5.53	5.632	80	
29	5.53	5.534	80	*
30	5.53	5.655	80	
31	5.53	5.697	80	
32	5.53	5.591	80	
33	5.53	5.308	80	
34	5.53	5.261	80	
35	5.53	5.564	80	
36	5.53	5.377	80	
37	5.53	5.543	80	
38	5.53	5.658	80	
39	5.53	5.305	80	
40	5.53	5.558	80	
41	5.53	5.612	80	
42	5.53	5.349	80	
43	5.53	5.563	80	
44	5.53	5.625	80	
45	5.53	5.266	80	
46	5.53	5.489	80	
47	5.53	5.293	80	

48	5.53	5.321	80	
49	5.53	5.695	80	
50	5.53	5.566	80	
51	5.53	5.326	80	
52	5.53	5.677	80	
53	5.53	5.319	80	
54	5.53	5.579	80	
55	5.53	5.562	80	
56	5.53	5.503	80	
57	5.53	5.619	80	
58	5.53	5.272	80	
59	5.53	5.512	80	
60	5.53	5.713	80	
61	5.53	5.717	80	
62	5.53	5.678	80	
63	5.53	5.684	80	
64	5.53	5.406	80	
65	5.53	5.719	80	
66	5.53	5.664	80	
67	5.53	5.673	80	
68	5.53	5.683	80	
69	5.53	5.389	80	
70	5.53	5.53	80	*
71	5.53	5.7	80	
72	5.53	5.459	80	
73	5.53	5.712	80	
74	5.53	5.455	80	
75	5.53	5.368	80	
76	5.53	5.624	80	
77	5.53	5.418	80	
78	5.53	5.536	80	*
79	5.53	5.532	80	*
80	5.53	5.631	80	
81	5.53	5.668	80	
82	5.53	5.703	80	
83	5.53	5.465	80	
84	5.53	5.317	80	
85	5.53	5.553	80	
86	5.53	5.279	80	
87	5.53	5.295	80	
88	5.53	5.642	80	
89	5.53	5.685	80	
90	5.53	5.257	80	
91	5.53	5.539	80	*
92	5.53	5.527	80	*
93	5.53	5.284	80	
94	5.53	5.529	80	*
95	5.53	5.593	80	
96	5.53	5.45	80	
97	5.53	5.415	80	
98	5.53	5.259	80	
99	5.53	5.696	80	
100	5.53	5.332	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.337	80	
2	5.53	5.411	80	
3	5.53	5.551	80	
4	5.53	5.503	80	
5	5.53	5.606	80	
6	5.53	5.552	80	
7	5.53	5.574	80	
8	5.53	5.632	80	
9	5.53	5.477	80	
10	5.53	5.446	80	
11	5.53	5.366	80	
12	5.53	5.297	80	
13	5.53	5.273	80	
14	5.53	5.405	80	
15	5.53	5.317	80	
16	5.53	5.562	80	
17	5.53	5.382	80	
18	5.53	5.704	80	
19	5.53	5.31	80	
20	5.53	5.333	80	
21	5.53	5.375	80	
22	5.53	5.473	80	
23	5.53	5.596	80	
24	5.53	5.525	80	*
25	5.53	5.537	80	*
26	5.53	5.618	80	
27	5.53	5.421	80	
28	5.53	5.326	80	
29	5.53	5.303	80	
30	5.53	5.724	80	
31	5.53	5.578	80	
32	5.53	5.369	80	
33	5.53	5.3	80	
34	5.53	5.298	80	
35	5.53	5.302	80	
36	5.53	5.529	80	*
37	5.53	5.54	80	*
38	5.53	5.541	80	
39	5.53	5.306	80	
40	5.53	5.546	80	
41	5.53	5.413	80	
42	5.53	5.278	80	
43	5.53	5.697	80	
44	5.53	5.467	80	
45	5.53	5.707	80	
46	5.53	5.577	80	
47	5.53	5.566	80	

48	5.53	5.314	80	
49	5.53	5.305	80	
50	5.53	5.49	80	
51	5.53	5.263	80	
52	5.53	5.454	80	
53	5.53	5.687	80	
54	5.53	5.542	80	
55	5.53	5.698	80	
56	5.53	5.693	80	
57	5.53	5.283	80	
58	5.53	5.397	80	
59	5.53	5.287	80	
60	5.53	5.272	80	
61	5.53	5.672	80	
62	5.53	5.702	80	
63	5.53	5.289	80	
64	5.53	5.52	80	*
65	5.53	5.644	80	
66	5.53	5.474	80	
67	5.53	5.652	80	
68	5.53	5.511	80	
69	5.53	5.576	80	
70	5.53	5.267	80	
71	5.53	5.665	80	
72	5.53	5.426	80	
73	5.53	5.538	80	*
74	5.53	5.674	80	
75	5.53	5.332	80	
76	5.53	5.288	80	
77	5.53	5.353	80	
78	5.53	5.417	80	
79	5.53	5.713	80	
80	5.53	5.445	80	
81	5.53	5.409	80	
82	5.53	5.383	80	
83	5.53	5.345	80	
84	5.53	5.519	80	
85	5.53	5.647	80	
86	5.53	5.709	80	
87	5.53	5.571	80	
88	5.53	5.308	80	
89	5.53	5.662	80	
90	5.53	5.689	80	
91	5.53	5.403	80	
92	5.53	5.682	80	
93	5.53	5.285	80	
94	5.53	5.711	80	
95	5.53	5.357	80	
96	5.53	5.299	80	
97	5.53	5.535	80	*
98	5.53	5.513	80	
99	5.53	5.601	80	
100	5.53	5.376	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.399	80	
2	5.53	5.261	80	
3	5.53	5.644	80	
4	5.53	5.608	80	
5	5.53	5.427	80	
6	5.53	5.597	80	
7	5.53	5.425	80	
8	5.53	5.467	80	
9	5.53	5.59	80	
10	5.53	5.26	80	
11	5.53	5.697	80	
12	5.53	5.429	80	
13	5.53	5.321	80	
14	5.53	5.684	80	
15	5.53	5.509	80	
16	5.53	5.556	80	
17	5.53	5.257	80	
18	5.53	5.609	80	
19	5.53	5.434	80	
20	5.53	5.513	80	
21	5.53	5.701	80	
22	5.53	5.316	80	
23	5.53	5.661	80	
24	5.53	5.621	80	
25	5.53	5.44	80	
26	5.53	5.277	80	
27	5.53	5.3	80	
28	5.53	5.458	80	
29	5.53	5.724	80	
30	5.53	5.453	80	
31	5.53	5.504	80	
32	5.53	5.61	80	
33	5.53	5.485	80	
34	5.53	5.585	80	
35	5.53	5.313	80	
36	5.53	5.449	80	
37	5.53	5.424	80	
38	5.53	5.444	80	
39	5.53	5.494	80	
40	5.53	5.686	80	
41	5.53	5.291	80	
42	5.53	5.457	80	
43	5.53	5.475	80	
44	5.53	5.436	80	
45	5.53	5.571	80	
46	5.53	5.456	80	
47	5.53	5.371	80	

48	5.53	5.498	80	
49	5.53	5.417	80	
50	5.53	5.405	80	
51	5.53	5.676	80	
52	5.53	5.714	80	
53	5.53	5.332	80	
54	5.53	5.58	80	
55	5.53	5.49	80	
56	5.53	5.394	80	
57	5.53	5.699	80	
58	5.53	5.401	80	
59	5.53	5.33	80	
60	5.53	5.472	80	
61	5.53	5.396	80	
62	5.53	5.345	80	
63	5.53	5.702	80	
64	5.53	5.432	80	
65	5.53	5.267	80	
66	5.53	5.536	80	*
67	5.53	5.298	80	
68	5.53	5.579	80	
69	5.53	5.302	80	
70	5.53	5.326	80	
71	5.53	5.519	80	
72	5.53	5.426	80	
73	5.53	5.566	80	
74	5.53	5.552	80	
75	5.53	5.495	80	
76	5.53	5.487	80	
77	5.53	5.325	80	
78	5.53	5.362	80	
79	5.53	5.639	80	
80	5.53	5.572	80	
81	5.53	5.703	80	
82	5.53	5.594	80	
83	5.53	5.327	80	
84	5.53	5.618	80	
85	5.53	5.303	80	
86	5.53	5.336	80	
87	5.53	5.337	80	
88	5.53	5.599	80	
89	5.53	5.542	80	
90	5.53	5.37	80	
91	5.53	5.274	80	
92	5.53	5.575	80	
93	5.53	5.356	80	
94	5.53	5.259	80	
95	5.53	5.258	80	
96	5.53	5.385	80	
97	5.53	5.657	80	
98	5.53	5.613	80	
99	5.53	5.69	80	
100	5.53	5.549	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.3	80	
2	5.53	5.284	80	
3	5.53	5.701	80	
4	5.53	5.469	80	
5	5.53	5.274	80	
6	5.53	5.631	80	
7	5.53	5.623	80	
8	5.53	5.552	80	
9	5.53	5.467	80	
10	5.53	5.698	80	
11	5.53	5.27	80	
12	5.53	5.365	80	
13	5.53	5.543	80	
14	5.53	5.471	80	
15	5.53	5.406	80	
16	5.53	5.267	80	
17	5.53	5.704	80	
18	5.53	5.596	80	
19	5.53	5.544	80	
20	5.53	5.481	80	
21	5.53	5.558	80	
22	5.53	5.483	80	
23	5.53	5.542	80	
24	5.53	5.716	80	
25	5.53	5.32	80	
26	5.53	5.513	80	
27	5.53	5.489	80	
28	5.53	5.577	80	
29	5.53	5.478	80	
30	5.53	5.343	80	
31	5.53	5.338	80	
32	5.53	5.304	80	
33	5.53	5.271	80	
34	5.53	5.31	80	
35	5.53	5.378	80	
36	5.53	5.51	80	
37	5.53	5.579	80	
38	5.53	5.429	80	
39	5.53	5.697	80	
40	5.53	5.382	80	
41	5.53	5.468	80	
42	5.53	5.263	80	
43	5.53	5.323	80	
44	5.53	5.525	80	*
45	5.53	5.319	80	
46	5.53	5.61	80	
47	5.53	5.388	80	

48	5.53	5.671	80	
49	5.53	5.64	80	
50	5.53	5.668	80	
51	5.53	5.36	80	
52	5.53	5.504	80	
53	5.53	5.369	80	
54	5.53	5.628	80	
55	5.53	5.461	80	
56	5.53	5.295	80	
57	5.53	5.683	80	
58	5.53	5.453	80	
59	5.53	5.581	80	
60	5.53	5.283	80	
61	5.53	5.401	80	
62	5.53	5.703	80	
63	5.53	5.52	80	*
64	5.53	5.601	80	
65	5.53	5.448	80	
66	5.53	5.476	80	
67	5.53	5.509	80	
68	5.53	5.291	80	
69	5.53	5.69	80	
70	5.53	5.603	80	
71	5.53	5.595	80	
72	5.53	5.537	80	*
73	5.53	5.675	80	
74	5.53	5.538	80	*
75	5.53	5.326	80	
76	5.53	5.676	80	
77	5.53	5.7	80	
78	5.53	5.55	80	
79	5.53	5.565	80	
80	5.53	5.336	80	
81	5.53	5.253	80	
82	5.53	5.265	80	
83	5.53	5.696	80	
84	5.53	5.607	80	
85	5.53	5.493	80	
86	5.53	5.651	80	
87	5.53	5.58	80	
88	5.53	5.494	80	
89	5.53	5.322	80	
90	5.53	5.68	80	
91	5.53	5.691	80	
92	5.53	5.614	80	
93	5.53	5.373	80	
94	5.53	5.573	80	
95	5.53	5.371	80	
96	5.53	5.455	80	
97	5.53	5.713	80	
98	5.53	5.556	80	
99	5.53	5.496	80	
100	5.53	5.503	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.69	80	
2	5.53	5.499	80	
3	5.53	5.514	80	
4	5.53	5.416	80	
5	5.53	5.262	80	
6	5.53	5.493	80	
7	5.53	5.3	80	
8	5.53	5.4	80	
9	5.53	5.445	80	
10	5.53	5.478	80	
11	5.53	5.722	80	
12	5.53	5.574	80	
13	5.53	5.302	80	
14	5.53	5.331	80	
15	5.53	5.463	80	
16	5.53	5.551	80	
17	5.53	5.378	80	
18	5.53	5.313	80	
19	5.53	5.666	80	
20	5.53	5.563	80	
21	5.53	5.348	80	
22	5.53	5.639	80	
23	5.53	5.25	80	
24	5.53	5.673	80	
25	5.53	5.653	80	
26	5.53	5.49	80	
27	5.53	5.279	80	
28	5.53	5.401	80	
29	5.53	5.42	80	
30	5.53	5.685	80	
31	5.53	5.689	80	
32	5.53	5.601	80	
33	5.53	5.386	80	
34	5.53	5.267	80	
35	5.53	5.284	80	
36	5.53	5.62	80	
37	5.53	5.637	80	
38	5.53	5.549	80	
39	5.53	5.395	80	
40	5.53	5.669	80	
41	5.53	5.486	80	
42	5.53	5.516	80	
43	5.53	5.421	80	
44	5.53	5.41	80	
45	5.53	5.347	80	
46	5.53	5.45	80	
47	5.53	5.392	80	

48	5.53	5.555	80	
49	5.53	5.432	80	
50	5.53	5.292	80	
51	5.53	5.369	80	
52	5.53	5.359	80	
53	5.53	5.705	80	
54	5.53	5.277	80	
55	5.53	5.656	80	
56	5.53	5.266	80	
57	5.53	5.654	80	
58	5.53	5.598	80	
59	5.53	5.412	80	
60	5.53	5.617	80	
61	5.53	5.332	80	
62	5.53	5.587	80	
63	5.53	5.521	80	*
64	5.53	5.723	80	
65	5.53	5.575	80	
66	5.53	5.627	80	
67	5.53	5.301	80	
68	5.53	5.659	80	
69	5.53	5.423	80	
70	5.53	5.546	80	
71	5.53	5.379	80	
72	5.53	5.467	80	
73	5.53	5.718	80	
74	5.53	5.391	80	
75	5.53	5.424	80	
76	5.53	5.307	80	
77	5.53	5.706	80	
78	5.53	5.355	80	
79	5.53	5.592	80	
80	5.53	5.44	80	
81	5.53	5.281	80	
82	5.53	5.651	80	
83	5.53	5.649	80	
84	5.53	5.511	80	
85	5.53	5.652	80	
86	5.53	5.339	80	
87	5.53	5.707	80	
88	5.53	5.289	80	
89	5.53	5.524	80	*
90	5.53	5.544	80	
91	5.53	5.396	80	
92	5.53	5.272	80	
93	5.53	5.693	80	
94	5.53	5.565	80	
95	5.53	5.308	80	
96	5.53	5.647	80	
97	5.53	5.61	80	
98	5.53	5.537	80	*
99	5.53	5.548	80	
100	5.53	5.371	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.465	80	
2	5.53	5.522	80	*
3	5.53	5.371	80	
4	5.53	5.489	80	
5	5.53	5.436	80	
6	5.53	5.42	80	
7	5.53	5.633	80	
8	5.53	5.255	80	
9	5.53	5.274	80	
10	5.53	5.3	80	
11	5.53	5.669	80	
12	5.53	5.537	80	*
13	5.53	5.72	80	
14	5.53	5.424	80	
15	5.53	5.327	80	
16	5.53	5.557	80	
17	5.53	5.639	80	
18	5.53	5.681	80	
19	5.53	5.38	80	
20	5.53	5.651	80	
21	5.53	5.438	80	
22	5.53	5.423	80	
23	5.53	5.524	80	*
24	5.53	5.648	80	
25	5.53	5.25	80	
26	5.53	5.414	80	
27	5.53	5.703	80	
28	5.53	5.544	80	
29	5.53	5.308	80	
30	5.53	5.486	80	
31	5.53	5.437	80	
32	5.53	5.265	80	
33	5.53	5.408	80	
34	5.53	5.708	80	
35	5.53	5.561	80	
36	5.53	5.658	80	
37	5.53	5.447	80	
38	5.53	5.316	80	
39	5.53	5.413	80	
40	5.53	5.464	80	
41	5.53	5.404	80	
42	5.53	5.372	80	
43	5.53	5.632	80	
44	5.53	5.546	80	
45	5.53	5.273	80	
46	5.53	5.565	80	
47	5.53	5.674	80	

48	5.53	5.253	80	
49	5.53	5.439	80	
50	5.53	5.624	80	
51	5.53	5.573	80	
52	5.53	5.379	80	
53	5.53	5.536	80	*
54	5.53	5.508	80	
55	5.53	5.44	80	
56	5.53	5.36	80	
57	5.53	5.535	80	*
58	5.53	5.636	80	
59	5.53	5.586	80	
60	5.53	5.712	80	
61	5.53	5.641	80	
62	5.53	5.541	80	
63	5.53	5.391	80	
64	5.53	5.377	80	
65	5.53	5.66	80	
66	5.53	5.543	80	
67	5.53	5.551	80	
68	5.53	5.445	80	
69	5.53	5.375	80	
70	5.53	5.511	80	
71	5.53	5.682	80	
72	5.53	5.4	80	
73	5.53	5.548	80	
74	5.53	5.591	80	
75	5.53	5.687	80	
76	5.53	5.634	80	
77	5.53	5.392	80	
78	5.53	5.516	80	
79	5.53	5.354	80	
80	5.53	5.506	80	
81	5.53	5.665	80	
82	5.53	5.296	80	
83	5.53	5.552	80	
84	5.53	5.619	80	
85	5.53	5.289	80	
86	5.53	5.69	80	
87	5.53	5.554	80	
88	5.53	5.291	80	
89	5.53	5.382	80	
90	5.53	5.258	80	
91	5.53	5.51	80	
92	5.53	5.458	80	
93	5.53	5.715	80	
94	5.53	5.452	80	
95	5.53	5.608	80	
96	5.53	5.683	80	
97	5.53	5.419	80	
98	5.53	5.358	80	
99	5.53	5.697	80	
100	5.53	5.293	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.401	80	
2	5.53	5.472	80	
3	5.53	5.626	80	
4	5.53	5.65	80	
5	5.53	5.475	80	
6	5.53	5.422	80	
7	5.53	5.319	80	
8	5.53	5.436	80	
9	5.53	5.576	80	
10	5.53	5.705	80	
11	5.53	5.4	80	
12	5.53	5.299	80	
13	5.53	5.599	80	
14	5.53	5.712	80	
15	5.53	5.404	80	
16	5.53	5.667	80	
17	5.53	5.327	80	
18	5.53	5.698	80	
19	5.53	5.58	80	
20	5.53	5.324	80	
21	5.53	5.31	80	
22	5.53	5.533	80	*
23	5.53	5.399	80	
24	5.53	5.342	80	
25	5.53	5.27	80	
26	5.53	5.433	80	
27	5.53	5.621	80	
28	5.53	5.286	80	
29	5.53	5.537	80	*
30	5.53	5.569	80	
31	5.53	5.372	80	
32	5.53	5.574	80	
33	5.53	5.491	80	
34	5.53	5.635	80	
35	5.53	5.529	80	*
36	5.53	5.585	80	
37	5.53	5.408	80	
38	5.53	5.68	80	
39	5.53	5.648	80	
40	5.53	5.603	80	
41	5.53	5.545	80	
42	5.53	5.636	80	
43	5.53	5.409	80	
44	5.53	5.688	80	
45	5.53	5.6	80	
46	5.53	5.676	80	
47	5.53	5.543	80	

48	5.53	5.477	80	
49	5.53	5.264	80	
50	5.53	5.29	80	
51	5.53	5.455	80	
52	5.53	5.524	80	*
53	5.53	5.344	80	
54	5.53	5.434	80	
55	5.53	5.606	80	
56	5.53	5.277	80	
57	5.53	5.44	80	
58	5.53	5.602	80	
59	5.53	5.555	80	
60	5.53	5.259	80	
61	5.53	5.664	80	
62	5.53	5.617	80	
63	5.53	5.652	80	
64	5.53	5.316	80	
65	5.53	5.365	80	
66	5.53	5.582	80	
67	5.53	5.384	80	
68	5.53	5.531	80	*
69	5.53	5.614	80	
70	5.53	5.325	80	
71	5.53	5.654	80	
72	5.53	5.584	80	
73	5.53	5.52	80	*
74	5.53	5.711	80	
75	5.53	5.398	80	
76	5.53	5.67	80	
77	5.53	5.293	80	
78	5.53	5.359	80	
79	5.53	5.534	80	*
80	5.53	5.681	80	
81	5.53	5.335	80	
82	5.53	5.568	80	
83	5.53	5.313	80	
84	5.53	5.415	80	
85	5.53	5.483	80	
86	5.53	5.696	80	
87	5.53	5.724	80	
88	5.53	5.485	80	
89	5.53	5.72	80	
90	5.53	5.638	80	
91	5.53	5.454	80	
92	5.53	5.562	80	
93	5.53	5.625	80	
94	5.53	5.256	80	
95	5.53	5.525	80	*
96	5.53	5.47	80	
97	5.53	5.262	80	
98	5.53	5.471	80	
99	5.53	5.521	80	*
100	5.53	5.629	80	

--

802.11ax(HE80) - 5530MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.53	5.568	80	
2	5.53	5.283	80	
3	5.53	5.654	80	
4	5.53	5.38	80	
5	5.53	5.647	80	
6	5.53	5.662	80	
7	5.53	5.438	80	
8	5.53	5.601	80	
9	5.53	5.349	80	
10	5.53	5.384	80	
11	5.53	5.691	80	
12	5.53	5.256	80	
13	5.53	5.503	80	
14	5.53	5.577	80	
15	5.53	5.478	80	
16	5.53	5.52	80	*
17	5.53	5.611	80	
18	5.53	5.569	80	
19	5.53	5.46	80	
20	5.53	5.453	80	
21	5.53	5.567	80	
22	5.53	5.591	80	
23	5.53	5.548	80	
24	5.53	5.606	80	
25	5.53	5.588	80	
26	5.53	5.701	80	
27	5.53	5.605	80	
28	5.53	5.58	80	
29	5.53	5.509	80	
30	5.53	5.583	80	
31	5.53	5.636	80	
32	5.53	5.373	80	
33	5.53	5.506	80	
34	5.53	5.405	80	
35	5.53	5.564	80	
36	5.53	5.352	80	
37	5.53	5.71	80	
38	5.53	5.357	80	
39	5.53	5.672	80	
40	5.53	5.693	80	
41	5.53	5.317	80	
42	5.53	5.483	80	
43	5.53	5.434	80	
44	5.53	5.465	80	
45	5.53	5.272	80	
46	5.53	5.394	80	
47	5.53	5.684	80	

48	5.53	5.678	80	
49	5.53	5.371	80	
50	5.53	5.302	80	
51	5.53	5.486	80	
52	5.53	5.252	80	
53	5.53	5.722	80	
54	5.53	5.468	80	
55	5.53	5.556	80	
56	5.53	5.619	80	
57	5.53	5.464	80	
58	5.53	5.413	80	
59	5.53	5.332	80	
60	5.53	5.271	80	
61	5.53	5.303	80	
62	5.53	5.551	80	
63	5.53	5.55	80	
64	5.53	5.414	80	
65	5.53	5.699	80	
66	5.53	5.626	80	
67	5.53	5.428	80	
68	5.53	5.653	80	
69	5.53	5.5	80	
70	5.53	5.708	80	
71	5.53	5.492	80	
72	5.53	5.56	80	
73	5.53	5.504	80	
74	5.53	5.285	80	
75	5.53	5.523	80	*
76	5.53	5.471	80	
77	5.53	5.312	80	
78	5.53	5.518	80	
79	5.53	5.519	80	
80	5.53	5.537	80	*
81	5.53	5.288	80	
82	5.53	5.576	80	
83	5.53	5.593	80	
84	5.53	5.257	80	
85	5.53	5.389	80	
86	5.53	5.362	80	
87	5.53	5.322	80	
88	5.53	5.698	80	
89	5.53	5.53	80	*
90	5.53	5.511	80	
91	5.53	5.491	80	
92	5.53	5.266	80	
93	5.53	5.632	80	
94	5.53	5.294	80	
95	5.53	5.426	80	
96	5.53	5.425	80	
97	5.53	5.494	80	
98	5.53	5.443	80	
99	5.53	5.572	80	
100	5.53	5.422	80	

--

802.11ax(HE160) - 5570MHz			
RADAR TYPE 1			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	98	1	538
2	83	1	638
3	74	1	718
4	63	1	838
5	78	1	678
6	18	1	3066
7	76	1	698
8	65	1	818
9	95	1	558
10	92	1	578
11	83	1	638
12	95	1	558
13	98	1	538
14	76	1	698
15	67	1	798
16	58	1	918
17	57	1	938
18	72	1	738
19	59	1	898
20	65	1	818
21	61	1	878
22	89	1	598
23	58	1	918
24	102	1	518
25	76	1	698
26	61	1	878
27	76	1	698
28	98	1	538
29	68	1	778
30	81	1	658

802.11ax(HE160) - 5570MHz			
RADAR TYPE 2			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	29	2.3	204
2	29	2.2	153
3	24	1.2	180
4	28	2.4	225
5	26	2.9	208
6	26	1.2	165
7	26	2.8	208
8	24	3.9	219
9	27	3.6	189
10	27	2.8	229
11	23	4.3	206
12	24	4.3	191
13	24	1.3	205
14	27	1.6	191
15	23	4	229
16	26	4	171
17	28	2.5	184
18	26	3.1	193
19	27	1.3	194
20	28	3.3	188
21	25	3.3	178
22	27	3.9	216
23	26	1.8	168
24	26	4.3	205
25	23	4.8	195
26	25	4.5	153
27	24	3.6	172
28	27	2.7	225
29	27	4.7	176
30	23	1.6	194

802.11ax(HE160) - 5570MHz			
RADAR TYPE 3			
Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	16	8.1	240
2	17	7.6	395
3	16	7.4	272
4	17	6.2	486
5	17	6.8	315
6	16	10	288
7	16	7.3	363
8	16	7.7	301
9	18	6.2	453
10	16	6.9	440
11	16	8.5	344
12	18	6.4	493
13	18	9.4	261
14	17	8	353
15	17	8.3	466
16	16	9.1	341
17	16	8.3	435
18	17	9.6	445
19	18	7.8	432
20	16	7.6	402
21	18	9.2	374
22	17	6.3	429
23	16	6.1	468
24	18	6.7	460
25	16	9.5	387
26	17	9.7	249
27	17	6.9	262
28	18	7.8	436
29	18	7.2	481
30	16	8.7	395

802.11ax(HE160) - 5570MHz**RADAR TYPE 4**

Trial #	Number of Pulses per Burst	Pulse Width (μsec)	PRI (μs)
1	15	17.5	359
2	12	16.6	428
3	14	19	229
4	15	17.3	407
5	16	16	312
6	14	13.8	457
7	14	12	338
8	14	17.2	280
9	15	13.7	485
10	15	13.7	488
11	16	17.9	232
12	15	15.1	412
13	13	13.3	351
14	15	15.4	237
15	14	12.2	387
16	13	11.6	439
17	13	18.8	225
18	13	12	207
19	15	18.6	247
20	15	11.1	235
21	13	19.3	493
22	14	13.4	326
23	14	17.5	397
24	13	18.4	234
25	15	19.8	420
26	12	14.8	246
27	14	19.7	312
28	13	18.3	473
29	13	15.2	251
30	14	18.4	403

802.11ax(HE160) - 5570MHz			
TYPE 5			
Trial #	Chirp Width (MHz)	Subset	Fc
1	13	1	5570
2	5	1	5570
3	17	1	5570
4	10	1	5570
5	9	1	5570
6	5	1	5570
7	6	1	5570
8	12	1	5570
9	13	1	5570
10	11	1	5570
11	17	2	5497.8
12	10	2	5495
13	18	2	5498.2
14	18	2	5498.2
15	14	2	5496.6
16	13	2	5496.2
17	5	2	5493
18	18	2	5498.2
19	14	2	5496.6
20	9	2	5494.6
21	10	3	5645
22	9	3	5645.4
23	20	3	5641
24	6	3	5646.6
25	7	3	5646.2
26	9	3	5645.4
27	7	3	5646.2
28	18	3	5641.8
29	15	3	5643
30	5	3	5647

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 1						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	92	13	1569		392.782
2	1	73	13			301.718
3	2	55.2	13	1373		424.845
4	2	84.7	13	1355		76.203
5	1	99.7	13			23.151
6	1	99	13			184.628
7	3	83.7	13	1151	1013	411.376
8	1	82.7	13			315.724
9	2	83.1	13	1432		442.531
10	2	51.4	13	1723		248.109
11	1	52	13			557.746
12	3	53.2	13	1786	1759	16.734
13	2	60.5	13	1090		349.542
14	3	77.4	13	1783	1394	132.629
15	1	61.8	13			370.147
16	2	72.8	13	1665		401.965
17	3	76.3	13	1936	1045	306.982

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 12

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 4						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	58.4	10	1930		215.57
2	2	82.2	10	1007		269.095
3	1	93.1	10			121.5
4	1	86.2	10			520.03
5	1	94.9	10			347.36
6	2	93.1	10	1825		553.44
7	2	64.4	10	1704		325.48
8	2	60.7	10	1550		243.17
9	2	59	10	1792		39.93
10	1	89	10			33.81
11	2	52.6	10	1725		425.69
12	3	89.8	10	1606	1056	434.41
13	1	70.8	10			304.22
14	2	96.6	10	1768		337.8
15	1	89.2	10			152.75
16	2	66.8	10	1786		427.87
17	2	83.6	10	1509		348.51
18	3	74.9	10	1047	1544	40.1
19	2	90.7	10	1551		132.8
20	2	91.6	10	1470		352

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 5						
Bursts in Trial: 14						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	2	94.2	9	1479		169.75
2	1	75.6	9			72.712
3	2	95	9	1142		724.204
4	2	87.1	9	1134		439.001
5	3	89.8	9	1289	1839	230.709
6	1	91.8	9			437.176
7	3	54.9	9	1494	1477	503.383
8	3	71.5	9	1959	1122	555.62
9	3	78.5	9	1772	1257	396.037
10	1	67.8	9			23.134
11	2	59	9	1106		110.551
12	3	96.9	9	1159	1566	456.319
13	1	94.7	9			551.886
14	1	97.6	9			208.643

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 7						
Bursts in Trial: 15						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	96.5	6			787.675
2	3	84.8	6	1507	1497	753.31
3	3	96.6	6	1005	1719	23.63
4	3	81.6	6	1107	1930	577.33
5	2	99	6	1250		547.31
6	2	53.6	6	1549		683.75
7	2	91.4	6	1400		43.86
8	2	69.7	6	1503		182.7
9	3	94.8	6	1175	1152	28.49
10	3	75.5	6	1737	1266	481.35
11	2	66.9	6	1134		325.66
12	2	91.4	6	1931		707.55
13	3	56.3	6	1023	1248	746.6
14	2	71.6	6	1640		29.6
15	2	96.9	6	1998		661.2

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 9						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	89.8	13	1461		45.808
2	1	52.1	13			653.143
3	2	69.3	13	1911		475.357
4	1	62.4	13			238.89
5	2	74.3	13	1150		473.923
6	1	81	13			313.107
7	2	53.8	13	1858		432.55
8	2	75.1	13	1508		128.023
9	2	86.6	13	1296		71.487
10	2	52.4	13	1816		536.21
11	2	91.8	13	1991		41.333
12	1	62.5	13			422.727
13	2	84.6	13	1667		56.72
14	3	61.3	13	1069	1264	164.153
15	2	95.2	13	1645		1.167
16	2	61.4	13	1846		633.2
17	2	86	13	1341		364.233
18	1	62.3	13			208.067

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 10						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	76.4	11	1729	1531	395.836
2	2	83.8	11	1604		735.02
3	3	60.9	11	1013	1039	146.72
4	2	90.2	11	1129		128.02
5	2	87.3	11	1479		350.94
6	2	95.1	11	1775		132.27
7	2	90.7	11	1257		513.02
8	3	53.9	11	1949	1640	117.98
9	3	90.2	11	1470	1522	493.11
10	2	75.8	11	1985		22.85
11	3	69.6	11	1549	1325	594.98
12	1	96.2	11			363.13
13	2	50.7	11	1462		309.66
14	1	69.1	11			99.3
15	3	75.9	11	1403	1489	634.5
16	2	85.1	11	1055		140.4

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 11

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 12						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	89.1	10			414.147
2	3	83.2	10	1054	1054	708.693
3	2	89.7	10	1319		493.606
4	3	71.4	10	1045	1213	351.489
5	3	93.8	10	1742	1788	625.132
6	3	60.6	10	1310	1145	614.155
7	2	59.1	10	1801		667.118
8	1	87.5	10			149.382
9	2	85.7	10	1412		522.985
10	3	52.7	10	1512	1408	744.598
11	3	70.1	10	1140	1131	821.431
12	3	95.4	10	1459	1045	189.554
13	2	95.7	10	1972		878.477

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 14						
Bursts in Trial: 11						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	77.7	18	1989		445.628
2	3	68.2	18	1471	1069	105.381
3	1	67.6	18			553.412
4	3	53.8	18	1742	1094	111.463
5	3	71.6	18	1273	1465	539.524
6	2	65.6	18	1063		127.715
7	3	52.8	18	1831	1755	966.045
8	2	90.8	18	1897		560.796
9	2	82.2	18	1634		613.677
10	2	93.9	18	1641		46.448
11	3	91.4	18	1132	1563	314.509

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 8

--

Rohde & Schwarz
Pulse Sequencer

Bursts in Trial: 10

[illegible]

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 17						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	79.9	5	1205	1714	315.887
2	2	72.2	5	1467		18.037
3	1	98.3	5			118.762
4	1	62	5			566.783
5	3	92	5	1872	1737	465.644
6	1	70.8	5			173.305
7	2	89.7	5	1098		228.666
8	2	94	5	1400		332.067
9	3	67.1	5	1315	1968	388.648
10	2	61.5	5	1589		257.359
11	1	83.2	5			477.321
12	2	77.1	5	1494		319.542
13	1	72.3	5			561.393
14	2	84.7	5	1405		597.524
15	2	63.5	5	1705		96.615
16	2	78.2	5	1729		463.266
17	3	79.1	5	1948	1300	326.137
18	1	61.5	5			52.958
19	2	61.9	5	1216		554.479

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 18						
Bursts in Trial: 12						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	95.6	18			955.001
2	3	71	18	1580	1410	817.16
3	2	92.2	18	1353		332.76
4	2	79.9	18	1438		580.22
5	2	93	18	1929		566.49
6	3	69.1	18	1416	1909	222.79
7	2	71.5	18	1328		239.1
8	3	77.8	18	1169	1480	233.66
9	2	81.9	18	1941		447.33
10	2	65.2	18	1423		481.03
11	3	59.2	18	1072	1303	715.1
12	3	95.1	18	1380	1675	294.5

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 19						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	71.5	14	1599		280.733
2	1	97	14			502.578
3	1	51.8	14			608.635
4	2	83.9	14	1569		191.903
5	1	60.2	14			498.571
6	3	62.3	14	1791	1424	25.678
7	3	65.9	14	1504	1514	54.556
8	2	68.6	14	1022		449.814
9	2	65.6	14	1431		245.231
10	2	62.1	14	1189		521.399
11	2	75.6	14	1869		307.306
12	1	67.3	14			424.114
13	2	97.3	14	1806		228.422
14	3	77.4	14	1517	1450	426.449
15	2	72	14	1017		431.747
16	3	66.8	14	1293	1778	499.365
17	2	67.8	14	1050		482.782

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 20						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	3	96.3	9	1355	1783	32.642
2	2	67.5	9	1063		552.81
3	2	68.3	9	1995		611.88
4	2	55.6	9	1973		235.04
5	1	71.9	9			206.49
6	1	66.7	9			22.91
7	2	97.3	9	1298		263.55
8	3	91	9	1111	1844	203.76
9	2	64.3	9	1724		48.95
10	3	91.7	9	1909	1638	462.06
11	1	59.9	9			340.58
12	1	52.6	9			490.44
13	3	86.1	9	1154	1069	347.16
14	1	59.9	9			256.1
15	2	62.3	9	1187		361.6
16	2	54.8	9	1424		327.4

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 21						
Bursts in Trial: 18						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	69	10	1195		202.003
2	3	66	10	1994	1081	139.35
3	1	95.9	10			202.787
4	1	89.7	10			534.34
5	3	87.3	10	1198	1786	638.293
6	2	69.7	10	1815		300.297
7	1	72.6	10			77.22
8	3	50.1	10	1985	1914	461.353
9	2	57.7	10	1378		581.087
10	2	90	10	1675		82.5
11	2	86	10	1493		656.833
12	3	57.8	10	1436	1141	523.127
13	1	67.9	10			501.04
14	2	89	10	1828		578.303
15	1	71.2	10			22.717
16	2	96.6	10	1857		454.5
17	2	96.2	10	1425		102.533
18	3	50.5	10	1863	1018	339.667

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 22						
Bursts in Trial: 20						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	82.1	9	1196		336.246
2	2	71.3	9	1972		579.34
3	1	60.3	9			395.24
4	3	91	9	1412	1423	422.5
5	1	88.5	9			95.34
6	1	66.8	9			34.17
7	3	87.8	9	1876	1222	141.79
8	3	95.3	9	1467	1789	586.87
9	2	54.7	9	1953		530.85
10	2	77.4	9	1385		301.53
11	2	64	9	1590		238.54
12	2	56.9	9	1128		291.11
13	1	92.4	9			331.78
14	2	96.3	9	1000		115.8
15	3	87.5	9	1112	1411	312.93
16	2	75	9	1653		523.39
17	3	50.5	9	1017	1073	176.11
18	3	78.3	9	1870	1191	166.9
19	1	81.6	9			593.7
20	2	92	9	1960		324.7

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 23						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μ sec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μ sec)	Pulse 2-to-3 PRI (μ sec)	Start Location Within Interval (msec)
1	3	91	20	1873	1424	67.744
2	2	90.6	20	1298		869.353
3	3	94.9	20	1318	1361	533.876
4	1	75.8	20			417.839
5	1	96.7	20			170.612
6	2	50	20	1505		876.955
7	3	56.1	20	1296	1645	379.668
8	2	69.8	20	1180		48.802
9	2	72.7	20	1234		222.175
10	3	63.1	20	1727	1452	330.478
11	1	64	20			751.911
12	2	98.5	20	1428		82.554
13	1	66.7	20			625.277

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 24						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	68.6	6			577.921
2	2	66.8	6	1796		237.784
3	2	79.8	6	1473		4.145
4	1	87.6	6			167.833
5	2	80.3	6	1109		314.061
6	2	86.1	6	1410		478.038
7	2	95.6	6	1021		506.016
8	1	78.3	6			58.734
9	2	76.5	6	1881		215.371
10	1	70.6	6			116.679
11	1	87	6			491.696
12	2	51.7	6	1030		203.184
13	2	81.4	6	1837		450.472
14	2	50.4	6	1946		4.489
15	3	57.1	6	1687	1359	77.077
16	2	78.7	6	1128		587.365
17	2	92.3	6	1620		326.282

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 25						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	1	98.3	7			215.501
2	2	64.5	7	1121		652.37
3	2	57.4	7	1093		192.69
4	3	55.5	7	1301	1930	457.99
5	2	88.4	7	1588		243.08
6	2	99.7	7	1163		616.99
7	1	87.9	7			520.17
8	2	77.5	7	1810		738.94
9	2	72.4	7	1667		524.29
10	2	80.4	7	1548		607.7
11	3	63	7	1719	1175	478.47
12	3	58	7	1880	1874	212.89
13	2	89.8	7	1679		239.29
14	2	57.9	7	1739		468.9
15	3	87.8	7	1605	1184	425.7
16	2	52	7	1837		485.9

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 26						
Bursts in Trial: 16						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	62	9	1259		223.527
2	3	68.7	9	1595	1196	490.33
3	1	67.4	9			726.21
4	2	81.2	9	1437		76.83
5	1	52	9			707.69
6	2	52.9	9	1503		591.82
7	1	68	9			558.17
8	1	95.8	9			630.49
9	3	57.2	9	1358	1040	628.21
10	1	68.7	9			214.52
11	2	50	9	1096		295.37
12	1	55.6	9			11.17
13	1	81.9	9			287.58
14	3	90.7	9	1340	1694	49.06
15	3	57.5	9	1483	1410	623
16	2	80.4	9	1629		144.1

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 27						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	92.1	7	1735		549.584
2	2	87.4	7	1182		400.153
3	1	90	7			600.166
4	3	70.9	7	1713	1297	603.699
5	2	66.1	7	1662		840.052
6	1	67.6	7			615.235
7	2	65.7	7	1792		305.408
8	2	50.2	7	1477		11.792
9	2	98.3	7	1579		644.245
10	2	90.9	7	1943		742.958
11	2	94.3	7	1966		64.791
12	3	71.1	7	1583	1705	447.654
13	3	70	7	1305	1876	699.777

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 28						
Bursts in Trial: 17						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	83.1	18	1390		103.777
2	3	54.2	18	1602	1536	184.639
3	3	55.8	18	1945	1058	417.305
4	2	93.3	18	1589		137.293
5	1	69.3	18			290.381
6	2	55.9	18	1391		102.008
7	1	80.9	18			302.816
8	2	67.9	18	1863		97.714
9	1	96.7	18			614.841
10	2	98.3	18	1155		528.279
11	3	63.8	18	1103	1200	224.526
12	2	90.4	18	1852		646.274
13	2	60.9	18	1421		76.772
14	2	87.8	18	1623		55.299
15	2	75.7	18	1342		526.547
16	2	83.3	18	1378		17.865
17	2	96.8	18	1146		132.582

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 29						
Bursts in Trial: 13						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	62.2	15	1969		422.296
2	1	51.2	15			683.533
3	1	65.5	15			162.786
4	2	93.7	15	1537		639.079
5	2	53.3	15	1200		628.012
6	1	76.3	15			172.335
7	3	82.2	15	1803	1118	15.038
8	2	94.3	15	1502		62.832
9	2	67.5	15	1338		56.485
10	2	66	15	1837		698.748
11	2	100	15	1764		34.181
12	3	86	15	1594	1679	542.254
13	3	51.4	15	1607	1502	148.777

--

TYPE 5 PARAMETER SHEET						Rohde & Schwarz Pulse Sequencer
Trial Number : 30						
Bursts in Trial: 19						
Burst	Number of Pulses	Pulse Width (μsec)	Chirp Width (MHz)	Pulse 1-to-2 PRI (μsec)	Pulse 2-to-3 PRI (μsec)	Start Location Within Interval (msec)
1	2	65.2	5	1965		274.852
2	3	88.4	5	1014	1615	291.208
3	1	80.1	5			174.922
4	2	54.4	5	1601		409.383
5	2	84.9	5	1867		15.044
6	2	52.9	5	1778		538.405
7	1	64.8	5			138.486
8	2	62.1	5	1267		133.827
9	3	97.7	5	1441	1345	209.418
10	2	96.2	5	1703		250.729
11	2	72.3	5	1930		418.911
12	1	72.2	5			175.522
13	3	80.5	5	1710	1866	482.813
14	1	50	5			611.254
15	2	79.8	5	1328		172.415
16	2	68.3	5	1902		397.276
17	3	93.6	5	1284	1576	328.937
18	2	68.7	5	1164		6.758
19	3	69.6	5	1994	1225	519.479

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 1				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.351	160	
2	5.57	5.45	160	
3	5.57	5.427	160	
4	5.57	5.365	160	
5	5.57	5.468	160	
6	5.57	5.671	160	
7	5.57	5.71	160	
8	5.57	5.57	160	
9	5.57	5.463	160	
10	5.57	5.312	160	
11	5.57	5.424	160	
12	5.57	5.408	160	
13	5.57	5.582	160	
14	5.57	5.405	160	
15	5.57	5.31	160	
16	5.57	5.563	160	
17	5.57	5.487	160	
18	5.57	5.264	160	
19	5.57	5.473	160	
20	5.57	5.593	160	
21	5.57	5.56	160	
22	5.57	5.333	160	
23	5.57	5.566	160	
24	5.57	5.577	160	
25	5.57	5.565	160	
26	5.57	5.288	160	*
27	5.57	5.399	160	
28	5.57	5.598	160	
29	5.57	5.632	160	
30	5.57	5.28	160	*
31	5.57	5.677	160	
32	5.57	5.382	160	
33	5.57	5.431	160	
34	5.57	5.266	160	
35	5.57	5.531	160	
36	5.57	5.304	160	
37	5.57	5.716	160	
38	5.57	5.386	160	
39	5.57	5.269	160	
40	5.57	5.26	160	
41	5.57	5.311	160	
42	5.57	5.367	160	
43	5.57	5.384	160	
44	5.57	5.371	160	
45	5.57	5.465	160	
46	5.57	5.622	160	
47	5.57	5.654	160	

48	5.57	5.47	160	
49	5.57	5.646	160	
50	5.57	5.549	160	
51	5.57	5.505	160	
52	5.57	5.5	160	
53	5.57	5.507	160	
54	5.57	5.547	160	
55	5.57	5.574	160	
56	5.57	5.475	160	
57	5.57	5.557	160	
58	5.57	5.529	160	
59	5.57	5.432	160	
60	5.57	5.645	160	
61	5.57	5.276	160	
62	5.57	5.616	160	
63	5.57	5.374	160	
64	5.57	5.661	160	
65	5.57	5.354	160	
66	5.57	5.423	160	
67	5.57	5.533	160	
68	5.57	5.562	160	
69	5.57	5.522	160	
70	5.57	5.328	160	
71	5.57	5.721	160	
72	5.57	5.471	160	
73	5.57	5.618	160	
74	5.57	5.72	160	
75	5.57	5.258	160	
76	5.57	5.606	160	
77	5.57	5.512	160	
78	5.57	5.253	160	
79	5.57	5.308	160	
80	5.57	5.332	160	
81	5.57	5.612	160	
82	5.57	5.372	160	
83	5.57	5.669	160	
84	5.57	5.353	160	
85	5.57	5.342	160	
86	5.57	5.578	160	
87	5.57	5.51	160	
88	5.57	5.392	160	
89	5.57	5.637	160	
90	5.57	5.297	160	*
91	5.57	5.387	160	
92	5.57	5.532	160	
93	5.57	5.373	160	
94	5.57	5.348	160	
95	5.57	5.429	160	
96	5.57	5.395	160	
97	5.57	5.435	160	
98	5.57	5.656	160	
99	5.57	5.323	160	
100	5.57	5.682	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 2				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.61	160	
2	5.57	5.697	160	
3	5.57	5.386	160	
4	5.57	5.351	160	
5	5.57	5.314	160	
6	5.57	5.552	160	
7	5.57	5.626	160	
8	5.57	5.625	160	
9	5.57	5.563	160	
10	5.57	5.377	160	
11	5.57	5.624	160	
12	5.57	5.539	160	
13	5.57	5.325	160	
14	5.57	5.394	160	
15	5.57	5.32	160	
16	5.57	5.542	160	
17	5.57	5.55	160	
18	5.57	5.268	160	
19	5.57	5.466	160	
20	5.57	5.535	160	
21	5.57	5.465	160	
22	5.57	5.528	160	
23	5.57	5.644	160	
24	5.57	5.508	160	
25	5.57	5.473	160	
26	5.57	5.366	160	
27	5.57	5.675	160	
28	5.57	5.663	160	
29	5.57	5.722	160	
30	5.57	5.347	160	
31	5.57	5.417	160	
32	5.57	5.315	160	
33	5.57	5.373	160	
34	5.57	5.349	160	
35	5.57	5.527	160	
36	5.57	5.587	160	
37	5.57	5.692	160	
38	5.57	5.341	160	
39	5.57	5.345	160	
40	5.57	5.392	160	
41	5.57	5.444	160	
42	5.57	5.474	160	
43	5.57	5.297	160	*
44	5.57	5.435	160	
45	5.57	5.273	160	
46	5.57	5.616	160	
47	5.57	5.582	160	

48	5.57	5.418	160	
49	5.57	5.654	160	
50	5.57	5.593	160	
51	5.57	5.471	160	
52	5.57	5.647	160	
53	5.57	5.27	160	
54	5.57	5.543	160	
55	5.57	5.48	160	
56	5.57	5.602	160	
57	5.57	5.522	160	
58	5.57	5.316	160	
59	5.57	5.429	160	
60	5.57	5.695	160	
61	5.57	5.352	160	
62	5.57	5.685	160	
63	5.57	5.371	160	
64	5.57	5.504	160	
65	5.57	5.413	160	
66	5.57	5.51	160	
67	5.57	5.705	160	
68	5.57	5.496	160	
69	5.57	5.683	160	
70	5.57	5.643	160	
71	5.57	5.387	160	
72	5.57	5.603	160	
73	5.57	5.719	160	
74	5.57	5.545	160	
75	5.57	5.622	160	
76	5.57	5.426	160	
77	5.57	5.274	160	
78	5.57	5.655	160	
79	5.57	5.642	160	
80	5.57	5.506	160	
81	5.57	5.628	160	
82	5.57	5.282	160	*
83	5.57	5.389	160	
84	5.57	5.588	160	
85	5.57	5.632	160	
86	5.57	5.714	160	
87	5.57	5.339	160	
88	5.57	5.448	160	
89	5.57	5.537	160	
90	5.57	5.711	160	
91	5.57	5.332	160	
92	5.57	5.69	160	
93	5.57	5.688	160	
94	5.57	5.634	160	
95	5.57	5.275	160	
96	5.57	5.449	160	
97	5.57	5.68	160	
98	5.57	5.62	160	
99	5.57	5.46	160	
100	5.57	5.565	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 3				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.511	160	
2	5.57	5.3	160	*
3	5.57	5.348	160	
4	5.57	5.705	160	
5	5.57	5.601	160	
6	5.57	5.691	160	
7	5.57	5.681	160	
8	5.57	5.521	160	
9	5.57	5.489	160	
10	5.57	5.706	160	
11	5.57	5.329	160	
12	5.57	5.354	160	
13	5.57	5.408	160	
14	5.57	5.255	160	
15	5.57	5.632	160	
16	5.57	5.405	160	
17	5.57	5.701	160	
18	5.57	5.383	160	
19	5.57	5.598	160	
20	5.57	5.438	160	
21	5.57	5.307	160	
22	5.57	5.422	160	
23	5.57	5.359	160	
24	5.57	5.322	160	
25	5.57	5.709	160	
26	5.57	5.694	160	
27	5.57	5.54	160	
28	5.57	5.423	160	
29	5.57	5.592	160	
30	5.57	5.602	160	
31	5.57	5.445	160	
32	5.57	5.717	160	
33	5.57	5.497	160	
34	5.57	5.282	160	*
35	5.57	5.474	160	
36	5.57	5.395	160	
37	5.57	5.461	160	
38	5.57	5.342	160	
39	5.57	5.401	160	
40	5.57	5.444	160	
41	5.57	5.287	160	*
42	5.57	5.324	160	
43	5.57	5.62	160	
44	5.57	5.302	160	
45	5.57	5.582	160	
46	5.57	5.534	160	
47	5.57	5.513	160	

48	5.57	5.646	160	
49	5.57	5.658	160	
50	5.57	5.437	160	
51	5.57	5.435	160	
52	5.57	5.693	160	
53	5.57	5.477	160	
54	5.57	5.528	160	
55	5.57	5.653	160	
56	5.57	5.49	160	
57	5.57	5.622	160	
58	5.57	5.639	160	
59	5.57	5.36	160	
60	5.57	5.547	160	
61	5.57	5.626	160	
62	5.57	5.554	160	
63	5.57	5.377	160	
64	5.57	5.559	160	
65	5.57	5.596	160	
66	5.57	5.334	160	
67	5.57	5.637	160	
68	5.57	5.616	160	
69	5.57	5.704	160	
70	5.57	5.344	160	
71	5.57	5.27	160	
72	5.57	5.429	160	
73	5.57	5.688	160	
74	5.57	5.522	160	
75	5.57	5.484	160	
76	5.57	5.721	160	
77	5.57	5.441	160	
78	5.57	5.6	160	
79	5.57	5.373	160	
80	5.57	5.562	160	
81	5.57	5.424	160	
82	5.57	5.251	160	
83	5.57	5.677	160	
84	5.57	5.568	160	
85	5.57	5.366	160	
86	5.57	5.627	160	
87	5.57	5.299	160	*
88	5.57	5.321	160	
89	5.57	5.57	160	
90	5.57	5.597	160	
91	5.57	5.296	160	*
92	5.57	5.353	160	
93	5.57	5.649	160	
94	5.57	5.325	160	
95	5.57	5.638	160	
96	5.57	5.651	160	
97	5.57	5.442	160	
98	5.57	5.494	160	
99	5.57	5.487	160	
100	5.57	5.507	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 4				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.529	160	
2	5.57	5.383	160	
3	5.57	5.543	160	
4	5.57	5.385	160	
5	5.57	5.322	160	
6	5.57	5.441	160	
7	5.57	5.617	160	
8	5.57	5.486	160	
9	5.57	5.643	160	
10	5.57	5.42	160	
11	5.57	5.37	160	
12	5.57	5.404	160	
13	5.57	5.538	160	
14	5.57	5.695	160	
15	5.57	5.425	160	
16	5.57	5.701	160	
17	5.57	5.272	160	
18	5.57	5.342	160	
19	5.57	5.294	160	*
20	5.57	5.676	160	
21	5.57	5.473	160	
22	5.57	5.318	160	
23	5.57	5.614	160	
24	5.57	5.379	160	
25	5.57	5.632	160	
26	5.57	5.501	160	
27	5.57	5.481	160	
28	5.57	5.694	160	
29	5.57	5.616	160	
30	5.57	5.579	160	
31	5.57	5.661	160	
32	5.57	5.376	160	
33	5.57	5.378	160	
34	5.57	5.611	160	
35	5.57	5.478	160	
36	5.57	5.67	160	
37	5.57	5.641	160	
38	5.57	5.587	160	
39	5.57	5.578	160	
40	5.57	5.493	160	
41	5.57	5.402	160	
42	5.57	5.612	160	
43	5.57	5.497	160	
44	5.57	5.712	160	
45	5.57	5.599	160	
46	5.57	5.26	160	
47	5.57	5.503	160	

48	5.57	5.38	160	
49	5.57	5.25	160	
50	5.57	5.375	160	
51	5.57	5.64	160	
52	5.57	5.263	160	
53	5.57	5.298	160	*
54	5.57	5.484	160	
55	5.57	5.405	160	
56	5.57	5.321	160	
57	5.57	5.512	160	
58	5.57	5.554	160	
59	5.57	5.559	160	
60	5.57	5.334	160	
61	5.57	5.696	160	
62	5.57	5.361	160	
63	5.57	5.55	160	
64	5.57	5.605	160	
65	5.57	5.438	160	
66	5.57	5.399	160	
67	5.57	5.455	160	
68	5.57	5.288	160	*
69	5.57	5.454	160	
70	5.57	5.479	160	
71	5.57	5.366	160	
72	5.57	5.28	160	*
73	5.57	5.426	160	
74	5.57	5.343	160	
75	5.57	5.284	160	*
76	5.57	5.279	160	
77	5.57	5.644	160	
78	5.57	5.299	160	*
79	5.57	5.642	160	
80	5.57	5.468	160	
81	5.57	5.606	160	
82	5.57	5.432	160	
83	5.57	5.671	160	
84	5.57	5.265	160	
85	5.57	5.713	160	
86	5.57	5.362	160	
87	5.57	5.564	160	
88	5.57	5.634	160	
89	5.57	5.633	160	
90	5.57	5.296	160	*
91	5.57	5.715	160	
92	5.57	5.658	160	
93	5.57	5.449	160	
94	5.57	5.352	160	
95	5.57	5.308	160	
96	5.57	5.412	160	
97	5.57	5.526	160	
98	5.57	5.429	160	
99	5.57	5.27	160	
100	5.57	5.665	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 5				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.685	160	
2	5.57	5.686	160	
3	5.57	5.498	160	
4	5.57	5.72	160	
5	5.57	5.522	160	
6	5.57	5.455	160	
7	5.57	5.682	160	
8	5.57	5.58	160	
9	5.57	5.631	160	
10	5.57	5.604	160	
11	5.57	5.259	160	
12	5.57	5.666	160	
13	5.57	5.299	160	*
14	5.57	5.384	160	
15	5.57	5.305	160	
16	5.57	5.315	160	
17	5.57	5.446	160	
18	5.57	5.495	160	
19	5.57	5.558	160	
20	5.57	5.364	160	
21	5.57	5.314	160	
22	5.57	5.334	160	
23	5.57	5.485	160	
24	5.57	5.361	160	
25	5.57	5.602	160	
26	5.57	5.701	160	
27	5.57	5.432	160	
28	5.57	5.586	160	
29	5.57	5.491	160	
30	5.57	5.32	160	
31	5.57	5.65	160	
32	5.57	5.622	160	
33	5.57	5.546	160	
34	5.57	5.714	160	
35	5.57	5.553	160	
36	5.57	5.653	160	
37	5.57	5.53	160	
38	5.57	5.516	160	
39	5.57	5.434	160	
40	5.57	5.283	160	*
41	5.57	5.437	160	
42	5.57	5.35	160	
43	5.57	5.365	160	
44	5.57	5.717	160	
45	5.57	5.654	160	
46	5.57	5.273	160	
47	5.57	5.494	160	

48	5.57	5.599	160	
49	5.57	5.626	160	
50	5.57	5.706	160	
51	5.57	5.541	160	
52	5.57	5.633	160	
53	5.57	5.583	160	
54	5.57	5.281	160	*
55	5.57	5.307	160	
56	5.57	5.479	160	
57	5.57	5.703	160	
58	5.57	5.26	160	
59	5.57	5.362	160	
60	5.57	5.302	160	
61	5.57	5.559	160	
62	5.57	5.648	160	
63	5.57	5.336	160	
64	5.57	5.505	160	
65	5.57	5.515	160	
66	5.57	5.312	160	
67	5.57	5.715	160	
68	5.57	5.664	160	
69	5.57	5.275	160	
70	5.57	5.282	160	*
71	5.57	5.7	160	
72	5.57	5.344	160	
73	5.57	5.646	160	
74	5.57	5.477	160	
75	5.57	5.448	160	
76	5.57	5.33	160	
77	5.57	5.425	160	
78	5.57	5.44	160	
79	5.57	5.661	160	
80	5.57	5.419	160	
81	5.57	5.265	160	
82	5.57	5.702	160	
83	5.57	5.721	160	
84	5.57	5.311	160	
85	5.57	5.291	160	*
86	5.57	5.398	160	
87	5.57	5.397	160	
88	5.57	5.549	160	
89	5.57	5.452	160	
90	5.57	5.62	160	
91	5.57	5.399	160	
92	5.57	5.611	160	
93	5.57	5.252	160	
94	5.57	5.36	160	
95	5.57	5.325	160	
96	5.57	5.258	160	
97	5.57	5.56	160	
98	5.57	5.584	160	
99	5.57	5.643	160	
100	5.57	5.376	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 6				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.656	160	
2	5.57	5.696	160	
3	5.57	5.494	160	
4	5.57	5.59	160	
5	5.57	5.623	160	
6	5.57	5.645	160	
7	5.57	5.611	160	
8	5.57	5.7	160	
9	5.57	5.632	160	
10	5.57	5.722	160	
11	5.57	5.709	160	
12	5.57	5.451	160	
13	5.57	5.406	160	
14	5.57	5.57	160	
15	5.57	5.641	160	
16	5.57	5.689	160	
17	5.57	5.419	160	
18	5.57	5.702	160	
19	5.57	5.372	160	
20	5.57	5.502	160	
21	5.57	5.252	160	
22	5.57	5.381	160	
23	5.57	5.283	160	*
24	5.57	5.484	160	
25	5.57	5.694	160	
26	5.57	5.677	160	
27	5.57	5.515	160	
28	5.57	5.257	160	
29	5.57	5.542	160	
30	5.57	5.366	160	
31	5.57	5.464	160	
32	5.57	5.364	160	
33	5.57	5.701	160	
34	5.57	5.334	160	
35	5.57	5.333	160	
36	5.57	5.483	160	
37	5.57	5.403	160	
38	5.57	5.431	160	
39	5.57	5.394	160	
40	5.57	5.642	160	
41	5.57	5.301	160	
42	5.57	5.594	160	
43	5.57	5.659	160	
44	5.57	5.426	160	
45	5.57	5.404	160	
46	5.57	5.624	160	
47	5.57	5.675	160	

48	5.57	5.373	160	
49	5.57	5.376	160	
50	5.57	5.658	160	
51	5.57	5.353	160	
52	5.57	5.612	160	
53	5.57	5.638	160	
54	5.57	5.296	160	*
55	5.57	5.572	160	
56	5.57	5.463	160	
57	5.57	5.614	160	
58	5.57	5.561	160	
59	5.57	5.583	160	
60	5.57	5.269	160	
61	5.57	5.581	160	
62	5.57	5.711	160	
63	5.57	5.378	160	
64	5.57	5.337	160	
65	5.57	5.526	160	
66	5.57	5.493	160	
67	5.57	5.714	160	
68	5.57	5.643	160	
69	5.57	5.298	160	*
70	5.57	5.692	160	
71	5.57	5.577	160	
72	5.57	5.518	160	
73	5.57	5.597	160	
74	5.57	5.625	160	
75	5.57	5.605	160	
76	5.57	5.644	160	
77	5.57	5.311	160	
78	5.57	5.486	160	
79	5.57	5.4	160	
80	5.57	5.663	160	
81	5.57	5.449	160	
82	5.57	5.578	160	
83	5.57	5.412	160	
84	5.57	5.299	160	*
85	5.57	5.691	160	
86	5.57	5.367	160	
87	5.57	5.547	160	
88	5.57	5.38	160	
89	5.57	5.718	160	
90	5.57	5.546	160	
91	5.57	5.435	160	
92	5.57	5.68	160	
93	5.57	5.423	160	
94	5.57	5.517	160	
95	5.57	5.707	160	
96	5.57	5.439	160	
97	5.57	5.326	160	
98	5.57	5.571	160	
99	5.57	5.345	160	
100	5.57	5.461	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 7				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.522	160	
2	5.57	5.344	160	
3	5.57	5.577	160	
4	5.57	5.688	160	
5	5.57	5.281	160	*
6	5.57	5.295	160	*
7	5.57	5.507	160	
8	5.57	5.278	160	
9	5.57	5.63	160	
10	5.57	5.355	160	
11	5.57	5.44	160	
12	5.57	5.336	160	
13	5.57	5.302	160	
14	5.57	5.286	160	*
15	5.57	5.305	160	
16	5.57	5.458	160	
17	5.57	5.371	160	
18	5.57	5.559	160	
19	5.57	5.361	160	
20	5.57	5.288	160	*
21	5.57	5.692	160	
22	5.57	5.373	160	
23	5.57	5.442	160	
24	5.57	5.566	160	
25	5.57	5.574	160	
26	5.57	5.515	160	
27	5.57	5.654	160	
28	5.57	5.261	160	
29	5.57	5.703	160	
30	5.57	5.523	160	
31	5.57	5.694	160	
32	5.57	5.395	160	
33	5.57	5.594	160	
34	5.57	5.555	160	
35	5.57	5.59	160	
36	5.57	5.429	160	
37	5.57	5.306	160	
38	5.57	5.264	160	
39	5.57	5.638	160	
40	5.57	5.413	160	
41	5.57	5.639	160	
42	5.57	5.568	160	
43	5.57	5.572	160	
44	5.57	5.546	160	
45	5.57	5.567	160	
46	5.57	5.671	160	
47	5.57	5.312	160	

48	5.57	5.715	160	
49	5.57	5.724	160	
50	5.57	5.51	160	
51	5.57	5.557	160	
52	5.57	5.537	160	
53	5.57	5.366	160	
54	5.57	5.428	160	
55	5.57	5.495	160	
56	5.57	5.682	160	
57	5.57	5.679	160	
58	5.57	5.558	160	
59	5.57	5.665	160	
60	5.57	5.342	160	
61	5.57	5.498	160	
62	5.57	5.689	160	
63	5.57	5.549	160	
64	5.57	5.432	160	
65	5.57	5.605	160	
66	5.57	5.695	160	
67	5.57	5.527	160	
68	5.57	5.291	160	*
69	5.57	5.641	160	
70	5.57	5.521	160	
71	5.57	5.606	160	
72	5.57	5.66	160	
73	5.57	5.351	160	
74	5.57	5.392	160	
75	5.57	5.476	160	
76	5.57	5.449	160	
77	5.57	5.58	160	
78	5.57	5.445	160	
79	5.57	5.314	160	
80	5.57	5.436	160	
81	5.57	5.391	160	
82	5.57	5.29	160	*
83	5.57	5.517	160	
84	5.57	5.28	160	*
85	5.57	5.357	160	
86	5.57	5.45	160	
87	5.57	5.311	160	
88	5.57	5.518	160	
89	5.57	5.466	160	
90	5.57	5.271	160	
91	5.57	5.708	160	
92	5.57	5.375	160	
93	5.57	5.34	160	
94	5.57	5.274	160	
95	5.57	5.707	160	
96	5.57	5.254	160	
97	5.57	5.611	160	
98	5.57	5.374	160	
99	5.57	5.352	160	
100	5.57	5.681	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 8				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.634	160	
2	5.57	5.611	160	
3	5.57	5.498	160	
4	5.57	5.694	160	
5	5.57	5.262	160	
6	5.57	5.362	160	
7	5.57	5.343	160	
8	5.57	5.345	160	
9	5.57	5.674	160	
10	5.57	5.376	160	
11	5.57	5.677	160	
12	5.57	5.499	160	
13	5.57	5.313	160	
14	5.57	5.604	160	
15	5.57	5.59	160	
16	5.57	5.268	160	
17	5.57	5.56	160	
18	5.57	5.697	160	
19	5.57	5.529	160	
20	5.57	5.42	160	
21	5.57	5.48	160	
22	5.57	5.47	160	
23	5.57	5.361	160	
24	5.57	5.281	160	*
25	5.57	5.349	160	
26	5.57	5.533	160	
27	5.57	5.36	160	
28	5.57	5.487	160	
29	5.57	5.342	160	
30	5.57	5.32	160	
31	5.57	5.463	160	
32	5.57	5.285	160	*
33	5.57	5.536	160	
34	5.57	5.384	160	
35	5.57	5.332	160	
36	5.57	5.378	160	
37	5.57	5.483	160	
38	5.57	5.692	160	
39	5.57	5.724	160	
40	5.57	5.501	160	
41	5.57	5.412	160	
42	5.57	5.319	160	
43	5.57	5.46	160	
44	5.57	5.279	160	
45	5.57	5.552	160	
46	5.57	5.561	160	
47	5.57	5.402	160	

48	5.57	5.315	160	
49	5.57	5.585	160	
50	5.57	5.263	160	
51	5.57	5.709	160	
52	5.57	5.462	160	
53	5.57	5.365	160	
54	5.57	5.366	160	
55	5.57	5.485	160	
56	5.57	5.685	160	
57	5.57	5.266	160	
58	5.57	5.316	160	
59	5.57	5.336	160	
60	5.57	5.459	160	
61	5.57	5.519	160	
62	5.57	5.572	160	
63	5.57	5.488	160	
64	5.57	5.293	160	*
65	5.57	5.272	160	
66	5.57	5.617	160	
67	5.57	5.298	160	*
68	5.57	5.522	160	
69	5.57	5.385	160	
70	5.57	5.364	160	
71	5.57	5.691	160	
72	5.57	5.489	160	
73	5.57	5.29	160	*
74	5.57	5.406	160	
75	5.57	5.646	160	
76	5.57	5.355	160	
77	5.57	5.335	160	
78	5.57	5.447	160	
79	5.57	5.612	160	
80	5.57	5.446	160	
81	5.57	5.305	160	
82	5.57	5.452	160	
83	5.57	5.55	160	
84	5.57	5.276	160	
85	5.57	5.654	160	
86	5.57	5.44	160	
87	5.57	5.571	160	
88	5.57	5.37	160	
89	5.57	5.435	160	
90	5.57	5.433	160	
91	5.57	5.302	160	
92	5.57	5.596	160	
93	5.57	5.43	160	
94	5.57	5.602	160	
95	5.57	5.523	160	
96	5.57	5.307	160	
97	5.57	5.503	160	
98	5.57	5.687	160	
99	5.57	5.506	160	
100	5.57	5.568	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 9				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.612	160	
2	5.57	5.321	160	
3	5.57	5.433	160	
4	5.57	5.509	160	
5	5.57	5.647	160	
6	5.57	5.426	160	
7	5.57	5.676	160	
8	5.57	5.63	160	
9	5.57	5.265	160	
10	5.57	5.496	160	
11	5.57	5.62	160	
12	5.57	5.499	160	
13	5.57	5.552	160	
14	5.57	5.539	160	
15	5.57	5.555	160	
16	5.57	5.624	160	
17	5.57	5.705	160	
18	5.57	5.652	160	
19	5.57	5.269	160	
20	5.57	5.273	160	
21	5.57	5.409	160	
22	5.57	5.25	160	
23	5.57	5.664	160	
24	5.57	5.466	160	
25	5.57	5.653	160	
26	5.57	5.414	160	
27	5.57	5.455	160	
28	5.57	5.658	160	
29	5.57	5.281	160	*
30	5.57	5.285	160	*
31	5.57	5.595	160	
32	5.57	5.574	160	
33	5.57	5.306	160	
34	5.57	5.713	160	
35	5.57	5.506	160	
36	5.57	5.687	160	
37	5.57	5.415	160	
38	5.57	5.623	160	
39	5.57	5.406	160	
40	5.57	5.614	160	
41	5.57	5.437	160	
42	5.57	5.618	160	
43	5.57	5.572	160	
44	5.57	5.385	160	
45	5.57	5.35	160	
46	5.57	5.456	160	
47	5.57	5.644	160	

48	5.57	5.631	160	
49	5.57	5.715	160	
50	5.57	5.447	160	
51	5.57	5.638	160	
52	5.57	5.546	160	
53	5.57	5.301	160	
54	5.57	5.425	160	
55	5.57	5.319	160	
56	5.57	5.454	160	
57	5.57	5.325	160	
58	5.57	5.395	160	
59	5.57	5.439	160	
60	5.57	5.511	160	
61	5.57	5.313	160	
62	5.57	5.279	160	
63	5.57	5.419	160	
64	5.57	5.332	160	
65	5.57	5.616	160	
66	5.57	5.334	160	
67	5.57	5.606	160	
68	5.57	5.538	160	
69	5.57	5.403	160	
70	5.57	5.361	160	
71	5.57	5.696	160	
72	5.57	5.518	160	
73	5.57	5.483	160	
74	5.57	5.558	160	
75	5.57	5.48	160	
76	5.57	5.295	160	*
77	5.57	5.634	160	
78	5.57	5.362	160	
79	5.57	5.607	160	
80	5.57	5.308	160	
81	5.57	5.311	160	
82	5.57	5.491	160	
83	5.57	5.366	160	
84	5.57	5.424	160	
85	5.57	5.72	160	
86	5.57	5.354	160	
87	5.57	5.597	160	
88	5.57	5.337	160	
89	5.57	5.475	160	
90	5.57	5.272	160	
91	5.57	5.444	160	
92	5.57	5.376	160	
93	5.57	5.695	160	
94	5.57	5.698	160	
95	5.57	5.282	160	*
96	5.57	5.324	160	
97	5.57	5.65	160	
98	5.57	5.387	160	
99	5.57	5.435	160	
100	5.57	5.262	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 10				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.306	160	
2	5.57	5.521	160	
3	5.57	5.516	160	
4	5.57	5.495	160	
5	5.57	5.47	160	
6	5.57	5.481	160	
7	5.57	5.705	160	
8	5.57	5.295	160	*
9	5.57	5.467	160	
10	5.57	5.6	160	
11	5.57	5.287	160	*
12	5.57	5.633	160	
13	5.57	5.415	160	
14	5.57	5.46	160	
15	5.57	5.643	160	
16	5.57	5.63	160	
17	5.57	5.449	160	
18	5.57	5.261	160	
19	5.57	5.347	160	
20	5.57	5.593	160	
21	5.57	5.579	160	
22	5.57	5.568	160	
23	5.57	5.517	160	
24	5.57	5.32	160	
25	5.57	5.503	160	
26	5.57	5.378	160	
27	5.57	5.651	160	
28	5.57	5.554	160	
29	5.57	5.414	160	
30	5.57	5.514	160	
31	5.57	5.357	160	
32	5.57	5.585	160	
33	5.57	5.253	160	
34	5.57	5.608	160	
35	5.57	5.598	160	
36	5.57	5.375	160	
37	5.57	5.456	160	
38	5.57	5.707	160	
39	5.57	5.513	160	
40	5.57	5.624	160	
41	5.57	5.499	160	
42	5.57	5.564	160	
43	5.57	5.49	160	
44	5.57	5.611	160	
45	5.57	5.441	160	
46	5.57	5.343	160	
47	5.57	5.359	160	

48	5.57	5.612	160	
49	5.57	5.672	160	
50	5.57	5.65	160	
51	5.57	5.485	160	
52	5.57	5.525	160	
53	5.57	5.599	160	
54	5.57	5.276	160	
55	5.57	5.53	160	
56	5.57	5.282	160	*
57	5.57	5.328	160	
58	5.57	5.648	160	
59	5.57	5.69	160	
60	5.57	5.583	160	
61	5.57	5.673	160	
62	5.57	5.288	160	*
63	5.57	5.269	160	
64	5.57	5.437	160	
65	5.57	5.427	160	
66	5.57	5.299	160	*
67	5.57	5.447	160	
68	5.57	5.492	160	
69	5.57	5.569	160	
70	5.57	5.421	160	
71	5.57	5.566	160	
72	5.57	5.443	160	
73	5.57	5.307	160	
74	5.57	5.321	160	
75	5.57	5.412	160	
76	5.57	5.56	160	
77	5.57	5.426	160	
78	5.57	5.542	160	
79	5.57	5.482	160	
80	5.57	5.352	160	
81	5.57	5.473	160	
82	5.57	5.42	160	
83	5.57	5.539	160	
84	5.57	5.453	160	
85	5.57	5.538	160	
86	5.57	5.625	160	
87	5.57	5.505	160	
88	5.57	5.714	160	
89	5.57	5.439	160	
90	5.57	5.309	160	
91	5.57	5.718	160	
92	5.57	5.512	160	
93	5.57	5.565	160	
94	5.57	5.497	160	
95	5.57	5.279	160	
96	5.57	5.38	160	
97	5.57	5.468	160	
98	5.57	5.59	160	
99	5.57	5.543	160	
100	5.57	5.567	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 11				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.538	160	
2	5.57	5.559	160	
3	5.57	5.421	160	
4	5.57	5.549	160	
5	5.57	5.25	160	
6	5.57	5.658	160	
7	5.57	5.29	160	*
8	5.57	5.629	160	
9	5.57	5.426	160	
10	5.57	5.283	160	*
11	5.57	5.393	160	
12	5.57	5.607	160	
13	5.57	5.439	160	
14	5.57	5.622	160	
15	5.57	5.693	160	
16	5.57	5.646	160	
17	5.57	5.412	160	
18	5.57	5.595	160	
19	5.57	5.27	160	
20	5.57	5.574	160	
21	5.57	5.638	160	
22	5.57	5.363	160	
23	5.57	5.456	160	
24	5.57	5.437	160	
25	5.57	5.59	160	
26	5.57	5.444	160	
27	5.57	5.47	160	
28	5.57	5.647	160	
29	5.57	5.623	160	
30	5.57	5.724	160	
31	5.57	5.58	160	
32	5.57	5.296	160	*
33	5.57	5.583	160	
34	5.57	5.522	160	
35	5.57	5.616	160	
36	5.57	5.692	160	
37	5.57	5.588	160	
38	5.57	5.679	160	
39	5.57	5.485	160	
40	5.57	5.631	160	
41	5.57	5.436	160	
42	5.57	5.611	160	
43	5.57	5.546	160	
44	5.57	5.483	160	
45	5.57	5.401	160	
46	5.57	5.689	160	
47	5.57	5.272	160	

48	5.57	5.65	160	
49	5.57	5.266	160	
50	5.57	5.38	160	
51	5.57	5.259	160	
52	5.57	5.649	160	
53	5.57	5.576	160	
54	5.57	5.558	160	
55	5.57	5.411	160	
56	5.57	5.339	160	
57	5.57	5.513	160	
58	5.57	5.443	160	
59	5.57	5.703	160	
60	5.57	5.642	160	
61	5.57	5.597	160	
62	5.57	5.609	160	
63	5.57	5.3	160	*
64	5.57	5.677	160	
65	5.57	5.286	160	*
66	5.57	5.596	160	
67	5.57	5.279	160	
68	5.57	5.606	160	
69	5.57	5.416	160	
70	5.57	5.684	160	
71	5.57	5.399	160	
72	5.57	5.614	160	
73	5.57	5.275	160	
74	5.57	5.593	160	
75	5.57	5.529	160	
76	5.57	5.564	160	
77	5.57	5.643	160	
78	5.57	5.652	160	
79	5.57	5.397	160	
80	5.57	5.655	160	
81	5.57	5.492	160	
82	5.57	5.276	160	
83	5.57	5.358	160	
84	5.57	5.316	160	
85	5.57	5.288	160	*
86	5.57	5.457	160	
87	5.57	5.379	160	
88	5.57	5.687	160	
89	5.57	5.475	160	
90	5.57	5.46	160	
91	5.57	5.473	160	
92	5.57	5.624	160	
93	5.57	5.686	160	
94	5.57	5.33	160	
95	5.57	5.721	160	
96	5.57	5.716	160	
97	5.57	5.321	160	
98	5.57	5.465	160	
99	5.57	5.41	160	
100	5.57	5.537	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 12				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.61	160	
2	5.57	5.298	160	*
3	5.57	5.401	160	
4	5.57	5.277	160	
5	5.57	5.293	160	*
6	5.57	5.573	160	
7	5.57	5.442	160	
8	5.57	5.679	160	
9	5.57	5.418	160	
10	5.57	5.501	160	
11	5.57	5.324	160	
12	5.57	5.291	160	*
13	5.57	5.608	160	
14	5.57	5.306	160	
15	5.57	5.629	160	
16	5.57	5.69	160	
17	5.57	5.459	160	
18	5.57	5.475	160	
19	5.57	5.523	160	
20	5.57	5.299	160	*
21	5.57	5.527	160	
22	5.57	5.576	160	
23	5.57	5.691	160	
24	5.57	5.542	160	
25	5.57	5.678	160	
26	5.57	5.383	160	
27	5.57	5.701	160	
28	5.57	5.278	160	
29	5.57	5.296	160	*
30	5.57	5.458	160	
31	5.57	5.286	160	*
32	5.57	5.437	160	
33	5.57	5.517	160	
34	5.57	5.44	160	
35	5.57	5.687	160	
36	5.57	5.364	160	
37	5.57	5.56	160	
38	5.57	5.652	160	
39	5.57	5.275	160	
40	5.57	5.433	160	
41	5.57	5.504	160	
42	5.57	5.329	160	
43	5.57	5.446	160	
44	5.57	5.43	160	
45	5.57	5.548	160	
46	5.57	5.718	160	
47	5.57	5.591	160	

48	5.57	5.482	160	
49	5.57	5.655	160	
50	5.57	5.71	160	
51	5.57	5.715	160	
52	5.57	5.32	160	
53	5.57	5.443	160	
54	5.57	5.489	160	
55	5.57	5.304	160	
56	5.57	5.421	160	
57	5.57	5.279	160	
58	5.57	5.499	160	
59	5.57	5.412	160	
60	5.57	5.589	160	
61	5.57	5.615	160	
62	5.57	5.535	160	
63	5.57	5.601	160	
64	5.57	5.568	160	
65	5.57	5.311	160	
66	5.57	5.269	160	
67	5.57	5.251	160	
68	5.57	5.419	160	
69	5.57	5.318	160	
70	5.57	5.402	160	
71	5.57	5.598	160	
72	5.57	5.59	160	
73	5.57	5.484	160	
74	5.57	5.574	160	
75	5.57	5.703	160	
76	5.57	5.262	160	
77	5.57	5.303	160	
78	5.57	5.671	160	
79	5.57	5.674	160	
80	5.57	5.662	160	
81	5.57	5.692	160	
82	5.57	5.62	160	
83	5.57	5.712	160	
84	5.57	5.468	160	
85	5.57	5.63	160	
86	5.57	5.372	160	
87	5.57	5.588	160	
88	5.57	5.391	160	
89	5.57	5.305	160	
90	5.57	5.58	160	
91	5.57	5.336	160	
92	5.57	5.342	160	
93	5.57	5.353	160	
94	5.57	5.677	160	
95	5.57	5.567	160	
96	5.57	5.619	160	
97	5.57	5.628	160	
98	5.57	5.3	160	*
99	5.57	5.266	160	
100	5.57	5.457	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 13				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.501	160	
2	5.57	5.527	160	
3	5.57	5.68	160	
4	5.57	5.683	160	
5	5.57	5.604	160	
6	5.57	5.685	160	
7	5.57	5.553	160	
8	5.57	5.562	160	
9	5.57	5.392	160	
10	5.57	5.463	160	
11	5.57	5.699	160	
12	5.57	5.712	160	
13	5.57	5.384	160	
14	5.57	5.677	160	
15	5.57	5.458	160	
16	5.57	5.533	160	
17	5.57	5.402	160	
18	5.57	5.67	160	
19	5.57	5.585	160	
20	5.57	5.618	160	
21	5.57	5.71	160	
22	5.57	5.443	160	
23	5.57	5.674	160	
24	5.57	5.641	160	
25	5.57	5.531	160	
26	5.57	5.581	160	
27	5.57	5.375	160	
28	5.57	5.658	160	
29	5.57	5.521	160	
30	5.57	5.466	160	
31	5.57	5.611	160	
32	5.57	5.411	160	
33	5.57	5.629	160	
34	5.57	5.343	160	
35	5.57	5.388	160	
36	5.57	5.447	160	
37	5.57	5.282	160	*
38	5.57	5.632	160	
39	5.57	5.668	160	
40	5.57	5.417	160	
41	5.57	5.623	160	
42	5.57	5.715	160	
43	5.57	5.295	160	*
44	5.57	5.522	160	
45	5.57	5.328	160	
46	5.57	5.335	160	
47	5.57	5.406	160	

48	5.57	5.359	160	
49	5.57	5.438	160	
50	5.57	5.305	160	
51	5.57	5.488	160	
52	5.57	5.449	160	
53	5.57	5.448	160	
54	5.57	5.278	160	
55	5.57	5.637	160	
56	5.57	5.412	160	
57	5.57	5.54	160	
58	5.57	5.444	160	
59	5.57	5.502	160	
60	5.57	5.446	160	
61	5.57	5.574	160	
62	5.57	5.336	160	
63	5.57	5.326	160	
64	5.57	5.404	160	
65	5.57	5.362	160	
66	5.57	5.515	160	
67	5.57	5.549	160	
68	5.57	5.315	160	
69	5.57	5.534	160	
70	5.57	5.482	160	
71	5.57	5.58	160	
72	5.57	5.598	160	
73	5.57	5.633	160	
74	5.57	5.695	160	
75	5.57	5.337	160	
76	5.57	5.616	160	
77	5.57	5.268	160	
78	5.57	5.694	160	
79	5.57	5.707	160	
80	5.57	5.686	160	
81	5.57	5.304	160	
82	5.57	5.539	160	
83	5.57	5.44	160	
84	5.57	5.33	160	
85	5.57	5.575	160	
86	5.57	5.32	160	
87	5.57	5.516	160	
88	5.57	5.555	160	
89	5.57	5.681	160	
90	5.57	5.541	160	
91	5.57	5.478	160	
92	5.57	5.593	160	
93	5.57	5.289	160	*
94	5.57	5.666	160	
95	5.57	5.259	160	
96	5.57	5.688	160	
97	5.57	5.487	160	
98	5.57	5.519	160	
99	5.57	5.721	160	
100	5.57	5.357	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 14				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.619	160	
2	5.57	5.421	160	
3	5.57	5.439	160	
4	5.57	5.515	160	
5	5.57	5.334	160	
6	5.57	5.371	160	
7	5.57	5.693	160	
8	5.57	5.547	160	
9	5.57	5.652	160	
10	5.57	5.373	160	
11	5.57	5.476	160	
12	5.57	5.677	160	
13	5.57	5.564	160	
14	5.57	5.645	160	
15	5.57	5.616	160	
16	5.57	5.25	160	
17	5.57	5.409	160	
18	5.57	5.648	160	
19	5.57	5.562	160	
20	5.57	5.69	160	
21	5.57	5.405	160	
22	5.57	5.452	160	
23	5.57	5.717	160	
24	5.57	5.511	160	
25	5.57	5.572	160	
26	5.57	5.474	160	
27	5.57	5.386	160	
28	5.57	5.514	160	
29	5.57	5.426	160	
30	5.57	5.323	160	
31	5.57	5.312	160	
32	5.57	5.41	160	
33	5.57	5.551	160	
34	5.57	5.54	160	
35	5.57	5.423	160	
36	5.57	5.298	160	*
37	5.57	5.584	160	
38	5.57	5.492	160	
39	5.57	5.348	160	
40	5.57	5.484	160	
41	5.57	5.528	160	
42	5.57	5.694	160	
43	5.57	5.282	160	*
44	5.57	5.667	160	
45	5.57	5.351	160	
46	5.57	5.661	160	
47	5.57	5.434	160	

48	5.57	5.698	160	
49	5.57	5.676	160	
50	5.57	5.268	160	
51	5.57	5.548	160	
52	5.57	5.615	160	
53	5.57	5.483	160	
54	5.57	5.261	160	
55	5.57	5.558	160	
56	5.57	5.335	160	
57	5.57	5.51	160	
58	5.57	5.684	160	
59	5.57	5.662	160	
60	5.57	5.363	160	
61	5.57	5.593	160	
62	5.57	5.314	160	
63	5.57	5.623	160	
64	5.57	5.296	160	*
65	5.57	5.28	160	*
66	5.57	5.555	160	
67	5.57	5.7	160	
68	5.57	5.324	160	
69	5.57	5.436	160	
70	5.57	5.631	160	
71	5.57	5.646	160	
72	5.57	5.425	160	
73	5.57	5.433	160	
74	5.57	5.305	160	
75	5.57	5.336	160	
76	5.57	5.585	160	
77	5.57	5.339	160	
78	5.57	5.497	160	
79	5.57	5.428	160	
80	5.57	5.53	160	
81	5.57	5.565	160	
82	5.57	5.546	160	
83	5.57	5.326	160	
84	5.57	5.459	160	
85	5.57	5.269	160	
86	5.57	5.449	160	
87	5.57	5.353	160	
88	5.57	5.715	160	
89	5.57	5.658	160	
90	5.57	5.33	160	
91	5.57	5.47	160	
92	5.57	5.349	160	
93	5.57	5.632	160	
94	5.57	5.714	160	
95	5.57	5.302	160	
96	5.57	5.394	160	
97	5.57	5.253	160	
98	5.57	5.466	160	
99	5.57	5.71	160	
100	5.57	5.463	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 15				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.612	160	
2	5.57	5.532	160	
3	5.57	5.419	160	
4	5.57	5.344	160	
5	5.57	5.522	160	
6	5.57	5.51	160	
7	5.57	5.283	160	*
8	5.57	5.66	160	
9	5.57	5.327	160	
10	5.57	5.576	160	
11	5.57	5.432	160	
12	5.57	5.441	160	
13	5.57	5.712	160	
14	5.57	5.346	160	
15	5.57	5.279	160	
16	5.57	5.388	160	
17	5.57	5.45	160	
18	5.57	5.623	160	
19	5.57	5.553	160	
20	5.57	5.452	160	
21	5.57	5.263	160	
22	5.57	5.531	160	
23	5.57	5.513	160	
24	5.57	5.442	160	
25	5.57	5.632	160	
26	5.57	5.291	160	*
27	5.57	5.688	160	
28	5.57	5.647	160	
29	5.57	5.652	160	
30	5.57	5.565	160	
31	5.57	5.693	160	
32	5.57	5.328	160	
33	5.57	5.425	160	
34	5.57	5.537	160	
35	5.57	5.627	160	
36	5.57	5.448	160	
37	5.57	5.544	160	
38	5.57	5.591	160	
39	5.57	5.339	160	
40	5.57	5.408	160	
41	5.57	5.366	160	
42	5.57	5.496	160	
43	5.57	5.692	160	
44	5.57	5.504	160	
45	5.57	5.582	160	
46	5.57	5.48	160	
47	5.57	5.422	160	

48	5.57	5.57	160	
49	5.57	5.27	160	
50	5.57	5.586	160	
51	5.57	5.554	160	
52	5.57	5.521	160	
53	5.57	5.378	160	
54	5.57	5.341	160	
55	5.57	5.468	160	
56	5.57	5.447	160	
57	5.57	5.506	160	
58	5.57	5.352	160	
59	5.57	5.459	160	
60	5.57	5.429	160	
61	5.57	5.65	160	
62	5.57	5.25	160	
63	5.57	5.277	160	
64	5.57	5.658	160	
65	5.57	5.446	160	
66	5.57	5.398	160	
67	5.57	5.306	160	
68	5.57	5.516	160	
69	5.57	5.56	160	
70	5.57	5.677	160	
71	5.57	5.252	160	
72	5.57	5.372	160	
73	5.57	5.569	160	
74	5.57	5.609	160	
75	5.57	5.376	160	
76	5.57	5.654	160	
77	5.57	5.639	160	
78	5.57	5.651	160	
79	5.57	5.389	160	
80	5.57	5.671	160	
81	5.57	5.716	160	
82	5.57	5.266	160	
83	5.57	5.423	160	
84	5.57	5.467	160	
85	5.57	5.695	160	
86	5.57	5.333	160	
87	5.57	5.293	160	*
88	5.57	5.672	160	
89	5.57	5.482	160	
90	5.57	5.329	160	
91	5.57	5.254	160	
92	5.57	5.568	160	
93	5.57	5.557	160	
94	5.57	5.437	160	
95	5.57	5.392	160	
96	5.57	5.653	160	
97	5.57	5.314	160	
98	5.57	5.281	160	*
99	5.57	5.371	160	
100	5.57	5.588	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 16				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.289	160	*
2	5.57	5.283	160	*
3	5.57	5.428	160	
4	5.57	5.268	160	
5	5.57	5.257	160	
6	5.57	5.577	160	
7	5.57	5.499	160	
8	5.57	5.261	160	
9	5.57	5.662	160	
10	5.57	5.264	160	
11	5.57	5.325	160	
12	5.57	5.281	160	*
13	5.57	5.67	160	
14	5.57	5.611	160	
15	5.57	5.417	160	
16	5.57	5.362	160	
17	5.57	5.301	160	
18	5.57	5.282	160	*
19	5.57	5.557	160	
20	5.57	5.493	160	
21	5.57	5.643	160	
22	5.57	5.516	160	
23	5.57	5.449	160	
24	5.57	5.262	160	
25	5.57	5.634	160	
26	5.57	5.33	160	
27	5.57	5.682	160	
28	5.57	5.692	160	
29	5.57	5.307	160	
30	5.57	5.403	160	
31	5.57	5.355	160	
32	5.57	5.707	160	
33	5.57	5.623	160	
34	5.57	5.567	160	
35	5.57	5.64	160	
36	5.57	5.424	160	
37	5.57	5.453	160	
38	5.57	5.416	160	
39	5.57	5.646	160	
40	5.57	5.321	160	
41	5.57	5.379	160	
42	5.57	5.386	160	
43	5.57	5.26	160	
44	5.57	5.349	160	
45	5.57	5.555	160	
46	5.57	5.291	160	*
47	5.57	5.44	160	

48	5.57	5.683	160	
49	5.57	5.302	160	
50	5.57	5.345	160	
51	5.57	5.446	160	
52	5.57	5.675	160	
53	5.57	5.578	160	
54	5.57	5.613	160	
55	5.57	5.673	160	
56	5.57	5.674	160	
57	5.57	5.438	160	
58	5.57	5.714	160	
59	5.57	5.323	160	
60	5.57	5.464	160	
61	5.57	5.706	160	
62	5.57	5.685	160	
63	5.57	5.661	160	
64	5.57	5.489	160	
65	5.57	5.505	160	
66	5.57	5.719	160	
67	5.57	5.494	160	
68	5.57	5.705	160	
69	5.57	5.305	160	
70	5.57	5.602	160	
71	5.57	5.521	160	
72	5.57	5.487	160	
73	5.57	5.378	160	
74	5.57	5.256	160	
75	5.57	5.551	160	
76	5.57	5.384	160	
77	5.57	5.366	160	
78	5.57	5.507	160	
79	5.57	5.548	160	
80	5.57	5.609	160	
81	5.57	5.427	160	
82	5.57	5.399	160	
83	5.57	5.382	160	
84	5.57	5.654	160	
85	5.57	5.448	160	
86	5.57	5.374	160	
87	5.57	5.698	160	
88	5.57	5.4	160	
89	5.57	5.556	160	
90	5.57	5.418	160	
91	5.57	5.559	160	
92	5.57	5.533	160	
93	5.57	5.515	160	
94	5.57	5.353	160	
95	5.57	5.579	160	
96	5.57	5.506	160	
97	5.57	5.72	160	
98	5.57	5.512	160	
99	5.57	5.702	160	
100	5.57	5.51	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 17				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.4	160	
2	5.57	5.713	160	
3	5.57	5.494	160	
4	5.57	5.559	160	
5	5.57	5.464	160	
6	5.57	5.637	160	
7	5.57	5.397	160	
8	5.57	5.533	160	
9	5.57	5.642	160	
10	5.57	5.491	160	
11	5.57	5.709	160	
12	5.57	5.5	160	
13	5.57	5.653	160	
14	5.57	5.692	160	
15	5.57	5.474	160	
16	5.57	5.722	160	
17	5.57	5.581	160	
18	5.57	5.429	160	
19	5.57	5.402	160	
20	5.57	5.523	160	
21	5.57	5.376	160	
22	5.57	5.373	160	
23	5.57	5.451	160	
24	5.57	5.484	160	
25	5.57	5.327	160	
26	5.57	5.389	160	
27	5.57	5.404	160	
28	5.57	5.33	160	
29	5.57	5.347	160	
30	5.57	5.385	160	
31	5.57	5.501	160	
32	5.57	5.571	160	
33	5.57	5.589	160	
34	5.57	5.613	160	
35	5.57	5.704	160	
36	5.57	5.564	160	
37	5.57	5.374	160	
38	5.57	5.313	160	
39	5.57	5.716	160	
40	5.57	5.37	160	
41	5.57	5.386	160	
42	5.57	5.574	160	
43	5.57	5.497	160	
44	5.57	5.458	160	
45	5.57	5.445	160	
46	5.57	5.384	160	
47	5.57	5.44	160	

48	5.57	5.379	160	
49	5.57	5.286	160	*
50	5.57	5.659	160	
51	5.57	5.615	160	
52	5.57	5.544	160	
53	5.57	5.656	160	
54	5.57	5.587	160	
55	5.57	5.661	160	
56	5.57	5.297	160	*
57	5.57	5.443	160	
58	5.57	5.695	160	
59	5.57	5.302	160	
60	5.57	5.603	160	
61	5.57	5.406	160	
62	5.57	5.654	160	
63	5.57	5.669	160	
64	5.57	5.258	160	
65	5.57	5.674	160	
66	5.57	5.349	160	
67	5.57	5.57	160	
68	5.57	5.668	160	
69	5.57	5.55	160	
70	5.57	5.68	160	
71	5.57	5.693	160	
72	5.57	5.465	160	
73	5.57	5.627	160	
74	5.57	5.54	160	
75	5.57	5.681	160	
76	5.57	5.454	160	
77	5.57	5.338	160	
78	5.57	5.592	160	
79	5.57	5.558	160	
80	5.57	5.666	160	
81	5.57	5.254	160	
82	5.57	5.358	160	
83	5.57	5.423	160	
84	5.57	5.529	160	
85	5.57	5.723	160	
86	5.57	5.718	160	
87	5.57	5.289	160	*
88	5.57	5.428	160	
89	5.57	5.477	160	
90	5.57	5.594	160	
91	5.57	5.53	160	
92	5.57	5.676	160	
93	5.57	5.293	160	*
94	5.57	5.441	160	
95	5.57	5.506	160	
96	5.57	5.446	160	
97	5.57	5.646	160	
98	5.57	5.561	160	
99	5.57	5.435	160	
100	5.57	5.502	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 18				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.538	160	
2	5.57	5.322	160	
3	5.57	5.469	160	
4	5.57	5.379	160	
5	5.57	5.65	160	
6	5.57	5.352	160	
7	5.57	5.258	160	
8	5.57	5.385	160	
9	5.57	5.623	160	
10	5.57	5.31	160	
11	5.57	5.681	160	
12	5.57	5.266	160	
13	5.57	5.701	160	
14	5.57	5.625	160	
15	5.57	5.58	160	
16	5.57	5.254	160	
17	5.57	5.425	160	
18	5.57	5.561	160	
19	5.57	5.523	160	
20	5.57	5.648	160	
21	5.57	5.611	160	
22	5.57	5.57	160	
23	5.57	5.521	160	
24	5.57	5.609	160	
25	5.57	5.563	160	
26	5.57	5.287	160	*
27	5.57	5.717	160	
28	5.57	5.671	160	
29	5.57	5.527	160	
30	5.57	5.276	160	
31	5.57	5.54	160	
32	5.57	5.347	160	
33	5.57	5.275	160	
34	5.57	5.529	160	
35	5.57	5.586	160	
36	5.57	5.654	160	
37	5.57	5.639	160	
38	5.57	5.661	160	
39	5.57	5.554	160	
40	5.57	5.342	160	
41	5.57	5.309	160	
42	5.57	5.578	160	
43	5.57	5.684	160	
44	5.57	5.634	160	
45	5.57	5.369	160	
46	5.57	5.299	160	*
47	5.57	5.548	160	

48	5.57	5.406	160	
49	5.57	5.367	160	
50	5.57	5.351	160	
51	5.57	5.603	160	
52	5.57	5.468	160	
53	5.57	5.662	160	
54	5.57	5.516	160	
55	5.57	5.479	160	
56	5.57	5.638	160	
57	5.57	5.491	160	
58	5.57	5.504	160	
59	5.57	5.72	160	
60	5.57	5.36	160	
61	5.57	5.259	160	
62	5.57	5.252	160	
63	5.57	5.574	160	
64	5.57	5.508	160	
65	5.57	5.302	160	
66	5.57	5.298	160	*
67	5.57	5.477	160	
68	5.57	5.417	160	
69	5.57	5.444	160	
70	5.57	5.362	160	
71	5.57	5.557	160	
72	5.57	5.576	160	
73	5.57	5.535	160	
74	5.57	5.344	160	
75	5.57	5.354	160	
76	5.57	5.509	160	
77	5.57	5.375	160	
78	5.57	5.489	160	
79	5.57	5.598	160	
80	5.57	5.676	160	
81	5.57	5.482	160	
82	5.57	5.335	160	
83	5.57	5.601	160	
84	5.57	5.686	160	
85	5.57	5.716	160	
86	5.57	5.542	160	
87	5.57	5.47	160	
88	5.57	5.371	160	
89	5.57	5.616	160	
90	5.57	5.409	160	
91	5.57	5.274	160	
92	5.57	5.488	160	
93	5.57	5.411	160	
94	5.57	5.399	160	
95	5.57	5.397	160	
96	5.57	5.283	160	*
97	5.57	5.673	160	
98	5.57	5.631	160	
99	5.57	5.629	160	
100	5.57	5.41	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 19				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.461	160	
2	5.57	5.269	160	
3	5.57	5.518	160	
4	5.57	5.635	160	
5	5.57	5.508	160	
6	5.57	5.679	160	
7	5.57	5.505	160	
8	5.57	5.64	160	
9	5.57	5.265	160	
10	5.57	5.65	160	
11	5.57	5.47	160	
12	5.57	5.425	160	
13	5.57	5.388	160	
14	5.57	5.71	160	
15	5.57	5.439	160	
16	5.57	5.563	160	
17	5.57	5.344	160	
18	5.57	5.272	160	
19	5.57	5.312	160	
20	5.57	5.305	160	
21	5.57	5.295	160	*
22	5.57	5.443	160	
23	5.57	5.268	160	
24	5.57	5.491	160	
25	5.57	5.33	160	
26	5.57	5.25	160	
27	5.57	5.342	160	
28	5.57	5.496	160	
29	5.57	5.367	160	
30	5.57	5.495	160	
31	5.57	5.719	160	
32	5.57	5.357	160	
33	5.57	5.601	160	
34	5.57	5.655	160	
35	5.57	5.475	160	
36	5.57	5.587	160	
37	5.57	5.348	160	
38	5.57	5.437	160	
39	5.57	5.598	160	
40	5.57	5.576	160	
41	5.57	5.68	160	
42	5.57	5.41	160	
43	5.57	5.684	160	
44	5.57	5.524	160	
45	5.57	5.707	160	
46	5.57	5.636	160	
47	5.57	5.503	160	

48	5.57	5.36	160	
49	5.57	5.317	160	
50	5.57	5.384	160	
51	5.57	5.497	160	
52	5.57	5.476	160	
53	5.57	5.343	160	
54	5.57	5.699	160	
55	5.57	5.553	160	
56	5.57	5.285	160	*
57	5.57	5.477	160	
58	5.57	5.263	160	
59	5.57	5.574	160	
60	5.57	5.254	160	
61	5.57	5.513	160	
62	5.57	5.669	160	
63	5.57	5.59	160	
64	5.57	5.277	160	
65	5.57	5.573	160	
66	5.57	5.323	160	
67	5.57	5.284	160	*
68	5.57	5.371	160	
69	5.57	5.259	160	
70	5.57	5.358	160	
71	5.57	5.436	160	
72	5.57	5.38	160	
73	5.57	5.389	160	
74	5.57	5.369	160	
75	5.57	5.661	160	
76	5.57	5.356	160	
77	5.57	5.365	160	
78	5.57	5.335	160	
79	5.57	5.595	160	
80	5.57	5.355	160	
81	5.57	5.568	160	
82	5.57	5.417	160	
83	5.57	5.492	160	
84	5.57	5.7	160	
85	5.57	5.697	160	
86	5.57	5.641	160	
87	5.57	5.504	160	
88	5.57	5.685	160	
89	5.57	5.637	160	
90	5.57	5.311	160	
91	5.57	5.488	160	
92	5.57	5.658	160	
93	5.57	5.397	160	
94	5.57	5.462	160	
95	5.57	5.653	160	
96	5.57	5.724	160	
97	5.57	5.687	160	
98	5.57	5.413	160	
99	5.57	5.6	160	
100	5.57	5.606	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 20				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.27	160	
2	5.57	5.428	160	
3	5.57	5.495	160	
4	5.57	5.697	160	
5	5.57	5.449	160	
6	5.57	5.677	160	
7	5.57	5.666	160	
8	5.57	5.64	160	
9	5.57	5.28	160	*
10	5.57	5.437	160	
11	5.57	5.703	160	
12	5.57	5.656	160	
13	5.57	5.619	160	
14	5.57	5.285	160	*
15	5.57	5.684	160	
16	5.57	5.284	160	*
17	5.57	5.617	160	
18	5.57	5.405	160	
19	5.57	5.722	160	
20	5.57	5.537	160	
21	5.57	5.543	160	
22	5.57	5.49	160	
23	5.57	5.67	160	
24	5.57	5.561	160	
25	5.57	5.704	160	
26	5.57	5.474	160	
27	5.57	5.439	160	
28	5.57	5.389	160	
29	5.57	5.536	160	
30	5.57	5.603	160	
31	5.57	5.642	160	
32	5.57	5.37	160	
33	5.57	5.33	160	
34	5.57	5.307	160	
35	5.57	5.294	160	*
36	5.57	5.699	160	
37	5.57	5.674	160	
38	5.57	5.497	160	
39	5.57	5.688	160	
40	5.57	5.319	160	
41	5.57	5.32	160	
42	5.57	5.523	160	
43	5.57	5.329	160	
44	5.57	5.262	160	
45	5.57	5.367	160	
46	5.57	5.377	160	
47	5.57	5.274	160	

48	5.57	5.696	160	
49	5.57	5.486	160	
50	5.57	5.286	160	*
51	5.57	5.352	160	
52	5.57	5.572	160	
53	5.57	5.539	160	
54	5.57	5.464	160	
55	5.57	5.384	160	
56	5.57	5.473	160	
57	5.57	5.425	160	
58	5.57	5.355	160	
59	5.57	5.724	160	
60	5.57	5.627	160	
61	5.57	5.466	160	
62	5.57	5.716	160	
63	5.57	5.343	160	
64	5.57	5.689	160	
65	5.57	5.438	160	
66	5.57	5.315	160	
67	5.57	5.448	160	
68	5.57	5.608	160	
69	5.57	5.542	160	
70	5.57	5.514	160	
71	5.57	5.633	160	
72	5.57	5.632	160	
73	5.57	5.452	160	
74	5.57	5.675	160	
75	5.57	5.58	160	
76	5.57	5.635	160	
77	5.57	5.578	160	
78	5.57	5.519	160	
79	5.57	5.706	160	
80	5.57	5.445	160	
81	5.57	5.406	160	
82	5.57	5.303	160	
83	5.57	5.493	160	
84	5.57	5.7	160	
85	5.57	5.719	160	
86	5.57	5.56	160	
87	5.57	5.463	160	
88	5.57	5.568	160	
89	5.57	5.491	160	
90	5.57	5.528	160	
91	5.57	5.53	160	
92	5.57	5.504	160	
93	5.57	5.277	160	
94	5.57	5.667	160	
95	5.57	5.531	160	
96	5.57	5.556	160	
97	5.57	5.712	160	
98	5.57	5.601	160	
99	5.57	5.265	160	
100	5.57	5.546	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 21				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.603	160	
2	5.57	5.712	160	
3	5.57	5.321	160	
4	5.57	5.647	160	
5	5.57	5.291	160	*
6	5.57	5.427	160	
7	5.57	5.359	160	
8	5.57	5.397	160	
9	5.57	5.315	160	
10	5.57	5.371	160	
11	5.57	5.611	160	
12	5.57	5.354	160	
13	5.57	5.511	160	
14	5.57	5.412	160	
15	5.57	5.447	160	
16	5.57	5.589	160	
17	5.57	5.295	160	*
18	5.57	5.723	160	
19	5.57	5.563	160	
20	5.57	5.402	160	
21	5.57	5.582	160	
22	5.57	5.543	160	
23	5.57	5.579	160	
24	5.57	5.405	160	
25	5.57	5.688	160	
26	5.57	5.258	160	
27	5.57	5.285	160	*
28	5.57	5.378	160	
29	5.57	5.395	160	
30	5.57	5.659	160	
31	5.57	5.652	160	
32	5.57	5.323	160	
33	5.57	5.657	160	
34	5.57	5.581	160	
35	5.57	5.394	160	
36	5.57	5.653	160	
37	5.57	5.532	160	
38	5.57	5.709	160	
39	5.57	5.352	160	
40	5.57	5.631	160	
41	5.57	5.329	160	
42	5.57	5.262	160	
43	5.57	5.72	160	
44	5.57	5.337	160	
45	5.57	5.385	160	
46	5.57	5.533	160	
47	5.57	5.398	160	

48	5.57	5.695	160	
49	5.57	5.256	160	
50	5.57	5.357	160	
51	5.57	5.494	160	
52	5.57	5.341	160	
53	5.57	5.674	160	
54	5.57	5.692	160	
55	5.57	5.691	160	
56	5.57	5.45	160	
57	5.57	5.573	160	
58	5.57	5.596	160	
59	5.57	5.512	160	
60	5.57	5.306	160	
61	5.57	5.322	160	
62	5.57	5.707	160	
63	5.57	5.47	160	
64	5.57	5.346	160	
65	5.57	5.522	160	
66	5.57	5.515	160	
67	5.57	5.373	160	
68	5.57	5.351	160	
69	5.57	5.299	160	*
70	5.57	5.5	160	
71	5.57	5.558	160	
72	5.57	5.687	160	
73	5.57	5.444	160	
74	5.57	5.584	160	
75	5.57	5.454	160	
76	5.57	5.362	160	
77	5.57	5.316	160	
78	5.57	5.284	160	*
79	5.57	5.544	160	
80	5.57	5.266	160	
81	5.57	5.535	160	
82	5.57	5.396	160	
83	5.57	5.606	160	
84	5.57	5.703	160	
85	5.57	5.534	160	
86	5.57	5.349	160	
87	5.57	5.714	160	
88	5.57	5.317	160	
89	5.57	5.487	160	
90	5.57	5.469	160	
91	5.57	5.538	160	
92	5.57	5.452	160	
93	5.57	5.673	160	
94	5.57	5.71	160	
95	5.57	5.253	160	
96	5.57	5.441	160	
97	5.57	5.326	160	
98	5.57	5.343	160	
99	5.57	5.344	160	
100	5.57	5.608	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 22				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.28	160	*
2	5.57	5.535	160	
3	5.57	5.578	160	
4	5.57	5.596	160	
5	5.57	5.324	160	
6	5.57	5.688	160	
7	5.57	5.424	160	
8	5.57	5.344	160	
9	5.57	5.289	160	*
10	5.57	5.616	160	
11	5.57	5.385	160	
12	5.57	5.411	160	
13	5.57	5.675	160	
14	5.57	5.668	160	
15	5.57	5.533	160	
16	5.57	5.35	160	
17	5.57	5.502	160	
18	5.57	5.438	160	
19	5.57	5.517	160	
20	5.57	5.519	160	
21	5.57	5.647	160	
22	5.57	5.617	160	
23	5.57	5.498	160	
24	5.57	5.577	160	
25	5.57	5.441	160	
26	5.57	5.3	160	*
27	5.57	5.437	160	
28	5.57	5.667	160	
29	5.57	5.624	160	
30	5.57	5.254	160	
31	5.57	5.328	160	
32	5.57	5.397	160	
33	5.57	5.308	160	
34	5.57	5.426	160	
35	5.57	5.382	160	
36	5.57	5.449	160	
37	5.57	5.253	160	
38	5.57	5.452	160	
39	5.57	5.683	160	
40	5.57	5.406	160	
41	5.57	5.552	160	
42	5.57	5.705	160	
43	5.57	5.373	160	
44	5.57	5.464	160	
45	5.57	5.68	160	
46	5.57	5.272	160	
47	5.57	5.619	160	

48	5.57	5.364	160	
49	5.57	5.697	160	
50	5.57	5.307	160	
51	5.57	5.416	160	
52	5.57	5.516	160	
53	5.57	5.294	160	*
54	5.57	5.684	160	
55	5.57	5.551	160	
56	5.57	5.297	160	*
57	5.57	5.659	160	
58	5.57	5.504	160	
59	5.57	5.309	160	
60	5.57	5.484	160	
61	5.57	5.541	160	
62	5.57	5.563	160	
63	5.57	5.341	160	
64	5.57	5.334	160	
65	5.57	5.312	160	
66	5.57	5.565	160	
67	5.57	5.487	160	
68	5.57	5.702	160	
69	5.57	5.572	160	
70	5.57	5.686	160	
71	5.57	5.643	160	
72	5.57	5.473	160	
73	5.57	5.369	160	
74	5.57	5.352	160	
75	5.57	5.663	160	
76	5.57	5.431	160	
77	5.57	5.31	160	
78	5.57	5.486	160	
79	5.57	5.631	160	
80	5.57	5.346	160	
81	5.57	5.277	160	
82	5.57	5.396	160	
83	5.57	5.69	160	
84	5.57	5.333	160	
85	5.57	5.466	160	
86	5.57	5.263	160	
87	5.57	5.467	160	
88	5.57	5.575	160	
89	5.57	5.695	160	
90	5.57	5.636	160	
91	5.57	5.598	160	
92	5.57	5.315	160	
93	5.57	5.314	160	
94	5.57	5.543	160	
95	5.57	5.666	160	
96	5.57	5.434	160	
97	5.57	5.633	160	
98	5.57	5.64	160	
99	5.57	5.557	160	
100	5.57	5.656	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 23				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.458	160	
2	5.57	5.426	160	
3	5.57	5.344	160	
4	5.57	5.329	160	
5	5.57	5.454	160	
6	5.57	5.567	160	
7	5.57	5.658	160	
8	5.57	5.276	160	
9	5.57	5.302	160	
10	5.57	5.281	160	*
11	5.57	5.478	160	
12	5.57	5.459	160	
13	5.57	5.669	160	
14	5.57	5.642	160	
15	5.57	5.525	160	
16	5.57	5.298	160	*
17	5.57	5.541	160	
18	5.57	5.66	160	
19	5.57	5.589	160	
20	5.57	5.427	160	
21	5.57	5.356	160	
22	5.57	5.579	160	
23	5.57	5.524	160	
24	5.57	5.314	160	
25	5.57	5.637	160	
26	5.57	5.465	160	
27	5.57	5.267	160	
28	5.57	5.436	160	
29	5.57	5.653	160	
30	5.57	5.505	160	
31	5.57	5.646	160	
32	5.57	5.453	160	
33	5.57	5.43	160	
34	5.57	5.704	160	
35	5.57	5.435	160	
36	5.57	5.65	160	
37	5.57	5.536	160	
38	5.57	5.443	160	
39	5.57	5.652	160	
40	5.57	5.477	160	
41	5.57	5.484	160	
42	5.57	5.594	160	
43	5.57	5.297	160	*
44	5.57	5.409	160	
45	5.57	5.695	160	
46	5.57	5.537	160	
47	5.57	5.42	160	

48	5.57	5.452	160	
49	5.57	5.523	160	
50	5.57	5.464	160	
51	5.57	5.496	160	
52	5.57	5.319	160	
53	5.57	5.405	160	
54	5.57	5.402	160	
55	5.57	5.59	160	
56	5.57	5.504	160	
57	5.57	5.662	160	
58	5.57	5.7	160	
59	5.57	5.312	160	
60	5.57	5.299	160	*
61	5.57	5.63	160	
62	5.57	5.661	160	
63	5.57	5.604	160	
64	5.57	5.639	160	
65	5.57	5.33	160	
66	5.57	5.438	160	
67	5.57	5.336	160	
68	5.57	5.698	160	
69	5.57	5.355	160	
70	5.57	5.558	160	
71	5.57	5.522	160	
72	5.57	5.46	160	
73	5.57	5.55	160	
74	5.57	5.445	160	
75	5.57	5.528	160	
76	5.57	5.359	160	
77	5.57	5.345	160	
78	5.57	5.466	160	
79	5.57	5.62	160	
80	5.57	5.256	160	
81	5.57	5.262	160	
82	5.57	5.451	160	
83	5.57	5.252	160	
84	5.57	5.268	160	
85	5.57	5.686	160	
86	5.57	5.697	160	
87	5.57	5.679	160	
88	5.57	5.611	160	
89	5.57	5.529	160	
90	5.57	5.442	160	
91	5.57	5.581	160	
92	5.57	5.4	160	
93	5.57	5.487	160	
94	5.57	5.556	160	
95	5.57	5.503	160	
96	5.57	5.72	160	
97	5.57	5.382	160	
98	5.57	5.49	160	
99	5.57	5.393	160	
100	5.57	5.473	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 24				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.457	160	
2	5.57	5.277	160	
3	5.57	5.7	160	
4	5.57	5.29	160	*
5	5.57	5.25	160	
6	5.57	5.286	160	*
7	5.57	5.398	160	
8	5.57	5.577	160	
9	5.57	5.621	160	
10	5.57	5.646	160	
11	5.57	5.567	160	
12	5.57	5.431	160	
13	5.57	5.422	160	
14	5.57	5.446	160	
15	5.57	5.659	160	
16	5.57	5.54	160	
17	5.57	5.488	160	
18	5.57	5.711	160	
19	5.57	5.65	160	
20	5.57	5.596	160	
21	5.57	5.334	160	
22	5.57	5.552	160	
23	5.57	5.672	160	
24	5.57	5.571	160	
25	5.57	5.724	160	
26	5.57	5.676	160	
27	5.57	5.407	160	
28	5.57	5.516	160	
29	5.57	5.324	160	
30	5.57	5.303	160	
31	5.57	5.517	160	
32	5.57	5.316	160	
33	5.57	5.609	160	
34	5.57	5.531	160	
35	5.57	5.315	160	
36	5.57	5.506	160	
37	5.57	5.584	160	
38	5.57	5.42	160	
39	5.57	5.597	160	
40	5.57	5.476	160	
41	5.57	5.678	160	
42	5.57	5.451	160	
43	5.57	5.339	160	
44	5.57	5.685	160	
45	5.57	5.562	160	
46	5.57	5.468	160	
47	5.57	5.664	160	

48	5.57	5.514	160	
49	5.57	5.482	160	
50	5.57	5.436	160	
51	5.57	5.695	160	
52	5.57	5.598	160	
53	5.57	5.329	160	
54	5.57	5.251	160	
55	5.57	5.637	160	
56	5.57	5.399	160	
57	5.57	5.674	160	
58	5.57	5.554	160	
59	5.57	5.375	160	
60	5.57	5.613	160	
61	5.57	5.55	160	
62	5.57	5.722	160	
63	5.57	5.335	160	
64	5.57	5.556	160	
65	5.57	5.404	160	
66	5.57	5.588	160	
67	5.57	5.714	160	
68	5.57	5.629	160	
69	5.57	5.424	160	
70	5.57	5.341	160	
71	5.57	5.697	160	
72	5.57	5.483	160	
73	5.57	5.484	160	
74	5.57	5.338	160	
75	5.57	5.327	160	
76	5.57	5.579	160	
77	5.57	5.593	160	
78	5.57	5.268	160	
79	5.57	5.258	160	
80	5.57	5.634	160	
81	5.57	5.653	160	
82	5.57	5.615	160	
83	5.57	5.568	160	
84	5.57	5.388	160	
85	5.57	5.599	160	
86	5.57	5.718	160	
87	5.57	5.669	160	
88	5.57	5.376	160	
89	5.57	5.35	160	
90	5.57	5.4	160	
91	5.57	5.374	160	
92	5.57	5.546	160	
93	5.57	5.46	160	
94	5.57	5.497	160	
95	5.57	5.675	160	
96	5.57	5.612	160	
97	5.57	5.605	160	
98	5.57	5.351	160	
99	5.57	5.325	160	
100	5.57	5.578	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 25				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.252	160	
2	5.57	5.656	160	
3	5.57	5.324	160	
4	5.57	5.425	160	
5	5.57	5.698	160	
6	5.57	5.619	160	
7	5.57	5.493	160	
8	5.57	5.351	160	
9	5.57	5.673	160	
10	5.57	5.461	160	
11	5.57	5.572	160	
12	5.57	5.583	160	
13	5.57	5.381	160	
14	5.57	5.721	160	
15	5.57	5.498	160	
16	5.57	5.489	160	
17	5.57	5.326	160	
18	5.57	5.375	160	
19	5.57	5.59	160	
20	5.57	5.333	160	
21	5.57	5.405	160	
22	5.57	5.401	160	
23	5.57	5.396	160	
24	5.57	5.541	160	
25	5.57	5.41	160	
26	5.57	5.557	160	
27	5.57	5.545	160	
28	5.57	5.699	160	
29	5.57	5.596	160	
30	5.57	5.581	160	
31	5.57	5.647	160	
32	5.57	5.687	160	
33	5.57	5.657	160	
34	5.57	5.644	160	
35	5.57	5.364	160	
36	5.57	5.716	160	
37	5.57	5.509	160	
38	5.57	5.294	160	*
39	5.57	5.417	160	
40	5.57	5.436	160	
41	5.57	5.263	160	
42	5.57	5.531	160	
43	5.57	5.303	160	
44	5.57	5.514	160	
45	5.57	5.386	160	
46	5.57	5.458	160	
47	5.57	5.273	160	

48	5.57	5.492	160	
49	5.57	5.287	160	*
50	5.57	5.304	160	
51	5.57	5.253	160	
52	5.57	5.415	160	
53	5.57	5.587	160	
54	5.57	5.501	160	
55	5.57	5.684	160	
56	5.57	5.43	160	
57	5.57	5.316	160	
58	5.57	5.297	160	*
59	5.57	5.62	160	
60	5.57	5.507	160	
61	5.57	5.607	160	
62	5.57	5.35	160	
63	5.57	5.578	160	
64	5.57	5.686	160	
65	5.57	5.465	160	
66	5.57	5.302	160	
67	5.57	5.69	160	
68	5.57	5.257	160	
69	5.57	5.599	160	
70	5.57	5.53	160	
71	5.57	5.625	160	
72	5.57	5.341	160	
73	5.57	5.332	160	
74	5.57	5.299	160	*
75	5.57	5.473	160	
76	5.57	5.569	160	
77	5.57	5.462	160	
78	5.57	5.265	160	
79	5.57	5.359	160	
80	5.57	5.315	160	
81	5.57	5.637	160	
82	5.57	5.472	160	
83	5.57	5.274	160	
84	5.57	5.305	160	
85	5.57	5.368	160	
86	5.57	5.289	160	*
87	5.57	5.379	160	
88	5.57	5.469	160	
89	5.57	5.54	160	
90	5.57	5.27	160	
91	5.57	5.481	160	
92	5.57	5.318	160	
93	5.57	5.623	160	
94	5.57	5.523	160	
95	5.57	5.31	160	
96	5.57	5.693	160	
97	5.57	5.378	160	
98	5.57	5.282	160	*
99	5.57	5.44	160	
100	5.57	5.593	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 26				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.364	160	
2	5.57	5.51	160	
3	5.57	5.414	160	
4	5.57	5.38	160	
5	5.57	5.632	160	
6	5.57	5.289	160	*
7	5.57	5.284	160	*
8	5.57	5.417	160	
9	5.57	5.4	160	
10	5.57	5.383	160	
11	5.57	5.646	160	
12	5.57	5.476	160	
13	5.57	5.322	160	
14	5.57	5.621	160	
15	5.57	5.693	160	
16	5.57	5.528	160	
17	5.57	5.699	160	
18	5.57	5.557	160	
19	5.57	5.598	160	
20	5.57	5.253	160	
21	5.57	5.35	160	
22	5.57	5.308	160	
23	5.57	5.595	160	
24	5.57	5.591	160	
25	5.57	5.355	160	
26	5.57	5.492	160	
27	5.57	5.464	160	
28	5.57	5.279	160	
29	5.57	5.254	160	
30	5.57	5.379	160	
31	5.57	5.499	160	
32	5.57	5.463	160	
33	5.57	5.39	160	
34	5.57	5.429	160	
35	5.57	5.717	160	
36	5.57	5.262	160	
37	5.57	5.382	160	
38	5.57	5.607	160	
39	5.57	5.257	160	
40	5.57	5.602	160	
41	5.57	5.587	160	
42	5.57	5.478	160	
43	5.57	5.606	160	
44	5.57	5.384	160	
45	5.57	5.56	160	
46	5.57	5.596	160	
47	5.57	5.689	160	

48	5.57	5.568	160	
49	5.57	5.3	160	*
50	5.57	5.63	160	
51	5.57	5.261	160	
52	5.57	5.286	160	*
53	5.57	5.529	160	
54	5.57	5.375	160	
55	5.57	5.468	160	
56	5.57	5.677	160	
57	5.57	5.534	160	
58	5.57	5.399	160	
59	5.57	5.421	160	
60	5.57	5.327	160	
61	5.57	5.569	160	
62	5.57	5.465	160	
63	5.57	5.466	160	
64	5.57	5.617	160	
65	5.57	5.272	160	
66	5.57	5.428	160	
67	5.57	5.508	160	
68	5.57	5.29	160	*
69	5.57	5.263	160	
70	5.57	5.432	160	
71	5.57	5.634	160	
72	5.57	5.292	160	*
73	5.57	5.547	160	
74	5.57	5.524	160	
75	5.57	5.664	160	
76	5.57	5.535	160	
77	5.57	5.265	160	
78	5.57	5.376	160	
79	5.57	5.315	160	
80	5.57	5.624	160	
81	5.57	5.471	160	
82	5.57	5.493	160	
83	5.57	5.694	160	
84	5.57	5.31	160	
85	5.57	5.504	160	
86	5.57	5.546	160	
87	5.57	5.491	160	
88	5.57	5.525	160	
89	5.57	5.656	160	
90	5.57	5.542	160	
91	5.57	5.615	160	
92	5.57	5.552	160	
93	5.57	5.381	160	
94	5.57	5.7	160	
95	5.57	5.495	160	
96	5.57	5.653	160	
97	5.57	5.682	160	
98	5.57	5.37	160	
99	5.57	5.609	160	
100	5.57	5.47	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 27				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.472	160	
2	5.57	5.448	160	
3	5.57	5.375	160	
4	5.57	5.626	160	
5	5.57	5.711	160	
6	5.57	5.673	160	
7	5.57	5.28	160	*
8	5.57	5.552	160	
9	5.57	5.677	160	
10	5.57	5.684	160	
11	5.57	5.623	160	
12	5.57	5.605	160	
13	5.57	5.335	160	
14	5.57	5.719	160	
15	5.57	5.352	160	
16	5.57	5.545	160	
17	5.57	5.397	160	
18	5.57	5.696	160	
19	5.57	5.635	160	
20	5.57	5.607	160	
21	5.57	5.629	160	
22	5.57	5.387	160	
23	5.57	5.661	160	
24	5.57	5.377	160	
25	5.57	5.578	160	
26	5.57	5.474	160	
27	5.57	5.648	160	
28	5.57	5.386	160	
29	5.57	5.409	160	
30	5.57	5.567	160	
31	5.57	5.649	160	
32	5.57	5.609	160	
33	5.57	5.438	160	
34	5.57	5.517	160	
35	5.57	5.295	160	*
36	5.57	5.252	160	
37	5.57	5.553	160	
38	5.57	5.583	160	
39	5.57	5.334	160	
40	5.57	5.509	160	
41	5.57	5.504	160	
42	5.57	5.366	160	
43	5.57	5.43	160	
44	5.57	5.513	160	
45	5.57	5.614	160	
46	5.57	5.486	160	
47	5.57	5.541	160	

48	5.57	5.512	160	
49	5.57	5.339	160	
50	5.57	5.534	160	
51	5.57	5.374	160	
52	5.57	5.557	160	
53	5.57	5.588	160	
54	5.57	5.62	160	
55	5.57	5.51	160	
56	5.57	5.38	160	
57	5.57	5.7	160	
58	5.57	5.533	160	
59	5.57	5.667	160	
60	5.57	5.262	160	
61	5.57	5.586	160	
62	5.57	5.466	160	
63	5.57	5.627	160	
64	5.57	5.331	160	
65	5.57	5.274	160	
66	5.57	5.411	160	
67	5.57	5.282	160	*
68	5.57	5.682	160	
69	5.57	5.611	160	
70	5.57	5.441	160	
71	5.57	5.531	160	
72	5.57	5.572	160	
73	5.57	5.604	160	
74	5.57	5.269	160	
75	5.57	5.479	160	
76	5.57	5.703	160	
77	5.57	5.683	160	
78	5.57	5.371	160	
79	5.57	5.702	160	
80	5.57	5.554	160	
81	5.57	5.437	160	
82	5.57	5.633	160	
83	5.57	5.261	160	
84	5.57	5.343	160	
85	5.57	5.309	160	
86	5.57	5.492	160	
87	5.57	5.424	160	
88	5.57	5.417	160	
89	5.57	5.464	160	
90	5.57	5.304	160	
91	5.57	5.646	160	
92	5.57	5.389	160	
93	5.57	5.701	160	
94	5.57	5.416	160	
95	5.57	5.615	160	
96	5.57	5.678	160	
97	5.57	5.538	160	
98	5.57	5.25	160	
99	5.57	5.532	160	
100	5.57	5.46	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 28				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.599	160	
2	5.57	5.523	160	
3	5.57	5.649	160	
4	5.57	5.652	160	
5	5.57	5.501	160	
6	5.57	5.531	160	
7	5.57	5.486	160	
8	5.57	5.554	160	
9	5.57	5.339	160	
10	5.57	5.444	160	
11	5.57	5.393	160	
12	5.57	5.7	160	
13	5.57	5.256	160	
14	5.57	5.675	160	
15	5.57	5.456	160	
16	5.57	5.395	160	
17	5.57	5.417	160	
18	5.57	5.704	160	
19	5.57	5.52	160	
20	5.57	5.374	160	
21	5.57	5.546	160	
22	5.57	5.378	160	
23	5.57	5.385	160	
24	5.57	5.617	160	
25	5.57	5.557	160	
26	5.57	5.549	160	
27	5.57	5.682	160	
28	5.57	5.473	160	
29	5.57	5.427	160	
30	5.57	5.286	160	*
31	5.57	5.632	160	
32	5.57	5.318	160	
33	5.57	5.698	160	
34	5.57	5.305	160	
35	5.57	5.667	160	
36	5.57	5.584	160	
37	5.57	5.467	160	
38	5.57	5.581	160	
39	5.57	5.527	160	
40	5.57	5.678	160	
41	5.57	5.285	160	*
42	5.57	5.314	160	
43	5.57	5.588	160	
44	5.57	5.398	160	
45	5.57	5.302	160	
46	5.57	5.492	160	
47	5.57	5.604	160	

48	5.57	5.437	160	
49	5.57	5.411	160	
50	5.57	5.67	160	
51	5.57	5.583	160	
52	5.57	5.511	160	
53	5.57	5.424	160	
54	5.57	5.303	160	
55	5.57	5.349	160	
56	5.57	5.377	160	
57	5.57	5.49	160	
58	5.57	5.31	160	
59	5.57	5.331	160	
60	5.57	5.429	160	
61	5.57	5.4	160	
62	5.57	5.54	160	
63	5.57	5.26	160	
64	5.57	5.587	160	
65	5.57	5.65	160	
66	5.57	5.313	160	
67	5.57	5.284	160	*
68	5.57	5.39	160	
69	5.57	5.714	160	
70	5.57	5.46	160	
71	5.57	5.392	160	
72	5.57	5.556	160	
73	5.57	5.568	160	
74	5.57	5.626	160	
75	5.57	5.672	160	
76	5.57	5.315	160	
77	5.57	5.342	160	
78	5.57	5.295	160	*
79	5.57	5.687	160	
80	5.57	5.288	160	*
81	5.57	5.654	160	
82	5.57	5.436	160	
83	5.57	5.278	160	
84	5.57	5.521	160	
85	5.57	5.391	160	
86	5.57	5.397	160	
87	5.57	5.658	160	
88	5.57	5.71	160	
89	5.57	5.48	160	
90	5.57	5.439	160	
91	5.57	5.646	160	
92	5.57	5.345	160	
93	5.57	5.639	160	
94	5.57	5.259	160	
95	5.57	5.723	160	
96	5.57	5.544	160	
97	5.57	5.542	160	
98	5.57	5.559	160	
99	5.57	5.512	160	
100	5.57	5.304	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 29				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.34	160	
2	5.57	5.685	160	
3	5.57	5.646	160	
4	5.57	5.677	160	
5	5.57	5.518	160	
6	5.57	5.263	160	
7	5.57	5.636	160	
8	5.57	5.549	160	
9	5.57	5.702	160	
10	5.57	5.314	160	
11	5.57	5.376	160	
12	5.57	5.267	160	
13	5.57	5.297	160	*
14	5.57	5.604	160	
15	5.57	5.438	160	
16	5.57	5.258	160	
17	5.57	5.71	160	
18	5.57	5.721	160	
19	5.57	5.603	160	
20	5.57	5.506	160	
21	5.57	5.709	160	
22	5.57	5.532	160	
23	5.57	5.317	160	
24	5.57	5.615	160	
25	5.57	5.494	160	
26	5.57	5.491	160	
27	5.57	5.264	160	
28	5.57	5.386	160	
29	5.57	5.643	160	
30	5.57	5.599	160	
31	5.57	5.46	160	
32	5.57	5.289	160	*
33	5.57	5.6	160	
34	5.57	5.683	160	
35	5.57	5.654	160	
36	5.57	5.255	160	
37	5.57	5.33	160	
38	5.57	5.625	160	
39	5.57	5.49	160	
40	5.57	5.527	160	
41	5.57	5.481	160	
42	5.57	5.375	160	
43	5.57	5.634	160	
44	5.57	5.567	160	
45	5.57	5.393	160	
46	5.57	5.301	160	
47	5.57	5.445	160	

48	5.57	5.596	160	
49	5.57	5.605	160	
50	5.57	5.343	160	
51	5.57	5.663	160	
52	5.57	5.548	160	
53	5.57	5.377	160	
54	5.57	5.57	160	
55	5.57	5.583	160	
56	5.57	5.473	160	
57	5.57	5.668	160	
58	5.57	5.587	160	
59	5.57	5.41	160	
60	5.57	5.329	160	
61	5.57	5.561	160	
62	5.57	5.364	160	
63	5.57	5.552	160	
64	5.57	5.374	160	
65	5.57	5.391	160	
66	5.57	5.519	160	
67	5.57	5.346	160	
68	5.57	5.704	160	
69	5.57	5.53	160	
70	5.57	5.485	160	
71	5.57	5.458	160	
72	5.57	5.59	160	
73	5.57	5.517	160	
74	5.57	5.425	160	
75	5.57	5.348	160	
76	5.57	5.382	160	
77	5.57	5.296	160	*
78	5.57	5.529	160	
79	5.57	5.368	160	
80	5.57	5.361	160	
81	5.57	5.528	160	
82	5.57	5.315	160	
83	5.57	5.47	160	
84	5.57	5.589	160	
85	5.57	5.324	160	
86	5.57	5.498	160	
87	5.57	5.513	160	
88	5.57	5.592	160	
89	5.57	5.451	160	
90	5.57	5.287	160	*
91	5.57	5.378	160	
92	5.57	5.72	160	
93	5.57	5.52	160	
94	5.57	5.601	160	
95	5.57	5.602	160	
96	5.57	5.691	160	
97	5.57	5.402	160	
98	5.57	5.703	160	
99	5.57	5.539	160	
100	5.57	5.303	160	

--

802.11ax(HE160) - 5570MHz				
TYPE 6 PARAMETER SHEET				
Trial Number : 30				
Bursts in Trial: 100				
Burst	Carrier (GHz)	Hop (GHz)	DUT BW (MHz)	Within RX
1	5.57	5.462	160	
2	5.57	5.32	160	
3	5.57	5.505	160	
4	5.57	5.557	160	
5	5.57	5.576	160	
6	5.57	5.371	160	
7	5.57	5.437	160	
8	5.57	5.376	160	
9	5.57	5.372	160	
10	5.57	5.482	160	
11	5.57	5.411	160	
12	5.57	5.404	160	
13	5.57	5.344	160	
14	5.57	5.544	160	
15	5.57	5.347	160	
16	5.57	5.367	160	
17	5.57	5.394	160	
18	5.57	5.429	160	
19	5.57	5.35	160	
20	5.57	5.545	160	
21	5.57	5.608	160	
22	5.57	5.513	160	
23	5.57	5.598	160	
24	5.57	5.275	160	
25	5.57	5.553	160	
26	5.57	5.463	160	
27	5.57	5.419	160	
28	5.57	5.696	160	
29	5.57	5.416	160	
30	5.57	5.453	160	
31	5.57	5.443	160	
32	5.57	5.265	160	
33	5.57	5.702	160	
34	5.57	5.268	160	
35	5.57	5.546	160	
36	5.57	5.528	160	
37	5.57	5.654	160	
38	5.57	5.653	160	
39	5.57	5.586	160	
40	5.57	5.464	160	
41	5.57	5.392	160	
42	5.57	5.435	160	
43	5.57	5.714	160	
44	5.57	5.298	160	*
45	5.57	5.272	160	
46	5.57	5.537	160	
47	5.57	5.34	160	

48	5.57	5.479	160	
49	5.57	5.375	160	
50	5.57	5.45	160	
51	5.57	5.628	160	
52	5.57	5.665	160	
53	5.57	5.266	160	
54	5.57	5.607	160	
55	5.57	5.305	160	
56	5.57	5.584	160	
57	5.57	5.418	160	
58	5.57	5.566	160	
59	5.57	5.284	160	*
60	5.57	5.264	160	
61	5.57	5.502	160	
62	5.57	5.382	160	
63	5.57	5.542	160	
64	5.57	5.689	160	
65	5.57	5.428	160	
66	5.57	5.306	160	
67	5.57	5.363	160	
68	5.57	5.38	160	
69	5.57	5.556	160	
70	5.57	5.518	160	
71	5.57	5.722	160	
72	5.57	5.648	160	
73	5.57	5.677	160	
74	5.57	5.596	160	
75	5.57	5.467	160	
76	5.57	5.684	160	
77	5.57	5.425	160	
78	5.57	5.426	160	
79	5.57	5.699	160	
80	5.57	5.585	160	
81	5.57	5.511	160	
82	5.57	5.663	160	
83	5.57	5.444	160	
84	5.57	5.389	160	
85	5.57	5.636	160	
86	5.57	5.579	160	
87	5.57	5.613	160	
88	5.57	5.642	160	
89	5.57	5.427	160	
90	5.57	5.58	160	
91	5.57	5.656	160	
92	5.57	5.281	160	*
93	5.57	5.354	160	
94	5.57	5.341	160	
95	5.57	5.279	160	
96	5.57	5.638	160	
97	5.57	5.72	160	
98	5.57	5.66	160	
99	5.57	5.605	160	
100	5.57	5.514	160	

--