




Modulation	be EHT320	Test Freq. (MHz)	6425																																																																						
Polarization	Horizontal																																																																								
Test By :Sean Yu Temperature(°C):26 Humidity(%):63																																																																									
Level (dBuV/m) <table><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr><tr><td>1</td><td>1001.00</td><td>33.31</td><td>54.00</td><td>-20.69</td><td>41.59</td><td>-8.28</td><td>Average</td><td>100</td><td>204</td></tr><tr><td>2</td><td>1001.00</td><td>40.09</td><td>74.00</td><td>-33.91</td><td>48.37</td><td>-8.28</td><td>Peak</td><td>100</td><td>204</td></tr><tr><td>3</td><td>1599.00</td><td>25.64</td><td>54.00</td><td>-28.36</td><td>32.95</td><td>-7.31</td><td>Average</td><td>100</td><td>306</td></tr><tr><td>4</td><td>1599.00</td><td>37.41</td><td>74.00</td><td>-36.59</td><td>44.72</td><td>-7.31</td><td>Peak</td><td>100</td><td>306</td></tr><tr><td>5</td><td>12850.00</td><td>43.81</td><td>68.20</td><td>-24.39</td><td>37.26</td><td>6.55</td><td>Average</td><td>100</td><td>60</td></tr><tr><td>6</td><td>12850.00</td><td>56.97</td><td>88.20</td><td>-31.23</td><td>50.42</td><td>6.55</td><td>Peak</td><td>100</td><td>60</td></tr></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	1001.00	33.31	54.00	-20.69	41.59	-8.28	Average	100	204	2	1001.00	40.09	74.00	-33.91	48.37	-8.28	Peak	100	204	3	1599.00	25.64	54.00	-28.36	32.95	-7.31	Average	100	306	4	1599.00	37.41	74.00	-36.59	44.72	-7.31	Peak	100	306	5	12850.00	43.81	68.20	-24.39	37.26	6.55	Average	100	60	6	12850.00	56.97	88.20	-31.23	50.42	6.55	Peak	100	60
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																																
1	1001.00	33.31	54.00	-20.69	41.59	-8.28	Average	100	204																																																																
2	1001.00	40.09	74.00	-33.91	48.37	-8.28	Peak	100	204																																																																
3	1599.00	25.64	54.00	-28.36	32.95	-7.31	Average	100	306																																																																
4	1599.00	37.41	74.00	-36.59	44.72	-7.31	Peak	100	306																																																																
5	12850.00	43.81	68.20	-24.39	37.26	6.55	Average	100	60																																																																
6	12850.00	56.97	88.20	-31.23	50.42	6.55	Peak	100	60																																																																
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).																																																																									




Modulation	be EHT320	Test Freq. (MHz)	6425																																																																						
Polarization	Vertical																																																																								
Test By :Sean Yu Temperature(°C):26 Humidity(%):63																																																																									
Level (dBUV/m)  <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBUV/m</th><th>Limit dBUV/m</th><th>Margin dB</th><th>SA reading dBUV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>1001.00</td><td>35.88</td><td>54.00</td><td>-18.12</td><td>44.16</td><td>-8.28</td><td>Average</td><td>100</td><td>208</td></tr><tr><td>2</td><td>1001.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>49.37</td><td>-8.28</td><td>Peak</td><td>100</td><td>208</td></tr><tr><td>3</td><td>1599.00</td><td>26.77</td><td>54.00</td><td>-27.23</td><td>34.08</td><td>-7.31</td><td>Average</td><td>100</td><td>109</td></tr><tr><td>4</td><td>1599.00</td><td>37.52</td><td>74.00</td><td>-36.48</td><td>44.83</td><td>-7.31</td><td>Peak</td><td>100</td><td>109</td></tr><tr><td>5</td><td>12850.00</td><td>43.64</td><td>68.20</td><td>-24.56</td><td>37.09</td><td>6.55</td><td>Average</td><td>100</td><td>19</td></tr><tr><td>6</td><td>12850.00</td><td>57.78</td><td>88.20</td><td>-30.42</td><td>51.23</td><td>6.55</td><td>Peak</td><td>100</td><td>19</td></tr></tbody></table>					Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	1001.00	35.88	54.00	-18.12	44.16	-8.28	Average	100	208	2	1001.00	41.09	74.00	-32.91	49.37	-8.28	Peak	100	208	3	1599.00	26.77	54.00	-27.23	34.08	-7.31	Average	100	109	4	1599.00	37.52	74.00	-36.48	44.83	-7.31	Peak	100	109	5	12850.00	43.64	68.20	-24.56	37.09	6.55	Average	100	19	6	12850.00	57.78	88.20	-30.42	51.23	6.55	Peak	100	19
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																																
1	1001.00	35.88	54.00	-18.12	44.16	-8.28	Average	100	208																																																																
2	1001.00	41.09	74.00	-32.91	49.37	-8.28	Peak	100	208																																																																
3	1599.00	26.77	54.00	-27.23	34.08	-7.31	Average	100	109																																																																
4	1599.00	37.52	74.00	-36.48	44.83	-7.31	Peak	100	109																																																																
5	12850.00	43.64	68.20	-24.56	37.09	6.55	Average	100	19																																																																
6	12850.00	57.78	88.20	-30.42	51.23	6.55	Peak	100	19																																																																
Note 1: Emission Level (dBUV/m) = SA Reading (dBUV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBUV/m) – Limit (dBUV/m).																																																																									



Modulation	be EHT320	Test Freq. (MHz)	6585																																																																																										
Polarization	Horizontal																																																																																												
Test By :Sean Yu Temperature(°C):26 Humidity(%):63																																																																																													
Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>1599.00</td><td>25.63</td><td>54.00</td><td>-28.37</td><td>32.94</td><td>-7.31</td><td>Average</td><td>100</td><td>311</td></tr><tr><td>2</td><td>1599.00</td><td>37.21</td><td>74.00</td><td>-36.79</td><td>44.52</td><td>-7.31</td><td>Peak</td><td>100</td><td>311</td></tr><tr><td>3</td><td>7125.00</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>46.40</td><td>4.93</td><td>Average</td><td>100</td><td>235</td></tr><tr><td>4</td><td>7125.00</td><td>61.49</td><td>88.20</td><td>-26.71</td><td>56.56</td><td>4.93</td><td>Peak</td><td>100</td><td>235</td></tr><tr><td>5</td><td>7250.00</td><td>51.11</td><td>54.00</td><td>-2.89</td><td>45.83</td><td>5.28</td><td>Average</td><td>100</td><td>235</td></tr><tr><td>6</td><td>7250.00</td><td>63.24</td><td>74.00</td><td>-10.76</td><td>57.96</td><td>5.28</td><td>Peak</td><td>100</td><td>235</td></tr><tr><td>7</td><td>13170.00</td><td>43.19</td><td>68.20</td><td>-25.01</td><td>37.29</td><td>5.90</td><td>Average</td><td>100</td><td>62</td></tr><tr><td>8</td><td>13170.00</td><td>56.86</td><td>88.20</td><td>-31.34</td><td>50.96</td><td>5.90</td><td>Peak</td><td>100</td><td>62</td></tr></tbody></table> Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	1599.00	25.63	54.00	-28.37	32.94	-7.31	Average	100	311	2	1599.00	37.21	74.00	-36.79	44.52	-7.31	Peak	100	311	3	7125.00	51.33	68.20	-16.87	46.40	4.93	Average	100	235	4	7125.00	61.49	88.20	-26.71	56.56	4.93	Peak	100	235	5	7250.00	51.11	54.00	-2.89	45.83	5.28	Average	100	235	6	7250.00	63.24	74.00	-10.76	57.96	5.28	Peak	100	235	7	13170.00	43.19	68.20	-25.01	37.29	5.90	Average	100	62	8	13170.00	56.86	88.20	-31.34	50.96	5.90	Peak	100	62
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																																																				
1	1599.00	25.63	54.00	-28.37	32.94	-7.31	Average	100	311																																																																																				
2	1599.00	37.21	74.00	-36.79	44.52	-7.31	Peak	100	311																																																																																				
3	7125.00	51.33	68.20	-16.87	46.40	4.93	Average	100	235																																																																																				
4	7125.00	61.49	88.20	-26.71	56.56	4.93	Peak	100	235																																																																																				
5	7250.00	51.11	54.00	-2.89	45.83	5.28	Average	100	235																																																																																				
6	7250.00	63.24	74.00	-10.76	57.96	5.28	Peak	100	235																																																																																				
7	13170.00	43.19	68.20	-25.01	37.29	5.90	Average	100	62																																																																																				
8	13170.00	56.86	88.20	-31.34	50.96	5.90	Peak	100	62																																																																																				




Modulation	be EHT320	Test Freq. (MHz)	6585																																																																																											
Polarization	Vertical																																																																																													
Test By :Sean Yu Temperature(°C):26 Humidity(%):63																																																																																														
																																																																																														
	<table><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr><tr><td>1</td><td>1599.00</td><td>26.84</td><td>54.00</td><td>-27.16</td><td>34.15</td><td>-7.31</td><td>Average</td><td>100</td><td>114</td></tr><tr><td>2</td><td>1599.00</td><td>37.49</td><td>74.00</td><td>-36.51</td><td>44.80</td><td>-7.31</td><td>Peak</td><td>100</td><td>114</td></tr><tr><td>3</td><td>7125.00</td><td>51.43</td><td>68.20</td><td>-16.77</td><td>46.50</td><td>4.93</td><td>Average</td><td>100</td><td>229</td></tr><tr><td>4</td><td>7125.00</td><td>62.84</td><td>88.20</td><td>-25.36</td><td>57.91</td><td>4.93</td><td>Peak</td><td>100</td><td>229</td></tr><tr><td>5</td><td>7250.00</td><td>52.37</td><td>54.00</td><td>-1.63</td><td>47.09</td><td>5.28</td><td>Average</td><td>100</td><td>229</td></tr><tr><td>6</td><td>7250.00</td><td>64.85</td><td>74.00</td><td>-9.15</td><td>59.57</td><td>5.28</td><td>Peak</td><td>100</td><td>229</td></tr><tr><td>7</td><td>13170.00</td><td>43.07</td><td>68.20</td><td>-25.13</td><td>37.17</td><td>5.90</td><td>Average</td><td>100</td><td>32</td></tr><tr><td>8</td><td>13170.00</td><td>57.90</td><td>88.20</td><td>-30.30</td><td>52.00</td><td>5.90</td><td>Peak</td><td>100</td><td>32</td></tr></table>		Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	1599.00	26.84	54.00	-27.16	34.15	-7.31	Average	100	114	2	1599.00	37.49	74.00	-36.51	44.80	-7.31	Peak	100	114	3	7125.00	51.43	68.20	-16.77	46.50	4.93	Average	100	229	4	7125.00	62.84	88.20	-25.36	57.91	4.93	Peak	100	229	5	7250.00	52.37	54.00	-1.63	47.09	5.28	Average	100	229	6	7250.00	64.85	74.00	-9.15	59.57	5.28	Peak	100	229	7	13170.00	43.07	68.20	-25.13	37.17	5.90	Average	100	32	8	13170.00	57.90	88.20	-30.30	52.00	5.90	Peak	100	32			
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																																																					
1	1599.00	26.84	54.00	-27.16	34.15	-7.31	Average	100	114																																																																																					
2	1599.00	37.49	74.00	-36.51	44.80	-7.31	Peak	100	114																																																																																					
3	7125.00	51.43	68.20	-16.77	46.50	4.93	Average	100	229																																																																																					
4	7125.00	62.84	88.20	-25.36	57.91	4.93	Peak	100	229																																																																																					
5	7250.00	52.37	54.00	-1.63	47.09	5.28	Average	100	229																																																																																					
6	7250.00	64.85	74.00	-9.15	59.57	5.28	Peak	100	229																																																																																					
7	13170.00	43.07	68.20	-25.13	37.17	5.90	Average	100	32																																																																																					
8	13170.00	57.90	88.20	-30.30	52.00	5.90	Peak	100	32																																																																																					
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).																																																																																														



Modulation	be EHT320	Test Freq. (MHz)	6745																																																																																										
Polarization	Horizontal																																																																																												
Test By :Sean Yu Temperature(°C):26 Humidity(%):63																																																																																													
Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>1599.00</td><td>25.73</td><td>54.00</td><td>-28.27</td><td>33.04</td><td>-7.31</td><td>Average</td><td>100</td><td>314</td></tr><tr><td>2</td><td>1599.00</td><td>37.32</td><td>74.00</td><td>-36.68</td><td>44.63</td><td>-7.31</td><td>Peak</td><td>100</td><td>314</td></tr><tr><td>3</td><td>7125.00</td><td>56.88</td><td>68.20</td><td>-11.32</td><td>51.95</td><td>4.93</td><td>Average</td><td>144</td><td>199</td></tr><tr><td>4</td><td>7125.00</td><td>64.30</td><td>88.20</td><td>-23.90</td><td>59.37</td><td>4.93</td><td>Peak</td><td>144</td><td>199</td></tr><tr><td>5</td><td>7250.00</td><td>52.19</td><td>54.00</td><td>-1.81</td><td>46.91</td><td>5.28</td><td>Average</td><td>144</td><td>199</td></tr><tr><td>6</td><td>7250.00</td><td>62.42</td><td>74.00</td><td>-11.58</td><td>57.14</td><td>5.28</td><td>Peak</td><td>144</td><td>199</td></tr><tr><td>7</td><td>13490.00</td><td>44.73</td><td>68.20</td><td>-23.47</td><td>38.61</td><td>6.12</td><td>Average</td><td>100</td><td>59</td></tr><tr><td>8</td><td>13490.00</td><td>58.59</td><td>88.20</td><td>-29.61</td><td>52.47</td><td>6.12</td><td>Peak</td><td>100</td><td>59</td></tr></tbody></table> Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	1599.00	25.73	54.00	-28.27	33.04	-7.31	Average	100	314	2	1599.00	37.32	74.00	-36.68	44.63	-7.31	Peak	100	314	3	7125.00	56.88	68.20	-11.32	51.95	4.93	Average	144	199	4	7125.00	64.30	88.20	-23.90	59.37	4.93	Peak	144	199	5	7250.00	52.19	54.00	-1.81	46.91	5.28	Average	144	199	6	7250.00	62.42	74.00	-11.58	57.14	5.28	Peak	144	199	7	13490.00	44.73	68.20	-23.47	38.61	6.12	Average	100	59	8	13490.00	58.59	88.20	-29.61	52.47	6.12	Peak	100	59
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																																																				
1	1599.00	25.73	54.00	-28.27	33.04	-7.31	Average	100	314																																																																																				
2	1599.00	37.32	74.00	-36.68	44.63	-7.31	Peak	100	314																																																																																				
3	7125.00	56.88	68.20	-11.32	51.95	4.93	Average	144	199																																																																																				
4	7125.00	64.30	88.20	-23.90	59.37	4.93	Peak	144	199																																																																																				
5	7250.00	52.19	54.00	-1.81	46.91	5.28	Average	144	199																																																																																				
6	7250.00	62.42	74.00	-11.58	57.14	5.28	Peak	144	199																																																																																				
7	13490.00	44.73	68.20	-23.47	38.61	6.12	Average	100	59																																																																																				
8	13490.00	58.59	88.20	-29.61	52.47	6.12	Peak	100	59																																																																																				




Modulation	be EHT320	Test Freq. (MHz)	6745																																																																																										
Polarization	Vertical																																																																																												
Test By :Sean Yu Temperature(°C):26 Humidity(%):63																																																																																													
Level (dBuV/m)  <table><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr><tr><td>1</td><td>1599.00</td><td>26.67</td><td>54.00</td><td>-27.33</td><td>33.98</td><td>-7.31</td><td>Average</td><td>100</td><td>110</td></tr><tr><td>2</td><td>1599.00</td><td>37.43</td><td>74.00</td><td>-36.57</td><td>44.74</td><td>-7.31</td><td>Peak</td><td>100</td><td>110</td></tr><tr><td>3</td><td>7125.00</td><td>56.85</td><td>68.20</td><td>-11.35</td><td>51.92</td><td>4.93</td><td>Average</td><td>100</td><td>135</td></tr><tr><td>4</td><td>7125.00</td><td>65.06</td><td>88.20</td><td>-23.14</td><td>60.13</td><td>4.93</td><td>Peak</td><td>100</td><td>135</td></tr><tr><td>5</td><td>7250.00</td><td>51.10</td><td>54.00</td><td>-2.90</td><td>45.82</td><td>5.28</td><td>Average</td><td>100</td><td>135</td></tr><tr><td>6</td><td>7250.00</td><td>63.92</td><td>74.00</td><td>-10.08</td><td>58.64</td><td>5.28</td><td>Peak</td><td>100</td><td>135</td></tr><tr><td>7</td><td>13490.00</td><td>44.77</td><td>68.20</td><td>-23.43</td><td>38.65</td><td>6.12</td><td>Average</td><td>100</td><td>31</td></tr><tr><td>8</td><td>13490.00</td><td>58.68</td><td>88.20</td><td>-29.52</td><td>52.56</td><td>6.12</td><td>Peak</td><td>100</td><td>31</td></tr></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	1599.00	26.67	54.00	-27.33	33.98	-7.31	Average	100	110	2	1599.00	37.43	74.00	-36.57	44.74	-7.31	Peak	100	110	3	7125.00	56.85	68.20	-11.35	51.92	4.93	Average	100	135	4	7125.00	65.06	88.20	-23.14	60.13	4.93	Peak	100	135	5	7250.00	51.10	54.00	-2.90	45.82	5.28	Average	100	135	6	7250.00	63.92	74.00	-10.08	58.64	5.28	Peak	100	135	7	13490.00	44.77	68.20	-23.43	38.65	6.12	Average	100	31	8	13490.00	58.68	88.20	-29.52	52.56	6.12	Peak	100	31
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																																																				
1	1599.00	26.67	54.00	-27.33	33.98	-7.31	Average	100	110																																																																																				
2	1599.00	37.43	74.00	-36.57	44.74	-7.31	Peak	100	110																																																																																				
3	7125.00	56.85	68.20	-11.35	51.92	4.93	Average	100	135																																																																																				
4	7125.00	65.06	88.20	-23.14	60.13	4.93	Peak	100	135																																																																																				
5	7250.00	51.10	54.00	-2.90	45.82	5.28	Average	100	135																																																																																				
6	7250.00	63.92	74.00	-10.08	58.64	5.28	Peak	100	135																																																																																				
7	13490.00	44.77	68.20	-23.43	38.65	6.12	Average	100	31																																																																																				
8	13490.00	58.68	88.20	-29.52	52.56	6.12	Peak	100	31																																																																																				
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).																																																																																													



Modulation	be EHT320	Test Freq. (MHz)	6905																																																																																										
Polarization	Horizontal																																																																																												
Test By :Sean Yu Temperature(°C):26 Humidity(%):63																																																																																													
Level (dBuV/m) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>1599.00</td><td>25.43</td><td>54.00</td><td>-28.57</td><td>32.74</td><td>-7.31</td><td>Average</td><td>100</td><td>301</td></tr><tr><td>2</td><td>1599.00</td><td>37.52</td><td>74.00</td><td>-36.48</td><td>44.83</td><td>-7.31</td><td>Peak</td><td>100</td><td>301</td></tr><tr><td>3</td><td>7125.00</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>50.23</td><td>4.93</td><td>Average</td><td>182</td><td>203</td></tr><tr><td>4</td><td>7125.00</td><td>68.60</td><td>88.20</td><td>-19.60</td><td>63.67</td><td>4.93</td><td>Peak</td><td>182</td><td>203</td></tr><tr><td>5</td><td>7250.00</td><td>53.31</td><td>54.00</td><td>-0.69</td><td>48.03</td><td>5.28</td><td>Average</td><td>182</td><td>203</td></tr><tr><td>6</td><td>7250.00</td><td>66.21</td><td>74.00</td><td>-7.79</td><td>60.93</td><td>5.28</td><td>Peak</td><td>182</td><td>203</td></tr><tr><td>7</td><td>13810.00</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>38.56</td><td>6.30</td><td>Average</td><td>100</td><td>71</td></tr><tr><td>8</td><td>13810.00</td><td>58.88</td><td>88.20</td><td>-29.32</td><td>52.58</td><td>6.30</td><td>Peak</td><td>100</td><td>71</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	1599.00	25.43	54.00	-28.57	32.74	-7.31	Average	100	301	2	1599.00	37.52	74.00	-36.48	44.83	-7.31	Peak	100	301	3	7125.00	55.16	68.20	-13.04	50.23	4.93	Average	182	203	4	7125.00	68.60	88.20	-19.60	63.67	4.93	Peak	182	203	5	7250.00	53.31	54.00	-0.69	48.03	5.28	Average	182	203	6	7250.00	66.21	74.00	-7.79	60.93	5.28	Peak	182	203	7	13810.00	44.86	68.20	-23.34	38.56	6.30	Average	100	71	8	13810.00	58.88	88.20	-29.32	52.58	6.30	Peak	100	71
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg																																																																																				
1	1599.00	25.43	54.00	-28.57	32.74	-7.31	Average	100	301																																																																																				
2	1599.00	37.52	74.00	-36.48	44.83	-7.31	Peak	100	301																																																																																				
3	7125.00	55.16	68.20	-13.04	50.23	4.93	Average	182	203																																																																																				
4	7125.00	68.60	88.20	-19.60	63.67	4.93	Peak	182	203																																																																																				
5	7250.00	53.31	54.00	-0.69	48.03	5.28	Average	182	203																																																																																				
6	7250.00	66.21	74.00	-7.79	60.93	5.28	Peak	182	203																																																																																				
7	13810.00	44.86	68.20	-23.34	38.56	6.30	Average	100	71																																																																																				
8	13810.00	58.88	88.20	-29.32	52.58	6.30	Peak	100	71																																																																																				
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).																																																																																													



Modulation	be EHT320	Test Freq. (MHz)	6905						
Polarization	Vertical								
Test By :Sean Yu Temperature(°C):26 Humidity(%):61									
									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	1599.00	26.69	54.00	-27.31	34.00	-7.31	Average	100	103
2	1599.00	37.29	74.00	-36.71	44.60	-7.31	Peak	100	103
3	7125.00	55.32	68.20	-12.88	50.39	4.93	Average	100	134
4	7125.00	67.56	88.20	-20.64	62.63	4.93	Peak	100	134
5	7250.00	53.46	54.00	-0.54	48.18	5.28	Average	100	134
6	7250.00	66.21	74.00	-7.79	60.93	5.28	Peak	100	134
7	13810.00	44.67	68.20	-23.53	38.37	6.30	Average	100	26
8	13810.00	58.89	88.20	-29.31	52.59	6.30	Peak	100	26
Note 1: Emission Level (dBuV/m) = SA Reading (dBuV) + Factor* (dB/m) *Factor includes antenna factor , cable loss and amplifier gain Note 2: Margin (dB) = Emission level (dBuV/m) – Limit (dBuV/m).									

Non-beamforming mode
Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	Pass	6.4172G	-9.82	6.3869G	-62.31	-49.82	-12.49	1
802.11be EHT20_Nss1,(MCS0)_3TX	Pass	5.96399G	-9.86	5.9862G	-61.81	-49.86	-11.95	1
802.11be EHT40_Nss1,(MCS0)_3TX	Pass	5.98378G	-6.87	6.024G	-58.32	-46.86	-11.46	3
802.11be EHT80_Nss1,(MCS0)_3TX	Pass	6.02216G	-2.06	6.083G	-43.31	-35.36	-7.95	1
802.11be EHT160_Nss1,(MCS0)_3TX	Pass	6.25933G	0.04	6.4194G	-39.34	-38.55	-0.79	2
802.11be EHT320_Nss1,(MCS0)_3TX	Pass	6.2314G	-0.66	6.8282G	-42.01	-40.66	-1.35	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	Pass	6.46871G	-9.07	6.4469G	-61.93	-49.07	-12.86	3
802.11be EHT20_Nss1,(MCS0)_3TX	Pass	6.50881G	-9.33	6.4837G	-61.81	-49.33	-12.48	1
802.11be EHT40_Nss1,(MCS0)_3TX	Pass	6.46722G	-7.58	6.4234G	-58.95	-47.58	-11.37	3
802.11be EHT80_Nss1,(MCS0)_3TX	Pass	6.43143G	-2.59	6.3442G	-53.92	-42.59	-11.33	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	Pass	6.8563G	-8.71	6.8842G	-61.21	-48.71	-12.50	2
802.11be EHT20_Nss1,(MCS0)_3TX	Pass	6.84721G	-10.08	6.8867G	-61.22	-50.08	-11.14	2
802.11be EHT40_Nss1,(MCS0)_3TX	Pass	6.71881G	-8.07	6.6626G	-58.83	-48.07	-10.76	2
802.11be EHT80_Nss1,(MCS0)_3TX	Pass	6.81777G	-2.40	6.8782G	-43.65	-34.27	-9.38	1
802.11be EHT160_Nss1,(MCS0)_3TX	Pass	6.43227G	0.37	6.7226G	-39.46	-35.72	-3.74	3
802.11be EHT320_Nss1,(MCS0)_3TX	Pass	6.6521G	0.31	6.1882G	-32.59	-31.87	-0.72	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_3TX	Pass	6.88871G	-10.41	6.9238G	-61.13	-50.41	-10.72	2
802.11be EHT20_Nss1,(MCS0)_3TX	Pass	7.00741G	-10.53	6.9829G	-60.90	-50.53	-10.37	2
802.11be EHT40_Nss1,(MCS0)_3TX	Pass	6.90258G	-8.68	6.9452G	-58.78	-48.68	-10.10	2
802.11be EHT80_Nss1,(MCS0)_3TX	Pass	6.82784G	-2.48	6.9606G	-43.53	-35.02	-8.51	1
802.11be EHT160_Nss1,(MCS0)_3TX	Pass	6.91867G	1.64	6.8258G	-27.15	-18.39	-8.76	1
802.11be EHT320_Nss1,(MCS0)_3TX	Pass	6.7595G	-2.33	6.3882G	-42.52	-42.33	-0.19	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_3TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9594G	-9.34	5.9837G	-61.85	-49.34	-12.51	1
5955MHz	Pass	5.9575G	-8.88	5.9254G	-61.90	-48.88	-13.02	2
5955MHz	Pass	5.9575G	-8.82	5.9267G	-61.55	-48.82	-12.73	3
6175MHz	Pass	6.1738G	-8.84	6.2058G	-62.31	-48.84	-13.47	1
6175MHz	Pass	6.18249G	-9.40	6.1462G	-62.24	-49.40	-12.84	2
6175MHz	Pass	6.18G	-8.94	6.1454G	-62.28	-48.94	-13.34	3
6415MHz	Pass	6.4172G	-9.82	6.3869G	-62.31	-49.82	-12.49	1
6415MHz	Pass	6.42129G	-9.21	6.449G	-62.58	-49.21	-13.37	2
6415MHz	Pass	6.4138G	-9.78	6.4475G	-62.40	-49.78	-12.62	3
6435MHz	Pass	6.4328G	-8.52	6.4067G	-62.17	-48.52	-13.65	1
6435MHz	Pass	6.4372G	-8.57	6.4636G	-62.16	-48.57	-13.59	2
6435MHz	Pass	6.42971G	-8.26	6.4065G	-61.91	-48.26	-13.65	3
6475MHz	Pass	6.4766G	-9.09	6.4459G	-62.18	-49.09	-13.09	1
6475MHz	Pass	6.47G	-9.11	6.4457G	-62.23	-49.11	-13.12	2
6475MHz	Pass	6.46871G	-9.07	6.4469G	-61.93	-49.07	-12.86	3
6515MHz	Pass	6.50811G	-8.59	6.4793G	-62.17	-48.59	-13.58	1
6515MHz	Pass	6.5119G	-8.71	6.4871G	-62.03	-48.71	-13.32	2
6515MHz	Pass	6.52159G	-8.61	6.4853G	-62.04	-48.61	-13.43	3
6535MHz	Pass	6.54249G	-8.52	6.5028G	-61.95	-48.52	-13.43	1
6535MHz	Pass	6.5328G	-8.73	6.4981G	-61.93	-48.73	-13.20	2
6535MHz	Pass	6.54249G	-8.08	6.5066G	-61.82	-48.08	-13.74	3
6715MHz	Pass	6.7172G	-8.59	6.7628G	-61.75	-48.59	-13.16	1
6715MHz	Pass	6.7197G	-8.96	6.7428G	-61.80	-48.96	-12.84	2
6715MHz	Pass	6.72279G	-8.08	6.6843G	-61.46	-48.08	-13.38	3
6855MHz	Pass	6.85G	-8.02	6.8839G	-60.98	-48.02	-12.96	1
6855MHz	Pass	6.8563G	-8.71	6.8842G	-61.21	-48.71	-12.50	2
6855MHz	Pass	6.84781G	-8.50	6.8277G	-60.94	-48.34	-12.60	3
6875MHz Straddle 6.875-7.125GHz	Pass	6.8716G	-8.80	6.9027G	-61.11	-48.77	-12.34	1
6875MHz Straddle 6.875-7.125GHz	Pass	6.86781G	-10.22	6.905G	-61.19	-50.22	-10.97	2
6875MHz Straddle 6.875-7.125GHz	Pass	6.8706G	-9.08	6.9055G	-61.27	-49.08	-12.19	3
6895MHz	Pass	6.8913G	-8.94	6.9269G	-61.00	-48.94	-12.06	1
6895MHz	Pass	6.88871G	-10.41	6.9238G	-61.13	-50.41	-10.72	2
6895MHz	Pass	6.9G	-9.23	6.9413G	-61.06	-49.23	-11.83	3
7015MHz	Pass	7.0169G	-9.65	6.9825G	-61.04	-49.65	-11.39	1
7015MHz	Pass	7.0178G	-9.78	6.986G	-60.98	-49.78	-11.20	2
7015MHz	Pass	7.0144G	-9.59	6.9869G	-61.17	-49.59	-11.58	3
7095MHz	Pass	7.0956G	-10.20	7.0671G	-65.40	-50.20	-15.20	1
7095MHz	Pass	7.0991G	-10.59	7.0672G	-65.48	-50.59	-14.89	2
7095MHz	Pass	7.0962G	-11.11	7.0672G	-65.80	-51.11	-14.69	3
7115MHz	Pass	7.1188G	-10.22	7.0849G	-65.91	-50.22	-15.69	1
7115MHz	Pass	7.1197G	-10.70	7.0872G	-65.66	-50.70	-14.96	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz	Pass	7.12219G	-10.75	7.0875G	-66.15	-50.60	-15.55	3
802.11be EHT20_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96399G	-9.86	5.9862G	-61.81	-49.86	-11.95	1
5955MHz	Pass	5.96299G	-9.42	5.9851G	-61.94	-49.42	-12.52	2
5955MHz	Pass	5.96399G	-9.04	5.9855G	-61.61	-49.04	-12.57	3
6175MHz	Pass	6.16861G	-9.35	6.2134G	-62.58	-49.35	-13.23	1
6175MHz	Pass	6.18089G	-9.89	6.2049G	-62.40	-49.89	-12.51	2
6175MHz	Pass	6.1788G	-9.71	6.1447G	-62.24	-49.71	-12.53	3
6415MHz	Pass	6.42019G	-9.89	6.4451G	-62.32	-49.89	-12.43	1
6415MHz	Pass	6.4125G	-9.15	6.4578G	-62.22	-49.15	-13.07	2
6415MHz	Pass	6.40731G	-9.88	6.3837G	-62.12	-49.88	-12.24	3
6435MHz	Pass	6.42881G	-8.88	6.4669G	-62.08	-48.88	-13.20	1
6435MHz	Pass	6.44G	-9.19	6.4649G	-62.05	-49.19	-12.86	2
6435MHz	Pass	6.42751G	-8.93	6.4679G	-61.99	-48.93	-13.06	3
6475MHz	Pass	6.46661G	-8.99	6.4418G	-61.88	-48.99	-12.89	1
6475MHz	Pass	6.48249G	-8.98	6.4429G	-62.23	-48.98	-13.25	2
6475MHz	Pass	6.4703G	-9.29	6.4436G	-61.88	-49.29	-12.59	3
6515MHz	Pass	6.50881G	-9.33	6.4837G	-61.81	-49.33	-12.48	1
6515MHz	Pass	6.5199G	-9.20	6.4842G	-61.82	-49.20	-12.62	2
6515MHz	Pass	6.52259G	-9.24	6.4835G	-61.72	-49.24	-12.48	3
6535MHz	Pass	6.52881G	-9.56	6.5048G	-61.72	-49.56	-12.16	1
6535MHz	Pass	6.53G	-9.39	6.5038G	-61.86	-49.39	-12.47	2
6535MHz	Pass	6.52881G	-9.32	6.5034G	-61.68	-49.32	-12.36	3
6715MHz	Pass	6.70771G	-9.20	6.6809G	-61.83	-49.20	-12.63	1
6715MHz	Pass	6.70681G	-9.32	6.6843G	-61.67	-49.32	-12.35	2
6715MHz	Pass	6.7104G	-9.01	6.754G	-61.25	-49.01	-12.24	3
6855MHz	Pass	6.84751G	-8.97	6.8882G	-60.97	-48.97	-12.00	1
6855MHz	Pass	6.84721G	-10.08	6.8867G	-61.22	-50.08	-11.14	2
6855MHz	Pass	6.84711G	-9.53	6.8239G	-61.07	-49.53	-11.54	3
6875MHz Straddle 6.875-7.125GHz	Pass	6.88049G	-9.66	6.9069G	-61.04	-49.66	-11.38	1
6875MHz Straddle 6.875-7.125GHz	Pass	6.86931G	-10.57	6.9049G	-61.12	-50.54	-10.58	2
6875MHz Straddle 6.875-7.125GHz	Pass	6.87G	-9.94	6.907G	-61.24	-49.94	-11.30	3
6895MHz	Pass	6.8928G	-9.70	6.9257G	-60.86	-49.70	-11.16	1
6895MHz	Pass	6.90179G	-10.52	6.9304G	-61.16	-50.52	-10.64	2
6895MHz	Pass	6.90229G	-9.86	6.937G	-61.09	-49.86	-11.23	3
7015MHz	Pass	7.00671G	-10.37	6.9853G	-61.06	-50.37	-10.69	1
7015MHz	Pass	7.00741G	-10.53	6.9829G	-60.90	-50.53	-10.37	2
7015MHz	Pass	7.00761G	-10.47	6.9829G	-60.89	-50.47	-10.42	3
7095MHz	Pass	7.10249G	-11.08	7.064G	-65.68	-51.08	-14.60	1
7095MHz	Pass	7.10249G	-11.32	7.0643G	-65.20	-51.32	-13.88	2
7095MHz	Pass	7.0958G	-11.67	7.0641G	-65.42	-51.67	-13.75	3
7115MHz	Pass	7.1157G	-11.03	7.085G	-65.80	-51.03	-14.77	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz	Pass	7.1185G	-11.53	7.0836G	-65.77	-51.53	-14.24	2
7115MHz	Pass	7.119G	-11.71	7.145G	-66.08	-51.71	-14.37	3
802.11be EHT40_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98358G	-7.85	6.027G	-59.66	-47.85	-11.81	1
5965MHz	Pass	5.98278G	-7.52	6.0288G	-59.52	-47.52	-12.00	2
5965MHz	Pass	5.98378G	-6.87	6.024G	-58.32	-46.86	-11.46	3
6165MHz	Pass	6.18078G	-7.93	6.085G	-60.22	-47.93	-12.29	1
6165MHz	Pass	6.15121G	-8.11	6.1014G	-60.10	-48.11	-11.99	2
6165MHz	Pass	6.14762G	-8.06	6.0984G	-60.15	-48.06	-12.09	3
6405MHz	Pass	6.41999G	-8.39	6.4746G	-60.16	-48.39	-11.77	1
6405MHz	Pass	6.39381G	-7.77	6.4664G	-60.27	-47.77	-12.50	2
6405MHz	Pass	6.39261G	-8.24	6.4664G	-60.29	-48.24	-12.05	3
6445MHz	Pass	6.45079G	-7.12	6.3648G	-59.49	-47.12	-12.37	1
6445MHz	Pass	6.444G	-7.13	6.3842G	-59.93	-47.13	-12.80	2
6445MHz	Pass	6.43741G	-7.21	6.382G	-59.77	-47.21	-12.56	3
6485MHz	Pass	6.46902G	-7.60	6.405G	-59.74	-47.60	-12.14	1
6485MHz	Pass	6.48G	-7.35	6.4192G	-59.94	-47.35	-12.59	2
6485MHz	Pass	6.46722G	-7.58	6.4234G	-58.95	-47.58	-11.37	3
6525MHz Straddle 6.525-6.875GHz	Pass	6.50882G	-7.18	6.445G	-59.69	-47.18	-12.51	1
6525MHz Straddle 6.525-6.875GHz	Pass	6.52G	-6.99	6.4512G	-59.77	-46.99	-12.78	2
6525MHz Straddle 6.525-6.875GHz	Pass	6.54258G	-6.96	6.4648G	-58.61	-46.96	-11.65	3
6565MHz	Pass	6.55041G	-7.33	6.5058G	-58.89	-47.33	-11.56	1
6565MHz	Pass	6.55121G	-7.22	6.5046G	-58.74	-47.22	-11.52	2
6565MHz	Pass	6.54762G	-7.12	6.5014G	-58.89	-47.12	-11.77	3
6725MHz	Pass	6.71101G	-7.78	6.784G	-58.83	-47.77	-11.06	1
6725MHz	Pass	6.71881G	-8.07	6.6626G	-58.83	-48.07	-10.76	2
6725MHz	Pass	6.71121G	-7.25	6.7852G	-58.67	-47.25	-11.42	3
6845MHz	Pass	6.83241G	-7.15	6.925G	-58.79	-47.15	-11.64	1
6845MHz	Pass	6.83181G	-8.21	6.9068G	-58.98	-48.21	-10.77	2
6845MHz	Pass	6.82702G	-7.58	6.7854G	-58.61	-47.58	-11.03	3
6885MHz Straddle 6.875-7.125GHz	Pass	6.87381G	-7.66	6.9444G	-58.60	-47.66	-10.94	1
6885MHz Straddle 6.875-7.125GHz	Pass	6.90258G	-8.68	6.9452G	-58.78	-48.68	-10.10	2
6885MHz Straddle 6.875-7.125GHz	Pass	6.87141G	-8.03	6.9468G	-58.68	-48.03	-10.65	3
6925MHz	Pass	6.94258G	-7.84	6.986G	-59.00	-47.84	-11.16	1
6925MHz	Pass	6.94158G	-7.80	6.9862G	-58.99	-47.80	-11.19	2
6925MHz	Pass	6.90742G	-8.21	6.9844G	-59.04	-48.21	-10.83	3
7005MHz	Pass	6.99381G	-7.74	6.9458G	-58.69	-47.74	-10.95	1
7005MHz	Pass	6.99001G	-8.02	6.9442G	-58.64	-48.02	-10.62	2
7005MHz	Pass	6.99121G	-8.06	6.9456G	-58.68	-48.06	-10.62	3
7085MHz	Pass	7.0814G	-8.47	7.0258G	-63.04	-48.47	-14.57	1
7085MHz	Pass	7.07221G	-8.52	7.0262G	-62.77	-48.39	-14.38	2
7085MHz	Pass	7.07261G	-9.04	7.024G	-63.34	-49.04	-14.30	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02216G	-2.06	6.083G	-43.31	-35.36	-7.95	1
5985MHz	Pass	6.01937G	-2.05	6.107G	-51.63	-42.05	-9.58	2
5985MHz	Pass	6.01977G	-1.93	6.105G	-50.59	-41.81	-8.78	3
6145MHz	Pass	6.18096G	-2.97	6.2426G	-44.13	-36.16	-7.97	1
6145MHz	Pass	6.18096G	-3.07	6.0242G	-52.38	-43.07	-9.31	2
6145MHz	Pass	6.18176G	-2.89	6.0198G	-53.14	-42.89	-10.25	3
6385MHz	Pass	6.34944G	-3.58	6.2614G	-54.18	-43.58	-10.60	1
6385MHz	Pass	6.34784G	-3.00	6.263G	-53.82	-43.00	-10.82	2
6385MHz	Pass	6.34864G	-3.59	6.2634G	-54.50	-43.59	-10.91	3
6465MHz	Pass	6.42784G	-2.48	6.343G	-53.88	-42.48	-11.40	1
6465MHz	Pass	6.43143G	-2.59	6.3442G	-53.92	-42.59	-11.33	2
6465MHz	Pass	6.42984G	-2.35	6.3446G	-53.90	-42.35	-11.55	3
6545MHz Straddle 6.525-6.875GHz	Pass	6.50984G	-2.34	6.4218G	-53.52	-42.34	-11.18	1
6545MHz Straddle 6.525-6.875GHz	Pass	6.50704G	-2.26	6.4218G	-53.63	-42.26	-11.37	2
6545MHz Straddle 6.525-6.875GHz	Pass	6.51063G	-2.30	6.4198G	-53.25	-42.30	-10.95	3
6625MHz	Pass	6.66296G	-2.22	6.5262G	-46.96	-35.76	-11.20	1
6625MHz	Pass	6.66296G	-2.20	6.5038G	-52.93	-42.20	-10.73	2
6625MHz	Pass	6.66056G	-1.59	6.721G	-45.49	-34.30	-11.19	3
6705MHz	Pass	6.66984G	-2.57	6.8258G	-53.12	-42.57	-10.55	1
6705MHz	Pass	6.67703G	-2.70	6.8278G	-53.59	-42.70	-10.89	2
6705MHz	Pass	6.74176G	-1.88	6.8266G	-52.65	-41.88	-10.77	3
6785MHz	Pass	6.81777G	-2.40	6.8782G	-43.65	-34.27	-9.38	1
6785MHz	Pass	6.81977G	-2.75	6.6866G	-45.77	-36.17	-9.60	2
6785MHz	Pass	6.75383G	-2.43	6.6874G	-46.13	-35.62	-10.51	3
6865MHz Straddle 6.875-7.125GHz	Pass	6.82784G	-2.48	6.9606G	-43.53	-35.02	-8.51	1
6865MHz Straddle 6.875-7.125GHz	Pass	6.82944G	-3.46	6.9882G	-53.94	-43.46	-10.48	2
6865MHz Straddle 6.875-7.125GHz	Pass	6.83383G	-2.84	6.7678G	-45.72	-35.85	-9.87	3
6945MHz	Pass	6.91143G	-3.52	7.039G	-46.54	-35.63	-10.91	1
6945MHz	Pass	6.97977G	-3.57	6.8162G	-54.42	-43.57	-10.85	2
6945MHz	Pass	6.91383G	-3.95	6.8002G	-54.39	-43.95	-10.44	3
7025MHz	Pass	6.99023G	-3.91	6.9274G	-47.03	-37.10	-9.93	1
7025MHz	Pass	6.98864G	-3.91	6.9018G	-54.28	-43.91	-10.37	2
7025MHz	Pass	6.98984G	-3.98	6.9014G	-54.16	-43.98	-10.18	3
802.11be EHT160_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10092G	1.90	6.333G	-42.58	-38.09	-4.49	1
6025MHz	Pass	6.05937G	1.43	6.2722G	-39.60	-38.57	-1.03	2
6025MHz	Pass	6.10012G	1.67	6.3546G	-44.74	-37.83	-6.91	3
6185MHz	Pass	6.25853G	-0.70	6.4034G	-37.81	-36.93	-0.88	1
6185MHz	Pass	6.25933G	0.04	6.4194G	-39.34	-38.55	-0.79	2
6185MHz	Pass	6.17221G	-0.35	6.4026G	-38.69	-36.46	-2.23	3
6345MHz	Pass	6.38976G	-0.45	6.5626G	-38.90	-36.56	-2.34	1


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.26828G	0.09	6.5866G	-41.67	-39.57	-2.10	2
6345MHz	Pass	6.26908G	-0.41	6.5666G	-41.17	-37.11	-4.06	3
6505MHz Straddle 6.525-6.875GHz	Pass	6.42988G	0.22	6.8122G	-46.63	-39.63	-7.00	1
6505MHz Straddle 6.525-6.875GHz	Pass	6.42988G	0.28	6.7186G	-40.92	-35.27	-5.65	2
6505MHz Straddle 6.525-6.875GHz	Pass	6.43227G	0.37	6.7226G	-39.46	-35.72	-3.74	3
6665MHz	Pass	6.67219G	1.18	6.8226G	-29.79	-18.82	-10.97	1
6665MHz	Pass	6.58908G	1.49	6.5114G	-30.25	-20.76	-9.49	2
6665MHz	Pass	6.73853G	1.22	6.821G	-30.77	-21.19	-9.58	3
6825MHz Straddle 6.875-7.125GHz	Pass	6.74988G	1.27	6.6674G	-29.83	-18.74	-11.09	1
6825MHz Straddle 6.875-7.125GHz	Pass	6.79143G	1.14	6.6658G	-29.95	-18.98	-10.97	2
6825MHz Straddle 6.875-7.125GHz	Pass	6.77785G	1.34	6.6682G	-29.70	-19.54	-10.16	3
6985MHz	Pass	6.91867G	1.64	6.8258G	-27.15	-18.39	-8.76	1
6985MHz	Pass	6.96102G	1.08	6.8114G	-31.14	-19.73	-11.41	2
6985MHz	Pass	6.95943G	1.59	6.8082G	-30.15	-19.34	-10.81	3
802.11be EHT320_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1306G	0.64	6.4186G	-29.19	-21.71	-7.48	1
6105MHz	Pass	6.153G	1.07	6.4138G	-24.27	-20.76	-3.51	2
6105MHz	Pass	6.1306G	0.66	6.497G	-36.25	-32.08	-4.17	3
6265MHz	Pass	6.2314G	-0.66	6.8282G	-42.01	-40.66	-1.35	1
6265MHz	Pass	6.241G	-0.57	6.6618G	-37.83	-33.47	-4.36	2
6265MHz	Pass	6.2314G	-0.80	6.6602G	-36.33	-33.59	-2.74	3
6425MHz	Pass	6.4538G	0.93	7.0378G	-40.09	-38.15	-1.94	1
6425MHz	Pass	6.3691G	0.76	6.9962G	-41.22	-39.24	-1.98	2
6425MHz	Pass	6.5353G	0.83	7.0362G	-42.48	-38.34	-4.14	3
6585MHz Straddle 6.525-6.875GHz	Pass	6.6569G	0.74	6.1898G	-30.85	-24.86	-5.99	1
6585MHz Straddle 6.525-6.875GHz	Pass	6.6809G	0.47	7.233G	-44.44	-37.31	-7.13	2
6585MHz Straddle 6.525-6.875GHz	Pass	6.6521G	0.31	6.1882G	-32.59	-31.87	-0.72	3
6745MHz Straddle 6.875-7.125GHz	Pass	6.6587G	0.64	6.2186G	-37.90	-37.44	-0.46	1
6745MHz Straddle 6.875-7.125GHz	Pass	6.7146G	0.56	6.4954G	-27.48	-19.76	-7.72	2
6745MHz Straddle 6.875-7.125GHz	Pass	6.6811G	0.55	6.3146G	-33.04	-23.83	-9.21	3
6905MHz Straddle 6.875-7.125GHz	Pass	6.7595G	-2.33	6.3882G	-42.52	-42.33	-0.19	1
6905MHz Straddle 6.875-7.125GHz	Pass	6.8091G	-2.64	6.4074G	-45.40	-42.64	-2.76	2
6905MHz Straddle 6.875-7.125GHz	Pass	6.8171G	-2.85	6.409G	-46.59	-42.85	-3.74	3



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


5955MHz_TX



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6175MHz_TX



5.925-6.425GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6415MHz_TX



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6435MHz_TX



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6475MHz_TX



6.425-6.525GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6515MHz_TX



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6535MHz_TX



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6715MHz_TX



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6855MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6875MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


6895MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


7015MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_3TX

MASK


7095MHz_TX



6.875-7.125GHz_802.11a_Nss1,(6Mbps)_3TX

MASK

7115MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK

5955MHz_TX

CF Freq
5.955GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96399G	-9.86	5.9862G	-61.81	-49.86	-11.95	1
5.96299G	-9.42	5.9851G	-61.94	-49.42	-12.52	2
5.96399G	-9.04	5.9855G	-61.61	-49.04	-12.57	3

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK

6175MHz_TX

CF Freq
6.175GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Port 3 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16861G	-9.35	6.2134G	-62.58	-49.35	-13.23	1
6.18089G	-9.89	6.2049G	-62.40	-49.89	-12.51	2
6.1788G	-9.71	6.1447G	-62.24	-49.71	-12.53	3

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK


6415MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK


6435MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK


6475MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK

6515MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK

6535MHz_TX

CF Freq
6.535GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52881G	-9.56	6.5048G	-61.72	-49.56	-12.16	1
6.53G	-9.39	6.5038G	-61.86	-49.39	-12.47	2
6.52881G	-9.32	6.5034G	-61.68	-49.32	-12.36	3

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK

6715MHz_TX

CF Freq
6.715GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2


Port 3

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70771G	-9.20	6.6809G	-61.83	-49.20	-12.63	1
6.70681G	-9.32	6.6843G	-61.67	-49.32	-12.35	2
6.7104G	-9.01	6.754G	-61.25	-49.01	-12.24	3

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK


6855MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK

6875MHz Straddle 6.875-7.125GHz_TX






6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK


6895MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK


7015MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK


7095MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_3TX

MASK

7115MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

5965MHz_TX

CF Freq
5.965GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.98358G	-7.85	6.027G	-59.66	-47.85	-11.81	1
5.98278G	-7.52	6.0288G	-59.52	-47.52	-12.00	2
5.98378G	-6.87	6.024G	-58.32	-46.86	-11.46	3

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

6165MHz_TX

CF Freq
6.165GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2


Port 3

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18078G	-7.93	6.085G	-60.22	-47.93	-12.29	1
6.15121G	-8.11	6.1014G	-60.10	-48.11	-11.99	2
6.14762G	-8.06	6.0984G	-60.15	-48.06	-12.09	3

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

6405MHz_TX




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41999G	-8.39	6.4746G	-60.16	-48.39	-11.77	1
6.39381G	-7.77	6.4664G	-60.27	-47.77	-12.50	2
6.39261G	-8.24	6.4664G	-60.29	-48.24	-12.05	3

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

6445MHz_TX




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45079G	-7.12	6.3648G	-59.49	-47.12	-12.37	1
6.444G	-7.13	6.3842G	-59.93	-47.13	-12.80	2
6.43741G	-7.21	6.382G	-59.77	-47.21	-12.56	3

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

6485MHz_TX




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46902G	-7.60	6.405G	-59.74	-47.60	-12.14	1
6.48G	-7.35	6.4192G	-59.94	-47.35	-12.59	2
6.46722G	-7.58	6.4234G	-58.95	-47.58	-11.37	3

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

6525MHz Straddle 6.525-6.875GHz_TX



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50882G	-7.18	6.445G	-59.69	-47.18	-12.51	1
6.52G	-6.99	6.4512G	-59.77	-46.99	-12.78	2
6.54258G	-6.96	6.4648G	-58.61	-46.96	-11.65	3

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

6565MHz_TX

CF Freq
6.565GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55041G	-7.33	6.5058G	-58.89	-47.33	-11.56	1
6.55121G	-7.22	6.5046G	-58.74	-47.22	-11.52	2
6.54762G	-7.12	6.5014G	-58.89	-47.12	-11.77	3

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK

6725MHz_TX

CF Freq
6.725GHz


Span
200MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71101G	-7.78	6.784G	-58.83	-47.77	-11.06	1
6.71881G	-8.07	6.6626G	-58.83	-48.07	-10.76	2
6.71121G	-7.25	6.7852G	-58.67	-47.25	-11.42	3

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK


6845MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK


6885MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK


6925MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK


7005MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_3TX

MASK


7085MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK

6145MHz_TX

CF Freq
6.145GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18096G	-2.97	6.2426G	-44.13	-36.16	-7.97	1
6.18096G	-3.07	6.0242G	-52.38	-43.07	-9.31	2
6.18176G	-2.89	6.0198G	-53.14	-42.89	-10.25	3

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK

6385MHz_TX

CF Freq
6.385GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34944G	-3.58	6.2614G	-54.18	-43.58	-10.60	1
6.34784G	-3.00	6.263G	-53.82	-43.00	-10.82	2
6.34864G	-3.59	6.2634G	-54.50	-43.59	-10.91	3

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6465MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6545MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6705MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6785MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6865MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK


6945MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_3TX

MASK

7025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6025MHz_TX

CF Freq
6.025GHz
Span
800MHz
RBW
3MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10092G	1.90	6.333G	-42.58	-38.09	-4.49	1
6.05937G	1.43	6.2722G	-39.60	-38.57	-1.03	2
6.10012G	1.67	6.3546G	-44.74	-37.83	-6.91	3

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK

6185MHz_TX

CF Freq
6.185GHz
Span
800MHz
RBW
2MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS




Port 1
Port 2
Port 3

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25853G	-0.70	6.4034G	-37.81	-36.93	-0.88	1
6.25933G	0.04	6.4194G	-39.34	-38.55	-0.79	2
6.17221G	-0.35	6.4026G	-38.69	-36.46	-2.23	3

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK


6345MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK


6505MHz Straddle 6.525-6.875GHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK


6665MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK


6825MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_3TX

MASK


6985MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6265MHz_TX

CF Freq
6.265GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2314G	-0.66	6.8282G	-42.01	-40.66	-1.35	1
6.241G	-0.57	6.6618G	-37.83	-33.47	-4.36	2
6.2314G	-0.80	6.6602G	-36.33	-33.59	-2.74	3

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6425MHz_TX

CF Freq
6.425GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4538G	0.93	7.0378G	-40.09	-38.15	-1.94	1
6.3691G	0.76	6.9962G	-41.22	-39.24	-1.98	2
6.5353G	0.83	7.0362G	-42.48	-38.34	-4.14	3

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK


6585MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK


6745MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_3TX

MASK

6905MHz Straddle 6.875-7.125GHz_TX



Beamforming mode
Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	5.96369G	-10.08	5.9889G	-61.66	-50.08	-11.58	1
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	5.98178G	-7.27	6.025G	-58.67	-47.27	-11.40	3
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	6.02256G	-1.61	6.083G	-42.45	-34.91	-7.54	1
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	6.09933G	-0.04	6.2698G	-40.22	-40.04	-0.18	1
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	6.0523G	-1.57	6.6746G	-43.08	-41.57	-1.51	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	6.50801G	-9.72	6.4783G	-62.01	-49.72	-12.29	1
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	6.47001G	-7.49	6.4228G	-59.25	-47.49	-11.76	3
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	6.42864G	-2.69	6.343G	-54.06	-42.69	-11.37	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	6.84861G	-10.41	6.8991G	-61.40	-50.41	-10.99	2
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	6.83741G	-8.65	6.9064G	-59.07	-48.65	-10.42	2
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	6.75023G	-2.52	6.6894G	-43.93	-35.11	-8.82	1
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	6.43307G	-0.16	6.2978G	-38.83	-34.72	-4.11	3
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	6.5386G	-0.78	5.9482G	-46.56	-40.78	-5.78	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_3TX	Pass	6.8939G	-10.41	6.9253G	-60.72	-50.41	-10.31	2
802.11be EHT40-BF_Nss1,(MCS0)_3TX	Pass	6.8818G	-8.63	6.9462G	-58.23	-48.63	-9.60	2
802.11be EHT80-BF_Nss1,(MCS0)_3TX	Pass	6.99063G	-2.42	6.9278G	-42.33	-35.49	-6.84	1
802.11be EHT160-BF_Nss1,(MCS0)_3TX	Pass	6.78184G	-10.01	6.4466G	-51.73	-50.01	-1.72	2
802.11be EHT320-BF_Nss1,(MCS0)_3TX	Pass	6.7595G	-1.60	6.4042G	-42.02	-41.60	-0.42	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96369G	-10.08	5.9889G	-61.66	-50.08	-11.58	1
5955MHz	Pass	5.96319G	-9.73	5.985G	-61.38	-49.73	-11.65	2
5955MHz	Pass	5.96359G	-9.43	5.9851G	-61.53	-49.43	-12.10	3
6175MHz	Pass	6.174G	-9.73	6.1405G	-62.32	-49.73	-12.59	1
6175MHz	Pass	6.16751G	-10.31	6.2154G	-62.28	-50.31	-11.97	2
6175MHz	Pass	6.1741G	-10.10	6.2053G	-62.28	-50.10	-12.18	3
6415MHz	Pass	6.42259G	-10.09	6.4459G	-62.23	-50.09	-12.14	1
6415MHz	Pass	6.40631G	-9.53	6.3849G	-61.93	-49.53	-12.40	2
6415MHz	Pass	6.40971G	-9.99	6.4483G	-62.12	-49.99	-12.13	3
6435MHz	Pass	6.4383G	-9.55	6.4688G	-62.17	-49.55	-12.62	1
6435MHz	Pass	6.44119G	-9.60	6.4656G	-62.15	-49.60	-12.55	2
6435MHz	Pass	6.4305G	-9.13	6.4052G	-61.93	-49.13	-12.80	3
6475MHz	Pass	6.4725G	-9.53	6.4416G	-62.06	-49.53	-12.53	1
6475MHz	Pass	6.46671G	-9.66	6.4384G	-62.14	-49.66	-12.48	2
6475MHz	Pass	6.4707G	-9.58	6.5139G	-62.08	-49.58	-12.50	3
6515MHz	Pass	6.50801G	-9.72	6.4783G	-62.01	-49.72	-12.29	1
6515MHz	Pass	6.50631G	-9.72	6.4852G	-62.01	-49.71	-12.30	2
6515MHz	Pass	6.52059G	-9.65	6.4825G	-62.00	-49.65	-12.35	3
6535MHz	Pass	6.5308G	-9.61	6.5018G	-61.87	-49.61	-12.26	1
6535MHz	Pass	6.52601G	-9.51	6.5046G	-61.96	-49.51	-12.45	2
6535MHz	Pass	6.52771G	-9.43	6.4956G	-62.12	-49.43	-12.69	3
6715MHz	Pass	6.70721G	-9.07	6.7643G	-61.71	-49.07	-12.64	1
6715MHz	Pass	6.70711G	-9.80	6.7593G	-61.68	-49.80	-11.88	2
6715MHz	Pass	6.7101G	-9.15	6.7448G	-61.56	-49.15	-12.41	3
6855MHz	Pass	6.84621G	-9.52	6.8912G	-61.27	-49.52	-11.75	1
6855MHz	Pass	6.84861G	-10.41	6.8991G	-61.40	-50.41	-10.99	2
6855MHz	Pass	6.84871G	-9.71	6.8866G	-61.35	-49.71	-11.64	3
6875MHz Straddle 6.875-7.125GHz	Pass	6.88G	-9.30	6.9124G	-60.73	-49.30	-11.43	1
6875MHz Straddle 6.875-7.125GHz	Pass	6.86941G	-10.35	6.9147G	-60.75	-50.35	-10.40	2
6875MHz Straddle 6.875-7.125GHz	Pass	6.8738G	-9.62	6.9175G	-60.74	-49.62	-11.12	3
6895MHz	Pass	6.90049G	-9.46	6.9271G	-60.38	-49.46	-10.92	1
6895MHz	Pass	6.8939G	-10.41	6.9253G	-60.72	-50.41	-10.31	2
6895MHz	Pass	6.88971G	-9.69	6.9425G	-60.49	-49.69	-10.80	3
7015MHz	Pass	7.00681G	-9.72	6.9836G	-60.49	-49.72	-10.77	1
7015MHz	Pass	7.0199G	-9.97	6.9816G	-60.42	-49.97	-10.45	2
7015MHz	Pass	7.0138G	-10.04	6.9842G	-60.48	-50.04	-10.44	3
7095MHz	Pass	7.0957G	-10.29	7.0633G	-64.99	-50.29	-14.70	1
7095MHz	Pass	7.08831G	-10.58	7.0637G	-64.91	-50.58	-14.33	2
7095MHz	Pass	7.0944G	-10.73	7.0651G	-65.06	-50.73	-14.33	3
7115MHz	Pass	7.12159G	-10.04	7.0846G	-64.98	-50.04	-14.94	1
7115MHz	Pass	7.12189G	-10.67	7.0843G	-65.01	-50.67	-14.34	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz	Pass	7.12169G	-10.68	7.145G	-65.33	-50.68	-14.65	3
802.11be EHT40-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97999G	-7.90	6.0452G	-59.45	-47.90	-11.55	1
5965MHz	Pass	5.98118G	-7.89	6.0314G	-59.53	-47.89	-11.64	2
5965MHz	Pass	5.98178G	-7.27	6.025G	-58.67	-47.27	-11.40	3
6165MHz	Pass	6.18318G	-7.74	6.0848G	-59.98	-47.74	-12.24	1
6165MHz	Pass	6.15021G	-8.29	6.0726G	-60.18	-48.29	-11.89	2
6165MHz	Pass	6.18138G	-7.93	6.2276G	-60.16	-47.93	-12.23	3
6405MHz	Pass	6.42258G	-8.22	6.4644G	-60.10	-48.22	-11.88	1
6405MHz	Pass	6.39001G	-7.75	6.47G	-59.99	-47.75	-12.24	2
6405MHz	Pass	6.39241G	-8.15	6.345G	-59.62	-48.15	-11.47	3
6445MHz	Pass	6.42862G	-7.49	6.3648G	-59.85	-47.49	-12.36	1
6445MHz	Pass	6.46138G	-7.56	6.5072G	-60.12	-47.56	-12.56	2
6445MHz	Pass	6.43521G	-7.18	6.3826G	-59.02	-47.18	-11.84	3
6485MHz	Pass	6.46802G	-7.75	6.405G	-59.86	-47.75	-12.11	1
6485MHz	Pass	6.47621G	-7.54	6.4256G	-59.95	-47.54	-12.41	2
6485MHz	Pass	6.47001G	-7.49	6.4228G	-59.25	-47.49	-11.76	3
6525MHz Straddle 6.525-6.875GHz	Pass	6.51621G	-7.49	6.4642G	-59.04	-47.49	-11.55	1
6525MHz Straddle 6.525-6.875GHz	Pass	6.5224G	-7.03	6.4652G	-58.81	-47.03	-11.78	2
6525MHz Straddle 6.525-6.875GHz	Pass	6.53019G	-7.42	6.465G	-59.01	-47.42	-11.59	3
6565MHz	Pass	6.55561G	-7.48	6.6254G	-59.00	-47.48	-11.52	1
6565MHz	Pass	6.55101G	-7.46	6.5036G	-59.07	-47.46	-11.61	2
6565MHz	Pass	6.54802G	-7.24	6.5026G	-58.95	-47.24	-11.71	3
6725MHz	Pass	6.71001G	-7.75	6.7844G	-58.95	-47.75	-11.20	1
6725MHz	Pass	6.70982G	-8.32	6.784G	-58.97	-48.20	-10.77	2
6725MHz	Pass	6.70882G	-7.70	6.7842G	-58.88	-47.70	-11.18	3
6845MHz	Pass	6.8424G	-7.75	6.9156G	-59.07	-47.75	-11.32	1
6845MHz	Pass	6.83741G	-8.65	6.9064G	-59.07	-48.65	-10.42	2
6845MHz	Pass	6.83121G	-7.88	6.7834G	-59.03	-47.88	-11.15	3
6885MHz Straddle 6.875-7.125GHz	Pass	6.90278G	-7.48	6.9466G	-58.35	-47.48	-10.87	1
6885MHz Straddle 6.875-7.125GHz	Pass	6.8818G	-8.63	6.9462G	-58.23	-48.63	-9.60	2
6885MHz Straddle 6.875-7.125GHz	Pass	6.882G	-8.03	6.945G	-58.39	-48.03	-10.36	3
6925MHz	Pass	6.94058G	-7.35	6.987G	-58.53	-47.35	-11.18	1
6925MHz	Pass	6.93879G	-7.58	6.9846G	-58.46	-47.58	-10.88	2
6925MHz	Pass	6.91981G	-8.09	6.9852G	-58.46	-48.09	-10.37	3
7005MHz	Pass	6.99461G	-7.44	6.9434G	-58.13	-47.44	-10.69	1
7005MHz	Pass	6.98742G	-7.76	6.9458G	-58.22	-47.76	-10.46	2
7005MHz	Pass	6.98742G	-7.76	6.943G	-58.33	-47.76	-10.57	3
7085MHz	Pass	7.07861G	-7.90	7.0254G	-62.67	-47.90	-14.77	1
7085MHz	Pass	7.07581G	-8.37	7.0262G	-62.63	-48.12	-14.51	2
7085MHz	Pass	7.09599G	-8.74	7.026G	-62.45	-48.73	-13.72	3
802.11be EHT80-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	6.02256G	-1.61	6.083G	-42.45	-34.91	-7.54	1
5985MHz	Pass	6.02136G	-1.98	6.1066G	-51.31	-41.98	-9.33	2
5985MHz	Pass	6.02216G	-1.81	6.0822G	-43.10	-34.88	-8.22	3
6145MHz	Pass	6.17937G	-2.84	6.2422G	-44.97	-35.91	-9.06	1
6145MHz	Pass	6.18136G	-3.31	6.0242G	-52.68	-43.31	-9.37	2
6145MHz	Pass	6.18176G	-3.39	6.0214G	-53.40	-43.39	-10.01	3
6385MHz	Pass	6.42096G	-3.61	6.265G	-53.92	-43.49	-10.43	1
6385MHz	Pass	6.35383G	-3.04	6.2646G	-53.54	-43.04	-10.50	2
6385MHz	Pass	6.34984G	-3.30	6.2602G	-54.38	-43.30	-11.08	3
6465MHz	Pass	6.43063G	-2.54	6.3438G	-54.02	-42.54	-11.48	1
6465MHz	Pass	6.42864G	-2.69	6.343G	-54.06	-42.69	-11.37	2
6465MHz	Pass	6.43183G	-2.32	6.3438G	-54.06	-42.32	-11.74	3
6545MHz Straddle 6.525-6.875GHz	Pass	6.51343G	-2.58	6.447G	-46.96	-35.83	-11.13	1
6545MHz Straddle 6.525-6.875GHz	Pass	6.50984G	-2.25	6.4246G	-53.81	-42.24	-11.57	2
6545MHz Straddle 6.525-6.875GHz	Pass	6.50864G	-2.59	6.4242G	-53.77	-42.59	-11.18	3
6625MHz	Pass	6.66216G	-2.44	6.7458G	-53.22	-42.44	-10.78	1
6625MHz	Pass	6.58984G	-2.35	6.5018G	-53.40	-42.35	-11.05	2
6625MHz	Pass	6.66296G	-1.84	6.7238G	-46.40	-35.38	-11.02	3
6705MHz	Pass	6.66984G	-2.48	6.8034G	-46.38	-35.90	-10.48	1
6705MHz	Pass	6.66944G	-2.91	6.8278G	-53.60	-42.91	-10.69	2
6705MHz	Pass	6.66744G	-2.36	6.8278G	-53.01	-42.36	-10.65	3
6785MHz	Pass	6.75023G	-2.52	6.6894G	-43.93	-35.11	-8.82	1
6785MHz	Pass	6.80418G	-2.96	6.6878G	-45.40	-36.03	-9.37	2
6785MHz	Pass	6.80818G	-2.97	6.8814G	-45.98	-35.80	-10.18	3
6865MHz Straddle 6.875-7.125GHz	Pass	6.90216G	-2.15	6.9626G	-42.63	-35.28	-7.35	1
6865MHz Straddle 6.875-7.125GHz	Pass	6.82904G	-3.29	6.7702G	-45.50	-35.63	-9.87	2
6865MHz Straddle 6.875-7.125GHz	Pass	6.83343G	-2.26	6.959G	-43.59	-34.36	-9.23	3
6945MHz	Pass	6.98256G	-1.98	7.043G	-42.25	-35.28	-6.97	1
6945MHz	Pass	6.97977G	-2.09	6.8482G	-43.99	-35.04	-8.95	2
6945MHz	Pass	6.90904G	-2.52	6.8482G	-44.55	-35.47	-9.08	3
7025MHz	Pass	6.99063G	-2.42	6.9278G	-42.33	-35.49	-6.84	1
7025MHz	Pass	6.98864G	-2.75	6.9278G	-44.63	-35.82	-8.81	2
7025MHz	Pass	6.98904G	-2.77	6.9266G	-44.21	-36.19	-8.02	3
802.11be EHT160-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09933G	-0.04	6.2698G	-40.22	-40.04	-0.18	1
6025MHz	Pass	6.09773G	-0.48	6.2706G	-41.24	-40.48	-0.76	2
6025MHz	Pass	6.09853G	-0.14	6.3586G	-48.32	-40.07	-8.25	3
6185MHz	Pass	6.25053G	-0.17	6.4106G	-38.24	-37.46	-0.78	1
6185MHz	Pass	6.26012G	0.30	6.4194G	-39.16	-38.29	-0.87	2
6185MHz	Pass	6.17221G	-0.28	6.4274G	-43.50	-40.05	-3.45	3
6345MHz	Pass	6.42172G	0.07	6.5874G	-42.43	-39.70	-2.73	1
6345MHz	Pass	6.27787G	0.39	6.5882G	-42.20	-39.50	-2.70	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.26988G	-0.29	6.5882G	-44.59	-40.18	-4.41	3
6505MHz Straddle 6.525-6.875GHz	Pass	6.43227G	0.18	6.349G	-31.39	-20.24	-11.15	1
6505MHz Straddle 6.525-6.875GHz	Pass	6.42988G	-0.12	6.753G	-46.06	-40.12	-5.94	2
6505MHz Straddle 6.525-6.875GHz	Pass	6.43307G	-0.16	6.2978G	-38.83	-34.72	-4.11	3
6665MHz	Pass	6.69777G	1.91	6.8098G	-27.12	-18.21	-8.91	1
6665MHz	Pass	6.58988G	1.78	6.5098G	-28.28	-18.42	-9.86	2
6665MHz	Pass	6.58908G	1.73	6.5082G	-29.02	-18.29	-10.73	3
6825MHz Straddle 6.875-7.125GHz	Pass	6.75227G	-10.07	6.4506G	-52.11	-50.07	-2.04	1
6825MHz Straddle 6.875-7.125GHz	Pass	6.78184G	-10.01	6.4466G	-51.73	-50.01	-1.72	2
6825MHz Straddle 6.875-7.125GHz	Pass	6.80022G	-9.74	6.4514G	-51.88	-49.74	-2.14	3
6985MHz	Pass	6.96982G	2.10	6.817G	-26.49	-18.27	-8.22	1
6985MHz	Pass	6.981G	1.74	6.8266G	-27.54	-18.36	-9.18	2
6985MHz	Pass	6.91147G	1.91	6.8258G	-26.64	-18.13	-8.51	3
802.11be EHT320-BF_Nss1,(MCS0)_3TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0523G	-1.57	6.6746G	-43.08	-41.57	-1.51	1
6105MHz	Pass	6.0523G	-1.61	6.6522G	-44.59	-41.61	-2.98	2
6105MHz	Pass	6.1514G	-1.48	6.6762G	-44.94	-41.48	-3.46	3
6265MHz	Pass	6.2554G	-1.09	6.9786G	-46.93	-41.09	-5.84	1
6265MHz	Pass	6.2762G	-1.13	6.7898G	-44.88	-41.13	-3.75	2
6265MHz	Pass	6.2186G	-1.03	6.8138G	-44.10	-41.03	-3.07	3
6425MHz	Pass	6.4362G	-0.12	6.977G	-39.99	-32.76	-7.23	1
6425MHz	Pass	6.3707G	0.04	7.033G	-43.82	-35.51	-8.31	2
6425MHz	Pass	6.5529G	-0.42	6.9962G	-42.43	-38.14	-4.29	3
6585MHz Straddle 6.525-6.875GHz	Pass	6.6553G	-0.31	5.921G	-45.39	-38.53	-6.86	1
6585MHz Straddle 6.525-6.875GHz	Pass	6.5386G	-0.78	5.9482G	-46.56	-40.78	-5.78	2
6585MHz Straddle 6.525-6.875GHz	Pass	6.6585G	-0.70	5.8874G	-47.71	-40.70	-7.01	3
6745MHz Straddle 6.875-7.125GHz	Pass	6.6923G	1.21	6.2922G	-36.99	-35.88	-1.11	1
6745MHz Straddle 6.875-7.125GHz	Pass	6.7722G	0.57	6.0442G	-44.60	-39.43	-5.17	2
6745MHz Straddle 6.875-7.125GHz	Pass	6.6891G	0.23	6.049G	-44.43	-39.77	-4.66	3
6905MHz Straddle 6.875-7.125GHz	Pass	6.7595G	-1.60	6.4042G	-42.02	-41.60	-0.42	1
6905MHz Straddle 6.875-7.125GHz	Pass	6.7516G	-1.96	6.417G	-43.92	-41.96	-1.96	2
6905MHz Straddle 6.875-7.125GHz	Pass	6.8507G	-2.14	6.4106G	-44.66	-42.14	-2.52	3

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

5955MHz_TX



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_3TX

MASK

6175MHz_TX

