





11AC20BF_Ant3_5180



11AC20BF_Ant4_5180




11AC20BF_Ant1_5200




11AC20BF_Ant2_5200




11AC20BF_Ant3_5200



11AC20BF_Ant4_5200



11AC20BF_Ant1_5240




11AC20BF_Ant2_5240




11AC20BF_Ant3_5240




11AC20BF_Ant4_5240



11AC20BF_Ant1_5745




11AC20BF_Ant2_5745




11AC20BF_Ant3_5745




11AC20BF_Ant4_5745



11AC20BF_Ant1_5785




11AC20BF_Ant2_5785




11AC20BF_Ant3_5785




11AC20BF_Ant4_5785




11AC20BF_Ant1_5825




11AC20BF_Ant2_5825




11AC20BF_Ant3_5825




11AC20BF_Ant4_5825




11AC40BF_Ant1_5190




11AC40BF_Ant2_5190




11AC40BF_Ant3_5190




11AC40BF_Ant4_5190




11AC40BF_Ant1_5755




11AC40BF_Ant2_5755




11AC40BF_Ant3_5755




11AC40BF_Ant4_5755




11AC40BF_Ant1_5795




11AC40BF_Ant2_5795




11AC40BF_Ant3_5795



11AC40BF_Ant4_5795




11AC80BF_Ant1_5210




11AC80BF_Ant2_5210




11AC80BF_Ant3_5210




11AC80BF_Ant4_5210




11AC80BF_Ant1_5775



11AC80BF_Ant2_5775



11AC80BF_Ant3_5775



11AC80BF_Ant4_5775

Appendix D: Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	20000	3.861004	20	PASS
			LV	NT	20000	3.861004	20	PASS
			HV	NT	20000	3.861004	20	PASS
	Ant2	5180	NV	NT	20000	3.861004	20	PASS
			LV	NT	20000	3.861004	20	PASS
			HV	NT	20000	3.861004	20	PASS
	Ant3	5180	NV	NT	0	0	20	PASS
			LV	NT	20000	3.861004	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5180	NV	NT	20000	3.861004	20	PASS
			LV	NT	20000	3.861004	20	PASS
			HV	NT	20000	3.861004	20	PASS
	Ant1	5200	NV	NT	20000	3.846154	20	PASS
			LV	NT	20000	3.846154	20	PASS
			HV	NT	20000	3.846154	20	PASS
	Ant2	5200	NV	NT	20000	3.846154	20	PASS
			LV	NT	20000	3.846154	20	PASS
			HV	NT	20000	3.846154	20	PASS
	Ant3	5200	NV	NT	20000	3.846154	20	PASS
			LV	NT	20000	3.846154	20	PASS
			HV	NT	20000	3.846154	20	PASS
	Ant4	5200	NV	NT	20000	3.846154	20	PASS
			LV	NT	20000	3.846154	20	PASS
			HV	NT	20000	3.846154	20	PASS
	Ant1	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.816794	20	PASS
			HV	NT	20000	3.816794	20	PASS
	Ant2	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.816794	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.816794	20	PASS
			HV	NT	20000	3.816794	20	PASS
	Ant4	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.816794	20	PASS
			HV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.508772	20	PASS
			HV	NT	20000	3.508772	20	PASS
	Ant1	5745	NV	NT	20000	3.481288	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			LV	NT	20000	3.481288	20	PASS
			HV	NT	0	0	20	PASS
			NV	NT	20000	3.481288	20	PASS
	Ant2	5745	LV	NT	20000	3.481288	20	PASS
			HV	NT	20000	3.481288	20	PASS
			NV	NT	20000	3.481288	20	PASS
	Ant3	5745	LV	NT	0	0	20	PASS
			HV	NT	20000	3.481288	20	PASS
			NV	NT	20000	3.481288	20	PASS
	Ant4	5745	LV	NT	20000	3.481288	20	PASS
			HV	NT	20000	3.481288	20	PASS
			NV	NT	20000	3.481288	20	PASS
	Ant1	5785	LV	NT	20000	3.457217	20	PASS
			HV	NT	20000	3.457217	20	PASS
			NV	NT	20000	3.457217	20	PASS
	Ant2	5785	LV	NT	20000	3.457217	20	PASS
			HV	NT	20000	3.457217	20	PASS
			NV	NT	20000	3.457217	20	PASS
	Ant3	5785	LV	NT	20000	3.457217	20	PASS
			HV	NT	20000	3.457217	20	PASS
			NV	NT	0	0	20	PASS
	Ant4	5785	LV	NT	20000	3.457217	20	PASS
			HV	NT	0	0	20	PASS
			NV	NT	20000	3.457217	20	PASS
	Ant1	5825	LV	NT	20000	3.433476	20	PASS
			HV	NT	20000	3.433476	20	PASS
			NV	NT	20000	3.433476	20	PASS
	Ant2	5825	LV	NT	20000	3.433476	20	PASS
			HV	NT	20000	3.433476	20	PASS
			NV	NT	20000	3.433476	20	PASS
	Ant3	5825	LV	NT	0	0	20	PASS
			HV	NT	20000	3.433476	20	PASS
			NV	NT	0	0	20	PASS
	Ant4	5825	LV	NT	20000	3.433476	20	PASS
			HV	NT	0	0	20	PASS
			NV	NT	20000	3.433476	20	PASS
11N20SISO	Ant1	5180	LV	NT	20000	3.861004	20	PASS
			HV	NT	20000	3.861004	20	PASS
			NV	NT	40000	7.722008	20	PASS
	Ant2	5180	LV	NT	20000	3.861004	20	PASS
			HV	NT	20000	3.861004	20	PASS
			NV	NT	20000	3.861004	20	PASS
	Ant3	5180	LV	NT	20000	3.861004	20	PASS
			HV	NT	20000	3.861004	20	PASS
			NV	NT	20000	3.861004	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
		5180	HV	NT	20000	3.861004	20	PASS
			NV	NT	20000	3.861004	20	PASS
			LV	NT	0	0	20	PASS
		5200	HV	NT	20000	3.861004	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	20000	3.846154	20	PASS
		5200	HV	NT	20000	3.846154	20	PASS
			NV	NT	20000	3.846154	20	PASS
			LV	NT	20000	3.846154	20	PASS
		5200	HV	NT	20000	3.846154	20	PASS
			NV	NT	20000	3.846154	20	PASS
			LV	NT	40000	7.692308	20	PASS
		5200	HV	NT	20000	3.846154	20	PASS
			NV	NT	40000	7.692308	20	PASS
			LV	NT	0	0	20	PASS
		5240	HV	NT	20000	3.846154	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
		5240	HV	NT	20000	3.816794	20	PASS
			NV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.816794	20	PASS
		5240	HV	NT	20000	3.816794	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	20000	3.816794	20	PASS
		5240	HV	NT	20000	3.816794	20	PASS
			NV	NT	40000	7.633588	20	PASS
			LV	NT	20000	3.816794	20	PASS
			HV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.508772	20	PASS
		5745	HV	NT	20000	3.508772	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	20000	3.481288	20	PASS
		5745	HV	NT	20000	3.481288	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
		5745	HV	NT	20000	3.481288	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
		5745	HV	NT	20000	3.481288	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
		5785	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant1	5785	NV	NT	20000	3.457217	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			LV	NT	0	0	20	PASS
			HV	NT	20000	3.457217	20	PASS
	Ant2	5785	NV	NT	0	0	20	PASS
			LV	NT	20000	3.457217	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5785	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	20000	3.457217	20	PASS
	Ant4	5785	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5825	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant2	5825	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5825	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5825	NV	NT	0	0	20	PASS
			LV	NT	20000	3.433476	20	PASS
			HV	NT	0	0	20	PASS
11N40SISO	Ant1	5190	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	40000	7.707129	20	PASS
	Ant2	5190	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	40000	7.707129	20	PASS
	Ant3	5190	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5190	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5230	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant2	5230	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5230	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			HV	NT	0	0	20	PASS
	Ant4	5230	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5755	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant2	5755	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5755	NV	NT	0	0	20	PASS
			LV	NT	40000	6.950478	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5755	NV	NT	-40000	-6.950478	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5795	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant2	5795	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5795	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5795	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
11AC20SISO	Ant1	5180	NV	NT	0	0	20	PASS
			LV	NT	20000	3.861004	20	PASS
			HV	NT	20000	3.861004	20	PASS
	Ant2	5180	NV	NT	20000	3.861004	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	20000	3.861004	20	PASS
	Ant3	5180	NV	NT	20000	3.861004	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5180	NV	NT	20000	3.861004	20	PASS
			LV	NT	20000	3.861004	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5200	NV	NT	40000	7.692308	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			LV	NT	40000	7.692308	20	PASS
			HV	NT	40000	7.692308	20	PASS
	Ant2	5200	NV	NT	20000	3.846154	20	PASS
			LV	NT	20000	3.846154	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5200	NV	NT	20000	3.846154	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	20000	3.846154	20	PASS
	Ant4	5200	NV	NT	20000	3.846154	20	PASS
			LV	NT	20000	3.846154	20	PASS
			HV	NT	20000	3.846154	20	PASS
	Ant1	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.816794	20	PASS
			HV	NT	20000	3.816794	20	PASS
	Ant2	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5240	NV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.816794	20	PASS
			HV	NT	20000	3.816794	20	PASS
			LV	NT	20000	3.508772	20	PASS
			HV	NT	20000	3.508772	20	PASS
	Ant1	5745	NV	NT	40000	6.962576	20	PASS
			LV	NT	20000	3.481288	20	PASS
			HV	NT	20000	3.481288	20	PASS
	Ant2	5745	NV	NT	20000	3.481288	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	20000	3.481288	20	PASS
	Ant3	5745	NV	NT	20000	3.481288	20	PASS
			LV	NT	20000	3.481288	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5745	NV	NT	20000	3.481288	20	PASS
			LV	NT	20000	3.481288	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5785	NV	NT	40000	6.914434	20	PASS
			LV	NT	20000	3.457217	20	PASS
			HV	NT	40000	6.914434	20	PASS
	Ant2	5785	NV	NT	0	0	20	PASS
			LV	NT	20000	3.457217	20	PASS
			HV	NT	20000	3.457217	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant3	5785	NV	NT	0	0	20	PASS
			LV	NT	20000	3.457217	20	PASS
			HV	NT	20000	3.457217	20	PASS
	Ant4	5785	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5825	NV	NT	40000	6.866953	20	PASS
			LV	NT	40000	6.866953	20	PASS
			HV	NT	40000	6.866953	20	PASS
	Ant2	5825	NV	NT	0	0	20	PASS
			LV	NT	20000	3.433476	20	PASS
			HV	NT	20000	3.433476	20	PASS
	Ant3	5825	NV	NT	20000	3.433476	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5825	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
11AC40SISO	Ant1	5190	NV	NT	0	0	20	PASS
			LV	NT	40000	7.707129	20	PASS
			HV	NT	0	0	20	PASS
	Ant2	5190	NV	NT	40000	7.707129	20	PASS
			LV	NT	40000	7.707129	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5190	NV	NT	40000	7.707129	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5190	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5230	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant2	5230	NV	NT	0	0	20	PASS
			LV	NT	40000	7.648184	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5230	NV	NT	0	0	20	PASS
			LV	NT	40000	7.648184	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5230	NV	NT	40000	7.648184	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant1	5755	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant2	5755	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	-40000	-6.950478	20	PASS
	Ant3	5755	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant4	5755	HV	NT	40000	6.950478	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant1	5795	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	40000	6.902502	20	PASS
	Ant2	5795	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant3	5795	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant4	5795	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
11AC80SISO	Ant1	5210	HV	NT	80000	15.355086	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant2	5210	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant3	5210	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant4	5210	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
	Ant1	5775	HV	NT	0	0	20	PASS
			NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
	Ant2	5775	NV	NT	0	0	20	PASS

Appendix of 210304050SZN-005

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant3	5775	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant4	5775	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	0	0	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant2	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant3	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant1	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant2	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant3	5200	NV	-30	0	0	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant4	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant1	5240	NV	-30	20000	3.816794	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.816794	20	PASS
			NV	0	20000	3.816794	20	PASS
			NV	10	20000	3.816794	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	20000	3.816794	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	20000	3.816794	20	PASS
			NV	0	20000	3.816794	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	20000	3.816794	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant3	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	20000	3.816794	20	PASS
			NV	0	20000	3.816794	20	PASS
			NV	10	20000	3.816794	20	PASS
			NV	20	0	0	20	PASS
			NV	30	40000	7.633588	20	PASS
			NV	40	20000	3.816794	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant4	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	20000	3.816794	20	PASS
			NV	0	20000	3.816794	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	20000	3.816794	20	PASS
			NV	50	0	0	20	PASS
			NV	-20	20000	3.508772	20	PASS
			NV	-10	20000	3.508772	20	PASS
			NV	0	20000	3.508772	20	PASS
			NV	10	20000	3.508772	20	PASS
			NV	20	20000	3.508772	20	PASS
			NV	30	20000	3.508772	20	PASS
			NV	40	20000	3.508772	20	PASS
			NV	50	20000	3.508772	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant1	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.481288	20	PASS
			NV	10	20000	3.481288	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.481288	20	PASS
			NV	40	20000	3.481288	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.481288	20	PASS
			NV	0	20000	3.481288	20	PASS
			NV	10	20000	3.481288	20	PASS
			NV	20	20000	3.481288	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.481288	20	PASS
			NV	50	20000	3.481288	20	PASS
	Ant3	5745	NV	-30	0	0	20	PASS
			NV	-20	20000	3.481288	20	PASS
			NV	-10	20000	3.481288	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.481288	20	PASS
			NV	30	20000	3.481288	20	PASS
			NV	40	20000	3.481288	20	PASS
			NV	50	20000	3.481288	20	PASS
	Ant4	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	20000	3.481288	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.481288	20	PASS
			NV	20	20000	3.481288	20	PASS
			NV	30	20000	3.481288	20	PASS
			NV	40	20000	3.481288	20	PASS
			NV	50	20000	3.481288	20	PASS
	Ant1	5785	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.457217	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	40	20000	3.457217	20	PASS
			NV	50	20000	3.457217	20	PASS
	Ant2	5785	NV	-30	20000	3.457217	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	20000	3.457217	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.457217	20	PASS
			NV	50	20000	3.457217	20	PASS
	Ant3	5785	NV	-30	20000	3.457217	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.457217	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.457217	20	PASS
			NV	50	20000	3.457217	20	PASS
	Ant4	5785	NV	-30	20000	3.457217	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	20000	3.457217	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5825	NV	-30	0	0	20	PASS
			NV	-20	20000	3.433476	20	PASS
			NV	-10	20000	3.433476	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	20000	3.433476	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.433476	20	PASS
			NV	40	20000	3.433476	20	PASS
			NV	50	20000	3.433476	20	PASS
	Ant2	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	20000	3.433476	20	PASS
			NV	-10	20000	3.433476	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	20000	3.433476	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	20	20000	3.433476	20	PASS
			NV	30	20000	3.433476	20	PASS
			NV	40	20000	3.433476	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.433476	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.433476	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.433476	20	PASS
			NV	30	20000	3.433476	20	PASS
			NV	40	20000	3.433476	20	PASS
			NV	50	20000	3.433476	20	PASS
11N20SISO	Ant1	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant2	5180	NV	-30	0	0	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant3	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant4	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant1	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	40000	7.692308	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant3	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5200	NV	-30	20000	3.846154	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant1	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.816794	20	PASS
			NV	10	20000	3.816794	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	20000	3.816794	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant2	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	20000	3.816794	20	PASS
			NV	0	20000	3.816794	20	PASS
			NV	10	20000	3.816794	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	40000	7.633588	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant3	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.816794	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant4	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	20000	3.816794	20	PASS
			NV	0	20000	3.816794	20	PASS
			NV	10	20000	3.816794	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	20000	3.816794	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	50	20000	3.816794	20	PASS
			NV	-20	20000	3.508772	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.508772	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.508772	20	PASS
			NV	50	20000	3.508772	20	PASS
	Ant1	5745	NV	-30	0	0	20	PASS
			NV	-20	20000	3.481288	20	PASS
			NV	-10	20000	3.481288	20	PASS
			NV	0	20000	3.481288	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.481288	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.481288	20	PASS
			NV	30	20000	3.481288	20	PASS
			NV	40	20000	3.481288	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5745	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.481288	20	PASS
			NV	10	20000	3.481288	20	PASS
			NV	20	20000	3.481288	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5745	NV	-30	0	0	20	PASS
			NV	-20	20000	3.481288	20	PASS
			NV	-10	20000	3.481288	20	PASS
			NV	0	20000	3.481288	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.481288	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	40	20000	3.481288	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5785	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.457217	20	PASS
			NV	30	20000	3.457217	20	PASS
			NV	40	20000	3.457217	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5785	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	20000	3.457217	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.457217	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5785	NV	-30	0	0	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.457217	20	PASS
	Ant4	5785	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.457217	20	PASS
	Ant1	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	20000	3.433476	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	20000	3.433476	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	20	0	0	20	PASS
			NV	30	20000	3.433476	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	20000	3.433476	20	PASS
			NV	-10	20000	3.433476	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.433476	20	PASS
			NV	50	20000	3.433476	20	PASS
	Ant3	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.433476	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.433476	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.433476	20	PASS
11N40SISO	Ant1	5190	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5190	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5190	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5190	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5230	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	7.648184	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5230	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.648184	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5230	NV	-30	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5230	NV	-30	40000	7.648184	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.648184	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	7.648184	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5755	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5755	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant3	5755	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5755	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5795	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-6.902502	20	PASS
	Ant2	5795	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5795	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant4	5795	NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-6.902502	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
11AC20SISO	Ant1	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	40000	7.722008	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant2	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant3	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant4	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	20	20000	3.861004	20	PASS
			NV	30	20000	3.861004	20	PASS
			NV	40	20000	3.861004	20	PASS
			NV	50	20000	3.861004	20	PASS
	Ant1	5200	NV	-30	40000	7.692308	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.692308	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	40000	7.692308	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	40000	7.692308	20	PASS
			NV	40	40000	7.692308	20	PASS
			NV	50	40000	7.692308	20	PASS
	Ant2	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant3	5200	NV	-30	20000	3.846154	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant4	5200	NV	-30	0	0	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	20000	3.846154	20	PASS
			NV	0	20000	3.846154	20	PASS
			NV	10	20000	3.846154	20	PASS
			NV	20	20000	3.846154	20	PASS
			NV	30	20000	3.846154	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	20000	3.846154	20	PASS
	Ant1	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.816794	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	0	20000	3.816794	20	PASS
			NV	10	40000	7.633588	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	40000	7.633588	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant2	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	7.633588	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	20000	3.816794	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant3	5240	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.816794	20	PASS
	Ant4	5240	NV	-30	20000	3.816794	20	PASS
			NV	-20	20000	3.816794	20	PASS
			NV	-10	20000	3.816794	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.816794	20	PASS
			NV	20	20000	3.816794	20	PASS
			NV	30	20000	3.816794	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.816794	20	PASS
			NV	-20	20000	3.508772	20	PASS
			NV	-10	20000	3.508772	20	PASS
			NV	0	20000	3.508772	20	PASS
			NV	10	20000	3.508772	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.508772	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.508772	20	PASS
	Ant1	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	40000	6.962576	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-10	20000	3.481288	20	PASS
			NV	0	40000	6.962576	20	PASS
			NV	10	20000	3.481288	20	PASS
			NV	20	20000	3.481288	20	PASS
			NV	30	20000	3.481288	20	PASS
			NV	40	60000	10.443864	20	PASS
			NV	50	20000	3.481288	20	PASS
	Ant2	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	20000	3.481288	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.481288	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.481288	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.481288	20	PASS
	Ant3	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	20000	3.481288	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.481288	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.481288	20	PASS
			NV	50	20000	3.481288	20	PASS
	Ant4	5745	NV	-30	20000	3.481288	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	20000	3.481288	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	20000	3.481288	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5785	NV	-30	40000	6.914434	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	40000	6.914434	20	PASS
			NV	0	40000	6.914434	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	40000	6.914434	20	PASS
			NV	30	40000	6.914434	20	PASS
			NV	40	40000	6.914434	20	PASS
			NV	50	20000	3.457217	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant2	5785	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.457217	20	PASS
			NV	40	0	0	20	PASS
			NV	50	20000	3.457217	20	PASS
	Ant3	5785	NV	-30	20000	3.457217	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.457217	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5785	NV	-30	20000	3.457217	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	20000	3.457217	20	PASS
			NV	30	20000	3.457217	20	PASS
			NV	40	20000	3.457217	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5825	NV	-30	60000	10.300429	20	PASS
			NV	-20	20000	3.433476	20	PASS
			NV	-10	40000	6.866953	20	PASS
			NV	0	40000	6.866953	20	PASS
			NV	10	40000	6.866953	20	PASS
			NV	20	40000	6.866953	20	PASS
			NV	30	40000	6.866953	20	PASS
			NV	40	40000	6.866953	20	PASS
			NV	50	40000	6.866953	20	PASS
	Ant2	5825	NV	-30	0	0	20	PASS
			NV	-20	20000	3.433476	20	PASS
			NV	-10	20000	3.433476	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	20000	3.433476	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	40	20000	3.433476	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.433476	20	PASS
			NV	40	20000	3.433476	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5825	NV	-30	20000	3.433476	20	PASS
			NV	-20	20000	3.433476	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.433476	20	PASS
			NV	10	20000	3.433476	20	PASS
			NV	20	20000	3.433476	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
11AC40SISO	Ant1	5190	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	7.707129	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	40000	7.707129	20	PASS
	Ant2	5190	NV	-30	40000	7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5190	NV	-30	40000	7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	7.707129	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5190	NV	-30	0	0	20	PASS
			NV	-20	40000	7.707129	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5230	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	7.648184	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	40000	7.648184	20	PASS
	Ant2	5230	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	40000	7.648184	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5230	NV	-30	40000	7.648184	20	PASS
			NV	-20	40000	7.648184	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	7.648184	20	PASS
			NV	10	0	0	20	PASS
			NV	20	40000	7.648184	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	40000	7.648184	20	PASS
	Ant4	5230	NV	-30	0	0	20	PASS
			NV	-20	40000	7.648184	20	PASS
			NV	-10	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	0	40000	7.648184	20	PASS
			NV	10	40000	7.648184	20	PASS
			NV	20	40000	7.648184	20	PASS
			NV	30	40000	7.648184	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	7.054674	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5755	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	6.950478	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5755	NV	-30	40000	6.950478	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5755	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	6.950478	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5755	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5795	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	6.902502	20	PASS
			NV	10	40000	6.902502	20	PASS
			NV	20	40000	6.902502	20	PASS
			NV	30	40000	6.902502	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5795	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	40000	6.902502	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5795	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-6.902502	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-6.902502	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5795	NV	-30	-40000	-6.902502	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-6.902502	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-6.902502	20	PASS
			NV	50	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC80SISO	Ant1	5210	NV	-30	80000	15.355086	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	80000	15.355086	20	PASS
			NV	0	0	0	20	PASS
			NV	10	80000	15.355086	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	80000	15.355086	20	PASS
	Ant2	5210	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5210	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5210	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS

Appendix of 210304050SZN-005

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant1	5775	NV	50	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-80000	- 13.852814	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5775	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant3	5775	NV	-30	0	0	20	PASS
			NV	-20	-80000	- 13.852814	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	- 13.852814	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant4	5775	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS