


**802.11ax HE40**

**Low Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|---------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |            |           |      |
| 1 | 2386.70 | 53.19  | 15.62 | 37.57 | 54.00  | -0.81  | 100  | 360  | Average | Horizontal |           |      |
| 2 | 2422.00 | 100.49 | 62.83 | 37.66 | 54.00  | 46.49  | 100  | 360  | Average | Horizontal |           |      |
| 3 | 2485.23 | 43.03  | 5.23  | 37.80 | 54.00  | -10.97 | 100  | 360  | Average | Horizontal |           |      |

**Low Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos    | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|---------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |         |          |           |      |
| 1 | 2387.53 | 51.02  | 13.45 | 37.57 | 54.00  | -2.98  | 100  | 185  | Average | Vertical |           |      |
| 2 | 2422.00 | 98.27  | 60.61 | 37.66 | 54.00  | 44.27  | 100  | 185  | Average | Vertical |           |      |
| 3 | 2499.86 | 42.37  | 4.52  | 37.85 | 54.00  | -11.63 | 100  | 185  | Average | Vertical |           |      |

**802.11ax HE40**

**Middle Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1   | 2317.55 | 58.14  | 20.87 | 37.27 | 74.00  | -15.86 | 325  | 52   | Peak | Horizontal |           |      |
| 2 * | 2437.00 | 111.13 | 73.45 | 37.68 | 74.00  | 37.13  | 325  | 52   | Peak | Horizontal |           |      |
| 3   | 2557.68 | 64.48  | 26.56 | 37.92 | 74.00  | -9.52  | 325  | 52   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1   | 2383.87 | 57.85  | 20.30 | 37.55 | 74.00  | -16.15 | 100  | 310  | Peak | Vertical |           |      |
| 2 * | 2437.00 | 107.84 | 70.16 | 37.68 | 74.00  | 33.84  | 100  | 310  | Peak | Vertical |           |      |
| 3   | 2483.93 | 64.56  | 26.76 | 37.80 | 74.00  | -9.44  | 100  | 310  | Peak | Vertical |           |      |

**802.11ax HE40**

**Middle Channel (Horizontal) Average**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



**Middle Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11ax HE40**

**High Channel (Horizontal) Peak**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |            |           |      |
| 1   | 2331.95 | 57.18  | 19.87 | 37.31 | 74.00  | -16.82 | 198  | 39   | Peak | Horizontal |           |      |
| 2 * | 2452.00 | 111.09 | 73.40 | 37.69 | 74.00  | 37.09  | 198  | 39   | Peak | Horizontal |           |      |
| 3 ! | 2484.64 | 73.18  | 35.38 | 37.80 | 74.00  | -0.82  | 198  | 39   | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|     | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|     | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |          |           |      |
| 1   | 2358.00 | 52.43  | 15.06 | 37.37 | 74.00  | -21.57 | 100  | 321  | Peak | Vertical |           |      |
| 2 * | 2452.00 | 108.38 | 70.69 | 37.69 | 74.00  | 34.38  | 100  | 321  | Peak | Vertical |           |      |
| 3 ! | 2484.64 | 68.13  | 30.33 | 37.80 | 74.00  | -5.87  | 100  | 321  | Peak | Vertical |           |      |

**802.11ax HE40**

**High Channel (Horizontal) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |            |      |
| 1    | 2379.74 | 41.17 | 3.64  | 37.53  | 54.00 | -12.83 | 198  | 39   | Average | Horizontal |      |
| 2 *  | 2452.00 | 98.06 | 61.17 | 37.69  | 54.00 | 44.86  | 198  | 39   | Average | Horizontal |      |
| 3 !  | 2483.46 | 53.63 | 15.83 | 37.80  | 54.00 | -0.37  | 198  | 39   | Average | Horizontal |      |

**High Channel (Vertical) Average**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark  | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|---------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |         |           |      |
| 1    | 2389.53 | 40.38 | 2.80  | 37.58  | 54.00 | -13.62 | 180  | 321  | Average | Vertical  |      |
| 2 *  | 2452.00 | 96.95 | 59.26 | 37.69  | 54.00 | 42.95  | 180  | 321  | Average | Vertical  |      |
| 3 !  | 2483.58 | 50.49 | 12.69 | 37.80  | 54.00 | -3.51  | 180  | 321  | Average | Vertical  |      |


## Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

### 802.11ax HE20

#### Middle Channel 9kHz~150kHz(Open)




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|------|--------|-------|-------|--------|--------|------|--------|-----------|------|
|   | MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |      |
| 1 | 0.03 | 59.03  | 39.84 | 19.19 | 119.14 | -69.11 | 100  | 256 QP | Open      |      |
| 2 | 0.04 | 56.44  | 37.05 | 19.39 | 115.13 | -58.69 | 100  | 262 QP | Open      |      |
| 3 | 0.05 | 52.39  | 33.11 | 19.28 | 113.40 | -61.01 | 100  | 248 QP | Open      |      |
| 4 | 0.06 | 42.48  | 23.46 | 19.02 | 111.59 | -69.11 | 100  | 250 QP | Open      |      |
| 5 | 0.08 | 41.59  | 23.04 | 18.55 | 109.03 | -67.44 | 100  | 242 QP | Open      |      |
| 6 | 0.11 | 36.06  | 17.80 | 18.26 | 106.76 | -70.70 | 100  | 240 QP | Open      |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq  | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|--------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |      |
| 1 | 0.53  | 50.28  | 39.31 | 18.97 | 73.18  | -14.90 | 100  | 141 QP | Open      |      |
| 2 | 1.05  | 51.83  | 32.55 | 19.28 | 67.14  | -15.31 | 100  | 141 QP | Open      |      |
| 3 | 1.58  | 46.90  | 27.55 | 19.35 | 63.63  | -16.73 | 100  | 148 QP | Open      |      |
| 4 | 2.11  | 42.23  | 22.81 | 19.42 | 69.50  | -27.27 | 100  | 154 QP | Open      |      |
| 5 | 14.81 | 35.28  | 13.44 | 21.84 | 69.50  | -34.22 | 100  | 176 QP | Open      |      |
| 6 | 22.73 | 36.55  | 14.23 | 22.32 | 69.50  | -32.95 | 100  | 176 QP | Open      |      |

**802.11ax HE20**

**Middle Channel 9kHz~150kHz(Close)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|------|--------|-------|-------|--------|--------|------|--------|-----------|------|
|   | MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |      |
| 1 | 0.03 | 58.72  | 39.53 | 19.19 | 119.14 | -69.42 | 100  | 265 QP | Close     |      |
| 2 | 0.04 | 51.38  | 31.99 | 19.39 | 115.11 | -63.73 | 100  | 194 QP | Close     |      |
| 3 | 0.05 | 48.71  | 29.44 | 19.27 | 113.33 | -64.62 | 100  | 203 QP | Close     |      |
| 4 | 0.08 | 37.90  | 19.23 | 18.67 | 109.62 | -71.72 | 100  | 205 QP | Close     |      |
| 5 | 0.10 | 32.45  | 14.22 | 18.23 | 107.42 | -74.97 | 100  | 205 QP | Close     |      |
| 6 | 0.12 | 31.36  | 13.05 | 18.31 | 105.70 | -74.34 | 100  | 197 QP | Close     |      |

**Middle Channel 150kHz~30MHz(Close)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq  | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|--------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |      |
| 1 | 0.53  | 54.06  | 35.09 | 18.97 | 73.18  | -19.12 | 100  | 108 QP | Close     |      |
| 2 | 1.05  | 47.45  | 28.17 | 19.28 | 67.14  | -19.69 | 100  | 98 QP  | Close     |      |
| 3 | 1.58  | 42.21  | 22.86 | 19.35 | 63.62  | -21.41 | 100  | 100 QP | Close     |      |
| 4 | 2.11  | 38.10  | 18.68 | 19.42 | 69.50  | -31.40 | 100  | 96 QP  | Close     |      |
| 5 | 15.31 | 36.18  | 14.31 | 21.87 | 69.50  | -33.32 | 100  | 360 QP | Close     |      |
| 6 | 23.79 | 36.98  | 14.61 | 22.37 | 69.50  | -32.52 | 100  | 6 QP   | Close     |      |


## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

### 802.11ax HE20

#### Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase  | Note |
|---|--------|--------|-------|-------|--------|--------|------|--------|------------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |            |      |
| 1 | 72.39  | 36.02  | 45.01 | -8.99 | 40.00  | -3.98  | 200  | 317 QP | Horizontal |      |
| 2 | 112.06 | 39.63  | 48.97 | -9.34 | 43.50  | -3.87  | 200  | 171 QP | Horizontal |      |
| 3 | 172.49 | 41.54  | 47.95 | -6.41 | 43.50  | -1.96  | 200  | 89 QP  | Horizontal |      |
| 4 | 220.80 | 35.03  | 43.01 | -7.98 | 46.00  | -10.97 | 100  | 65 QP  | Horizontal |      |
| 5 | 399.96 | 33.37  | 36.33 | -2.96 | 46.00  | -12.63 | 100  | 294 QP | Horizontal |      |
| 6 | 760.02 | 36.37  | 33.70 | 2.67  | 46.00  | -9.63  | 100  | 15 QP  | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq   | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|--------|------|--------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |      |
| 1 | 72.39  | 35.56  | 44.55 | -8.99 | 40.00  | -4.44  | 100  | 277 QP | Vertical  |      |
| 2 | 112.06 | 34.80  | 44.14 | -9.34 | 43.50  | -8.70  | 100  | 105 QP | Vertical  |      |
| 3 | 172.49 | 34.88  | 41.29 | -6.41 | 43.50  | -8.62  | 200  | 184 QP | Vertical  |      |
| 4 | 399.96 | 31.64  | 34.60 | -2.96 | 46.00  | -14.36 | 100  | 212 QP | Vertical  |      |
| 5 | 599.97 | 38.00  | 37.80 | 0.20  | 46.00  | -8.00  | 200  | 18 QP  | Vertical  |      |
| 6 | 840.05 | 34.83  | 31.21 | 3.62  | 46.00  | -11.17 | 100  | 162 QP | Vertical  |      |

## Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


**802.11b**

### Low Channel (Horizontal)


### Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
 Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11b**

**Middle Channel (Horizontal)**

**Middle Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4874.00 | 40.90 | 50.67 | -9.77  | 74.00 | -33.10 | 100  | 71   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4874.00 | 40.06 | 49.83 | -9.77  | 74.00 | -33.94 | 286  | 1    | Peak   | Vertical  |      |


**802.11b**

**High Channel (Horizontal)**

**High Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 | 4924.00 | 43.56  | 53.24 | -9.68 | 74.00  | -30.44 | 100  | 8    | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq    | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|---------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
|   | MHz     | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 | 4924.00 | 41.78  | 51.46 | -9.68 | 74.00  | -32.22 | 194  | 360  | Peak | Vertical |           |      |


**802.11g**

**Low Channel (Horizontal)**

**Low Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4824.00 | 38.02 | 47.83 | -9.81  | 74.00 | -35.98 | 100  | 53   | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4824.00 | 38.80 | 48.61 | -9.81  | 74.00 | -35.20 | 226  | 2    | Peak   | Vertical  |      |


**802.11g**

**Middle Channel (Horizontal)**

**Middle Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4874.00 | 38.54 | 48.31 | -9.77  | 74.00 | -35.46 | 200  | 164  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4874.00 | 37.74 | 47.51 | -9.77  | 74.00 | -36.26 | 300  | 22   | Peak   | Vertical  |      |


**802.11g**

**High Channel (Horizontal)**


**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11 HT20**

**Low Channel (Horizontal)**


**Low Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




**802.11 HT20**

**Middle Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4874.00 | 36.68 | 46.45 | -9.77  | 74.00 | -37.32 | 166  | 360  | Peak   | Horizontal |      |

**Middle Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4874.00 | 36.98 | 46.75 | -9.77  | 74.00 | -37.02 | 100  | 2    | Peak   | Vertical  |      |

**802.11 HT20**

**High Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4924.00 | 37.71 | 47.39 | -9.68  | 74.00 | -36.29 | 100  | 358  | Peak   | Horizontal |      |

**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4924.00 | 37.62 | 47.30 | -9.68  | 74.00 | -36.38 | 100  | 120  | Peak   | Vertical  |      |


**802.11 HT40**

**Low Channel (Horizontal)**

**Low Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4844.00 | 37.41 | 47.17 | -9.76  | 74.00 | -36.59 | 100  | 144  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4844.00 | 38.38 | 48.14 | -9.76  | 74.00 | -35.62 | 300  | 360  | Peak   | Vertical  |      |

**802.11 HT40**

**Middle Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4874.00 | 36.87  | 46.64 | -9.77 | 74.00  | -37.13 | 100  | 11   | Peak | Horizontal |           |      |

**Middle Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4874.00 | 37.29  | 47.06 | -9.77 | 74.00  | -36.71 | 100  | 145  | Peak | Vertical |           |      |

**802.11 HT40**

**High Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4984.00 | 38.14  | 47.92 | -9.78 | 74.00  | -35.86 | 300  | 207  | Peak | Horizontal |           |      |

**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4984.00 | 37.20  | 46.98 | -9.78 | 74.00  | -36.80 | 300  | 273  | Peak | Vertical |           |      |


**802.11 HE20**

**Low Channel (Horizontal)**

**Low Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark     | Pol/Phase | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|------------|-----------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |            |           |      |
| 1 4824.00 | 37.52  | 47.33 | -9.81 | 74.00  | -36.48 | 300  | 206  | Peak | Horizontal |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark   | Pol/Phase | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|----------|-----------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg  |      |          |           |      |
| 1 4824.00 | 38.79  | 48.60 | -9.81 | 74.00  | -35.21 | 100  | 111  | Peak | Vertical |           |      |

**802.11 HE20**

**Middle Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4874.00 | 38.16 | 47.93 | -9.77  | 74.00 | -35.84 | 100  | 33   | Peak   | Horizontal |      |

**Middle Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4874.00 | 37.83 | 47.60 | -9.77  | 74.00 | -36.17 | 100  | 51   | Peak   | Vertical  |      |

**802.11 HE20**

**High Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4924.00 | 38.29 | 47.97 | -9.68  | 74.00 | -35.71 | 200  | 27   | Peak   | Horizontal |      |

**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4924.00 | 38.33 | 48.01 | -9.68  | 74.00 | -35.67 | 200  | 118  | Peak   | Vertical  |      |


**802.11 HE40**

**Low Channel (Horizontal)**

**Low Channel (Vertical)**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase  | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|--------|------------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |            |      |
| 1 4844.00 | 39.27  | 49.03 | -9.76 | 74.00  | -34.73 |      | 140  | 360  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq      | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
| MHz       | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | dB   | cm   | deg  |        |           |      |
| 1 4844.00 | 38.60  | 48.36 | -9.76 | 74.00  | -35.40 |      | 300  | 360  | Peak   | Vertical  |      |

**802.11 HE40**

**Middle Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|------------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |            |      |
| 1    | 4874.00 | 38.94 | 48.71 | -9.77  | 74.00 | -35.06 | 104  | 360  | Peak   | Horizontal |      |

**Middle Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq | Level   | Read  | Level | Factor | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|------|---------|-------|-------|--------|-------|--------|------|------|--------|-----------|------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg  |      |        |           |      |
| 1    | 4874.00 | 37.89 | 47.66 | -9.77  | 74.00 | -36.11 | 200  | 202  | Peak   | Vertical  |      |

**802.11 HE40**

**High Channel (Horizontal)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| Freq      | Level  | Read Level Factor | Limit Line | Over Limit | APos   | TPos | Remark   | Pol/Phase  | Note |
|-----------|--------|-------------------|------------|------------|--------|------|----------|------------|------|
| MHz       | dBuV/m | dBuV              | dB/m       | dBuV/m     | dB     | cm   | deg      |            |      |
| 1 4984.00 | 37.68  | 47.46             | -9.78      | 74.00      | -36.32 | 100  | 124 Peak | Horizontal |      |

**High Channel (Vertical)**



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq      | Level  | Read Level Factor | Limit Line | Over Limit | APos   | TPos | Remark   | Pol/Phase | Note |
|-----------|--------|-------------------|------------|------------|--------|------|----------|-----------|------|
| MHz       | dBuV/m | dBuV              | dB/m       | dBuV/m     | dB     | cm   | deg      |           |      |
| 1 4984.00 | 37.63  | 47.41             | -9.78      | 74.00      | -36.37 | 200  | 347 Peak | Vertical  |      |

**<POE Mode>**

**Spurious Emissions, Tx Mode, 9kHz ~ 30MHz**


**802.11ax HE20**

**Low Channel (Open) 9kHz~150kHz**

**Low Channel (Open) 150kHz~30MHz**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|------|--------|-------|-------|--------|--------|------|--------|-----------|------|
|   | MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |      |
| 1 | 0.03 | 63.33  | 44.14 | 19.19 | 119.14 | -55.81 | 100  | 316 QP | Open      |      |
| 2 | 0.05 | 41.54  | 22.29 | 19.25 | 113.13 | -71.59 | 100  | 35 QP  | Open      |      |
| 3 | 0.06 | 32.47  | 13.39 | 19.08 | 111.99 | -79.52 | 100  | 48 QP  | Open      |      |
| 4 | 0.09 | 29.85  | 11.42 | 18.43 | 108.53 | -78.68 | 100  | 22 QP  | Open      |      |
| 5 | 0.09 | 32.91  | 14.56 | 18.35 | 108.15 | -75.24 | 100  | 11 QP  | Open      |      |
| 6 | 0.13 | 29.34  | 11.03 | 18.31 | 105.66 | -76.32 | 100  | 289 QP | Open      |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq  | Level  | Read  | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|--------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg    |           |      |
| 1 | 4.99  | 31.92  | 12.56 | 19.36 | 69.50  | -37.58 | 100  | 1 QP   | Open      |      |
| 2 | 9.06  | 33.47  | 12.43 | 21.04 | 69.50  | -36.03 | 100  | 1 QP   | Open      |      |
| 3 | 11.65 | 35.12  | 13.50 | 21.62 | 69.50  | -34.38 | 100  | 272 QP | Open      |      |
| 4 | 14.99 | 34.73  | 12.88 | 21.85 | 69.50  | -34.77 | 100  | 289 QP | Open      |      |
| 5 | 23.85 | 35.80  | 13.42 | 22.38 | 69.50  | -33.70 | 100  | 12 QP  | Open      |      |
| 6 | 27.77 | 35.84  | 13.29 | 22.55 | 69.50  | -33.66 | 100  | 266 QP | Open      |      |

**802.11ax HE20**

**Low Channel (Close) 9kHz~150kHz**




TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz  | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     |      | cm   | deg  |        |           |      |
| 1 | 0.03 | 63.27  | 44.08 | 19.19 | 119.15 | -55.88 | 100  | 311  | QP   | Close  |           |      |
| 2 | 0.05 | 41.93  | 22.68 | 19.25 | 113.13 | -71.20 | 100  | 298  | QP   | Close  |           |      |
| 3 | 0.06 | 39.92  | 20.86 | 19.06 | 111.83 | -71.91 | 100  | 1    | QP   | Close  |           |      |
| 4 | 0.08 | 34.26  | 15.57 | 18.69 | 109.74 | -75.48 | 100  | 50   | QP   | Close  |           |      |
| 5 | 0.09 | 31.85  | 13.50 | 18.35 | 108.16 | -76.31 | 100  | 71   | QP   | Close  |           |      |
| 6 | 0.11 | 30.67  | 12.42 | 18.25 | 106.82 | -76.15 | 100  | 224  | QP   | Close  |           |      |



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq  | Level  | Read  | Level | Factor | Limit  | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|-------|--------|-------|-------|--------|--------|------|------|------|--------|-----------|------|
|   | MHz   | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     |      | cm   | deg  |        |           |      |
| 1 | 4.39  | 33.27  | 13.86 | 19.41 | 69.50  | -36.23 | 100  | 26   | QP   | Close  |           |      |
| 2 | 8.48  | 33.80  | 13.81 | 20.79 | 69.50  | -35.70 | 100  | 328  | QP   | Close  |           |      |
| 3 | 14.36 | 37.65  | 15.85 | 21.80 | 69.50  | -31.85 | 100  | 285  | QP   | Close  |           |      |
| 4 | 21.94 | 36.28  | 13.99 | 22.29 | 69.50  | -33.22 | 100  | 1    | QP   | Close  |           |      |
| 5 | 24.19 | 36.16  | 13.77 | 22.39 | 69.50  | -33.34 | 100  | 30   | QP   | Close  |           |      |
| 6 | 24.75 | 35.50  | 13.09 | 22.41 | 69.50  | -34.00 | 100  | 56   | QP   | Close  |           |      |


## Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

### 802.11ax HE20

#### Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq   | Level  | Read  | Level | Factor | Limit | Over | APos | TPos | Remark     | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|-------|------|------|------|------------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm   | deg  |      |            |           |      |
| 1 | 75.11  | 31.52  | 41.05 | -9.53 | 40.00  | -8.48 | 300  | 127  | QP   | Horizontal |           |      |
| 2 | 132.43 | 39.59  | 46.64 | -7.05 | 43.50  | -3.91 | 200  | 261  | QP   | Horizontal |           |      |
| 3 | 224.00 | 37.60  | 45.37 | -7.77 | 46.00  | -8.40 | 200  | 360  | QP   | Horizontal |           |      |
| 4 | 316.73 | 36.15  | 40.69 | -4.54 | 46.00  | -9.85 | 300  | 138  | QP   | Horizontal |           |      |
| 5 | 359.99 | 38.65  | 42.40 | -3.75 | 46.00  | -7.35 | 100  | 235  | QP   | Horizontal |           |      |
| 6 | 840.05 | 40.26  | 36.64 | 3.62  | 46.00  | -5.74 | 100  | 324  | QP   | Horizontal |           |      |

#### Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.  
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




|   | Freq   | Level  | Read  | Level | Factor | Limit | Over | APos | TPos | Remark   | Pol/Phase | Note |
|---|--------|--------|-------|-------|--------|-------|------|------|------|----------|-----------|------|
|   | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB    | cm   | deg  |      |          |           |      |
| 1 | 37.47  | 38.36  | 45.03 | -6.67 | 40.00  | -1.64 | 100  | 126  | QP   | Vertical |           |      |
| 2 | 52.02  | 34.96  | 41.14 | -6.18 | 40.00  | -5.04 | 100  | 360  | QP   | Vertical |           |      |
| 3 | 74.33  | 33.36  | 42.83 | -9.47 | 40.00  | -6.64 | 100  | 360  | QP   | Vertical |           |      |
| 4 | 125.74 | 35.49  | 43.38 | -7.89 | 43.50  | -8.01 | 100  | 231  | QP   | Vertical |           |      |
| 5 | 159.79 | 35.38  | 41.34 | -5.96 | 43.50  | -8.12 | 100  | 294  | QP   | Vertical |           |      |
| 6 | 318.77 | 36.49  | 40.96 | -4.47 | 46.00  | -9.51 | 100  | 360  | QP   | Vertical |           |      |

## Mains Conducted Emission, 150kHz ~ 30MHz

### Worst Band (Adapter)


#### (Line)



Trace: 1

|    | Freq | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz  | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.15 | 39.05 | 29.44 | 9.61   | 56.00 | -16.95 | Average | line1     |      |
| 2  | 0.15 | 58.54 | 48.93 | 9.61   | 66.00 | -7.46  | QP      | line1     |      |
| 3  | 0.16 | 34.06 | 24.45 | 9.61   | 55.38 | -21.32 | Average | line1     |      |
| 4  | 0.16 | 54.10 | 44.49 | 9.61   | 65.38 | -11.28 | QP      | line1     |      |
| 5  | 0.17 | 34.34 | 24.73 | 9.61   | 55.09 | -20.75 | Average | line1     |      |
| 6  | 0.17 | 54.24 | 44.63 | 9.61   | 65.09 | -10.85 | QP      | line1     |      |
| 7  | 0.19 | 27.94 | 18.33 | 9.61   | 54.22 | -26.28 | Average | line1     |      |
| 8  | 0.19 | 48.21 | 38.60 | 9.61   | 64.22 | -16.01 | QP      | line1     |      |
| 9  | 0.38 | 32.59 | 22.97 | 9.62   | 48.26 | -15.67 | Average | line1     |      |
| 10 | 0.38 | 41.88 | 32.26 | 9.62   | 58.26 | -16.38 | QP      | line1     |      |
| 11 | 1.98 | 11.24 | 1.59  | 9.65   | 46.00 | -34.76 | Average | line1     |      |
| 12 | 1.98 | 17.74 | 8.09  | 9.65   | 56.00 | -38.26 | QP      | line1     |      |

#### (Neutral)







Trace: 1

|    | Freq | Level | Read  | Factor | Limit | Over   | Remark  | Pol/Phase | Note |
|----|------|-------|-------|--------|-------|--------|---------|-----------|------|
|    | MHz  | dBuV  | dBuV  | dB     | dBuV  | dB     |         |           |      |
| 1  | 0.15 | 38.48 | 28.89 | 9.59   | 55.96 | -17.48 | Average | neutral   |      |
| 2  | 0.15 | 57.43 | 47.84 | 9.59   | 65.96 | -8.53  | QP      | neutral   |      |
| 3  | 0.16 | 33.01 | 23.42 | 9.59   | 55.63 | -22.62 | Average | neutral   |      |
| 4  | 0.16 | 53.06 | 43.47 | 9.59   | 65.63 | -12.57 | QP      | neutral   |      |
| 5  | 0.16 | 34.87 | 25.28 | 9.59   | 55.25 | -20.38 | Average | neutral   |      |
| 6  | 0.16 | 54.86 | 45.27 | 9.59   | 65.25 | -10.39 | QP      | neutral   |      |
| 7  | 0.17 | 34.22 | 24.63 | 9.59   | 55.09 | -20.87 | Average | neutral   |      |
| 8  | 0.17 | 54.01 | 44.42 | 9.59   | 65.09 | -11.08 | QP      | neutral   |      |
| 9  | 0.38 | 27.84 | 18.24 | 9.60   | 48.26 | -20.42 | Average | neutral   |      |
| 10 | 0.38 | 37.64 | 28.04 | 9.60   | 58.26 | -20.62 | QP      | neutral   |      |
| 11 | 2.14 | 13.13 | 3.50  | 9.63   | 46.00 | -32.87 | Average | neutral   |      |
| 12 | 2.14 | 19.42 | 9.79  | 9.63   | 56.00 | -36.58 | QP      | neutral   |      |

Worst Band (POE)

(Line)

(Neutral)



Trace: 1

|    | Freq  | Level | Read   | Limit | Over  |                |           |      |
|----|-------|-------|--------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level  | Line  | Limit | Remark         | Pol/Phase | Note |
|    | MHz   | dBuV  | Factor | dB    | dB    |                |           |      |
| 1  | 0.15  | 33.86 | 24.25  | 9.61  | 55.88 | -22.02 Average | line1     |      |
| 2  | 0.15  | 52.90 | 43.29  | 9.61  | 65.88 | -12.98 QP      | line1     |      |
| 3  | 0.18  | 29.41 | 19.80  | 9.61  | 54.72 | -25.31 Average | line1     |      |
| 4  | 0.18  | 47.99 | 38.38  | 9.61  | 64.72 | -16.73 QP      | line1     |      |
| 5  | 0.53  | 32.58 | 22.96  | 9.62  | 46.00 | -13.42 Average | line1     |      |
| 6  | 0.53  | 37.76 | 28.14  | 9.62  | 56.00 | -18.24 QP      | line1     |      |
| 7  | 1.48  | 19.61 | 9.97   | 9.64  | 46.00 | -26.39 Average | line1     |      |
| 8  | 1.48  | 23.15 | 13.51  | 9.64  | 56.00 | -32.85 QP      | line1     |      |
| 9  | 8.33  | 20.09 | 10.38  | 9.71  | 50.00 | -29.91 Average | line1     |      |
| 10 | 8.33  | 25.48 | 15.77  | 9.71  | 60.00 | -34.52 QP      | line1     |      |
| 11 | 12.73 | 23.69 | 13.96  | 9.73  | 50.00 | -26.31 Average | line1     |      |
| 12 | 12.73 | 28.46 | 18.73  | 9.73  | 60.00 | -31.54 QP      | line1     |      |

Trace: 1

|    | Freq  | Level | Read   | Limit | Over  |                |           |      |
|----|-------|-------|--------|-------|-------|----------------|-----------|------|
|    | MHz   | dBuV  | Level  | Line  | Limit | Remark         | Pol/Phase | Note |
|    | MHz   | dBuV  | Factor | dB    | dB    |                |           |      |
| 1  | 0.15  | 34.67 | 25.08  | 9.59  | 55.83 | -21.16 Average | neutral   |      |
| 2  | 0.15  | 52.50 | 42.91  | 9.59  | 65.83 | -13.33 QP      | neutral   |      |
| 3  | 0.23  | 24.42 | 14.83  | 9.59  | 52.36 | -27.94 Average | neutral   |      |
| 4  | 0.23  | 38.59 | 29.00  | 9.59  | 62.36 | -23.77 QP      | neutral   |      |
| 5  | 0.53  | 32.48 | 22.88  | 9.60  | 46.00 | -13.52 Average | neutral   |      |
| 6  | 0.53  | 37.89 | 28.29  | 9.60  | 56.00 | -18.11 QP      | neutral   |      |
| 7  | 1.08  | 24.85 | 15.25  | 9.60  | 46.00 | -21.15 Average | neutral   |      |
| 8  | 1.08  | 28.31 | 18.71  | 9.60  | 56.00 | -27.69 QP      | neutral   |      |
| 9  | 9.73  | 27.07 | 17.33  | 9.74  | 50.00 | -22.93 Average | neutral   |      |
| 10 | 9.73  | 31.59 | 21.85  | 9.74  | 60.00 | -28.41 QP      | neutral   |      |
| 11 | 25.83 | 9.58  | -0.24  | 9.82  | 50.00 | -40.42 Average | neutral   |      |
| 12 | 25.83 | 14.12 | 4.30   | 9.82  | 60.00 | -45.88 QP      | neutral   |      |