


802.11a

CH 149 (Horizontal) Average

CH 149 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 *	5745.00	109.07	65.37	43.70	54.00	55.07	324	237	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 *	5745.00	107.75	64.05	43.70	54.00	53.75	294	176	Average	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5638.00	57.35	13.95	43.40	68.20	-10.85	262	231	Peak	Horizontal	
2	5693.50	58.72	15.09	43.63	100.41	-41.69	262	231	Peak	Horizontal	
3	5718.00	57.19	13.51	43.68	110.24	-53.05	262	231	Peak	Horizontal	
4	5720.00	57.09	13.41	43.68	110.80	-53.71	262	231	Peak	Horizontal	
5	5785.00	119.57	75.76	43.81	122.20	-2.63	262	231	Peak	Horizontal	
6	5853.00	57.20	13.19	44.01	115.36	-58.16	262	231	Peak	Horizontal	
7	5873.50	57.06	13.00	44.06	105.62	-48.56	262	231	Peak	Horizontal	
8	5879.00	58.77	14.69	44.08	102.23	-43.46	262	231	Peak	Horizontal	
9	5981.50	58.75	14.26	44.49	68.20	-9.45	262	231	Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5633.00	57.01	13.60	43.41	68.20	-11.19	294	224	Peak	Vertical	
2	5679.00	57.77	14.20	43.57	89.70	-31.93	294	224	Peak	Vertical	
3	5708.50	58.09	14.42	43.67	107.58	-49.49	294	224	Peak	Vertical	
4	5725.00	56.73	13.04	43.69	122.20	-65.47	294	224	Peak	Vertical	
5	5785.00	116.91	73.10	43.81	122.20	-5.29	294	224	Peak	Vertical	
6	5854.00	57.46	13.45	44.01	113.00	-55.62	294	224	Peak	Vertical	
7	5872.00	57.74	13.69	44.05	106.04	-48.30	294	224	Peak	Vertical	
8	5897.00	58.34	14.22	44.12	88.88	-30.54	294	224	Peak	Vertical	
9	5960.50	57.98	13.63	44.35	68.20	-10.22	294	224	Peak	Vertical	


802.11a

CH 157 (Horizontal) Average

CH 157 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5785.00	110.40	66.59	43.81	54.00	56.40	262	231	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5785.00	107.63	63.82	43.81	54.00	53.63	294	224	Average	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5563.00	57.81	14.39	43.42	68.20	-10.39	291	222 Peak	Horizontal	
2	5694.00	57.81	14.17	43.64	100.78	-42.97	291	222 Peak	Horizontal	
3	5782.00	57.51	13.84	43.67	105.76	-48.25	291	222 Peak	Horizontal	
4	5724.50	57.75	14.06	43.69	121.06	-63.31	291	222 Peak	Horizontal	
5	5825.00	118.42	74.50	43.92	122.20	-3.78	291	222 Peak	Horizontal	
6	5850.00	74.75	30.76	43.99	122.20	-47.45	291	222 Peak	Horizontal	
7	5855.50	74.43	30.42	44.01	110.66	-36.23	291	222 Peak	Horizontal	
8	5876.50	61.46	17.39	44.07	104.89	-42.63	291	222 Peak	Horizontal	
9	5998.00	58.69	14.08	44.61	68.20	-9.51	291	222 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5569.50	56.91	13.50	43.41	68.20	-11.29	268	228 Peak	Vertical	
2	5679.00	57.02	13.45	43.57	89.70	-32.68	268	228 Peak	Vertical	
3	5713.00	58.39	14.71	43.68	108.84	-50.45	268	228 Peak	Vertical	
4	5722.50	57.18	13.50	43.68	116.50	-59.32	268	228 Peak	Vertical	
5	5825.00	118.12	74.20	43.92	122.20	-4.08	268	228 Peak	Vertical	
6	5850.00	79.84	35.85	43.99	122.20	-42.36	268	228 Peak	Vertical	
7	5857.00	71.07	27.06	44.01	110.24	-38.37	268	228 Peak	Vertical	
8	5877.50	59.66	15.59	44.07	103.34	-43.68	268	228 Peak	Vertical	
9	5926.00	58.14	13.93	44.21	68.20	-10.06	268	228 Peak	Vertical	


802.11a

CH 165 (Horizontal) Average

CH 165 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5825.00	109.46	65.54	43.92	54.00	55.46		291	222	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5825.00	108.80	64.88	43.92	54.00	54.80		268	228	Average	Vertical	

802.11ac VHT20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5642.50	58.01	14.59	43.42	68.20	-10.19	312	232 Peak	Horizontal	
2	5695.00	58.97	15.33	43.64	101.51	-42.54	312	232 Peak	Horizontal	
3	5719.00	72.54	28.86	43.68	110.52	-37.98	312	232 Peak	Horizontal	
4	5724.50	84.50	40.81	43.69	121.06	-36.56	312	232 Peak	Horizontal	
5	5745.00	118.08	74.38	43.70	122.20	-4.12	312	232 Peak	Horizontal	
6	5850.00	57.11	13.12	43.99	122.20	-65.09	312	232 Peak	Horizontal	
7	5867.50	57.75	13.71	44.04	107.30	-49.55	312	232 Peak	Horizontal	
8	5904.00	57.79	13.64	44.15	83.70	-25.91	312	232 Peak	Horizontal	
9	5944.50	58.10	13.84	44.26	68.20	-10.10	312	232 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.50	57.49	14.07	43.42	68.20	-10.71	313	196 Peak	Vertical	
2	5700.00	61.70	18.04	43.66	105.20	-43.50	313	196 Peak	Vertical	
3	5720.00	75.78	32.10	43.68	110.80	-35.02	313	196 Peak	Vertical	
4	5724.50	82.23	38.54	43.69	121.06	-38.83	313	196 Peak	Vertical	
5	5745.00	116.51	72.81	43.70	122.20	-5.69	313	196 Peak	Vertical	
6	5853.00	56.63	12.62	44.01	115.36	-58.73	313	196 Peak	Vertical	
7	5872.50	57.39	13.33	44.06	105.90	-48.51	313	196 Peak	Vertical	
8	5877.00	57.96	13.89	44.07	103.71	-45.75	313	196 Peak	Vertical	
9	5939.50	58.36	14.11	44.25	68.20	-9.84	313	196 Peak	Vertical	


802.11ac VHT20

CH 149 (Horizontal) Average


CH 149 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5633.50	56.08	12.67	43.41	68.20	-12.12	315	251	Peak	Horizontal	
2	5687.50	56.92	13.32	43.60	95.98	-39.06	315	251	Peak	Horizontal	
3	5712.00	57.37	13.69	43.68	108.56	-51.19	315	251	Peak	Horizontal	
4	5724.00	57.47	13.78	43.69	119.92	-62.45	315	251	Peak	Horizontal	
5	5785.00	116.70	72.89	43.81	122.20	-5.50	315	251	Peak	Horizontal	
6	5852.50	55.81	11.81	44.00	116.50	-60.69	315	251	Peak	Horizontal	
7	5873.00	57.95	13.89	44.06	105.76	-47.81	315	251	Peak	Horizontal	
8	5882.00	58.16	14.08	44.08	108.00	-41.84	315	251	Peak	Horizontal	
9	5935.00	57.79	13.56	44.23	68.20	-10.41	315	251	Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5622.50	57.07	13.67	43.40	68.20	-11.13	316	195	Peak	Vertical	
2	5699.00	57.07	13.41	43.66	104.46	-47.39	316	195	Peak	Vertical	
3	5718.50	57.32	13.65	43.67	108.14	-50.82	316	195	Peak	Vertical	
4	5728.50	56.87	13.19	43.68	111.94	-55.07	316	195	Peak	Vertical	
5	5785.00	115.89	72.08	43.81	122.20	-6.31	316	195	Peak	Vertical	
6	5853.00	57.50	13.49	44.01	115.30	-57.86	316	195	Peak	Vertical	
7	5856.50	57.12	13.11	44.01	110.38	-53.26	316	195	Peak	Vertical	
8	5891.00	57.75	13.64	44.11	93.33	-35.58	316	195	Peak	Vertical	
9	5979.50	58.48	14.00	44.48	68.20	-9.72	316	195	Peak	Vertical	


802.11ac VHT20

CH 157 (Horizontal) Average

CH 157 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 *	5785.00	106.91	64.59	43.81	54.00	54.40	315	251	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 *	5785.00	106.91	63.10	43.81	54.00	52.91	316	195	Average	Vertical	

802.11ac VHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5630.50	57.29	13.88	43.41	68.20	-10.91	270	230 Peak	Horizontal	
2	5693.50	58.15	14.52	43.63	100.41	-42.26	270	230 Peak	Horizontal	
3	5716.50	57.71	14.03	43.68	109.82	-52.11	270	230 Peak	Horizontal	
4	5721.50	57.01	13.33	43.68	114.22	-57.21	270	230 Peak	Horizontal	
5	5825.00	118.55	74.63	43.92	122.20	-3.65	270	230 Peak	Horizontal	
6	5850.00	71.40	27.41	43.99	122.20	-50.80	270	230 Peak	Horizontal	
7	5863.50	70.61	26.58	44.03	106.42	-37.81	270	230 Peak	Horizontal	
8	5924.50	59.43	15.22	44.21	68.57	-9.14	270	230 Peak	Horizontal	
9	5933.50	59.67	15.44	44.23	68.20	-8.53	270	230 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5631.00	56.74	13.33	43.41	68.20	-11.46	291	165 Peak	Vertical	
2	5670.00	57.64	14.12	43.52	83.04	-25.40	291	165 Peak	Vertical	
3	5700.50	57.04	13.37	43.67	105.34	-48.30	291	165 Peak	Vertical	
4	5725.00	57.42	13.73	43.69	122.20	-64.78	291	165 Peak	Vertical	
5	5825.00	116.32	72.40	43.92	122.20	-5.88	291	165 Peak	Vertical	
6	5850.00	70.37	26.38	43.99	122.20	-51.83	291	165 Peak	Vertical	
7	5863.50	66.18	22.15	44.03	106.42	-42.24	291	165 Peak	Vertical	
8	5879.50	57.57	13.49	44.08	101.86	-44.29	291	165 Peak	Vertical	
9	5940.00	57.66	13.41	44.25	68.20	-10.54	291	165 Peak	Vertical	

802.11ac VHT20

CH 165 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5825.00	109.61	65.69	43.92	54.00	55.61		270	230	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 * 5825.00	107.62	63.90	43.92	54.00	53.82		291	165	Average	Vertical	

802.11ac VHT40

CH 151 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	57.47	14.05	43.42	68.20	-10.73	317	251 Peak	Horizontal	
2	5694.50	67.89	24.25	43.64	101.15	-33.26	317	251 Peak	Horizontal	
3	5716.00	77.94	34.26	43.68	109.68	-31.74	317	251 Peak	Horizontal	
4	5725.00	80.64	36.95	43.69	122.20	-41.56	317	251 Peak	Horizontal	
5	5755.00	114.33	70.61	43.72	122.20	-7.87	317	251 Peak	Horizontal	
6	5852.50	57.29	13.29	44.00	116.50	-59.21	317	251 Peak	Horizontal	
7	5857.00	58.15	14.14	44.01	110.24	-52.09	317	251 Peak	Horizontal	
8	5909.00	59.20	15.04	44.16	80.01	-20.81	317	251 Peak	Horizontal	
9	5930.50	58.31	14.09	44.22	68.20	-9.89	317	251 Peak	Horizontal	


CH 151 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5641.00	57.04	13.63	43.41	68.20	-11.16	306	195 Peak	Vertical	
2	5699.00	73.44	29.78	43.66	104.46	-31.02	306	195 Peak	Vertical	
3	5719.50	82.37	38.69	43.68	110.66	-28.29	306	195 Peak	Vertical	
4	5721.00	83.50	39.82	43.68	113.08	-29.58	306	195 Peak	Vertical	
5	5755.00	113.59	69.87	43.72	122.20	-8.61	306	195 Peak	Vertical	
6	5855.00	57.92	13.91	44.01	110.60	-52.68	306	195 Peak	Vertical	
7	5855.50	58.01	14.00	44.01	110.66	-52.65	306	195 Peak	Vertical	
8	5921.50	57.45	13.26	44.19	70.78	-13.33	306	195 Peak	Vertical	
9	5951.50	57.48	13.19	44.29	68.20	-10.72	306	195 Peak	Vertical	




802.11ac VHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.00	57.30	13.88	43.42	68.20	-10.90	303	234 Peak	Horizontal	
2	5699.50	59.47	15.81	43.66	104.83	-45.36	303	234 Peak	Horizontal	
3	5719.50	64.33	20.65	43.68	110.66	-46.33	303	234 Peak	Horizontal	
4	5724.50	66.06	22.37	43.69	121.06	-55.00	303	234 Peak	Horizontal	
5	5795.00	115.70	71.86	43.84	122.20	-6.50	303	234 Peak	Horizontal	
6	5850.00	72.96	28.97	43.99	122.20	-49.24	303	234 Peak	Horizontal	
7	5861.50	70.94	26.92	44.02	100.98	-38.04	303	234 Peak	Horizontal	
8	5881.50	61.80	17.72	44.08	100.37	-38.57	303	234 Peak	Horizontal	
9	5948.00	58.14	13.86	44.28	68.20	-10.06	303	234 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5534.00	57.31	13.92	43.39	68.20	-10.89	317	231 Peak	Vertical	
2	5689.50	57.64	14.02	43.62	97.46	-39.82	317	231 Peak	Vertical	
3	5711.00	58.61	14.94	43.67	108.28	-49.67	317	231 Peak	Vertical	
4	5725.00	57.60	13.91	43.69	122.20	-64.60	317	231 Peak	Vertical	
5	5795.00	113.05	69.21	43.84	122.20	-9.15	317	231 Peak	Vertical	
6	5852.50	63.59	19.59	44.00	116.50	-52.91	317	231 Peak	Vertical	
7	5862.00	63.18	19.16	44.02	100.94	-45.66	317	231 Peak	Vertical	
8	5890.00	59.70	15.59	44.11	94.07	-34.37	317	231 Peak	Vertical	
9	5936.50	58.16	13.92	44.24	68.20	-10.04	317	231 Peak	Vertical	


802.11ac VHT40

CH 159 (Horizontal) Average

CH 159 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	dB/m	dBuV/m	dB	cm	deg			
1 *	5795.00	107.39	63.55	43.84	54.00	53.39	303	234 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	dB/m	dBuV/m	dB	cm	deg			
1 *	5795.00	104.27	60.43	43.84	54.00	50.27	317	231 Average	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5642.50	66.54	23.12	43.42	68.20	-1.66	330	251 Peak	Horizontal	
2	5684.00	70.68	27.09	43.59	93.40	-22.72	330	251 Peak	Horizontal	
3	5719.50	72.39	28.71	43.68	110.66	-38.27	330	251 Peak	Horizontal	
4	5724.00	72.12	28.43	43.69	119.92	-47.80	330	251 Peak	Horizontal	
5	5775.00	112.42	68.64	43.78	122.20	-9.78	330	251 Peak	Horizontal	
6	5850.00	67.65	23.66	43.99	122.20	-54.55	330	251 Peak	Horizontal	
7	5858.50	70.40	26.38	44.02	109.82	-39.42	330	251 Peak	Horizontal	
8	5877.00	69.75	25.68	44.07	103.71	-33.96	330	251 Peak	Horizontal	
9	5925.00	60.33	16.12	44.21	68.20	-7.87	330	251 Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.00	65.26	21.04	43.42	68.20	-2.94	318	240 Peak	Vertical	
2	5691.00	69.02	25.40	43.62	98.56	-29.54	318	240 Peak	Vertical	
3	5710.50	70.35	26.68	43.67	108.14	-37.79	318	240 Peak	Vertical	
4	5725.00	72.21	28.52	43.69	122.20	-49.99	318	240 Peak	Vertical	
5	5775.00	109.15	65.37	43.78	122.20	-13.05	318	240 Peak	Vertical	
6	5850.50	76.62	32.63	43.99	121.06	-44.44	318	240 Peak	Vertical	
7	5870.50	71.53	27.48	44.05	106.46	-34.93	318	240 Peak	Vertical	
8	5892.00	70.12	26.01	44.11	92.58	-22.46	318	240 Peak	Vertical	
9	5928.50	58.26	14.04	44.22	68.20	-9.94	318	240 Peak	Vertical	


802.11ac VHT80

CH 155 (Horizontal) Average


CH 155 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5641.50	58.42	15.00	43.42	68.20	-9.78	323	238	Peak	Horizontal	
2	5698.50	63.08	19.43	43.65	104.09	-41.01	323	238	Peak	Horizontal	
3	5718.00	81.11	37.43	43.68	110.24	-29.13	323	238	Peak	Horizontal	
4	5725.00	83.47	39.78	43.69	122.20	-38.73	323	238	Peak	Horizontal	
5	5745.00	120.56	76.06	43.70	122.20	-1.64	323	238	Peak	Horizontal	
6	5851.00	56.93	12.94	43.99	119.92	-62.99	323	238	Peak	Horizontal	
7	5856.50	57.67	13.66	44.01	119.38	-52.71	323	238	Peak	Horizontal	
8	5883.50	58.31	14.22	44.09	98.89	-40.58	323	238	Peak	Horizontal	
9	5984.00	58.07	13.56	44.51	68.20	-10.13	323	238	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5535.00	56.73	13.34	43.39	68.20	-11.47	323	230	Peak	Vertical	
2	5698.50	57.51	13.86	43.65	104.09	-46.58	323	230	Peak	Vertical	
3	5719.50	72.55	28.87	43.68	110.66	-38.11	323	230	Peak	Vertical	
4	5724.50	87.05	43.36	43.69	121.06	-34.01	323	230	Peak	Vertical	
5	5745.00	120.33	76.63	43.70	122.20	-1.87	323	230	Peak	Vertical	
6	5850.50	57.65	13.66	43.99	121.06	-63.41	323	230	Peak	Vertical	
7	5869.50	56.90	12.85	44.05	106.74	-49.84	323	230	Peak	Vertical	
8	5898.00	57.94	13.81	44.13	88.14	-30.20	323	230	Peak	Vertical	
9	5949.00	57.41	13.13	44.28	68.20	-10.79	323	230	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Average

CH 149 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5745.00	108.07	64.37	43.70	54.00	54.07	323	238 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 *	5745.00	107.74	64.04	43.70	54.00	53.74	323	238 Average	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5586.00	57.02	13.71	43.31	68.20	-11.18	322	179	Peak	Horizontal	
2	5689.50	57.25	13.63	43.62	97.46	-40.21	322	179	Peak	Horizontal	
3	5787.00	57.40	13.73	43.67	107.16	-49.76	322	179	Peak	Horizontal	
4	5722.00	57.83	14.15	43.68	115.36	-57.53	322	179	Peak	Horizontal	
5	5785.00	117.86	74.05	43.81	122.20	-4.34	322	179	Peak	Horizontal	
6	5853.50	56.70	12.69	44.01	114.22	-57.52	322	179	Peak	Horizontal	
7	5856.50	57.75	13.74	44.01	110.38	-52.63	322	179	Peak	Horizontal	
8	5893.50	57.81	13.69	44.12	91.47	-33.66	322	179	Peak	Horizontal	
9	5928.50	57.77	13.55	44.22	68.20	-10.43	322	179	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5476.50	56.50	13.22	43.28	68.20	-11.70	308	196	Peak	Vertical	
2	5685.00	57.70	14.11	43.59	94.13	-36.43	308	196	Peak	Vertical	
3	5719.50	57.19	13.51	43.68	110.66	-53.47	308	196	Peak	Vertical	
4	5723.00	56.91	13.23	43.68	117.64	-60.73	308	196	Peak	Vertical	
5	5785.00	117.41	73.60	43.81	122.20	-4.79	308	196	Peak	Vertical	
6	5854.00	56.49	12.48	44.01	113.88	-56.39	308	196	Peak	Vertical	
7	5864.00	57.28	13.25	44.03	106.28	-51.00	308	196	Peak	Vertical	
8	5907.50	58.13	13.97	44.16	81.11	-22.98	308	196	Peak	Vertical	
9	5995.50	57.91	13.32	44.59	68.20	-10.29	308	196	Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Average

CH 157 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5785.00	106.06	62.25	43.81	54.00	52.06	322	179	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5785.00	106.00	62.19	43.81	54.00	52.00	308	196	Average	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5647.00	68.65	17.23	43.42	68.20	-7.55	274	232	Peak	Horizontal	
2	5693.00	70.21	26.58	43.63	108.04	-29.83	274	232	Peak	Horizontal	
3	5713.50	82.18	38.50	43.68	108.98	-26.80	274	232	Peak	Horizontal	
4	5725.00	85.78	42.09	43.69	122.20	-36.42	274	232	Peak	Horizontal	
5	5755.00	118.09	74.37	43.72	122.20	-4.11	274	232	Peak	Horizontal	
6	5853.50	64.22	20.21	44.01	114.22	-50.00	274	232	Peak	Horizontal	
7	5856.00	61.11	17.09	44.02	109.96	-48.85	274	232	Peak	Horizontal	
8	5879.00	58.98	14.90	44.08	102.23	-43.25	274	232	Peak	Horizontal	
9	5931.50	58.61	14.39	44.22	68.20	-9.59	274	232	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5634.50	58.52	15.11	43.41	68.20	-9.68	262	169	Peak	Vertical	
2	5697.50	71.45	27.80	43.65	103.36	-31.91	262	169	Peak	Vertical	
3	5715.50	85.57	41.89	43.68	109.54	-23.97	262	169	Peak	Vertical	
4	5726.50	83.40	39.72	43.68	111.94	-28.54	262	169	Peak	Vertical	
5	5755.00	116.50	72.78	43.72	122.20	-5.70	262	169	Peak	Vertical	
6	5855.00	58.98	14.97	44.01	110.80	-51.82	262	169	Peak	Vertical	
7	5875.00	60.08	16.02	44.06	105.20	-45.12	262	169	Peak	Vertical	
8	5875.00	60.08	16.02	44.06	105.20	-45.12	262	169	Peak	Vertical	
9	5947.50	57.65	13.38	44.27	68.20	-10.55	262	169	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Average

CH 151 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5755.00	105.01	62.29	43.72	54.00	52.01	274	232	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5755.00	105.66	61.94	43.72	54.00	51.66	262	169	Average	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5650.00	57.95	13.63	43.42	68.20	-11.15	317	234	Peak	Horizontal	
2	5690.50	60.37	16.72	43.65	104.09	-43.72	317	234	Peak	Horizontal	
3	5718.50	66.48	22.80	43.68	110.38	-43.90	317	234	Peak	Horizontal	
4	5721.00	66.80	23.12	43.68	113.08	-46.28	317	234	Peak	Horizontal	
5	5795.00	117.68	73.84	43.84	122.20	-4.52	317	234	Peak	Horizontal	
6	5850.00	66.81	22.82	43.99	122.20	-55.39	317	234	Peak	Horizontal	
7	5860.00	69.90	25.68	44.02	109.40	-39.50	317	234	Peak	Horizontal	
8	5882.00	62.97	18.89	44.08	100.00	-37.03	317	234	Peak	Horizontal	
9	5931.50	58.08	13.86	44.22	68.20	-10.12	317	234	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5622.50	57.87	14.47	43.40	68.20	-10.33	271	170	Peak	Vertical	
2	5680.00	60.00	16.40	43.60	96.35	-36.35	271	170	Peak	Vertical	
3	5712.00	63.06	19.38	43.68	108.56	-45.50	271	170	Peak	Vertical	
4	5725.00	67.91	24.22	43.69	122.20	-54.29	271	170	Peak	Vertical	
5	5795.00	117.17	73.33	43.84	122.20	-5.03	271	170	Peak	Vertical	
6	5854.50	69.91	25.90	44.01	111.94	-42.03	271	170	Peak	Vertical	
7	5865.50	68.28	24.24	44.04	107.06	-39.58	271	170	Peak	Vertical	
8	5885.50	63.66	19.57	44.09	97.40	-33.74	271	170	Peak	Vertical	
9	5931.50	58.42	14.20	44.22	68.20	-9.78	271	170	Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Average

CH 159 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5795.00	105.65	62.81	43.84	54.00	52.65	317	234	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 * 5795.00	105.71	61.87	43.84	54.00	51.71	271	170	Average	Vertical	

802.11ax HE80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5643.50	66.71	23.29	43.42	68.20	-1.49	330		250 Peak	Horizontal	
2	5696.50	74.70	31.05	43.65	102.62	-27.92	330		250 Peak	Horizontal	
3	5704.00	73.90	30.23	43.67	106.32	-32.42	330		250 Peak	Horizontal	
4	5720.00	71.72	28.04	43.68	110.80	-39.08	330		250 Peak	Horizontal	
5	5775.00	114.94	71.16	43.78	122.20	-7.26	330		250 Peak	Horizontal	
6	5850.50	69.10	25.11	43.99	121.06	-51.96	330		250 Peak	Horizontal	
7	5865.00	74.32	30.28	44.04	108.00	-33.68	330		250 Peak	Horizontal	
8	5877.00	71.49	27.42	44.07	103.71	-32.22	330		250 Peak	Horizontal	
9	5925.00	62.71	18.50	44.21	68.20	-5.49	330		250 Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5648.00	66.05	22.63	43.42	68.20	-2.15	308		232 Peak	Vertical	
2	5696.50	69.04	25.44	43.60	95.24	-26.20	308		232 Peak	Vertical	
3	5708.50	78.36	34.69	43.67	107.58	-29.22	308		232 Peak	Vertical	
4	5722.50	79.20	35.52	43.68	116.50	-37.30	308		232 Peak	Vertical	
5	5775.00	112.06	68.28	43.78	122.20	-10.14	308		232 Peak	Vertical	
6	5850.00	77.34	33.35	43.99	122.20	-44.86	308		232 Peak	Vertical	
7	5868.00	75.91	31.86	44.05	107.16	-31.25	308		232 Peak	Vertical	
8	5889.50	68.30	24.19	44.11	94.44	-26.14	308		232 Peak	Vertical	
9	5928.00	59.59	15.37	44.22	68.20	-8.61	308		232 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Average

CH 155 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 *	5775.00	102.76	58.98	43.78	54.00	48.76	330	250	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 *	5775.00	100.33	56.55	43.78	54.00	46.33	308	232	Average	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	50.27	57.60	-7.33	74.00	-23.73	100	109	Peak	Horizontal	
2	10360.00	42.19	45.70	-3.51	68.20	-26.01	400	117	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	52.00	59.33	-7.33	74.00	-22.00	200	125	Peak	Vertical	
2	10360.00	43.51	47.02	-3.51	68.20	-24.69	400	214	Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.97	56.30	-7.33	74.00	-25.03	100	105	Peak	Horizontal	
2	10400.00	43.11	46.53	-3.42	68.20	-25.09	100	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	50.85	58.18	-7.33	74.00	-23.15	100	114	Peak	Vertical	
2	10400.00	42.86	46.28	-3.42	68.20	-25.34	200	252	Peak	Vertical	


802.11a

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

CH 36 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	48.59	55.92	-7.33	74.00	-25.41	300	125	Peak	Horizontal	
2	10360.00	42.81	46.32	-3.51	68.20	-25.39	200	290	Peak	Horizontal	

CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	6960.00	51.18	58.51	-7.33	74.00	-22.82	200	167	Peak	Vertical	
2	10360.00	41.97	45.48	-3.51	68.20	-26.23	300	243	Peak	Vertical	