


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48405G	45.42	68.20	-22.78	63.51	3	Vertical	141	2.52	-	38.17	10.42	66.68			
PK	15.67245G	58.68	74.00	-15.32	72.27	3	Vertical	301	1.80	-	38.10	12.25	63.94			
AV	15.68705G	45.36	54.00	-8.64	58.94	3	Vertical	301	1.80	-	38.10	12.26	63.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48355G	44.82	68.20	-23.38	62.91	3	Horizontal	133	1.34	-	38.17	10.42	66.68			
PK	15.6866G	57.80	74.00	-16.20	71.38	3	Horizontal	334	1.80	-	38.10	12.26	63.94			
AV	15.6857G	43.75	54.00	-10.25	57.33	3	Horizontal	334	1.80	-	38.10	12.26	63.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1467G	60.26	74.00	-13.74	53.87	3	Vertical	222	2.96	-	34.10	7.01	34.72
AV	5.1419G	46.83	54.00	-7.17	40.45	3	Vertical	222	2.96	-	34.10	7.00	34.72
PK	5.2766G	120.37	Inf	-Inf	113.54	3	Vertical	222	2.96	-	34.46	7.11	34.74
AV	5.255G	108.44	Inf	-Inf	101.75	3	Vertical	222	2.96	-	34.33	7.10	34.74
PK	5.3507G	70.74	74.00	-3.26	63.73	3	Vertical	222	2.96	-	34.60	7.17	34.76
AV	5.3531G	53.90	54.00	-0.10	46.88	3	Vertical	222	2.96	-	34.61	7.17	34.76

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.141G	57.75	74.00	-16.25	51.37	3	Horizontal	267	2.58	-	34.10	7.00	34.72			
AV	5.1497G	45.56	54.00	-8.44	39.17	3	Horizontal	267	2.58	-	34.10	7.01	34.72			
PK	5.2883G	113.99	Inf	-Inf	107.09	3	Horizontal	267	2.58	-	34.53	7.12	34.75			
AV	5.2517G	101.98	Inf	-Inf	95.31	3	Horizontal	267	2.58	-	34.31	7.10	34.74			
PK	5.3507G	64.28	74.00	-9.72	57.27	3	Horizontal	267	2.58	-	34.60	7.17	34.76			
AV	5.35G	49.23	54.00	-4.77	42.22	3	Horizontal	267	2.58	-	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52725G	45.49	68.20	-22.71	63.49	3	Vertical	333	2.55	-	38.20	10.43	66.63			
PK	15.78855G	58.38	74.00	-15.62	72.28	3	Vertical	301	1.80	-	37.75	12.30	63.95			
AV	15.8059G	45.15	54.00	-8.85	59.11	3	Vertical	301	1.80	-	37.68	12.31	63.95			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
 Setting 24.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54985G	45.56	68.20	-22.64	63.53	3	Horizontal	306	1.66	-	38.20	10.44	66.61			
PK	15.80865G	58.99	74.00	-15.01	72.96	3	Horizontal	332	1.80	-	37.67	12.31	63.95			
AV	15.8052G	45.10	54.00	-8.90	59.06	3	Horizontal	332	1.80	-	37.68	12.31	63.95			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3112G	112.99	Inf	-Inf	106.00	3	Vertical	294	2.33	-	34.60	7.14	34.75			
AV	5.3282G	100.63	Inf	-Inf	93.63	3	Vertical	294	2.33	-	34.60	7.15	34.75			
PK	5.35G	73.33	74.00	-0.67	66.32	3	Vertical	294	2.33	-	34.60	7.17	34.76			
AV	5.35G	53.17	54.00	-0.83	46.16	3	Vertical	294	2.33	-	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3196G	108.00	Inf	-Inf	101.01	3	Horizontal	251	2.56	-	34.60	7.14	34.75			
AV	5.2996G	96.18	Inf	-Inf	89.20	3	Horizontal	251	2.56	-	34.60	7.13	34.75			
PK	5.3526G	67.10	74.00	-6.90	60.08	3	Horizontal	251	2.56	-	34.61	7.17	34.76			
AV	5.3566G	47.56	54.00	-6.44	40.54	3	Horizontal	251	2.56	-	34.61	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Z_2TX
Setting 17.5
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6024G	45.86	74.00	-28.14	63.66	3	Vertical	54	2.78	-	38.30	10.46	66.56			
AV	10.61805G	33.48	54.00	-20.52	51.27	3	Vertical	54	2.78	-	38.30	10.46	66.55			
PK	15.92835G	58.81	74.00	-15.19	72.74	3	Vertical	305	1.82	-	37.66	12.37	63.96			
AV	15.9273G	46.15	54.00	-7.85	60.09	3	Vertical	305	1.82	-	37.65	12.37	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6171G	46.14	74.00	-27.86	63.93	3	Horizontal	130	1.82	-	38.30	10.46	66.55			
AV	10.61505G	34.31	54.00	-19.69	52.10	3	Horizontal	130	1.82	-	38.30	10.46	66.55			
PK	15.9271G	59.23	74.00	-14.77	73.17	3	Horizontal	334	1.80	-	37.65	12.37	63.96			
AV	15.9243G	46.21	54.00	-7.79	60.15	3	Horizontal	334	1.80	-	37.65	12.37	63.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	62.66	74.00	-11.34	55.49	3	Vertical	313	2.31	-	34.70	7.24	34.77			
AV	5.46G	48.11	54.00	-5.89	40.93	3	Vertical	313	2.31	-	34.70	7.25	34.77			
PK	5.4678G	66.92	68.20	-1.28	59.74	3	Vertical	313	2.31	-	34.70	7.25	34.77			
PK	5.503G	112.19	Inf	-Inf	105.00	3	Vertical	313	2.31	-	34.69	7.28	34.78			
AV	5.5218G	99.98	Inf	-Inf	92.86	3	Vertical	313	2.31	-	34.61	7.29	34.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.459G	59.42	74.00	-14.58	52.25	3	Horizontal	265	2.89	-	34.70	7.24	34.77			
AV	5.4484G	46.57	54.00	-7.43	39.40	3	Horizontal	265	2.89	-	34.70	7.24	34.77			
PK	5.4688G	62.90	68.20	-5.30	55.73	3	Horizontal	265	2.89	-	34.70	7.25	34.78			
PK	5.5254G	109.71	Inf	-Inf	102.61	3	Horizontal	265	2.89	-	34.60	7.29	34.79			
AV	5.527G	97.11	Inf	-Inf	90.01	3	Horizontal	265	2.89	-	34.59	7.30	34.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02395G	45.66	74.00	-28.34	62.81	3	Vertical	113	1.54	-	38.45	10.59	66.19			
AV	11.003G	33.89	54.00	-20.11	51.07	3	Vertical	113	1.54	-	38.41	10.59	66.18			
PK	16.548G	48.63	68.20	-19.57	61.18	3	Vertical	318	1.80	-	38.30	12.64	63.49			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
 Setting 19.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01845G	45.64	74.00	-28.36	62.80	3	Horizontal	207	2.97	-	38.44	10.59	66.19			
AV	11.00465G	33.80	54.00	-20.20	50.98	3	Horizontal	207	2.97	-	38.41	10.59	66.18			
PK	16.55155G	46.43	68.20	-21.77	58.98	3	Horizontal	313	1.80	-	38.31	12.64	63.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	65.72	74.00	-8.28	58.55	3	Vertical	312	2.28	-	34.70	7.24	34.77			
AV	5.46G	49.27	54.00	-4.73	42.09	3	Vertical	312	2.28	-	34.70	7.25	34.77			
PK	5.4678G	67.69	68.20	-0.51	60.51	3	Vertical	312	2.28	-	34.70	7.25	34.77			
PK	5.5623G	120.05	Inf	-Inf	113.00	3	Vertical	312	2.28	-	34.52	7.32	34.79			
AV	5.5614G	107.18	Inf	-Inf	100.13	3	Vertical	312	2.28	-	34.52	7.32	34.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4591G	62.79	74.00	-11.21	55.62	3	Horizontal	152	2.96	-	34.70	7.24	34.77
AV	5.46G	48.63	54.00	-5.37	41.45	3	Horizontal	152	2.96	-	34.70	7.25	34.77
PK	5.4678G	66.74	68.20	-1.46	59.56	3	Horizontal	152	2.96	-	34.70	7.25	34.77
PK	5.5605G	117.81	Inf	-Inf	110.76	3	Horizontal	152	2.96	-	34.52	7.32	34.79
AV	5.5599G	105.40	Inf	-Inf	98.35	3	Horizontal	152	2.96	-	34.52	7.32	34.79

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1025G	45.85	74.00	-28.15	62.84	3	Vertical	310	1.49	-	38.60	10.62	66.21			
AV	11.09965G	34.07	54.00	-19.93	51.06	3	Vertical	310	1.49	-	38.60	10.62	66.21			
PK	16.66805G	57.56	68.20	-10.64	69.43	3	Vertical	306	1.80	-	38.97	12.69	63.53			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
 Setting 25.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1174G	46.43	74.00	-27.57	63.43	3	Horizontal	138	1.40	-	38.60	10.62	66.22			
AV	11.10965G	34.08	54.00	-19.92	51.08	3	Horizontal	138	1.40	-	38.60	10.62	66.22			
PK	16.66758G	53.95	68.20	-14.25	65.82	3	Horizontal	327	1.81	-	38.97	12.69	63.53			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 20.5
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6547G	114.76	Inf	-Inf	107.70	3	Vertical	218	3.00	-	34.48	7.39	34.81			
AV	5.652G	102.80	Inf	-Inf	95.73	3	Vertical	218	3.00	-	34.49	7.39	34.81			
PK	5.7324G	67.37	68.20	-0.83	60.44	3	Vertical	218	3.00	-	34.30	7.46	34.83			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 20.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	110.64	Inf	-Inf	103.57	3	Horizontal	274	2.73	-	34.49	7.39	34.81			
AV	5.6883G	98.84	Inf	-Inf	91.89	3	Horizontal	274	2.73	-	34.35	7.42	34.82			
PK	5.7252G	64.09	68.20	-4.11	57.17	3	Horizontal	274	2.73	-	34.30	7.45	34.83			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 20.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33058G	45.76	74.00	-28.24	62.60	3	Vertical	337	2.14	-	38.76	10.69	66.29			
AV	11.3166G	33.77	54.00	-20.23	50.63	3	Vertical	337	2.14	-	38.73	10.69	66.28			
PK	17.02476G	53.48	68.20	-14.72	64.20	3	Vertical	307	1.80	-	40.10	12.85	63.67			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
 Setting 20.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34342G	45.85	74.00	-28.15	62.65	3	Horizontal	276	1.89	-	38.79	10.70	66.29			
AV	11.3196G	33.69	54.00	-20.31	50.54	3	Horizontal	276	1.89	-	38.74	10.69	66.28			
PK	16.98738G	53.32	68.20	-14.88	64.20	3	Horizontal	331	1.80	-	39.92	12.83	63.63			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7044G	119.73	Inf	-Inf	112.82	3	Vertical	266	2.57	-	34.30	7.43	34.82			
AV	5.702G	107.86	Inf	-Inf	100.95	3	Vertical	266	2.57	-	34.30	7.43	34.82			
PK	5.8524G	61.47	68.20	-6.73	54.30	3	Vertical	266	2.57	-	34.50	7.52	34.85			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7108G	120.16	Inf	-Inf	113.24	3	Horizontal	202	3.00	-	34.30	7.44	34.82			
AV	5.7124G	108.02	Inf	-Inf	101.10	3	Horizontal	202	3.00	-	34.30	7.44	34.82			
PK	5.8524G	63.15	68.20	-5.05	55.98	3	Horizontal	202	3.00	-	34.50	7.52	34.85			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42342G	46.58	74.00	-27.42	63.23	3	Vertical	329	1.92	-	38.95	10.72	66.32			
AV	11.41256G	33.59	54.00	-20.41	50.25	3	Vertical	329	1.92	-	38.93	10.72	66.31			
PK	17.1273G	47.84	68.20	-20.36	58.36	3	Vertical	311	1.80	-	40.41	12.89	63.82			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 28
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.403984G	45.56	74.00	-28.44	62.24	3	Horizontal	58	1.00	-	38.91	10.72	66.31			
AV	11.40266G	33.59	54.00	-20.41	50.27	3	Horizontal	58	1.00	-	38.91	10.72	66.31			
PK	17.12196G	47.02	68.20	-21.18	57.55	3	Horizontal	271	2.64	-	40.39	12.89	63.81			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 25
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6505G	68.35	68.57	-0.22	61.27	3	Vertical	266	2.34	-	34.50	7.39	34.81
PK	5.7465G	117.93	Inf	-Inf	110.99	3	Vertical	266	2.34	-	34.30	7.47	34.83
AV	5.746G	106.43	Inf	-Inf	99.49	3	Vertical	266	2.34	-	34.30	7.47	34.83
PK	5.9925G	59.58	68.20	-8.62	52.14	3	Vertical	266	2.34	-	34.79	7.53	34.88

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 25
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6385G	65.90	68.20	-2.30	58.81	3	Horizontal	278	2.97	-	34.52	7.38	34.81				
PK	5.738G	118.13	Inf	-Inf	111.20	3	Horizontal	278	2.97	-	34.30	7.46	34.83				
AV	5.738G	106.17	Inf	-Inf	99.24	3	Horizontal	278	2.97	-	34.30	7.46	34.83				
PK	5.9675G	59.87	68.20	-8.33	52.47	3	Horizontal	278	2.97	-	34.74	7.53	34.87				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 25
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53434G	45.72	74.00	-28.28	62.08	3	Vertical	331	1.94	-	39.24	10.76	66.36			
AV	11.53412G	33.28	54.00	-20.72	49.64	3	Vertical	331	1.94	-	39.24	10.76	66.36			
PK	17.24214G	54.34	68.20	-13.86	64.62	3	Vertical	306	1.80	-	40.77	12.94	63.99			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
 Setting 28
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52556G	45.14	74.00	-28.86	61.53	3	Horizontal	114	2.04	-	39.20	10.76	66.35			
AV	11.52788G	33.36	54.00	-20.64	49.75	3	Horizontal	114	2.04	-	39.21	10.76	66.36			
PK	17.27994G	52.38	68.20	-15.82	62.48	3	Horizontal	327	1.81	-	40.98	12.96	64.04			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 28
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6455G	62.34	68.20	-5.86	55.25	3	Vertical	263	2.49	-	34.51	7.39	34.81			
PK	5.7845G	118.65	Inf	-Inf	111.76	3	Vertical	263	2.49	-	34.23	7.50	34.84			
AV	5.783G	106.67	Inf	-Inf	99.78	3	Vertical	263	2.49	-	34.23	7.50	34.84			
PK	6.0015G	59.07	68.20	-9.13	51.61	3	Vertical	263	2.49	-	34.81	7.53	34.88			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 28
 03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6505G	63.63	68.57	-4.94	56.55	3	Horizontal	204	2.95	-	34.50	7.39	34.81			
PK	5.796G	118.54	Inf	-Inf	111.66	3	Horizontal	204	2.95	-	34.21	7.51	34.84			
AV	5.7765G	107.08	Inf	-Inf	100.18	3	Horizontal	204	2.95	-	34.25	7.49	34.84			
PK	6.0315G	59.23	68.20	-8.97	51.62	3	Horizontal	204	2.95	-	34.93	7.56	34.88			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
 Setting 28
 03-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56092G	45.14	74.00	-28.86	61.42	3	Vertical	206	2.16	-	39.32	10.77	66.37			
AV	11.56282G	33.36	54.00	-20.64	49.63	3	Vertical	206	2.16	-	39.33	10.77	66.37			
PK	17.38146G	51.72	68.20	-16.48	61.28	3	Vertical	320	1.80	-	41.63	13.00	64.19			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 28
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58856G	45.55	74.00	-28.45	61.78	3	Horizontal	329	2.95	-	39.38	10.78	66.39			
AV	11.56486G	33.29	54.00	-20.71	49.57	3	Horizontal	329	2.95	-	39.33	10.77	66.38			
PK	17.38206G	50.41	68.20	-17.79	59.98	3	Horizontal	67	1.80	-	41.63	13.00	64.20			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1372G	73.67	74.00	-0.33	67.29	3	Vertical	225	2.97	-	34.10	7.00	34.72			
AV	5.1376G	51.57	54.00	-2.43	45.19	3	Vertical	225	2.97	-	34.10	7.00	34.72			
PK	5.2344G	110.98	Inf	-Inf	104.40	3	Vertical	225	2.97	-	34.24	7.08	34.74			
AV	5.2356G	99.11	Inf	-Inf	92.53	3	Vertical	225	2.97	-	34.24	7.08	34.74			
PK	5.3564G	61.46	74.00	-12.54	54.44	3	Vertical	225	2.97	-	34.61	7.17	34.76			
AV	5.3896G	46.54	54.00	-7.46	39.43	3	Vertical	225	2.97	-	34.68	7.19	34.76			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	67.02	74.00	-6.98	60.63	3	Horizontal	15	2.47	-	34.10	7.01	34.72			
AV	5.1432G	48.11	54.00	-5.89	41.72	3	Horizontal	15	2.47	-	34.10	7.01	34.72			
PK	5.2032G	104.20	Inf	-Inf	97.76	3	Horizontal	15	2.47	-	34.11	7.06	34.73			
AV	5.2032G	91.85	Inf	-Inf	85.41	3	Horizontal	15	2.47	-	34.11	7.06	34.73			
PK	5.406G	58.05	74.00	-15.95	50.91	3	Horizontal	15	2.47	-	34.70	7.20	34.76			
AV	5.4048G	46.04	54.00	-7.96	38.90	3	Horizontal	15	2.47	-	34.70	7.20	34.76			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44688G	45.22	68.20	-22.98	63.46	3	Vertical	160	1.80	-	38.09	10.41	66.74			
PK	15.63054G	54.66	74.00	-19.34	68.27	3	Vertical	305	1.80	-	38.10	12.23	63.94			
AV	15.64554G	42.07	54.00	-11.93	55.67	3	Vertical	305	1.80	-	38.10	12.24	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41568G	44.55	68.20	-23.65	62.91	3	Horizontal	345	1.80	-	38.03	10.40	66.79			
PK	15.64956G	54.22	74.00	-19.78	67.82	3	Horizontal	332	1.80	-	38.10	12.24	63.94			
AV	15.64884G	41.60	54.00	-12.40	55.20	3	Horizontal	332	1.80	-	38.10	12.24	63.94			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	57.70	74.00	-16.30	51.32	3	Vertical	225	2.96	-	34.10	7.00	34.72			
AV	5.1428G	45.36	54.00	-8.64	38.97	3	Vertical	225	2.96	-	34.10	7.01	34.72			
PK	5.318G	110.55	Inf	-Inf	103.56	3	Vertical	225	2.96	-	34.60	7.14	34.75			
AV	5.2556G	97.90	Inf	-Inf	91.21	3	Vertical	225	2.96	-	34.33	7.10	34.74			
PK	5.3764G	73.57	74.00	-0.43	66.50	3	Vertical	225	2.96	-	34.65	7.18	34.76			
AV	5.3544G	53.39	54.00	-0.61	46.37	3	Vertical	225	2.96	-	34.61	7.17	34.76			
PK	5.4652G	58.45	68.20	-9.75	51.27	3	Vertical	225	2.96	-	34.70	7.25	34.77			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Z_2TX
Setting 17.5
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	58.12	74.00	-15.88	51.74	3	Horizontal	255	2.53	-	34.10	7.00	34.72
AV	5.1432G	45.15	54.00	-8.85	38.76	3	Horizontal	255	2.53	-	34.10	7.01	34.72
PK	5.3028G	104.14	Inf	-Inf	97.16	3	Horizontal	255	2.53	-	34.60	7.13	34.75
AV	5.3232G	92.00	Inf	-Inf	85.00	3	Horizontal	255	2.53	-	34.60	7.15	34.75
PK	5.3684G	67.92	74.00	-6.08	60.86	3	Horizontal	255	2.53	-	34.64	7.18	34.76
AV	5.3612G	48.42	54.00	-5.58	41.39	3	Horizontal	255	2.53	-	34.62	7.17	34.76
PK	5.4728G	58.31	68.20	-9.89	51.14	3	Horizontal	255	2.53	-	34.70	7.25	34.78

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
 Setting 17.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59614G	45.07	68.20	-23.13	62.90	3	Vertical	163	2.19	-	38.29	10.45	66.57			
PK	15.86712G	56.41	74.00	-17.59	70.50	3	Vertical	304	1.89	-	37.53	12.34	63.96			
AV	15.86724G	44.19	54.00	-9.81	58.28	3	Vertical	304	1.89	-	37.53	12.34	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Z_2TX
Setting 17.5
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59416G	46.39	68.20	-21.81	64.22	3	Horizontal	153	1.66	-	38.29	10.45	66.57			
PK	15.86748G	57.33	74.00	-16.67	71.42	3	Horizontal	333	1.80	-	37.53	12.34	63.96			
AV	15.86538G	44.11	54.00	-9.89	58.20	3	Horizontal	333	1.80	-	37.53	12.34	63.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 18
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.297G	58.33	68.20	-9.87	51.37	3	Vertical	313	2.28	-	34.58	7.13	34.75				
PK	5.46G	66.57	74.00	-7.43	59.39	3	Vertical	313	2.28	-	34.70	7.25	34.77				
AV	5.46G	49.42	54.00	-4.58	42.24	3	Vertical	313	2.28	-	34.70	7.25	34.77				
PK	5.4605G	67.91	68.20	-0.29	60.73	3	Vertical	313	2.28	-	34.70	7.25	34.77				
PK	5.561G	109.36	Inf	-Inf	102.31	3	Vertical	313	2.28	-	34.52	7.32	34.79				
AV	5.56G	97.40	Inf	-Inf	90.35	3	Vertical	313	2.28	-	34.52	7.32	34.79				
PK	5.7515G	59.31	68.20	-8.89	52.37	3	Vertical	313	2.28	-	34.30	7.47	34.83				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 18
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3285G	58.31	68.20	-9.89	51.31	3	Horizontal	153	3.00	-	34.60	7.15	34.75
PK	5.443G	66.94	74.00	-7.06	59.78	3	Horizontal	153	3.00	-	34.70	7.23	34.77
PK	5.4615G	65.75	68.20	-2.45	58.57	3	Horizontal	153	3.00	-	34.70	7.25	34.77
AV	5.46G	48.29	54.00	-5.71	41.11	3	Horizontal	153	3.00	-	34.70	7.25	34.77
PK	5.5415G	106.87	Inf	-Inf	99.82	3	Horizontal	153	3.00	-	34.53	7.31	34.79
AV	5.5615G	95.01	Inf	-Inf	87.96	3	Horizontal	153	3.00	-	34.52	7.32	34.79
PK	5.73G	59.61	68.20	-8.59	52.69	3	Horizontal	153	3.00	-	34.30	7.45	34.83

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 18
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07914G	45.65	74.00	-28.35	62.69	3	Vertical	335	2.72	-	38.56	10.61	66.21			
AV	11.0804G	33.10	54.00	-20.90	50.14	3	Vertical	335	2.72	-	38.56	10.61	66.21			
PK	16.60554G	46.86	68.20	-21.34	59.17	3	Vertical	248	2.54	-	38.54	12.66	63.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
 Setting 18
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08394G	45.74	74.00	-28.26	62.77	3	Horizontal	347	1.77	-	38.57	10.61	66.21			
AV	11.08352G	33.26	54.00	-20.74	50.29	3	Horizontal	347	1.77	-	38.57	10.61	66.21			
PK	16.60686G	49.11	68.20	-19.09	61.41	3	Horizontal	327	1.80	-	38.55	12.66	63.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 21
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4485G	61.20	74.00	-12.80	54.03	3	Vertical	314	2.40	-	34.70	7.24	34.77
PK	5.468G	63.29	68.20	-4.91	56.11	3	Vertical	314	2.40	-	34.70	7.25	34.77
AV	5.46G	46.77	54.00	-7.23	39.59	3	Vertical	314	2.40	-	34.70	7.25	34.77
PK	5.5815G	112.88	Inf	-Inf	105.78	3	Vertical	314	2.40	-	34.56	7.34	34.80
AV	5.581G	101.20	Inf	-Inf	94.10	3	Vertical	314	2.40	-	34.56	7.34	34.80
PK	5.7425G	66.63	68.20	-1.57	59.70	3	Vertical	314	2.40	-	34.30	7.46	34.83

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
 Setting 21
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3835G	59.13	74.00	-14.87	52.03	3	Horizontal	156	2.90	-	34.67	7.19	34.76			
PK	5.4675G	61.14	68.20	-7.06	53.96	3	Horizontal	156	2.90	-	34.70	7.25	34.77			
AV	5.4595G	46.55	54.00	-7.45	39.38	3	Horizontal	156	2.90	-	34.70	7.24	34.77			
PK	5.5795G	111.48	Inf	-Inf	104.39	3	Horizontal	156	2.90	-	34.56	7.33	34.80			
AV	5.5795G	98.99	Inf	-Inf	91.90	3	Horizontal	156	2.90	-	34.56	7.33	34.80			
PK	5.742G	65.31	68.20	-2.89	58.38	3	Horizontal	156	2.90	-	34.30	7.46	34.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 21
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20122G	46.64	74.00	-27.36	63.63	3	Vertical	295	1.68	-	38.60	10.65	66.24			
AV	11.2107G	34.20	54.00	-19.80	51.18	3	Vertical	295	1.68	-	38.62	10.65	66.25			
PK	16.8084G	56.29	68.20	-11.91	67.79	3	Vertical	307	1.80	-	39.32	12.75	63.57			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 21
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22978G	46.69	74.00	-27.31	63.62	3	Horizontal	204	2.43	-	38.66	10.66	66.25			
AV	11.2161G	34.16	54.00	-19.84	51.12	3	Horizontal	204	2.43	-	38.63	10.66	66.25			
PK	16.84674G	54.93	68.20	-13.27	66.35	3	Horizontal	332	1.83	-	39.39	12.77	63.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7096G	117.53	Inf	-Inf	110.61	3	Vertical	211	2.96	-	34.30	7.44	34.82			
AV	5.71G	105.15	Inf	-Inf	98.23	3	Vertical	211	2.96	-	34.30	7.44	34.82			
PK	5.85G	67.71	68.20	-0.49	60.55	3	Vertical	211	2.96	-	34.50	7.51	34.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26
 03-P-R-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7132G	115.57	Inf	-Inf	108.65	3	Horizontal	209	3.00	-	34.30	7.44	34.82			
AV	5.7124G	103.08	Inf	-Inf	96.16	3	Horizontal	209	3.00	-	34.30	7.44	34.82			
PK	5.8504G	65.76	68.20	-2.44	58.59	3	Horizontal	209	3.00	-	34.50	7.52	34.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40364G	45.65	74.00	-28.35	62.33	3	Vertical	234	1.76	-	38.91	10.72	66.31			
AV	11.40934G	33.43	54.00	-20.57	50.10	3	Vertical	234	1.76	-	38.92	10.72	66.31			
PK	17.04816G	51.45	68.20	-16.75	62.10	3	Vertical	307	1.80	-	40.19	12.86	63.70			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 Setting 26
 03-P-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40928G	45.33	74.00	-28.67	62.00	3	Horizontal	65	2.84	-	38.92	10.72	66.31			
AV	11.40952G	33.36	54.00	-20.64	50.03	3	Horizontal	65	2.84	-	38.92	10.72	66.31			
PK	17.0649G	50.72	68.20	-17.48	61.36	3	Horizontal	332	1.80	-	40.23	12.86	63.73			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.651G	68.17	68.94	-0.77	61.09	3	Vertical	212	2.91	-	34.50	7.39	34.81				
PK	5.755G	113.45	Inf	-Inf	106.52	3	Vertical	212	2.91	-	34.29	7.47	34.83				
AV	5.754G	101.63	Inf	-Inf	94.70	3	Vertical	212	2.91	-	34.29	7.47	34.83				
PK	5.927G	59.43	68.20	-8.77	52.13	3	Vertical	212	2.91	-	34.65	7.52	34.87				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-P-R-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.65G	63.71	68.20	-4.49	56.63	3	Horizontal	278	2.96	-	34.50	7.39	34.81			
PK	5.795G	111.60	Inf	-Inf	104.72	3	Horizontal	278	2.96	-	34.21	7.51	34.84			
AV	5.756G	99.22	Inf	-Inf	92.29	3	Horizontal	278	2.96	-	34.29	7.47	34.83			
PK	6.015G	59.26	68.20	-8.94	51.73	3	Horizontal	278	2.96	-	34.86	7.55	34.88			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57472G	46.39	74.00	-27.61	62.65	3	Vertical	3	1.80	-	39.35	10.77	66.38			
AV	11.54316G	33.55	54.00	-20.45	49.88	3	Vertical	3	1.80	-	39.27	10.76	66.36			
PK	17.32086G	49.23	68.20	-18.97	59.09	3	Vertical	310	1.80	-	41.27	12.97	64.10			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
 Setting 21
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53762G	46.22	74.00	-27.78	62.57	3	Horizontal	106	1.80	-	39.25	10.76	66.36			
AV	11.53788G	33.46	54.00	-20.54	49.81	3	Horizontal	106	1.80	-	39.25	10.76	66.36			
PK	17.3199G	49.41	68.20	-18.79	59.28	3	Horizontal	328	1.80	-	41.26	12.97	64.10			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 16.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	71.59	74.00	-2.41	65.22	3	Vertical	227	2.97	-	34.10	6.99	34.72
AV	5.1384G	47.09	54.00	-6.91	40.71	3	Vertical	227	2.97	-	34.10	7.00	34.72
PK	5.2164G	105.37	Inf	-Inf	98.86	3	Vertical	227	2.97	-	34.17	7.07	34.73
AV	5.235G	93.19	Inf	-Inf	86.61	3	Vertical	227	2.97	-	34.24	7.08	34.74
PK	5.3964G	72.90	74.00	-1.10	65.77	3	Vertical	227	2.97	-	34.69	7.20	34.76
AV	5.355G	49.66	54.00	-4.34	42.64	3	Vertical	227	2.97	-	34.61	7.17	34.76
PK	5.505G	59.38	68.20	-8.82	52.20	3	Vertical	227	2.97	-	34.68	7.28	34.78

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 16.5
 03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.124G	66.74	74.00	-7.26	60.37	3	Horizontal	257	2.58	-	34.10	6.99	34.72			
AV	5.1438G	45.20	54.00	-8.80	38.81	3	Horizontal	257	2.58	-	34.10	7.01	34.72			
PK	5.3232G	99.73	Inf	-Inf	92.73	3	Horizontal	257	2.58	-	34.60	7.15	34.75			
AV	5.3226G	87.69	Inf	-Inf	80.69	3	Horizontal	257	2.58	-	34.60	7.15	34.75			
PK	5.3928G	68.40	74.00	-5.60	61.28	3	Horizontal	257	2.58	-	34.69	7.19	34.76			
AV	5.3616G	46.69	54.00	-7.31	39.66	3	Horizontal	257	2.58	-	34.62	7.17	34.76			
PK	5.5194G	57.97	68.20	-10.23	50.84	3	Horizontal	257	2.58	-	34.62	7.29	34.78			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 16.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49166G	45.65	68.20	-22.55	63.72	3	Vertical	330	1.73	-	38.18	10.42	66.67			
PK	15.74694G	53.29	74.00	-20.71	67.05	3	Vertical	304	1.83	-	37.91	12.28	63.95			
AV	15.7665G	39.99	54.00	-14.01	53.82	3	Vertical	304	1.83	-	37.83	12.29	63.95			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
 Setting 16.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52808G	46.58	68.20	-21.62	64.58	3	Horizontal	62	2.65	-	38.20	10.43	66.63			
PK	15.76824G	51.77	74.00	-22.23	65.60	3	Horizontal	334	1.89	-	37.83	12.29	63.95			
AV	15.76224G	38.37	54.00	-15.63	52.18	3	Horizontal	334	1.89	-	37.85	12.29	63.95			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 16.5
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.318G	62.50	68.20	-5.70	55.51	3	Vertical	315	2.55	-	34.60	7.14	34.75			
PK	5.4484G	70.05	74.00	-3.95	62.88	3	Vertical	315	2.55	-	34.70	7.24	34.77			
AV	5.4044G	48.15	54.00	-5.85	41.01	3	Vertical	315	2.55	-	34.70	7.20	34.76			
PK	5.4636G	68.01	68.20	-0.19	60.83	3	Vertical	315	2.55	-	34.70	7.25	34.77			
PK	5.582G	104.71	Inf	-Inf	97.61	3	Vertical	315	2.55	-	34.56	7.34	34.80			
AV	5.5612G	92.88	Inf	-Inf	85.83	3	Vertical	315	2.55	-	34.52	7.32	34.79			
PK	5.7284G	65.67	68.20	-2.53	58.75	3	Vertical	315	2.55	-	34.30	7.45	34.83			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 16.5
 03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3084G	62.49	68.20	-5.71	55.50	3	Horizontal	154	3.00	-	34.60	7.14	34.75				
PK	5.4484G	70.50	74.00	-3.50	63.33	3	Horizontal	154	3.00	-	34.70	7.24	34.77				
AV	5.4428G	47.71	54.00	-6.29	40.55	3	Horizontal	154	3.00	-	34.70	7.23	34.77				
PK	5.4628G	66.71	68.20	-1.49	59.53	3	Horizontal	154	3.00	-	34.70	7.25	34.77				
PK	5.5988G	103.02	Inf	-Inf	95.87	3	Horizontal	154	3.00	-	34.60	7.35	34.80				
AV	5.5804G	91.44	Inf	-Inf	84.34	3	Horizontal	154	3.00	-	34.56	7.34	34.80				
PK	5.7276G	66.93	68.20	-1.27	60.01	3	Horizontal	154	3.00	-	34.30	7.45	34.83				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
 Setting 16.5
 03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.128666G	46.48	74.00	-27.52	63.47	3	Vertical	5	2.96	-	38.60	10.63	66.22			
AV	11.11918G	34.05	54.00	-19.95	51.05	3	Vertical	5	2.96	-	38.60	10.62	66.22			
PK	16.68456G	47.24	68.20	-20.96	59.04	3	Vertical	112	2.96	-	39.04	12.70	63.54			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 16.5
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.115224G	46.57	74.00	-27.43	63.57	3	Horizontal	324	1.76	-	38.60	10.62	66.22			
AV	11.11552G	34.00	54.00	-20.00	51.00	3	Horizontal	324	1.76	-	38.60	10.62	66.22			
PK	16.71066G	47.27	68.20	-20.93	58.98	3	Horizontal	344	1.80	-	39.12	12.71	63.54			

<Radio 2>
For WLAN 5GHz: 47 CFR FCC Part 15, Subpart E (Section 15.407) - UNII 1~3

Test Items	Mode (MHz)	Reference Worst Level	Variant Spot-Check Level	Deviation(dB)	Limit(dB)
Maximum Conducted Output Power	802.11be EHT160_Nss1,(MCS0)_2TX 5570MHz	19.80	19.79	-0.01	<=3
Unwanted Emissions Band-edge	802.11be EHT160_Nss1,(MCS0)_2TX 5570MHz	68.01	68.16	0.15	<=3
Unwanted Emissions Harmonic	802.11be EHT160_Nss1,(MCS0)_2TX 5570MHz	47.27	49.3	2.03	<=3

Compared Test Result
Maximum Conducted Output Power

Parent Device						
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11be EHT160_Nss1,(MCS0)_2TX 5570MHz	Pass	6.76	17.07	16.49	19.80	23.22

Variant Device						
Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11be EHT160_Nss1,(MCS0)_2TX 5570MHz	Pass	6.76	16.77	16.79	19.79	23.22


Unwanted Emissions / Band-edge

Radio 2 / 802.11be EHT160_Nss1,(MCS0)_2TX 5570MHz

Parent Device

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16.5
03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	62.50	68.20	-5.70	55.51	3	Vertical	315	2.55	-	34.60	7.14	34.75
PK	5.4484G	70.05	74.00	-3.95	62.88	3	Vertical	315	2.55	-	34.70	7.24	34.77
AV	5.4044G	48.15	54.00	-5.85	41.01	3	Vertical	315	2.55	-	34.70	7.20	34.76
PK	5.4636G	68.01	68.20	-0.19	60.83	3	Vertical	315	2.55	-	34.70	7.25	34.77
PK	5.582G	104.71	Inf	-Inf	97.61	3	Vertical	315	2.55	-	34.56	7.34	34.80
AV	5.5612G	92.88	Inf	-Inf	85.83	3	Vertical	315	2.55	-	34.52	7.32	34.79
PK	5.7284G	65.67	68.20	-2.53	58.75	3	Vertical	315	2.55	-	34.30	7.45	34.83

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16.5
03-P-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	62.49	68.20	-5.71	55.50	3	Horizontal	154	3.00	-	34.60	7.14	34.75
PK	5.4484G	70.50	74.00	-3.50	63.33	3	Horizontal	154	3.00	-	34.70	7.24	34.77
AV	5.4428G	47.71	54.00	-6.29	40.55	3	Horizontal	154	3.00	-	34.70	7.23	34.77
PK	5.4628G	66.71	68.20	-1.49	59.53	3	Horizontal	154	3.00	-	34.70	7.25	34.77
PK	5.5988G	103.02	Inf	-Inf	95.87	3	Horizontal	154	3.00	-	34.60	7.35	34.80
AV	5.5804G	91.44	Inf	-Inf	84.34	3	Horizontal	154	3.00	-	34.56	7.34	34.80
PK	5.7276G	66.93	68.20	-1.27	60.01	3	Horizontal	154	3.00	-	34.30	7.45	34.83

Variant Device

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16
01-R-A-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
PK	5.306G	62.74	68.20	-5.46	52.61	3	Vertical	281	2.99	-	32.98	9.70	32.55
AV	5.35G	47.04	54.00	-6.96	37.10	3	Vertical	281	2.99	-	32.80	9.68	32.54
PK	5.4516G	70.67	74.00	-3.33	60.62	3	Vertical	281	2.99	-	32.80	9.76	32.51
AV	5.4588G	50.33	54.00	-3.67	40.29	3	Vertical	281	2.99	-	32.78	9.77	32.51
PK	5.466G	64.38	68.20	-3.82	54.34	3	Vertical	281	2.99	-	32.77	9.78	32.51
PK	5.5956G	106.56	Inf	-Inf	96.17	3	Vertical	281	2.99	-	32.88	10.02	32.51
AV	5.5972G	94.29	Inf	-Inf	83.89	3	Vertical	281	2.99	-	32.89	10.02	32.51
PK	5.7268G	68.16	68.20	-0.04	57.26	3	Vertical	281	2.99	-	33.41	10.01	32.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 16
01-R-A-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
PK	5.214G	61.83	68.20	-6.37	51.60	3	Horizontal	280	2.98	-	33.07	9.73	32.57
PK	5.4476G	69.44	74.00	-4.56	59.40	3	Horizontal	280	2.98	-	32.80	9.75	32.51
AV	5.35G	47.00	54.00	-7.00	37.06	3	Horizontal	280	2.98	-	32.80	9.68	32.54
PK	5.4604G	67.26	68.20	-0.94	57.22	3	Horizontal	280	2.98	-	32.78	9.77	32.51
AV	5.458G	49.57	54.00	-4.43	39.53	3	Horizontal	280	2.98	-	32.78	9.77	32.51
PK	5.5764G	104.58	Inf	-Inf	94.29	3	Horizontal	280	2.98	-	32.81	9.99	32.51
AV	5.5964G	91.99	Inf	-Inf	81.59	3	Horizontal	280	2.98	-	32.89	10.02	32.51
PK	5.7292G	66.11	68.20	-2.09	55.20	3	Horizontal	280	2.98	-	33.42	10.01	32.52


Unwanted Emissions / Harmonic

Radio 2 / 802.11be EHT160_Nss1,(MCS0)_2TX 5570MHz

Parent Device

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16.5
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12866G	46.48	74.00	-27.52	63.47	3	Vertical	5	2.96	-	38.60	10.63	66.22
AV	11.11918G	34.05	54.00	-19.95	51.05	3	Vertical	5	2.96	-	38.60	10.62	66.22
PK	16.68456G	47.24	68.20	-20.96	59.04	3	Vertical	112	2.96	-	39.04	12.70	63.54

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16.5
03-P-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.115224G	46.57	74.00	-27.43	63.57	3	Horizontal	324	1.76	-	38.60	10.62	66.22
AV	11.11552G	34.00	54.00	-20.00	51.00	3	Horizontal	324	1.76	-	38.60	10.62	66.22
PK	16.71066G	47.27	68.20	-20.93	58.98	3	Horizontal	344	1.80	-	39.12	12.71	63.54

Variant Device

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 16
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14138G	48.09	74.00	-25.91	26.63	3	Vertical	59	1.78	-	38.82	14.55	31.91			
AV	11.1362G	34.46	54.00	-19.54	13.00	3	Vertical	59	1.78	-	38.83	14.54	31.91			
PK	16.71338G	48.45	68.20	-19.75	26.68	3	Vertical	57	1.54	-	38.02	15.57	31.82			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
Setting 16
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14478G	48.33	74.00	-25.67	26.88	3	Horizontal	113	1.66	-	38.81	14.55	31.91			
AV	11.13058G	34.59	54.00	-19.41	13.12	3	Horizontal	113	1.66	-	38.84	14.54	31.91			
PK	16.70704G	49.30	68.20	-18.90	27.49	3	Horizontal	117	2.49	-	38.06	15.57	31.82			