


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5828G	45.29	83.54	-38.25	40.33	1	Horizontal	170	1.19	-	37.60	16.19	48.83			
AV	19.5762G	33.38	63.54	-30.16	28.42	1	Horizontal	170	1.19	-	37.60	16.19	48.83			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14329G	45.58	88.20	-42.62	57.48	3	Vertical	116	2.10	-	39.16	14.68	65.74			
RMS	13.1165G	31.84	68.20	-36.36	43.94	3	Vertical	116	2.10	-	39.00	14.65	65.75			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.11683G	45.64	88.20	-42.56	57.74	3	Horizontal	88	2.21	-	39.00	14.65	65.75			
RMS	13.14194G	31.85	68.20	-36.35	43.76	3	Horizontal	88	2.21	-	39.15	14.68	65.74			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69728G	45.40	83.54	-38.14	40.35	1	Vertical	304	1.70	-	37.69	16.24	48.88			
AV	19.6824G	33.06	63.54	-30.48	28.07	1	Vertical	304	1.70	-	37.63	16.23	48.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70964G	44.84	83.54	-38.70	39.81	1	Horizontal	203	2.94	-	37.66	16.25	48.88			
AV	19.68234G	33.06	63.54	-30.48	28.07	1	Horizontal	203	2.94	-	37.63	16.23	48.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.35971G	45.87	74.00	-28.13	57.17	3	Vertical	264	2.55	-	39.42	14.89	65.61			
AV	13.35683G	32.99	54.00	-21.01	44.30	3	Vertical	264	2.55	-	39.41	14.89	65.61			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36652G	46.81	74.00	-27.19	58.09	3	Horizontal	16	1.02	-	39.43	14.90	65.61			
AV	13.3559G	32.93	54.00	-21.07	44.24	3	Horizontal	16	1.02	-	39.41	14.89	65.61			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05932G	45.49	83.54	-38.05	40.86	1	Vertical	226	1.77	-	37.22	16.40	48.99			
AV	20.05464G	32.98	63.54	-30.56	28.36	1	Vertical	226	1.77	-	37.21	16.40	48.99			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.043G	45.72	83.54	-37.82	41.09	1	Horizontal	163	2.98	-	37.23	16.39	48.99			
AV	20.05416G	32.89	63.54	-30.65	28.27	1	Horizontal	163	2.98	-	37.21	16.40	48.99			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68064G	46.44	88.20	-41.76	56.50	3	Vertical	350	1.62	-	40.16	15.20	65.42			
RMS	13.70134G	33.50	68.20	-34.70	43.50	3	Vertical	350	1.62	-	40.19	15.22	65.41			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70167G	46.60	88.20	-41.60	56.60	3	Horizontal	297	2.37	-	40.19	15.22	65.41			
RMS	13.69936G	33.48	68.20	-34.72	43.47	3	Horizontal	297	2.37	-	40.20	15.22	65.41			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5461G	43.99	83.54	-39.55	38.75	1	Vertical	182	1.62	-	37.51	16.63	48.90			
AV	20.54634G	32.31	63.54	-31.23	27.07	1	Vertical	182	1.62	-	37.51	16.63	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5422G	43.86	83.54	-39.68	38.62	1	Horizontal	169	2.10	-	37.52	16.62	48.90			
AV	20.5494G	32.30	63.54	-31.24	27.07	1	Horizontal	169	2.10	-	37.50	16.63	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76553G	46.90	88.20	-41.30	56.99	3	Vertical	83	1.21	-	40.00	15.28	65.37			
RMS	13.78458G	34.03	68.20	-34.17	44.09	3	Vertical	83	1.21	-	40.00	15.30	65.36			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7709G	46.80	88.20	-41.40	56.88	3	Horizontal	212	2.92	-	40.00	15.29	65.37			
RMS	13.7838G	34.03	68.20	-34.17	44.09	3	Horizontal	212	2.92	-	40.00	15.30	65.36			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64852G	45.21	83.54	-38.33	39.84	1	Vertical	16	1.14	-	37.60	16.67	48.90			
AV	20.64096G	33.14	63.54	-30.40	27.75	1	Vertical	16	1.14	-	37.62	16.67	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64312G	44.97	83.54	-38.57	39.59	1	Horizontal	273	1.11	-	37.61	16.67	48.90			
AV	20.6529G	33.12	63.54	-30.42	27.75	1	Horizontal	273	1.11	-	37.59	16.68	48.90			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01552G	47.43	88.20	-40.77	56.30	3	Vertical	238	1.47	-	40.83	15.51	65.21			
RMS	13.99671G	34.29	68.20	-33.91	43.23	3	Vertical	238	1.47	-	40.78	15.51	65.23			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.02056G	47.38	88.20	-40.82	56.23	3	Horizontal	95	1.15	-	40.84	15.51	65.20			
RMS	13.99605G	34.22	68.20	-33.98	43.16	3	Horizontal	95	1.15	-	40.78	15.51	65.23			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02232G	53.52	83.54	-30.02	47.82	1	Vertical	133	1.21	-	37.74	16.85	48.89			
AV	21.02232G	39.01	63.54	-24.53	33.31	1	Vertical	133	1.21	-	37.74	16.85	48.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01122G	52.21	83.54	-31.33	46.55	1	Horizontal	205	1.98	-	37.72	16.84	48.90			
AV	21.0126G	38.79	63.54	-24.75	33.11	1	Horizontal	205	1.98	-	37.73	16.84	48.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21
03-P-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0793G	108.59	Inf	-Inf	99.32	3	Vertical	301	2.43	-	35.90	8.38	35.01			
RMS	7.0799G	98.69	Inf	-Inf	89.42	3	Vertical	301	2.43	-	35.90	8.38	35.01			
PK	7.1264G	64.30	88.20	-23.90	54.91	3	Vertical	301	2.43	-	36.01	8.40	35.02			
RMS	7.1252G	54.59	68.20	-13.61	45.21	3	Vertical	301	2.43	-	36.00	8.40	35.02			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21
03-P-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0664G	110.81	Inf	-Inf	101.54	3	Horizontal	0	2.88	-	35.90	8.37	35.00			
RMS	7.0664G	103.05	Inf	-Inf	93.78	3	Horizontal	0	2.88	-	35.90	8.37	35.00			
PK	7.1291G	66.11	88.20	-22.09	56.71	3	Horizontal	0	2.88	-	36.02	8.40	35.02			
RMS	7.1258G	55.37	68.20	-12.83	45.99	3	Horizontal	0	2.88	-	36.00	8.40	35.02			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18146G	47.53	88.20	-40.67	55.82	3	Vertical	212	1.61	-	41.16	15.55	65.00			
RMS	14.18317G	34.76	68.20	-33.44	43.04	3	Vertical	212	1.61	-	41.17	15.55	65.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.15548G	48.40	88.20	-39.80	56.78	3	Horizontal	197	2.08	-	41.11	15.54	65.03			
RMS	14.16064G	34.70	68.20	-33.50	43.07	3	Horizontal	197	2.08	-	41.12	15.54	65.03			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2462G	62.21	83.54	-21.33	56.21	1	Vertical	229	1.80	-	37.88	16.92	48.80			
AV	21.2634G	43.91	63.54	-19.63	37.95	1	Vertical	229	1.80	-	37.82	16.93	48.79			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 21
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2462G	54.52	83.54	-29.02	48.52	1	Horizontal	162	2.09	-	37.88	16.92	48.80			
AV	21.2487G	38.53	63.54	-25.01	32.52	1	Horizontal	162	2.09	-	37.89	16.92	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 24
03-P-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	81.61	88.20	-6.59	74.31	3	Vertical	258	3.00	-	34.64	7.52	34.86			
RMS	5.9246G	62.56	68.20	-5.64	55.25	3	Vertical	258	3.00	-	34.65	7.52	34.86			
PK	6.023G	113.99	Inf	-Inf	106.42	3	Vertical	258	3.00	-	34.89	7.56	34.88			
RMS	6.0202G	104.14	Inf	-Inf	96.59	3	Vertical	258	3.00	-	34.88	7.55	34.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 24
03-P-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	79.10	88.20	-9.10	71.80	3	Horizontal	18	2.97	-	34.64	7.52	34.86			
RMS	5.9206G	59.53	68.20	-8.67	52.23	3	Horizontal	18	2.97	-	34.64	7.52	34.86			
PK	6.0126G	112.02	Inf	-Inf	104.51	3	Horizontal	18	2.97	-	34.85	7.54	34.88			
RMS	6.0126G	102.14	Inf	-Inf	94.63	3	Horizontal	18	2.97	-	34.85	7.54	34.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96976G	43.99	74.00	-30.01	58.13	3	Vertical	0	1.80	-	38.90	13.55	66.59			
AV	11.96994G	32.73	54.00	-21.27	46.87	3	Vertical	0	1.80	-	38.90	13.55	66.59			
PK	17.94192G	53.67	74.00	-20.33	52.92	3	Vertical	28	1.80	-	48.21	16.33	63.79			
AV	17.95644G	39.96	54.00	-14.04	38.79	3	Vertical	28	1.80	-	48.61	16.33	63.77			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95758G	44.75	74.00	-29.25	58.90	3	Horizontal	171	1.73	-	38.90	13.54	66.59			
AV	11.96988G	31.58	54.00	-22.42	45.72	3	Horizontal	171	1.73	-	38.90	13.55	66.59			
PK	17.94288G	53.71	74.00	-20.29	52.94	3	Horizontal	53	2.78	-	48.23	16.33	63.79			
AV	17.94231G	39.90	54.00	-14.10	39.14	3	Horizontal	53	2.78	-	48.22	16.33	63.79			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9466G	46.86	83.54	-36.68	37.58	1	Vertical	328	2.20	-	38.99	18.19	47.90			
AV	23.94G	36.08	63.54	-27.46	26.81	1	Vertical	328	2.20	-	38.98	18.19	47.90			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.941G	46.91	83.54	-36.63	37.64	1	Horizontal	334	2.32	-	38.98	18.19	47.90			
AV	23.9397G	36.18	63.54	-27.36	26.91	1	Horizontal	334	2.32	-	38.98	18.19	47.90			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46002G	44.71	74.00	-29.29	58.10	3	Vertical	226	2.61	-	38.46	14.02	65.87			
AV	12.462G	31.65	54.00	-22.35	45.05	3	Vertical	226	2.61	-	38.45	14.02	65.87			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45903G	44.63	74.00	-29.37	58.03	3	Horizontal	135	1.31	-	38.46	14.02	65.88			
AV	12.46026G	31.69	54.00	-22.31	45.08	3	Horizontal	135	1.31	-	38.46	14.02	65.87			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6855G	46.04	83.54	-37.50	41.43	1	Vertical	70	1.33	-	37.53	15.79	48.71			
AV	18.6549G	33.16	63.54	-30.38	28.49	1	Vertical	70	1.33	-	37.59	15.77	48.69			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6897G	45.15	83.54	-38.39	40.55	1	Horizontal	302	1.53	-	37.52	15.79	48.71			
AV	18.6515G	33.15	63.54	-30.39	28.47	1	Horizontal	302	1.53	-	37.60	15.77	48.69			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7841G	43.65	88.20	-44.55	56.17	3	Vertical	44	2.09	-	38.97	14.33	65.82			
RMS	12.78248G	30.80	68.20	-37.40	43.33	3	Vertical	44	2.09	-	38.96	14.33	65.82			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77096G	43.73	88.20	-44.47	56.29	3	Horizontal	29	1.85	-	38.94	14.32	65.82			
RMS	12.78263G	30.82	68.20	-37.38	43.34	3	Horizontal	29	1.85	-	38.97	14.33	65.82			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1732G	46.79	83.54	-36.75	41.94	1	Vertical	324	2.74	-	37.71	16.01	48.87			
AV	19.1481G	34.02	63.54	-29.52	29.09	1	Vertical	324	2.74	-	37.80	16.00	48.87			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1521G	46.74	83.54	-36.80	41.81	1	Horizontal	213	1.05	-	37.79	16.01	48.87			
AV	19.1477G	34.02	63.54	-29.52	29.09	1	Horizontal	213	1.05	-	37.80	16.00	48.87			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92169G	44.81	88.20	-43.39	57.03	3	Vertical	53	2.69	-	39.14	14.46	65.82			
RMS	12.91557G	31.23	68.20	-36.97	43.46	3	Vertical	53	2.69	-	39.13	14.46	65.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94404G	44.21	88.20	-43.99	56.35	3	Horizontal	352	2.75	-	39.19	14.49	65.82			
RMS	12.9396G	31.34	68.20	-36.86	43.50	3	Horizontal	352	2.75	-	39.18	14.48	65.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4006G	45.74	83.54	-37.80	40.75	1	Vertical	222	1.47	-	37.70	16.11	48.82			
AV	19.3945G	33.88	63.54	-29.66	28.89	1	Vertical	222	1.47	-	37.70	16.11	48.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4191G	46.13	83.54	-37.41	41.17	1	Horizontal	119	2.24	-	37.66	16.12	48.82			
AV	19.4003G	34.02	63.54	-29.52	29.03	1	Horizontal	119	2.24	-	37.70	16.11	48.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.09015G	45.83	88.20	-42.37	58.07	3	Vertical	203	1.67	-	38.90	14.63	65.77			
RMS	13.09447G	32.34	68.20	-35.86	44.58	3	Vertical	203	1.67	-	38.90	14.63	65.77			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09264G	46.02	88.20	-42.18	58.26	3	Horizontal	107	2.69	-	38.90	14.63	65.77			
RMS	13.10044G	32.19	68.20	-36.01	44.41	3	Horizontal	107	2.69	-	38.90	14.64	65.76			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX


EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6374G	45.14	83.54	-38.40	40.25	1	Vertical	10	2.08	-	37.53	16.21	48.85			
AV	19.6179G	33.36	63.54	-30.18	28.44	1	Vertical	10	2.08	-	37.56	16.21	48.85			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6411G	44.13	83.54	-39.41	39.25	1	Horizontal	337	1.43	-	37.52	16.22	48.86			
AV	19.6111G	33.37	63.54	-30.17	28.43	1	Horizontal	337	1.43	-	37.58	16.20	48.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26248G	46.24	74.00	-27.76	57.87	3	Vertical	124	1.15	-	39.25	14.79	65.67			
AV	13.26281G	32.82	54.00	-21.18	44.45	3	Vertical	124	1.15	-	39.25	14.79	65.67			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26394G	45.48	74.00	-28.52	57.09	3	Horizontal	32	2.88	-	39.26	14.80	65.67			
AV	13.26389G	32.78	54.00	-21.22	44.39	3	Horizontal	32	2.88	-	39.26	14.80	65.67			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8546G	45.77	83.54	-37.77	40.72	1	Vertical	29	2.80	-	37.68	16.31	48.94			
AV	19.8686G	33.51	63.54	-30.03	28.52	1	Vertical	29	2.80	-	37.63	16.31	48.95			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8645G	45.34	83.54	-38.20	40.34	1	Horizontal	285	2.13	-	37.64	16.31	48.95			
AV	19.8529G	33.41	63.54	-30.13	28.35	1	Horizontal	285	2.13	-	37.69	16.31	48.94			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41717G	46.51	88.20	-41.69	57.55	3	Vertical	200	2.94	-	39.60	14.94	65.58			
RMS	13.42275G	33.41	68.20	-34.79	44.39	3	Vertical	200	2.94	-	39.64	14.95	65.57			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41471G	46.12	88.20	-42.08	57.17	3	Horizontal	55	1.88	-	39.59	14.94	65.58			
RMS	13.42461G	33.35	68.20	-34.85	44.32	3	Horizontal	55	1.88	-	39.65	14.95	65.57			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1052G	47.19	83.54	-36.35	42.45	1	Vertical	75	2.56	-	37.30	16.42	48.98			
AV	20.1102G	34.59	63.54	-28.95	29.85	1	Vertical	75	2.56	-	37.30	16.42	48.98			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1152G	47.53	83.54	-36.01	42.79	1	Horizontal	259	2.69	-	37.30	16.42	48.98			
AV	20.1109G	34.58	63.54	-28.96	29.84	1	Horizontal	259	2.69	-	37.30	16.42	48.98			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.55611G	46.31	88.20	-41.89	56.55	3	Vertical	328	2.63	-	40.18	15.08	65.50			
RMS	13.5568G	33.28	68.20	-34.92	43.53	3	Vertical	328	2.63	-	40.17	15.08	65.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55581G	46.23	88.20	-41.97	56.47	3	Horizontal	292	2.32	-	40.18	15.08	65.50			
RMS	13.55593G	33.37	68.20	-34.83	43.61	3	Horizontal	292	2.32	-	40.18	15.08	65.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3364G	47.42	83.54	-36.12	42.37	1	Vertical	168	2.25	-	37.45	16.53	48.93			
AV	20.352G	33.95	63.54	-29.59	28.84	1	Vertical	168	2.25	-	37.50	16.54	48.93			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3383G	46.01	83.54	-37.53	40.96	1	Horizontal	320	1.59	-	37.45	16.53	48.93			
AV	20.3395G	33.90	63.54	-29.64	28.84	1	Horizontal	320	1.59	-	37.46	16.53	48.93			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72805G	47.41	88.20	-40.79	57.46	3	Vertical	278	1.88	-	40.09	15.25	65.39			
RMS	13.73873G	33.87	68.20	-34.33	43.95	3	Vertical	278	1.88	-	40.05	15.26	65.39			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71899G	46.81	88.20	-41.39	56.85	3	Horizontal	60	1.83	-	40.12	15.24	65.40			
RMS	13.72466G	33.84	68.20	-34.36	43.90	3	Horizontal	60	1.83	-	40.10	15.24	65.40			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5714G	45.94	83.54	-37.60	40.61	1	Vertical	279	1.29	-	37.59	16.64	48.90			
AV	20.597G	34.33	63.54	-29.21	28.89	1	Vertical	279	1.29	-	37.69	16.65	48.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5961G	45.81	83.54	-37.73	40.38	1	Horizontal	64	1.89	-	37.68	16.65	48.90			
AV	20.5961G	34.40	63.54	-29.14	28.97	1	Horizontal	64	1.89	-	37.68	16.65	48.90			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88982G	47.92	88.20	-40.28	57.48	3	Vertical	220	2.14	-	40.34	15.40	65.30			
RMS	13.89687G	34.39	68.20	-33.81	43.89	3	Vertical	220	2.14	-	40.38	15.41	65.29			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.89603G	47.55	88.20	-40.65	57.05	3	Horizontal	91	2.66	-	40.38	15.41	65.29			
RMS	13.90056G	34.30	68.20	-33.90	43.78	3	Horizontal	91	2.66	-	40.40	15.41	65.29			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8561G	49.70	83.54	-33.84	44.21	1	Vertical	260	1.37	-	37.62	16.77	48.90			
AV	20.858G	37.56	63.54	-25.98	32.06	1	Vertical	260	1.37	-	37.63	16.77	48.90			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.826G	49.19	83.54	-34.35	43.73	1	Horizontal	222	1.17	-	37.60	16.76	48.90			
AV	20.8578G	37.39	63.54	-26.15	31.89	1	Horizontal	222	1.17	-	37.63	16.77	48.90			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 24
03-P-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.992G	110.14	Inf	-Inf	100.99	3	Vertical	304	2.27	-	35.80	8.34	34.99			
RMS	6.992G	99.63	Inf	-Inf	90.48	3	Vertical	304	2.27	-	35.80	8.34	34.99			
PK	7.131G	75.81	88.20	-12.39	66.40	3	Vertical	304	2.27	-	36.02	8.41	35.02			
AV	7.126G	61.26	68.20	-6.94	51.88	3	Vertical	304	2.27	-	36.00	8.40	35.02			
PK	7.2625G	62.86	74.00	-11.14	52.73	3	Vertical	304	2.27	-	36.67	8.51	35.05			
AV	7.2625G	53.32	54.00	-0.68	43.19	3	Vertical	304	2.27	-	36.67	8.51	35.05			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 24
03-P-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9935G	109.86	Inf	-Inf	100.71	3	Horizontal	313	2.17	-	35.80	8.34	34.99			
RMS	6.9945G	101.48	Inf	-Inf	92.33	3	Horizontal	313	2.17	-	35.80	8.34	34.99			
PK	7.127G	66.94	88.20	-21.26	57.55	3	Horizontal	313	2.17	-	36.01	8.40	35.02			
AV	7.13G	54.30	68.20	-13.90	44.90	3	Horizontal	313	2.17	-	36.02	8.40	35.02			
PK	7.275G	62.98	74.00	-11.02	52.76	3	Horizontal	313	2.17	-	36.75	8.52	35.05			
AV	7.2745G	53.32	54.00	-0.68	43.10	3	Horizontal	313	2.17	-	36.75	8.52	35.05			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04988G	52.98	88.20	-35.22	61.73	3	Vertical	324	1.80	-	40.90	15.52	65.17			
RMS	14.06398G	38.79	68.20	-29.41	47.44	3	Vertical	324	1.80	-	40.98	15.52	65.15			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.06104G	58.24	88.20	-29.96	66.90	3	Horizontal	6	2.93	-	40.97	15.52	65.15			
RMS	14.06482G	43.63	68.20	-24.57	52.27	3	Horizontal	6	2.93	-	40.99	15.52	65.15			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0628G	54.62	83.54	-28.92	48.86	1	Vertical	319	1.62	-	37.77	16.86	48.87			
AV	21.0554G	40.85	63.54	-22.69	35.08	1	Vertical	319	1.62	-	37.79	16.86	48.88			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0668G	56.47	83.54	-27.07	50.71	1	Horizontal	160	2.73	-	37.77	16.86	48.87			
AV	21.0577G	40.99	63.54	-22.55	35.23	1	Horizontal	160	2.73	-	37.78	16.86	48.88			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 26
03-P-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.901G	80.27	88.20	-7.93	73.01	3	Vertical	258	2.93	-	34.60	7.52	34.86			
RMS	5.925G	67.86	68.20	-0.34	60.56	3	Vertical	258	2.93	-	34.65	7.52	34.87			
PK	6.0434G	113.96	Inf	-Inf	106.29	3	Vertical	258	2.93	-	34.97	7.58	34.88			
RMS	6.0226G	103.94	Inf	-Inf	96.38	3	Vertical	258	2.93	-	34.89	7.55	34.88			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 26
03-P-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8986G	78.76	88.20	-9.44	71.50	3	Horizontal	337	2.94	-	34.60	7.52	34.86			
RMS	5.925G	63.55	68.20	-4.65	56.25	3	Horizontal	337	2.94	-	34.65	7.52	34.87			
PK	6.093G	113.57	Inf	-Inf	105.73	3	Horizontal	337	2.94	-	35.09	7.63	34.88			
RMS	6.0994G	102.37	Inf	-Inf	94.51	3	Horizontal	337	2.94	-	35.10	7.64	34.88			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 26
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04295G	45.04	74.00	-28.96	58.81	3	Vertical	249	2.84	-	39.16	13.61	66.54			
AV	12.05015G	30.91	54.00	-23.09	44.62	3	Vertical	249	2.84	-	39.20	13.62	66.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 26
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.03518G	44.74	74.00	-29.26	58.58	3	Horizontal	296	1.80	-	39.11	13.60	66.55			
AV	12.04997G	31.07	54.00	-22.93	44.78	3	Horizontal	296	1.80	-	39.20	13.62	66.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 26
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0985G	45.67	83.54	-37.87	41.30	1	Vertical	21	1.49	-	37.30	15.51	48.44			
AV	18.0906G	32.76	63.54	-30.78	28.42	1	Vertical	21	1.49	-	37.28	15.50	48.44			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 26
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.085G	44.59	83.54	-38.95	40.25	1	Horizontal	110	1.43	-	37.27	15.50	48.43			
AV	18.0854G	32.73	63.54	-30.81	28.39	1	Horizontal	110	1.43	-	37.27	15.50	48.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38062G	45.34	74.00	-28.66	58.56	3	Vertical	340	1.04	-	38.84	13.94	66.00			
AV	12.38344G	31.42	54.00	-22.58	44.65	3	Vertical	340	1.04	-	38.83	13.94	66.00			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38482G	44.08	74.00	-29.92	57.30	3	Horizontal	255	2.60	-	38.83	13.94	65.99			
AV	12.37834G	31.48	54.00	-22.52	44.70	3	Horizontal	255	2.60	-	38.84	13.94	66.00			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5617G	47.86	83.54	-35.68	43.22	1	Vertical	167	2.94	-	37.55	15.73	48.64			
AV	18.5722G	36.21	63.54	-27.33	31.53	1	Vertical	167	2.94	-	37.59	15.73	48.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5493G	47.32	83.54	-36.22	42.73	1	Horizontal	182	1.56	-	37.50	15.72	48.63			
AV	18.5713G	36.03	63.54	-27.51	31.35	1	Horizontal	182	1.56	-	37.59	15.73	48.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69486G	43.98	74.00	-30.02	56.77	3	Vertical	329	1.27	-	38.78	14.24	65.81			
AV	12.69198G	30.85	54.00	-23.15	43.65	3	Vertical	329	1.27	-	38.77	14.24	65.81			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68964G	43.54	74.00	-30.46	56.35	3	Horizontal	209	1.17	-	38.76	14.24	65.81			
AV	12.69225G	30.82	54.00	-23.18	43.62	3	Horizontal	209	1.17	-	38.77	14.24	65.81			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0389G	45.52	83.54	-38.02	40.67	1	Vertical	46	2.55	-	37.78	15.96	48.89			
AV	19.0498G	33.62	63.54	-29.92	28.75	1	Vertical	46	2.55	-	37.80	15.96	48.89			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0517G	46.06	83.54	-37.48	41.19	1	Horizontal	263	1.00	-	37.80	15.96	48.89			
AV	19.0529G	33.62	63.54	-29.92	28.76	1	Horizontal	263	1.00	-	37.79	15.96	48.89			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02461G	44.84	88.20	-43.36	57.09	3	Vertical	5	1.82	-	39.00	14.56	65.81			
RMS	12.99743G	31.82	68.20	-36.38	43.99	3	Vertical	5	1.82	-	39.11	14.54	65.82			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.99575G	44.61	88.20	-43.59	56.78	3	Horizontal	221	2.21	-	39.11	14.54	65.82			
RMS	12.99581G	31.68	68.20	-36.52	43.85	3	Horizontal	221	2.21	-	39.11	14.54	65.82			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5149G	50.23	83.54	-33.31	45.35	1	Vertical	275	1.80	-	37.53	16.16	48.81			
AV	19.4901G	37.09	63.54	-26.45	32.22	1	Vertical	275	1.80	-	37.52	16.15	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5073G	46.05	83.54	-37.49	41.18	1	Horizontal	329	1.54	-	37.51	16.16	48.80			
AV	19.5327G	33.68	63.54	-29.86	28.75	1	Horizontal	329	1.54	-	37.57	16.17	48.81			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34104G	46.44	74.00	-27.56	57.79	3	Vertical	119	2.71	-	39.40	14.87	65.62			
AV	13.33387G	33.19	54.00	-20.81	44.56	3	Vertical	119	2.71	-	39.40	14.86	65.63			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33798G	46.43	74.00	-27.57	57.78	3	Horizontal	1	2.07	-	39.40	14.87	65.62			
AV	13.33714G	33.12	54.00	-20.88	44.47	3	Horizontal	1	2.07	-	39.40	14.87	65.62			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0154G	44.72	83.54	-38.82	40.00	1	Vertical	237	2.21	-	37.34	16.38	49.00			
AV	19.9709G	33.51	63.54	-30.03	28.62	1	Vertical	237	2.21	-	37.52	16.36	48.99			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0193G	45.13	83.54	-38.41	40.43	1	Horizontal	317	2.39	-	37.32	16.38	49.00			
AV	19.9776G	33.44	63.54	-30.10	28.58	1	Horizontal	317	2.39	-	37.49	16.36	48.99			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.63731G	46.37	88.20	-41.83	56.59	3	Vertical	159	2.50	-	40.07	15.16	65.45			
RMS	13.635G	33.49	68.20	-34.71	43.71	3	Vertical	159	2.50	-	40.07	15.16	65.45			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_2TX
Setting 27
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.63557G	46.40	88.20	-41.80	56.62	3	Horizontal	317	2.02	-	40.07	15.16	65.45			
RMS	13.63524G	33.41	68.20	-34.79	43.63	3	Horizontal	317	2.02	-	40.07	15.16	65.45			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4605G	44.42	83.54	-39.12	39.30	1	Vertical	95	2.94	-	37.44	16.59	48.91			
AV	20.4866G	32.17	63.54	-31.37	26.92	1	Vertical	95	2.94	-	37.55	16.60	48.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Z_2TX
Setting 27
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4908G	43.91	83.54	-39.63	38.65	1	Horizontal	31	1.31	-	37.56	16.60	48.90			
AV	20.4995G	32.23	63.54	-31.31	26.93	1	Horizontal	31	1.31	-	37.60	16.60	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX


EUT_Z_2TX
Setting 25
03-P-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9074G	108.45	Inf	-Inf	99.34	3	Vertical	322	2.47	-	35.80	8.28	34.97			
RMS	6.9074G	99.17	Inf	-Inf	90.06	3	Vertical	322	2.47	-	35.80	8.28	34.97			
PK	7.1418G	77.30	88.20	-10.90	67.84	3	Vertical	322	2.47	-	36.07	8.41	35.02			
RMS	7.1362G	63.95	68.20	-4.25	54.52	3	Vertical	322	2.47	-	36.04	8.41	35.02			
PK	7.2642G	62.53	74.00	-11.47	52.38	3	Vertical	322	2.47	-	36.69	8.51	35.05			
AV	7.253G	51.15	54.00	-2.85	41.08	3	Vertical	322	2.47	-	36.62	8.50	35.05			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 24
03-P-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	6.985G	24.29	30.00	-5.71	3.29	3	Horizontal	360	2.75	CP 160MH	-11.27	8.33	34.99				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 25
03-P-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.913G	110.85	Inf	-Inf	101.73	3	Horizontal	2	2.65	-	35.80	8.29	34.97
RMS	6.9082G	100.31	Inf	-Inf	91.20	3	Horizontal	2	2.65	-	35.80	8.28	34.97
PK	7.1338G	78.16	88.20	-10.04	68.73	3	Horizontal	2	2.65	-	36.04	8.41	35.02
RMS	7.1378G	65.77	68.20	-2.43	56.33	3	Horizontal	2	2.65	-	36.05	8.41	35.02
PK	7.2714G	62.13	74.00	-11.87	51.94	3	Horizontal	2	2.65	-	36.73	8.51	35.05
AV	7.25G	51.99	54.00	-2.01	41.95	3	Horizontal	2	2.65	-	36.60	8.49	35.05

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 25
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98416G	47.24	88.20	-40.96	56.29	3	Vertical	222	2.94	-	40.70	15.49	65.24			
RMS	13.98332G	34.21	68.20	-33.99	43.26	3	Vertical	222	2.94	-	40.70	15.49	65.24			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 25
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98185G	48.14	88.20	-40.06	57.20	3	Horizontal	205	1.07	-	40.69	15.49	65.24			
RMS	13.9763G	34.33	68.20	-33.87	43.42	3	Horizontal	205	1.07	-	40.66	15.49	65.24			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 25
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9427G	50.52	83.54	-33.02	44.81	1	Vertical	350	1.27	-	37.80	16.81	48.90			
AV	20.9669G	38.13	63.54	-25.41	32.44	1	Vertical	350	1.27	-	37.77	16.82	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 25
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9325G	49.15	83.54	-34.39	43.44	1	Horizontal	313	2.07	-	37.80	16.81	48.90			
AV	20.9676G	38.06	63.54	-25.48	32.38	1	Horizontal	313	2.07	-	37.76	16.82	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 24
03-P-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	6.90748G	3.04	5.00	-1.96	-17.90	3	Vertical	322	2.47	RBW 1MH	-11.20	8.28	34.97				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 24
03-P-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	6.955G	3.90	5.00	-1.10	-17.11	3	Horizontal	2	2.93	RBW 1MH	-11.21	8.31	34.98				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 24
03-P-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	6.985G	22.28	30.00	-7.72	1.28	3	Vertical	311	2.23	CP 160MH	-11.27	8.33	34.99				

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 26
03-P-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	77.75	88.20	-10.45	70.45	3	Vertical	345	2.79	-	34.64	7.52	34.86			
RMS	5.925G	67.23	68.20	-0.97	59.93	3	Vertical	345	2.79	-	34.65	7.52	34.87			
PK	6.009G	112.02	Inf	-Inf	104.52	3	Vertical	345	2.79	-	34.84	7.54	34.88			
RMS	6.009G	101.28	Inf	-Inf	93.78	3	Vertical	345	2.79	-	34.84	7.54	34.88			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 26
03-P-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	76.21	88.20	-11.99	68.91	3	Horizontal	344	2.72	-	34.64	7.52	34.86			
RMS	5.925G	65.28	68.20	-2.92	57.98	3	Horizontal	344	2.72	-	34.65	7.52	34.87			
PK	6.171G	111.77	Inf	-Inf	103.89	3	Horizontal	344	2.72	-	35.04	7.72	34.88			
RMS	6.1698G	101.59	Inf	-Inf	93.71	3	Horizontal	344	2.72	-	35.04	7.72	34.88			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 26
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21006G	44.91	74.00	-29.09	58.53	3	Vertical	30	2.03	-	38.88	13.77	66.27			
AV	12.20991G	33.20	54.00	-20.80	46.82	3	Vertical	30	2.03	-	38.88	13.77	66.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 26
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.22419G	44.11	74.00	-29.89	57.72	3	Horizontal	295	1.80	-	38.85	13.79	66.25			
AV	12.20991G	31.20	54.00	-22.80	44.82	3	Horizontal	295	1.80	-	38.88	13.77	66.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 26
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3164G	59.62	83.54	-23.92	55.17	1	Vertical	171	1.28	-	37.37	15.61	48.53			
AV	18.3382G	34.97	63.54	-28.57	30.44	1	Vertical	171	1.28	-	37.45	15.62	48.54			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 26
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3339G	46.12	83.54	-37.42	41.59	1	Horizontal	224	3.00	-	37.44	15.62	48.53			
AV	18.3395G	35.18	63.54	-28.36	30.64	1	Horizontal	224	3.00	-	37.46	15.62	48.54			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52742G	44.27	74.00	-29.73	57.70	3	Vertical	73	3.00	-	38.30	14.08	65.81			
AV	12.52214G	31.28	54.00	-22.72	44.71	3	Vertical	73	3.00	-	38.30	14.08	65.81			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5441G	44.88	74.00	-29.12	58.29	3	Horizontal	172	1.18	-	38.30	14.10	65.81			
AV	12.52112G	31.34	54.00	-22.66	44.77	3	Horizontal	172	1.18	-	38.30	14.08	65.81			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7887G	46.07	83.54	-37.47	41.35	1	Vertical	241	1.42	-	37.65	15.84	48.77			
AV	18.80915G	33.85	63.54	-29.69	29.19	1	Vertical	241	1.42	-	37.60	15.85	48.79			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.77585G	45.97	83.54	-37.57	41.21	1	Horizontal	146	2.17	-	37.70	15.83	48.77			
AV	18.8068G	33.82	63.54	-29.72	29.15	1	Horizontal	146	2.17	-	37.60	15.85	48.78			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8635G	43.90	88.20	-44.30	56.21	3	Vertical	170	1.47	-	39.10	14.41	65.82			
RMS	12.86308G	30.49	68.20	-37.71	42.80	3	Vertical	170	1.47	-	39.10	14.41	65.82			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84139G	43.82	88.20	-44.38	56.17	3	Horizontal	286	2.63	-	39.08	14.39	65.82			
RMS	12.86428G	30.57	68.20	-37.63	42.88	3	Horizontal	286	2.63	-	39.10	14.41	65.82			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.28745G	46.67	83.54	-36.87	41.77	1	Vertical	87	1.68	-	37.68	16.06	48.84			
AV	19.27905G	33.98	63.54	-29.56	29.03	1	Vertical	87	1.68	-	37.73	16.06	48.84			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2816G	45.54	83.54	-38.00	40.61	1	Horizontal	243	2.63	-	37.71	16.06	48.84			
AV	19.27245G	33.93	63.54	-29.61	28.95	1	Horizontal	243	2.63	-	37.77	16.06	48.85			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17084G	45.91	88.20	-42.29	57.72	3	Vertical	99	1.00	-	39.20	14.71	65.72			
RMS	13.17792G	32.35	68.20	-35.85	44.16	3	Vertical	99	1.00	-	39.20	14.71	65.72			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.18035G	45.73	88.20	-42.47	57.54	3	Horizontal	267	1.80	-	39.20	14.71	65.72			
RMS	13.1688G	32.21	68.20	-35.99	44.03	3	Horizontal	267	1.80	-	39.20	14.70	65.72			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.77985G	44.62	83.54	-38.92	39.75	1	Vertical	170	1.41	-	37.50	16.28	48.91			
AV	19.7506G	33.38	63.54	-30.16	28.52	1	Vertical	170	1.41	-	37.50	16.26	48.90			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.76775G	45.33	83.54	-38.21	40.47	1	Horizontal	311	2.99	-	37.50	16.27	48.91			
AV	19.73025G	33.27	63.54	-30.27	28.33	1	Horizontal	311	2.99	-	37.58	16.25	48.89			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48463G	46.92	88.20	-41.28	57.58	3	Vertical	28	1.49	-	39.87	15.01	65.54			
RMS	13.47833G	33.20	68.20	-35.00	43.88	3	Vertical	28	1.49	-	39.86	15.00	65.54			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Z_2TX
Setting 28
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.48847G	47.13	88.20	-41.07	57.78	3	Horizontal	220	2.76	-	39.88	15.01	65.54			
RMS	13.50389G	33.29	68.20	-34.91	43.87	3	Horizontal	220	2.76	-	39.92	15.03	65.53			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2355G	53.48	83.54	-30.06	48.51	1	Vertical	63	2.74	-	37.44	16.48	48.95			
AV	20.25075G	35.61	63.54	-27.93	30.57	1	Vertical	63	2.74	-	37.50	16.49	48.95			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Z_2TX
Setting 28
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.232G	45.90	83.54	-37.64	40.94	1	Horizontal	21	2.51	-	37.43	16.48	48.95			
AV	20.2471G	34.05	63.54	-29.49	29.02	1	Horizontal	21	2.51	-	37.49	16.49	48.95			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.841G	100.92	Inf	-Inf	99.83	3	Vertical	320	2.80	-	34.26	9.75	42.92			
AV	6.7498G	90.45	Inf	-Inf	89.64	3	Vertical	320	2.80	-	34.10	9.67	42.96			
PK	7.3514G	61.87	74.00	-12.13	57.99	3	Vertical	320	2.80	-	36.20	10.31	42.63			
AV	7.289G	49.18	54.00	-4.82	45.37	3	Vertical	320	2.80	-	36.20	10.28	42.67			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX


EUT_Z_2TX
Setting 24
04-C-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7674G	103.75	Inf	-Inf	102.92	3	Horizontal	8	2.78	-	34.10	9.68	42.95			
AV	6.7706G	93.20	Inf	-Inf	92.36	3	Horizontal	8	2.78	-	34.10	9.69	42.95			
PK	7.2618G	64.03	74.00	-9.97	60.25	3	Horizontal	8	2.78	-	36.20	10.27	42.69			
AV	7.3002G	53.80	54.00	-0.20	49.97	3	Horizontal	8	2.78	-	36.20	10.29	42.66			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.82281G	47.07	88.20	-41.13	57.02	3	Vertical	333	1.23	-	40.05	15.34	65.34			
RMS	13.81468G	34.27	68.20	-33.93	44.25	3	Vertical	333	1.23	-	40.03	15.33	65.34			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 24
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.82221G	46.83	88.20	-41.37	56.79	3	Horizontal	16	1.31	-	40.04	15.34	65.34			
RMS	13.81393G	34.36	68.20	-33.84	44.34	3	Horizontal	16	1.31	-	40.03	15.33	65.34			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7372G	51.03	83.54	-32.51	45.49	1	Vertical	134	2.33	-	37.72	16.72	48.90			
AV	20.73765G	37.80	63.54	-25.74	32.25	1	Vertical	134	2.33	-	37.73	16.72	48.90			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT_Z_2TX
Setting 24
03-P-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72755G	51.61	83.54	-31.93	46.13	1	Horizontal	180	1.63	-	37.67	16.71	48.90			
AV	20.73785G	37.80	63.54	-25.74	32.25	1	Horizontal	180	1.63	-	37.73	16.72	48.90			


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

26/08/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963048G	-4.85	6.00085G	-52.34	-44.85	-7.49	1
5.963973G	-4.29	5.914175G	-52.23	-44.29	-7.94	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/08/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201248G	-7.09	6.2287G	-52.34	-47.09	-5.25	1
6.190976G	-7.77	6.147075G	-52.51	-47.77	-4.74	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408127G	-7.06	6.37065G	-52.40	-47.06	-5.34	1
6.406052G	-7.19	6.4511G	-52.62	-47.19	-5.43	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.443523G	-6.74	6.47315G	-52.46	-46.74	-5.72	1
6.444123G	-7.04	6.4013G	-52.25	-46.99	-5.26	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

26/08/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

26/08/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542398G	-6.01	6.487025G	-52.17	-46.01	-6.16	1
6.526777G	-5.65	6.4983G	-52.41	-45.65	-6.76	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689401G	-6.74	6.729375G	-53.24	-46.74	-6.50	1
6.686652G	-7.18	6.660775G	-53.52	-47.18	-6.34	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

26/08/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

27/08/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.003998G	-5.61	6.95925G	-51.97	-45.61	-6.36	1
6.986852G	-5.85	6.949025G	-52.04	-45.85	-6.19	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.088127G	-5.30	7.141175G	-52.89	-45.30	-7.59	1
7.087702G	-5.68	7.1427G	-52.43	-45.68	-6.75	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

27/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.106602G	-6.37	7.1649G	-56.70	-46.37	-10.33	1
7.109701G	-5.90	7.082775G	-56.28	-45.77	-10.51	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.983595G	-2.31	6.0325G	-48.44	-42.31	-6.13	1
5.979896G	-2.02	6.0437G	-48.23	-42.02	-6.21	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.218297G	-2.86	6.28115G	-48.18	-42.86	-5.32	1
6.214448G	-2.93	6.27065G	-48.17	-42.93	-5.24	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.388654G	-3.16	6.4691G	-48.41	-43.16	-5.25	1
6.395102G	-3.45	6.3321G	-48.25	-43.45	-4.80	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

26/08/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

26/08/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

26/08/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

26/08/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.667204G	-2.60	6.77735G	-49.00	-42.60	-6.40	1
6.669354G	-2.79	6.7607G	-49.25	-42.79	-6.46	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.829804G	-3.00	6.94485G	-47.88	-43.00	-4.88	1
6.827754G	-3.35	6.9435G	-47.92	-43.35	-4.57	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.878352G	-3.24	6.9807G	-47.49	-43.24	-4.25	1
6.867004G	-3.51	6.95975G	-47.66	-43.51	-4.15	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001651G	-1.98	6.93525G	-48.16	-41.98	-6.18	1
6.990054G	-2.41	6.9191G	-48.08	-42.41	-5.67	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.068304G	-2.04	7.0075G	-47.90	-42.04	-5.86	1
7.069204G	-2.40	7.00895G	-47.90	-42.40	-5.50	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

26/08/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02069G	-0.69	6.1793G	-49.36	-40.69	-8.67	1
6.02179G	-0.58	6.1149G	-48.72	-40.19	-8.53	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

26/08/2026

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20171G	0.29	6.0831G	-49.41	-39.71	-9.70	1
6.2351G	-0.34	6.088G	-49.64	-40.34	-9.30	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

26/08/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3908G	-0.51	6.2546G	-49.26	-40.51	-8.75	1
6.40689G	-0.81	6.2302G	-49.09	-40.81	-8.28	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.49109G	0.53	6.3194G	-49.39	-39.47	-9.92	1
6.4721G	-0.24	6.3137G	-49.28	-40.24	-9.04	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5342G	0.81	6.4104G	-49.10	-39.19	-9.91	1
6.51241G	0.93	6.4053G	-49.36	-39.07	-10.29	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6143G	0.21	6.4958G	-49.37	-39.79	-9.58	1
6.59101G	0.02	6.4932G	-49.42	-39.98	-9.44	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68181G	0.81	6.8981G	-48.85	-39.19	-9.66	1
6.66981G	0.44	6.8761G	-49.28	-39.56	-9.72	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74811G	0.72	6.9811G	-48.19	-39.28	-8.91	1
6.74691G	0.37	6.9763G	-48.21	-39.63	-8.58	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

26/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84171G	-0.05	7.0003G	-48.31	-40.05	-8.26	1
6.83761G	-0.24	7.0064G	-48.25	-40.24	-8.01	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

26/08/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

26/08/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

26/08/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

26/08/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

27/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37219G	5.49	5.9538G	-43.79	-34.51	-9.28	1
6.32301G	5.88	5.9484G	-43.40	-31.56	-11.84	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

26/08/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47201G	4.44	6.1066G	-43.66	-29.83	-13.83	1
6.45401G	4.26	6.1066G	-44.05	-35.72	-8.33	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/08/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58922G	2.79	6.2654G	-45.34	-32.30	-13.04	1
6.59242G	2.74	6.3066G	-44.81	-37.26	-7.55	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

26/08/2026

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75742G	3.99	6.4862G	-42.76	-36.01	-6.75	1
6.75522G	3.44	6.4258G	-44.67	-30.76	-13.91	2


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

26/08/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92482G	5.61	6.5856G	-41.69	-31.25	-10.44	1
6.93061G	5.43	6.8238G	-26.88	-14.68	-12.20	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

26/08/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1162G	5.53	6.7606G	-40.56	-34.09	-6.47	1
6.13499G	5.19	6.7958G	-42.00	-34.81	-7.19	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

26/08/2026

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11864G	5.92	6.571G	-22.90	-14.15	-8.75	1
6.11784G	5.12	6.9634G	-41.00	-34.88	-6.12	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

26/08/2026

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47099G	6.57	6.733G	-19.94	-13.64	-6.30	1
6.31863G	6.34	6.7294G	-22.49	-13.76	-8.73	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

26/08/2026

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47023G	6.71	6.2682G	-23.40	-13.40	-10.00	1
6.45383G	6.38	6.309G	-20.86	-14.21	-6.65	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

26/08/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M


VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61423G	6.53	6.4094G	-24.18	-13.91	-10.27	1
6.61023G	6.59	6.4102G	-24.78	-14.25	-10.53	2



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

28/08/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961798G	-6.60	5.998375G	-51.61	-46.60	-5.01	1
5.959974G	-6.67	5.9992G	-51.50	-46.67	-4.83	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

28/08/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187277G	-6.23	6.1542G	-51.73	-46.23	-5.50	1
6.202723G	-6.57	6.233875G	-51.64	-46.57	-5.07	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421748G	-6.59	6.36855G	-51.67	-46.59	-5.08	1
6.421748G	-7.35	6.454975G	-51.72	-47.35	-4.37	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.443173G	-5.79	6.40185G	-51.75	-45.79	-5.96	1
6.427402G	-6.23	6.473325G	-51.40	-46.23	-5.17	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

28/08/2026




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

28/08/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53685G	-5.22	6.499225G	-51.61	-45.22	-6.39	1
6.535525G	-5.20	6.501225G	-51.36	-45.20	-6.16	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.703773G	-5.17	6.73625G	-52.40	-45.17	-7.23	1
6.687552G	-5.48	6.742625G	-52.11	-45.48	-6.63	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.860199G	-5.26	6.890825G	-51.72	-45.26	-6.46	1
6.863923G	-5.53	6.89365G	-51.56	-45.53	-6.03	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.870176G	-8.26	6.92025G	-51.61	-48.26	-3.35	1
6.883498G	-8.16	6.9203G	-51.41	-48.16	-3.25	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

28/08/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

28/08/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.122923G	-8.93	7.1626G	-51.75	-48.93	-2.82	1
7.109476G	-9.04	7.1636G	-51.94	-49.04	-2.90	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961801G	-2.44	6.06365G	-48.05	-42.44	-5.61	1
5.976097G	-2.25	6.04935G	-48.10	-42.25	-5.85	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

28/08/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

28/08/2026




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

28/08/2026

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.447599G	-1.65	6.3737G	-52.75	-41.65	-11.10	1
6.432303G	-2.27	6.3603G	-53.07	-42.27	-10.80	2


6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

28/08/2026

CF (Hz)
6.485G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.493548G	-1.84	6.3869G	-52.25	-41.84	-10.41	1
6.492048G	-2.02	6.419G	-52.40	-42.02	-10.38	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

28/08/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

28/08/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.682551G	-1.57	6.76435G	-53.22	-41.57	-11.65	1
6.669854G	-1.84	6.5976G	-53.32	-41.84	-11.48	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.857647G	-3.17	6.9397G	-52.08	-43.17	-8.91	1
6.851848G	-3.46	6.92925G	-52.49	-43.46	-9.03	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867704G	-1.60	6.97535G	-52.02	-41.60	-10.42	1
6.892498G	-1.94	6.96515G	-52.22	-41.94	-10.28	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.986755G	-4.14	6.9379G	-52.52	-44.14	-8.38	1
6.987654G	-4.90	6.938G	-52.64	-44.90	-7.74	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.071303G	-2.10	7.005G	-52.01	-42.10	-9.91	1
7.080251G	-2.40	7.0065G	-51.93	-42.40	-9.53	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02229G	-0.24	6.0299G	-29.76	-20.24	-9.52	1
6.0011G	-0.59	6.1684G	-49.85	-40.59	-9.26	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19311G	0.47	6.0379G	-49.48	-39.53	-9.95	1
6.2343G	0.28	6.1805G	-29.11	-19.73	-9.38	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3766G	2.00	6.4305G	-29.19	-18.01	-11.18	1
6.3966G	1.67	6.2085G	-49.81	-38.33	-11.48	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4803G	-0.01	6.2923G	-49.51	-40.01	-9.50	1
6.4674G	-0.49	6.3028G	-49.92	-40.49	-9.43	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5492G	-1.97	6.3719G	-49.83	-41.97	-7.86	1
6.50701G	-1.52	6.3783G	-49.74	-41.52	-8.22	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6311G	-2.92	6.4626G	-49.86	-42.92	-6.94	1
6.59601G	-2.70	6.4486G	-50.02	-42.70	-7.32	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67231G	-1.78	6.8747G	-49.75	-41.78	-7.97	1
6.68151G	-1.88	6.9033G	-49.72	-41.88	-7.84	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8008G	3.90	6.6324G	-45.90	-36.10	-9.80	1
6.7869G	3.61	6.7388G	-27.53	-16.45	-11.08	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83641G	-0.11	7.0072G	-49.20	-40.11	-9.09	1
6.89829G	-0.65	7.0053G	-49.27	-40.65	-8.62	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9298G	0.87	6.9001G	-29.08	-19.15	-9.93	1
6.91211G	0.29	6.9G	-29.46	-19.71	-9.75	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0318G	0.99	7.0705G	-28.98	-19.06	-9.92	1
7.00481G	0.12	6.9802G	-29.09	-19.88	-9.21	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08079G	1.90	6.29G	-46.59	-38.10	-8.49	1
6.0416G	1.29	6.2904G	-46.97	-38.71	-8.26	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13441G	1.69	6.4424G	-47.06	-38.31	-8.75	1
6.23279G	0.78	6.5008G	-47.00	-39.22	-7.78	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37739G	4.01	6.0868G	-43.70	-35.99	-7.71	1
6.3286G	3.13	6.0382G	-44.34	-36.87	-7.47	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

28/08/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44402G	1.40	6.1782G	-45.04	-38.60	-6.44	1
6.5G	0.90	6.2402G	-43.29	-39.10	-4.19	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

28/08/2026




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

28/08/2026




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

28/08/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93641G	5.73	6.587G	-35.54	-31.88	-3.66	1
6.91722G	4.74	6.6402G	-32.72	-28.33	-4.39	2


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

28/08/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1174G	7.15	6.3718G	-20.38	-13.21	-7.17	1
6.0894G	7.29	6.7418G	-39.05	-31.87	-7.18	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

28/08/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11904G	7.29	6.5962G	-21.97	-13.08	-8.89	1
6.13743G	6.78	6.5802G	-22.23	-14.00	-8.23	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

28/08/2026

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35862G	7.49	6.7302G	-20.83	-12.69	-8.14	1
6.4346G	6.89	6.7218G	-24.35	-14.82	-9.53	2


6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

28/08/2026

CF (Hz)
6.585G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47743G	7.75	6.2662G	-20.55	-12.30	-8.25	1
6.53501G	7.30	6.8942G	-22.52	-14.17	-8.35	2


6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

28/08/2026

CF (Hz)
6.745G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59104G	8.01	6.4302G	-20.42	-12.08	-8.34	1
6.60743G	7.22	6.4882G	-20.26	-13.22	-7.04	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

28/08/2026

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76823G	6.85	6.5878G	-21.75	-13.16	-8.59	1
6.75424G	6.66	6.2774G	-38.70	-33.34	-5.36	2

Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-65.17	6.83	-72.00	≤ -62
						Minimal	-66.17	6.83	-73.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.17	6.83	-72.00	≤ -62
						Minimal	-66.17	6.83	-73.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-62.17	6.83	-69.00	≤ -62
						Minimal	-63.17	6.83	-70.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-61.17	6.83	-68.00	≤ -62
						Minimal	-62.17	6.83	-69.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-62.17	6.83	-69.00	≤ -62
						Minimal	-63.17	6.83	-70.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6105	OFF	-55.17	6.83	-62.00	≤ -62
						Minimal	-56.17	6.83	-63.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	6260	OFF	-57.17	6.83	-64.00	≤ -62
						Minimal	-58.17	6.83	-65.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-56.17	6.83	-63.00	≤ -62
						Minimal	-57.17	6.83	-64.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6425	OFF	-66.17	6.83	-73.00	≤ -62
						Minimal	-67.17	6.83	-74.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	6580	OFF	-60.17	6.83	-67.00	≤ -62
						Minimal	-61.17	6.83	-68.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
7/8	159	320	6745	Low edge	6590	OFF	-58.17	6.83	-65.00	≤ -62
						Minimal	-59.17	6.83	-66.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6745	OFF	-63.17	6.83	-70.00	≤ -62
						Minimal	-64.17	6.83	-71.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	6900	OFF	-64.17	6.83	-71.00	≤ -62
						Minimal	-65.17	6.83	-72.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
7/8	191	320	6905	Low edge	6750	OFF	-59.17	6.83	-66.00	≤ -62
						Minimal	-60.17	6.83	-67.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				Center	6905	OFF	-63.17	6.83	-70.00	≤ -62
						Minimal	-64.17	6.83	-71.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62
				High edge	7060	OFF	-64.17	6.83	-71.00	≤ -62
						Minimal	-65.17	6.83	-72.00	≤ -62
						ON	-75.17	6.83	-82.00	≤ -62


Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.00	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-72.00	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-69.00	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-68.00	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-69.00	OFF	10	100	90	PASS
				Center	6105	-62.00	OFF	10	100	90	PASS
				High edge	6260	-64.00	OFF	9	90	90	PASS
5/6/7	95	320	6425	Low edge	6270	-63.00	OFF	10	100	90	PASS
				Center	6425	-73.00	OFF	9	90	90	PASS
				High edge	6580	-67.00	OFF	9	90	90	PASS
7/8	159	320	6745	Low edge	6590	-65.00	OFF	9	90	90	PASS
				Center	6745	-70.00	OFF	9	90	90	PASS
				High edge	6900	-71.00	OFF	9	90	90	PASS
7/8	191	320	6905	Low edge	6750	-66.00	OFF	9	90	90	PASS
				Center	6905	-70.00	OFF	9	90	90	PASS
				High edge	7060	-71.00	OFF	9	90	90	PASS


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6215 MHz



Frequency (MHz): 6455 MHz




Frequency (MHz): 6695 MHz



Date: 30 JUL 2026 23:47:38


Frequency (MHz): 7015 MHz



Date: 30 JUL 2026 23:48:13


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 30 JUL 2026 23:49:19

Frequency (MHz): 6105 MHz




Date: 30 JUL 2026 23:49:55

Frequency (MHz): 6260 MHz




Date: 30 JUL 2026 23:50:23

Frequency (MHz): 6270 MHz




Date: 30 JUL 2026 23:50:57

Frequency (MHz): 6425 MHz




Date: 30 JUL 2026 23:51:27

Frequency (MHz): 6580 MHz




Date: 30 JUL 2026 23:52:00


Frequency (MHz): 6590 MHz




Frequency (MHz): 6745 MHz




Frequency (MHz): 6750 MHz



Frequency (MHz): 6900 MHz




Frequency (MHz): 6905 MHz



Date: 30 JUL 2026 23:55:19

Frequency (MHz): 7060 MHz




Date: 30 JUL 2026 23:55:59

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 30.JUL.2026 21:27:19

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 30.JUL.2026 21:35:53

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 30.JUL.2026 21:57:33

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 30.JUL.2026 22:17:14

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 29 JUL 2026 15:13:21

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 29 JUL 2026 14:55:40

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6260 MHz



Date: 29 JUL 2026 15:41:29

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6270 MHz



Date: 29 JUL 2026 16:22:38

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6425 MHz



Date: 29.JUL.2026 16:00:36

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6580 MHz



Date: 29.JUL.2026 16:52:45

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6590 MHz



Date: 30 JUL 2026 20:13:59

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6745 MHz



Date: 29 JUL 2026 17:45:46

Note : M1 : Inject AWGN signal


Test CH 159 ; Incumbent signal 6900 MHz



Date: 30.JUL.2026 20:21:49

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6750 MHz



Date: 30.JUL.2026 20:55:26

Note : M1 : Inject AWGN signal


Test CH 191 ; Incumbent signal 6905 MHz



Date: 30.JUL.2026 21:00:21

Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Date: 30.JUL.2026 21:08:21

Note : M1 : Inject AWGN signal