




802.11ax/20MHz/MCS0/2412MHz/Ch1




802.11ax/20MHz/MCS0/2437MHz/Ch6




802.11ax/20MHz/MCS0/2462MHz/Ch11




802.11ax/40MHz/MCS0/2422MHz/Ch3



802.11ax/40MHz/MCS0/2437MHz/Ch6




802.11ax/40MHz/MCS0/2452MHz/Ch9




Appendix E. Test Result of Antenna Port Conducted Emission


802.11b/20MHz/1M/2412MHz/Ch1 (Ref.)




802.11b/20MHz/1M/2412MHz/Ch1




802.11b/20MHz/1M/2437MHz/Ch6 (Ref.)




802.11b/20MHz/1M/2437MHz/Ch6




802.11b/20MHz/1M/2462MHz/Ch11 (Ref.)




802.11b/20MHz/1M/2462MHz/Ch11




802.11g/20MHz/6M/2412MHz/Ch1 (Ref.)




802.11g/20MHz/6M/2412MHz/Ch1




802.11g/20MHz/6M/2437MHz/Ch6 (Ref.)




802.11g/20MHz/6M/2437MHz/Ch6




802.11g/20MHz/6M/2462MHz/Ch11 (Ref.)




802.11g/20MHz/6M/2462MHz/Ch11




802.11ax/20MHz/MCS0/2412MHz/Ch1 (Ref.)




802.11ax/20MHz/MCS0/2412MHz/Ch1




802.11ax/20MHz/MCS0/2437MHz/Ch6 (Ref.)




802.11ax/20MHz/MCS0/2437MHz/Ch6




802.11ax/20MHz/MCS0/2462MHz/Ch11 (Ref.)




802.11ax/20MHz/MCS0/2462MHz/Ch11




802.11ax/40MHz/MCS0/2422MHz/Ch3 (Ref.)




802.11ax/40MHz/MCS0/2422MHz/Ch3




802.11ax/40MHz/MCS0/2437MHz/Ch6 (Ref.)




802.11ax/40MHz/MCS0/2437MHz/Ch6




802.11ax/40MHz/MCS0/2452MHz/Ch9 (Ref.)




802.11ax/40MHz/MCS0/2452MHz/Ch9




802.11b/20MHz/1M/2412MHz/Ch1(Band Edge)




802.11b/20MHz/1M/2437MHz/Ch6(Band Edge)




802.11b/20MHz/1M/2462MHz/Ch11(Band Edge)




802.11g/20MHz/6M/2412MHz/Ch1(Band Edge)




802.11g/20MHz/6M/2437MHz/Ch6(Band Edge)




802.11g/20MHz/6M/2462MHz/Ch11(Band Edge)




802.11ax/20MHz/MCS0/2412MHz/Ch1(Band Edge)




802.11ax/20MHz/MCS0/2437MHz/Ch6(Band Edge)




802.11ax/20MHz/MCS0/2462MHz/Ch11(Band Edge)




802.11ax/40MHz/MCS0/2422MHz/Ch3(Band Edge)







802.11ax/40MHz/MCS0/2437MHz/Ch6(Band Edge)



802.11ax/40MHz/MCS0/2452MHz/Ch9(Band Edge)




Appendix F. Test Result of Transmitter Radiated Spurious Emission

TX_b_2412MHz_H	TX_b_2412MHz_V																																																																																								
Site :HC-CB04 Condition :3m ,Horizontal Mode :TX_b_2412MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.000</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>62.00</td><td>-16.12</td><td>Peak</td></tr><tr><td>2</td><td>7236.000</td><td>55.68</td><td>74.00</td><td>-18.32</td><td>65.33</td><td>-9.65</td><td>Peak</td></tr><tr><td>3</td><td>9648.000</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>61.81</td><td>-7.11</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4824.000	46.68	74.00	-27.32	62.00	-16.12	Peak	2	7236.000	55.68	74.00	-18.32	65.33	-9.65	Peak	3	9648.000	54.70	74.00	-19.30	61.81	-7.11	Peak	Site :HC-CB04 Condition :3m ,Vertical Mode :TX_b_2412MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.000</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>58.22</td><td>-16.12</td><td>Peak</td></tr><tr><td>2</td><td>7236.000</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>64.03</td><td>-9.65</td><td>Peak</td></tr><tr><td>3</td><td>9648.000</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>62.61</td><td>-7.11</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4824.000	42.10	74.00	-31.90	58.22	-16.12	Peak	2	7236.000	54.38	74.00	-19.62	64.03	-9.65	Peak	3	9648.000	55.50	74.00	-18.50	62.61	-7.11	Peak								
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																																																																			
1	4824.000	46.68	74.00	-27.32	62.00	-16.12	Peak																																																																																		
2	7236.000	55.68	74.00	-18.32	65.33	-9.65	Peak																																																																																		
3	9648.000	54.70	74.00	-19.30	61.81	-7.11	Peak																																																																																		
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																																																																			
1	4824.000	42.10	74.00	-31.90	58.22	-16.12	Peak																																																																																		
2	7236.000	54.38	74.00	-19.62	64.03	-9.65	Peak																																																																																		
3	9648.000	55.50	74.00	-18.50	62.61	-7.11	Peak																																																																																		
TX_b_2437MHz_H	TX_b_2437MHz_V																																																																																								
Site :HC-CB04 Condition :3m ,Horizontal Mode :TX_b_2437MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.000</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>60.26</td><td>-15.97</td><td>Peak</td></tr><tr><td>2</td><td>7311.000</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>58.47</td><td>-9.58</td><td>Peak</td></tr><tr><td>3</td><td>9748.000</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>54.24</td><td>-6.99</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4874.000	44.29	74.00	-29.71	60.26	-15.97	Peak	2	7311.000	48.89	74.00	-25.11	58.47	-9.58	Peak	3	9748.000	47.25	74.00	-26.75	54.24	-6.99	Peak	Site :HC-CB04 Condition :3m ,Vertical Mode :TX_b_2437MHz Test By :Brook Cheng  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.000</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>58.96</td><td>-15.97</td><td>Peak</td></tr><tr><td>2</td><td>7311.000</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>61.31</td><td>-9.58</td><td>Average</td></tr><tr><td>3</td><td>7311.000</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>63.80</td><td>-9.58</td><td>Peak</td></tr><tr><td>4</td><td>9748.000</td><td>49.69</td><td>74.00</td><td>-24.31</td><td>56.68</td><td>-6.99</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit.	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB		1	4874.000	42.99	74.00	-31.01	58.96	-15.97	Peak	2	7311.000	51.73	74.00	-22.27	61.31	-9.58	Average	3	7311.000	54.22	74.00	-19.78	63.80	-9.58	Peak	4	9748.000	49.69	74.00	-24.31	56.68	-6.99	Peak
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																																																																			
1	4874.000	44.29	74.00	-29.71	60.26	-15.97	Peak																																																																																		
2	7311.000	48.89	74.00	-25.11	58.47	-9.58	Peak																																																																																		
3	9748.000	47.25	74.00	-26.75	54.24	-6.99	Peak																																																																																		
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB																																																																																			
1	4874.000	42.99	74.00	-31.01	58.96	-15.97	Peak																																																																																		
2	7311.000	51.73	74.00	-22.27	61.31	-9.58	Average																																																																																		
3	7311.000	54.22	74.00	-19.78	63.80	-9.58	Peak																																																																																		
4	9748.000	49.69	74.00	-24.31	56.68	-6.99	Peak																																																																																		

TX_b_2462MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4924.000	45.25	74.00	-28.75	61.07	-15.82	Peak
2	7386.000	52.96	74.00	-21.04	62.45	-9.49	Peak
3	9848.000	51.97	74.00	-22.03	58.83	-6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2462MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4924.000	45.93	74.00	-28.07	61.75	-15.82	Peak
2	7386.000	52.35	74.00	-1.65	61.84	-9.49	Average
3	7386.000	55.65	74.00	-18.35	65.14	-9.49	Peak
4	9848.000	47.25	74.00	-26.75	54.11	-6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4824.000	42.69	74.00	-31.31	58.81	-16.12	Peak
2	7236.000	53.07	74.00	-20.93	62.72	-9.65	Peak
3	9648.000	47.89	74.00	-26.11	55.00	-7.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2412MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4824.000	41.23	74.00	-32.77	57.35	-16.12	Peak
2	7236.000	54.63	74.00	-19.37	64.28	-9.65	Peak
3	9648.000	51.66	74.00	-22.34	58.77	-7.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4874.000	45.81	74.00	-28.19	61.78	-15.97	Peak
2	7311.000	46.29	54.00	-7.71	55.87	-9.58	Average
3	7311.000	55.15	74.00	-18.85	64.73	-9.58	Peak
4	9745.000	48.95	74.00	-25.05	55.94	-6.99	Peak
5	17059.000	56.78	74.00	-17.22	57.96	-1.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2437MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4874.000	45.96	74.00	-28.04	61.93	-15.97	Peak
2	7311.000	50.23	54.00	-3.77	59.81	-9.58	Average
3	7311.000	60.13	74.00	-13.87	69.71	-9.58	Peak
4	9745.000	54.32	74.00	-19.68	61.31	-6.99	Peak
5	17059.000	56.38	74.00	-17.62	57.56	-1.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4924.000	43.89	74.00	-30.11	59.71	-15.82	Peak
2	7386.000	52.16	74.00	-21.84	61.65	-9.49	Peak
3	9848.000	46.90	74.00	-27.10	53.76	-6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_g_2462MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_g_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	4924.000	42.88	74.00	-31.12	58.70	-15.82	Peak
2	7386.000	53.70	74.00	-20.30	63.19	-9.49	Peak
3	9848.000	48.78	74.00	-25.22	55.64	-6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_2412MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4824.000	42.32	74.00	-31.68	58.44	-16.12	Peak
2	7236.000	51.38	74.00	-22.62	61.03	-9.65	Peak
3	9648.000	47.35	74.00	-26.65	54.46	-7.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_2412MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_2412MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4824.000	41.65	74.00	-32.35	57.77	-16.12	Peak
2	7236.000	55.59	74.00	-18.41	65.24	-9.65	Peak
3	9648.000	49.38	74.00	-24.70	56.41	-7.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_2437MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4874.000	44.32	74.00	-29.68	60.29	-15.97	Peak
2	7311.000	45.40	54.00	-8.60	54.98	-9.58	Average
3	7311.000	55.10	74.00	-18.90	64.68	-9.58	Peak
4	9748.000	49.62	74.00	-24.38	56.61	-6.99	Peak
5	17859.000	55.49	74.00	-18.51	56.67	-1.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_2437MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	4874.000	42.66	74.00	-31.34	58.63	-15.97	Peak
2	7311.000	49.85	54.00	-4.95	58.63	-9.58	Average
3	7311.000	58.73	74.00	-15.27	68.31	-9.58	Peak
4	9748.000	52.71	74.00	-21.29	59.70	-6.99	Peak
5	17859.000	54.44	74.00	-19.56	55.62	-1.18	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_2462MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4924.000	44.39	74.00	-29.61	60.21	-15.82	Peak
2	7386.000	53.85	74.00	-20.15	63.34	-9.49	Peak
3	9848.000	47.34	74.00	-26.66	54.20	-6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_2462MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_2462MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4924.000	44.57	74.00	-29.43	60.39	-15.82	Peak
2	7386.000	46.02	54.00	-7.98	55.51	-9.49	Average
3	7386.000	54.67	74.00	-19.33	64.16	-9.49	Peak
4	9848.000	48.66	74.00	-25.34	55.52	-6.86	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_2422MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_2422MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4844.000	41.88	74.00	-32.12	57.93	-16.05	Peak
2	7266.000	48.31	74.00	-25.69	57.93	-9.62	Peak
3	9688.000	47.51	74.00	-26.49	54.57	-7.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_2422MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_2422MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	4844.000	41.21	74.00	-32.79	57.26	-16.05	Peak
2	7266.000	48.76	74.00	-25.24	58.38	-9.62	Peak
3	9688.000	47.45	74.00	-26.55	54.51	-7.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_2437MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	4874.000	41.69	74.00	-32.31	57.66	-15.97	Peak
2	7311.000	48.79	74.00	-25.21	58.37	-9.58	Peak
3	9748.000	47.62	74.00	-26.38	54.61	-6.99	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_2437MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_2437MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	4874.000	41.32	74.00	-32.68	57.29	-15.97	Peak
2	7311.000	51.64	74.00	-22.36	61.22	-9.58	Peak
3	9748.000	48.53	74.00	-25.47	55.52	-6.99	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_2452MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_2452MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	4904.000	41.55	74.00	-32.45	57.42	-15.87	Peak
2	7356.000	47.24	74.00	-26.76	56.76	-9.52	Peak
3	9808.000	48.09	74.00	-25.91	55.00	-6.91	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_2452MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_2452MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	4904.000	41.58	74.00	-32.42	57.45	-15.87	Peak
2	7356.000	52.45	74.00	-21.55	61.97	-9.52	Peak
3	9808.000	47.97	74.00	-26.03	54.88	-6.91	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_2452MHz_H_QP

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_ax40_2452MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	122.344	36.17	43.50	-7.33	60.96	-24.79	QP
2	261.830	31.09	46.00	-14.91	54.53	-23.44	QP
3	431.483	32.45	46.00	-13.55	51.05	-18.60	QP
4	614.619	34.74	46.00	-11.26	49.43	-14.69	QP
5	782.041	38.04	46.00	-7.96	49.97	-11.93	QP
6	949.851	40.31	46.00	-5.69	50.41	-10.10	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_ax40_2452MHz_V_QP

Site :HC-CB04
Condition :3m Vertical
Mode :TX_ax40_2452MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	39.797	39.28	40.00	-0.72	62.31	-23.03	QP
2	234.864	26.51	46.00	-19.49	50.92	-24.41	QP
3	386.396	29.96	46.00	-16.04	50.48	-20.52	QP
4	543.324	33.21	46.00	-12.79	49.69	-16.48	QP
5	754.396	37.28	46.00	-8.72	49.47	-12.19	QP
6	893.979	40.01	46.00	-5.99	51.04	-11.03	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_H_Average

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_b_2412MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2386.190	52.93	54.00	-1.07	47.00	5.93	Average
2	2412.695	111.37	-----	-----	105.40	5.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_H_Peak

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_b_2412MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.615	59.26	74.00	-14.74	53.33	5.93	Peak
2	2412.980	113.98	-----	-----	108.01	5.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2387.235	47.70	54.00	-6.30	41.77	5.93	Average
2	2412.695	107.82	-----	-----	101.85	5.97	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2412MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_b_2412MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2387.045	54.80	74.00	-19.20	48.87	5.93	Peak
2	2412.980	110.50	-----	-----	104.53	5.97	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2437MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2437MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2385.050	44.65	54.00	-9.35	38.73	5.92	Average
2	2437.775	112.43	-----	-----	106.43	6.00	Average
3	2485.750	50.04	54.00	-3.96	43.95	6.09	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_b_2437MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_b_2437MHz
Test By :Cyril Chen



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	2385.905	53.60	74.00	-20.40	47.67	5.93	Peak
2	2437.965	115.08	-----	-----	109.08	6.00	Peak
3	2485.370	56.92	74.00	-17.08	50.83	6.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.