




TX_a_5180MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5180MHz
Test By :Cyril Chen

No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10360.000	63.77	68.20	-4.43	70.09	-6.32	Peak
2	15540.000	49.81	54.00	-4.19	49.75	0.06	Average
3	15540.000	63.71	74.00	-10.29	63.65	0.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test By :Cyril Chen

No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10360.000	66.72	68.20	-1.48	73.04	-6.32	Peak
2	15540.000	53.65	54.00	-0.35	53.59	0.06	Average
3	15540.000	67.79	74.00	-6.21	67.73	0.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5220MHz
Test By :Cyril Chen

No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10440.000	64.77	68.20	-3.43	71.00	-6.23	Peak
2	15660.000	46.44	54.00	-7.56	46.39	0.05	Average
3	15660.000	60.64	74.00	-13.36	60.59	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5220MHz
Test By :Cyril Chen


No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10440.000	67.94	68.20	-0.26	74.17	-6.23	Peak
2	15660.000	49.90	54.00	-4.10	49.85	0.05	Average
3	15660.000	63.33	74.00	-10.67	63.28	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10480.000	64.50	68.20	-3.70	70.70	-6.20	Peak
2	15720.000	46.15	54.00	-7.85	46.10	0.05	Average
3	15720.000	68.70	74.00	-13.30	68.65	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10480.000	67.65	68.20	-0.55	73.85	-6.20	Peak
2	15720.000	49.99	54.00	-4.01	49.94	0.05	Average
3	15720.000	63.42	74.00	-10.58	63.37	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10520.000	65.32	68.20	-2.88	71.45	-6.13	Peak
2	15780.000	51.42	54.00	-2.58	51.38	0.04	Average
3	15780.000	62.99	74.00	-11.01	62.95	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10520.000	64.89	68.20	-3.31	71.02	-6.13	Peak
2	15780.000	53.17	54.00	-0.83	53.13	0.04	Average
3	15780.000	65.91	74.00	-8.09	65.87	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10600.000	49.86	54.00	-4.14	55.83	-5.97	Average
2	10600.000	58.19	74.00	-15.81	64.16	-5.97	Peak
3	15900.000	52.40	74.00	-21.60	52.37	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10600.000	53.30	54.00	-0.70	59.27	-5.97	Average
2	10600.000	61.96	74.00	-12.04	67.93	-5.97	Peak
3	15900.000	43.62	54.00	-10.38	43.59	0.03	Average
4	15900.000	56.03	74.00	-17.97	56.00	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10640.000	50.71	54.00	-3.29	56.59	-5.88	Average
2	10640.000	59.37	74.00	-14.63	65.25	-5.88	Peak
3	15960.000	51.40	74.00	-22.60	51.37	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10640.000	53.77	54.00	-0.23	59.65	-5.88	Average
2	10640.000	62.59	74.00	-11.41	68.47	-5.88	Peak
3	15960.000	52.58	74.00	-21.42	52.55	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	11800.000	52.69	74.00	-21.31	57.81	-5.12	Peak
2	16500.000	52.22	68.20	-15.98	52.81	-0.59	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	11800.000	53.36	54.00	-0.64	58.48	-5.12	Average
2	11800.000	62.02	74.00	-11.98	67.14	-5.12	Peak
3	16500.000	52.82	68.20	-15.38	53.41	-0.59	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	11160.000	47.38	54.00	-6.62	52.18	-4.80	Average
2	11160.000	55.92	74.00	-18.08	60.72	-4.80	Peak
3	16740.000	51.94	68.20	-16.26	52.82	-0.88	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m		dB	dBuV	dB	
1	11160.000	53.49	54.00	-0.51	58.29	-4.80	Average
2	11160.000	62.11	74.00	-11.89	66.91	-4.80	Peak
3	16740.000	52.21	68.20	-15.99	53.09	-0.88	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11400.000	47.50	54.00	-6.50	51.82	-4.32	Average
2	11400.000	56.16	74.00	-17.84	60.48	-4.32	Peak
3	17100.000	52.97	68.20	-15.23	54.13	-1.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11400.000	53.47	54.00	-0.53	57.79	-4.32	Average
2	11400.000	62.13	74.00	-11.87	66.45	-4.32	Peak
3	17100.000	55.18	68.20	-13.02	56.34	-1.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11490.000	53.60	74.00	-20.40	57.73	-4.13	Peak
2	17235.000	52.33	68.20	-15.87	53.44	-1.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11490.000	53.12	54.00	-0.88	57.25	-4.13	Average
2	11490.000	61.40	74.00	-12.60	65.53	-4.13	Peak
3	17235.000	59.00	68.20	-9.20	60.11	-1.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	11570.000	53.90	74.00	-20.10	57.92	-4.02	Peak
2	17355.000	52.19	68.20	-16.01	53.25	-1.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	11570.000	53.79	54.00	-0.21	57.81	-4.02	Average
2	11570.000	62.54	74.00	-11.46	66.56	-4.02	Peak
3	17355.000	55.49	68.20	-12.71	56.55	-1.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	11650.000	52.66	74.00	-21.34	56.55	-3.89	Peak
2	17475.000	52.81	68.20	-15.39	53.82	-1.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	11650.000	53.39	54.00	-0.61	57.28	-3.89	Average
2	11650.000	62.06	74.00	-11.94	65.95	-3.89	Peak
3	17475.000	57.43	68.20	-10.77	58.44	-1.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5180MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10360.000	63.81	68.20	-4.39	70.13	-6.32	Peak
2	15540.000	49.76	54.00	-4.24	49.70	0.06	Average
3	15540.000	63.57	74.00	-10.43	63.51	0.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5180MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10360.000	67.76	68.20	-0.44	74.08	-6.32	Peak
2	15540.000	53.03	54.00	-0.97	52.97	0.06	Average
3	15540.000	69.15	74.00	-4.85	69.09	0.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5220MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10440.000	65.29	68.20	-2.91	71.52	-6.23	Peak
2	15660.000	45.41	54.00	-8.59	45.36	0.05	Average
3	15660.000	60.84	74.00	-13.16	60.79	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5220MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10440.000	67.40	68.20	-0.80	73.63	-6.23	Peak
2	15660.000	49.90	54.00	-4.10	49.85	0.05	Average
3	15660.000	64.41	74.00	-9.59	64.36	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5240MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10480.000	64.58	68.20	-3.62	70.78	-6.20	Peak
2	15720.000	45.71	54.00	-8.29	45.66	0.05	Average
3	15720.000	68.84	74.00	-13.16	68.79	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5240MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10480.000	67.85	68.20	-0.35	74.05	-6.20	Peak
2	15720.000	49.40	54.00	-4.60	49.35	0.05	Average
3	15720.000	63.94	74.00	-10.06	63.89	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5260MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10520.000	64.74	68.20	-3.46	70.87	-6.13	Peak
2	15780.000	53.19	54.00	-0.81	53.15	0.04	Average
3	15780.000	63.92	74.00	-10.08	63.88	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5260MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10520.000	65.41	68.20	-2.79	71.54	-6.13	Peak
2	15780.000	52.54	54.00	-1.46	52.50	0.04	Average
3	15780.000	63.27	74.00	-10.73	63.23	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5300MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10640.000	49.15	54.00	-4.85	55.12	-5.97	Average
2	10640.000	58.65	74.00	-15.35	64.62	-5.97	Peak
3	15960.000	46.22	54.00	-7.78	46.19	0.03	Average
4	15960.000	56.95	74.00	-17.05	56.92	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5300MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10640.000	53.59	54.00	-0.41	59.56	-5.97	Average
2	10640.000	63.34	74.00	-10.66	69.31	-5.97	Peak
3	15960.000	46.48	54.00	-7.52	46.45	0.03	Average
4	15960.000	57.00	74.00	-17.00	56.97	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5320MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10640.000	48.89	54.00	-5.11	54.77	-5.88	Average
2	10640.000	58.64	74.00	-15.36	64.52	-5.88	Peak
3	15960.000	53.37	74.00	-20.63	53.34	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5320MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10640.000	53.28	54.00	-0.72	59.16	-5.88	Average
2	10640.000	63.03	74.00	-10.97	68.91	-5.88	Peak
3	15960.000	46.37	54.00	-7.63	46.34	0.03	Average
4	15960.000	57.03	74.00	-16.97	57.00	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5500MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11000.000	45.11	54.00	-8.89	50.23	-5.12	Average
2	11000.000	54.86	74.00	-19.14	59.98	-5.12	Peak
3	16500.000	51.97	68.20	-16.23	52.56	-0.59	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5500MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11000.000	53.51	54.00	-0.49	58.63	-5.12	Average
2	11000.000	63.26	74.00	-10.74	68.38	-5.12	Peak
3	16500.000	53.30	68.20	-14.90	53.89	-0.59	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5580MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11160.000	45.36	54.00	-8.64	50.16	-4.80	Average
2	11160.000	54.94	74.00	-19.06	59.74	-4.80	Peak
3	16740.000	51.78	68.20	-16.42	52.66	-0.88	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5580MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11160.000	53.34	54.00	-0.66	58.14	-4.80	Average
2	11160.000	63.09	74.00	-10.91	67.89	-4.80	Peak
3	16740.000	52.67	68.20	-15.53	53.55	-0.88	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5700MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11400.000	46.13	54.00	-7.87	50.45	-4.32	Average
2	11400.000	55.88	74.00	-18.12	60.20	-4.32	Peak
3	17100.000	52.69	68.20	-15.51	53.85	-1.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5700MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11400.000	53.28	54.00	-0.72	57.60	-4.32	Average
2	11400.000	63.03	74.00	-10.97	67.35	-4.32	Peak
3	17100.000	59.79	68.20	-8.41	60.95	-1.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5745MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11490.000	44.14	54.00	-9.86	48.27	-4.13	Average
2	11490.000	53.90	74.00	-20.10	58.03	-4.13	Peak
3	17235.000	54.18	68.20	-14.02	55.29	-1.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5745MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11490.000	53.60	54.00	-0.40	57.73	-4.13	Average
2	11490.000	63.36	74.00	-10.64	67.49	-4.13	Peak
3	17235.000	60.44	68.20	-7.76	61.55	-1.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5785MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11570.000	46.50	54.00	-7.50	50.52	-4.02	Average
2	11570.000	56.24	74.00	-17.76	60.26	-4.02	Peak
3	17355.000	52.24	68.20	-15.96	53.30	-1.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5785MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11570.000	53.74	54.00	-0.26	57.76	-4.02	Average
2	11570.000	63.58	74.00	-10.42	67.60	-4.02	Peak
3	17355.000	58.76	68.20	-9.44	59.82	-1.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5825MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11650.000	46.29	54.00	-7.71	50.18	-3.89	Average
2	11650.000	56.10	74.00	-17.90	59.99	-3.89	Peak
3	17475.000	52.71	68.20	-15.49	53.72	-1.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5825MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11650.000	53.46	54.00	-0.54	57.35	-3.89	Average
2	11650.000	62.56	74.00	-11.44	66.45	-3.89	Peak
3	17475.000	58.78	68.20	-9.42	59.79	-1.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5190MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10380.000	60.51	68.20	-7.69	66.80	-6.29	Peak
2	15570.000	46.31	54.00	-7.69	46.25	0.06	Average
3	15570.000	68.03	74.00	-13.97	59.97	0.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5190MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10380.000	63.43	68.20	-4.77	69.72	-6.29	Peak
2	15570.000	49.69	54.00	-4.31	49.63	0.06	Average
3	15570.000	63.38	74.00	-10.62	63.32	0.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5230MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10460.000	63.30	68.20	-4.90	69.52	-6.22	Peak
2	15690.000	50.40	54.00	-3.60	50.35	0.05	Average
3	15690.000	64.49	74.00	-9.51	64.44	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5230MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10460.000	66.86	68.20	-1.34	73.08	-6.22	Peak
2	15690.000	53.82	54.00	-0.18	53.77	0.05	Average
3	15690.000	67.86	74.00	-6.14	67.81	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5270MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10540.000	60.73	68.20	-7.47	66.83	-6.10	Peak
2	15810.000	43.98	54.00	-10.02	43.94	0.04	Average
3	15810.000	56.63	74.00	-17.37	56.59	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5270MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5270MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10540.000	64.96	68.20	-3.24	71.06	-6.10	Peak
2	15810.000	52.64	54.00	-1.36	52.60	0.04	Average
3	15810.000	65.29	74.00	-8.71	65.25	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5310MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10620.000	44.79	54.00	-9.21	50.72	-5.93	Average
2	10620.000	54.54	74.00	-19.46	60.47	-5.93	Peak
3	15930.000	52.53	74.00	-21.47	52.51	0.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5310MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5310MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10620.000	49.49	54.00	-4.51	55.42	-5.93	Average
2	10620.000	59.24	74.00	-14.76	65.17	-5.93	Peak
3	15930.000	52.68	74.00	-21.32	52.66	0.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5510MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5510MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11020.000	44.78	54.00	-9.22	49.86	-5.08	Average
2	11020.000	54.53	74.00	-19.47	59.61	-5.08	Peak
3	16530.000	55.86	68.20	-12.34	56.49	-0.63	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5510MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5510MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11020.000	53.37	54.00	-0.63	58.45	-5.08	Average
2	11020.000	63.12	74.00	-10.88	68.20	-5.08	Peak
3	16530.000	55.88	68.20	-12.32	56.51	-0.63	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5550MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5550MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11100.000	46.69	54.00	-7.31	51.61	-4.92	Average
2	11100.000	56.44	74.00	-17.56	61.36	-4.92	Peak
3	16650.000	52.72	68.20	-15.48	53.49	-0.77	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5550MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5550MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11100.000	53.73	54.00	-0.27	58.65	-4.92	Average
2	11100.000	63.48	74.00	-10.52	68.40	-4.92	Peak
3	16650.000	54.64	68.20	-13.56	55.41	-0.77	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5670MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5670MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11340.000	45.52	54.00	-8.48	49.95	-4.43	Average
2	11340.000	55.28	74.00	-18.72	59.71	-4.43	Peak
3	17010.000	53.98	68.20	-14.22	55.18	-1.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5670MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5670MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11340.000	52.65	54.00	-1.35	57.08	-4.43	Average
2	11340.000	62.41	74.00	-11.59	66.84	-4.43	Peak
3	17010.000	56.95	68.20	-11.25	58.15	-1.20	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5755MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5755MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11510.000	45.28	54.00	-8.72	49.38	-4.10	Average
2	11510.000	55.03	74.00	-18.97	59.13	-4.10	Peak
3	17265.000	51.77	68.20	-16.43	52.86	-1.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5755MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5755MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	11510.000	51.49	54.00	-2.51	55.59	-4.10	Average
2	11510.000	61.24	74.00	-12.76	65.34	-4.10	Peak
3	17265.000	55.19	68.20	-13.01	56.28	-1.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5795MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5795MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11590.000	45.56	54.00	-8.44	49.55	-3.99	Average
2	11590.000	55.30	74.00	-18.70	59.29	-3.99	Peak
3	17385.000	53.55	68.20	-14.65	54.59	-1.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5795MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5795MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	11590.000	51.29	54.00	-2.71	55.28	-3.99	Average
2	11590.000	61.03	74.00	-12.97	65.02	-3.99	Peak
3	17385.000	57.09	68.20	-11.11	58.13	-1.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5210MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5210MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10420.000	57.93	68.20	-10.27	64.18	-6.25	Peak
2	15630.000	53.32	74.00	-20.68	53.27	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5210MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5210MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	10420.000	61.79	68.20	-6.41	68.04	-6.25	Peak
2	15630.000	44.73	54.00	-9.27	44.68	0.05	Average
3	15630.000	58.64	74.00	-15.36	58.59	0.05	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5290MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5290MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10580.000	52.26	68.20	-15.94	58.28	-6.02	Peak
2	15870.000	52.85	74.00	-21.15	52.82	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5290MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5290MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	10580.000	54.46	68.20	-13.74	60.48	-6.02	Peak
2	15870.000	53.62	74.00	-20.38	53.59	0.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5530MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5530MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11060.000	41.04	54.00	-12.96	46.05	-5.01	Average
2	11060.000	54.33	74.00	-19.67	59.34	-5.01	Peak
3	16590.000	53.14	68.20	-15.06	53.83	-0.69	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5530MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5530MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
				dB	dBuV	dB	
1	11060.000	49.72	54.00	-4.28	54.73	-5.01	Average
2	11060.000	63.02	74.00	-10.98	68.03	-5.01	Peak
3	16590.000	53.62	68.20	-14.58	54.31	-0.69	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5610MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5610MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11220.000	46.97	54.00	-7.03	51.65	-4.68	Average
2	11220.000	57.27	74.00	-16.73	61.95	-4.68	Peak
3	16830.000	54.35	68.20	-13.85	55.34	-0.99	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5610MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5610MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11220.000	53.24	54.00	-0.76	57.92	-4.68	Average
2	11220.000	63.55	74.00	-10.45	68.23	-4.68	Peak
3	16830.000	60.59	68.20	-7.61	61.58	-0.99	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5775MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5775MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11550.000	46.00	54.00	-8.00	50.04	-4.04	Average
2	11550.000	57.70	74.00	-16.30	61.74	-4.04	Peak
3	17325.000	55.75	68.20	-12.45	56.82	-1.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5775MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5775MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11550.000	53.45	54.00	-0.55	57.49	-4.04	Average
2	11550.000	65.15	74.00	-8.85	69.19	-4.04	Peak
3	17325.000	64.63	68.20	-3.57	65.70	-1.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax160_5250MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10500.000	53.77	68.20	-14.43	59.95	-6.18	Peak
2	15750.000	51.68	74.00	-22.32	51.64	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax160_5250MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10500.000	56.93	68.20	-11.27	63.11	-6.18	Peak
2	15750.000	52.02	74.00	-21.98	51.98	0.04	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5570MHz_H

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax160_5570MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11140.000	49.78	74.00	-24.22	54.61	-4.83	Peak
2	16710.000	50.64	68.20	-17.56	51.49	-0.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5570MHz_V

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax160_5570MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	11140.000	44.59	54.00	-9.41	49.42	-4.83	Average
2	11140.000	54.26	74.00	-19.74	59.09	-4.83	Peak
3	16710.000	51.88	68.20	-16.32	52.73	-0.85	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_H_QP

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_ax160_5250MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	50.273	29.27	40.00	-10.73	51.50	-22.23	QP
2	220.120	30.48	46.00	-15.52	56.31	-25.83	QP
3	401.000	32.23	46.00	-13.77	51.66	-19.43	QP
4	599.487	33.87	46.00	-12.13	48.81	-14.94	QP
5	775.736	38.04	46.00	-7.96	50.06	-12.02	QP
6	920.557	38.25	46.00	-7.75	48.81	-10.56	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_V_QP

Site :HC-CB04
Condition :3m Vertical
Mode :TX_ax160_5250MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	39.700	39.38	40.00	-0.62	62.42	-23.04	QP
2	148.340	27.76	43.50	-15.74	50.37	-22.61	QP
3	382.006	31.83	46.00	-14.97	50.84	-19.81	QP
4	512.866	33.09	46.00	-12.91	49.94	-16.85	QP
5	646.338	35.62	46.00	-10.38	49.80	-14.18	QP
6	849.456	38.74	46.00	-7.26	50.00	-11.26	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_H_Average

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_a_5180MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5150.000	51.48	54.00	-2.52	37.52	13.96	Average
2	5180.450	111.80	-----	-----	97.79	14.01	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_H_Peak

Site :HC-CB04
Condition :3m Horizontal
Mode :TX_a_5180MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5149.700	66.47	74.00	-7.53	52.51	13.96	Peak
2	5180.750	120.96	-----	-----	106.95	14.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5148.800	46.48	54.00	-7.52	32.52	13.96	Average
2	5179.250	106.88	-----	-----	92.87	14.01	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5180MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5180MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5147.600	62.66	74.00	-11.34	48.70	13.96	Peak
2	5179.400	115.69	-----	-----	101.68	14.01	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5220MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5027.300	46.84	54.00	-7.16	33.07	13.77	Average
2	5220.800	113.62	-----	-----	99.55	14.07	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5220MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5027.300	57.59	74.00	-16.41	43.82	13.77	Peak
2	5221.250	123.81	-----	-----	109.74	14.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5220MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5039.900	43.06	54.00	-10.94	29.27	13.79	Average
2	5220.800	108.76	-----	-----	94.69	14.07	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5220MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5220MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5148.800	54.35	74.00	-19.65	40.39	13.96	Peak
2	5220.950	117.33	-----	-----	103.26	14.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5046.950	46.80	54.00	-7.20	32.99	13.81	Average
2	5240.900	114.24	-----	-----	100.14	14.10	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5047.400	57.30	74.00	-16.70	43.49	13.81	Peak
2	5240.750	123.10	-----	-----	109.00	14.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5839.750	41.64	54.00	-12.36	27.85	13.79	Average
2	5239.400	108.95	-----	-----	94.85	14.10	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5240MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5240MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5839.900	53.26	74.00	-20.74	39.47	13.79	Peak
2	5239.250	118.11	-----	-----	104.01	14.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5259.000	113.31	-----	-----	99.18	14.13	Average
2	5454.750	48.77	54.00	-5.23	34.34	14.43	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5259.300	122.79	-----	-----	108.66	14.13	Peak
2	5450.250	59.90	74.00	-14.10	45.48	14.42	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5261.100	105.58	-----	-----	91.45	14.13	Average
2	5452.950	40.86	54.00	-13.14	26.44	14.42	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5260MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5260MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5261.100	115.17	-----	-----	101.04	14.13	Peak
2	5446.200	52.79	74.00	-21.21	38.37	14.42	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5301.000	113.57	-----	-----	99.38	14.19	Average
2	5350.500	45.91	54.00	-8.09	31.64	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5300.850	122.69	-----	-----	108.50	14.19	Peak
2	5350.800	58.83	74.00	-15.17	44.56	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5299.050	107.93	-----	-----	93.74	14.19	Average
2	5353.500	40.71	54.00	-13.29	26.44	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5300MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5300MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5298.600	117.27	-----	-----	103.08	14.19	Peak
2	5409.750	53.23	74.00	-20.77	38.87	14.36	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5321.100	112.41	-----	-----	98.19	14.22	Average
2	5350.650	53.09	54.00	-0.91	38.82	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5320.800	121.36	-----	-----	107.14	14.22	Peak
2	5351.400	67.45	74.00	-6.55	53.18	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5319.300	105.07	-----	-----	90.85	14.22	Average
2	5350.500	47.33	54.00	-6.67	33.06	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5320MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5320MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5319.300	114.34	-----	-----	100.12	14.22	Peak
2	5350.200	63.17	74.00	-10.83	48.90	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5456.000	46.70	54.00	-7.30	32.27	14.43	Average
2	5500.000	112.86	-----	-----	98.36	14.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5456.175	61.08	74.00	-12.92	46.65	14.43	Peak
2	5469.825	67.35	68.20	-0.85	52.90	14.45	Peak
3	5500.975	122.28	-----	-----	107.78	14.50	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5455.300	42.63	54.00	-11.37	28.20	14.43	Average
2	5500.975	106.48	-----	-----	91.98	14.50	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5500MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5500MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5446.725	53.99	74.00	-20.01	39.57	14.42	Peak
2	5469.825	61.10	68.20	-7.10	46.65	14.45	Peak
3	5501.675	115.99	-----	-----	101.49	14.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5436.050	42.48	54.00	-11.52	28.07	14.41	Average
2	5578.325	112.97	-----	-----	98.27	14.70	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5436.750	54.42	74.00	-19.58	40.01	14.41	Peak
2	5468.775	53.77	68.20	-14.43	39.32	14.45	Peak
3	5583.750	122.05	-----	-----	107.34	14.71	Peak
4	5729.525	54.61	68.20	-13.59	39.52	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5434.125	40.39	54.00	-13.61	25.99	14.40	Average
2	5581.300	107.72	-----	-----	93.01	14.71	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5580MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5443.225	52.83	74.00	-21.17	38.42	14.41	Peak
2	5466.675	52.61	68.20	-15.59	38.17	14.44	Peak
3	5581.125	117.20	-----	-----	102.49	14.71	Peak
4	5749.300	54.03	68.20	-14.17	38.89	15.14	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5699.250	118.81	-----	-----	103.80	15.01	Peak
2	5725.150	66.96	68.20	-1.24	51.87	15.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5700MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5701.175	113.85	-----	-----	98.84	15.01	Peak
2	5725.850	62.98	68.20	-5.22	47.89	15.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5645.750	58.40	68.20	-9.80	43.53	14.87	Peak
2	5654.250	57.47	71.35	-13.88	42.57	14.90	Peak
3	5724.750	92.18	121.63	-29.53	77.02	15.08	Peak
4	5745.000	122.60	-----	-----	107.47	15.13	Peak
5	5909.000	55.59	80.05	-24.46	40.03	15.56	Peak
6	5922.000	54.30	70.43	-16.13	38.71	15.59	Peak
7	5936.000	57.95	68.20	-10.25	42.33	15.62	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5745MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5745MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5634.000	53.77	68.20	-14.43	38.93	14.84	Peak
2	5652.250	52.88	69.87	-16.99	38.00	14.88	Peak
3	5725.000	87.52	122.20	-34.68	72.43	15.09	Peak
4	5745.000	116.64	-----	-----	101.51	15.13	Peak
5	5881.250	55.35	100.58	-45.23	39.86	15.49	Peak
6	5920.250	54.63	71.72	-17.09	39.04	15.59	Peak
7	5937.500	55.55	68.20	-12.65	39.92	15.63	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5589.750	57.06	68.20	-11.14	42.33	14.73	Peak
2	5654.250	53.13	71.35	-18.22	38.23	14.90	Peak
3	5724.500	66.39	121.06	-54.67	51.31	15.08	Peak
4	5785.000	121.72	-----	-----	106.48	15.24	Peak
5	5851.500	65.81	118.78	-52.97	50.40	15.41	Peak
6	5920.250	54.18	71.72	-17.54	38.59	15.59	Peak
7	5985.000	57.39	68.20	-10.81	41.64	15.75	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5785MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5785MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB		dB		
1	5594.500	53.34	68.20	-14.86	38.59	14.75	Peak
2	5652.750	52.30	70.24	-17.94	37.42	14.88	Peak
3	5724.500	62.57	121.06	-58.49	47.49	15.08	Peak
4	5782.000	117.40	-----	-----	102.17	15.23	Peak
5	5852.000	64.19	117.64	-53.45	48.78	15.41	Peak
6	5921.750	54.53	70.61	-16.08	38.94	15.59	Peak
7	5964.000	55.78	68.20	-12.42	40.08	15.70	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_a_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dBuV	dB	
1	5631.500	59.54	68.20	-8.66	44.70	14.84	Peak
2	5654.000	53.26	71.17	-17.91	38.36	14.90	Peak
3	5722.750	57.46	117.07	-59.61	42.38	15.08	Peak
4	5824.500	120.22	-----	-----	104.89	15.33	Peak
5	5850.750	82.63	120.49	-37.86	67.22	15.41	Peak
6	5920.750	56.15	71.35	-15.20	40.56	15.59	Peak
7	6015.500	58.05	68.20	-10.15	42.18	15.87	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_a_5825MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_a_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dBuV	dB	
1	5634.000	53.98	68.20	-14.22	39.14	14.84	Peak
2	5652.250	53.03	69.87	-16.84	38.15	14.88	Peak
3	5724.750	54.32	121.63	-67.31	39.24	15.08	Peak
4	5827.750	117.52	-----	-----	102.18	15.34	Peak
5	5850.500	82.47	121.06	-38.59	67.06	15.41	Peak
6	5921.500	55.40	70.80	-15.40	39.81	15.59	Peak
7	6012.500	55.76	68.20	-12.44	39.91	15.85	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5180MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dBuV	dB	
1	5149.700	53.25	54.00	-0.75	39.29	13.96	Average
2	5180.900	110.87	-----	-----	96.86	14.01	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5180MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dBuV	dB	
1	5148.200	65.80	74.00	-8.20	51.84	13.96	Peak
2	5181.350	123.28	-----	-----	109.26	14.02	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5180MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5150.000	49.58	54.00	-4.42	35.62	13.96	Average
2	5180.900	107.02	-----	-----	93.01	14.01	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5180MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5180MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5147.150	62.97	74.00	-11.03	49.01	13.96	Peak
2	5180.900	119.40	-----	-----	105.39	14.01	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5220MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5025.650	45.29	54.00	-8.71	31.52	13.77	Average
2	5218.850	112.04	-----	-----	97.97	14.07	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5220MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5026.550	56.62	74.00	-17.38	42.85	13.77	Peak
2	5218.550	122.61	-----	-----	108.55	14.06	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5220MHz_V_Average

Site :HC-CB04
Condition :3m_Vertical
Mode :TX_ax20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5027.150	42.03	54.00	-11.97	28.26	13.77	Average
2	5221.400	108.26	-----	-----	94.19	14.07	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5220MHz_V_Peak

Site :HC-CB04
Condition :3m_Vertical
Mode :TX_ax20_5220MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5026.400	53.57	74.00	-20.43	39.80	13.77	Peak
2	5220.950	119.81	-----	-----	105.74	14.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5240MHz_H_Average

Site :HC-CB04
Condition :3m_Horizontal
Mode :TX_ax20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5047.100	45.91	54.00	-8.09	32.10	13.81	Average
2	5241.050	113.24	-----	-----	99.14	14.10	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5240MHz_H_Peak

Site :HC-CB04
Condition :3m_Horizontal
Mode :TX_ax20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5047.100	57.04	74.00	-16.96	43.23	13.81	Peak
2	5240.600	124.62	-----	-----	110.52	14.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5240MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5040.050	42.00	54.00	-12.00	28.21	13.79	Average
2	5240.750	108.45	-----	-----	94.35	14.10	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5240MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5240MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5046.350	53.76	74.00	-20.24	39.95	13.81	Peak
2	5241.050	119.11	-----	-----	105.01	14.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5260MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5260MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5261.100	112.47	-----	-----	98.34	14.13	Average
2	5451.150	46.25	54.00	-7.75	31.83	14.42	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5260MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5260MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5260.800	125.53	-----	-----	111.40	14.13	Peak
2	5451.750	56.84	74.00	-17.16	42.42	14.42	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5260MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5260MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5258.550	109.35	-----	-----	95.22	14.13	Average
2	5449.050	41.88	54.00	-12.12	27.46	14.42	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5260MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5260MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5259.000	120.99	-----	-----	106.86	14.13	Peak
2	5412.600	53.56	74.00	-20.44	39.20	14.36	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5300MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5300MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5301.300	112.47	-----	-----	98.28	14.19	Average
2	5351.250	48.34	54.00	-5.66	34.07	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5300MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5300MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5301.000	125.72	-----	-----	111.53	14.19	Peak
2	5351.850	59.39	74.00	-14.61	45.12	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5300MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5300MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5299.050	109.16	-----	-----	94.97	14.19	Average
2	5350.200	42.75	54.00	-11.25	28.48	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5300MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5300MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5299.200	121.67	-----	-----	107.48	14.19	Peak
2	5350.500	56.45	74.00	-17.55	42.18	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5320MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5320MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5320.950	110.43	-----	-----	96.21	14.22	Average
2	5350.950	52.31	54.00	-1.69	38.04	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5320MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5320MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5321.400	121.78	-----	-----	107.56	14.22	Peak
2	5350.350	65.92	74.00	-8.08	51.65	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5320MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5320MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5320.650	106.88	-----	-----	92.66	14.22	Average
2	5350.500	48.29	54.00	-5.71	34.02	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5320MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5320MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5320.650	118.70	-----	-----	104.48	14.22	Peak
2	5351.100	61.79	74.00	-12.21	47.52	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5500MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5500MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	46.46	54.00	-7.54	32.02	14.44	Average
2	5501.150	118.57	-----	-----	96.07	14.50	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5500MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5500MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5458.450	59.31	74.00	-14.69	44.87	14.44	Peak
2	5469.650	67.98	68.20	-0.22	53.53	14.45	Peak
3	5502.375	121.99	-----	-----	107.49	14.50	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5500MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5456.875	41.73	54.00	-12.27	27.29	14.44	Average
2	5498.350	104.99	-----	-----	90.49	14.50	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5500MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5500MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5458.450	53.31	74.00	-20.69	38.87	14.44	Peak
2	5468.775	63.51	68.20	-4.69	49.06	14.45	Peak
3	5499.400	117.41	-----	-----	102.91	14.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5580MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5437.625	41.25	54.00	-12.75	26.84	14.41	Average
2	5577.450	110.69	-----	-----	95.99	14.70	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5580MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5419.250	53.48	74.00	-20.52	39.10	14.38	Peak
2	5466.150	53.41	68.20	-14.79	38.97	14.44	Peak
3	5577.625	123.65	-----	-----	108.95	14.70	Peak
4	5739.500	54.73	68.20	-13.47	39.61	15.12	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5580MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.750	39.96	54.00	-14.04	25.52	14.44	Average
2	5578.325	106.27	-----	-----	91.57	14.70	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5580MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5580MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5453.725	53.31	74.00	-20.69	38.88	14.43	Peak
2	5460.900	52.49	68.20	-15.71	38.05	14.44	Peak
3	5579.200	118.90	-----	-----	104.20	14.70	Peak
4	5731.450	54.36	68.20	-13.84	39.26	15.10	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5700MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5699.075	119.81	-----	-----	104.80	15.01	Peak
2	5725.500	67.17	68.20	-1.03	52.08	15.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5700MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5700MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5699.075	114.05	-----	-----	99.04	15.01	Peak
2	5725.500	63.09	68.20	-5.11	48.00	15.09	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5745MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5745MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5559.250	57.92	68.20	-10.28	43.26	14.66	Peak
2	5651.000	54.91	68.95	-14.04	40.03	14.88	Peak
3	5725.000	95.63	122.20	-26.57	80.54	15.09	Peak
4	5745.500	121.71	-----	-----	106.58	15.13	Peak
5	5850.500	56.41	121.06	-64.65	41.00	15.41	Peak
6	5924.000	54.24	68.95	-14.71	38.65	15.59	Peak
7	5936.250	56.80	68.20	-11.40	41.17	15.63	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5745MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5745MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5560.750	54.39	68.20	-13.81	39.73	14.66	Peak
2	5654.750	53.95	71.72	-17.77	39.05	14.90	Peak
3	5721.750	85.73	114.79	-29.06	70.65	15.08	Peak
4	5745.750	117.27	-----	-----	102.14	15.13	Peak
5	5872.250	54.84	105.97	-51.13	39.38	15.46	Peak
6	5921.500	54.28	70.80	-16.52	38.69	15.59	Peak
7	5939.750	55.45	68.20	-12.75	39.82	15.63	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5785MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5785MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5595.750	57.37	68.20	-10.83	42.62	14.75	Peak
2	5654.500	52.16	71.54	-19.38	37.26	14.90	Peak
3	5720.250	65.00	111.37	-46.37	49.92	15.08	Peak
4	5784.000	122.85	-----	-----	107.61	15.24	Peak
5	5851.000	65.31	119.92	-54.61	49.90	15.41	Peak
6	5921.750	54.42	70.61	-16.19	38.83	15.59	Peak
7	5974.000	56.40	68.20	-11.80	40.68	15.72	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5785MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5785MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5612.250	54.01	68.20	-14.19	39.22	14.79	Peak
2	5654.500	52.01	71.54	-19.53	37.11	14.90	Peak
3	5724.750	62.92	121.63	-58.71	47.84	15.08	Peak
4	5791.250	116.52	-----	-----	101.27	15.25	Peak
5	5850.250	61.64	121.63	-59.99	46.23	15.41	Peak
6	5923.500	54.19	69.32	-15.13	38.60	15.59	Peak
7	5977.000	55.40	68.20	-12.80	39.66	15.74	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5825MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax20_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5636.500	56.44	68.20	-11.76	41.59	14.85	Peak
2	5651.250	52.66	69.13	-16.47	37.78	14.88	Peak
3	5717.500	54.69	110.10	-55.41	39.64	15.05	Peak
4	5823.000	121.95	-----	-----	106.62	15.33	Peak
5	5851.250	89.71	119.35	-29.64	74.30	15.41	Peak
6	5924.000	55.70	68.95	-13.25	40.11	15.59	Peak
7	6021.750	57.30	68.20	-10.90	41.41	15.89	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax20_5825MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax20_5825MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5637.000	53.86	68.20	-14.34	39.01	14.85	Peak
2	5652.250	53.14	69.87	-16.73	38.26	14.88	Peak
3	5719.250	54.43	110.59	-56.16	39.36	15.07	Peak
4	5822.500	117.80	-----	-----	102.47	15.33	Peak
5	5850.000	86.39	122.20	-35.81	70.98	15.41	Peak
6	5921.750	55.09	70.61	-15.52	39.50	15.59	Peak
7	5997.250	55.77	68.20	-12.43	39.98	15.79	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5190MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5150.000	53.53	54.00	-0.47	39.57	13.96	Average
2	5190.950	104.68	-----	-----	90.66	14.02	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5190MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5149.550	64.11	74.00	-9.89	50.15	13.96	Peak
2	5191.100	115.22	-----	-----	101.20	14.02	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5190MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5150.000	49.99	54.00	-4.01	36.03	13.96	Average
2	5191.250	101.18	-----	-----	87.16	14.02	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5190MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5190MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5149.700	61.75	74.00	-12.25	47.79	13.96	Peak
2	5181.500	111.52	-----	-----	97.50	14.02	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5230MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5150.000	53.72	54.00	-0.28	39.76	13.96	Average
2	5231.150	110.40	-----	-----	96.32	14.08	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5230MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5149.700	67.14	74.00	-6.86	53.18	13.96	Peak
2	5231.150	120.94	-----	-----	106.86	14.08	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5230MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5150.000	47.36	54.00	-6.64	33.40	13.96	Average
2	5231.000	106.23	-----	-----	92.15	14.08	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5230MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5230MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5143.400	60.08	74.00	-13.92	46.13	13.95	Peak
2	5232.350	116.24	-----	-----	102.14	14.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5270MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5270MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5271.150	109.74	-----	-----	95.59	14.15	Average
2	5350.200	51.87	54.00	-2.13	37.60	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5270MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5270MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5272.500	119.79	-----	-----	105.64	14.15	Peak
2	5351.400	66.21	74.00	-7.79	51.94	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5270MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5270MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5268.900	106.56	-----	-----	92.41	14.15	Average
2	5350.200	43.59	54.00	-10.41	29.32	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5270MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5270MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5268.000	117.65	-----	-----	103.52	14.13	Peak
2	5350.350	57.11	74.00	-16.89	42.84	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5310MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5310MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5311.050	105.50	-----	-----	91.29	14.21	Average
2	5350.350	53.52	54.00	-0.48	39.25	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5310MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5310MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5310.600	117.02	-----	-----	102.81	14.21	Peak
2	5352.750	67.25	74.00	-6.75	52.98	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5310MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5310MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5311.050	101.55	-----	-----	87.34	14.21	Average
2	5351.700	46.17	54.00	-7.83	31.90	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5310MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5310MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5310.750	113.67	-----	-----	99.46	14.21	Peak
2	5350.350	58.98	74.00	-15.02	44.71	14.27	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5510MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5510MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	48.01	54.00	-5.99	33.57	14.44	Average
2	5510.600	105.44	-----	-----	90.91	14.53	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5510MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5510MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	59.68	74.00	-14.32	45.24	14.44	Peak
2	5469.300	65.69	68.20	-2.51	51.24	14.45	Peak
3	5511.125	117.05	-----	-----	102.52	14.53	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5510MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5510MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	42.87	54.00	-11.13	28.43	14.44	Average
2	5512.175	100.38	-----	-----	85.85	14.53	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5510MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5510MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5456.350	57.31	74.00	-16.69	42.87	14.44	Peak
2	5466.150	58.80	68.20	-9.40	44.36	14.44	Peak
3	5511.125	112.14	-----	-----	97.61	14.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5550MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5550MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5455.825	49.99	54.00	-4.01	35.56	14.43	Average
2	5546.475	109.81	-----	-----	95.19	14.62	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5550MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5550MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5456.350	65.07	74.00	-8.93	50.63	14.44	Peak
2	5465.100	66.96	68.20	-1.24	52.52	14.44	Peak
3	5545.950	121.91	-----	-----	107.29	14.62	Peak
4	5747.375	56.68	68.20	-11.52	41.54	15.14	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5550MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5550MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5459.850	46.47	54.00	-7.53	32.03	14.44	Average
2	5552.425	105.30	-----	-----	90.67	14.63	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5550MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5550MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5459.850	59.03	74.00	-14.97	44.59	14.44	Peak
2	5469.825	61.79	68.20	-6.41	47.34	14.45	Peak
3	5552.250	115.70	-----	-----	101.07	14.63	Peak
4	5744.750	53.99	68.20	-14.21	38.86	15.13	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5670MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5670MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5668.625	117.63	-----	-----	102.70	14.93	Peak
2	5725.150	65.30	68.20	-2.90	50.21	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5670MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5670MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5673.525	115.03	-----	-----	100.08	14.95	Peak
2	5726.550	63.57	68.20	-4.63	48.48	15.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5755MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5755MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5645.250	66.37	68.20	-1.83	51.50	14.87	Peak
2	5654.750	69.45	71.72	-2.27	54.55	14.90	Peak
3	5719.250	98.19	110.59	-12.49	83.93	15.07	Peak
4	5753.500	121.93	-----	-----	106.77	15.16	Peak
5	5854.000	68.66	113.08	-44.42	53.24	15.42	Peak
6	5923.250	57.80	69.50	-11.70	42.21	15.59	Peak
7	5935.750	58.03	68.20	-10.17	42.41	15.62	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5755MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5755MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5638.750	61.53	68.20	-6.67	46.67	14.86	Peak
2	5652.250	62.85	69.87	-7.02	47.97	14.88	Peak
3	5719.000	92.91	110.52	-17.61	77.84	15.07	Peak
4	5759.750	116.45	-----	-----	101.28	15.17	Peak
5	5853.250	65.73	114.79	-49.06	50.31	15.42	Peak
6	5920.500	56.20	71.54	-15.34	40.61	15.59	Peak
7	5966.250	55.97	68.20	-12.23	40.27	15.70	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5795MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax40_5795MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5647.000	57.51	68.20	-10.69	42.64	14.87	Peak
2	5654.750	56.70	71.72	-15.02	41.80	14.90	Peak
3	5719.000	73.37	110.52	-37.15	58.30	15.07	Peak
4	5792.000	120.33	-----	-----	105.07	15.26	Peak
5	5852.500	80.93	116.50	-35.57	65.52	15.41	Peak
6	5920.000	61.25	71.91	-10.66	45.66	15.59	Peak
7	5929.250	61.16	68.20	-7.04	45.55	15.61	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax40_5795MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax40_5795MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5647.000	56.43	68.20	-11.77	41.56	14.87	Peak
2	5654.750	56.45	71.72	-15.27	41.55	14.90	Peak
3	5723.750	71.94	119.35	-47.41	56.86	15.08	Peak
4	5791.500	114.79	-----	-----	99.54	15.25	Peak
5	5851.750	80.85	118.21	-37.36	65.44	15.41	Peak
6	5920.750	60.42	71.35	-10.93	44.83	15.59	Peak
7	5927.000	60.42	68.20	-7.78	44.82	15.60	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5210MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5210MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5149.700	51.53	54.00	-2.47	37.57	13.96	Average
2	5212.250	103.12	-----	-----	89.07	14.05	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5210MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5210MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5143.550	63.78	74.00	-10.22	49.83	13.95	Peak
2	5211.800	114.12	-----	-----	100.07	14.05	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5210MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5210MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5149.550	48.22	54.00	-5.78	34.26	13.96	Average
2	5210.900	99.15	-----	-----	85.10	14.05	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5210MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5210MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5149.100	60.66	74.00	-13.34	46.70	13.96	Peak
2	5210.750	111.11	-----	-----	97.06	14.05	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5290MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5290MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5291.850	101.93	-----	-----	87.75	14.18	Average
2	5351.550	53.74	54.00	-0.26	39.47	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5290MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5290MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5291.850	113.15	-----	-----	98.97	14.18	Peak
2	5351.700	65.51	74.00	-8.49	51.24	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5290MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5290MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5290.800	97.74	-----	-----	83.56	14.18	Average
2	5352.150	46.74	54.00	-7.26	32.47	14.27	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5290MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5290MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dB	dB	dB	dB	
1	5290.950	110.11	-----	-----	95.93	14.18	Peak
2	5353.800	58.24	74.00	-15.76	43.97	14.27	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5530MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5530MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5459.850	53.81	54.00	-0.19	39.37	14.44	Average
2	5531.425	103.32	-----	-----	88.73	14.59	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5530MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5530MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5454.775	65.92	74.00	-8.08	51.49	14.43	Peak
2	5469.825	68.00	68.20	-0.20	53.55	14.45	Peak
3	5538.725	114.73	-----	-----	100.15	14.58	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5530MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5530MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5452.675	47.23	54.00	-6.77	32.81	14.42	Average
2	5532.300	97.27	-----	-----	82.68	14.59	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5530MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5530MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5450.225	60.84	74.00	-13.16	46.42	14.42	Peak
2	5462.825	62.09	68.20	-6.11	47.65	14.44	Peak
3	5523.375	109.45	-----	-----	94.90	14.55	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5610MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5610MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5451.800	51.20	54.00	-2.80	36.78	14.42	Average
2	5612.100	105.94	-----	-----	91.15	14.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5610MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5610MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5452.500	65.24	74.00	-8.76	50.82	14.42	Peak
2	5466.325	66.40	68.20	-1.80	51.96	14.44	Peak
3	5612.800	118.26	-----	-----	103.47	14.79	Peak
4	5732.150	67.56	68.20	-0.64	52.46	15.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5610MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5610MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5454.600	46.44	54.00	-7.56	32.01	14.43	Average
2	5612.800	101.61	-----	-----	86.82	14.79	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5610MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5610MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5455.650	59.23	74.00	-14.77	44.80	14.43	Peak
2	5462.825	61.12	68.20	-7.08	46.68	14.44	Peak
3	5613.675	112.49	-----	-----	97.70	14.79	Peak
4	5734.425	66.32	68.20	-1.88	51.21	15.11	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5775MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax80_5775MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5647.750	65.46	68.20	-2.74	50.58	14.88	Peak
2	5651.500	64.51	69.32	-4.81	49.63	14.88	Peak
3	5724.250	98.03	120.49	-30.46	74.95	15.08	Peak
4	5772.500	116.74	-----	-----	101.54	15.20	Peak
5	5850.750	84.21	120.49	-36.28	68.80	15.41	Peak
6	5920.500	63.92	71.54	-7.62	48.33	15.59	Peak
7	5940.750	64.45	68.20	-3.75	48.82	15.63	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax80_5775MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax80_5775MHz
Test By :Brook Cheng




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5643.000	63.54	68.20	-4.66	48.67	14.87	Peak
2	5655.000	63.67	71.91	-8.24	48.77	14.90	Peak
3	5720.250	87.29	111.37	-24.08	72.21	15.08	Peak
4	5780.500	112.65	-----	-----	97.44	15.21	Peak
5	5861.750	84.85	108.91	-24.06	69.42	15.43	Peak
6	5920.000	63.27	71.91	-8.64	47.68	15.59	Peak
7	5946.500	63.42	68.20	-4.78	47.77	15.65	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax160_5250MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5149.960	49.91	54.00	-4.09	35.95	13.96	Average
2	5240.350	98.48	-----	-----	84.38	14.10	Average
3	5350.060	53.86	54.00	-0.14	39.59	14.27	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax160_5250MHz
Test By :Cyril Chen




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	5148.350	59.85	74.00	-14.15	45.89	13.96	Peak
2	5241.270	108.94	-----	-----	94.84	14.10	Peak
3	5358.110	63.92	74.00	-10.08	49.64	14.28	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax160_5250MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5149.960	48.55	54.00	-5.45	34.59	13.96	Average
2	5241.730	94.93	-----	-----	80.83	14.10	Average
3	5361.330	49.69	54.00	-4.31	35.40	14.29	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5250MHz_V_Peak

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax160_5250MHz
Test By :Cyril Chen




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5127.880	60.28	74.00	-13.72	46.35	13.93	Peak
2	5248.810	185.27	-----	-----	91.17	14.10	Peak
3	5372.600	61.75	74.00	-12.25	47.45	14.30	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5570MHz_H_Average

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax160_5570MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5454.250	48.86	54.00	-5.14	34.43	14.43	Average
2	5573.600	97.49	-----	-----	82.80	14.69	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5570MHz_H_Peak

Site :HC-CB04
Condition :3m ,Horizontal
Mode :TX_ax160_5570MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
1	5457.575	65.82	74.00	-8.18	51.38	14.44	Peak
2	5466.325	67.85	68.20	-0.35	53.41	14.44	Peak
3	5564.675	109.85	-----	-----	95.18	14.67	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5570MHz_V_Average

Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax160_5570MHz
Test By :Brook Cheng




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5453.900	43.88	54.00	-10.12	29.45	14.43	Average
2	5572.200	93.21	-----	-----	78.53	14.68	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

TX_ax160_5570MHz_V_Peak









Site :HC-CB04
Condition :3m ,Vertical
Mode :TX_ax160_5570MHz
Test By :Brook Cheng



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	5455.475	59.29	74.00	-14.71	44.86	14.43	Peak
2	5466.190	61.81	68.20	-6.39	47.37	14.44	Peak
3	5572.550	105.13	-----	-----	90.45	14.68	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Appendix F. Test Result of Radiated Emissions Co-location

Colocation_WIFI 2.4G+WIFI 5G_H	Colocation_WIFI 2.4G+WIFI 5G_V																																																																																																																																																																																																																																																		
Site :HC-CB04 Condition :3m ,Horizontal Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>4904.000</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>58.08</td><td>-15.87</td><td>Peak</td></tr><tr><td>2</td><td>7356.000</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>58.99</td><td>-9.52</td><td>Peak</td></tr><tr><td>3</td><td>9808.000</td><td>48.86</td><td>68.20</td><td>-19.34</td><td>55.77</td><td>-6.91</td><td>Peak</td></tr><tr><td>4</td><td>10500.000</td><td>53.94</td><td>68.20</td><td>-14.26</td><td>60.12</td><td>-6.18</td><td>Peak</td></tr><tr><td>5</td><td>15750.000</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>52.69</td><td>0.04</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit. Site :HC-CB04 Condition :3m ,Vertical Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>4904.000</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>58.74</td><td>-15.87</td><td>Peak</td></tr><tr><td>2</td><td>7356.000</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>61.95</td><td>-9.52</td><td>Peak</td></tr><tr><td>3</td><td>9808.000</td><td>49.40</td><td>68.20</td><td>-18.80</td><td>56.31</td><td>-6.91</td><td>Peak</td></tr><tr><td>4</td><td>10500.000</td><td>56.61</td><td>68.20</td><td>-11.59</td><td>62.79</td><td>-6.18</td><td>Peak</td></tr><tr><td>5</td><td>15750.000</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>53.00</td><td>0.04</td><td>Peak</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit. 5. The other emission levels were very low against the limit. <tr><th>Colocation_WIFI 2.4G+WIFI 5G_H_QP</th><th>Colocation_WIFI 2.4G+WIFI 5G_V_QP</th></tr> <tr><td> Site :HC-CB04 Condition :3m ,Horizontal Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>50.273</td><td>29.34</td><td>40.00</td><td>-10.66</td><td>51.57</td><td>-22.23</td><td>QP</td></tr><tr><td>2</td><td>172.299</td><td>27.97</td><td>43.50</td><td>-15.53</td><td>51.19</td><td>-23.22</td><td>QP</td></tr><tr><td>3</td><td>338.557</td><td>29.80</td><td>46.00</td><td>-16.20</td><td>50.78</td><td>-20.98</td><td>QP</td></tr><tr><td>4</td><td>471.350</td><td>33.62</td><td>46.00</td><td>-12.38</td><td>51.21</td><td>-17.59</td><td>QP</td></tr><tr><td>5</td><td>687.854</td><td>35.38</td><td>46.00</td><td>-10.62</td><td>48.97</td><td>-13.59</td><td>QP</td></tr><tr><td>6</td><td>847.516</td><td>38.07</td><td>46.00</td><td>-7.93</td><td>49.37</td><td>-11.30</td><td>QP</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The emission under 30MHz was not included since the emission levels are very low against the limit. 5. The other emission levels were very low against the limit. Site :HC-CB04 Condition :3m ,Vertical Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>39.700</td><td>39.33</td><td>40.00</td><td>-0.67</td><td>62.37</td><td>-23.04</td><td>QP</td></tr><tr><td>2</td><td>171.523</td><td>26.90</td><td>43.50</td><td>-16.60</td><td>50.82</td><td>-23.12</td><td>QP</td></tr><tr><td>3</td><td>290.251</td><td>27.62</td><td>46.00</td><td>-18.38</td><td>49.84</td><td>-22.22</td><td>QP</td></tr><tr><td>4</td><td>499.965</td><td>32.87</td><td>46.00</td><td>-13.13</td><td>50.09</td><td>-17.22</td><td>QP</td></tr><tr><td>5</td><td>599.390</td><td>34.71</td><td>46.00</td><td>-11.29</td><td>49.65</td><td>-14.94</td><td>QP</td></tr><tr><td>6</td><td>901.642</td><td>39.58</td><td>46.00</td><td>-6.42</td><td>50.58</td><td>-11.00</td><td>QP</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The emission under 30MHz was not included since the emission levels are very low against the limit. 5. The other emission levels were very low against the limit. </td></tr>	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	Line	Limit	Level			1	4904.000	42.21	74.00	-31.79	58.08	-15.87	Peak	2	7356.000	49.47	74.00	-24.53	58.99	-9.52	Peak	3	9808.000	48.86	68.20	-19.34	55.77	-6.91	Peak	4	10500.000	53.94	68.20	-14.26	60.12	-6.18	Peak	5	15750.000	52.73	74.00	-21.27	52.69	0.04	Peak	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	Line	Limit	Level			1	4904.000	42.87	74.00	-31.13	58.74	-15.87	Peak	2	7356.000	52.43	74.00	-21.57	61.95	-9.52	Peak	3	9808.000	49.40	68.20	-18.80	56.31	-6.91	Peak	4	10500.000	56.61	68.20	-11.59	62.79	-6.18	Peak	5	15750.000	53.04	74.00	-20.96	53.00	0.04	Peak	Colocation_WIFI 2.4G+WIFI 5G_H_QP	Colocation_WIFI 2.4G+WIFI 5G_V_QP	Site :HC-CB04 Condition :3m ,Horizontal Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>50.273</td><td>29.34</td><td>40.00</td><td>-10.66</td><td>51.57</td><td>-22.23</td><td>QP</td></tr><tr><td>2</td><td>172.299</td><td>27.97</td><td>43.50</td><td>-15.53</td><td>51.19</td><td>-23.22</td><td>QP</td></tr><tr><td>3</td><td>338.557</td><td>29.80</td><td>46.00</td><td>-16.20</td><td>50.78</td><td>-20.98</td><td>QP</td></tr><tr><td>4</td><td>471.350</td><td>33.62</td><td>46.00</td><td>-12.38</td><td>51.21</td><td>-17.59</td><td>QP</td></tr><tr><td>5</td><td>687.854</td><td>35.38</td><td>46.00</td><td>-10.62</td><td>48.97</td><td>-13.59</td><td>QP</td></tr><tr><td>6</td><td>847.516</td><td>38.07</td><td>46.00</td><td>-7.93</td><td>49.37</td><td>-11.30</td><td>QP</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The emission under 30MHz was not included since the emission levels are very low against the limit. 5. The other emission levels were very low against the limit. Site :HC-CB04 Condition :3m ,Vertical Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>39.700</td><td>39.33</td><td>40.00</td><td>-0.67</td><td>62.37</td><td>-23.04</td><td>QP</td></tr><tr><td>2</td><td>171.523</td><td>26.90</td><td>43.50</td><td>-16.60</td><td>50.82</td><td>-23.12</td><td>QP</td></tr><tr><td>3</td><td>290.251</td><td>27.62</td><td>46.00</td><td>-18.38</td><td>49.84</td><td>-22.22</td><td>QP</td></tr><tr><td>4</td><td>499.965</td><td>32.87</td><td>46.00</td><td>-13.13</td><td>50.09</td><td>-17.22</td><td>QP</td></tr><tr><td>5</td><td>599.390</td><td>34.71</td><td>46.00</td><td>-11.29</td><td>49.65</td><td>-14.94</td><td>QP</td></tr><tr><td>6</td><td>901.642</td><td>39.58</td><td>46.00</td><td>-6.42</td><td>50.58</td><td>-11.00</td><td>QP</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The emission under 30MHz was not included since the emission levels are very low against the limit. 5. The other emission levels were very low against the limit.	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	Line	Limit	Level			1	50.273	29.34	40.00	-10.66	51.57	-22.23	QP	2	172.299	27.97	43.50	-15.53	51.19	-23.22	QP	3	338.557	29.80	46.00	-16.20	50.78	-20.98	QP	4	471.350	33.62	46.00	-12.38	51.21	-17.59	QP	5	687.854	35.38	46.00	-10.62	48.97	-13.59	QP	6	847.516	38.07	46.00	-7.93	49.37	-11.30	QP	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	Line	Limit	Level			1	39.700	39.33	40.00	-0.67	62.37	-23.04	QP	2	171.523	26.90	43.50	-16.60	50.82	-23.12	QP	3	290.251	27.62	46.00	-18.38	49.84	-22.22	QP	4	499.965	32.87	46.00	-13.13	50.09	-17.22	QP	5	599.390	34.71	46.00	-11.29	49.65	-14.94	QP	6	901.642	39.58	46.00	-6.42	50.58	-11.00	QP
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																																																																																																																																																																												
	MHz	dBuV/m	Line	Limit	Level																																																																																																																																																																																																																																														
1	4904.000	42.21	74.00	-31.79	58.08	-15.87	Peak																																																																																																																																																																																																																																												
2	7356.000	49.47	74.00	-24.53	58.99	-9.52	Peak																																																																																																																																																																																																																																												
3	9808.000	48.86	68.20	-19.34	55.77	-6.91	Peak																																																																																																																																																																																																																																												
4	10500.000	53.94	68.20	-14.26	60.12	-6.18	Peak																																																																																																																																																																																																																																												
5	15750.000	52.73	74.00	-21.27	52.69	0.04	Peak																																																																																																																																																																																																																																												
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																																																																																																																																																																												
	MHz	dBuV/m	Line	Limit	Level																																																																																																																																																																																																																																														
1	4904.000	42.87	74.00	-31.13	58.74	-15.87	Peak																																																																																																																																																																																																																																												
2	7356.000	52.43	74.00	-21.57	61.95	-9.52	Peak																																																																																																																																																																																																																																												
3	9808.000	49.40	68.20	-18.80	56.31	-6.91	Peak																																																																																																																																																																																																																																												
4	10500.000	56.61	68.20	-11.59	62.79	-6.18	Peak																																																																																																																																																																																																																																												
5	15750.000	53.04	74.00	-20.96	53.00	0.04	Peak																																																																																																																																																																																																																																												
Colocation_WIFI 2.4G+WIFI 5G_H_QP	Colocation_WIFI 2.4G+WIFI 5G_V_QP																																																																																																																																																																																																																																																		
Site :HC-CB04 Condition :3m ,Horizontal Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>50.273</td><td>29.34</td><td>40.00</td><td>-10.66</td><td>51.57</td><td>-22.23</td><td>QP</td></tr><tr><td>2</td><td>172.299</td><td>27.97</td><td>43.50</td><td>-15.53</td><td>51.19</td><td>-23.22</td><td>QP</td></tr><tr><td>3</td><td>338.557</td><td>29.80</td><td>46.00</td><td>-16.20</td><td>50.78</td><td>-20.98</td><td>QP</td></tr><tr><td>4</td><td>471.350</td><td>33.62</td><td>46.00</td><td>-12.38</td><td>51.21</td><td>-17.59</td><td>QP</td></tr><tr><td>5</td><td>687.854</td><td>35.38</td><td>46.00</td><td>-10.62</td><td>48.97</td><td>-13.59</td><td>QP</td></tr><tr><td>6</td><td>847.516</td><td>38.07</td><td>46.00</td><td>-7.93</td><td>49.37</td><td>-11.30</td><td>QP</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The emission under 30MHz was not included since the emission levels are very low against the limit. 5. The other emission levels were very low against the limit. Site :HC-CB04 Condition :3m ,Vertical Mode :Colocation_WIFI 2.4G+WIFI 5G Test By :Cyril Chen  <table><tr><th>No.</th><th>Frequency</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Line</th><th>Limit</th><th>Level</th><th></th><th></th></tr><tr><td>1</td><td>39.700</td><td>39.33</td><td>40.00</td><td>-0.67</td><td>62.37</td><td>-23.04</td><td>QP</td></tr><tr><td>2</td><td>171.523</td><td>26.90</td><td>43.50</td><td>-16.60</td><td>50.82</td><td>-23.12</td><td>QP</td></tr><tr><td>3</td><td>290.251</td><td>27.62</td><td>46.00</td><td>-18.38</td><td>49.84</td><td>-22.22</td><td>QP</td></tr><tr><td>4</td><td>499.965</td><td>32.87</td><td>46.00</td><td>-13.13</td><td>50.09</td><td>-17.22</td><td>QP</td></tr><tr><td>5</td><td>599.390</td><td>34.71</td><td>46.00</td><td>-11.29</td><td>49.65</td><td>-14.94</td><td>QP</td></tr><tr><td>6</td><td>901.642</td><td>39.58</td><td>46.00</td><td>-6.42</td><td>50.58</td><td>-11.00</td><td>QP</td></tr></table> Note: 1. Level = Read Level + Factor 2. Factor = Antenna Factor + Cable Loss - Preamp Factor 3. Over Limit = Level - Limit Line 4. The emission under 30MHz was not included since the emission levels are very low against the limit. 5. The other emission levels were very low against the limit.	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	Line	Limit	Level			1	50.273	29.34	40.00	-10.66	51.57	-22.23	QP	2	172.299	27.97	43.50	-15.53	51.19	-23.22	QP	3	338.557	29.80	46.00	-16.20	50.78	-20.98	QP	4	471.350	33.62	46.00	-12.38	51.21	-17.59	QP	5	687.854	35.38	46.00	-10.62	48.97	-13.59	QP	6	847.516	38.07	46.00	-7.93	49.37	-11.30	QP	No.	Frequency	Level	Limit	Over	Read	Factor	Remark		MHz	dBuV/m	Line	Limit	Level			1	39.700	39.33	40.00	-0.67	62.37	-23.04	QP	2	171.523	26.90	43.50	-16.60	50.82	-23.12	QP	3	290.251	27.62	46.00	-18.38	49.84	-22.22	QP	4	499.965	32.87	46.00	-13.13	50.09	-17.22	QP	5	599.390	34.71	46.00	-11.29	49.65	-14.94	QP	6	901.642	39.58	46.00	-6.42	50.58	-11.00	QP																																																																																																																			
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																																																																																																																																																																												
	MHz	dBuV/m	Line	Limit	Level																																																																																																																																																																																																																																														
1	50.273	29.34	40.00	-10.66	51.57	-22.23	QP																																																																																																																																																																																																																																												
2	172.299	27.97	43.50	-15.53	51.19	-23.22	QP																																																																																																																																																																																																																																												
3	338.557	29.80	46.00	-16.20	50.78	-20.98	QP																																																																																																																																																																																																																																												
4	471.350	33.62	46.00	-12.38	51.21	-17.59	QP																																																																																																																																																																																																																																												
5	687.854	35.38	46.00	-10.62	48.97	-13.59	QP																																																																																																																																																																																																																																												
6	847.516	38.07	46.00	-7.93	49.37	-11.30	QP																																																																																																																																																																																																																																												
No.	Frequency	Level	Limit	Over	Read	Factor	Remark																																																																																																																																																																																																																																												
	MHz	dBuV/m	Line	Limit	Level																																																																																																																																																																																																																																														
1	39.700	39.33	40.00	-0.67	62.37	-23.04	QP																																																																																																																																																																																																																																												
2	171.523	26.90	43.50	-16.60	50.82	-23.12	QP																																																																																																																																																																																																																																												
3	290.251	27.62	46.00	-18.38	49.84	-22.22	QP																																																																																																																																																																																																																																												
4	499.965	32.87	46.00	-13.13	50.09	-17.22	QP																																																																																																																																																																																																																																												
5	599.390	34.71	46.00	-11.29	49.65	-14.94	QP																																																																																																																																																																																																																																												
6	901.642	39.58	46.00	-6.42	50.58	-11.00	QP																																																																																																																																																																																																																																												