


5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX

EUT\_Y\_4TX  
Setting 22  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.09958G    | 57.25             | 74.00             | -16.75         | 41.71         | 3           | Vertical  | 221            | 2.23          | -       | 38.50      | 11.47      | 34.43      |  |  |  |
| AV   | 11.09928G    | 44.41             | 54.00             | -9.59          | 28.87         | 3           | Vertical  | 221            | 2.23          | -       | 38.50      | 11.47      | 34.43      |  |  |  |
| PK   | 16.65213G    | 59.67             | 68.20             | -8.53          | 41.98         | 3           | Vertical  | 296            | 1.28          | -       | 38.80      | 13.59      | 34.70      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX

EUT\_Y\_4TX  
Setting 22  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.0995G     | 57.11             | 74.00             | -16.89         | 41.57         | 3           | Horizontal | 108            | 2.88          | -       | 38.50      | 11.47      | 34.43      |  |  |  |
| AV   | 11.09925G    | 44.41             | 54.00             | -9.59          | 28.87         | 3           | Horizontal | 108            | 2.88          | -       | 38.50      | 11.47      | 34.43      |  |  |  |
| PK   | 16.64788G    | 60.10             | 68.20             | -8.10          | 42.42         | 3           | Horizontal | 117            | 3.00          | -       | 38.79      | 13.59      | 34.70      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
03-P-J-10-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.6766G | 121.51   | Inf      | -Inf   | 114.74 | 3    | Vertical  | 148     | 1.55   | -       | 34.25 | 7.74 | 35.22 |  |  |  |
| AV   | 5.6756G | 110.46   | Inf      | -Inf   | 103.69 | 3    | Vertical  | 148     | 1.55   | -       | 34.25 | 7.74 | 35.22 |  |  |  |
| PK   | 5.7274G | 68.02    | 68.20    | -0.18  | 61.21  | 3    | Vertical  | 148     | 1.55   | -       | 34.20 | 7.83 | 35.22 |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6646G      | 113.45            | Inf               | -Inf           | 106.68        | 3           | Horizontal | 335            | 2.06          | -       | 34.27      | 7.72       | 35.22      |  |  |  |
| AV   | 5.6642G      | 101.99            | Inf               | -Inf           | 95.22         | 3           | Horizontal | 335            | 2.06          | -       | 34.27      | 7.72       | 35.22      |  |  |  |
| PK   | 5.7256G      | 65.20             | 68.20             | -3.00          | 58.39         | 3           | Horizontal | 335            | 2.06          | -       | 34.20      | 7.83       | 35.22      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX

EUT\_Y\_4TX  
Setting 19.5  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.34032G    | 55.85             | 74.00             | -18.15         | 40.09         | 3           | Vertical  | 98             | 2.27          | -       | 38.58      | 11.56      | 34.38      |  |  |  |
| AV   | 11.3375G     | 43.61             | 54.00             | -10.39         | 27.85         | 3           | Vertical  | 98             | 2.27          | -       | 38.58      | 11.56      | 34.38      |  |  |  |
| PK   | 17.01077G    | 60.66             | 68.20             | -7.54          | 41.20         | 3           | Vertical  | 205            | 3.00          | -       | 40.00      | 13.77      | 34.31      |  |  |  |

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3392G     | 55.81             | 74.00             | -18.19         | 40.05         | 3           | Horizontal | 178            | 2.90          | -       | 38.58      | 11.56      | 34.38      |  |  |  |
| AV   | 11.33787G    | 43.61             | 54.00             | -10.39         | 27.85         | 3           | Horizontal | 178            | 2.90          | -       | 38.58      | 11.56      | 34.38      |  |  |  |
| PK   | 17.00973G    | 60.86             | 68.20             | -7.34          | 41.41         | 3           | Horizontal | 93             | 1.64          | -       | 40.00      | 13.76      | 34.31      |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX

EUT\_Y\_4TX  
Setting 23  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6355G      | 66.94             | 68.20             | -1.26          | 60.20         | 3           | Vertical  | 149            | 1.68          | -       | 34.30      | 7.67       | 35.23      |  |  |  |
| PK   | 5.7625G      | 125.66            | Inf               | -Inf           | 118.78        | 3           | Vertical  | 149            | 1.68          | -       | 34.20      | 7.89       | 35.21      |  |  |  |
| AV   | 5.7615G      | 115.01            | Inf               | -Inf           | 108.13        | 3           | Vertical  | 149            | 1.68          | -       | 34.20      | 7.89       | 35.21      |  |  |  |
| PK   | 5.956G       | 62.13             | 68.20             | -6.07          | 54.50         | 3           | Vertical  | 149            | 1.68          | -       | 34.70      | 8.12       | 35.19      |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX

EUT\_Y\_4TX  
Setting 23  
03-P-J-10-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.648G  | 61.20    | 68.20    | -7.00  | 54.44  | 3    | Horizontal | 202     | 1.87   | -       | 34.30 | 7.69 | 35.23 |  |  |  |
| PK   | 5.759G  | 114.71   | Inf      | -Inf   | 107.83 | 3    | Horizontal | 202     | 1.87   | -       | 34.20 | 7.89 | 35.21 |  |  |  |
| AV   | 5.7605G | 104.94   | Inf      | -Inf   | 98.06  | 3    | Horizontal | 202     | 1.87   | -       | 34.20 | 7.89 | 35.21 |  |  |  |
| PK   | 5.94G   | 61.16    | 68.20    | -7.04  | 53.59  | 3    | Horizontal | 202     | 1.87   | -       | 34.66 | 8.11 | 35.20 |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX

EUT\_Y\_4TX  
Setting 23  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.51076G    | 57.78             | 74.00             | -16.22         | 41.57         | 3           | Vertical  | 94             | 2.30          | -       | 38.94      | 11.63      | 34.36      |  |  |  |
| AV   | 11.50792G    | 44.43             | 54.00             | -9.57          | 28.23         | 3           | Vertical  | 94             | 2.30          | -       | 38.93      | 11.63      | 34.36      |  |  |  |
| PK   | 17.26304G    | 62.22             | 68.20             | -5.98          | 41.50         | 3           | Vertical  | 131            | 2.28          | -       | 40.88      | 13.89      | 34.05      |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX

EUT\_Y\_4TX  
Setting 23  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.51034G    | 57.10             | 74.00             | -16.90         | 40.89         | 3           | Horizontal | 347            | 1.05          | -       | 38.94      | 11.63      | 34.36      |  |  |  |
| AV   | 11.51105G    | 44.48             | 54.00             | -9.52          | 28.27         | 3           | Horizontal | 347            | 1.05          | -       | 38.94      | 11.63      | 34.36      |  |  |  |
| PK   | 17.26325G    | 62.02             | 68.20             | -6.18          | 41.30         | 3           | Horizontal | 128            | 1.28          | -       | 40.88      | 13.89      | 34.05      |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT Y\_4TX  
Setting 24.5  
03-P-J-10-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.6415G | 65.40    | 68.20    | -2.80  | 58.65  | 3    | Vertical  | 151     | 1.71   | -       | 34.30 | 7.68 | 35.23 |  |  |  |
| PK   | 5.7825G | 126.39   | Inf      | -Inf   | 119.47 | 3    | Vertical  | 151     | 1.71   | -       | 34.20 | 7.93 | 35.21 |  |  |  |
| AV   | 5.8015G | 115.71   | Inf      | -Inf   | 108.76 | 3    | Vertical  | 151     | 1.71   | -       | 34.20 | 7.96 | 35.21 |  |  |  |
| PK   | 5.9235G | 68.05    | 69.31    | -1.26  | 60.57  | 3    | Vertical  | 151     | 1.71   | -       | 34.59 | 8.09 | 35.20 |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
Setting 24.5  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.5755G      | 60.25             | 68.20             | -7.95          | 53.44         | 3           | Horizontal | 203            | 1.88          | -       | 34.40      | 7.64       | 35.23      |  |  |  |
| PK   | 5.801G       | 116.50            | Inf               | -Inf           | 109.55        | 3           | Horizontal | 203            | 1.88          | -       | 34.20      | 7.96       | 35.21      |  |  |  |
| AV   | 5.8005G      | 105.79            | Inf               | -Inf           | 98.84         | 3           | Horizontal | 203            | 1.88          | -       | 34.20      | 7.96       | 35.21      |  |  |  |
| PK   | 6.016G       | 61.82             | 68.20             | -6.38          | 54.09         | 3           | Horizontal | 203            | 1.88          | -       | 34.73      | 8.19       | 35.19      |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX

EUT\_Y\_4TX  
Setting 24.5  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.59048G    | 57.43             | 74.00             | -16.57         | 40.94         | 3           | Vertical  | 252            | 1.20          | -       | 39.26      | 11.66      | 34.43      |  |  |  |
| AV   | 11.58752G    | 44.44             | 54.00             | -9.56          | 27.96         | 3           | Vertical  | 252            | 1.20          | -       | 39.25      | 11.66      | 34.43      |  |  |  |
| PK   | 17.38539G    | 62.89             | 68.20             | -5.31          | 41.25         | 3           | Vertical  | 113            | 1.22          | -       | 41.61      | 13.95      | 33.92      |  |  |  |

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
Setting 24.5  
03-P-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.59155G | 56.79    | 74.00    | -17.21 | 40.29  | 3    | Horizontal | 213     | 2.40   | -       | 39.27 | 11.66 | 34.43 |  |  |  |
| AV   | 11.59042G | 44.39    | 54.00    | -9.61  | 27.90  | 3    | Horizontal | 213     | 2.40   | -       | 39.26 | 11.66 | 34.43 |  |  |  |
| PK   | 17.38287G | 63.17    | 68.20    | -5.03  | 41.54  | 3    | Horizontal | 17      | 3.00   | -       | 41.60 | 13.95 | 33.92 |  |  |  |

## 5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.146G       | 65.55             | 74.00             | -8.45          | 59.47         | 3           | Vertical  | 340            | 1.37          | -       | 33.90      | 7.48       | 35.30      |  |  |  |
| AV   | 5.1476G      | 53.84             | 54.00             | -0.16          | 47.75         | 3           | Vertical  | 340            | 1.37          | -       | 33.90      | 7.49       | 35.30      |  |  |  |
| PK   | 5.208G       | 115.82            | Inf               | -Inf           | 109.39        | 3           | Vertical  | 340            | 1.37          | -       | 34.10      | 7.62       | 35.29      |  |  |  |
| AV   | 5.2076G      | 104.89            | Inf               | -Inf           | 98.46         | 3           | Vertical  | 340            | 1.37          | -       | 34.10      | 7.62       | 35.29      |  |  |  |
| PK   | 5.3676G      | 60.88             | 74.00             | -13.12         | 53.75         | 3           | Vertical  | 340            | 1.37          | -       | 34.57      | 7.82       | 35.26      |  |  |  |
| AV   | 5.3844G      | 49.21             | 54.00             | -4.79          | 41.99         | 3           | Vertical  | 340            | 1.37          | -       | 34.64      | 7.84       | 35.26      |  |  |  |

## 5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1296G      | 59.10             | 74.00             | -14.90         | 53.07         | 3           | Horizontal | 332            | 1.74          | -       | 33.90      | 7.44       | 35.31      |  |  |  |
| AV   | 5.1428G      | 47.64             | 54.00             | -6.36          | 41.56         | 3           | Horizontal | 332            | 1.74          | -       | 33.90      | 7.48       | 35.30      |  |  |  |
| PK   | 5.2032G      | 101.81            | Inf               | -Inf           | 95.39         | 3           | Horizontal | 332            | 1.74          | -       | 34.10      | 7.61       | 35.29      |  |  |  |
| AV   | 5.2036G      | 91.41             | Inf               | -Inf           | 84.99         | 3           | Horizontal | 332            | 1.74          | -       | 34.10      | 7.61       | 35.29      |  |  |  |
| PK   | 5.3804G      | 60.57             | 74.00             | -13.43         | 53.37         | 3           | Horizontal | 332            | 1.74          | -       | 34.62      | 7.84       | 35.26      |  |  |  |
| AV   | 5.3908G      | 48.48             | 54.00             | -5.52          | 41.23         | 3           | Horizontal | 332            | 1.74          | -       | 34.66      | 7.85       | 35.26      |  |  |  |

## 5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.42073G    | 55.61             | 68.20             | -12.59         | 41.11         | 3           | Vertical  | 336            | 1.26          | -       | 37.90      | 11.19      | 34.59      |  |  |  |
| PK   | 15.63001G    | 57.75             | 74.00             | -16.25         | 41.83         | 3           | Vertical  | 253            | 2.97          | -       | 37.92      | 12.98      | 34.98      |  |  |  |
| AV   | 15.62986G    | 45.58             | 54.00             | -8.42          | 29.66         | 3           | Vertical  | 253            | 2.97          | -       | 37.92      | 12.98      | 34.98      |  |  |  |

## 5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

## 5210MHz\_TX




EUT\_Y\_4TX  
Setting 15  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.41935G    | 55.33             | 68.20             | -12.87         | 40.84         | 3           | Horizontal | 301            | 2.12          | -       | 37.90      | 11.19      | 34.60      |  |  |  |
| PK   | 15.6314G     | 57.70             | 74.00             | -16.30         | 41.79         | 3           | Horizontal | 241            | 1.06          | -       | 37.91      | 12.98      | 34.98      |  |  |  |
| AV   | 15.62974G    | 45.63             | 54.00             | -8.37          | 29.71         | 3           | Horizontal | 241            | 1.06          | -       | 37.92      | 12.98      | 34.98      |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX

EUT\_Y\_4TX  
Setting 15  
03-P-J-10-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.1264G | 59.30    | 74.00    | -14.70 | 53.27  | 3    | Vertical  | 338     | 1.30   | -       | 33.90 | 7.44 | 35.31 |  |  |  |  |
| AV   | 5.1472G | 47.66    | 54.00    | -6.34  | 41.57  | 3    | Vertical  | 338     | 1.30   | -       | 33.90 | 7.49 | 35.30 |  |  |  |  |
| PK   | 5.2872G | 114.87   | Inf      | -Inf   | 108.11 | 3    | Vertical  | 338     | 1.30   | -       | 34.32 | 7.72 | 35.28 |  |  |  |  |
| AV   | 5.2884G | 104.04   | Inf      | -Inf   | 97.27  | 3    | Vertical  | 338     | 1.30   | -       | 34.33 | 7.72 | 35.28 |  |  |  |  |
| PK   | 5.4112G | 64.33    | 74.00    | -9.67  | 57.06  | 3    | Vertical  | 338     | 1.30   | -       | 34.68 | 7.85 | 35.26 |  |  |  |  |
| AV   | 5.35G   | 53.59    | 54.00    | -0.41  | 46.56  | 3    | Vertical  | 338     | 1.30   | -       | 34.50 | 7.80 | 35.27 |  |  |  |  |
| PK   | 5.4876G | 60.15    | 68.20    | -8.05  | 53.04  | 3    | Vertical  | 338     | 1.30   | -       | 34.60 | 7.75 | 35.24 |  |  |  |  |

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX

EUT\_Y\_4TX  
Setting 15  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.12G        | 58.82             | 74.00             | -15.18         | 52.81         | 3           | Horizontal | 330            | 1.71          | -       | 33.90      | 7.42       | 35.31      |  |  |  |
| AV   | 5.1052G      | 47.15             | 54.00             | -6.85          | 41.17         | 3           | Horizontal | 330            | 1.71          | -       | 33.90      | 7.39       | 35.31      |  |  |  |
| PK   | 5.2828G      | 102.30            | Inf               | -Inf           | 95.57         | 3           | Horizontal | 330            | 1.71          | -       | 34.30      | 7.71       | 35.28      |  |  |  |
| AV   | 5.284G       | 90.99             | Inf               | -Inf           | 84.25         | 3           | Horizontal | 330            | 1.71          | -       | 34.30      | 7.72       | 35.28      |  |  |  |
| PK   | 5.4492G      | 61.27             | 74.00             | -12.73         | 54.12         | 3           | Horizontal | 330            | 1.71          | -       | 34.60      | 7.80       | 35.25      |  |  |  |
| AV   | 5.436G       | 48.72             | 54.00             | -5.28          | 41.52         | 3           | Horizontal | 330            | 1.71          | -       | 34.63      | 7.82       | 35.25      |  |  |  |
| PK   | 5.48G        | 60.12             | 68.20             | -8.08          | 53.00         | 3           | Horizontal | 330            | 1.71          | -       | 34.60      | 7.76       | 35.24      |  |  |  |

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX

EUT\_Y\_4TX  
Setting 15  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.58099G    | 56.25             | 68.20             | -11.95         | 41.27         | 3           | Vertical  | 359            | 1.28          | -       | 38.20      | 11.26      | 34.48      |  |  |  |
| PK   | 15.86926G    | 58.17             | 74.00             | -15.83         | 42.34         | 3           | Vertical  | 132            | 2.16          | -       | 37.74      | 13.17      | 35.08      |  |  |  |
| AV   | 15.86909G    | 45.63             | 54.00             | -8.37          | 29.80         | 3           | Vertical  | 132            | 2.16          | -       | 37.74      | 13.17      | 35.08      |  |  |  |

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX

EUT\_Y\_4TX  
Setting 15  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.57836G    | 56.60             | 68.20             | -11.60         | 41.63         | 3           | Horizontal | 144            | 2.23          | -       | 38.20      | 11.25      | 34.48      |  |  |  |
| PK   | 15.86985G    | 57.94             | 74.00             | -16.06         | 42.11         | 3           | Horizontal | 332            | 1.17          | -       | 37.74      | 13.17      | 35.08      |  |  |  |
| AV   | 15.87217G    | 45.55             | 54.00             | -8.45          | 29.72         | 3           | Horizontal | 332            | 1.17          | -       | 37.74      | 13.17      | 35.08      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_V\_4TX  
Setting 17  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3396G      | 61.16             | 68.20             | -7.04          | 54.17         | 3           | Vertical  | 167            | 1.80          | -       | 34.48      | 7.78       | 35.27      |  |  |  |
| AV   | 5.35G        | 48.62             | 54.00             | -5.38          | 41.59         | 3           | Vertical  | 167            | 1.80          | -       | 34.50      | 7.80       | 35.27      |  |  |  |
| PK   | 5.46G        | 66.20             | 74.00             | -7.80          | 59.06         | 3           | Vertical  | 167            | 1.80          | -       | 34.60      | 7.79       | 35.25      |  |  |  |
| AV   | 5.46G        | 53.12             | 54.00             | -0.88          | 45.98         | 3           | Vertical  | 167            | 1.80          | -       | 34.60      | 7.79       | 35.25      |  |  |  |
| PK   | 5.4616G      | 65.76             | 68.20             | -2.44          | 58.63         | 3           | Vertical  | 167            | 1.80          | -       | 34.60      | 7.78       | 35.25      |  |  |  |
| PK   | 5.54G        | 116.52            | Inf               | -Inf           | 109.55        | 3           | Vertical  | 167            | 1.80          | -       | 34.52      | 7.69       | 35.24      |  |  |  |
| AV   | 5.5408G      | 104.70            | Inf               | -Inf           | 97.74         | 3           | Vertical  | 167            | 1.80          | -       | 34.52      | 7.68       | 35.24      |  |  |  |
| PK   | 5.728G       | 59.63             | 68.20             | -8.57          | 52.82         | 3           | Vertical  | 167            | 1.80          | -       | 34.20      | 7.83       | 35.22      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
Setting 17  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3408G      | 60.25             | 68.20             | -7.95          | 53.25         | 3           | Horizontal | 339            | 1.97          | -       | 34.48      | 7.79       | 35.27      |  |  |  |
| AV   | 5.35G        | 48.01             | 54.00             | -5.99          | 40.98         | 3           | Horizontal | 339            | 1.97          | -       | 34.50      | 7.80       | 35.27      |  |  |  |
| PK   | 5.414G       | 60.84             | 74.00             | -13.16         | 53.59         | 3           | Horizontal | 339            | 1.97          | -       | 34.67      | 7.84       | 35.26      |  |  |  |
| PK   | 5.4604G      | 61.13             | 68.20             | -7.07          | 54.00         | 3           | Horizontal | 339            | 1.97          | -       | 34.60      | 7.78       | 35.25      |  |  |  |
| AV   | 5.4412G      | 49.15             | 54.00             | -4.85          | 41.97         | 3           | Horizontal | 339            | 1.97          | -       | 34.62      | 7.81       | 35.25      |  |  |  |
| PK   | 5.5424G      | 107.98            | Inf               | -Inf           | 101.02        | 3           | Horizontal | 339            | 1.97          | -       | 34.52      | 7.68       | 35.24      |  |  |  |
| AV   | 5.5224G      | 96.77             | Inf               | -Inf           | 89.74         | 3           | Horizontal | 339            | 1.97          | -       | 34.56      | 7.71       | 35.24      |  |  |  |
| PK   | 5.7272G      | 60.12             | 68.20             | -8.08          | 53.31         | 3           | Horizontal | 339            | 1.97          | -       | 34.20      | 7.83       | 35.22      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX

EUT\_Y\_4TX  
Setting 17  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.05871G    | 57.34             | 74.00             | -16.66         | 41.91         | 3           | Vertical  | 151            | 2.15          | -       | 38.42      | 11.45      | 34.44      |  |  |  |
| AV   | 11.06096G    | 44.38             | 54.00             | -9.62          | 28.95         | 3           | Vertical  | 151            | 2.15          | -       | 38.42      | 11.45      | 34.44      |  |  |  |
| PK   | 16.59075G    | 60.03             | 68.20             | -8.17          | 42.69         | 3           | Vertical  | 304            | 2.41          | -       | 38.54      | 13.56      | 34.76      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX

EUT\_Y\_4TX  
Setting 17  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.05826G    | 56.72             | 74.00             | -17.28         | 41.29         | 3           | Horizontal | 123            | 2.31          | -       | 38.42      | 11.45      | 34.44      |  |  |  |
| AV   | 11.05811G    | 44.33             | 54.00             | -9.67          | 28.90         | 3           | Horizontal | 123            | 2.31          | -       | 38.42      | 11.45      | 34.44      |  |  |  |
| PK   | 16.59047G    | 59.96             | 68.20             | -8.24          | 42.62         | 3           | Horizontal | 293            | 2.00          | -       | 38.54      | 13.56      | 34.76      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
Setting 19  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4576G      | 62.33             | 74.00             | -11.67         | 55.19         | 3           | Vertical  | 147            | 1.58          | -       | 34.60      | 7.79       | 35.25      |
| AV   | 5.4568G      | 50.28             | 54.00             | -3.72          | 43.14         | 3           | Vertical  | 147            | 1.58          | -       | 34.60      | 7.79       | 35.25      |
| PK   | 5.4656G      | 61.17             | 68.20             | -7.03          | 54.04         | 3           | Vertical  | 147            | 1.58          | -       | 34.60      | 7.78       | 35.25      |
| PK   | 5.6156G      | 117.16            | Inf               | -Inf           | 110.45        | 3           | Vertical  | 147            | 1.58          | -       | 34.30      | 7.64       | 35.23      |
| AV   | 5.6164G      | 106.82            | Inf               | -Inf           | 100.11        | 3           | Vertical  | 147            | 1.58          | -       | 34.30      | 7.64       | 35.23      |
| PK   | 5.728G       | 65.35             | 68.20             | -2.85          | 58.54         | 3           | Vertical  | 147            | 1.58          | -       | 34.20      | 7.83       | 35.22      |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX

EUT\_Y\_4TX  
Setting 19  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4432G      | 60.69             | 74.00             | -13.31         | 53.52         | 3           | Horizontal | 336            | 2.00          | -       | 34.61      | 7.81       | 35.25      |  |  |  |
| AV   | 5.4468G      | 48.96             | 54.00             | -5.04          | 41.80         | 3           | Horizontal | 336            | 2.00          | -       | 34.61      | 7.80       | 35.25      |  |  |  |
| PK   | 5.4616G      | 61.18             | 68.20             | -7.02          | 54.05         | 3           | Horizontal | 336            | 2.00          | -       | 34.60      | 7.78       | 35.25      |  |  |  |
| PK   | 5.6036G      | 109.59            | Inf               | -Inf           | 102.90        | 3           | Horizontal | 336            | 2.00          | -       | 34.30      | 7.62       | 35.23      |  |  |  |
| AV   | 5.604G       | 98.90             | Inf               | -Inf           | 92.21         | 3           | Horizontal | 336            | 2.00          | -       | 34.30      | 7.62       | 35.23      |  |  |  |
| PK   | 5.7304G      | 61.77             | 68.20             | -6.43          | 54.95         | 3           | Horizontal | 336            | 2.00          | -       | 34.20      | 7.84       | 35.22      |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX

EUT\_Y\_4TX  
Setting 19  
03-P-J-10

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.2182G  | 57.32    | 74.00    | -16.68 | 41.72  | 3    | Vertical  | 265     | 1.29   | -       | 38.50 | 11.51 | 34.41 |  |  |  |
| AV   | 11.21879G | 44.54    | 54.00    | -9.46  | 28.94  | 3    | Vertical  | 265     | 1.29   | -       | 38.50 | 11.51 | 34.41 |  |  |  |
| PK   | 16.83169G | 60.78    | 68.20    | -7.42  | 42.31  | 3    | Vertical  | 292     | 2.93   | -       | 39.29 | 13.68 | 34.50 |  |  |  |

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5610MHz\_TX

EUT\_Y\_4TX  
Setting 19  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.21904G    | 57.04             | 74.00             | -16.96         | 41.44         | 3           | Horizontal | 45             | 1.66          | -       | 38.50      | 11.51      | 34.41      |  |  |  |
| AV   | 11.21764G    | 44.47             | 54.00             | -9.53          | 28.87         | 3           | Horizontal | 45             | 1.66          | -       | 38.50      | 11.51      | 34.41      |  |  |  |
| PK   | 16.82933G    | 60.51             | 68.20             | -7.69          | 42.05         | 3           | Horizontal | 46             | 2.23          | -       | 39.28      | 13.68      | 34.50      |  |  |  |

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
Setting 20  
03-P-J-10-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.649G  | 67.46    | 68.20    | -0.74  | 60.69  | 3    | Vertical  | 152     | 1.74   | -       | 34.30 | 7.70 | 35.23 |  |  |  |
| PK   | 5.7825G | 119.71   | Inf      | -Inf   | 112.79 | 3    | Vertical  | 152     | 1.74   | -       | 34.20 | 7.93 | 35.21 |  |  |  |
| AV   | 5.782G  | 108.94   | Inf      | -Inf   | 102.02 | 3    | Vertical  | 152     | 1.74   | -       | 34.20 | 7.93 | 35.21 |  |  |  |
| PK   | 5.924G  | 62.97    | 68.94    | -5.97  | 55.48  | 3    | Vertical  | 152     | 1.74   | -       | 34.60 | 8.09 | 35.20 |  |  |  |

5.725-5.85GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX

EUT\_Y\_4TX  
Setting 20  
03-P-J-10-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6245G      | 60.09             | 68.20             | -8.11          | 53.37         | 3           | Horizontal | 202            | 1.92          | -       | 34.30      | 7.65       | 35.23      |  |  |  |
| PK   | 5.7595G      | 109.76            | Inf               | -Inf           | 102.88        | 3           | Horizontal | 202            | 1.92          | -       | 34.20      | 7.89       | 35.21      |  |  |  |
| AV   | 5.76G        | 98.94             | Inf               | -Inf           | 92.06         | 3           | Horizontal | 202            | 1.92          | -       | 34.20      | 7.89       | 35.21      |  |  |  |
| PK   | 6.0045G      | 62.00             | 68.20             | -6.20          | 54.30         | 3           | Horizontal | 202            | 1.92          | -       | 34.71      | 8.18       | 35.19      |  |  |  |

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5775MHz\_TX

EUT\_Y\_4TX  
Setting 20  
03-P-J-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.54778G    | 57.65             | 74.00             | -16.35         | 41.30         | 3           | Vertical  | 324            | 2.92          | -       | 39.09      | 11.65      | 34.39      |  |  |  |
| AV   | 11.54981G    | 45.41             | 54.00             | -8.59          | 29.06         | 3           | Vertical  | 324            | 2.92          | -       | 39.10      | 11.65      | 34.40      |  |  |  |
| PK   | 17.32653G    | 62.43             | 68.20             | -5.77          | 41.23         | 3           | Vertical  | 145            | 2.90          | -       | 41.26      | 13.92      | 33.98      |  |  |  |

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX

EUT\_Y\_4TX  
Setting 20  
03-P-J-10


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.54954G    | 57.29             | 74.00             | -16.71         | 40.94         | 3           | Horizontal | 273            | 1.27          | -       | 39.10      | 11.65      | 34.40      |  |  |  |
| AV   | 11.54986G    | 45.41             | 54.00             | -8.59          | 29.06         | 3           | Horizontal | 273            | 1.27          | -       | 39.10      | 11.65      | 34.40      |  |  |  |
| PK   | 17.32483G    | 62.16             | 68.20             | -6.04          | 40.97         | 3           | Horizontal | 90             | 1.87          | -       | 41.25      | 13.92      | 33.98      |  |  |  |




**Summary**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 2 | Pass   | AV   | 2.3389G      | 38.16             | 54.00             | -15.84         | Vertical  |

### Mode 2



### Mode 2



| Type | Freq    | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Comment | Raw    | AF     | CL   | PA    |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|--------|--------|------|-------|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dB/m) | (m)  |            | (°)     | (m)    |         | (dBuV) | (dB/m) | (dB) | (dB)  |  |  |
| PK   | 1.7677G | 36.54    | 74.00    | -37.46 | -16.13 | 3    | Horizontal | 335     | 3.00   | -       | 52.67  | 25.32  | 3.45 | 44.90 |  |  |
| AV   | 1.7637G | 24.05    | 54.00    | -29.95 | -16.09 | 3    | Horizontal | 335     | 3.00   | "Worst" | 40.14  | 25.36  | 3.45 | 44.90 |  |  |