























26-tone RU

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (20MHz)	5180	-3.41	-4.05	-0.74	7.54	Pass
	5320	-1.76	-4.08	0.21	8.20	Pass
	5500	-2.72	-3.10	0.05	7.92	Pass
	5700	-1.43	-3.35	0.70	7.92	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (20MHz)	5745	-2.75	-4.32	-0.55	27.98	Pass
	5825	-3.08	-1.29	0.87	27.98	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.




52-tone RU

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (20MHz)	5180	-5.83	-6.94	-3.40	7.54	Pass
	5320	-4.71	-6.66	-2.67	8.20	Pass
	5500	-2.90	-5.19	-1.08	7.92	Pass
	5700	-3.84	-5.28	-1.69	7.92	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (20MHz)	5745	-5.66	-6.51	-3.68	27.98	Pass
	5825	-7.25	-5.65	-3.90	27.98	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.



106-tone RU

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/MHz)			Limit (dBm/MHz)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (20MHz)	5180	-7.50	-8.15	-5.01	7.54	Pass
	5320	-7.53	-9.54	-5.67	8.20	Pass
	5500	-5.19	-6.39	-3.07	7.92	Pass
	5700	-5.35	-6.73	-3.47	7.92	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.

Modulation	Frequency (MHz)	Maximum Power Spectral Density (dBm/500kHz)			Limit (dBm/500kHz)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (20MHz)	5745	-9.06	-8.74	-6.47	27.98	Pass
	5825	-9.74	-7.70	-6.23	27.98	Pass

Note: Trace bin-by-bin of each transmits port summing can be performed maximum power density.