



For 26dB Bandwidth:


802.11a/20MHz/6M/5180MHz/Ch36/Ant.1




802.11a/20MHz/6M/5220MHz/Ch44/Ant.1




802.11a/20MHz/6M/5240MHz/Ch48/Ant.1




802.11a/20MHz/6M/5260MHz/Ch52/Ant.1




802.11a/20MHz/6M/5300MHz/Ch60/Ant.1




802.11a/20MHz/6M/5320MHz/Ch64/Ant.1




802.11a/20MHz/6M/5500MHz/Ch100/Ant.1




802.11a/20MHz/6M/5580MHz/Ch116/Ant.1




802.11a/20MHz/6M/5700MHz/Ch140/Ant.1




802.11a/20MHz/6M/5720MHz/Ch144/Ant.1




802.11ac/20MHz/MCS0/5180MHz/Ch36/Ant.1




802.11ac/20MHz/MCS0/5220MHz/Ch44/Ant.1




802.11ac/20MHz/MCS0/5240MHz/Ch48/Ant.1




802.11ac/20MHz/MCS0/5260MHz/Ch52/Ant.1




802.11ac/20MHz/MCS0/5300MHz/Ch60/Ant.1




802.11ac/20MHz/MCS0/5320MHz/Ch64/Ant.1




802.11ac/20MHz/MCS0/5500MHz/Ch100/Ant.1




802.11ac/20MHz/MCS0/5580MHz/Ch116/Ant.1







802.11ac/40MHz/MCS0/5510MHz/Ch102/Ant.1




802.11ac/40MHz/MCS0/5550MHz/Ch110/Ant.1




802.11ac/40MHz/MCS0/5670MHz/Ch134/Ant.1




802.11ac/40MHz/MCS0/5710MHz/Ch142/Ant.1




802.11ac/80MHz/MCS0/5210MHz/Ch42/Ant.1




802.11ac/80MHz/MCS0/5290MHz/Ch58/Ant.1







802.11ax/20MHz/MCS0/5260MHz/Ch52/Ant.1




802.11ax/20MHz/MCS0/5300MHz/Ch60/Ant.1




802.11ax/20MHz/MCS0/5320MHz/Ch64/Ant.1




802.11ax/20MHz/MCS0/5500MHz/Ch100/Ant.1




802.11ax/20MHz/MCS0/5580MHz/Ch116/Ant.1




802.11ax/20MHz/MCS0/5700MHz/Ch140/Ant.1




802.11ax/20MHz/MCS0/5720MHz/Ch144/Ant.1




802.11ax/40MHz/MCS0/5190MHz/Ch38/Ant.1




802.11ax/40MHz/MCS0/5230MHz/Ch46/Ant.1




802.11ax/40MHz/MCS0/5270MHz/Ch54/Ant.1





802.11ax/40MHz/MCS0/5310MHz/Ch62/Ant.1



802.11ax/40MHz/MCS0/5510MHz/Ch102/Ant.1









For DTS Bandwidth:


802.11a/20MHz/6M/5745MHz/Ch149/Ant.1




802.11a/20MHz/6M/5785MHz/Ch157/Ant.1




802.11a/20MHz/6M/5825MHz/Ch165/Ant.1




802.11ac/20MHz/MCS0/5745MHz/Ch149/Ant.1




802.11ac/20MHz/MCS0/5785MHz/Ch157/Ant.1




802.11ac/20MHz/MCS0/5825MHz/Ch165/Ant.1







802.11ax/40MHz/MCS0/5755MHz/Ch151/Ant.1



802.11ax/40MHz/MCS0/5795MHz/Ch159/Ant.1



802.11ax/80MHz/MCS0/5775MHz/Ch155/Ant.1




26-tone RU


Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	
				99% Occupied Bandwidth & 26dB Bandwidth	
802.11ax (20MHz)	5180	18.10	20.32	-	
	5320	18.42	19.84	-	
	5500	18.38	20.40	-	
	5700	18.30	19.80	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)	DTS Bandwidth (MHz)	Limit (MHz)	
				99% Occupied Bandwidth	DTS Bandwidth
802.11ax (20MHz)	5745	18.62	-	-	≥ 0.5
	5825	18.46	-	-	≥ 0.5

For 99% Occupied Bandwidth:


802.11ax/20MHz/MCS0/5180MHz/Ch36/Ant.1




802.11ax/20MHz/MCS0/5320MHz/Ch64/Ant.1




802.11ax/20MHz/MCS0/5500MHz/Ch100/Ant.1




802.11ax/20MHz/MCS0/5700MHz/Ch140/Ant.1




802.11ax/20MHz/MCS0/5745MHz/Ch149/Ant.1



802.11ax/20MHz/MCS0/5825MHz/Ch165/Ant.1




For 26dB Bandwidth:




52-tone RU

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	
				99% Occupied Bandwidth & 26dB Bandwidth	
802.11ax (20MHz)	5180	18.10	20.16	-	
	5320	18.30	20.44	-	
	5500	17.98	20.28	-	
	5700	18.26	20.20	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)	DTS Bandwidth (MHz)	Limit (MHz)	
				99% Occupied Bandwidth	DTS Bandwidth
802.11ax (20MHz)	5745	18.18	-	-	≥ 0.5
	5825	18.26	-	-	≥ 0.5

For 99% Occupied Bandwidth:




For 26dB Bandwidth:




106-tone RU

Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	
				99% Occupied Bandwidth & 26dB Bandwidth	
802.11ax (20MHz)	5180	18.18	20.28	-	
	5320	18.26	20.16	-	
	5500	17.10	20.12	-	
	5700	18.06	20.84	-	
Modulation	Frequency (MHz)	99% Occupied Bandwidth (MHz)	DTS Bandwidth (MHz)	Limit (MHz)	
				99% Occupied Bandwidth	DTS Bandwidth
802.11ax (20MHz)	5745	18.02	-	-	≥ 0.5
	5825	18.26	-	-	≥ 0.5

For 99% Occupied Bandwidth:



For 26dB Bandwidth:



Appendix C. Test Result of Maximum Conducted Output Power

WiFi 1 + WiFi 2 Antenna

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11a (20MHz)	5180	-0.01	1.77	3.98	21.28	Pass
	5220	-0.12	1.42	3.73	21.28	Pass
	5240	-0.43	1.31	3.54	21.28	Pass
	5260	0.07	1.54	3.88	20.59	Pass
	5300	-0.03	1.31	3.70	20.49	Pass
	5320	-0.14	1.26	3.63	20.55	Pass
	5500	1.68	2.91	5.35	21.37	Pass
	5580	2.16	2.18	5.18	21.39	Pass
	5700	3.07	0.81	5.10	21.35	Pass
	5720 (UNII-2C)	2.62	-0.12	4.47	20.22	Pass
	5720 (UNII-3)	-4.87	-8.47	-3.30	27.33	Pass
	5745	3.40	1.96	5.75	27.33	Pass
	5785	2.75	2.37	5.57	27.33	Pass
	5825	2.63	3.16	5.91	27.33	Pass
802.11ac (20MHz)	5180	-0.47	2.02	3.96	21.28	Pass
	5220	-0.51	1.38	3.55	21.28	Pass
	5240	-0.34	1.35	3.60	21.28	Pass
	5260	0.11	1.63	3.95	20.76	Pass
	5300	0.16	1.53	3.91	20.79	Pass
	5320	-0.11	1.32	3.67	20.74	Pass
	5500	1.74	3.05	5.45	21.61	Pass
	5580	2.34	2.50	5.43	21.59	Pass
	5700	3.18	1.22	5.32	21.62	Pass
	5720 (UNII-2C)	2.80	-0.06	4.61	20.41	Pass
	5720 (UNII-3)	-4.65	-7.51	-2.84	27.33	Pass
	5745	3.22	1.64	5.51	27.33	Pass
	5785	3.12	2.55	5.85	27.33	Pass
	5825	2.47	2.77	5.63	27.33	Pass

Note: Total Output Power (dBm) = $10 \cdot \log (\text{Ant. 1(mW)} + \text{Ant. 2(mW)})$

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11ac (40MHz)	5190	-0.07	1.77	3.96	21.28	Pass
	5230	-0.13	1.15	3.57	21.28	Pass
	5270	0.37	1.48	3.97	20.81	Pass
	5310	0.30	0.90	3.62	20.81	Pass
	5510	1.47	3.08	5.36	21.72	Pass
	5550	1.60	2.49	5.08	21.72	Pass
	5670	2.95	1.68	5.37	21.72	Pass
	5710 (UNII-2C)	3.08	-0.13	4.78	21.72	Pass
	5710 (UNII-3)	-9.04	-12.39	-7.39	27.33	Pass
	5755	3.54	2.17	5.92	27.33	Pass
	5795	3.15	2.73	5.96	27.33	Pass
802.11ac (80MHz)	5210	-0.30	1.19	3.52	21.28	Pass
	5290	0.07	1.03	3.59	20.81	Pass
	5530	1.73	3.00	5.42	21.72	Pass
	5610	2.53	2.37	5.46	21.72	Pass
	5690 (UNII-2C)	3.36	0.43	5.15	21.72	Pass
	5690 (UNII-3)	-13.12	-16.37	-11.44	27.33	Pass
	5775	3.66	2.13	5.97	27.33	Pass
802.11ax (20MHz)	5180	-0.09	1.61	3.85	21.28	Pass
	5220	-0.64	1.41	3.52	21.28	Pass
	5240	-0.42	1.39	3.59	21.28	Pass
	5260	-0.15	1.82	3.96	20.81	Pass
	5300	-0.04	1.49	3.80	20.81	Pass
	5320	-0.35	1.24	3.53	20.81	Pass
	5500	1.60	3.21	5.49	21.72	Pass
	5580	1.98	2.43	5.22	21.72	Pass
	5700	3.53	0.96	5.44	21.72	Pass
	5720 (UNII-2C)	2.28	-1.24	3.88	20.60	Pass
	5720 (UNII-3)	-3.00	-5.50	-1.06	27.33	Pass
	5745	3.38	1.60	5.59	27.33	Pass
	5785	3.25	2.24	5.78	27.33	Pass
	5825	2.73	2.41	5.58	27.33	Pass

Note: Total Output Power (dBm) = $10 \cdot \log (\text{Ant. 1(mW)} + \text{Ant. 2(mW)})$

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11ax (40MHz)	5190	-0.41	1.28	3.53	21.28	Pass
	5230	-0.40	1.47	3.65	21.28	Pass
	5270	-0.20	1.82	3.94	20.81	Pass
	5310	-0.10	1.40	3.72	20.81	Pass
	5510	0.91	3.10	5.15	21.72	Pass
	5550	1.60	2.92	5.32	21.72	Pass
	5670	2.57	2.21	5.40	21.72	Pass
	5710 (UNII-2C)	2.93	0.26	4.81	21.72	Pass
	5710 (UNII-3)	-6.92	-8.49	-4.62	27.33	Pass
	5755	3.51	2.22	5.92	27.33	Pass
	5795	3.08	2.81	5.96	27.33	Pass
802.11ax (80MHz)	5210	-0.12	1.38	3.70	21.28	Pass
	5290	0.05	1.05	3.59	20.81	Pass
	5530	1.43	2.95	5.27	21.72	Pass
	5610	1.99	2.22	5.12	21.72	Pass
	5690 (UNII-2C)	2.99	0.32	4.87	21.72	Pass
	5690 (UNII-3)	-10.54	-12.24	-8.30	27.33	Pass
	5775	3.55	2.16	5.92	27.33	Pass

Note: Total Output Power (dBm) = 10*log (Ant. 1(mW)+ Ant. 2(mW))