

Measurement Report for Device

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor
5G Air		10000.0Validation band, 10000	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	---Air	EUmmWV4 - SN9607_F1-55GHz, 2026-01-14	DAE4 Sn1710, 2026-01-12

Scan Setup

	5G Scan
Grid Extents [mm]	25.0 x 25.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2026-09-04
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	150
psPDtot+ [W/m²]	154
psPDmod+ [W/m²]	158
E _{max} [V/m]	282
Power Drift [dB]	-0.04



Measurement Report for Device

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor
5G Air		10000.0Validation band, 10000	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	---Air	EUmmWV4 - SN9607_F1-55GHz, 2026-01-14	DAE4 Sn1710, 2026-01-12

Scan Setup

	5G Scan
Grid Extents [mm]	25.0 x 25.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2026-09-05
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	161
psPDtot+ [W/m²]	165
psPDmod+ [W/m²]	167
E _{max} [V/m]	287
Power Drift [dB]	0.06



Measurement Report for Device

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor
5G Air	Front, 10.00	10000.0Validation band, 10000	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1083	---Air	EUmmWV4 - SN9607_F1-55GHz, 2026-01-14	DAE4 Sn1710, 2026-01-12

Scan Setup

	5G Scan
Grid Extents [mm]	25.0 x 25.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	10.0
MAIA	N/A

Measurement Results

	5G Scan
Date	2026-10-18
Avg. Area [cm²]	4.00
psPDn+ [W/m²]	166
psPDtot+ [W/m²]	169
psPDmod+ [W/m²]	174
E _{max} [V/m]	274
Power Drift [dB]	0.04



--END OF REPORT--