


Main Antenna Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_07.50.28

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=8
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5541.437	57.19	3.74	88.2	31.01	Peak	360.00	150	Vertical	Pass
1**	5541.437	45.71	3.74	68.2	22.49	AV	360.00	150	Vertical	Pass
2	5917.562	59.54	6.49	88.2	28.66	Peak	270.00	150	Vertical	Pass
2**	5917.562	48.11	6.49	68.2	20.09	AV	270.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_07.49.12

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=8
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5826.187	58.28	5.31	88.2	29.92	Peak	102.00	150	Horizontal	Pass
1**	5826.187	47.39	5.31	68.2	20.81	AV	102.00	150	Horizontal	Pass
2	5924.575	59.51	6.45	88.2	28.69	Peak	288.00	150	Horizontal	Pass
2**	5924.575	48.75	6.45	68.2	19.45	AV	288.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-03_08.05.30

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5916.500	60.25	6.44	88.2	27.95	Peak	187.00	150	Vertical	Pass
1**	5916.500	49.14	6.44	68.2	19.06	AV	187.00	150	Vertical	Pass
2	5922.237	61.17	6.50	88.2	27.03	Peak	187.00	150	Vertical	Pass
2**	5922.237	50.01	6.50	68.2	18.19	AV	187.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-03_08.07.22

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5917.562	61.18	6.49	88.2	27.02	Peak	63.00	150	Horizontal	Pass
1**	5917.562	49.19	6.49	68.2	19.01	AV	63.00	150	Horizontal	Pass
2	5922.875	61.36	6.49	88.2	26.84	Peak	254.00	150	Horizontal	Pass
2**	5922.875	50.03	6.49	68.2	18.17	AV	254.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_08.19.51

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5888.025	62.06	5.80	88.2	26.14	Peak	326.00	150	Vertical	Pass
1**	5888.025	48.60	5.80	68.2	19.60	AV	326.00	150	Vertical	Pass
2	5908.000	63.77	6.19	88.2	24.43	Peak	188.00	150	Vertical	Pass
2**	5908.000	50.71	6.19	68.2	17.49	AV	188.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_08.11.15

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5886.750	60.17	5.75	88.2	28.03	Peak	248.00	150	Horizontal	Pass
1**	5886.750	48.70	5.75	68.2	19.50	AV	248.00	150	Horizontal	Pass
2	5924.575	61.00	6.45	88.2	27.20	Peak	240.00	150	Horizontal	Pass
2**	5924.575	49.87	6.45	68.2	18.33	AV	240.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_08.37.16

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax160 CH15 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.175	57.37	3.69	88.2	30.83	Peak	0.00	150	Vertical	Pass
1**	5632.175	46.16	3.69	68.2	22.04	AV	0.00	150	Vertical	Pass
2	5906.725	60.92	6.21	88.2	27.28	Peak	332.00	150	Vertical	Pass
2**	5906.725	49.67	6.21	68.2	18.53	AV	332.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_08.39.44

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax160 CH15 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5779.650	57.78	5.08	88.2	30.42	Peak	327.00	150	Horizontal	Pass
1**	5779.650	46.83	5.08	68.2	21.37	AV	327.00	150	Horizontal	Pass
2	5919.475	62.83	6.54	88.2	25.37	Peak	235.00	150	Horizontal	Pass
2**	5919.475	48.97	6.54	68.2	19.23	AV	235.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_10.04.09

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH229
		P=13	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7139.500	61.54	6.85	88.2	26.66	Peak	98.00	150	Vertical	Pass
1**	7139.500	50.16	6.85	68.2	18.04	AV	98.00	150	Vertical	Pass
2	7205.750	62.87	8.45	88.2	25.33	Peak	28.00	150	Vertical	Pass
2**	7205.750	51.31	8.45	68.2	16.89	AV	28.00	150	Vertical	Pass


Test Result

Project Number: P-EE26060694

Test Time: 2026-08-03_10.05.51

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH229
		P=13	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2

Bandedge_FCC-WIFI_6G_Band8_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7157.750	62.48	7.01	88.2	25.72	Peak	13.00	150	Horizontal	Pass
1**	7157.750	50.47	7.01	68.2	17.73	AV	13.00	150	Horizontal	Pass
2	7218.563	63.07	8.67	88.2	25.13	Peak	360.00	150	Horizontal	Pass
2**	7218.563	51.38	8.67	68.2	16.82	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-06_09.51.49

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH227
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7171.188	62.29	7.38	88.2	25.91	Peak	6.00	150	Vertical	Pass
1**	7171.188	50.71	7.38	68.2	17.49	AV	6.00	150	Vertical	Pass
2	7208.437	62.80	8.64	88.2	25.40	Peak	358.00	150	Vertical	Pass
2**	7208.437	51.41	8.64	68.2	16.79	AV	358.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_09.50.11

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH227
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7191.625	61.90	7.52	88.2	26.30	Peak	352.00	150	Horizontal	Pass
1**	7191.625	50.96	7.52	68.2	17.24	AV	352.00	150	Horizontal	Pass
2	7225.062	62.69	8.42	88.2	25.51	Peak	216.00	150	Horizontal	Pass
2**	7225.062	51.35	8.42	68.2	16.85	AV	216.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_10.01.41

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH215
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7180.500	61.68	7.33	88.2	26.52	Peak	360.00	150	Vertical	Pass
1**	7180.500	50.86	7.33	68.2	17.34	AV	360.00	150	Vertical	Pass
2	7247.875	63.37	7.98	88.2	24.83	Peak	186.00	150	Vertical	Pass
2**	7247.875	50.97	7.98	68.2	17.23	AV	186.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_09.59.21

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH215
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7151.813	61.38	6.92	88.2	26.82	Peak	280.00	150	Horizontal	Pass
1**	7151.813	50.29	6.92	68.2	17.91	AV	280.00	150	Horizontal	Pass
2	7174.063	62.85	7.39	88.2	25.35	Peak	354.00	150	Horizontal	Pass
2**	7174.063	50.73	7.39	68.2	17.47	AV	354.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_10.07.07

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax160 CH207
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7169.500	62.01	7.33	88.2	26.19	Peak	360.00	150	Vertical	Pass
1**	7169.500	51.04	7.33	68.2	17.16	AV	360.00	150	Vertical	Pass
2	7246.500	62.80	7.98	88.2	25.40	Peak	194.00	150	Vertical	Pass
2**	7246.500	50.74	7.98	68.2	17.46	AV	194.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-06_10.09.31

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax160 CH207
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7176.000	62.29	7.38	88.2	25.91	Peak	174.00	150	Horizontal	Pass
1**	7176.000	50.72	7.38	68.2	17.48	AV	174.00	150	Horizontal	Pass
2	7217.000	63.72	8.68	88.2	24.48	Peak	267.00	150	Horizontal	Pass
2**	7217.000	51.30	8.68	68.2	16.90	AV	267.00	150	Horizontal	Pass

Aux. Antenna Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_07.52.53

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=8
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.587	56.63	3.60	88.2	31.57	Peak	237.00	150	Vertical	Pass
1**	5608.587	45.99	3.60	68.2	22.21	AV	237.00	150	Vertical	Pass
2	5923.513	63.18	6.47	88.2	25.02	Peak	346.00	150	Vertical	Pass
2**	5923.513	49.44	6.47	68.2	18.76	AV	346.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_07.55.00

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax20 CH1 P=8
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5724.612	57.63	4.33	88.2	30.57	Peak	348.00	150	Horizontal	Pass
1**	5724.612	46.80	4.33	68.2	21.40	AV	348.00	150	Horizontal	Pass
2	5922.662	60.00	6.49	88.2	28.20	Peak	236.00	150	Horizontal	Pass
2**	5922.662	49.06	6.49	68.2	19.14	AV	236.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_08.01.11

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5919.050	61.82	6.53	88.2	26.38	Peak	194.00	150	Vertical	Pass
1**	5919.050	49.94	6.53	68.2	18.26	AV	194.00	150	Vertical	Pass
2	5924.362	62.27	6.45	88.2	25.93	Peak	191.00	150	Vertical	Pass
2**	5924.362	50.77	6.45	68.2	17.43	AV	191.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_07.59.15

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax40 CH3 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5762.438	58.49	4.66	88.2	29.71	Peak	234.00	150	Horizontal	Pass
1**	5762.438	46.58	4.66	68.2	21.62	AV	234.00	150	Horizontal	Pass
2	5922.237	61.01	6.50	88.2	27.19	Peak	120.00	150	Horizontal	Pass
2**	5922.237	50.04	6.50	68.2	18.16	AV	120.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-03_08.23.46

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5888.450	60.75	5.81	88.2	27.45	Peak	353.00	150	Vertical	Pass
1**	5888.450	48.84	5.81	68.2	19.36	AV	353.00	150	Vertical	Pass
2	5907.788	62.83	6.19	88.2	25.37	Peak	190.00	150	Vertical	Pass
2**	5907.788	50.52	6.19	68.2	17.68	AV	190.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-03_08.25.05

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax80 CH7 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5895.888	60.02	6.08	88.2	28.18	Peak	258.00	150	Horizontal	Pass
1**	5895.888	48.72	6.08	68.2	19.48	AV	258.00	150	Horizontal	Pass
2	5917.987	62.26	6.51	88.2	25.94	Peak	236.00	150	Horizontal	Pass
2**	5917.987	50.36	6.51	68.2	17.84	AV	236.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-03_08.31.36

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax160 CH15 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5889.087	61.36	5.83	88.2	26.84	Peak	6.00	150	Vertical	Pass
1**	5889.087	49.56	5.83	68.2	18.64	AV	6.00	150	Vertical	Pass
2	5909.275	61.68	6.17	88.2	26.52	Peak	2.00	150	Vertical	Pass
2**	5909.275	49.67	6.17	68.2	18.53	AV	2.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-03_08.29.55

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U5 WIFI 11ax160 CH15
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5882.075	60.85	5.60	88.2	27.35	Peak	234.00	150	Horizontal	Pass
1**	5882.075	49.96	5.60	68.2	18.24	AV	234.00	150	Horizontal	Pass
2	5889.300	62.52	5.83	88.2	25.68	Peak	236.00	150	Horizontal	Pass
2**	5889.300	49.66	5.83	68.2	18.54	AV	236.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_09.44.44

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH229
		P=13	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7129.250	62.82	6.99	88.2	25.38	Peak	0.00	150	Vertical	Pass
1**	7129.250	50.52	6.99	68.2	17.68	AV	0.00	150	Vertical	Pass
2	7244.875	62.89	8.01	88.2	25.31	Peak	117.00	150	Vertical	Pass
2**	7244.875	50.81	8.01	68.2	17.39	AV	117.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-03_10.07.46

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.1
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	49
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax20 CH213 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7146.187	61.39	6.76	88.2	26.81	Peak	0.00	150	Horizontal	Pass
1**	7146.187	50.16	6.76	68.2	18.04	AV	0.00	150	Horizontal	Pass
2	7221.813	62.65	8.59	88.2	25.55	Peak	351.00	150	Horizontal	Pass
2**	7221.813	51.11	8.59	68.2	17.09	AV	351.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_09.53.49

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH227
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7162.500	62.18	7.06	88.2	26.02	Peak	353.00	150	Vertical	Pass
1**	7162.500	50.43	7.06	68.2	17.77	AV	353.00	150	Vertical	Pass
2	7203.313	63.31	8.27	88.2	24.89	Peak	103.00	150	Vertical	Pass
2**	7203.313	51.39	8.27	68.2	16.81	AV	103.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_09.55.01

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax40 CH227
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7175.125	62.27	7.38	88.2	25.93	Peak	229.00	150	Horizontal	Pass
1**	7175.125	50.68	7.38	68.2	17.52	AV	229.00	150	Horizontal	Pass
2	7202.313	62.94	8.20	88.2	25.26	Peak	57.00	150	Horizontal	Pass
2**	7202.313	51.29	8.20	68.2	16.91	AV	57.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_10.00.28

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH215
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7168.625	62.59	7.30	88.2	25.61	Peak	335.00	150	Vertical	Pass
1**	7168.625	50.73	7.30	68.2	17.47	AV	335.00	150	Vertical	Pass
2	7212.938	62.80	8.70	88.2	25.40	Peak	358.00	150	Vertical	Pass
2**	7212.938	51.40	8.70	68.2	16.80	AV	358.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_09.58.05

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax80 CH215
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7170.375	62.74	7.36	88.2	25.46	Peak	0.00	150	Horizontal	Pass
1**	7170.375	50.61	7.36	68.2	17.59	AV	0.00	150	Horizontal	Pass
2	7221.188	63.38	8.62	88.2	24.82	Peak	133.00	150	Horizontal	Pass
2**	7221.188	51.18	8.62	68.2	17.02	AV	133.00	150	Horizontal	Pass

Test Result

Project Number: P-EE26060694
Test Time: 2026-08-06_10.05.38

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax160 CH207
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7159.250	62.16	7.01	88.2	26.04	Peak	59.00	150	Vertical	Pass
1**	7159.250	50.66	7.01	68.2	17.54	AV	59.00	150	Vertical	Pass
2	7222.750	63.01	8.54	88.2	25.19	Peak	354.00	150	Vertical	Pass
2**	7222.750	51.18	8.54	68.2	17.02	AV	354.00	150	Vertical	Pass

Test Result

Project Number: P-EE26060694

Test Time: 2026-08-06_10.08.21

EUT Name:	Rugged Handheld Computer	Temp.(°C):	23.8
Model Number:	PA768-0D6CRMPG	Humidity (%RH):	50
Sample Number:	EE26040631-001-S05	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	6G U8 WIFI 11ax160 CH207
		P=15	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Liu Yabo	Remark:	实验室数据线 ANT3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7157.750	61.47	7.01	88.2	26.73	Peak	348.00	150	Horizontal	Pass
1**	7157.750	50.44	7.01	68.2	17.76	AV	348.00	150	Horizontal	Pass
2	7217.812	62.74	8.67	88.2	25.46	Peak	284.00	150	Horizontal	Pass
2**	7217.812	51.22	8.67	68.2	16.98	AV	284.00	150	Horizontal	Pass