



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #2


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 09:49:45

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4960.000	32.46	peak	6.41	38.87	74.00	150	136	-35.13	
*	7440.000	32.25	peak	13.18	45.43	74.00	150	91	-28.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #7


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 09:52:33

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4960.000	32.46	peak	6.41	38.87	74.00	150	153	-35.13	
*	7440.000	32.30	peak	13.18	45.48	74.00	150	90	-28.52	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #3


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 09:50:35

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9920.000	32.32	peak	14.48	46.80	74.00	150	180	-27.20	
*	12400.000	33.55	peak	17.39	50.94	74.00	150	7	-23.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #8


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 09:53:15

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9920.000	32.02	peak	14.48	46.50	74.00	150	291	-27.50	
*	12400.000	33.07	peak	17.39	50.46	74.00	150	331	-23.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 09:50:52

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement


Operator: Gino
Temperature:26.0 °C
Humidity:42.1 %

File :3

Data :#9

Date: 2025/9/5
Time: 下午 09:53:32

90.0 dBuV/m



Site : 966A Chamber
Condition : FCC_part 15 RE-Class C_Above 1GHz_PK
EUT : W6M22411-23922
M/N:
Test Mode : TX 2480MHz
Note :

Polarization: Vertical
Power : 120 Va.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 09:51:03

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #10


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 09:53:42

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : Bandedge

Data : #1


Date: 2025/9/5

Temperature: 26.0 °C

Time: 下午 10:19:36

Humidity: 42.1 %

120.0 dBuV/m



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2483.500	50.96	peak	-3.62	47.34	74.00	157	118	-26.66	
*	2483.500	37.99	AVG	-3.62	34.37	54.00	157	118	-19.63	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Gino

File : Bandedge


Data : #2

Date: 2025/9/5

Temperature: 26.0 °C

Time: 下午 10:22:29

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22411-23922

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2483.500	46.61	peak	-3.62	42.99	74.00	184	240	-31.01	
*	2483.500	34.99	AVG	-3.62	31.37	54.00	184	240	-22.63	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1

Data :#1


Date: 2025/9/5

Temperature:26.0 °C

100.0 dBuV/m

Time: 下午 04:58:21

Humidity:42.1 %



Site : 966A Chamber

Condition : FCC Restriction Band 30-300

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	58.3500	35.73	peak	-12.76	22.97	74.00	100	161	-51.03	
*	137.4600	40.20	peak	-13.09	27.11	43.50	100	99	-16.39	
	210.6300	58.99	peak	-15.78	43.21	74.00	100	128	-30.79	
	299.7300	58.66	peak	-11.90	46.76	74.00	100	105	-27.24	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 1

Data : #3


Date: 2025/9/5

Temperature: 26.0 °C

100.0 dBuV/m

Time: 下午 04:59:49

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC Restriction Band 300-1000

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	311.2000	59.82	peak	-11.68	48.14	74.00	100	84	-25.86	
	393.1000	53.65	peak	-9.75	43.90	74.00	100	352	-30.10	
	440.0000	49.99	peak	-8.28	41.71	74.00	100	323	-32.29	
	687.1000	37.33	peak	-3.33	34.00	74.00	100	229	-40.00	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :1

Data :#2


Date: 2025/9/5

Temperature:26.0 °C

100.0 dBuV/m

Time: 下午 04:59:05

Humidity:42.1 %



Site : 966A Chamber

Condition : FCC Restriction Band 30-300

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	67.2600	41.23	peak	-14.57	26.66	74.00	100	282	-47.34	
*	113.9700	46.13	peak	-15.53	30.60	43.50	100	199	-12.90	
	191.4600	49.30	peak	-15.00	34.30	74.00	100	304	-39.70	
	299.7300	45.87	peak	-11.90	33.97	74.00	100	359	-40.03	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :1

Data :#4


Date: 2025/9/5

Temperature: 26.0 °C

100.0 dBuV/m

Time: 下午 05:00:33

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC Restriction Band 300-1000

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	393.1000	55.78	peak	-9.75	46.03	74.00	100	29	-27.97	
*	440.0000	55.71	peak	-8.28	47.43	74.00	100	170	-26.57	
	451.2000	53.86	peak	-8.08	45.78	74.00	100	125	-28.22	
	785.1000	34.13	peak	-1.96	32.17	74.00	100	359	-41.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #1


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:25:13

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1806.000	48.39	peak	-6.45	41.94	74.00	150	214	-32.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #5


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:28:04

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1165.000	60.74	peak	-8.62	52.12	74.00	150	286	-21.88	
	1246.000	58.96	peak	-8.17	50.79	74.00	150	54	-23.21	
	1327.000	52.96	peak	-7.72	45.24	74.00	150	158	-28.76	
	1806.000	48.21	peak	-6.45	41.76	74.00	150	146	-32.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #2


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:25:55

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2708.250	42.10	peak	-2.39	39.71	74.00	150	49	-34.29	
*	3611.000	40.22	peak	0.47	40.69	74.00	150	137	-33.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #6


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:28:46

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2658.000	55.85	peak	-2.75	53.10	74.00	150	42	-20.90	
	2708.250	40.87	peak	-2.39	38.48	74.00	150	74	-35.52	
	3611.000	40.77	peak	0.47	41.24	74.00	150	192	-32.76	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #3


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:26:36

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4513.750	32.45	peak	4.28	36.73	74.00	150	59	-37.27	
	5416.500	31.83	peak	5.87	37.70	74.00	150	213	-36.30	
	6319.250	31.75	peak	9.85	41.60	74.00	150	137	-32.40	
*	7222.000	32.79	peak	11.94	44.73	74.00	150	16	-29.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #7


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:29:29

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4513.750	31.88	peak	4.28	36.16	74.00	150	126	-37.84	
	5416.500	31.98	peak	5.87	37.85	74.00	150	59	-36.15	
	6319.250	32.76	peak	9.85	42.61	74.00	150	184	-31.39	
*	7222.000	33.31	peak	11.94	45.25	74.00	150	19	-28.75	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #4


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:27:18

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8124.750	31.55	peak	12.65	44.20	74.00	150	352	-29.80	
*	9027.500	32.65	peak	13.30	45.95	74.00	150	126	-28.05	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #8


Date: 2025/9/5

Temperature: 26.0 °C

90.0 dBuV/m

Time: 下午 03:30:11

Humidity: 42.1 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22411-23922

M/N:

Test Mode : TX 902.75MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	8124.750	32.35	peak	12.65	45.00	74.00	150	342	-29.00	
*	9027.500	32.79	peak	13.30	46.09	74.00	150	46	-27.91	

*:Maximum data x:Over limit !:over margin