



TEST REPORT

Applicant: Acer Incorporated
Address: 8F, 88, Sec.1 Xintai 5th Rd. Xizhi, New Taipei City
221, Taiwan
Equipment Type: Tablet PC
Model Name: A25016
Brand Name: acer
Marketing Name: Iconia A16, A16-11MN
FCC ID: HLZA25016
ISED Number: 1754F-A25016
Test Standard: 47 CFR Part 15 Subpart E
RSS-Gen Issue 5
RSS-247 Issue 4
(refer to section 3.1)
Sample Arrival Date: Sep. 25, 2025
Test Date: Oct. 05, 2025 - Nov. 03, 2025
Date of Issue: Nov. 25, 2025

ISSUED BY:

Shenzhen BALUN Technology Co., Ltd.

**Tested by:** Julie Zhu**Checked by:** Ye Hongji**Approved by:** Tolan Tu
(Testing Director)

Revision History

Version	Issue Date	Revisions
<u>Rev. 01</u>	<u>Nov. 25, 2025</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	GENERAL INFORMATION	4
1.1	Test Laboratory	4
1.2	Test Location	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information	5
2.3	General Description for Equipment under Test (EUT)	5
2.4	Technical Information	6
2.5	Channel List	8
3	SUMMARY OF TEST RESULTS	13
3.1	Test Standards	13
3.2	Test Verdict	13
4	GENERAL TEST CONFIGURATIONS	14
4.1	Test Environments	14
4.2	Test Equipment List	14
4.3	Test Software List	14
4.4	Measurement Uncertainty	15
4.5	Description of Test Setup	15
5	TEST ITEMS	18
5.1	RF Output Power	18
5.2	Emission Bandwidth and 6 dB Bandwidth	20
5.3	Power Spectral density (PSD)	21
5.4	Conducted Emission	22
5.5	Radiated Spurious Emissions and Band Edge (Restricted-band)	23

ANNEX A	TEST RESULT	28
A.1	RF Output Power.....	28
A.2	Emission Bandwidth & 99% Bandwidth.....	37
A.3	6 dB Bandwidth	41
A.4	Power Spectral Density	42
A.5	Conducted Emissions.....	50
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	53
ANNEX B	TEST SETUP PHOTOS	161
ANNEX C	EUT EXTERNAL PHOTOS	161
ANNEX D	EUT INTERNAL PHOTOS	161

1 GENERAL INFORMATION

1.1 Test Laboratory

Name	Shenzhen BALUN Technology Co., Ltd.
Contact Address	1/F, Building B, Ganghongji High-tech Intelligent Industrial Park, No. 1008, Songbai Road, Yangguang Community, Xili Sub-district, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Phone Number	+86 755 6685 0100

1.2 Test Location

Name	Shenzhen BALUN Technology Co., Ltd.
Location	☐ Block B, 1/F, Baisha Science and Technology Park, Shahe Xi Road, Nanshan District, Shenzhen, Guangdong Province, P. R. China
	☒ 1/F, Building B, Ganghongji High-tech Intelligent Industrial Park, No. 1008, Songbai Road, Yangguang Community, Xili Sub-district, Nanshan District, Shenzhen, Guangdong Province, P. R. China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196. The laboratory has been listed by Industry Canada to perform electromagnetic emission measurements. The recognition numbers of test site are 11524A.

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	Acer Incorporated
Address	8F, 88, Sec.1 Xintai 5th Rd. Xizhi, New Taipei City 221, Taiwan

2.2 Manufacturer Information

Manufacturer	Acer Incorporated
Address	8F, 88, Sec.1 Xintai 5th Rd. Xizhi, New Taipei City 221, Taiwan

2.3 General Description for Equipment under Test (EUT)

EUT Name	Tablet PC
Model Name Under Test	A25016
Series Model Name	N/A
Description of Model name differentiation	N/A
Marketing Name	Iconia A16, A16-11MN
Serial Number	NBLKA11001539000019H00
Hardware Version	T30A733-U15T5A
Software Version	Android 15
Dimensions (Approx.)	N/A
Weight (Approx.)	N/A

2.4 Technical Information

Network and Wireless connectivity	Bluetooth (BR+EDR+BLE) WIFI 802.11a, 802.11b, 802.11g, 802.11n, 802.11ac and 802.11ax
-----------------------------------	--

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz, U-NII-3: 5725 MHz to 5850 MHz
Product Type	☐ Mobile ☒ Portable ☐ Fix Location Indoor for IC standard
Modulation Technology	OFDM, OFDMA
Modulation Type	1024QAM, 256QAM, 64QAM, 16QAM, BPSK, QPSK
Transfer Rate (Mbps) (Single RF path)	802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps 802.11n: up to 150 Mbps 802.11ac: up to VHT-MCS9 802.11ax up to 600 Mbps
Channel Bandwidth	802.11a: 20 MHz 802.11n: 20 MHz, 40 MHz 802.11ac: 20 MHz, 40 MHz, 80 MHz 802.11ax: 20 MHz, 40 MHz, 80 MHz
Maximum Output Power	U-NII-1: 102.68 mW U-NII-2A: 109.52 mW U-NII-2C: 123.75 mW U-NII-3: 122.68 mW
Antenna System (eg., MIMO, Smart Antenna)	N/A
Categorization as Correlated or Completely Uncorrelated	N/A
Antenna Type	PIFA Antenna
Antenna Gain	U-NII-1: 5150 MHz to 5250 MHz: 1.30 dBi U-NII-2A: 5250 MHz to 5350 MHz: 1.14 dBi U-NII-2C: 5470 MHz to 5725 MHz: 1.34 dBi U-NII-3: 5725 MHz to 5850 MHz: 0.92 dBi
About the Product	The equipment is Tablet PC, intended for used with information technology equipment.

802.11ax RU configuration table						
Mode	Full RU (SU)	RU_26	RU_52	RU_106	RU_242	RU_484
802.11ax20	√	--	--	--	--	--
802.11ax40	√	--	--	--	--	--
802.11ax80	√	--	--	--	--	--

Note: The above EUT information in section 2.4 was declared by manufacturer and for more detailed features description, please refer to the manufacturer's specifications or user's manual.

2.5 Channel List

20 MHz		40 MHz		80 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210
40	5200	46	5230	58	5290
44	5220	54	5270	106	5530
48	5240	62	5310	122	5610
52	5260	102	5510	155	5775
56	5280	110	5550		
60	5300	118	5590		
64	5320	126	5630		
100	5500	134	5670		
104	5520	151	5755		
108	5540	159	5795		
112	5560				
116	5580				
120	5600				
124	5620				
128	5640				
132	5660				
136	5680				
140	5700				
149	5745				
153	5765				
157	5785				
161	5805				
165	5825				

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)/ax(HE20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	149	Low	5745
116	Mid	5580	157	Mid	5785
140	High	5700	165	High	5825

For 802.11n(HT40)/ac(VHT40)/ax(HE40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670			

For 802.11ac(VHT80)/ax(HE80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610			

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
	11ax(20 MHz)	4		N/A	N/A	N/A	165/157/149
	11ax(40 MHz)	8		N/A	N/A	N/A	159/151
	11ax(80 MHz)	17		N/A	N/A	N/A	155
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100	165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100	165/157/149

	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/44/36	64/60/52	140/116/100	165/157/149
	11ax(40 MHz)	8		46/38	62/54	134/118/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155
Band Edge (Restricted- band)	11a	6	BPSK	48/36	64/52	140/100	165/149
	11n(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11n(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(20 MHz)	6.5		48/36	64/52	140/100	165/149
	11ac(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
	11ax(20 MHz)	4		48/36	64/52	140/100	165/149
	11ax(40 MHz)	8		46/38	62/54	134/102	159/151
	11ax(80 MHz)	17		42	58	122/106	155

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	RSS-Gen Issue 5	General Requirements for Compliance of Radio Apparatus
3	RSS-247 Issue 4	Digital Transmission Systems, Frequency Hopping Systems and Licence Exempt Local Area Network Devices in 902-928 MHz, 2400-2483.5 MHz, 5150-5350 MHz, and 5470-5895 MHz bands
4	ANSI C63.10-2020 + Corrigendum 1-2023 + Amendment a-2024 ☆	American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices
5	KDB Publication 789033 D02v02r01 ☆	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E

3.2 Test Verdict

No.	Description	FCC Part No.	RSS Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	RSS-247, 6.2	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	RSS-247, 6.2	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	RSS-247, 6.2	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	RSS-247, 6.2	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	RSS-247, 6.2	ANNEX A.4	Pass
6	Conducted Emission	15.207	RSS-GEN, 8.8	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	RSS-247, 6.2	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	RSS-Gen, 7.1.2	--	N/A ^{Note2}

Note ¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note ²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note ³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	43% to 63%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+21.5°C to +24.8°C
Working Voltage of the EUT	NV (Normal Voltage)	3.8 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	KEYSIGHT	N9020A	MY54420186	2025.05.21	2026.05.20
Power meter	R&S	NRP8S	101498	2025.07.07	2026.07.06
Spectrum Analyzer	R&S	FSV40	101544	2024.12.16	2025.12.15
Test Antenna-Horn(18-40 GHz)	A-INFO	LB-180400KF	J211060273	2024.06.15	2027.06.14
Test Antenna-Bi-Log(30 MHz-3 GHz)	Schwarzbeck	VULB 9163	01414	2023.11.03	2026.11.02
Test Antenna-Horn(1-18 GHz)	Schwarzbeck	BBHA 9120D	02459	2023.10.26	2026.10.25
Test Antenna-Loop	SCHWARZBECK	FMZB 1519	1519-037	2024.01.23	2027.01.22
Anechoic Chamber	YIHENG	C8-966	N/A	2024.05.15	2027.05.11
EMI Receiver	Keysight	N9038A	MY55330121	2025.04.16	2026.04.15
EMI Receiver	keysight	N9038B	MY61380132	2025.04.01	2026.03.31
LISN	SCHWARZBECK MESS-ELEKTRONIK	NSLK8127	01009	2025.07.15	2026.07.14
Shielded Enclosure	YiHeng Electronic Co., Ltd	4.3m*2.9m*2.4 m	235	2024.11.05	2027.11.04

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V22.930	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty

The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.8°C
Humidity	4%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test

Conducted value (dBm) = Measurement value (dBm) + cable loss (dB)


For example: the measurement value is 10 dBm and the cable 0.5dBm used, then the final result of EUT:

Conducted value (dBm) = 10 dBm + 0.5 dB = 10.5 dBm




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where “B” is the 26 dB emissions bandwidth in MHz.	

RSS-247, 6.2

The maximum conducted output power shall not exceed:

Frequency Band (MHz)	Limit
5150-5250	N/A
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where “B” is the 99% emissions bandwidth in MHz.	

The maximum e.i.r.p. shall not exceed:

Frequency Band (MHz)	Limit
5150-5250	200 mW or 10 dBm + 10log B, whichever is less.
5250-5350	1W or 17 dBm + 10log B, whichever is less.
5470-5725	1W or 17 dBm + 10log B, whichever is less.
5725-5850	N/A
Note1: Where “B” is the 99% emissions bandwidth in MHz.	
Note2: EIRP= maximum conducted output power+ Antenna Gain.	

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

Maximum conducted (average) output power

a) Measurements may be performed using a wideband RF power meter with a thermocouple detector or equivalent if all of the conditions listed below are satisfied.

- 1) The EUT is configured to transmit continuously or to transmit with a constant duty cycle.
- 2) At all times when the EUT is transmitting, it shall be transmitting at its maximum power control level.
- 3) The integration period of the power meter exceeds the repetition period of the transmitted signal by

at least a factor of five.

b) If the transmitter does not transmit continuously, measure the duty cycle (x) of the transmitter output signal.

c) Measure the average power of the transmitter. This measurement is an average over both the on and off periods of the transmitter.

d) Adjust the measurement in dBm by adding $10 \log (1/x)$ where x is the duty cycle.

Measurements of duty cycle

The zero-span mode on a spectrum analyzer or EMI receiver if the response time and spacing between bins on the sweep are sufficient to permit accurate measurements of the on and off times of the transmitted signal.

Set the center frequency of the instrument to the center frequency of the transmission.

Set $RBW \geq OBW$ if possible; otherwise, set RBW to the largest available value.

Set $VBW \geq RBW$. Set detector = peak or average.

The zero-span measurement method shall not be used unless both RBW and VBW are $> 50/T$ and the number of sweep points across duration T exceeds 100. (For example, if VBW and/or RBW are limited to 3 MHz, then the zero-span method of measuring duty cycle shall not be used if $T \leq 16.7$ microseconds.)

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.10 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a), RSS-247, 6.2

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

RSS-247, 6.2

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	N/A
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

The e.i.r.p. spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	10 dBm/MHz
5250-5350	N/A
5470-5725	N/A
5725-5850	N/A
e.i.r.p. spectral density= maximum power spectral density+ Antenna Gain.	

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW $\geq$ 3*RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.10 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207, RSS-GEN, 8.8

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)


5.5.1 Limit

FCC §15.209 & 15.407(b), RSS-247, 6.2

Frequency (MHz)	Field Strength ($\mu\text{V/m}$)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge. 

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

- a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).
- b) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).
- c) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).
- d) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

- e) Compare the resultant electric field strength level to the applicable limit.
- f) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable

emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (\text{RBW}/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB averaging shall not be used.
- g) Sweep time = auto.

h) Perform a trace average of at least 100 traces.

i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:

1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.

2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW $\geq$ RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note ¹: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Note ²: For IC standard, the U-NII-3 (5725 - 5850 MHz) maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Duty Cycle

Test Mode	On Time (ms)	On+Off time (ms)	Duty Cycle	Duty Factor
11a	1.39	1.47	94.96%	0.22
11n(HT20)/11ac(VHT20)	5.05	5.17	97.66%	0.10
11n(HT40)/11ac(VHT40)	4.87	5.06	96.13%	0.17
11ac(VHT80)	4.50	4.76	94.45%	0.25
11ax(HE20)	3.87	3.94	98.27%	0.08
11ax(HE40)	3.79	4.00	94.73%	0.24
11ax(HE80)	3.64	3.89	93.62%	0.29

Test DataConducted Power

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	18.87	77.18	250	Pass
11a	CH44	19.79	95.38	250	Pass
11a	CH48	20.11	102.68	250	Pass
11n(HT20)	CH36	19.02	79.85	250	Pass
11n(HT20)	CH44	19.73	94.03	250	Pass
11n(HT20)	CH48	19.97	99.38	250	Pass
11n(HT40)	CH38	19.14	82.06	250	Pass
11n(HT40)	CH46	19.79	95.31	250	Pass
11ac(VHT20)	CH36	18.83	76.43	250	Pass
11ac(VHT20)	CH44	19.59	91.05	250	Pass
11ac(VHT20)	CH48	19.81	95.78	250	Pass
11ac(VHT40)	CH38	19.05	80.38	250	Pass
11ac(VHT40)	CH46	19.72	93.79	250	Pass
11ac(VHT80)	CH42	16.14	41.09	250	Pass
11ax(HE20)(SU)	CH36	18.82	76.13	250	Pass
11ax(HE20)(SU)	CH44	19.47	88.42	250	Pass
11ax(HE20)(SU)	CH48	19.68	92.80	250	Pass
11ax(HE40)(SU)	CH38	19.12	81.57	250	Pass
11ax(HE40)(SU)	CH46	19.77	94.74	250	Pass
11ax(HE80)(SU)	CH42	16.24	42.04	250	Pass

U-NII-2A (5250 - 5350 MHz)						
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	IC Limit (mW)	Verdict
11a	CH52	20.18	104.35	250	211	Pass
11a	CH60	20.39	109.52	250	211	Pass
11a	CH64	17.24	53.02	250	211	Pass
11n(HT20)	CH52	20.12	102.87	250	226	Pass
11n(HT20)	CH60	20.21	105.02	250	226	Pass
11n(HT20)	CH64	17.13	51.68	250	226	Pass
11n(HT40)	CH54	20.11	102.60	250	250	Pass
11n(HT40)	CH62	15.22	33.28	250	250	Pass
11ac(VHT20)	CH52	19.95	98.92	250	227	Pass
11ac(VHT20)	CH60	20.10	102.40	250	226	Pass
11ac(VHT20)	CH64	17.22	52.76	250	226	Pass
11ac(VHT40)	CH54	20.00	100.03	250	250	Pass
11ac(VHT40)	CH62	16.06	40.38	250	250	Pass
11ac(VHT80)	CH58	13.83	24.14	250	250	Pass
11ax(HE20)(SU)	CH52	19.83	96.06	250	241	Pass
11ax(HE20)(SU)	CH60	19.93	98.30	250	241	Pass
11ax(HE20)(SU)	CH64	16.11	40.79	250	241	Pass
11ax(HE40)(SU)	CH54	20.07	101.52	250	250	Pass
11ax(HE40)(SU)	CH62	15.03	31.81	250	250	Pass
11ax(HE80)(SU)	CH58	13.37	21.71	250	250	Pass

U-NII-2C (5470 - 5725 MHz)						
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	IC Limit (mW)	Verdict
11a	CH100	14.81	30.30	250	212	Pass
11a	CH116	20.40	109.77	250	212	Pass
11a	CH140	15.36	34.39	250	213	Pass
11n(HT20)	CH100	15.05	32.01	250	228	Pass
11n(HT20)	CH116	20.43	110.48	250	228	Pass
11n(HT20)	CH140	16.22	41.91	250	228	Pass
11n(HT40)	CH102	14.05	25.42	250	250	Pass
11n(HT40)	CH118	20.86	121.94	250	250	Pass
11n(HT40)	CH134	19.28	84.75	250	250	Pass
11ac(VHT20)	CH100	15.09	32.31	250	228	Pass
11ac(VHT20)	CH116	20.35	108.46	250	228	Pass
11ac(VHT20)	CH140	16.21	41.81	250	228	Pass
11ac(VHT40)	CH102	14.21	26.37	250	250	Pass
11ac(VHT40)	CH118	20.83	121.10	250	250	Pass
11ac(VHT40)	CH134	18.19	65.94	250	250	Pass
11ac(VHT80)	CH106	13.23	21.03	250	250	Pass
11ac(VHT80)	CH122	20.22	105.14	250	250	Pass
11ax(HE20)(SU)	CH100	13.92	24.64	250	241	Pass
11ax(HE20)(SU)	CH116	20.33	107.79	250	242	Pass
11ax(HE20)(SU)	CH140	15.16	32.78	250	242	Pass
11ax(HE40)(SU)	CH102	14.29	26.82	250	250	Pass
11ax(HE40)(SU)	CH118	20.93	123.75	250	250	Pass
11ax(HE40)(SU)	CH134	18.41	69.27	250	250	Pass
11ax(HE80)(SU)	CH106	14.23	26.46	250	250	Pass
11ax(HE80)(SU)	CH122	20.83	120.96	250	250	Pass

U-NII-3 (5725 - 5850 MHz)						
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	IC Limit (mW)	Verdict
11a	CH149	20.30	107.27	1000	1000	Pass
11a	CH157	20.09	102.21	1000	1000	Pass
11a	CH165	19.88	97.38	1000	1000	Pass
11n(HT20)	CH149	20.28	106.73	1000	1000	Pass
11n(HT20)	CH157	20.08	101.93	1000	1000	Pass
11n(HT20)	CH165	19.84	96.45	1000	1000	Pass
11n(HT40)	CH151	20.75	118.89	1000	1000	Pass
11n(HT40)	CH159	20.05	101.19	1000	1000	Pass
11ac(VHT20)	CH149	20.21	105.02	1000	1000	Pass
11ac(VHT20)	CH157	20.05	101.23	1000	1000	Pass
11ac(VHT20)	CH165	19.79	95.34	1000	1000	Pass
11ac(VHT40)	CH151	20.70	117.53	1000	1000	Pass
11ac(VHT40)	CH159	20.52	112.76	1000	1000	Pass
11ac(VHT80)	CH155	20.89	122.68	1000	1000	Pass
11ax(HE20)(SU)	CH149	20.19	104.37	1000	1000	Pass
11ax(HE20)(SU)	CH157	20.05	101.06	1000	1000	Pass
11ax(HE20)(SU)	CH165	19.80	95.40	1000	1000	Pass
11ax(HE40)(SU)	CH151	20.81	120.37	1000	1000	Pass
11ax(HE40)(SU)	CH159	20.62	115.22	1000	1000	Pass
11ax(HE80)(SU)	CH155	20.47	111.34	1000	1000	Pass

E.I.R.P

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	E.I.R.P (dBm)	E.I.R.P (mW)	E.I.R.P Limit (mW)	Verdict
11a	CH36	20.17	104.11	168	Pass
11a	CH44	21.09	128.67	168	Pass
11a	CH48	21.41	138.51	168	Pass
11n(HT20)	CH36	20.32	107.72	180	Pass
11n(HT20)	CH44	21.03	126.85	180	Pass
11n(HT20)	CH48	21.27	134.06	180	Pass
11n(HT40)	CH38	20.44	110.70	200	Pass
11n(HT40)	CH46	21.09	128.57	200	Pass
11ac(VHT20)	CH36	20.13	103.11	180	Pass
11ac(VHT20)	CH44	20.89	122.83	180	Pass
11ac(VHT20)	CH48	21.11	129.21	180	Pass
11ac(VHT40)	CH38	20.35	108.43	200	Pass
11ac(VHT40)	CH46	21.02	126.52	200	Pass
11ac(VHT80)	CH42	17.44	55.43	200	Pass
11ax(HE20)(SU)	CH36	20.12	102.70	191	Pass
11ax(HE20)(SU)	CH44	20.77	119.28	191	Pass
11ax(HE20)(SU)	CH48	20.98	125.19	191	Pass
11ax(HE40)(SU)	CH38	20.42	110.04	200	Pass
11ax(HE40)(SU)	CH46	21.07	127.80	200	Pass
11ax(HE80)(SU)	CH42	17.54	56.71	200	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	E.I.R.P (dBm)	E.I.R.P (mW)	E.I.R.P Limit (mW)	Verdict
11a	CH52	21.32	135.67	841	Pass
11a	CH60	21.53	142.39	843	Pass
11a	CH64	18.38	68.94	843	Pass
11n(HT20)	CH52	21.26	133.75	904	Pass
11n(HT20)	CH60	21.35	136.55	905	Pass
11n(HT20)	CH64	18.27	67.19	902	Pass
11n(HT40)	CH54	21.25	133.40	1000	Pass
11n(HT40)	CH62	16.36	43.27	1000	Pass
11ac(VHT20)	CH52	21.09	128.61	905	Pass
11ac(VHT20)	CH60	21.24	133.13	905	Pass
11ac(VHT20)	CH64	18.36	68.59	901	Pass
11ac(VHT40)	CH54	21.14	130.06	1000	Pass
11ac(VHT40)	CH62	17.20	52.50	1000	Pass
11ac(VHT80)	CH58	14.97	31.39	1000	Pass
11ax(HE20)(SU)	CH52	20.97	124.90	960	Pass
11ax(HE20)(SU)	CH60	21.07	127.81	961	Pass
11ax(HE20)(SU)	CH64	17.25	53.03	958	Pass
11ax(HE40)(SU)	CH54	21.21	131.99	1000	Pass
11ax(HE40)(SU)	CH62	16.17	41.36	1000	Pass
11ax(HE80)(SU)	CH58	14.51	28.22	1000	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	E.I.R.P (dBm)	E.I.R.P (mW)	E.I.R.P Limit (mW)	Verdict
11a	CH100	16.15	41.26	846	Pass
11a	CH116	21.74	149.44	852	Pass
11a	CH140	16.70	46.83	845	Pass
11n(HT20)	CH100	16.39	43.58	908	Pass
11n(HT20)	CH116	21.77	150.41	912	Pass
11n(HT20)	CH140	17.56	57.05	907	Pass
11n(HT40)	CH102	15.39	34.61	1000	Pass
11n(HT40)	CH118	22.20	166.01	1000	Pass
11n(HT40)	CH134	20.62	115.38	1000	Pass
11ac(VHT20)	CH100	16.43	43.98	907	Pass
11ac(VHT20)	CH116	21.69	147.67	914	Pass
11ac(VHT20)	CH140	17.55	56.92	907	Pass
11ac(VHT40)	CH102	15.55	35.90	1000	Pass
11ac(VHT40)	CH118	22.17	164.87	1000	Pass
11ac(VHT40)	CH134	19.53	89.77	1000	Pass
11ac(VHT80)	CH106	14.57	28.63	1000	Pass
11ac(VHT80)	CH122	21.56	143.14	1000	Pass
11ax(HE20)(SU)	CH100	15.26	33.54	965	Pass
11ax(HE20)(SU)	CH116	21.67	146.74	965	Pass
11ax(HE20)(SU)	CH140	16.50	44.62	965	Pass
11ax(HE40)(SU)	CH102	15.63	36.52	1000	Pass
11ax(HE40)(SU)	CH118	22.27	168.47	1000	Pass
11ax(HE40)(SU)	CH134	19.75	94.31	1000	Pass
11ax(HE80)(SU)	CH106	15.57	36.03	1000	Pass
11ax(HE80)(SU)	CH122	22.17	164.68	1000	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	E.I.R.P (dBm)	E.I.R.P (mW)	Verdict
11a	CH149	21.22	132.58	Pass
11a	CH157	21.01	126.32	Pass
11a	CH165	20.80	120.36	Pass
11n(HT20)	CH149	21.20	131.91	Pass
11n(HT20)	CH157	21.00	125.98	Pass
11n(HT20)	CH165	20.76	119.20	Pass
11n(HT40)	CH151	21.67	146.94	Pass
11n(HT40)	CH159	20.97	125.07	Pass
11ac(VHT20)	CH149	21.13	129.80	Pass
11ac(VHT20)	CH157	20.97	125.11	Pass
11ac(VHT20)	CH165	20.71	117.84	Pass
11ac(VHT40)	CH151	21.62	145.26	Pass
11ac(VHT40)	CH159	21.44	139.36	Pass
11ac(VHT80)	CH155	21.81	151.63	Pass
11ax(HE20)(SU)	CH149	21.11	128.99	Pass
11ax(HE20)(SU)	CH157	20.97	124.90	Pass
11ax(HE20)(SU)	CH165	20.72	117.91	Pass
11ax(HE40)(SU)	CH151	21.73	148.78	Pass
11ax(HE40)(SU)	CH159	21.54	142.41	Pass
11ax(HE80)(SU)	CH155	21.39	137.60	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note: Test plots please refer to the document “Annex No.: BL-SZ2591254-604 Data Part 1.pdf”.

Test Data

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	24.36	16.78
11a	CH44	25.43	16.79
11a	CH48	26.29	16.79
11n(HT20)	CH36	26.03	17.98
11n(HT20)	CH44	25.92	17.99
11n(HT20)	CH48	25.97	17.98
11n(HT40)	CH38	46.65	36.57
11n(HT40)	CH46	46.20	36.53
11ac(VHT20)	CH36	25.58	17.96
11ac(VHT20)	CH44	25.62	18.01
11ac(VHT20)	CH48	25.53	17.97
11ac(VHT40)	CH38	45.54	36.49
11ac(VHT40)	CH46	46.20	36.53
11ac(VHT80)	CH42	91.24	76.08
11ax(HE20)(SU)	CH36	25.13	19.14
11ax(HE20)(SU)	CH44	25.36	19.14
11ax(HE20)(SU)	CH48	26.68	19.08
11ax(HE40)(SU)	CH38	45.15	37.99
11ax(HE40)(SU)	CH46	45.32	37.94
11ax(HE80)(SU)	CH42	86.14	77.47

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	25.97	16.78
11a	CH60	25.19	16.82
11a	CH64	26.51	16.81
11n(HT20)	CH52	32.88	18.03
11n(HT20)	CH60	28.12	18.05
11n(HT20)	CH64	26.40	18.00
11n(HT40)	CH54	57.47	36.67
11n(HT40)	CH62	45.92	36.50
11ac(VHT20)	CH52	27.53	18.06
11ac(VHT20)	CH60	27.28	18.07
11ac(VHT20)	CH64	25.21	17.99
11ac(VHT40)	CH54	56.53	36.64
11ac(VHT40)	CH62	45.96	36.49
11ac(VHT80)	CH58	88.27	76.15
11ax(HE20)(SU)	CH52	28.37	19.15
11ax(HE20)(SU)	CH60	26.34	19.17
11ax(HE20)(SU)	CH64	25.56	19.12
11ax(HE40)(SU)	CH54	45.00	37.97
11ax(HE40)(SU)	CH62	45.21	37.92
11ax(HE80)(SU)	CH58	86.71	77.51

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	25.13	16.89
11a	CH116	33.26	17.00
11a	CH140	24.91	16.87
11n(HT20)	CH100	26.54	18.11
11n(HT20)	CH116	30.36	18.20
11n(HT20)	CH140	26.59	18.10
11n(HT40)	CH102	47.23	36.75
11n(HT40)	CH118	63.25	36.91
11n(HT40)	CH134	62.13	36.84
11ac(VHT20)	CH100	26.51	18.11
11ac(VHT20)	CH116	30.31	18.25
11ac(VHT20)	CH140	26.00	18.10
11ac(VHT40)	CH102	46.50	36.70
11ac(VHT40)	CH118	49.92	36.86
11ac(VHT40)	CH134	46.86	36.79
11ac(VHT80)	CH106	88.90	76.49
11ac(VHT80)	CH122	89.09	77.12
11ax(HE20)(SU)	CH100	25.37	19.25
11ax(HE20)(SU)	CH116	25.20	19.25
11ax(HE20)(SU)	CH140	26.01	19.25
11ax(HE40)(SU)	CH102	46.22	38.06
11ax(HE40)(SU)	CH118	54.61	38.20
11ax(HE40)(SU)	CH134	46.01	38.02
11ax(HE80)(SU)	CH106	88.40	77.76
11ax(HE80)(SU)	CH122	87.64	78.00

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	30.27	17.00
11a	CH157	29.69	17.02
11a	CH165	28.66	17.01
11n(HT20)	CH149	26.17	18.12
11n(HT20)	CH157	29.79	18.24
11n(HT20)	CH165	29.15	18.18
11n(HT40)	CH151	47.22	36.95
11n(HT40)	CH159	56.92	36.90
11ac(VHT20)	CH149	30.43	18.24
11ac(VHT20)	CH157	34.05	18.22
11ac(VHT20)	CH165	30.33	18.21
11ac(VHT40)	CH151	46.98	36.89
11ac(VHT40)	CH159	58.01	36.87
11ac(VHT80)	CH155	93.84	77.17
11ax(HE20)(SU)	CH149	30.06	19.28
11ax(HE20)(SU)	CH157	30.02	19.28
11ax(HE20)(SU)	CH165	25.69	19.30
11ax(HE40)(SU)	CH151	51.79	38.16
11ax(HE40)(SU)	CH159	46.53	38.16
11ax(HE80)(SU)	CH155	87.78	78.11

A.3 6 dB Bandwidth

Note: Test plots please refer to the document “Annex No.: BL-SZ2591254-604 Data Part 2.pdf”.

Test Data

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	16.60	500.00	Pass
11a	CH157	16.50	500.00	Pass
11a	CH165	16.50	500.00	Pass
11n(HT20)	CH149	17.90	500.00	Pass
11n(HT20)	CH157	17.90	500.00	Pass
11n(HT20)	CH165	18.00	500.00	Pass
11n(HT40)	CH151	36.50	500.00	Pass
11n(HT40)	CH159	36.50	500.00	Pass
11ac(VHT20)	CH149	17.90	500.00	Pass
11ac(VHT20)	CH157	17.90	500.00	Pass
11ac(VHT20)	CH165	17.90	500.00	Pass
11ac(VHT40)	CH151	36.50	500.00	Pass
11ac(VHT40)	CH159	36.50	500.00	Pass
11ac(VHT80)	CH155	76.50	500.00	Pass
11ax(HE20)(SU)	CH149	19.20	500.00	Pass
11ax(HE20)(SU)	CH157	19.30	500.00	Pass
11ax(HE20)(SU)	CH165	19.20	500.00	Pass
11ax(HE40)(SU)	CH151	38.10	500.00	Pass
11ax(HE40)(SU)	CH159	38.30	500.00	Pass
11ax(HE80)(SU)	CH155	78.00	500.00	Pass

A.4 Power Spectral Density

Note: Test plots please refer to the document “Annex No.: BL-SZ2591254-604 Data Part 3.pdf”.

Test Data

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	FCC Limit (dBm/MHz)	Verdict
11a	CH36	5.94	11.00	Pass
11a	CH44	6.33	11.00	Pass
11a	CH48	6.22	11.00	Pass
11n(HT20)	CH36	5.64	11.00	Pass
11n(HT20)	CH44	6.22	11.00	Pass
11n(HT20)	CH48	6.20	11.00	Pass
11n(HT40)	CH38	5.91	11.00	Pass
11n(HT40)	CH46	3.11	11.00	Pass
11ac(VHT20)	CH36	5.71	11.00	Pass
11ac(VHT20)	CH44	6.20	11.00	Pass
11ac(VHT20)	CH48	6.17	11.00	Pass
11ac(VHT40)	CH38	2.89	11.00	Pass
11ac(VHT40)	CH46	3.13	11.00	Pass
11ac(VHT80)	CH42	-2.07	11.00	Pass
11ax(HE20)(SU)	CH36	5.46	11.00	Pass
11ax(HE20)(SU)	CH44	5.88	11.00	Pass
11ax(HE20)(SU)	CH48	5.86	11.00	Pass
11ax(HE40)(SU)	CH38	2.67	11.00	Pass
11ax(HE40)(SU)	CH46	2.65	11.00	Pass
11ax(HE80)(SU)	CH42	-2.25	11.00	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	PSD (dBm/MHz)	FCC Limit (dBm/MHz)	IC Limit (dBm/MHz)	Verdict
11a	CH52	6.23	11.00	11.00	Pass
11a	CH60	6.09	11.00	11.00	Pass
11a	CH64	5.36	11.00	11.00	Pass
11n(HT20)	CH52	7.06	11.00	11.00	Pass
11n(HT20)	CH60	6.92	11.00	11.00	Pass
11n(HT20)	CH64	5.12	11.00	11.00	Pass
11n(HT40)	CH54	4.14	11.00	11.00	Pass
11n(HT40)	CH62	0.13	11.00	11.00	Pass
11ac(VHT20)	CH52	7.11	11.00	11.00	Pass
11ac(VHT20)	CH60	7.06	11.00	11.00	Pass
11ac(VHT20)	CH64	5.08	11.00	11.00	Pass
11ac(VHT40)	CH54	4.04	11.00	11.00	Pass
11ac(VHT40)	CH62	1.05	11.00	11.00	Pass
11ac(VHT80)	CH58	-4.55	11.00	11.00	Pass
11ax(HE20)(SU)	CH52	6.76	11.00	11.00	Pass
11ax(HE20)(SU)	CH60	6.62	11.00	11.00	Pass
11ax(HE20)(SU)	CH64	3.84	11.00	11.00	Pass
11ax(HE40)(SU)	CH54	3.66	11.00	11.00	Pass
11ax(HE40)(SU)	CH62	-0.12	11.00	11.00	Pass
11ax(HE80)(SU)	CH58	-4.68	11.00	11.00	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	PSD (dBm/MHz)	FCC Limit (dBm/MHz)	IC Limit (dBm/MHz)	Verdict
11a	CH100	3.00	11.00	11.00	Pass
11a	CH116	7.64	11.00	11.00	Pass
11a	CH140	3.68	11.00	11.00	Pass
11n(HT20)	CH100	2.91	11.00	11.00	Pass
11n(HT20)	CH116	7.85	11.00	11.00	Pass
11n(HT20)	CH140	3.95	11.00	11.00	Pass
11n(HT40)	CH102	-1.01	11.00	11.00	Pass
11n(HT40)	CH118	4.77	11.00	11.00	Pass
11n(HT40)	CH134	3.78	11.00	11.00	Pass
11ac(VHT20)	CH100	2.86	11.00	11.00	Pass
11ac(VHT20)	CH116	7.73	11.00	11.00	Pass
11ac(VHT20)	CH140	3.90	11.00	11.00	Pass
11ac(VHT40)	CH102	-0.95	11.00	11.00	Pass
11ac(VHT40)	CH118	4.73	11.00	11.00	Pass
11ac(VHT40)	CH134	3.00	11.00	11.00	Pass
11ac(VHT80)	CH106	2.89	11.00	11.00	Pass
11ac(VHT80)	CH122	-5.52	11.00	11.00	Pass
11ax(HE20)(SU)	CH100	1.27	11.00	11.00	Pass
11ax(HE20)(SU)	CH116	1.56	11.00	11.00	Pass
11ax(HE20)(SU)	CH140	7.56	11.00	11.00	Pass
11ax(HE40)(SU)	CH102	2.57	11.00	11.00	Pass
11ax(HE40)(SU)	CH118	-1.24	11.00	11.00	Pass
11ax(HE40)(SU)	CH134	4.34	11.00	11.00	Pass
11ax(HE80)(SU)	CH106	2.42	11.00	11.00	Pass
11ax(HE80)(SU)	CH122	-4.49	11.00	11.00	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	PSD (dBm/500kHz)	FCC Limit (dBm/500kHz)	IC Limit (dBm/500kHz)	Verdict
11a	CH149	4.83	30.00	30.00	Pass
11a	CH157	4.69	30.00	30.00	Pass
11a	CH165	4.45	30.00	30.00	Pass
11n(HT20)	CH149	4.69	30.00	30.00	Pass
11n(HT20)	CH157	4.52	30.00	30.00	Pass
11n(HT20)	CH165	4.16	30.00	30.00	Pass
11n(HT40)	CH151	1.60	30.00	30.00	Pass
11n(HT40)	CH159	1.32	30.00	30.00	Pass
11ac(VHT20)	CH149	4.76	30.00	30.00	Pass
11ac(VHT20)	CH157	4.54	30.00	30.00	Pass
11ac(VHT20)	CH165	4.19	30.00	30.00	Pass
11ac(VHT40)	CH151	1.67	30.00	30.00	Pass
11ac(VHT40)	CH159	1.39	30.00	30.00	Pass
11ac(VHT80)	CH155	-0.71	30.00	30.00	Pass
11ax(HE20)(SU)	CH149	4.45	30.00	30.00	Pass
11ax(HE20)(SU)	CH157	4.28	30.00	30.00	Pass
11ax(HE20)(SU)	CH165	3.94	30.00	30.00	Pass
11ax(HE40)(SU)	CH151	1.27	30.00	30.00	Pass
11ax(HE40)(SU)	CH159	1.26	30.00	30.00	Pass
11ax(HE80)(SU)	CH155	-1.83	30.00	30.00	Pass

E.I.R.P

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	E.I.R.P PSD (dBm/MHz)	E.I.R.P Limit (dBm/MHz)	Verdict
11a	CH36	7.24	10.00	Pass
11a	CH44	7.63	10.00	Pass
11a	CH48	7.52	10.00	Pass
11n(HT20)	CH36	6.94	10.00	Pass
11n(HT20)	CH44	7.52	10.00	Pass
11n(HT20)	CH48	7.50	10.00	Pass
11n(HT40)	CH38	7.21	10.00	Pass
11n(HT40)	CH46	4.41	10.00	Pass
11ac(VHT20)	CH36	7.01	10.00	Pass
11ac(VHT20)	CH44	7.50	10.00	Pass
11ac(VHT20)	CH48	7.47	10.00	Pass
11ac(VHT40)	CH38	4.19	10.00	Pass
11ac(VHT40)	CH46	4.43	10.00	Pass
11ac(VHT80)	CH42	-0.77	10.00	Pass
11ax(HE20)(SU)	CH36	6.76	10.00	Pass
11ax(HE20)(SU)	CH44	7.18	10.00	Pass
11ax(HE20)(SU)	CH48	7.16	10.00	Pass
11ax(HE40)(SU)	CH38	3.97	10.00	Pass
11ax(HE40)(SU)	CH46	3.95	10.00	Pass
11ax(HE80)(SU)	CH42	-0.95	10.00	Pass

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	E.I.R.P PSD (dBm/MHz)	Verdict
11a	CH52	7.37	Pass
11a	CH60	7.23	Pass
11a	CH64	6.50	Pass
11n(HT20)	CH52	8.20	Pass
11n(HT20)	CH60	8.06	Pass
11n(HT20)	CH64	6.26	Pass
11n(HT40)	CH54	5.28	Pass
11n(HT40)	CH62	1.27	Pass
11ac(VHT20)	CH52	8.25	Pass
11ac(VHT20)	CH60	8.20	Pass
11ac(VHT20)	CH64	6.22	Pass
11ac(VHT40)	CH54	5.18	Pass
11ac(VHT40)	CH62	2.19	Pass
11ac(VHT80)	CH58	-3.41	Pass
11ax(HE20)(SU)	CH52	7.90	Pass
11ax(HE20)(SU)	CH60	7.76	Pass
11ax(HE20)(SU)	CH64	4.98	Pass
11ax(HE40)(SU)	CH54	4.80	Pass
11ax(HE40)(SU)	CH62	1.03	Pass
11ax(HE80)(SU)	CH58	-3.54	Pass

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	E.I.R.P PSD (dBm/MHz)	Verdict
11a	CH100	4.34	Pass
11a	CH116	8.98	Pass
11a	CH140	5.02	Pass
11n(HT20)	CH100	4.25	Pass
11n(HT20)	CH116	9.19	Pass
11n(HT20)	CH140	5.29	Pass
11n(HT40)	CH102	0.33	Pass
11n(HT40)	CH118	6.11	Pass
11n(HT40)	CH134	5.12	Pass
11ac(VHT20)	CH100	4.20	Pass
11ac(VHT20)	CH116	9.07	Pass
11ac(VHT20)	CH140	5.24	Pass
11ac(VHT40)	CH102	0.39	Pass
11ac(VHT40)	CH118	6.07	Pass
11ac(VHT40)	CH134	4.34	Pass
11ac(VHT80)	CH106	4.23	Pass
11ac(VHT80)	CH122	-4.18	Pass
11ax(HE20)(SU)	CH100	2.61	Pass
11ax(HE20)(SU)	CH116	2.90	Pass
11ax(HE20)(SU)	CH140	8.90	Pass
11ax(HE40)(SU)	CH102	3.91	Pass
11ax(HE40)(SU)	CH118	0.10	Pass
11ax(HE40)(SU)	CH134	5.68	Pass
11ax(HE80)(SU)	CH106	3.76	Pass
11ax(HE80)(SU)	CH122	-3.15	Pass

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	E.I.R.P PSD (dBm/500kHz)	Verdict
11a	CH149	5.75	Pass
11a	CH157	5.61	Pass
11a	CH165	5.37	Pass
11n(HT20)	CH149	5.61	Pass
11n(HT20)	CH157	5.44	Pass
11n(HT20)	CH165	5.08	Pass
11n(HT40)	CH151	2.52	Pass
11n(HT40)	CH159	2.24	Pass
11ac(VHT20)	CH149	5.68	Pass
11ac(VHT20)	CH157	5.46	Pass
11ac(VHT20)	CH165	5.11	Pass
11ac(VHT40)	CH151	2.59	Pass
11ac(VHT40)	CH159	2.31	Pass
11ac(VHT80)	CH155	0.21	Pass
11ax(HE20)(SU)	CH149	5.37	Pass
11ax(HE20)(SU)	CH157	5.20	Pass
11ax(HE20)(SU)	CH165	4.86	Pass
11ax(HE40)(SU)	CH151	2.19	Pass
11ax(HE40)(SU)	CH159	2.18	Pass
11ax(HE80)(SU)	CH155	-0.91	Pass

A.5 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.152	67.78	9.86	65.89	-1.89	Peak	L	N/A
1*	0.152	58.22	9.86	65.89	7.67	QP	L	Pass
1**	0.152	32.15	9.86	55.89	23.74	AV	L	Pass
2	0.204	64.40	9.84	63.45	-0.95	Peak	L	N/A
2*	0.204	53.83	9.84	63.45	9.62	QP	L	Pass
2**	0.204	30.17	9.84	53.45	23.28	AV	L	Pass
3	0.300	59.07	9.82	60.24	1.17	Peak	L	N/A
3*	0.300	48.76	9.82	60.24	11.48	QP	L	Pass
3**	0.300	39.30	9.82	50.24	10.94	AV	L	Pass
4	0.942	50.65	10.14	56.00	5.35	Peak	L	Pass
4**	0.942	37.78	10.14	46.00	8.22	AV	L	Pass
5	7.918	59.37	10.34	60.00	0.63	Peak	L	N/A
5*	7.918	53.15	10.34	60.00	6.85	QP	L	Pass
5**	7.918	45.30	10.34	50.00	4.70	AV	L	Pass
6	10.690	59.00	10.52	60.00	1.00	Peak	L	N/A
6*	10.690	52.84	10.52	60.00	7.16	QP	L	Pass
6**	10.690	46.65	10.52	50.00	3.35	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.156	67.87	9.86	65.67	-2.20	Peak	N	N/A
1*	0.156	57.94	9.86	65.67	7.73	QP	N	Pass
1**	0.156	30.89	9.86	55.67	24.78	AV	N	Pass
2	0.176	67.27	9.85	64.67	-2.60	Peak	N	N/A
2*	0.176	57.28	9.85	64.67	7.39	QP	N	Pass
2**	0.176	33.68	9.85	54.67	20.99	AV	N	Pass
3	0.300	59.45	9.82	60.24	0.79	Peak	N	N/A
3*	0.300	48.61	9.82	60.24	11.63	QP	N	Pass
3**	0.300	33.32	9.82	50.24	16.92	AV	N	Pass
4	0.502	57.10	10.04	56.00	-1.10	Peak	N	N/A
4*	0.502	44.94	10.04	56.00	11.06	QP	N	Pass
4**	0.502	31.02	10.04	46.00	14.98	AV	N	Pass
5	7.524	59.55	10.34	60.00	0.45	Peak	N	N/A
5*	7.524	49.88	10.34	60.00	10.12	QP	N	Pass
5**	7.524	38.46	10.34	50.00	11.54	AV	N	Pass
6	11.080	56.49	10.69	60.00	3.51	Peak	N	N/A
6*	11.080	49.09	10.69	60.00	10.91	QP	N	Pass
6**	11.080	33.86	10.69	50.00	16.14	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note ¹: The symbol of "--" in the table which means not application.

Note ²: For the test data above 1 GHz, According the ANSI C63.10, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC Part 15C-30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.876	29.35	-26.36	40.0	10.65	Peak	337.00	100	Horizontal	Pass
2	44.404	22.91	-25.98	40.0	17.09	Peak	171.00	100	Horizontal	Pass
3	81.555	15.82	-29.92	40.0	24.18	Peak	0.00	100	Horizontal	Pass
4	167.255	17.00	-25.07	43.5	26.50	Peak	275.00	100	Horizontal	Pass
5	217.113	20.42	-27.81	46.0	25.58	Peak	275.00	100	Horizontal	Pass
6	798.046	28.41	-11.72	46.0	17.59	Peak	200.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC Part 15C-30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.487	31.95	-26.42	40.0	8.05	Peak	204.00	100	Vertical	Pass
2	46.441	34.29	-25.65	40.0	5.71	Peak	89.00	100	Vertical	Pass
3	59.197	22.73	-26.31	40.0	17.27	Peak	103.00	100	Vertical	Pass
4	77.627	22.09	-29.15	40.0	17.91	Peak	103.00	100	Vertical	Pass
5	208.626	18.09	-28.01	43.5	25.41	Peak	322.00	100	Vertical	Pass
6	965.516	30.73	-9.61	54.0	23.27	Peak	133.00	100	Vertical	Pass

Note: The spurious above 18G is noise only, do not show on the report.

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.800	38.48	74.0	35.52	Peak	40.00	100	Horizontal	Pass
1**	1529.800	28.95	54.0	25.05	AV	40.00	100	Horizontal	Pass
2	4351.500	47.43	74.0	26.57	Peak	344.00	400	Horizontal	Pass
2**	4351.500	38.31	54.0	15.69	AV	344.00	400	Horizontal	Pass
3	5174.500	94.72	--	--	Peak	147.00	150	Horizontal	N/A
3**	5174.500	86.64	--	--	AV	147.00	150	Horizontal	N/A
4	7645.250	52.94	74.0	21.06	Peak	0.00	300	Horizontal	Pass
4**	7645.250	44.52	54.0	9.48	AV	0.00	300	Horizontal	Pass
5	12476.401	53.46	74.0	20.54	Peak	350.00	100	Horizontal	Pass
5**	12476.401	44.21	54.0	9.79	AV	350.00	100	Horizontal	Pass
6	16023.113	53.91	74.0	20.09	Peak	310.00	100	Horizontal	Pass
6**	16023.113	43.13	54.0	10.87	AV	310.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.600	39.52	74.0	34.48	Peak	42.00	100	Vertical	Pass
1**	1483.600	28.93	54.0	25.07	AV	42.00	100	Vertical	Pass
2	4144.000	47.15	74.0	26.85	Peak	188.00	150	Vertical	Pass
2**	4144.000	45.62	54.0	8.38	AV	188.00	150	Vertical	Pass
3	5184.500	103.19	--	--	Peak	110.00	150	Vertical	N/A
3**	5184.500	95.87	--	--	AV	110.00	150	Vertical	N/A
4	7584.000	52.60	74.0	21.40	Peak	169.00	200	Vertical	Pass
4**	7584.000	44.19	54.0	9.81	AV	169.00	200	Vertical	Pass
5	12473.550	53.30	74.0	20.70	Peak	77.00	150	Vertical	Pass
5**	12473.550	44.75	54.0	9.25	AV	77.00	150	Vertical	Pass
6	15535.126	51.89	74.0	22.11	Peak	93.00	150	Vertical	Pass
6**	15535.126	47.97	54.0	6.03	AV	93.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.800	38.80	74.0	35.20	Peak	149.00	400	Horizontal	Pass
1**	1494.800	29.49	54.0	24.51	AV	149.00	400	Horizontal	Pass
2	4175.250	48.37	74.0	25.63	Peak	0.00	200	Horizontal	Pass
2**	4175.250	37.82	54.0	16.18	AV	0.00	200	Horizontal	Pass
3	5216.250	95.20	--	--	Peak	247.00	200	Horizontal	N/A
3**	5216.250	86.94	--	--	AV	247.00	200	Horizontal	N/A
4	7587.750	53.26	74.0	20.74	Peak	305.00	400	Horizontal	Pass
4**	7587.750	44.45	54.0	9.55	AV	305.00	400	Horizontal	Pass
5	12494.213	53.80	74.0	20.20	Peak	64.00	150	Horizontal	Pass
5**	12494.213	44.83	54.0	9.17	AV	64.00	150	Horizontal	Pass
6	16111.575	54.32	74.0	19.68	Peak	360.00	100	Horizontal	Pass
6**	16111.575	44.67	54.0	9.33	AV	360.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.300	38.62	74.0	35.38	Peak	151.00	200	Vertical	Pass
1**	1436.300	29.04	54.0	24.96	AV	151.00	200	Vertical	Pass
2	4175.750	53.34	74.0	20.66	Peak	90.00	200	Vertical	Pass
2**	4175.750	43.30	54.0	10.70	AV	90.00	200	Vertical	Pass
3	5223.500	103.89	--	--	Peak	247.00	200	Vertical	N/A
3**	5223.500	95.58	--	--	AV	247.00	200	Vertical	N/A
4	7585.000	52.90	74.0	21.10	Peak	305.00	400	Vertical	Pass
4**	7585.000	42.97	54.0	11.03	AV	305.00	400	Vertical	Pass
5	12527.700	53.22	74.0	20.78	Peak	198.00	150	Vertical	Pass
5**	12527.700	44.35	54.0	9.65	AV	198.00	150	Vertical	Pass
6	15664.012	52.65	74.0	21.35	Peak	45.00	150	Vertical	Pass
6**	15664.012	47.72	54.0	6.28	AV	45.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.800	38.48	74.0	35.52	Peak	94.00	100	Horizontal	Pass
1**	1619.800	29.24	54.0	24.76	AV	94.00	100	Horizontal	Pass
2	4296.250	46.95	74.0	27.05	Peak	346.00	200	Horizontal	Pass
2**	4296.250	37.04	54.0	16.96	AV	346.00	200	Horizontal	Pass
3	5239.250	95.13	--	--	Peak	244.00	200	Horizontal	N/A
3**	5239.250	88.33	--	--	AV	244.00	200	Horizontal	N/A
4	7646.000	52.92	74.0	21.08	Peak	41.00	400	Horizontal	Pass
4**	7646.000	44.01	54.0	9.99	AV	41.00	400	Horizontal	Pass
5	12520.813	53.52	74.0	20.48	Peak	72.00	100	Horizontal	Pass
5**	12520.813	43.62	54.0	10.38	AV	72.00	100	Horizontal	Pass
6	16144.125	53.47	74.0	20.53	Peak	113.00	100	Horizontal	Pass
6**	16144.125	44.83	54.0	9.17	AV	113.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.500	38.81	74.0	35.19	Peak	140.00	100	Vertical	Pass
1**	1617.500	29.37	54.0	24.63	AV	140.00	100	Vertical	Pass
2	4348.500	46.83	74.0	27.17	Peak	206.00	200	Vertical	Pass
2**	4348.500	38.29	54.0	15.71	AV	206.00	200	Vertical	Pass
3	5238.750	104.17	--	--	Peak	245.00	150	Vertical	N/A
3**	5238.750	95.89	--	--	AV	245.00	150	Vertical	N/A
4	7602.750	53.03	74.0	20.97	Peak	30.00	200	Vertical	Pass
4**	7602.750	43.99	54.0	10.01	AV	30.00	200	Vertical	Pass
5	12509.175	53.29	74.0	20.71	Peak	72.00	200	Vertical	Pass
5**	12509.175	44.57	54.0	9.43	AV	72.00	200	Vertical	Pass
6	16132.575	54.06	74.0	19.94	Peak	360.00	200	Vertical	Pass
6**	16132.575	45.26	54.0	8.74	AV	360.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.500	38.49	74.0	35.51	Peak	121.00	400	Horizontal	Pass
1**	1601.500	29.22	54.0	24.78	AV	121.00	400	Horizontal	Pass
2	4327.250	47.44	74.0	26.56	Peak	125.00	400	Horizontal	Pass
2**	4327.250	37.61	54.0	16.39	AV	125.00	400	Horizontal	Pass
3	5178.500	94.79	--	--	Peak	145.00	150	Horizontal	N/A
3**	5178.500	86.59	--	--	AV	145.00	150	Horizontal	N/A
4	7357.500	52.68	74.0	21.32	Peak	227.00	400	Horizontal	Pass
4**	7357.500	43.62	54.0	10.38	AV	227.00	400	Horizontal	Pass
5	12508.225	53.55	74.0	20.45	Peak	113.00	150	Horizontal	Pass
5**	12508.225	44.64	54.0	9.36	AV	113.00	150	Horizontal	Pass
6	16118.662	54.33	74.0	19.67	Peak	354.00	400	Horizontal	Pass
6**	16118.662	45.72	54.0	8.28	AV	354.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.000	41.09	74.0	32.91	Peak	139.00	200	Vertical	Pass
1**	1497.000	29.24	54.0	24.76	AV	139.00	200	Vertical	Pass
2	4144.000	44.33	74.0	29.67	Peak	69.00	150	Vertical	Pass
2**	4144.000	43.90	54.0	10.10	AV	69.00	150	Vertical	Pass
3	5183.750	104.26	--	--	Peak	128.00	200	Vertical	N/A
3**	5183.750	96.19	--	--	AV	128.00	200	Vertical	N/A
4	7475.750	53.05	74.0	20.95	Peak	89.00	100	Vertical	Pass
4**	7475.750	43.95	54.0	10.05	AV	89.00	100	Vertical	Pass
5	12509.650	53.63	74.0	20.37	Peak	215.00	150	Vertical	Pass
5**	12509.650	44.30	54.0	9.70	AV	215.00	150	Vertical	Pass
6	15538.013	55.77	74.0	18.23	Peak	51.00	200	Vertical	Pass
6**	15538.013	45.60	54.0	8.40	AV	51.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.600	38.88	74.0	35.12	Peak	42.00	300	Horizontal	Pass
1**	1621.600	28.65	54.0	25.35	AV	42.00	300	Horizontal	Pass
2	4176.250	48.59	74.0	25.41	Peak	45.00	300	Horizontal	Pass
2**	4176.250	37.53	54.0	16.47	AV	45.00	300	Horizontal	Pass
3	5218.750	94.89	--	--	Peak	241.00	150	Horizontal	N/A
3**	5218.750	86.86	--	--	AV	241.00	150	Horizontal	N/A
4	7639.500	53.19	74.0	20.81	Peak	222.00	100	Horizontal	Pass
4**	7639.500	43.88	54.0	10.12	AV	222.00	100	Horizontal	Pass
5	12459.537	53.09	74.0	20.91	Peak	249.00	150	Horizontal	Pass
5**	12459.537	44.47	54.0	9.53	AV	249.00	150	Horizontal	Pass
6	16142.287	53.83	74.0	20.17	Peak	40.00	300	Horizontal	Pass
6**	16142.287	44.25	54.0	9.75	AV	40.00	300	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.700	38.60	74.0	35.40	Peak	256.00	100	Vertical	Pass
1**	1487.700	29.92	54.0	24.08	AV	256.00	100	Vertical	Pass
2	4397.250	46.88	74.0	27.12	Peak	188.00	200	Vertical	Pass
2**	4397.250	37.16	54.0	16.84	AV	188.00	200	Vertical	Pass
3	5215.500	103.86	--	--	Peak	246.00	150	Vertical	N/A
3**	5215.500	95.99	--	--	AV	246.00	150	Vertical	N/A
4	7370.250	53.75	74.0	20.25	Peak	30.00	200	Vertical	Pass
4**	7370.250	43.41	54.0	10.59	AV	30.00	200	Vertical	Pass
5	12477.587	53.36	74.0	20.64	Peak	127.00	150	Vertical	Pass
5**	12477.587	44.33	54.0	9.67	AV	127.00	150	Vertical	Pass
6	15654.038	53.50	74.0	20.50	Peak	308.00	150	Vertical	Pass
6**	15654.038	46.97	54.0	7.03	AV	308.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	38.77	74.0	35.23	Peak	77.00	400	Horizontal	Pass
1**	1498.200	29.72	54.0	24.28	AV	77.00	400	Horizontal	Pass
2	4345.500	47.47	74.0	26.53	Peak	149.00	400	Horizontal	Pass
2**	4345.500	38.95	54.0	15.05	AV	149.00	400	Horizontal	Pass
3	5246.000	95.22	--	--	Peak	227.00	200	Horizontal	N/A
3**	5246.000	86.86	--	--	AV	227.00	200	Horizontal	N/A
4	7583.750	52.81	74.0	21.19	Peak	286.00	200	Horizontal	Pass
4**	7583.750	44.72	54.0	9.28	AV	286.00	200	Horizontal	Pass
5	12400.162	53.52	74.0	20.48	Peak	94.00	100	Horizontal	Pass
5**	12400.162	43.46	54.0	10.54	AV	94.00	100	Horizontal	Pass
6	16121.287	53.70	74.0	20.30	Peak	149.00	400	Horizontal	Pass
6**	16121.287	44.89	54.0	9.11	AV	149.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.800	39.13	74.0	34.87	Peak	156.00	400	Vertical	Pass
1**	1545.800	28.99	54.0	25.01	AV	156.00	400	Vertical	Pass
2	4191.750	52.73	74.0	21.27	Peak	227.00	100	Vertical	Pass
2**	4191.750	38.49	54.0	15.51	AV	227.00	100	Vertical	Pass
3	4192.000	43.96	74.0	30.04	Peak	108.00	150	Vertical	Pass
3**	4192.000	44.24	54.0	9.76	AV	108.00	150	Vertical	Pass
4	5233.250	103.88	--	--	Peak	245.00	200	Vertical	N/A
4**	5233.250	95.74	--	--	AV	245.00	200	Vertical	N/A
5	7645.750	53.30	74.0	20.70	Peak	147.00	300	Vertical	Pass
5**	7645.750	44.38	54.0	9.62	AV	147.00	300	Vertical	Pass
6	16093.463	53.74	74.0	20.26	Peak	346.00	300	Vertical	Pass
6**	16093.463	44.63	54.0	9.37	AV	346.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.800	38.77	74.0	35.23	Peak	0.00	400	Horizontal	Pass
1**	1486.800	29.03	54.0	24.97	AV	0.00	400	Horizontal	Pass
2	4334.250	47.68	74.0	26.32	Peak	129.00	100	Horizontal	Pass
2**	4334.250	38.40	54.0	15.60	AV	129.00	100	Horizontal	Pass
3	5180.750	94.29	--	--	Peak	51.00	150	Horizontal	N/A
3**	5180.750	86.17	--	--	AV	51.00	150	Horizontal	N/A
4	7650.750	53.18	74.0	20.82	Peak	207.00	400	Horizontal	Pass
4**	7650.750	45.38	54.0	8.62	AV	207.00	400	Horizontal	Pass
5	12489.224	53.56	74.0	20.44	Peak	205.00	150	Horizontal	Pass
5**	12489.224	43.92	54.0	10.08	AV	205.00	150	Horizontal	Pass
6	16116.563	54.17	74.0	19.83	Peak	13.00	200	Horizontal	Pass
6**	16116.563	44.87	54.0	9.13	AV	13.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.900	39.57	74.0	34.43	Peak	164.00	400	Vertical	Pass
1**	1539.900	28.94	54.0	25.06	AV	164.00	400	Vertical	Pass
2	4170.500	47.01	74.0	26.99	Peak	0.00	100	Vertical	Pass
2**	4170.500	37.88	54.0	16.12	AV	0.00	100	Vertical	Pass
3	5193.500	103.17	--	--	Peak	303.00	100	Vertical	N/A
3**	5193.500	94.86	--	--	AV	303.00	100	Vertical	N/A
4	7423.000	53.35	74.0	20.65	Peak	168.00	200	Vertical	Pass
4**	7423.000	43.95	54.0	10.05	AV	168.00	200	Vertical	Pass
5	12431.513	53.41	74.0	20.59	Peak	113.00	100	Vertical	Pass
5**	12431.513	43.69	54.0	10.31	AV	113.00	100	Vertical	Pass
6	16064.588	54.04	74.0	19.96	Peak	52.00	200	Vertical	Pass
6**	16064.588	45.11	54.0	8.89	AV	52.00	200	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.800	38.28	74.0	35.72	Peak	291.00	400	Horizontal	Pass
1**	1567.800	28.14	54.0	25.86	AV	291.00	400	Horizontal	Pass
2	4348.000	47.57	74.0	26.43	Peak	196.00	200	Horizontal	Pass
2**	4348.000	38.25	54.0	15.75	AV	196.00	200	Horizontal	Pass
3	5239.000	94.31	--	--	Peak	77.00	200	Horizontal	N/A
3**	5239.000	85.89	--	--	AV	77.00	200	Horizontal	N/A
4	7358.750	53.19	74.0	20.81	Peak	217.00	400	Horizontal	Pass
4**	7358.750	44.87	54.0	9.13	AV	217.00	400	Horizontal	Pass
5	12510.363	53.78	74.0	20.22	Peak	0.00	100	Horizontal	Pass
5**	12510.363	44.33	54.0	9.67	AV	0.00	100	Horizontal	Pass
6	16085.063	54.00	74.0	20.00	Peak	82.00	200	Horizontal	Pass
6**	16085.063	44.88	54.0	9.12	AV	82.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.300	42.38	74.0	31.62	Peak	142.00	200	Vertical	Pass
1**	1493.300	29.01	54.0	24.99	AV	142.00	200	Vertical	Pass
2	4352.500	47.80	74.0	26.20	Peak	0.00	300	Vertical	Pass
2**	4352.500	38.55	54.0	15.45	AV	0.00	300	Vertical	Pass
3	5228.250	103.04	--	--	Peak	28.00	200	Vertical	N/A
3**	5228.250	94.72	--	--	AV	28.00	200	Vertical	N/A
4	7643.000	53.36	74.0	20.64	Peak	324.00	300	Vertical	Pass
4**	7643.000	44.18	54.0	9.82	AV	324.00	300	Vertical	Pass
5	12512.026	53.69	74.0	20.31	Peak	359.00	150	Vertical	Pass
5**	12512.026	44.40	54.0	9.60	AV	359.00	150	Vertical	Pass
6	15892.388	54.42	74.0	19.58	Peak	89.00	100	Vertical	Pass
6**	15892.388	44.74	54.0	9.26	AV	89.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.900	38.66	74.0	35.34	Peak	147.00	300	Horizontal	Pass
1**	1597.900	28.82	54.0	25.18	AV	147.00	300	Horizontal	Pass
2	4349.500	46.95	74.0	27.05	Peak	305.00	300	Horizontal	Pass
2**	4349.500	38.73	54.0	15.27	AV	305.00	300	Horizontal	Pass
3	5177.750	94.67	--	--	Peak	147.00	100	Horizontal	N/A
3**	5177.750	87.25	--	--	AV	147.00	100	Horizontal	N/A
4	7594.500	53.00	74.0	21.00	Peak	88.00	100	Horizontal	Pass
4**	7594.500	44.21	54.0	9.79	AV	88.00	100	Horizontal	Pass
5	12521.050	53.34	74.0	20.66	Peak	135.00	200	Horizontal	Pass
5**	12521.050	43.91	54.0	10.09	AV	135.00	200	Horizontal	Pass
6	15715.200	53.38	74.0	20.62	Peak	281.00	100	Horizontal	Pass
6**	15715.200	43.44	54.0	10.56	AV	281.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.800	38.89	74.0	35.11	Peak	300.00	100	Vertical	Pass
1**	1513.800	29.16	54.0	24.84	AV	300.00	100	Vertical	Pass
2	4144.250	53.28	74.0	20.72	Peak	149.00	150	Vertical	Pass
2**	4144.250	45.51	54.0	8.49	AV	149.00	150	Vertical	Pass
3	5182.000	103.36	--	--	Peak	305.00	150	Vertical	N/A
3**	5182.000	96.48	--	--	AV	305.00	150	Vertical	N/A
4	7652.750	53.38	74.0	20.62	Peak	286.00	300	Vertical	Pass
4**	7652.750	42.97	54.0	11.03	AV	286.00	300	Vertical	Pass
5	12501.576	53.19	74.0	20.81	Peak	208.00	200	Vertical	Pass
5**	12501.576	44.32	54.0	9.68	AV	208.00	200	Vertical	Pass
6	15530.401	55.35	74.0	18.65	Peak	40.00	200	Vertical	Pass
6**	15530.401	45.13	54.0	8.87	AV	40.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.400	38.66	74.0	35.34	Peak	212.00	300	Horizontal	Pass
1**	1474.400	28.93	54.0	25.07	AV	212.00	300	Horizontal	Pass
2	4335.500	47.18	74.0	26.82	Peak	325.00	100	Horizontal	Pass
2**	4335.500	38.60	54.0	15.40	AV	325.00	100	Horizontal	Pass
3	5215.250	93.72	--	--	Peak	229.00	200	Horizontal	N/A
3**	5215.250	87.08	--	--	AV	229.00	200	Horizontal	N/A
4	7421.000	52.93	74.0	21.07	Peak	11.00	100	Horizontal	Pass
4**	7421.000	43.75	54.0	10.25	AV	11.00	100	Horizontal	Pass
5	12512.975	53.02	74.0	20.98	Peak	295.00	200	Horizontal	Pass
5**	12512.975	44.48	54.0	9.52	AV	295.00	200	Horizontal	Pass
6	16134.938	53.72	74.0	20.28	Peak	354.00	300	Horizontal	Pass
6**	16134.938	44.55	54.0	9.45	AV	354.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.700	38.55	74.0	35.45	Peak	159.00	300	Vertical	Pass
1**	1552.700	29.00	54.0	25.00	AV	159.00	300	Vertical	Pass
2	4176.000	44.45	74.0	29.55	Peak	52.00	150	Vertical	Pass
2**	4176.000	44.29	54.0	9.71	AV	52.00	150	Vertical	Pass
3	5217.000	103.74	--	--	Peak	247.00	150	Vertical	N/A
3**	5217.000	95.35	--	--	AV	247.00	150	Vertical	N/A
4	7638.500	53.16	74.0	20.84	Peak	33.00	200	Vertical	Pass
4**	7638.500	43.10	54.0	10.90	AV	33.00	200	Vertical	Pass
5	12488.513	53.28	74.0	20.72	Peak	295.00	150	Vertical	Pass
5**	12488.513	45.17	54.0	8.83	AV	295.00	150	Vertical	Pass
6	15669.526	54.53	74.0	19.47	Peak	47.00	150	Vertical	Pass
6**	15669.526	45.71	54.0	8.29	AV	47.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.500	38.94	74.0	35.06	Peak	360.00	300	Horizontal	Pass
1**	1519.500	29.12	54.0	24.88	AV	360.00	300	Horizontal	Pass
2	4323.500	47.21	74.0	26.79	Peak	225.00	200	Horizontal	Pass
2**	4323.500	37.85	54.0	16.15	AV	225.00	200	Horizontal	Pass
3	5244.250	94.60	--	--	Peak	246.00	150	Horizontal	N/A
3**	5244.250	87.36	--	--	AV	246.00	150	Horizontal	N/A
4	7593.750	53.34	74.0	20.66	Peak	0.00	100	Horizontal	Pass
4**	7593.750	43.82	54.0	10.18	AV	0.00	100	Horizontal	Pass
5	12484.000	53.67	74.0	20.33	Peak	193.00	150	Horizontal	Pass
5**	12484.000	44.67	54.0	9.33	AV	193.00	150	Horizontal	Pass
6	15497.588	53.61	74.0	20.39	Peak	274.00	150	Horizontal	Pass
6**	15497.588	43.77	54.0	10.23	AV	274.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.200	39.15	74.0	34.85	Peak	96.00	100	Vertical	Pass
1**	1466.200	28.69	54.0	25.31	AV	96.00	100	Vertical	Pass
2	4334.250	46.92	74.0	27.08	Peak	130.00	200	Vertical	Pass
2**	4334.250	38.40	54.0	15.60	AV	130.00	200	Vertical	Pass
3	5242.500	104.26	--	--	Peak	247.00	200	Vertical	N/A
3**	5242.500	95.93	--	--	AV	247.00	200	Vertical	N/A
4	7614.000	52.91	74.0	21.09	Peak	325.00	400	Vertical	Pass
4**	7614.000	44.34	54.0	9.66	AV	325.00	400	Vertical	Pass
5	12487.562	53.27	74.0	20.73	Peak	50.00	150	Vertical	Pass
5**	12487.562	44.11	54.0	9.89	AV	50.00	150	Vertical	Pass
6	16153.312	54.05	74.0	19.95	Peak	360.00	200	Vertical	Pass
6**	16153.312	44.05	54.0	9.95	AV	360.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.700	38.80	74.0	35.20	Peak	23.00	100	Horizontal	Pass
1**	1613.700	29.30	54.0	24.70	AV	23.00	100	Horizontal	Pass
2	4245.750	47.60	74.0	26.40	Peak	246.00	300	Horizontal	Pass
2**	4245.750	38.03	54.0	15.97	AV	246.00	300	Horizontal	Pass
3	5182.250	94.39	--	--	Peak	49.00	100	Horizontal	N/A
3**	5182.250	86.06	--	--	AV	49.00	100	Horizontal	N/A
4	7638.500	52.66	74.0	21.34	Peak	187.00	300	Horizontal	Pass
4**	7638.500	43.54	54.0	10.46	AV	187.00	300	Horizontal	Pass
5	12505.850	54.07	74.0	19.93	Peak	291.00	150	Horizontal	Pass
5**	12505.850	44.78	54.0	9.22	AV	291.00	150	Horizontal	Pass
6	16127.588	54.00	74.0	20.00	Peak	266.00	400	Horizontal	Pass
6**	16127.588	45.35	54.0	8.65	AV	266.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.700	38.79	74.0	35.21	Peak	145.00	100	Vertical	Pass
1**	1489.700	29.93	54.0	24.07	AV	145.00	100	Vertical	Pass
2	4344.500	46.89	74.0	27.11	Peak	86.00	300	Vertical	Pass
2**	4344.500	37.94	54.0	16.06	AV	86.00	300	Vertical	Pass
3	5192.000	103.64	--	--	Peak	303.00	100	Vertical	N/A
3**	5192.000	95.27	--	--	AV	303.00	100	Vertical	N/A
4	7627.750	53.24	74.0	20.76	Peak	0.00	400	Vertical	Pass
4**	7627.750	43.91	54.0	10.09	AV	0.00	400	Vertical	Pass
5	12468.799	53.08	74.0	20.92	Peak	0.00	150	Vertical	Pass
5**	12468.799	44.44	54.0	9.56	AV	0.00	150	Vertical	Pass
6	15922.050	54.02	74.0	19.98	Peak	8.00	100	Vertical	Pass
6**	15922.050	44.28	54.0	9.72	AV	8.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.000	38.69	74.0	35.31	Peak	181.00	400	Horizontal	Pass
1**	1441.000	29.35	54.0	24.65	AV	181.00	400	Horizontal	Pass
2	4278.000	47.63	74.0	26.37	Peak	0.00	100	Horizontal	Pass
2**	4278.000	38.99	54.0	15.01	AV	0.00	100	Horizontal	Pass
3	5239.750	94.38	--	--	Peak	47.00	200	Horizontal	N/A
3**	5239.750	86.12	--	--	AV	47.00	200	Horizontal	N/A
4	7645.750	53.20	74.0	20.80	Peak	8.00	200	Horizontal	Pass
4**	7645.750	44.16	54.0	9.84	AV	8.00	200	Horizontal	Pass
5	12475.924	53.89	74.0	20.11	Peak	0.00	200	Horizontal	Pass
5**	12475.924	44.11	54.0	9.89	AV	0.00	200	Horizontal	Pass
6	16126.537	54.25	74.0	19.75	Peak	35.00	200	Horizontal	Pass
6**	16126.537	45.41	54.0	8.59	AV	35.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.000	38.79	74.0	35.21	Peak	183.00	200	Vertical	Pass
1**	1461.000	29.02	54.0	24.98	AV	183.00	200	Vertical	Pass
2	4222.250	47.26	74.0	26.74	Peak	360.00	200	Vertical	Pass
2**	4222.250	37.73	54.0	16.27	AV	360.00	200	Vertical	Pass
3	5231.750	102.59	--	--	Peak	28.00	150	Vertical	N/A
3**	5231.750	95.43	--	--	AV	28.00	150	Vertical	N/A
4	7361.250	53.13	74.0	20.87	Peak	49.00	100	Vertical	Pass
4**	7361.250	44.06	54.0	9.94	AV	49.00	100	Vertical	Pass
5	12456.212	54.88	74.0	19.12	Peak	28.00	150	Vertical	Pass
5**	12456.212	43.81	54.0	10.19	AV	28.00	150	Vertical	Pass
6	16076.401	54.85	74.0	19.15	Peak	266.00	100	Vertical	Pass
6**	16076.401	44.11	54.0	9.89	AV	266.00	100	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.400	38.63	74.0	35.37	Peak	164.00	300	Horizontal	Pass
1**	1597.400	28.92	54.0	25.08	AV	164.00	300	Horizontal	Pass
2	3980.500	47.37	74.0	26.63	Peak	40.00	300	Horizontal	Pass
2**	3980.500	37.49	54.0	16.51	AV	40.00	300	Horizontal	Pass
3	5213.750	93.61	--	--	Peak	198.00	150	Horizontal	N/A
3**	5213.750	85.77	--	--	AV	198.00	150	Horizontal	N/A
4	7489.000	53.30	74.0	20.70	Peak	356.00	200	Horizontal	Pass
4**	7489.000	43.25	54.0	10.75	AV	356.00	200	Horizontal	Pass
5	12515.112	53.65	74.0	20.35	Peak	42.00	150	Horizontal	Pass
5**	12515.112	45.16	54.0	8.84	AV	42.00	150	Horizontal	Pass
6	16116.825	53.87	74.0	20.13	Peak	324.00	200	Horizontal	Pass
6**	16116.825	44.95	54.0	9.05	AV	324.00	200	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.500	38.78	74.0	35.22	Peak	21.00	200	Vertical	Pass
1**	1471.500	28.62	54.0	25.38	AV	21.00	200	Vertical	Pass
2	4168.000	49.10	74.0	24.90	Peak	137.00	100	Vertical	Pass
2**	4168.000	42.85	54.0	11.15	AV	137.00	100	Vertical	Pass
3	5218.000	101.22	--	--	Peak	355.00	150	Vertical	N/A
3**	5218.000	93.69	--	--	AV	355.00	150	Vertical	N/A
4	7583.250	53.09	74.0	20.91	Peak	355.00	400	Vertical	Pass
4**	7583.250	43.83	54.0	10.17	AV	355.00	400	Vertical	Pass
5	12506.800	53.48	74.0	20.52	Peak	286.00	150	Vertical	Pass
5**	12506.800	45.02	54.0	8.98	AV	286.00	150	Vertical	Pass
6	16140.713	54.29	74.0	19.71	Peak	360.00	100	Vertical	Pass
6**	16140.713	45.04	54.0	8.96	AV	360.00	100	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.300	38.14	74.0	35.86	Peak	360.00	200	Horizontal	Pass
1**	1523.300	28.33	54.0	25.67	AV	360.00	200	Horizontal	Pass
2	4353.000	46.82	74.0	27.18	Peak	52.00	400	Horizontal	Pass
2**	4353.000	37.88	54.0	16.12	AV	52.00	400	Horizontal	Pass
3	5174.000	94.31	--	--	Peak	151.00	100	Horizontal	N/A
3**	5174.000	86.44	--	--	AV	151.00	100	Horizontal	N/A
4	7583.750	53.44	74.0	20.56	Peak	307.00	400	Horizontal	Pass
4**	7583.750	43.88	54.0	10.12	AV	307.00	400	Horizontal	Pass
5	12451.225	53.17	74.0	20.83	Peak	191.00	200	Horizontal	Pass
5**	12451.225	44.20	54.0	9.80	AV	191.00	200	Horizontal	Pass
6	16129.688	53.78	74.0	20.22	Peak	241.00	100	Horizontal	Pass
6**	16129.688	44.39	54.0	9.61	AV	241.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.700	39.71	74.0	34.29	Peak	190.00	200	Vertical	Pass
1**	1464.700	29.20	54.0	24.80	AV	190.00	200	Vertical	Pass
2	4353.500	47.14	74.0	26.86	Peak	246.00	400	Vertical	Pass
2**	4353.500	38.11	54.0	15.89	AV	246.00	400	Vertical	Pass
3	5182.250	103.06	--	--	Peak	246.00	200	Vertical	N/A
3**	5182.250	96.09	--	--	AV	246.00	200	Vertical	N/A
4	7414.750	52.65	74.0	21.35	Peak	0.00	300	Vertical	Pass
4**	7414.750	43.00	54.0	11.00	AV	0.00	300	Vertical	Pass
5	12521.287	53.64	74.0	20.36	Peak	19.00	150	Vertical	Pass
5**	12521.287	44.31	54.0	9.69	AV	19.00	150	Vertical	Pass
6	15538.013	55.06	74.0	18.94	Peak	46.00	400	Vertical	Pass
6**	15538.013	46.03	54.0	7.97	AV	46.00	400	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.400	38.38	74.0	35.62	Peak	263.00	100	Horizontal	Pass
1**	1453.400	28.57	54.0	25.43	AV	263.00	100	Horizontal	Pass
2	4381.250	48.14	74.0	25.86	Peak	128.00	400	Horizontal	Pass
2**	4381.250	37.77	54.0	16.23	AV	128.00	400	Horizontal	Pass
3	5221.250	94.34	--	--	Peak	247.00	150	Horizontal	N/A
3**	5221.250	86.46	--	--	AV	247.00	150	Horizontal	N/A
4	7625.250	53.70	74.0	20.30	Peak	266.00	300	Horizontal	Pass
4**	7625.250	44.92	54.0	9.08	AV	266.00	300	Horizontal	Pass
5	12488.513	53.16	74.0	20.84	Peak	326.00	150	Horizontal	Pass
5**	12488.513	44.36	54.0	9.64	AV	326.00	150	Horizontal	Pass
6	15908.662	53.82	74.0	20.18	Peak	247.00	100	Horizontal	Pass
6**	15908.662	44.27	54.0	9.73	AV	247.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.000	39.16	74.0	34.84	Peak	150.00	400	Vertical	Pass
1**	1485.000	29.25	54.0	24.75	AV	150.00	400	Vertical	Pass
2	4175.750	49.62	74.0	24.38	Peak	88.00	400	Vertical	Pass
2**	4175.750	36.95	54.0	17.05	AV	88.00	400	Vertical	Pass
3	5215.750	103.62	--	--	Peak	246.00	150	Vertical	N/A
3**	5215.750	96.12	--	--	AV	246.00	150	Vertical	N/A
4	7306.000	52.95	74.0	21.05	Peak	344.00	100	Vertical	Pass
4**	7306.000	42.30	54.0	11.70	AV	344.00	100	Vertical	Pass
5	12503.713	53.75	74.0	20.25	Peak	13.00	200	Vertical	Pass
5**	12503.713	44.64	54.0	9.36	AV	13.00	200	Vertical	Pass
6	15658.500	52.55	74.0	21.45	Peak	40.00	150	Vertical	Pass
6**	15658.500	47.36	54.0	6.64	AV	40.00	150	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.800	38.46	74.0	35.54	Peak	144.00	400	Horizontal	Pass
1**	1551.800	28.61	54.0	25.39	AV	144.00	400	Horizontal	Pass
2	4332.000	47.83	74.0	26.17	Peak	24.00	100	Horizontal	Pass
2**	4332.000	38.68	54.0	15.32	AV	24.00	100	Horizontal	Pass
3	5241.500	94.77	--	--	Peak	223.00	100	Horizontal	N/A
3**	5241.500	87.05	--	--	AV	223.00	100	Horizontal	N/A
4	7625.500	52.82	74.0	21.18	Peak	0.00	300	Horizontal	Pass
4**	7625.500	43.03	54.0	10.97	AV	0.00	300	Horizontal	Pass
5	12544.800	53.28	74.0	20.72	Peak	21.00	200	Horizontal	Pass
5**	12544.800	43.74	54.0	10.26	AV	21.00	200	Horizontal	Pass
6	16087.162	53.98	74.0	20.02	Peak	0.00	300	Horizontal	Pass
6**	16087.162	44.37	54.0	9.63	AV	0.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.800	39.29	74.0	34.71	Peak	176.00	100	Vertical	Pass
1**	1530.800	29.10	54.0	24.90	AV	176.00	100	Vertical	Pass
2	4353.000	47.44	74.0	26.56	Peak	149.00	400	Vertical	Pass
2**	4353.000	38.08	54.0	15.92	AV	149.00	400	Vertical	Pass
3	5234.750	103.77	--	--	Peak	247.00	200	Vertical	N/A
3**	5234.750	96.23	--	--	AV	247.00	200	Vertical	N/A
4	7622.750	53.39	74.0	20.61	Peak	188.00	300	Vertical	Pass
4**	7622.750	43.83	54.0	10.17	AV	188.00	300	Vertical	Pass
5	12515.826	53.10	74.0	20.90	Peak	122.00	200	Vertical	Pass
5**	12515.826	44.45	54.0	9.55	AV	122.00	200	Vertical	Pass
6	16140.975	53.67	74.0	20.33	Peak	308.00	400	Vertical	Pass
6**	16140.975	44.23	54.0	9.77	AV	308.00	400	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.100	38.39	74.0	35.61	Peak	181.00	100	Horizontal	Pass
1**	1474.100	28.96	54.0	25.04	AV	181.00	100	Horizontal	Pass
2	4288.000	47.86	74.0	26.14	Peak	305.00	200	Horizontal	Pass
2**	4288.000	38.11	54.0	15.89	AV	305.00	200	Horizontal	Pass
3	5179.500	95.28	--	--	Peak	49.00	150	Horizontal	N/A
3**	5179.500	86.34	--	--	AV	49.00	150	Horizontal	N/A
4	7369.250	53.13	74.0	20.87	Peak	0.00	100	Horizontal	Pass
4**	7369.250	43.50	54.0	10.50	AV	0.00	100	Horizontal	Pass
5	12470.938	53.65	74.0	20.35	Peak	360.00	150	Horizontal	Pass
5**	12470.938	44.47	54.0	9.53	AV	360.00	150	Horizontal	Pass
6	16087.162	54.79	74.0	19.21	Peak	161.00	100	Horizontal	Pass
6**	16087.162	44.67	54.0	9.33	AV	161.00	100	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.300	38.47	74.0	35.53	Peak	360.00	200	Vertical	Pass
1**	1625.300	29.07	54.0	24.93	AV	360.00	200	Vertical	Pass
2	4314.500	47.07	74.0	26.93	Peak	324.00	400	Vertical	Pass
2**	4314.500	37.84	54.0	16.16	AV	324.00	400	Vertical	Pass
3	5191.000	103.83	--	--	Peak	305.00	100	Vertical	N/A
3**	5191.000	94.53	--	--	AV	305.00	100	Vertical	N/A
4	7370.000	53.44	74.0	20.56	Peak	186.00	400	Vertical	Pass
4**	7370.000	43.88	54.0	10.12	AV	186.00	400	Vertical	Pass
5	12483.287	53.69	74.0	20.31	Peak	0.00	200	Vertical	Pass
5**	12483.287	44.25	54.0	9.75	AV	0.00	200	Vertical	Pass
6	15906.300	54.05	74.0	19.95	Peak	237.00	300	Vertical	Pass
6**	15906.300	45.42	54.0	8.58	AV	237.00	300	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.400	38.02	74.0	35.98	Peak	25.00	300	Horizontal	Pass
1**	1509.400	28.30	54.0	25.70	AV	25.00	300	Horizontal	Pass
2	4281.250	47.78	74.0	26.22	Peak	69.00	300	Horizontal	Pass
2**	4281.250	38.04	54.0	15.96	AV	69.00	300	Horizontal	Pass
3	5231.500	94.94	--	--	Peak	205.00	150	Horizontal	N/A
3**	5231.500	86.69	--	--	AV	205.00	150	Horizontal	N/A
4	7364.750	52.99	74.0	21.01	Peak	49.00	200	Horizontal	Pass
4**	7364.750	43.40	54.0	10.60	AV	49.00	200	Horizontal	Pass
5	12501.100	53.37	74.0	20.63	Peak	303.00	200	Horizontal	Pass
5**	12501.100	44.11	54.0	9.89	AV	303.00	200	Horizontal	Pass
6	16099.763	54.27	74.0	19.73	Peak	179.00	400	Horizontal	Pass
6**	16099.763	45.19	54.0	8.81	AV	179.00	400	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.300	38.40	74.0	35.60	Peak	164.00	300	Vertical	Pass
1**	1544.300	30.01	54.0	23.99	AV	164.00	300	Vertical	Pass
2	4184.250	50.94	74.0	23.06	Peak	66.00	200	Vertical	Pass
2**	4184.250	38.65	54.0	15.35	AV	66.00	200	Vertical	Pass
3	5231.500	102.90	--	--	Peak	27.00	100	Vertical	N/A
3**	5231.500	94.94	--	--	AV	27.00	100	Vertical	N/A
4	7533.500	53.39	74.0	20.61	Peak	224.00	200	Vertical	Pass
4**	7533.500	43.24	54.0	10.76	AV	224.00	200	Vertical	Pass
5	12472.600	53.40	74.0	20.60	Peak	359.00	100	Vertical	Pass
5**	12472.600	44.29	54.0	9.71	AV	359.00	100	Vertical	Pass
6	16105.800	54.80	74.0	19.20	Peak	169.00	100	Vertical	Pass
6**	16105.800	44.46	54.0	9.54	AV	169.00	100	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	38.28	74.0	35.72	Peak	16.00	300	Horizontal	Pass
1**	1600.500	29.14	54.0	24.86	AV	16.00	300	Horizontal	Pass
2	4326.250	47.15	74.0	26.85	Peak	336.00	400	Horizontal	Pass
2**	4326.250	37.93	54.0	16.07	AV	336.00	400	Horizontal	Pass
3	5221.000	93.56	--	--	Peak	356.00	150	Horizontal	N/A
3**	5221.000	85.79	--	--	AV	356.00	150	Horizontal	N/A
4	7474.250	52.34	74.0	21.66	Peak	98.00	300	Horizontal	Pass
4**	7474.250	43.33	54.0	10.67	AV	98.00	300	Horizontal	Pass
5	12460.013	53.15	74.0	20.85	Peak	334.00	200	Horizontal	Pass
5**	12460.013	45.13	54.0	8.87	AV	334.00	200	Horizontal	Pass
6	16151.737	54.25	74.0	19.75	Peak	0.00	300	Horizontal	Pass
6**	16151.737	44.49	54.0	9.51	AV	0.00	300	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.300	38.61	74.0	35.39	Peak	127.00	300	Vertical	Pass
1**	1580.300	28.62	54.0	25.38	AV	127.00	300	Vertical	Pass
2	4168.500	44.95	74.0	29.05	Peak	360.00	100	Vertical	Pass
2**	4168.500	44.65	54.0	9.35	AV	360.00	100	Vertical	Pass
3	5207.750	101.54	--	--	Peak	40.00	100	Vertical	N/A
3**	5207.750	93.55	--	--	AV	40.00	100	Vertical	N/A
4	7648.000	52.96	74.0	21.04	Peak	120.00	300	Vertical	Pass
4**	7648.000	43.73	54.0	10.27	AV	120.00	300	Vertical	Pass
5	12526.750	53.28	74.0	20.72	Peak	244.00	150	Vertical	Pass
5**	12526.750	43.88	54.0	10.12	AV	244.00	150	Vertical	Pass
6	15650.888	53.99	74.0	20.01	Peak	174.00	400	Vertical	Pass
6**	15650.888	45.46	54.0	8.54	AV	174.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.600	38.96	74.0	35.04	Peak	317.00	300	Horizontal	Pass
1**	1605.600	28.71	54.0	25.29	AV	317.00	300	Horizontal	Pass
2	4326.500	47.39	74.0	26.61	Peak	297.00	400	Horizontal	Pass
2**	4326.500	38.09	54.0	15.91	AV	297.00	400	Horizontal	Pass
3	5266.000	97.40	--	--	Peak	79.00	200	Horizontal	N/A
3**	5266.000	90.17	--	--	AV	79.00	200	Horizontal	N/A
4	7424.250	53.83	74.0	20.17	Peak	217.00	200	Horizontal	Pass
4**	7424.250	43.99	54.0	10.01	AV	217.00	200	Horizontal	Pass
5	12497.299	54.04	74.0	19.96	Peak	191.00	200	Horizontal	Pass
5**	12497.299	43.64	54.0	10.36	AV	191.00	200	Horizontal	Pass
6	15893.175	53.92	74.0	20.08	Peak	249.00	100	Horizontal	Pass
6**	15893.175	45.09	54.0	8.91	AV	249.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.400	39.25	74.0	34.75	Peak	128.00	300	Vertical	Pass
1**	1441.400	29.57	54.0	24.43	AV	128.00	300	Vertical	Pass
2	4207.750	49.37	74.0	24.63	Peak	139.00	100	Vertical	Pass
2**	4207.750	42.86	54.0	11.14	AV	139.00	100	Vertical	Pass
3	5262.250	105.51	--	--	Peak	355.00	150	Vertical	N/A
3**	5262.250	97.73	--	--	AV	355.00	150	Vertical	N/A
4	7601.250	53.09	74.0	20.91	Peak	178.00	400	Vertical	Pass
4**	7601.250	43.59	54.0	10.41	AV	178.00	400	Vertical	Pass
5	12478.775	53.60	74.0	20.40	Peak	317.00	200	Vertical	Pass
5**	12478.775	44.25	54.0	9.75	AV	317.00	200	Vertical	Pass
6	15780.300	54.54	74.0	19.46	Peak	16.00	400	Vertical	Pass
6**	15780.300	45.00	54.0	9.00	AV	16.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.600	38.44	74.0	35.56	Peak	360.00	100	Horizontal	Pass
1**	1615.600	28.96	54.0	25.04	AV	360.00	100	Horizontal	Pass
2	4327.250	47.16	74.0	26.84	Peak	360.00	400	Horizontal	Pass
2**	4327.250	38.22	54.0	15.78	AV	360.00	400	Horizontal	Pass
3	5299.000	97.13	--	--	Peak	276.00	150	Horizontal	N/A
3**	5299.000	90.05	--	--	AV	276.00	150	Horizontal	N/A
4	7607.750	53.17	74.0	20.83	Peak	157.00	300	Horizontal	Pass
4**	7607.750	44.07	54.0	9.93	AV	157.00	300	Horizontal	Pass
5	12570.687	53.18	74.0	20.82	Peak	184.00	100	Horizontal	Pass
5**	12570.687	42.60	54.0	11.40	AV	184.00	100	Horizontal	Pass
6	16094.250	54.08	74.0	19.92	Peak	333.00	200	Horizontal	Pass
6**	16094.250	44.50	54.0	9.50	AV	333.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.700	38.52	74.0	35.48	Peak	171.00	100	Vertical	Pass
1**	1545.700	29.63	54.0	24.37	AV	171.00	100	Vertical	Pass
2	4240.000	52.57	74.0	21.43	Peak	21.00	200	Vertical	Pass
2**	4240.000	39.14	54.0	14.86	AV	21.00	200	Vertical	Pass
3	5297.250	105.40	--	--	Peak	352.00	150	Vertical	N/A
3**	5297.250	97.64	--	--	AV	352.00	150	Vertical	N/A
4	7370.000	53.17	74.0	20.83	Peak	176.00	200	Vertical	Pass
4**	7370.000	43.43	54.0	10.57	AV	176.00	200	Vertical	Pass
5	12442.438	53.65	74.0	20.35	Peak	300.00	100	Vertical	Pass
5**	12442.438	43.50	54.0	10.50	AV	300.00	100	Vertical	Pass
6	16103.175	54.45	74.0	19.55	Peak	360.00	400	Vertical	Pass
6**	16103.175	44.49	54.0	9.51	AV	360.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.200	38.72	74.0	35.28	Peak	232.00	200	Horizontal	Pass
1**	1480.200	28.98	54.0	25.02	AV	232.00	200	Horizontal	Pass
2	4256.250	50.46	74.0	23.54	Peak	197.00	200	Horizontal	Pass
2**	4256.250	39.35	54.0	14.65	AV	197.00	200	Horizontal	Pass
3	5321.500	96.68	--	--	Peak	275.00	200	Horizontal	N/A
3**	5321.500	89.69	--	--	AV	275.00	200	Horizontal	N/A
4	7656.750	53.19	74.0	20.81	Peak	360.00	100	Horizontal	Pass
4**	7656.750	43.61	54.0	10.39	AV	360.00	100	Horizontal	Pass
5	12506.087	53.23	74.0	20.77	Peak	188.00	100	Horizontal	Pass
5**	12506.087	44.05	54.0	9.95	AV	188.00	100	Horizontal	Pass
6	16079.287	54.14	74.0	19.86	Peak	108.00	200	Horizontal	Pass
6**	16079.287	45.38	54.0	8.62	AV	108.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.200	38.57	74.0	35.43	Peak	145.00	200	Vertical	Pass
1**	1494.200	29.17	54.0	24.83	AV	145.00	200	Vertical	Pass
2	4255.750	48.58	74.0	25.42	Peak	360.00	400	Vertical	Pass
2**	4255.750	38.88	54.0	15.12	AV	360.00	400	Vertical	Pass
3	5317.250	105.82	--	--	Peak	351.00	200	Vertical	N/A
3**	5317.250	97.99	--	--	AV	351.00	200	Vertical	N/A
4	7586.500	53.04	74.0	20.96	Peak	273.00	200	Vertical	Pass
4**	7586.500	44.60	54.0	9.40	AV	273.00	200	Vertical	Pass
5	12514.875	53.61	74.0	20.39	Peak	360.00	200	Vertical	Pass
5**	12514.875	44.54	54.0	9.46	AV	360.00	200	Vertical	Pass
6	16121.287	55.09	74.0	18.91	Peak	232.00	300	Vertical	Pass
6**	16121.287	44.82	54.0	9.18	AV	232.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.300	38.26	74.0	35.74	Peak	291.00	200	Horizontal	Pass
1**	1493.300	28.63	54.0	25.37	AV	291.00	200	Horizontal	Pass
2	4351.000	47.44	74.0	26.56	Peak	140.00	100	Horizontal	Pass
2**	4351.000	38.96	54.0	15.04	AV	140.00	100	Horizontal	Pass
3	5255.000	96.93	--	--	Peak	60.00	200	Horizontal	N/A
3**	5255.000	88.84	--	--	AV	60.00	200	Horizontal	N/A
4	7489.500	53.04	74.0	20.96	Peak	40.00	300	Horizontal	Pass
4**	7489.500	43.63	54.0	10.37	AV	40.00	300	Horizontal	Pass
5	12481.150	53.12	74.0	20.88	Peak	360.00	150	Horizontal	Pass
5**	12481.150	44.95	54.0	9.05	AV	360.00	150	Horizontal	Pass
6	15885.300	53.99	74.0	20.01	Peak	69.00	300	Horizontal	Pass
6**	15885.300	44.82	54.0	9.18	AV	69.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.400	38.31	74.0	35.69	Peak	155.00	300	Vertical	Pass
1**	1534.400	28.40	54.0	25.60	AV	155.00	300	Vertical	Pass
2	4207.750	50.47	74.0	23.53	Peak	19.00	300	Vertical	Pass
2**	4207.750	38.95	54.0	15.05	AV	19.00	300	Vertical	Pass
3	5263.000	105.46	--	--	Peak	356.00	200	Vertical	N/A
3**	5263.000	98.37	--	--	AV	356.00	200	Vertical	N/A
4	7593.000	53.28	74.0	20.72	Peak	0.00	300	Vertical	Pass
4**	7593.000	43.71	54.0	10.29	AV	0.00	300	Vertical	Pass
5	12527.225	53.11	74.0	20.89	Peak	344.00	100	Vertical	Pass
5**	12527.225	43.86	54.0	10.14	AV	344.00	100	Vertical	Pass
6	16098.450	55.18	74.0	18.82	Peak	360.00	200	Vertical	Pass
6**	16098.450	45.13	54.0	8.87	AV	360.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.900	39.19	74.0	34.81	Peak	87.00	400	Horizontal	Pass
1**	1529.900	28.97	54.0	25.03	AV	87.00	400	Horizontal	Pass
2	4172.500	47.06	74.0	26.94	Peak	176.00	400	Horizontal	Pass
2**	4172.500	37.44	54.0	16.56	AV	176.00	400	Horizontal	Pass
3	5303.250	97.04	--	--	Peak	59.00	100	Horizontal	N/A
3**	5303.250	89.04	--	--	AV	59.00	100	Horizontal	N/A
4	7602.250	52.68	74.0	21.32	Peak	176.00	300	Horizontal	Pass
4**	7602.250	44.07	54.0	9.93	AV	176.00	300	Horizontal	Pass
5	12515.826	53.46	74.0	20.54	Peak	186.00	100	Horizontal	Pass
5**	12515.826	44.44	54.0	9.56	AV	186.00	100	Horizontal	Pass
6	16122.075	54.31	74.0	19.69	Peak	231.00	300	Horizontal	Pass
6**	16122.075	46.16	54.0	7.84	AV	231.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.400	38.27	74.0	35.73	Peak	263.00	300	Vertical	Pass
1**	1474.400	28.29	54.0	25.71	AV	263.00	300	Vertical	Pass
2	4240.250	51.22	74.0	22.78	Peak	21.00	200	Vertical	Pass
2**	4240.250	38.91	54.0	15.09	AV	21.00	200	Vertical	Pass
3	5298.000	105.90	--	--	Peak	357.00	150	Vertical	N/A
3**	5298.000	97.68	--	--	AV	357.00	150	Vertical	N/A
4	7334.250	52.62	74.0	21.38	Peak	338.00	100	Vertical	Pass
4**	7334.250	42.74	54.0	11.26	AV	338.00	100	Vertical	Pass
5	12525.799	53.06	74.0	20.94	Peak	254.00	150	Vertical	Pass
5**	12525.799	43.59	54.0	10.41	AV	254.00	150	Vertical	Pass
6	15895.012	55.19	74.0	18.81	Peak	18.00	100	Vertical	Pass
6**	15895.012	45.39	54.0	8.61	AV	18.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.600	38.26	74.0	35.74	Peak	332.00	100	Horizontal	Pass
1**	1612.600	29.27	54.0	24.73	AV	332.00	100	Horizontal	Pass
2	4256.500	48.34	74.0	25.66	Peak	217.00	300	Horizontal	Pass
2**	4256.500	37.79	54.0	16.21	AV	217.00	300	Horizontal	Pass
3	5316.750	96.77	--	--	Peak	62.00	200	Horizontal	N/A
3**	5316.750	89.23	--	--	AV	62.00	200	Horizontal	N/A
4	7646.250	53.26	74.0	20.74	Peak	1.00	300	Horizontal	Pass
4**	7646.250	44.46	54.0	9.54	AV	1.00	300	Horizontal	Pass
5	12508.937	53.36	74.0	20.64	Peak	120.00	100	Horizontal	Pass
5**	12508.937	44.33	54.0	9.67	AV	120.00	100	Horizontal	Pass
6	16079.025	53.68	74.0	20.32	Peak	340.00	400	Horizontal	Pass
6**	16079.025	45.09	54.0	8.91	AV	340.00	400	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.600	39.11	74.0	34.89	Peak	48.00	200	Vertical	Pass
1**	1625.600	29.28	54.0	24.72	AV	48.00	200	Vertical	Pass
2	4255.750	50.62	74.0	23.38	Peak	135.00	400	Vertical	Pass
2**	4255.750	38.84	54.0	15.16	AV	135.00	400	Vertical	Pass
3	5323.250	105.35	--	--	Peak	38.00	100	Vertical	N/A
3**	5323.250	97.68	--	--	AV	38.00	100	Vertical	N/A
4	7359.500	53.27	74.0	20.73	Peak	117.00	200	Vertical	Pass
4**	7359.500	43.97	54.0	10.03	AV	117.00	200	Vertical	Pass
5	12515.112	53.58	74.0	20.42	Peak	44.00	150	Vertical	Pass
5**	12515.112	44.50	54.0	9.50	AV	44.00	150	Vertical	Pass
6	16116.037	54.06	74.0	19.94	Peak	19.00	100	Vertical	Pass
6**	16116.037	45.27	54.0	8.73	AV	19.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.400	38.81	74.0	35.19	Peak	26.00	300	Horizontal	Pass
1**	1626.400	29.19	54.0	24.81	AV	26.00	300	Horizontal	Pass
2	4252.500	47.16	74.0	26.84	Peak	334.00	400	Horizontal	Pass
2**	4252.500	37.80	54.0	16.20	AV	334.00	400	Horizontal	Pass
3	5263.000	93.87	--	--	Peak	57.00	100	Horizontal	N/A
3**	5263.000	86.76	--	--	AV	57.00	100	Horizontal	N/A
4	7648.250	53.55	74.0	20.45	Peak	0.00	300	Horizontal	Pass
4**	7648.250	44.04	54.0	9.96	AV	0.00	300	Horizontal	Pass
5	12506.087	53.99	74.0	20.01	Peak	26.00	200	Horizontal	Pass
5**	12506.087	44.81	54.0	9.19	AV	26.00	200	Horizontal	Pass
6	16131.787	54.76	74.0	19.24	Peak	334.00	100	Horizontal	Pass
6**	16131.787	46.20	54.0	7.80	AV	334.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.900	41.75	74.0	32.25	Peak	167.00	100	Vertical	Pass
1**	1329.900	30.10	54.0	23.90	AV	167.00	100	Vertical	Pass
2	4216.500	50.63	74.0	23.37	Peak	170.00	200	Vertical	Pass
2**	4216.500	38.45	54.0	15.55	AV	170.00	200	Vertical	Pass
3	5272.500	104.40	--	--	Peak	347.00	200	Vertical	N/A
3**	5272.500	96.43	--	--	AV	347.00	200	Vertical	N/A
4	7610.750	53.55	74.0	20.45	Peak	92.00	100	Vertical	Pass
4**	7610.750	44.49	54.0	9.51	AV	92.00	100	Vertical	Pass
5	12504.424	54.27	74.0	19.73	Peak	244.00	100	Vertical	Pass
5**	12504.424	43.85	54.0	10.15	AV	244.00	100	Vertical	Pass
6	16096.874	53.93	74.0	20.07	Peak	179.00	100	Vertical	Pass
6**	16096.874	44.90	54.0	9.10	AV	179.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.100	38.28	74.0	35.72	Peak	27.00	200	Horizontal	Pass
1**	1435.100	28.98	54.0	25.02	AV	27.00	200	Horizontal	Pass
2	4376.500	48.03	74.0	25.97	Peak	152.00	200	Horizontal	Pass
2**	4376.500	37.58	54.0	16.42	AV	152.00	200	Horizontal	Pass
3	5306.250	94.57	--	--	Peak	269.00	150	Horizontal	N/A
3**	5306.250	87.59	--	--	AV	269.00	150	Horizontal	N/A
4	7352.750	53.18	74.0	20.82	Peak	288.00	400	Horizontal	Pass
4**	7352.750	43.00	54.0	11.00	AV	288.00	400	Horizontal	Pass
5	12508.937	53.60	74.0	20.40	Peak	71.00	100	Horizontal	Pass
5**	12508.937	44.44	54.0	9.56	AV	71.00	100	Horizontal	Pass
6	15891.599	54.15	74.0	19.85	Peak	213.00	300	Horizontal	Pass
6**	15891.599	44.76	54.0	9.24	AV	213.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	44.44	74.0	29.56	Peak	183.00	100	Vertical	Pass
1**	1329.200	33.44	54.0	20.56	AV	183.00	100	Vertical	Pass
2	4263.250	47.08	74.0	26.92	Peak	43.00	400	Vertical	Pass
2**	4263.250	37.55	54.0	16.45	AV	43.00	400	Vertical	Pass
3	5312.250	104.11	--	--	Peak	348.00	200	Vertical	N/A
3**	5312.250	95.68	--	--	AV	348.00	200	Vertical	N/A
4	7364.500	53.69	74.0	20.31	Peak	246.00	300	Vertical	Pass
4**	7364.500	43.37	54.0	10.63	AV	246.00	300	Vertical	Pass
5	12481.625	54.18	74.0	19.82	Peak	244.00	200	Vertical	Pass
5**	12481.625	44.39	54.0	9.61	AV	244.00	200	Vertical	Pass
6	15902.099	53.91	74.0	20.09	Peak	360.00	400	Vertical	Pass
6**	15902.099	45.41	54.0	8.59	AV	360.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.300	39.22	74.0	34.78	Peak	169.00	100	Horizontal	Pass
1**	1452.300	29.84	54.0	24.16	AV	169.00	100	Horizontal	Pass
2	4208.750	47.47	74.0	26.53	Peak	197.00	300	Horizontal	Pass
2**	4208.750	37.86	54.0	16.14	AV	197.00	300	Horizontal	Pass
3	5258.750	97.12	--	--	Peak	77.00	100	Horizontal	N/A
3**	5258.750	90.05	--	--	AV	77.00	100	Horizontal	N/A
4	7422.750	53.95	74.0	20.05	Peak	118.00	100	Horizontal	Pass
4**	7422.750	45.04	54.0	8.96	AV	118.00	100	Horizontal	Pass
5	12509.175	53.94	74.0	20.06	Peak	315.00	200	Horizontal	Pass
5**	12509.175	44.61	54.0	9.39	AV	315.00	200	Horizontal	Pass
6	16132.575	54.45	74.0	19.55	Peak	275.00	200	Horizontal	Pass
6**	16132.575	44.45	54.0	9.55	AV	275.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.800	38.41	74.0	35.59	Peak	118.00	200	Vertical	Pass
1**	1607.800	28.82	54.0	25.18	AV	118.00	200	Vertical	Pass
2	4207.500	48.47	74.0	25.53	Peak	0.00	400	Vertical	Pass
2**	4207.500	38.68	54.0	15.32	AV	0.00	400	Vertical	Pass
3	5262.250	105.71	--	--	Peak	355.00	100	Vertical	N/A
3**	5262.250	98.49	--	--	AV	355.00	100	Vertical	N/A
4	7599.250	53.03	74.0	20.97	Peak	157.00	100	Vertical	Pass
4**	7599.250	44.17	54.0	9.83	AV	157.00	100	Vertical	Pass
5	12512.737	53.58	74.0	20.42	Peak	100.00	100	Vertical	Pass
5**	12512.737	44.46	54.0	9.54	AV	100.00	100	Vertical	Pass
6	16092.151	54.41	74.0	19.59	Peak	273.00	400	Vertical	Pass
6**	16092.151	45.12	54.0	8.88	AV	273.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.200	38.48	74.0	35.52	Peak	79.00	400	Horizontal	Pass
1**	1604.200	29.09	54.0	24.91	AV	79.00	400	Horizontal	Pass
2	4240.000	48.11	74.0	25.89	Peak	217.00	100	Horizontal	Pass
2**	4240.000	38.75	54.0	15.25	AV	217.00	100	Horizontal	Pass
3	5298.250	96.71	--	--	Peak	355.00	200	Horizontal	N/A
3**	5298.250	89.08	--	--	AV	355.00	200	Horizontal	N/A
4	7589.000	53.01	74.0	20.99	Peak	316.00	200	Horizontal	Pass
4**	7589.000	43.80	54.0	10.20	AV	316.00	200	Horizontal	Pass
5	12473.312	53.70	74.0	20.30	Peak	140.00	150	Horizontal	Pass
5**	12473.312	44.85	54.0	9.15	AV	140.00	150	Horizontal	Pass
6	15921.787	54.08	74.0	19.92	Peak	67.00	300	Horizontal	Pass
6**	15921.787	45.16	54.0	8.84	AV	67.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.100	38.75	74.0	35.25	Peak	234.00	400	Vertical	Pass
1**	1457.100	29.44	54.0	24.56	AV	234.00	400	Vertical	Pass
2	4239.750	50.66	74.0	23.34	Peak	360.00	400	Vertical	Pass
2**	4239.750	38.02	54.0	15.98	AV	360.00	400	Vertical	Pass
3	5301.750	105.54	--	--	Peak	356.00	200	Vertical	N/A
3**	5301.750	98.01	--	--	AV	356.00	200	Vertical	N/A
4	7494.250	53.18	74.0	20.82	Peak	79.00	300	Vertical	Pass
4**	7494.250	43.10	54.0	10.90	AV	79.00	300	Vertical	Pass
5	12499.912	53.59	74.0	20.41	Peak	189.00	100	Vertical	Pass
5**	12499.912	45.18	54.0	8.82	AV	189.00	100	Vertical	Pass
6	15877.162	53.95	74.0	20.05	Peak	100.00	100	Vertical	Pass
6**	15877.162	45.24	54.0	8.76	AV	100.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.900	38.30	74.0	35.70	Peak	223.00	100	Horizontal	Pass
1**	1608.900	28.38	54.0	25.62	AV	223.00	100	Horizontal	Pass
2	4355.000	47.10	74.0	26.90	Peak	101.00	100	Horizontal	Pass
2**	4355.000	37.68	54.0	16.32	AV	101.00	100	Horizontal	Pass
3	5316.250	96.71	--	--	Peak	62.00	200	Horizontal	N/A
3**	5316.250	89.19	--	--	AV	62.00	200	Horizontal	N/A
4	7355.500	53.18	74.0	20.82	Peak	120.00	400	Horizontal	Pass
4**	7355.500	43.55	54.0	10.45	AV	120.00	400	Horizontal	Pass
5	12478.063	53.66	74.0	20.34	Peak	360.00	150	Horizontal	Pass
5**	12478.063	44.95	54.0	9.05	AV	360.00	150	Horizontal	Pass
6	15861.937	53.82	74.0	20.18	Peak	195.00	300	Horizontal	Pass
6**	15861.937	44.33	54.0	9.67	AV	195.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.800	38.78	74.0	35.22	Peak	92.00	100	Vertical	Pass
1**	1586.800	29.18	54.0	24.82	AV	92.00	100	Vertical	Pass
2	4332.250	47.18	74.0	26.82	Peak	313.00	200	Vertical	Pass
2**	4332.250	37.90	54.0	16.10	AV	313.00	200	Vertical	Pass
3	5322.250	105.83	--	--	Peak	352.00	100	Vertical	N/A
3**	5322.250	97.94	--	--	AV	352.00	100	Vertical	N/A
4	7647.000	53.64	74.0	20.36	Peak	158.00	200	Vertical	Pass
4**	7647.000	43.74	54.0	10.26	AV	158.00	200	Vertical	Pass
5	12477.825	53.29	74.0	20.71	Peak	329.00	150	Vertical	Pass
5**	12477.825	44.82	54.0	9.18	AV	329.00	150	Vertical	Pass
6	16097.662	54.68	74.0	19.32	Peak	62.00	100	Vertical	Pass
6**	16097.662	45.47	54.0	8.53	AV	62.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.700	39.65	74.0	34.35	Peak	69.00	100	Horizontal	Pass
1**	1573.700	28.56	54.0	25.44	AV	69.00	100	Horizontal	Pass
2	4321.000	47.36	74.0	26.64	Peak	334.00	300	Horizontal	Pass
2**	4321.000	37.86	54.0	16.14	AV	334.00	300	Horizontal	Pass
3	5266.000	94.07	--	--	Peak	251.00	150	Horizontal	N/A
3**	5266.000	87.01	--	--	AV	251.00	150	Horizontal	N/A
4	7599.250	53.48	74.0	20.52	Peak	14.00	400	Horizontal	Pass
4**	7599.250	44.26	54.0	9.74	AV	14.00	400	Horizontal	Pass
5	12516.775	53.53	74.0	20.47	Peak	322.00	200	Horizontal	Pass
5**	12516.775	43.74	54.0	10.26	AV	322.00	200	Horizontal	Pass
6	15644.325	54.90	74.0	19.10	Peak	276.00	200	Horizontal	Pass
6**	15644.325	44.01	54.0	9.99	AV	276.00	200	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	43.86	74.0	30.14	Peak	182.00	100	Vertical	Pass
1**	1332.700	32.83	54.0	21.17	AV	182.00	100	Vertical	Pass
2	4334.000	47.05	74.0	26.95	Peak	0.00	100	Vertical	Pass
2**	4334.000	38.19	54.0	15.81	AV	0.00	100	Vertical	Pass
3	5272.250	104.10	--	--	Peak	336.00	100	Vertical	N/A
3**	5272.250	97.51	--	--	AV	336.00	100	Vertical	N/A
4	7476.250	53.08	74.0	20.92	Peak	147.00	200	Vertical	Pass
4**	7476.250	43.41	54.0	10.59	AV	147.00	200	Vertical	Pass
5	12494.925	53.75	74.0	20.25	Peak	222.00	150	Vertical	Pass
5**	12494.925	45.86	54.0	8.14	AV	222.00	150	Vertical	Pass
6	15680.550	53.92	74.0	20.08	Peak	8.00	200	Vertical	Pass
6**	15680.550	44.72	54.0	9.28	AV	8.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.400	38.59	74.0	35.41	Peak	206.00	300	Horizontal	Pass
1**	1592.400	29.90	54.0	24.10	AV	206.00	300	Horizontal	Pass
2	4253.500	47.51	74.0	26.49	Peak	269.00	100	Horizontal	Pass
2**	4253.500	38.22	54.0	15.78	AV	269.00	100	Horizontal	Pass
3	5306.250	94.66	--	--	Peak	269.00	150	Horizontal	N/A
3**	5306.250	87.09	--	--	AV	269.00	150	Horizontal	N/A
4	7646.500	53.18	74.0	20.82	Peak	249.00	100	Horizontal	Pass
4**	7646.500	43.43	54.0	10.57	AV	249.00	100	Horizontal	Pass
5	12492.787	53.40	74.0	20.60	Peak	79.00	150	Horizontal	Pass
5**	12492.787	44.23	54.0	9.77	AV	79.00	150	Horizontal	Pass
6	16128.375	53.95	74.0	20.05	Peak	6.00	300	Horizontal	Pass
6**	16128.375	45.13	54.0	8.87	AV	6.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	43.79	74.0	30.21	Peak	150.00	100	Vertical	Pass
1**	1331.700	29.85	54.0	24.15	AV	150.00	100	Vertical	Pass
2	4326.000	47.45	74.0	26.55	Peak	125.00	100	Vertical	Pass
2**	4326.000	38.70	54.0	15.30	AV	125.00	100	Vertical	Pass
3	5316.500	103.83	--	--	Peak	348.00	100	Vertical	N/A
3**	5316.500	96.66	--	--	AV	348.00	100	Vertical	N/A
4	7479.500	52.89	74.0	21.11	Peak	207.00	100	Vertical	Pass
4**	7479.500	43.70	54.0	10.30	AV	207.00	100	Vertical	Pass
5	12435.550	53.31	74.0	20.69	Peak	176.00	200	Vertical	Pass
5**	12435.550	43.73	54.0	10.27	AV	176.00	200	Vertical	Pass
6	15914.438	53.95	74.0	20.05	Peak	52.00	200	Vertical	Pass
6**	15914.438	45.54	54.0	8.46	AV	52.00	200	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	39.47	74.0	34.53	Peak	137.00	100	Horizontal	Pass
1**	1329.600	29.46	54.0	24.54	AV	137.00	100	Horizontal	Pass
2	4232.000	47.68	74.0	26.32	Peak	360.00	100	Horizontal	Pass
2**	4232.000	37.35	54.0	16.65	AV	360.00	100	Horizontal	Pass
3	5287.500	95.92	--	--	Peak	255.00	100	Horizontal	N/A
3**	5287.500	87.34	--	--	AV	255.00	100	Horizontal	N/A
4	7599.250	53.06	74.0	20.94	Peak	234.00	300	Horizontal	Pass
4**	7599.250	44.26	54.0	9.74	AV	234.00	300	Horizontal	Pass
5	12452.650	53.26	74.0	20.74	Peak	0.00	200	Horizontal	Pass
5**	12452.650	43.99	54.0	10.01	AV	0.00	200	Horizontal	Pass
6	16148.850	53.85	74.0	20.15	Peak	323.00	200	Horizontal	Pass
6**	16148.850	45.00	54.0	9.00	AV	323.00	200	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	44.29	74.0	29.71	Peak	142.00	100	Vertical	Pass
1**	1332.600	30.81	54.0	23.19	AV	142.00	100	Vertical	Pass
2	4232.500	48.04	74.0	25.96	Peak	2.00	400	Vertical	Pass
2**	4232.500	38.31	54.0	15.69	AV	2.00	400	Vertical	Pass
3	5274.000	103.22	--	--	Peak	348.00	200	Vertical	N/A
3**	5274.000	94.70	--	--	AV	348.00	200	Vertical	N/A
4	7709.500	53.41	74.0	20.59	Peak	266.00	100	Vertical	Pass
4**	7709.500	43.94	54.0	10.06	AV	266.00	100	Vertical	Pass
5	12452.650	53.12	74.0	20.88	Peak	242.00	200	Vertical	Pass
5**	12452.650	44.05	54.0	9.95	AV	242.00	200	Vertical	Pass
6	15782.925	53.97	74.0	20.03	Peak	54.00	300	Vertical	Pass
6**	15782.925	44.13	54.0	9.87	AV	54.00	300	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.400	38.41	74.0	35.59	Peak	166.00	200	Horizontal	Pass
1**	1440.400	28.68	54.0	25.32	AV	166.00	200	Horizontal	Pass
2	4334.750	47.58	74.0	26.42	Peak	157.00	100	Horizontal	Pass
2**	4334.750	37.80	54.0	16.20	AV	157.00	100	Horizontal	Pass
3	5262.750	97.14	--	--	Peak	79.00	150	Horizontal	N/A
3**	5262.750	90.48	--	--	AV	79.00	150	Horizontal	N/A
4	7604.250	53.38	74.0	20.62	Peak	295.00	100	Horizontal	Pass
4**	7604.250	43.93	54.0	10.07	AV	295.00	100	Horizontal	Pass
5	12462.151	53.33	74.0	20.67	Peak	120.00	200	Horizontal	Pass
5**	12462.151	44.51	54.0	9.49	AV	120.00	200	Horizontal	Pass
6	16137.825	54.11	74.0	19.89	Peak	188.00	200	Horizontal	Pass
6**	16137.825	45.15	54.0	8.85	AV	188.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.300	39.09	74.0	34.91	Peak	186.00	400	Vertical	Pass
1**	1625.300	29.18	54.0	24.82	AV	186.00	400	Vertical	Pass
2	4207.250	50.97	74.0	23.03	Peak	19.00	200	Vertical	Pass
2**	4207.250	38.00	54.0	16.00	AV	19.00	200	Vertical	Pass
3	5257.500	105.42	--	--	Peak	356.00	150	Vertical	N/A
3**	5257.500	97.58	--	--	AV	356.00	150	Vertical	N/A
4	7602.500	52.98	74.0	21.02	Peak	79.00	300	Vertical	Pass
4**	7602.500	43.61	54.0	10.39	AV	79.00	300	Vertical	Pass
5	12519.625	53.13	74.0	20.87	Peak	39.00	200	Vertical	Pass
5**	12519.625	44.18	54.0	9.82	AV	39.00	200	Vertical	Pass
6	15888.713	54.12	74.0	19.88	Peak	31.00	100	Vertical	Pass
6**	15888.713	44.67	54.0	9.33	AV	31.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.600	38.26	74.0	35.74	Peak	36.00	300	Horizontal	Pass
1**	1623.600	29.35	54.0	24.65	AV	36.00	300	Horizontal	Pass
2	4239.750	51.36	74.0	22.64	Peak	157.00	200	Horizontal	Pass
2**	4239.750	38.52	54.0	15.48	AV	157.00	200	Horizontal	Pass
3	5301.500	96.78	--	--	Peak	353.00	150	Horizontal	N/A
3**	5301.500	89.90	--	--	AV	353.00	150	Horizontal	N/A
4	7607.500	52.87	74.0	21.13	Peak	360.00	400	Horizontal	Pass
4**	7607.500	44.98	54.0	9.02	AV	360.00	400	Horizontal	Pass
5	12503.713	53.89	74.0	20.11	Peak	330.00	150	Horizontal	Pass
5**	12503.713	44.70	54.0	9.30	AV	330.00	150	Horizontal	Pass
6	16139.924	54.26	74.0	19.74	Peak	197.00	400	Horizontal	Pass
6**	16139.924	45.77	54.0	8.23	AV	197.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.400	40.50	74.0	33.50	Peak	123.00	300	Vertical	Pass
1**	1495.400	28.67	54.0	25.33	AV	123.00	300	Vertical	Pass
2	4239.250	49.65	74.0	24.35	Peak	81.00	200	Vertical	Pass
2**	4239.250	37.69	54.0	16.31	AV	81.00	200	Vertical	Pass
3	5304.250	105.25	--	--	Peak	357.00	150	Vertical	N/A
3**	5304.250	97.08	--	--	AV	357.00	150	Vertical	N/A
4	7651.250	52.96	74.0	21.04	Peak	239.00	300	Vertical	Pass
4**	7651.250	43.48	54.0	10.52	AV	239.00	300	Vertical	Pass
5	12496.113	53.65	74.0	20.35	Peak	257.00	150	Vertical	Pass
5**	12496.113	44.36	54.0	9.64	AV	257.00	150	Vertical	Pass
6	15904.463	56.41	74.0	17.59	Peak	181.00	200	Vertical	Pass
6**	15904.463	45.98	54.0	8.02	AV	181.00	200	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.400	38.88	74.0	35.12	Peak	102.00	200	Horizontal	Pass
1**	1465.400	28.45	54.0	25.55	AV	102.00	200	Horizontal	Pass
2	4039.000	47.13	74.0	26.87	Peak	318.00	400	Horizontal	Pass
2**	4039.000	37.41	54.0	16.59	AV	318.00	400	Horizontal	Pass
3	5317.500	96.14	--	--	Peak	60.00	200	Horizontal	N/A
3**	5317.500	89.44	--	--	AV	60.00	200	Horizontal	N/A
4	7613.250	53.09	74.0	20.91	Peak	219.00	300	Horizontal	Pass
4**	7613.250	44.03	54.0	9.97	AV	219.00	300	Horizontal	Pass
5	12507.750	53.14	74.0	20.86	Peak	270.00	150	Horizontal	Pass
5**	12507.750	45.03	54.0	8.97	AV	270.00	150	Horizontal	Pass
6	16149.638	53.55	74.0	20.45	Peak	188.00	300	Horizontal	Pass
6**	16149.638	44.14	54.0	9.86	AV	188.00	300	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.400	38.35	74.0	35.65	Peak	227.00	200	Vertical	Pass
1**	1519.400	28.89	54.0	25.11	AV	227.00	200	Vertical	Pass
2	4348.250	47.46	74.0	26.54	Peak	314.00	300	Vertical	Pass
2**	4348.250	37.89	54.0	16.11	AV	314.00	300	Vertical	Pass
3	5321.250	105.53	--	--	Peak	40.00	100	Vertical	N/A
3**	5321.250	97.90	--	--	AV	40.00	100	Vertical	N/A
4	7357.500	52.92	74.0	21.08	Peak	354.00	400	Vertical	Pass
4**	7357.500	43.94	54.0	10.06	AV	354.00	400	Vertical	Pass
5	12500.862	53.47	74.0	20.53	Peak	71.00	150	Vertical	Pass
5**	12500.862	44.44	54.0	9.56	AV	71.00	150	Vertical	Pass
6	16121.813	54.24	74.0	19.76	Peak	228.00	300	Vertical	Pass
6**	16121.813	45.03	54.0	8.97	AV	228.00	300	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.100	38.45	74.0	35.55	Peak	360.00	400	Horizontal	Pass
1**	1532.100	28.52	54.0	25.48	AV	360.00	400	Horizontal	Pass
2	4324.500	47.96	74.0	26.04	Peak	134.00	400	Horizontal	Pass
2**	4324.500	37.77	54.0	16.23	AV	134.00	400	Horizontal	Pass
3	5273.500	94.43	--	--	Peak	55.00	100	Horizontal	N/A
3**	5273.500	87.22	--	--	AV	55.00	100	Horizontal	N/A
4	7359.000	52.90	74.0	21.10	Peak	0.00	200	Horizontal	Pass
4**	7359.000	43.85	54.0	10.15	AV	0.00	200	Horizontal	Pass
5	12469.512	53.74	74.0	20.26	Peak	26.00	200	Horizontal	Pass
5**	12469.512	43.96	54.0	10.04	AV	26.00	200	Horizontal	Pass
6	16143.075	54.50	74.0	19.50	Peak	225.00	100	Horizontal	Pass
6**	16143.075	45.05	54.0	8.95	AV	225.00	100	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	43.91	74.0	30.09	Peak	168.00	100	Vertical	Pass
1**	1331.000	33.22	54.0	20.78	AV	168.00	100	Vertical	Pass
2	4292.250	46.91	74.0	27.09	Peak	272.00	400	Vertical	Pass
2**	4292.250	37.81	54.0	16.19	AV	272.00	400	Vertical	Pass
3	5275.000	104.01	--	--	Peak	337.00	150	Vertical	N/A
3**	5275.000	96.65	--	--	AV	337.00	150	Vertical	N/A
4	7606.750	53.79	74.0	20.21	Peak	80.00	400	Vertical	Pass
4**	7606.750	45.24	54.0	8.76	AV	80.00	400	Vertical	Pass
5	12471.650	53.10	74.0	20.90	Peak	152.00	100	Vertical	Pass
5**	12471.650	43.93	54.0	10.07	AV	152.00	100	Vertical	Pass
6	16143.337	54.74	74.0	19.26	Peak	297.00	400	Vertical	Pass
6**	16143.337	45.88	54.0	8.12	AV	297.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.600	38.77	74.0	35.23	Peak	28.00	300	Horizontal	Pass
1**	1612.600	29.91	54.0	24.09	AV	28.00	300	Horizontal	Pass
2	4329.500	47.42	74.0	26.58	Peak	0.00	100	Horizontal	Pass
2**	4329.500	38.66	54.0	15.34	AV	0.00	100	Horizontal	Pass
3	5305.500	94.41	--	--	Peak	269.00	150	Horizontal	N/A
3**	5305.500	87.06	--	--	AV	269.00	150	Horizontal	N/A
4	7487.750	52.81	74.0	21.19	Peak	212.00	100	Horizontal	Pass
4**	7487.750	44.38	54.0	9.62	AV	212.00	100	Horizontal	Pass
5	12515.826	53.49	74.0	20.51	Peak	26.00	100	Horizontal	Pass
5**	12515.826	44.11	54.0	9.89	AV	26.00	100	Horizontal	Pass
6	16137.825	54.26	74.0	19.74	Peak	238.00	200	Horizontal	Pass
6**	16137.825	45.15	54.0	8.85	AV	238.00	200	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	43.10	74.0	30.90	Peak	145.00	100	Vertical	Pass
1**	1332.100	34.06	54.0	19.94	AV	145.00	100	Vertical	Pass
2	4247.750	47.69	74.0	26.31	Peak	292.00	300	Vertical	Pass
2**	4247.750	38.01	54.0	15.99	AV	292.00	300	Vertical	Pass
3	5323.750	104.09	--	--	Peak	353.00	150	Vertical	N/A
3**	5323.750	96.27	--	--	AV	353.00	150	Vertical	N/A
4	7605.500	53.38	74.0	20.62	Peak	312.00	200	Vertical	Pass
4**	7605.500	43.43	54.0	10.57	AV	312.00	200	Vertical	Pass
5	12465.713	53.42	74.0	20.58	Peak	360.00	100	Vertical	Pass
5**	12465.713	45.06	54.0	8.94	AV	360.00	100	Vertical	Pass
6	16138.350	53.80	74.0	20.20	Peak	81.00	400	Vertical	Pass
6**	16138.350	45.08	54.0	8.92	AV	81.00	400	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.900	38.80	74.0	35.20	Peak	147.00	300	Horizontal	Pass
1**	1613.900	29.09	54.0	24.91	AV	147.00	300	Horizontal	Pass
2	4280.000	47.56	74.0	26.44	Peak	24.00	400	Horizontal	Pass
2**	4280.000	38.66	54.0	15.34	AV	24.00	400	Horizontal	Pass
3	5292.250	95.59	--	--	Peak	253.00	200	Horizontal	N/A
3**	5292.250	88.08	--	--	AV	253.00	200	Horizontal	N/A
4	7594.250	53.54	74.0	20.46	Peak	169.00	100	Horizontal	Pass
4**	7594.250	44.00	54.0	10.00	AV	169.00	100	Horizontal	Pass
5	12488.988	53.64	74.0	20.36	Peak	360.00	200	Horizontal	Pass
5**	12488.988	44.28	54.0	9.72	AV	360.00	200	Horizontal	Pass
6	16164.600	54.40	74.0	19.60	Peak	2.00	400	Horizontal	Pass
6**	16164.600	43.54	54.0	10.46	AV	2.00	400	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	43.89	74.0	30.11	Peak	142.00	100	Vertical	Pass
1**	1331.300	32.01	54.0	21.99	AV	142.00	100	Vertical	Pass
2	4232.500	49.11	74.0	24.89	Peak	128.00	300	Vertical	Pass
2**	4232.500	39.90	54.0	14.10	AV	128.00	300	Vertical	Pass
3	5275.000	102.90	--	--	Peak	355.00	200	Vertical	N/A
3**	5275.000	94.79	--	--	AV	355.00	200	Vertical	N/A
4	7598.250	54.12	74.0	19.88	Peak	9.00	100	Vertical	Pass
4**	7598.250	43.53	54.0	10.47	AV	9.00	100	Vertical	Pass
5	12470.938	53.61	74.0	20.39	Peak	177.00	150	Vertical	Pass
5**	12470.938	44.17	54.0	9.83	AV	177.00	150	Vertical	Pass
6	16101.862	54.04	74.0	19.96	Peak	122.00	400	Vertical	Pass
6**	16101.862	44.81	54.0	9.19	AV	122.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.000	38.42	74.0	35.58	Peak	346.00	400	Horizontal	Pass
1**	1620.000	29.30	54.0	24.70	AV	346.00	400	Horizontal	Pass
2	4336.500	47.62	74.0	26.38	Peak	263.00	400	Horizontal	Pass
2**	4336.500	38.19	54.0	15.81	AV	263.00	400	Horizontal	Pass
3	5501.500	98.96	--	--	Peak	360.00	100	Horizontal	N/A
3**	5501.500	90.16	--	--	AV	360.00	100	Horizontal	N/A
4	7616.750	53.25	74.0	20.75	Peak	360.00	400	Horizontal	Pass
4**	7616.750	43.73	54.0	10.27	AV	360.00	400	Horizontal	Pass
5	12467.375	53.44	74.0	20.56	Peak	70.00	150	Horizontal	Pass
5**	12467.375	43.86	54.0	10.14	AV	70.00	150	Horizontal	Pass
6	16104.750	54.94	74.0	19.06	Peak	360.00	300	Horizontal	Pass
6**	16104.750	44.40	54.0	9.60	AV	360.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.200	39.59	74.0	34.41	Peak	160.00	100	Vertical	Pass
1**	1546.200	29.11	54.0	24.89	AV	160.00	100	Vertical	Pass
2	4400.250	59.61	68.2	8.59	Peak	6.00	100	Vertical	Pass
2**	4400.250	49.89	--	--	AV	6.00	100	Vertical	N/A
3	5492.750	106.38	--	--	Peak	229.00	150	Vertical	N/A
3**	5492.750	98.45	--	--	AV	229.00	150	Vertical	N/A
4	7642.750	53.59	74.0	20.41	Peak	292.00	100	Vertical	Pass
4**	7642.750	44.27	54.0	9.73	AV	292.00	100	Vertical	Pass
5	12490.174	53.69	74.0	20.31	Peak	131.00	150	Vertical	Pass
5**	12490.174	44.49	54.0	9.51	AV	131.00	150	Vertical	Pass
6	15893.963	54.09	74.0	19.91	Peak	62.00	400	Vertical	Pass
6**	15893.963	45.29	54.0	8.71	AV	62.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.400	38.57	74.0	35.43	Peak	108.00	100	Horizontal	Pass
1**	1505.400	28.80	54.0	25.20	AV	108.00	100	Horizontal	Pass
2	4343.000	47.41	74.0	26.59	Peak	6.00	400	Horizontal	Pass
2**	4343.000	37.58	54.0	16.42	AV	6.00	400	Horizontal	Pass
3	5578.250	98.99	--	--	Peak	357.00	100	Horizontal	N/A
3**	5578.250	91.19	--	--	AV	357.00	100	Horizontal	N/A
4	7369.500	53.51	74.0	20.49	Peak	69.00	200	Horizontal	Pass
4**	7369.500	43.77	54.0	10.23	AV	69.00	200	Horizontal	Pass
5	12521.763	53.22	74.0	20.78	Peak	174.00	100	Horizontal	Pass
5**	12521.763	44.45	54.0	9.55	AV	174.00	100	Horizontal	Pass
6	15670.838	54.19	74.0	19.81	Peak	360.00	300	Horizontal	Pass
6**	15670.838	44.37	54.0	9.63	AV	360.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.600	45.47	74.0	28.53	Peak	143.00	100	Vertical	Pass
1**	1332.600	30.01	54.0	23.99	AV	143.00	100	Vertical	Pass
2	4463.750	55.30	68.2	12.90	Peak	268.00	100	Vertical	Pass
2**	4463.750	39.86	--	--	AV	268.00	100	Vertical	N/A
3	5581.500	104.33	--	--	Peak	227.00	200	Vertical	N/A
3**	5581.500	97.39	--	--	AV	227.00	200	Vertical	N/A
4	7596.000	53.85	74.0	20.15	Peak	268.00	300	Vertical	Pass
4**	7596.000	44.30	54.0	9.70	AV	268.00	300	Vertical	Pass
5	12512.263	53.36	74.0	20.64	Peak	104.00	100	Vertical	Pass
5**	12512.263	43.93	54.0	10.07	AV	104.00	100	Vertical	Pass
6	16106.588	54.32	74.0	19.68	Peak	2.00	200	Vertical	Pass
6**	16106.588	45.16	54.0	8.84	AV	2.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.400	38.66	74.0	35.34	Peak	45.00	300	Horizontal	Pass
1**	1576.400	29.13	54.0	24.87	AV	45.00	300	Horizontal	Pass
2	4353.500	47.18	74.0	26.82	Peak	183.00	200	Horizontal	Pass
2**	4353.500	37.91	54.0	16.09	AV	183.00	200	Horizontal	Pass
3	5694.250	94.00	--	--	Peak	279.00	150	Horizontal	N/A
3**	5694.250	87.39	--	--	AV	279.00	150	Horizontal	N/A
4	7614.000	53.25	74.0	20.75	Peak	360.00	400	Horizontal	Pass
4**	7614.000	43.99	54.0	10.01	AV	360.00	400	Horizontal	Pass
5	12475.924	53.82	74.0	20.18	Peak	74.00	150	Horizontal	Pass
5**	12475.924	44.02	54.0	9.98	AV	74.00	150	Horizontal	Pass
6	15885.038	54.44	74.0	19.56	Peak	216.00	400	Horizontal	Pass
6**	15885.038	44.39	54.0	9.61	AV	216.00	400	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	41.57	74.0	32.43	Peak	198.00	100	Vertical	Pass
1**	1332.500	35.65	54.0	18.35	AV	198.00	100	Vertical	Pass
2	4320.500	47.70	74.0	26.30	Peak	360.00	100	Vertical	Pass
2**	4320.500	38.19	54.0	15.81	AV	360.00	100	Vertical	Pass
3	5694.500	103.24	--	--	Peak	170.00	100	Vertical	N/A
3**	5694.500	95.28	--	--	AV	170.00	100	Vertical	N/A
4	7353.000	53.16	74.0	20.84	Peak	33.00	300	Vertical	Pass
4**	7353.000	43.83	54.0	10.17	AV	33.00	300	Vertical	Pass
5	11402.662	53.81	74.0	20.19	Peak	20.00	100	Vertical	Pass
5**	11402.662	45.03	54.0	8.97	AV	20.00	100	Vertical	Pass
6	16107.900	54.65	74.0	19.35	Peak	360.00	200	Vertical	Pass
6**	16107.900	44.69	54.0	9.31	AV	360.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.700	38.80	74.0	35.20	Peak	344.00	300	Horizontal	Pass
1**	1473.700	28.87	54.0	25.13	AV	344.00	300	Horizontal	Pass
2	4353.250	47.53	74.0	26.47	Peak	4.00	400	Horizontal	Pass
2**	4353.250	38.24	54.0	15.76	AV	4.00	400	Horizontal	Pass
3	5495.000	99.47	--	--	Peak	343.00	150	Horizontal	N/A
3**	5495.000	92.19	--	--	AV	343.00	150	Horizontal	N/A
4	7375.500	53.35	74.0	20.65	Peak	123.00	200	Horizontal	Pass
4**	7375.500	42.85	54.0	11.15	AV	123.00	200	Horizontal	Pass
5	12484.712	53.63	74.0	20.37	Peak	168.00	200	Horizontal	Pass
5**	12484.712	43.96	54.0	10.04	AV	168.00	200	Horizontal	Pass
6	15401.513	54.25	74.0	19.75	Peak	231.00	200	Horizontal	Pass
6**	15401.513	44.02	54.0	9.98	AV	231.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	45.74	74.0	28.26	Peak	145.00	100	Vertical	Pass
1**	1333.000	31.49	54.0	22.51	AV	145.00	100	Vertical	Pass
2	4241.000	47.48	74.0	26.52	Peak	282.00	100	Vertical	Pass
2**	4241.000	37.82	54.0	16.18	AV	282.00	100	Vertical	Pass
3	5505.500	105.94	--	--	Peak	224.00	200	Vertical	N/A
3**	5505.500	97.89	--	--	AV	224.00	200	Vertical	N/A
4	7585.500	53.40	74.0	20.60	Peak	343.00	200	Vertical	Pass
4**	7585.500	43.33	54.0	10.67	AV	343.00	200	Vertical	Pass
5	12507.513	53.36	74.0	20.64	Peak	360.00	200	Vertical	Pass
5**	12507.513	44.46	54.0	9.54	AV	360.00	200	Vertical	Pass
6	15892.912	53.73	74.0	20.27	Peak	154.00	200	Vertical	Pass
6**	15892.912	44.30	54.0	9.70	AV	154.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.600	38.27	74.0	35.73	Peak	135.00	400	Horizontal	Pass
1**	1443.600	29.78	54.0	24.22	AV	135.00	400	Horizontal	Pass
2	4042.500	47.36	74.0	26.64	Peak	256.00	300	Horizontal	Pass
2**	4042.500	36.82	54.0	17.18	AV	256.00	300	Horizontal	Pass
3	5581.500	99.58	--	--	Peak	345.00	200	Horizontal	N/A
3**	5581.500	92.22	--	--	AV	345.00	200	Horizontal	N/A
4	7594.250	52.99	74.0	21.01	Peak	77.00	100	Horizontal	Pass
4**	7594.250	44.35	54.0	9.65	AV	77.00	100	Horizontal	Pass
5	12514.162	53.27	74.0	20.73	Peak	353.00	100	Horizontal	Pass
5**	12514.162	44.78	54.0	9.22	AV	353.00	100	Horizontal	Pass
6	16038.338	53.93	74.0	20.07	Peak	217.00	100	Horizontal	Pass
6**	16038.338	43.82	54.0	10.18	AV	217.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.200	43.50	74.0	30.50	Peak	109.00	100	Vertical	Pass
1**	1162.200	30.88	54.0	23.12	AV	109.00	100	Vertical	Pass
2	4464.250	60.42	68.2	7.78	Peak	6.00	100	Vertical	Pass
2**	4464.250	41.60	--	--	AV	6.00	100	Vertical	N/A
3	5581.000	104.12	--	--	Peak	226.00	200	Vertical	N/A
3**	5581.000	96.35	--	--	AV	226.00	200	Vertical	N/A
4	7599.250	52.88	74.0	21.12	Peak	294.00	400	Vertical	Pass
4**	7599.250	44.00	54.0	10.00	AV	294.00	400	Vertical	Pass
5	12464.763	53.73	74.0	20.27	Peak	117.00	100	Vertical	Pass
5**	12464.763	44.16	54.0	9.84	AV	117.00	100	Vertical	Pass
6	16061.175	54.26	74.0	19.74	Peak	285.00	300	Vertical	Pass
6**	16061.175	45.20	54.0	8.80	AV	285.00	300	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.300	38.22	74.0	35.78	Peak	238.00	200	Horizontal	Pass
1**	1620.300	29.56	54.0	24.44	AV	238.00	200	Horizontal	Pass
2	4309.000	47.20	74.0	26.80	Peak	101.00	400	Horizontal	Pass
2**	4309.000	37.78	54.0	16.22	AV	101.00	400	Horizontal	Pass
3	5697.000	94.17	--	--	Peak	284.00	200	Horizontal	N/A
3**	5697.000	86.10	--	--	AV	284.00	200	Horizontal	N/A
4	7352.500	52.89	74.0	21.11	Peak	262.00	200	Horizontal	Pass
4**	7352.500	44.15	54.0	9.85	AV	262.00	200	Horizontal	Pass
5	12503.474	53.45	74.0	20.55	Peak	352.00	150	Horizontal	Pass
5**	12503.474	44.00	54.0	10.00	AV	352.00	150	Horizontal	Pass
6	16090.838	54.71	74.0	19.29	Peak	360.00	300	Horizontal	Pass
6**	16090.838	44.76	54.0	9.24	AV	360.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	44.62	74.0	29.38	Peak	143.00	100	Vertical	Pass
1**	1332.400	29.51	54.0	24.49	AV	143.00	100	Vertical	Pass
2	4560.500	48.79	74.0	25.21	Peak	125.00	100	Vertical	Pass
2**	4560.500	48.84	54.0	5.16	AV	125.00	100	Vertical	Pass
3	5695.250	102.51	--	--	Peak	171.00	100	Vertical	N/A
3**	5695.250	94.73	--	--	AV	171.00	100	Vertical	N/A
4	7620.250	52.96	74.0	21.04	Peak	360.00	200	Vertical	Pass
4**	7620.250	43.82	54.0	10.18	AV	360.00	200	Vertical	Pass
5	11396.013	54.14	74.0	19.86	Peak	22.00	100	Vertical	Pass
5**	11396.013	45.49	54.0	8.51	AV	22.00	100	Vertical	Pass
6	16102.388	54.33	74.0	19.67	Peak	195.00	100	Vertical	Pass
6**	16102.388	44.35	54.0	9.65	AV	195.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.600	38.27	74.0	35.73	Peak	0.00	400	Horizontal	Pass
1**	1552.600	28.68	54.0	25.32	AV	0.00	400	Horizontal	Pass
2	4408.000	52.50	68.2	15.70	Peak	227.00	100	Horizontal	Pass
2**	4408.000	37.48	--	--	AV	227.00	100	Horizontal	N/A
3	5520.500	99.68	--	--	Peak	354.00	100	Horizontal	N/A
3**	5520.500	90.87	--	--	AV	354.00	100	Horizontal	N/A
4	7599.000	53.37	74.0	20.63	Peak	277.00	400	Horizontal	Pass
4**	7599.000	44.40	54.0	9.60	AV	277.00	400	Horizontal	Pass
5	12490.174	53.69	74.0	20.31	Peak	348.00	100	Horizontal	Pass
5**	12490.174	43.85	54.0	10.15	AV	348.00	100	Horizontal	Pass
6	16151.737	54.48	74.0	19.52	Peak	197.00	300	Horizontal	Pass
6**	16151.737	45.13	54.0	8.87	AV	197.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	42.72	74.0	31.28	Peak	177.00	100	Vertical	Pass
1**	1331.200	31.68	54.0	22.32	AV	177.00	100	Vertical	Pass
2	4261.000	47.39	74.0	26.61	Peak	170.00	400	Vertical	Pass
2**	4261.000	37.66	54.0	16.34	AV	170.00	400	Vertical	Pass
3	5493.250	106.27	--	--	Peak	231.00	150	Vertical	N/A
3**	5493.250	98.05	--	--	AV	231.00	150	Vertical	N/A
4	7478.750	52.98	74.0	21.02	Peak	231.00	100	Vertical	Pass
4**	7478.750	43.70	54.0	10.30	AV	231.00	100	Vertical	Pass
5	12489.938	53.10	74.0	20.90	Peak	168.00	200	Vertical	Pass
5**	12489.938	44.65	54.0	9.35	AV	168.00	200	Vertical	Pass
6	16132.838	54.05	74.0	19.95	Peak	6.00	100	Vertical	Pass
6**	16132.838	46.07	54.0	7.93	AV	6.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.300	38.78	74.0	35.22	Peak	165.00	300	Horizontal	Pass
1**	1626.300	29.40	54.0	24.60	AV	165.00	300	Horizontal	Pass
2	4237.500	46.87	74.0	27.13	Peak	59.00	100	Horizontal	Pass
2**	4237.500	37.68	54.0	16.32	AV	59.00	100	Horizontal	Pass
3	5580.500	99.31	--	--	Peak	360.00	150	Horizontal	N/A
3**	5580.500	91.04	--	--	AV	360.00	150	Horizontal	N/A
4	7646.750	53.66	74.0	20.34	Peak	89.00	100	Horizontal	Pass
4**	7646.750	43.56	54.0	10.44	AV	89.00	100	Horizontal	Pass
5	12447.662	53.40	74.0	20.60	Peak	151.00	100	Horizontal	Pass
5**	12447.662	43.36	54.0	10.64	AV	151.00	100	Horizontal	Pass
6	15890.288	54.05	74.0	19.95	Peak	328.00	300	Horizontal	Pass
6**	15890.288	44.44	54.0	9.56	AV	328.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	46.46	74.0	27.54	Peak	147.00	100	Vertical	Pass
1**	1331.400	39.78	54.0	14.22	AV	147.00	100	Vertical	Pass
2	4471.750	59.80	68.2	8.40	Peak	205.00	100	Vertical	Pass
2**	4471.750	38.78	--	--	AV	205.00	100	Vertical	N/A
3	5581.000	103.89	--	--	Peak	226.00	150	Vertical	N/A
3**	5581.000	96.48	--	--	AV	226.00	150	Vertical	N/A
4	7656.000	52.90	74.0	21.10	Peak	141.00	100	Vertical	Pass
4**	7656.000	43.60	54.0	10.40	AV	141.00	100	Vertical	Pass
5	12459.775	53.72	74.0	20.28	Peak	360.00	100	Vertical	Pass
5**	12459.775	44.30	54.0	9.70	AV	360.00	100	Vertical	Pass
6	16099.763	54.10	74.0	19.90	Peak	37.00	400	Vertical	Pass
6**	16099.763	45.05	54.0	8.95	AV	37.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.800	38.53	74.0	35.47	Peak	360.00	300	Horizontal	Pass
1**	1592.800	29.59	54.0	24.41	AV	360.00	300	Horizontal	Pass
2	4346.750	47.29	74.0	26.71	Peak	313.00	400	Horizontal	Pass
2**	4346.750	39.13	54.0	14.87	AV	313.00	400	Horizontal	Pass
3	5654.500	94.68	--	--	Peak	360.00	100	Horizontal	N/A
3**	5654.500	87.30	--	--	AV	360.00	100	Horizontal	N/A
4	7606.500	53.28	74.0	20.72	Peak	54.00	200	Horizontal	Pass
4**	7606.500	43.95	54.0	10.05	AV	54.00	200	Horizontal	Pass
5	12456.212	53.20	74.0	20.80	Peak	143.00	150	Horizontal	Pass
5**	12456.212	45.63	54.0	8.37	AV	143.00	150	Horizontal	Pass
6	16117.613	54.39	74.0	19.61	Peak	255.00	100	Horizontal	Pass
6**	16117.613	44.33	54.0	9.67	AV	255.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	45.55	74.0	28.45	Peak	152.00	100	Vertical	Pass
1**	1332.500	30.31	54.0	23.69	AV	152.00	100	Vertical	Pass
2	4535.500	47.10	74.0	26.90	Peak	170.00	100	Vertical	Pass
2**	4535.500	45.42	54.0	8.58	AV	170.00	100	Vertical	Pass
3	5657.500	102.41	--	--	Peak	45.00	150	Vertical	N/A
3**	5657.500	94.58	--	--	AV	45.00	150	Vertical	N/A
4	7646.250	54.16	74.0	19.84	Peak	221.00	400	Vertical	Pass
4**	7646.250	44.09	54.0	9.91	AV	221.00	400	Vertical	Pass
5	12522.237	54.13	74.0	19.87	Peak	360.00	200	Vertical	Pass
5**	12522.237	45.24	54.0	8.76	AV	360.00	200	Vertical	Pass
6	16092.937	54.08	74.0	19.92	Peak	359.00	400	Vertical	Pass
6**	16092.937	45.42	54.0	8.58	AV	359.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.400	38.91	74.0	35.09	Peak	302.00	200	Horizontal	Pass
1**	1608.400	28.66	54.0	25.34	AV	302.00	200	Horizontal	Pass
2	4399.500	49.50	74.0	24.50	Peak	203.00	100	Horizontal	Pass
2**	4399.500	37.53	54.0	16.47	AV	203.00	100	Horizontal	Pass
3	5501.250	99.64	--	--	Peak	360.00	100	Horizontal	N/A
3**	5501.250	91.73	--	--	AV	360.00	100	Horizontal	N/A
4	7664.500	53.36	74.0	20.64	Peak	360.00	100	Horizontal	Pass
4**	7664.500	43.08	54.0	10.92	AV	360.00	100	Horizontal	Pass
5	12506.325	53.16	74.0	20.84	Peak	320.00	150	Horizontal	Pass
5**	12506.325	44.50	54.0	9.50	AV	320.00	150	Horizontal	Pass
6	15690.263	53.72	74.0	20.28	Peak	82.00	300	Horizontal	Pass
6**	15690.263	44.59	54.0	9.41	AV	82.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.800	43.51	74.0	30.49	Peak	167.00	100	Vertical	Pass
1**	1329.800	30.44	54.0	23.56	AV	167.00	100	Vertical	Pass
2	4399.500	50.28	74.0	23.72	Peak	277.00	300	Vertical	Pass
2**	4399.500	39.77	54.0	14.23	AV	277.00	300	Vertical	Pass
3	5495.750	106.11	--	--	Peak	233.00	100	Vertical	N/A
3**	5495.750	99.98	--	--	AV	233.00	100	Vertical	N/A
4	7606.500	53.30	74.0	20.70	Peak	233.00	400	Vertical	Pass
4**	7606.500	43.91	54.0	10.09	AV	233.00	400	Vertical	Pass
5	12479.725	53.16	74.0	20.84	Peak	240.00	200	Vertical	Pass
5**	12479.725	44.15	54.0	9.85	AV	240.00	200	Vertical	Pass
6	15887.138	54.27	74.0	19.73	Peak	321.00	200	Vertical	Pass
6**	15887.138	45.22	54.0	8.78	AV	321.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.600	39.01	74.0	34.99	Peak	249.00	300	Horizontal	Pass
1**	1622.600	28.72	54.0	25.28	AV	249.00	300	Horizontal	Pass
2	4215.000	47.45	74.0	26.55	Peak	360.00	100	Horizontal	Pass
2**	4215.000	37.59	54.0	16.41	AV	360.00	100	Horizontal	Pass
3	5574.500	98.76	--	--	Peak	355.00	150	Horizontal	N/A
3**	5574.500	91.92	--	--	AV	355.00	150	Horizontal	N/A
4	7593.250	54.03	74.0	19.97	Peak	263.00	100	Horizontal	Pass
4**	7593.250	44.47	54.0	9.53	AV	263.00	100	Horizontal	Pass
5	12521.525	53.42	74.0	20.58	Peak	160.00	200	Horizontal	Pass
5**	12521.525	43.90	54.0	10.10	AV	160.00	200	Horizontal	Pass
6	16140.188	54.06	74.0	19.94	Peak	170.00	200	Horizontal	Pass
6**	16140.188	45.11	54.0	8.89	AV	170.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.900	43.37	74.0	30.63	Peak	103.00	100	Vertical	Pass
1**	1163.900	31.63	54.0	22.37	AV	103.00	100	Vertical	Pass
2	4286.000	47.40	74.0	26.60	Peak	188.00	400	Vertical	Pass
2**	4286.000	38.26	54.0	15.74	AV	188.00	400	Vertical	Pass
3	5576.250	104.24	--	--	Peak	229.00	100	Vertical	N/A
3**	5576.250	97.43	--	--	AV	229.00	100	Vertical	N/A
4	7571.750	52.70	74.0	21.30	Peak	108.00	400	Vertical	Pass
4**	7571.750	42.35	54.0	11.65	AV	108.00	400	Vertical	Pass
5	12470.225	53.98	74.0	20.02	Peak	134.00	150	Vertical	Pass
5**	12470.225	44.42	54.0	9.58	AV	134.00	150	Vertical	Pass
6	16129.424	54.17	74.0	19.83	Peak	101.00	200	Vertical	Pass
6**	16129.424	45.23	54.0	8.77	AV	101.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.700	39.32	74.0	34.68	Peak	0.00	100	Horizontal	Pass
1**	1620.700	28.92	54.0	25.08	AV	0.00	100	Horizontal	Pass
2	4560.250	52.61	74.0	21.39	Peak	151.00	100	Horizontal	Pass
2**	4560.250	43.14	54.0	10.86	AV	151.00	100	Horizontal	Pass
3	5694.500	94.09	--	--	Peak	291.00	100	Horizontal	N/A
3**	5694.500	86.47	--	--	AV	291.00	100	Horizontal	N/A
4	7607.750	53.72	74.0	20.28	Peak	221.00	200	Horizontal	Pass
4**	7607.750	43.98	54.0	10.02	AV	221.00	200	Horizontal	Pass
5	12494.687	53.82	74.0	20.18	Peak	360.00	150	Horizontal	Pass
5**	12494.687	44.24	54.0	9.76	AV	360.00	150	Horizontal	Pass
6	15677.924	54.13	74.0	19.87	Peak	69.00	300	Horizontal	Pass
6**	15677.924	44.14	54.0	9.86	AV	69.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	43.01	74.0	30.99	Peak	170.00	100	Vertical	Pass
1**	1330.900	31.16	54.0	22.84	AV	170.00	100	Vertical	Pass
2	4560.500	53.74	74.0	20.26	Peak	270.00	100	Vertical	Pass
2**	4560.500	49.22	54.0	4.78	AV	270.00	100	Vertical	Pass
3	5695.500	103.28	--	--	Peak	149.00	150	Vertical	N/A
3**	5695.500	95.36	--	--	AV	149.00	150	Vertical	N/A
4	7359.000	52.68	74.0	21.32	Peak	30.00	300	Vertical	Pass
4**	7359.000	43.76	54.0	10.24	AV	30.00	300	Vertical	Pass
5	11401.475	53.81	74.0	20.19	Peak	16.00	200	Vertical	Pass
5**	11401.475	45.48	54.0	8.52	AV	16.00	200	Vertical	Pass
6	16143.863	53.91	74.0	20.09	Peak	74.00	400	Vertical	Pass
6**	16143.863	44.80	54.0	9.20	AV	74.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.300	38.89	74.0	35.11	Peak	189.00	100	Horizontal	Pass
1**	1332.300	29.06	54.0	24.94	AV	189.00	100	Horizontal	Pass
2	4287.500	47.22	74.0	26.78	Peak	144.00	300	Horizontal	Pass
2**	4287.500	38.46	54.0	15.54	AV	144.00	300	Horizontal	Pass
3	5496.500	98.86	--	--	Peak	360.00	150	Horizontal	N/A
3**	5496.500	91.46	--	--	AV	360.00	150	Horizontal	N/A
4	7645.000	54.74	74.0	19.26	Peak	360.00	300	Horizontal	Pass
4**	7645.000	43.95	54.0	10.05	AV	360.00	300	Horizontal	Pass
5	12495.162	53.85	74.0	20.15	Peak	100.00	200	Horizontal	Pass
5**	12495.162	44.24	54.0	9.76	AV	100.00	200	Horizontal	Pass
6	15881.362	54.17	74.0	19.83	Peak	360.00	100	Horizontal	Pass
6**	15881.362	44.80	54.0	9.20	AV	360.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	42.60	74.0	31.40	Peak	150.00	100	Vertical	Pass
1**	1330.500	30.73	54.0	23.27	AV	150.00	100	Vertical	Pass
2	4408.250	59.22	68.2	8.98	Peak	6.00	100	Vertical	Pass
2**	4408.250	39.93	--	--	AV	6.00	100	Vertical	N/A
3	5495.500	105.27	--	--	Peak	234.00	100	Vertical	N/A
3**	5495.500	98.52	--	--	AV	234.00	100	Vertical	N/A
4	7647.500	53.75	74.0	20.25	Peak	214.00	400	Vertical	Pass
4**	7647.500	44.10	54.0	9.90	AV	214.00	400	Vertical	Pass
5	12496.825	53.20	74.0	20.80	Peak	0.00	100	Vertical	Pass
5**	12496.825	44.67	54.0	9.33	AV	0.00	100	Vertical	Pass
6	16097.925	53.89	74.0	20.11	Peak	274.00	300	Vertical	Pass
6**	16097.925	44.89	54.0	9.11	AV	274.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.400	38.99	74.0	35.01	Peak	360.00	300	Horizontal	Pass
1**	1612.400	29.82	54.0	24.18	AV	360.00	300	Horizontal	Pass
2	4120.750	47.55	74.0	26.45	Peak	219.00	100	Horizontal	Pass
2**	4120.750	37.71	54.0	16.29	AV	219.00	100	Horizontal	Pass
3	5577.750	98.36	--	--	Peak	345.00	150	Horizontal	N/A
3**	5577.750	90.95	--	--	AV	345.00	150	Horizontal	N/A
4	7598.250	53.47	74.0	20.53	Peak	241.00	300	Horizontal	Pass
4**	7598.250	44.29	54.0	9.71	AV	241.00	300	Horizontal	Pass
5	12491.600	53.70	74.0	20.30	Peak	209.00	100	Horizontal	Pass
5**	12491.600	44.54	54.0	9.46	AV	209.00	100	Horizontal	Pass
6	16133.363	54.37	74.0	19.63	Peak	18.00	100	Horizontal	Pass
6**	16133.363	45.47	54.0	8.53	AV	18.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.200	43.71	74.0	30.29	Peak	97.00	100	Vertical	Pass
1**	1162.200	29.31	54.0	24.69	AV	97.00	100	Vertical	Pass
2	4472.250	56.71	68.2	11.49	Peak	38.00	100	Vertical	Pass
2**	4472.250	46.79	--	--	AV	38.00	100	Vertical	N/A
3	5577.750	104.82	--	--	Peak	227.00	100	Vertical	N/A
3**	5577.750	96.38	--	--	AV	227.00	100	Vertical	N/A
4	7488.000	53.88	74.0	20.12	Peak	227.00	400	Vertical	Pass
4**	7488.000	43.95	54.0	10.05	AV	227.00	400	Vertical	Pass
5	12510.125	53.35	74.0	20.65	Peak	304.00	150	Vertical	Pass
5**	12510.125	44.40	54.0	9.60	AV	304.00	150	Vertical	Pass
6	15893.175	53.68	74.0	20.32	Peak	216.00	400	Vertical	Pass
6**	15893.175	44.41	54.0	9.59	AV	216.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.100	38.53	74.0	35.47	Peak	48.00	400	Horizontal	Pass
1**	1620.100	29.04	54.0	24.96	AV	48.00	400	Horizontal	Pass
2	4289.500	47.25	74.0	26.75	Peak	158.00	100	Horizontal	Pass
2**	4289.500	37.87	54.0	16.13	AV	158.00	100	Horizontal	Pass
3	5655.250	94.24	--	--	Peak	292.00	200	Horizontal	N/A
3**	5655.250	87.93	--	--	AV	292.00	200	Horizontal	N/A
4	7593.000	53.65	74.0	20.35	Peak	158.00	100	Horizontal	Pass
4**	7593.000	44.57	54.0	9.43	AV	158.00	100	Horizontal	Pass
5	12476.401	53.79	74.0	20.21	Peak	360.00	200	Horizontal	Pass
5**	12476.401	44.50	54.0	9.50	AV	360.00	200	Horizontal	Pass
6	16108.687	54.26	74.0	19.74	Peak	256.00	300	Horizontal	Pass
6**	16108.687	45.22	54.0	8.78	AV	256.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	43.92	74.0	30.08	Peak	143.00	100	Vertical	Pass
1**	1327.100	29.04	54.0	24.96	AV	143.00	100	Vertical	Pass
2	4288.500	47.13	74.0	26.87	Peak	199.00	200	Vertical	Pass
2**	4288.500	38.19	54.0	15.81	AV	199.00	200	Vertical	Pass
3	5666.000	102.46	--	--	Peak	142.00	200	Vertical	N/A
3**	5666.000	94.29	--	--	AV	142.00	200	Vertical	N/A
4	7594.750	52.89	74.0	21.11	Peak	231.00	200	Vertical	Pass
4**	7594.750	44.43	54.0	9.57	AV	231.00	200	Vertical	Pass
5	12476.637	53.74	74.0	20.26	Peak	172.00	100	Vertical	Pass
5**	12476.637	44.57	54.0	9.43	AV	172.00	100	Vertical	Pass
6	16074.299	54.19	74.0	19.81	Peak	93.00	200	Vertical	Pass
6**	16074.299	44.46	54.0	9.54	AV	93.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	40.97	74.0	33.03	Peak	126.00	100	Horizontal	Pass
1**	1331.900	32.08	54.0	21.92	AV	126.00	100	Horizontal	Pass
2	4258.250	47.13	74.0	26.87	Peak	279.00	400	Horizontal	Pass
2**	4258.250	39.02	54.0	14.98	AV	279.00	400	Horizontal	Pass
3	5507.500	96.27	--	--	Peak	355.00	200	Horizontal	N/A
3**	5507.500	88.07	--	--	AV	355.00	200	Horizontal	N/A
4	7607.000	53.44	74.0	20.56	Peak	253.00	200	Horizontal	Pass
4**	7607.000	43.95	54.0	10.05	AV	253.00	200	Horizontal	Pass
5	12509.175	53.18	74.0	20.82	Peak	360.00	200	Horizontal	Pass
5**	12509.175	44.80	54.0	9.20	AV	360.00	200	Horizontal	Pass
6	15894.487	54.50	74.0	19.50	Peak	314.00	100	Horizontal	Pass
6**	15894.487	45.03	54.0	8.97	AV	314.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.600	43.48	74.0	30.52	Peak	143.00	100	Vertical	Pass
1**	1333.600	29.10	54.0	24.90	AV	143.00	100	Vertical	Pass
2	4423.750	59.24	68.2	8.96	Peak	14.00	100	Vertical	Pass
2**	4423.750	38.63	--	--	AV	14.00	100	Vertical	N/A
3	5498.500	103.57	--	--	Peak	241.00	150	Vertical	N/A
3**	5498.500	95.69	--	--	AV	241.00	150	Vertical	N/A
4	7640.250	52.94	74.0	21.06	Peak	360.00	200	Vertical	Pass
4**	7640.250	44.24	54.0	9.76	AV	360.00	200	Vertical	Pass
5	12414.888	54.00	74.0	20.00	Peak	360.00	100	Vertical	Pass
5**	12414.888	44.55	54.0	9.45	AV	360.00	100	Vertical	Pass
6	16103.175	53.78	74.0	20.22	Peak	112.00	100	Vertical	Pass
6**	16103.175	44.63	54.0	9.37	AV	112.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.400	38.53	74.0	35.47	Peak	360.00	400	Horizontal	Pass
1**	1507.400	29.02	54.0	24.98	AV	360.00	400	Horizontal	Pass
2	4383.000	47.28	74.0	26.72	Peak	127.00	400	Horizontal	Pass
2**	4383.000	37.45	54.0	16.55	AV	127.00	400	Horizontal	Pass
3	5577.750	95.66	--	--	Peak	354.00	100	Horizontal	N/A
3**	5577.750	88.07	--	--	AV	354.00	100	Horizontal	N/A
4	7604.000	53.52	74.0	20.48	Peak	127.00	400	Horizontal	Pass
4**	7604.000	44.53	54.0	9.47	AV	127.00	400	Horizontal	Pass
5	12489.224	54.66	74.0	19.34	Peak	74.00	150	Horizontal	Pass
5**	12489.224	46.16	54.0	7.84	AV	74.00	150	Horizontal	Pass
6	16142.026	53.89	74.0	20.11	Peak	317.00	100	Horizontal	Pass
6**	16142.026	44.97	54.0	9.03	AV	317.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.200	44.47	74.0	29.53	Peak	198.00	100	Vertical	Pass
1**	1330.200	33.16	54.0	20.84	AV	198.00	100	Vertical	Pass
2	4487.250	55.60	68.2	12.60	Peak	9.00	100	Vertical	Pass
2**	4487.250	37.82	--	--	AV	9.00	100	Vertical	N/A
3	5583.000	100.77	--	--	Peak	219.00	100	Vertical	N/A
3**	5583.000	93.72	--	--	AV	219.00	100	Vertical	N/A
4	7591.000	53.18	74.0	20.82	Peak	263.00	400	Vertical	Pass
4**	7591.000	44.34	54.0	9.66	AV	263.00	400	Vertical	Pass
5	12473.550	53.58	74.0	20.42	Peak	206.00	200	Vertical	Pass
5**	12473.550	44.46	54.0	9.54	AV	206.00	200	Vertical	Pass
6	16136.250	54.04	74.0	19.96	Peak	117.00	400	Vertical	Pass
6**	16136.250	45.02	54.0	8.98	AV	117.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.500	38.23	74.0	35.77	Peak	322.00	200	Horizontal	Pass
1**	1625.500	29.23	54.0	24.77	AV	322.00	200	Horizontal	Pass
2	4399.500	48.42	74.0	25.58	Peak	4.00	100	Horizontal	Pass
2**	4399.500	37.77	54.0	16.23	AV	4.00	100	Horizontal	Pass
3	5498.250	99.43	--	--	Peak	360.00	100	Horizontal	N/A
3**	5498.250	92.01	--	--	AV	360.00	100	Horizontal	N/A
4	7422.500	52.81	74.0	21.19	Peak	343.00	300	Horizontal	Pass
4**	7422.500	43.96	54.0	10.04	AV	343.00	300	Horizontal	Pass
5	12515.112	53.12	74.0	20.88	Peak	358.00	150	Horizontal	Pass
5**	12515.112	44.12	54.0	9.88	AV	358.00	150	Horizontal	Pass
6	15893.437	54.22	74.0	19.78	Peak	33.00	400	Horizontal	Pass
6**	15893.437	45.20	54.0	8.80	AV	33.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	44.61	74.0	29.39	Peak	143.00	100	Vertical	Pass
1**	1330.900	35.94	54.0	18.06	AV	143.00	100	Vertical	Pass
2	4165.750	47.48	74.0	26.52	Peak	263.00	400	Vertical	Pass
2**	4165.750	38.08	54.0	15.92	AV	263.00	400	Vertical	Pass
3	5498.750	105.69	--	--	Peak	220.00	200	Vertical	N/A
3**	5498.750	98.09	--	--	AV	220.00	200	Vertical	N/A
4	7620.750	53.36	74.0	20.64	Peak	350.00	300	Vertical	Pass
4**	7620.750	43.70	54.0	10.30	AV	350.00	300	Vertical	Pass
5	12481.388	53.90	74.0	20.10	Peak	360.00	200	Vertical	Pass
5**	12481.388	44.18	54.0	9.82	AV	360.00	200	Vertical	Pass
6	16087.162	53.90	74.0	20.10	Peak	231.00	300	Vertical	Pass
6**	16087.162	44.07	54.0	9.93	AV	231.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	38.99	74.0	35.01	Peak	334.00	100	Horizontal	Pass
1**	1613.500	29.36	54.0	24.64	AV	334.00	100	Horizontal	Pass
2	4327.750	47.53	74.0	26.47	Peak	360.00	400	Horizontal	Pass
2**	4327.750	37.96	54.0	16.04	AV	360.00	400	Horizontal	Pass
3	5581.250	98.89	--	--	Peak	359.00	200	Horizontal	N/A
3**	5581.250	91.27	--	--	AV	359.00	200	Horizontal	N/A
4	7430.000	53.19	74.0	20.81	Peak	316.00	200	Horizontal	Pass
4**	7430.000	43.59	54.0	10.41	AV	316.00	200	Horizontal	Pass
5	12468.325	54.01	74.0	19.99	Peak	44.00	150	Horizontal	Pass
5**	12468.325	44.99	54.0	9.01	AV	44.00	150	Horizontal	Pass
6	15897.900	54.65	74.0	19.35	Peak	55.00	100	Horizontal	Pass
6**	15897.900	44.54	54.0	9.46	AV	55.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.000	41.95	74.0	32.05	Peak	157.00	100	Vertical	Pass
1**	1329.000	32.57	54.0	21.43	AV	157.00	100	Vertical	Pass
2	4464.250	60.57	68.2	7.63	Peak	6.00	100	Vertical	Pass
2**	4464.250	50.58	--	--	AV	6.00	100	Vertical	N/A
3	5584.000	103.97	--	--	Peak	222.00	200	Vertical	N/A
3**	5584.000	95.39	--	--	AV	222.00	200	Vertical	N/A
4	7596.250	53.33	74.0	20.67	Peak	72.00	200	Vertical	Pass
4**	7596.250	43.67	54.0	10.33	AV	72.00	200	Vertical	Pass
5	12516.775	53.14	74.0	20.86	Peak	262.00	100	Vertical	Pass
5**	12516.775	44.93	54.0	9.07	AV	262.00	100	Vertical	Pass
6	15895.276	53.74	74.0	20.26	Peak	210.00	200	Vertical	Pass
6**	15895.276	44.62	54.0	9.38	AV	210.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.300	38.98	74.0	35.02	Peak	158.00	100	Horizontal	Pass
1**	1512.300	29.71	54.0	24.29	AV	158.00	100	Horizontal	Pass
2	4289.250	47.40	74.0	26.60	Peak	0.00	100	Horizontal	Pass
2**	4289.250	39.25	54.0	14.75	AV	0.00	100	Horizontal	Pass
3	5696.500	94.31	--	--	Peak	288.00	100	Horizontal	N/A
3**	5696.500	85.94	--	--	AV	288.00	100	Horizontal	N/A
4	7660.250	52.73	74.0	21.27	Peak	360.00	200	Horizontal	Pass
4**	7660.250	44.11	54.0	9.89	AV	360.00	200	Horizontal	Pass
5	12481.150	53.99	74.0	20.01	Peak	115.00	200	Horizontal	Pass
5**	12481.150	45.16	54.0	8.84	AV	115.00	200	Horizontal	Pass
6	15666.113	54.21	74.0	19.79	Peak	250.00	300	Horizontal	Pass
6**	15666.113	44.01	54.0	9.99	AV	250.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	44.93	74.0	29.07	Peak	140.00	100	Vertical	Pass
1**	1331.200	35.29	54.0	18.71	AV	140.00	100	Vertical	Pass
2	4560.750	47.21	74.0	26.79	Peak	223.00	100	Vertical	Pass
2**	4560.750	45.82	54.0	8.18	AV	223.00	100	Vertical	Pass
3	5696.000	102.25	--	--	Peak	158.00	200	Vertical	N/A
3**	5696.000	94.85	--	--	AV	158.00	200	Vertical	N/A
4	7614.000	53.20	74.0	20.80	Peak	158.00	400	Vertical	Pass
4**	7614.000	43.98	54.0	10.02	AV	158.00	400	Vertical	Pass
5	12499.200	53.60	74.0	20.40	Peak	360.00	200	Vertical	Pass
5**	12499.200	44.84	54.0	9.16	AV	360.00	200	Vertical	Pass
6	16094.250	54.49	74.0	19.51	Peak	64.00	300	Vertical	Pass
6**	16094.250	46.09	54.0	7.91	AV	64.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.900	38.69	74.0	35.31	Peak	360.00	400	Horizontal	Pass
1**	1602.900	29.78	54.0	24.22	AV	360.00	400	Horizontal	Pass
2	4398.750	47.27	74.0	26.73	Peak	256.00	100	Horizontal	Pass
2**	4398.750	38.28	54.0	15.72	AV	256.00	100	Horizontal	Pass
3	5494.750	99.67	--	--	Peak	342.00	150	Horizontal	N/A
3**	5494.750	91.13	--	--	AV	342.00	150	Horizontal	N/A
4	7619.250	53.21	74.0	20.79	Peak	147.00	100	Horizontal	Pass
4**	7619.250	44.04	54.0	9.96	AV	147.00	100	Horizontal	Pass
5	12436.500	53.06	74.0	20.94	Peak	150.00	200	Horizontal	Pass
5**	12436.500	44.32	54.0	9.68	AV	150.00	200	Horizontal	Pass
6	15702.075	53.95	74.0	20.05	Peak	59.00	300	Horizontal	Pass
6**	15702.075	44.89	54.0	9.11	AV	59.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	43.68	74.0	30.32	Peak	189.00	100	Vertical	Pass
1**	1332.200	31.57	54.0	22.43	AV	189.00	100	Vertical	Pass
2	4239.750	47.13	74.0	26.87	Peak	360.00	200	Vertical	Pass
2**	4239.750	37.66	54.0	16.34	AV	360.00	200	Vertical	Pass
3	5494.750	106.86	--	--	Peak	232.00	100	Vertical	N/A
3**	5494.750	98.62	--	--	AV	232.00	100	Vertical	N/A
4	7594.750	52.97	74.0	21.03	Peak	111.00	300	Vertical	Pass
4**	7594.750	45.43	54.0	8.57	AV	111.00	300	Vertical	Pass
5	12498.487	53.58	74.0	20.42	Peak	173.00	100	Vertical	Pass
5**	12498.487	43.99	54.0	10.01	AV	173.00	100	Vertical	Pass
6	16085.850	54.10	74.0	19.90	Peak	337.00	300	Vertical	Pass
6**	16085.850	44.82	54.0	9.18	AV	337.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.500	38.72	74.0	35.28	Peak	223.00	200	Horizontal	Pass
1**	1513.500	29.49	54.0	24.51	AV	223.00	200	Horizontal	Pass
2	4256.000	47.78	74.0	26.22	Peak	248.00	200	Horizontal	Pass
2**	4256.000	38.46	54.0	15.54	AV	248.00	200	Horizontal	Pass
3	5577.250	98.51	--	--	Peak	360.00	150	Horizontal	N/A
3**	5577.250	90.86	--	--	AV	360.00	150	Horizontal	N/A
4	7374.250	53.28	74.0	20.72	Peak	248.00	200	Horizontal	Pass
4**	7374.250	43.29	54.0	10.71	AV	248.00	200	Horizontal	Pass
5	12486.375	53.74	74.0	20.26	Peak	360.00	200	Horizontal	Pass
5**	12486.375	45.84	54.0	8.16	AV	360.00	200	Horizontal	Pass
6	16105.800	54.52	74.0	19.48	Peak	156.00	100	Horizontal	Pass
6**	16105.800	45.17	54.0	8.83	AV	156.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.100	41.24	74.0	32.76	Peak	131.00	100	Vertical	Pass
1**	1328.100	30.60	54.0	23.40	AV	131.00	100	Vertical	Pass
2	4471.500	57.37	68.2	10.83	Peak	35.00	100	Vertical	Pass
2**	4471.500	39.56	--	--	AV	35.00	100	Vertical	N/A
3	5581.500	104.00	--	--	Peak	219.00	100	Vertical	N/A
3**	5581.500	96.36	--	--	AV	219.00	100	Vertical	N/A
4	7487.750	53.78	74.0	20.22	Peak	149.00	200	Vertical	Pass
4**	7487.750	43.54	54.0	10.46	AV	149.00	200	Vertical	Pass
5	12470.700	54.25	74.0	19.75	Peak	0.00	150	Vertical	Pass
5**	12470.700	43.98	54.0	10.02	AV	0.00	150	Vertical	Pass
6	16127.062	54.38	74.0	19.62	Peak	9.00	300	Vertical	Pass
6**	16127.062	45.49	54.0	8.51	AV	9.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.600	38.29	74.0	35.71	Peak	360.00	100	Horizontal	Pass
1**	1606.600	29.49	54.0	24.51	AV	360.00	100	Horizontal	Pass
2	4257.500	47.44	74.0	26.56	Peak	84.00	100	Horizontal	Pass
2**	4257.500	38.07	54.0	15.93	AV	84.00	100	Horizontal	Pass
3	5675.500	94.97	--	--	Peak	299.00	150	Horizontal	N/A
3**	5675.500	87.10	--	--	AV	299.00	150	Horizontal	N/A
4	7629.500	53.34	74.0	20.66	Peak	274.00	400	Horizontal	Pass
4**	7629.500	44.76	54.0	9.24	AV	274.00	400	Horizontal	Pass
5	12488.750	53.36	74.0	20.64	Peak	78.00	100	Horizontal	Pass
5**	12488.750	45.61	54.0	8.39	AV	78.00	100	Horizontal	Pass
6	15707.588	54.65	74.0	19.35	Peak	244.00	200	Horizontal	Pass
6**	15707.588	43.85	54.0	10.15	AV	244.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	43.01	74.0	30.99	Peak	199.00	100	Vertical	Pass
1**	1331.400	33.64	54.0	20.36	AV	199.00	100	Vertical	Pass
2	4375.750	47.59	74.0	26.41	Peak	342.00	400	Vertical	Pass
2**	4375.750	37.90	54.0	16.10	AV	342.00	400	Vertical	Pass
3	5682.500	102.30	--	--	Peak	81.00	100	Vertical	N/A
3**	5682.500	94.99	--	--	AV	81.00	100	Vertical	N/A
4	7482.750	52.89	74.0	21.11	Peak	360.00	200	Vertical	Pass
4**	7482.750	43.55	54.0	10.45	AV	360.00	200	Vertical	Pass
5	12529.125	53.44	74.0	20.56	Peak	360.00	200	Vertical	Pass
5**	12529.125	43.74	54.0	10.26	AV	360.00	200	Vertical	Pass
6	15657.975	53.74	74.0	20.26	Peak	342.00	300	Vertical	Pass
6**	15657.975	44.19	54.0	9.81	AV	342.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.900	38.47	74.0	35.53	Peak	239.00	300	Horizontal	Pass
1**	1613.900	29.20	54.0	24.80	AV	239.00	300	Horizontal	Pass
2	4290.000	47.26	74.0	26.74	Peak	14.00	200	Horizontal	Pass
2**	4290.000	37.26	54.0	16.74	AV	14.00	200	Horizontal	Pass
3	5504.500	96.52	--	--	Peak	355.00	100	Horizontal	N/A
3**	5504.500	88.15	--	--	AV	355.00	100	Horizontal	N/A
4	7642.750	53.91	74.0	20.09	Peak	72.00	100	Horizontal	Pass
4**	7642.750	43.82	54.0	10.18	AV	72.00	100	Horizontal	Pass
5	12463.337	54.37	74.0	19.63	Peak	274.00	100	Horizontal	Pass
5**	12463.337	43.86	54.0	10.14	AV	274.00	100	Horizontal	Pass
6	16098.187	54.30	74.0	19.70	Peak	360.00	400	Horizontal	Pass
6**	16098.187	45.05	54.0	8.95	AV	360.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	44.42	74.0	29.58	Peak	145.00	100	Vertical	Pass
1**	1328.800	29.59	54.0	24.41	AV	145.00	100	Vertical	Pass
2	4252.000	47.76	74.0	26.24	Peak	77.00	300	Vertical	Pass
2**	4252.000	37.32	54.0	16.68	AV	77.00	300	Vertical	Pass
3	5496.750	103.31	--	--	Peak	233.00	200	Vertical	N/A
3**	5496.750	95.09	--	--	AV	233.00	200	Vertical	N/A
4	7364.750	53.09	74.0	20.91	Peak	360.00	100	Vertical	Pass
4**	7364.750	44.76	54.0	9.24	AV	360.00	100	Vertical	Pass
5	12501.812	53.98	74.0	20.02	Peak	291.00	150	Vertical	Pass
5**	12501.812	44.49	54.0	9.51	AV	291.00	150	Vertical	Pass
6	16096.874	54.16	74.0	19.84	Peak	47.00	300	Vertical	Pass
6**	16096.874	45.85	54.0	8.15	AV	47.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.800	39.67	74.0	34.33	Peak	162.00	400	Horizontal	Pass
1**	1574.800	28.86	54.0	25.14	AV	162.00	400	Horizontal	Pass
2	4382.250	47.21	74.0	26.79	Peak	130.00	100	Horizontal	Pass
2**	4382.250	38.14	54.0	15.86	AV	130.00	100	Horizontal	Pass
3	5577.250	96.61	--	--	Peak	350.00	200	Horizontal	N/A
3**	5577.250	88.05	--	--	AV	350.00	200	Horizontal	N/A
4	7633.250	52.90	74.0	21.10	Peak	64.00	200	Horizontal	Pass
4**	7633.250	43.77	54.0	10.23	AV	64.00	200	Horizontal	Pass
5	12504.901	53.71	74.0	20.29	Peak	117.00	200	Horizontal	Pass
5**	12504.901	44.33	54.0	9.67	AV	117.00	200	Horizontal	Pass
6	16099.500	54.41	74.0	19.59	Peak	326.00	200	Horizontal	Pass
6**	16099.500	45.30	54.0	8.70	AV	326.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.300	45.94	74.0	28.06	Peak	118.00	100	Vertical	Pass
1**	1161.300	31.29	54.0	22.71	AV	118.00	100	Vertical	Pass
2	4487.750	55.74	68.2	12.46	Peak	105.00	100	Vertical	Pass
2**	4487.750	39.57	--	--	AV	105.00	100	Vertical	N/A
3	5580.500	101.06	--	--	Peak	222.00	100	Vertical	N/A
3**	5580.500	92.74	--	--	AV	222.00	100	Vertical	N/A
4	7423.000	53.28	74.0	20.72	Peak	175.00	100	Vertical	Pass
4**	7423.000	43.62	54.0	10.38	AV	175.00	100	Vertical	Pass
5	12522.000	53.16	74.0	20.84	Peak	350.00	100	Vertical	Pass
5**	12522.000	44.09	54.0	9.91	AV	350.00	100	Vertical	Pass
6	16158.037	53.88	74.0	20.12	Peak	38.00	400	Vertical	Pass
6**	16158.037	43.98	54.0	10.02	AV	38.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.400	39.82	74.0	34.18	Peak	58.00	100	Horizontal	Pass
1**	1332.400	29.50	54.0	24.50	AV	58.00	100	Horizontal	Pass
2	4595.750	55.78	74.0	18.22	Peak	207.00	100	Horizontal	Pass
2**	4595.750	39.23	54.0	14.77	AV	207.00	100	Horizontal	Pass
3	5741.750	95.75	--	--	Peak	270.00	200	Horizontal	N/A
3**	5741.750	89.00	--	--	AV	270.00	200	Horizontal	N/A
4	7354.000	53.99	74.0	20.01	Peak	291.00	300	Horizontal	Pass
4**	7354.000	43.98	54.0	10.02	AV	291.00	300	Horizontal	Pass
5	12508.701	53.34	74.0	20.66	Peak	0.00	200	Horizontal	Pass
5**	12508.701	43.94	54.0	10.06	AV	0.00	200	Horizontal	Pass
6	15834.637	54.01	74.0	19.99	Peak	183.00	200	Horizontal	Pass
6**	15834.637	43.95	54.0	10.05	AV	183.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	42.42	74.0	31.58	Peak	196.00	100	Vertical	Pass
1**	1329.600	32.82	54.0	21.18	AV	196.00	100	Vertical	Pass
2	4595.750	57.41	74.0	16.59	Peak	360.00	100	Vertical	Pass
2**	4595.750	49.59	54.0	4.41	AV	360.00	100	Vertical	Pass
3	5750.250	102.83	--	--	Peak	79.00	150	Vertical	N/A
3**	5750.250	95.65	--	--	AV	79.00	150	Vertical	N/A
4	7358.750	53.13	74.0	20.87	Peak	101.00	400	Vertical	Pass
4**	7358.750	44.44	54.0	9.56	AV	101.00	400	Vertical	Pass
5	11492.912	57.00	74.0	17.00	Peak	17.00	200	Vertical	Pass
5**	11492.912	46.84	54.0	7.16	AV	17.00	200	Vertical	Pass
6	15691.575	53.62	74.0	20.38	Peak	224.00	400	Vertical	Pass
6**	15691.575	44.37	54.0	9.63	AV	224.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.500	38.73	74.0	35.27	Peak	24.00	100	Horizontal	Pass
1**	1619.500	29.02	54.0	24.98	AV	24.00	100	Horizontal	Pass
2	4349.000	47.67	74.0	26.33	Peak	234.00	400	Horizontal	Pass
2**	4349.000	37.50	54.0	16.50	AV	234.00	400	Horizontal	Pass
3	5786.500	94.96	--	--	Peak	279.00	150	Horizontal	N/A
3**	5786.500	86.98	--	--	AV	279.00	150	Horizontal	N/A
4	7598.750	53.93	74.0	20.07	Peak	214.00	200	Horizontal	Pass
4**	7598.750	43.93	54.0	10.07	AV	214.00	200	Horizontal	Pass
5	12475.688	53.47	74.0	20.53	Peak	18.00	200	Horizontal	Pass
5**	12475.688	44.29	54.0	9.71	AV	18.00	200	Horizontal	Pass
6	16129.162	54.27	74.0	19.73	Peak	282.00	200	Horizontal	Pass
6**	16129.162	45.53	54.0	8.47	AV	282.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	45.82	74.0	28.18	Peak	141.00	100	Horizontal	Pass
1**	1331.100	37.40	54.0	16.60	AV	141.00	100	Horizontal	Pass
2	4628.250	55.70	74.0	18.30	Peak	11.00	100	Horizontal	Pass
2**	4628.250	43.96	54.0	10.04	AV	11.00	100	Horizontal	Pass
3	5792.000	103.97	--	--	Peak	77.00	100	Horizontal	N/A
3**	5792.000	96.69	--	--	AV	77.00	100	Horizontal	N/A
4	7600.250	53.01	74.0	20.99	Peak	359.00	200	Horizontal	Pass
4**	7600.250	45.15	54.0	8.85	AV	359.00	200	Horizontal	Pass
5	11570.338	57.35	74.0	16.65	Peak	10.00	100	Horizontal	Pass
5**	11570.338	47.70	54.0	6.30	AV	10.00	100	Horizontal	Pass
6	15903.674	54.17	74.0	19.83	Peak	79.00	400	Horizontal	Pass
6**	15903.674	45.32	54.0	8.68	AV	79.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	40.90	74.0	33.10	Peak	133.00	100	Horizontal	Pass
1**	1327.100	29.20	54.0	24.80	AV	133.00	100	Horizontal	Pass
2	4187.000	46.95	74.0	27.05	Peak	68.00	300	Horizontal	Pass
2**	4187.000	37.61	54.0	16.39	AV	68.00	300	Horizontal	Pass
3	5818.000	94.38	--	--	Peak	13.00	200	Horizontal	N/A
3**	5818.000	86.82	--	--	AV	13.00	200	Horizontal	N/A
4	7490.750	52.89	74.0	21.11	Peak	252.00	300	Horizontal	Pass
4**	7490.750	43.89	54.0	10.11	AV	252.00	300	Horizontal	Pass
5	12490.888	52.94	74.0	21.06	Peak	308.00	150	Horizontal	Pass
5**	12490.888	44.56	54.0	9.44	AV	308.00	150	Horizontal	Pass
6	16126.800	53.85	74.0	20.15	Peak	42.00	400	Horizontal	Pass
6**	16126.800	45.55	54.0	8.45	AV	42.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	43.45	74.0	30.55	Peak	160.00	100	Vertical	Pass
1**	1328.300	34.79	54.0	19.21	AV	160.00	100	Vertical	Pass
2	4660.000	60.70	74.0	13.30	Peak	220.00	100	Vertical	Pass
2**	4660.000	45.41	54.0	8.59	AV	220.00	100	Vertical	Pass
3	5826.750	104.02	--	--	Peak	82.00	100	Vertical	N/A
3**	5826.750	95.87	--	--	AV	82.00	100	Vertical	N/A
4	7359.250	52.94	74.0	21.06	Peak	174.00	400	Vertical	Pass
4**	7359.250	44.47	54.0	9.53	AV	174.00	400	Vertical	Pass
5	11652.513	55.25	74.0	18.75	Peak	6.00	150	Vertical	Pass
5**	11652.513	45.65	54.0	8.35	AV	6.00	150	Vertical	Pass
6	15895.537	54.77	74.0	19.23	Peak	360.00	100	Vertical	Pass
6**	15895.537	45.31	54.0	8.69	AV	360.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.000	38.34	74.0	35.66	Peak	109.00	400	Horizontal	Pass
1**	1503.000	28.34	54.0	25.66	AV	109.00	400	Horizontal	Pass
2	4281.000	47.13	74.0	26.87	Peak	154.00	200	Horizontal	Pass
2**	4281.000	37.93	54.0	16.07	AV	154.00	200	Horizontal	Pass
3	5749.750	95.80	--	--	Peak	267.00	150	Horizontal	N/A
3**	5749.750	88.34	--	--	AV	267.00	150	Horizontal	N/A
4	7588.250	52.71	74.0	21.29	Peak	287.00	400	Horizontal	Pass
4**	7588.250	43.78	54.0	10.22	AV	287.00	400	Horizontal	Pass
5	12505.850	53.55	74.0	20.45	Peak	156.00	200	Horizontal	Pass
5**	12505.850	44.80	54.0	9.20	AV	156.00	200	Horizontal	Pass
6	16135.725	54.00	74.0	20.00	Peak	76.00	400	Horizontal	Pass
6**	16135.725	44.78	54.0	9.22	AV	76.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	44.92	74.0	29.08	Peak	152.00	100	Vertical	Pass
1**	1327.900	37.37	54.0	16.63	AV	152.00	100	Vertical	Pass
2	4595.750	48.22	74.0	25.78	Peak	241.00	100	Vertical	Pass
2**	4595.750	47.33	54.0	6.67	AV	241.00	100	Vertical	Pass
3	5748.250	103.53	--	--	Peak	178.00	150	Vertical	N/A
3**	5748.250	96.48	--	--	AV	178.00	150	Vertical	N/A
4	7607.000	53.85	74.0	20.15	Peak	289.00	300	Vertical	Pass
4**	7607.000	44.13	54.0	9.87	AV	289.00	300	Vertical	Pass
5	11491.488	56.55	74.0	17.45	Peak	18.00	150	Vertical	Pass
5**	11491.488	48.24	54.0	5.76	AV	18.00	150	Vertical	Pass
6	15901.838	54.07	74.0	19.93	Peak	311.00	200	Vertical	Pass
6**	15901.838	44.63	54.0	9.37	AV	311.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	38.32	74.0	35.68	Peak	150.00	400	Horizontal	Pass
1**	1500.500	28.93	54.0	25.07	AV	150.00	400	Horizontal	Pass
2	4343.000	47.07	74.0	26.93	Peak	108.00	100	Horizontal	Pass
2**	4343.000	39.06	54.0	14.94	AV	108.00	100	Horizontal	Pass
3	5792.500	94.31	--	--	Peak	273.00	100	Horizontal	N/A
3**	5792.500	86.99	--	--	AV	273.00	100	Horizontal	N/A
4	7606.000	53.19	74.0	20.81	Peak	360.00	200	Horizontal	Pass
4**	7606.000	44.04	54.0	9.96	AV	360.00	200	Horizontal	Pass
5	12498.725	54.52	74.0	19.48	Peak	109.00	150	Horizontal	Pass
5**	12498.725	45.00	54.0	9.00	AV	109.00	150	Horizontal	Pass
6	16104.225	54.03	74.0	19.97	Peak	200.00	300	Horizontal	Pass
6**	16104.225	44.63	54.0	9.37	AV	200.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.500	43.98	74.0	30.02	Peak	169.00	100	Vertical	Pass
1**	1328.500	36.60	54.0	17.40	AV	169.00	100	Vertical	Pass
2	4628.000	59.54	74.0	14.46	Peak	217.00	100	Vertical	Pass
2**	4628.000	48.94	54.0	5.06	AV	217.00	100	Vertical	Pass
3	5788.500	104.17	--	--	Peak	78.00	100	Vertical	N/A
3**	5788.500	96.49	--	--	AV	78.00	100	Vertical	N/A
4	7419.750	53.02	74.0	20.98	Peak	137.00	400	Vertical	Pass
4**	7419.750	43.74	54.0	10.26	AV	137.00	400	Vertical	Pass
5	11569.863	55.93	74.0	18.07	Peak	2.00	150	Vertical	Pass
5**	11569.863	47.12	54.0	6.88	AV	2.00	150	Vertical	Pass
6	16147.276	54.79	74.0	19.21	Peak	223.00	300	Vertical	Pass
6**	16147.276	44.48	54.0	9.52	AV	223.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.000	38.21	74.0	35.79	Peak	46.00	300	Horizontal	Pass
1**	1612.000	29.46	54.0	24.54	AV	46.00	300	Horizontal	Pass
2	4659.750	51.56	74.0	22.44	Peak	335.00	100	Horizontal	Pass
2**	4659.750	39.52	54.0	14.48	AV	335.00	100	Horizontal	Pass
3	5818.500	94.52	--	--	Peak	313.00	200	Horizontal	N/A
3**	5818.500	86.84	--	--	AV	313.00	200	Horizontal	N/A
4	7370.000	53.64	74.0	20.36	Peak	335.00	300	Horizontal	Pass
4**	7370.000	44.33	54.0	9.67	AV	335.00	300	Horizontal	Pass
5	12473.787	53.68	74.0	20.32	Peak	3.00	150	Horizontal	Pass
5**	12473.787	45.02	54.0	8.98	AV	3.00	150	Horizontal	Pass
6	15891.338	54.12	74.0	19.88	Peak	141.00	400	Horizontal	Pass
6**	15891.338	44.78	54.0	9.22	AV	141.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	43.26	74.0	30.74	Peak	164.00	100	Vertical	Pass
1**	1330.500	31.87	54.0	22.13	AV	164.00	100	Vertical	Pass
2	4660.000	56.06	74.0	17.94	Peak	0.00	100	Vertical	Pass
2**	4660.000	46.47	54.0	7.53	AV	0.00	100	Vertical	Pass
3	5822.250	104.74	--	--	Peak	59.00	200	Vertical	N/A
3**	5822.250	96.42	--	--	AV	59.00	200	Vertical	N/A
4	7354.000	53.10	74.0	20.90	Peak	0.00	300	Vertical	Pass
4**	7354.000	44.37	54.0	9.63	AV	0.00	300	Vertical	Pass
5	11654.412	53.11	74.0	20.89	Peak	8.00	200	Vertical	Pass
5**	11654.412	45.93	54.0	8.07	AV	8.00	200	Vertical	Pass
6	16112.362	54.93	74.0	19.07	Peak	243.00	200	Vertical	Pass
6**	16112.362	45.25	54.0	8.75	AV	243.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	38.37	74.0	35.63	Peak	360.00	400	Horizontal	Pass
1**	1613.500	30.17	54.0	23.83	AV	360.00	400	Horizontal	Pass
2	4272.250	46.94	74.0	27.06	Peak	347.00	100	Horizontal	Pass
2**	4272.250	36.88	54.0	17.12	AV	347.00	100	Horizontal	Pass
3	5750.000	95.36	--	--	Peak	280.00	150	Horizontal	N/A
3**	5750.000	87.57	--	--	AV	280.00	150	Horizontal	N/A
4	7608.250	53.41	74.0	20.59	Peak	360.00	400	Horizontal	Pass
4**	7608.250	43.75	54.0	10.25	AV	360.00	400	Horizontal	Pass
5	12498.725	54.28	74.0	19.72	Peak	348.00	100	Horizontal	Pass
5**	12498.725	44.52	54.0	9.48	AV	348.00	100	Horizontal	Pass
6	15833.850	54.11	74.0	19.89	Peak	360.00	300	Horizontal	Pass
6**	15833.850	43.73	54.0	10.27	AV	360.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	46.40	74.0	27.60	Peak	152.00	100	Vertical	Pass
1**	1329.600	31.88	54.0	22.12	AV	152.00	100	Vertical	Pass
2	4603.750	52.67	74.0	21.33	Peak	261.00	100	Vertical	Pass
2**	4603.750	42.03	54.0	11.97	AV	261.00	100	Vertical	Pass
3	5741.500	103.07	--	--	Peak	152.00	150	Vertical	N/A
3**	5741.500	95.64	--	--	AV	152.00	150	Vertical	N/A
4	7592.000	53.27	74.0	20.73	Peak	12.00	300	Vertical	Pass
4**	7592.000	44.66	54.0	9.34	AV	12.00	300	Vertical	Pass
5	11510.725	56.92	74.0	17.08	Peak	0.00	100	Vertical	Pass
5**	11510.725	49.03	54.0	4.97	AV	0.00	100	Vertical	Pass
6	16149.900	54.25	74.0	19.75	Peak	268.00	100	Vertical	Pass
6**	16149.900	44.41	54.0	9.59	AV	268.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.900	38.62	74.0	35.38	Peak	58.00	300	Horizontal	Pass
1**	1613.900	30.03	54.0	23.97	AV	58.00	300	Horizontal	Pass
2	4249.000	47.70	74.0	26.30	Peak	59.00	100	Horizontal	Pass
2**	4249.000	37.57	54.0	16.43	AV	59.00	100	Horizontal	Pass
3	5805.000	94.88	--	--	Peak	258.00	150	Horizontal	N/A
3**	5805.000	86.87	--	--	AV	258.00	150	Horizontal	N/A
4	7585.750	52.93	74.0	21.07	Peak	338.00	100	Horizontal	Pass
4**	7585.750	43.12	54.0	10.88	AV	338.00	100	Horizontal	Pass
5	12434.600	53.88	74.0	20.12	Peak	154.00	150	Horizontal	Pass
5**	12434.600	44.23	54.0	9.77	AV	154.00	150	Horizontal	Pass
6	16125.750	54.82	74.0	19.18	Peak	129.00	400	Horizontal	Pass
6**	16125.750	44.66	54.0	9.34	AV	129.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.300	39.15	74.0	34.85	Peak	86.00	300	Vertical	Pass
1**	1626.300	28.96	54.0	25.04	AV	86.00	300	Vertical	Pass
2	4342.750	47.25	74.0	26.75	Peak	117.00	100	Vertical	Pass
2**	4342.750	37.68	54.0	16.32	AV	117.00	100	Vertical	Pass
3	5810.000	104.74	--	--	Peak	77.00	150	Vertical	N/A
3**	5810.000	96.52	--	--	AV	77.00	150	Vertical	N/A
4	7641.750	53.59	74.0	20.41	Peak	331.00	200	Vertical	Pass
4**	7641.750	43.39	54.0	10.61	AV	331.00	200	Vertical	Pass
5	11590.525	53.05	74.0	20.95	Peak	22.00	100	Vertical	Pass
5**	11590.525	48.88	54.0	5.12	AV	22.00	100	Vertical	Pass
6	15687.900	53.96	74.0	20.04	Peak	195.00	400	Vertical	Pass
6**	15687.900	44.87	54.0	9.13	AV	195.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.400	38.57	74.0	35.43	Peak	351.00	400	Horizontal	Pass
1**	1605.400	29.08	54.0	24.92	AV	351.00	400	Horizontal	Pass
2	4256.000	47.35	74.0	26.65	Peak	81.00	200	Horizontal	Pass
2**	4256.000	38.42	54.0	15.58	AV	81.00	200	Horizontal	Pass
3	5747.500	95.71	--	--	Peak	274.00	150	Horizontal	N/A
3**	5747.500	88.15	--	--	AV	274.00	150	Horizontal	N/A
4	7358.750	53.37	74.0	20.63	Peak	100.00	300	Horizontal	Pass
4**	7358.750	44.95	54.0	9.05	AV	100.00	300	Horizontal	Pass
5	12473.075	53.54	74.0	20.46	Peak	296.00	200	Horizontal	Pass
5**	12473.075	43.96	54.0	10.04	AV	296.00	200	Horizontal	Pass
6	15702.600	54.50	74.0	19.50	Peak	11.00	200	Horizontal	Pass
6**	15702.600	44.24	54.0	9.76	AV	11.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	43.51	74.0	30.49	Peak	194.00	100	Vertical	Pass
1**	1327.900	32.65	54.0	21.35	AV	194.00	100	Vertical	Pass
2	4596.250	57.73	74.0	16.27	Peak	360.00	100	Vertical	Pass
2**	4596.250	49.29	54.0	4.71	AV	360.00	100	Vertical	Pass
3	5743.000	103.54	--	--	Peak	163.00	100	Vertical	N/A
3**	5743.000	95.66	--	--	AV	163.00	100	Vertical	N/A
4	7483.500	53.15	74.0	20.85	Peak	328.00	300	Vertical	Pass
4**	7483.500	43.71	54.0	10.29	AV	328.00	300	Vertical	Pass
5	11491.488	55.64	74.0	18.36	Peak	16.00	150	Vertical	Pass
5**	11491.488	48.24	54.0	5.76	AV	16.00	150	Vertical	Pass
6	16123.388	54.33	74.0	19.67	Peak	294.00	400	Vertical	Pass
6**	16123.388	45.61	54.0	8.39	AV	294.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.100	38.73	74.0	35.27	Peak	349.00	400	Horizontal	Pass
1**	1491.100	28.40	54.0	25.60	AV	349.00	400	Horizontal	Pass
2	4627.750	55.59	74.0	18.41	Peak	236.00	100	Horizontal	Pass
2**	4627.750	43.08	54.0	10.92	AV	236.00	100	Horizontal	Pass
3	5787.250	94.83	--	--	Peak	280.00	150	Horizontal	N/A
3**	5787.250	86.65	--	--	AV	280.00	150	Horizontal	N/A
4	7490.500	53.24	74.0	20.76	Peak	258.00	100	Horizontal	Pass
4**	7490.500	44.06	54.0	9.94	AV	258.00	100	Horizontal	Pass
5	12510.125	53.47	74.0	20.53	Peak	253.00	200	Horizontal	Pass
5**	12510.125	44.29	54.0	9.71	AV	253.00	200	Horizontal	Pass
6	16110.525	54.16	74.0	19.84	Peak	245.00	300	Horizontal	Pass
6**	16110.525	44.91	54.0	9.09	AV	245.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	43.74	74.0	30.26	Peak	158.00	100	Vertical	Pass
1**	1327.100	28.93	54.0	25.07	AV	158.00	100	Vertical	Pass
2	4628.500	56.53	74.0	17.47	Peak	356.00	100	Vertical	Pass
2**	4628.500	43.39	54.0	10.61	AV	356.00	100	Vertical	Pass
3	5791.000	104.27	--	--	Peak	78.00	200	Vertical	N/A
3**	5791.000	97.01	--	--	AV	78.00	200	Vertical	N/A
4	7593.500	53.28	74.0	20.72	Peak	216.00	100	Vertical	Pass
4**	7593.500	43.68	54.0	10.32	AV	216.00	100	Vertical	Pass
5	11566.537	54.80	74.0	19.20	Peak	360.00	100	Vertical	Pass
5**	11566.537	47.59	54.0	6.41	AV	360.00	100	Vertical	Pass
6	16138.087	53.94	74.0	20.06	Peak	200.00	400	Vertical	Pass
6**	16138.087	44.99	54.0	9.01	AV	200.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.200	38.88	74.0	35.12	Peak	312.00	300	Horizontal	Pass
1**	1592.200	29.38	54.0	24.62	AV	312.00	300	Horizontal	Pass
2	4341.000	47.27	74.0	26.73	Peak	0.00	400	Horizontal	Pass
2**	4341.000	38.05	54.0	15.95	AV	0.00	400	Horizontal	Pass
3	5822.500	94.54	--	--	Peak	278.00	200	Horizontal	N/A
3**	5822.500	86.84	--	--	AV	278.00	200	Horizontal	N/A
4	7656.500	52.87	74.0	21.13	Peak	359.00	200	Horizontal	Pass
4**	7656.500	43.62	54.0	10.38	AV	359.00	200	Horizontal	Pass
5	12491.125	54.31	74.0	19.69	Peak	350.00	200	Horizontal	Pass
5**	12491.125	44.78	54.0	9.22	AV	350.00	200	Horizontal	Pass
6	16129.162	54.08	74.0	19.92	Peak	360.00	100	Horizontal	Pass
6**	16129.162	45.34	54.0	8.66	AV	360.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	43.27	74.0	30.73	Peak	148.00	100	Vertical	Pass
1**	1327.900	29.71	54.0	24.29	AV	148.00	100	Vertical	Pass
2	4659.750	61.17	74.0	12.83	Peak	349.00	100	Vertical	Pass
2**	4659.750	43.97	54.0	10.03	AV	349.00	100	Vertical	Pass
3	5831.250	103.89	--	--	Peak	63.00	100	Vertical	N/A
3**	5831.250	96.80	--	--	AV	63.00	100	Vertical	N/A
4	7362.500	52.81	74.0	21.19	Peak	174.00	100	Vertical	Pass
4**	7362.500	44.56	54.0	9.44	AV	174.00	100	Vertical	Pass
5	12510.363	54.63	74.0	19.37	Peak	360.00	100	Vertical	Pass
5**	12510.363	46.22	54.0	7.78	AV	360.00	100	Vertical	Pass
6	16186.651	53.75	74.0	20.25	Peak	71.00	200	Vertical	Pass
6**	16186.651	43.21	54.0	10.79	AV	71.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.900	38.54	74.0	35.46	Peak	360.00	200	Horizontal	Pass
1**	1615.900	29.42	54.0	24.58	AV	360.00	200	Horizontal	Pass
2	4338.250	48.15	74.0	25.85	Peak	360.00	100	Horizontal	Pass
2**	4338.250	38.15	54.0	15.85	AV	360.00	100	Horizontal	Pass
3	5744.500	95.64	--	--	Peak	262.00	150	Horizontal	N/A
3**	5744.500	87.94	--	--	AV	262.00	150	Horizontal	N/A
4	7370.250	52.74	74.0	21.26	Peak	200.00	300	Horizontal	Pass
4**	7370.250	43.73	54.0	10.27	AV	200.00	300	Horizontal	Pass
5	12499.912	53.77	74.0	20.23	Peak	144.00	150	Horizontal	Pass
5**	12499.912	44.54	54.0	9.46	AV	144.00	150	Horizontal	Pass
6	16134.412	54.09	74.0	19.91	Peak	161.00	400	Horizontal	Pass
6**	16134.412	44.57	54.0	9.43	AV	161.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.000	43.72	74.0	30.28	Peak	157.00	100	Vertical	Pass
1**	1331.000	29.37	54.0	24.63	AV	157.00	100	Vertical	Pass
2	4326.000	46.97	74.0	27.03	Peak	360.00	400	Vertical	Pass
2**	4326.000	39.00	54.0	15.00	AV	360.00	400	Vertical	Pass
3	5738.000	103.48	--	--	Peak	150.00	150	Vertical	N/A
3**	5738.000	95.20	--	--	AV	150.00	150	Vertical	N/A
4	7600.750	53.37	74.0	20.63	Peak	107.00	200	Vertical	Pass
4**	7600.750	44.76	54.0	9.24	AV	107.00	200	Vertical	Pass
5	11534.713	56.91	74.0	17.09	Peak	20.00	200	Vertical	Pass
5**	11534.713	45.83	54.0	8.17	AV	20.00	200	Vertical	Pass
6	16089.263	54.23	74.0	19.77	Peak	11.00	200	Vertical	Pass
6**	16089.263	44.65	54.0	9.35	AV	11.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.300	38.62	74.0	35.38	Peak	301.00	100	Horizontal	Pass
1**	1512.300	29.29	54.0	24.71	AV	301.00	100	Horizontal	Pass
2	4258.500	46.92	74.0	27.08	Peak	314.00	300	Horizontal	Pass
2**	4258.500	38.09	54.0	15.91	AV	314.00	300	Horizontal	Pass
3	5804.500	94.94	--	--	Peak	255.00	150	Horizontal	N/A
3**	5804.500	86.89	--	--	AV	255.00	150	Horizontal	N/A
4	7489.250	53.25	74.0	20.75	Peak	360.00	200	Horizontal	Pass
4**	7489.250	43.71	54.0	10.29	AV	360.00	200	Horizontal	Pass
5	11519.750	53.39	74.0	20.61	Peak	190.00	150	Horizontal	Pass
5**	11519.750	42.70	54.0	11.30	AV	190.00	150	Horizontal	Pass
6	16123.650	54.09	74.0	19.91	Peak	127.00	300	Horizontal	Pass
6**	16123.650	45.20	54.0	8.80	AV	127.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.900	38.92	74.0	35.08	Peak	34.00	100	Vertical	Pass
1**	1618.900	29.30	54.0	24.70	AV	34.00	100	Vertical	Pass
2	4280.000	47.61	74.0	26.39	Peak	255.00	300	Vertical	Pass
2**	4280.000	38.92	54.0	15.08	AV	255.00	300	Vertical	Pass
3	5804.750	103.98	--	--	Peak	76.00	150	Vertical	N/A
3**	5804.750	96.61	--	--	AV	76.00	150	Vertical	N/A
4	7598.250	53.84	74.0	20.16	Peak	255.00	200	Vertical	Pass
4**	7598.250	44.00	54.0	10.00	AV	255.00	200	Vertical	Pass
5	11588.862	52.00	74.0	22.00	Peak	28.00	100	Vertical	Pass
5**	11588.862	48.12	54.0	5.88	AV	28.00	100	Vertical	Pass
6	16100.287	54.49	74.0	19.51	Peak	272.00	200	Vertical	Pass
6**	16100.287	45.55	54.0	8.45	AV	272.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.500	38.49	74.0	35.51	Peak	51.00	200	Horizontal	Pass
1**	1455.500	29.01	54.0	24.99	AV	51.00	200	Horizontal	Pass
2	4334.000	46.78	74.0	27.22	Peak	9.00	300	Horizontal	Pass
2**	4334.000	38.16	54.0	15.84	AV	9.00	300	Horizontal	Pass
3	5750.750	92.41	--	--	Peak	275.00	150	Horizontal	N/A
3**	5750.750	83.64	--	--	AV	275.00	150	Horizontal	N/A
4	7612.000	53.35	74.0	20.65	Peak	360.00	400	Horizontal	Pass
4**	7612.000	43.26	54.0	10.74	AV	360.00	400	Horizontal	Pass
5	11770.787	53.62	74.0	20.38	Peak	337.00	150	Horizontal	Pass
5**	11770.787	43.15	54.0	10.85	AV	337.00	150	Horizontal	Pass
6	15964.575	54.76	74.0	19.24	Peak	202.00	300	Horizontal	Pass
6**	15964.575	44.73	54.0	9.27	AV	202.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.300	39.12	74.0	34.88	Peak	121.00	400	Vertical	Pass
1**	1497.300	28.93	54.0	25.07	AV	121.00	400	Vertical	Pass
2	4260.000	47.23	74.0	26.77	Peak	253.00	200	Vertical	Pass
2**	4260.000	37.49	54.0	16.51	AV	253.00	200	Vertical	Pass
3	5794.250	100.97	--	--	Peak	78.00	100	Vertical	N/A
3**	5794.250	93.11	--	--	AV	78.00	100	Vertical	N/A
4	7255.000	53.04	74.0	20.96	Peak	331.00	400	Vertical	Pass
4**	7255.000	44.64	54.0	9.36	AV	331.00	400	Vertical	Pass
5	11575.800	53.85	74.0	20.15	Peak	23.00	100	Vertical	Pass
5**	11575.800	48.67	54.0	5.33	AV	23.00	100	Vertical	Pass
6	16092.937	54.59	74.0	19.41	Peak	360.00	400	Vertical	Pass
6**	16092.937	44.84	54.0	9.16	AV	360.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.700	38.39	74.0	35.61	Peak	308.00	100	Horizontal	Pass
1**	1530.700	29.29	54.0	24.71	AV	308.00	100	Horizontal	Pass
2	4595.750	55.70	74.0	18.30	Peak	209.00	100	Horizontal	Pass
2**	4595.750	38.63	54.0	15.37	AV	209.00	100	Horizontal	Pass
3	5751.750	95.45	--	--	Peak	275.00	200	Horizontal	N/A
3**	5751.750	88.03	--	--	AV	275.00	200	Horizontal	N/A
4	7358.750	52.79	74.0	21.21	Peak	163.00	100	Horizontal	Pass
4**	7358.750	44.19	54.0	9.81	AV	163.00	100	Horizontal	Pass
5	12505.612	53.61	74.0	20.39	Peak	360.00	200	Horizontal	Pass
5**	12505.612	45.02	54.0	8.98	AV	360.00	200	Horizontal	Pass
6	15898.687	54.09	74.0	19.91	Peak	122.00	400	Horizontal	Pass
6**	15898.687	45.00	54.0	9.00	AV	122.00	400	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.600	42.54	74.0	31.46	Peak	135.00	100	Vertical	Pass
1**	1327.600	31.37	54.0	22.63	AV	135.00	100	Vertical	Pass
2	4596.000	48.38	74.0	25.62	Peak	360.00	100	Vertical	Pass
2**	4596.000	48.40	54.0	5.60	AV	360.00	100	Vertical	Pass
3	5751.250	103.17	--	--	Peak	88.00	150	Vertical	N/A
3**	5751.250	95.83	--	--	AV	88.00	150	Vertical	N/A
4	7590.750	52.70	74.0	21.30	Peak	148.00	400	Vertical	Pass
4**	7590.750	44.20	54.0	9.80	AV	148.00	400	Vertical	Pass
5	11489.350	56.60	74.0	17.40	Peak	15.00	200	Vertical	Pass
5**	11489.350	48.55	54.0	5.45	AV	15.00	200	Vertical	Pass
6	16129.688	54.17	74.0	19.83	Peak	33.00	200	Vertical	Pass
6**	16129.688	45.25	54.0	8.75	AV	33.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.300	39.27	74.0	34.73	Peak	284.00	300	Horizontal	Pass
1**	1587.300	28.96	54.0	25.04	AV	284.00	300	Horizontal	Pass
2	4628.250	52.37	74.0	21.63	Peak	168.00	100	Horizontal	Pass
2**	4628.250	42.18	54.0	11.82	AV	168.00	100	Horizontal	Pass
3	5786.000	94.02	--	--	Peak	274.00	100	Horizontal	N/A
3**	5786.000	86.31	--	--	AV	274.00	100	Horizontal	N/A
4	7607.000	53.65	74.0	20.35	Peak	37.00	400	Horizontal	Pass
4**	7607.000	43.47	54.0	10.53	AV	37.00	400	Horizontal	Pass
5	12485.900	53.51	74.0	20.49	Peak	296.00	150	Horizontal	Pass
5**	12485.900	43.98	54.0	10.02	AV	296.00	150	Horizontal	Pass
6	15901.050	54.10	74.0	19.90	Peak	260.00	100	Horizontal	Pass
6**	15901.050	44.54	54.0	9.46	AV	260.00	100	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	43.13	74.0	30.87	Peak	186.00	100	Vertical	Pass
1**	1332.200	36.68	54.0	17.32	AV	186.00	100	Vertical	Pass
2	4627.500	55.46	74.0	18.54	Peak	37.00	100	Vertical	Pass
2**	4627.500	41.65	54.0	12.35	AV	37.00	100	Vertical	Pass
3	5791.000	103.35	--	--	Peak	78.00	100	Vertical	N/A
3**	5791.000	96.54	--	--	AV	78.00	100	Vertical	N/A
4	7585.500	53.12	74.0	20.88	Peak	157.00	100	Vertical	Pass
4**	7585.500	44.00	54.0	10.00	AV	157.00	100	Vertical	Pass
5	11564.637	57.19	74.0	16.81	Peak	23.00	150	Vertical	Pass
5**	11564.637	45.86	54.0	8.14	AV	23.00	150	Vertical	Pass
6	15662.437	54.09	74.0	19.91	Peak	84.00	400	Vertical	Pass
6**	15662.437	44.08	54.0	9.92	AV	84.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.600	38.83	74.0	35.17	Peak	271.00	300	Horizontal	Pass
1**	1477.600	29.21	54.0	24.79	AV	271.00	300	Horizontal	Pass
2	4659.500	53.81	74.0	20.19	Peak	218.00	100	Horizontal	Pass
2**	4659.500	40.87	54.0	13.13	AV	218.00	100	Horizontal	Pass
3	5819.000	94.80	--	--	Peak	259.00	150	Horizontal	N/A
3**	5819.000	86.77	--	--	AV	259.00	150	Horizontal	N/A
4	7425.250	53.91	74.0	20.09	Peak	318.00	400	Horizontal	Pass
4**	7425.250	43.60	54.0	10.40	AV	318.00	400	Horizontal	Pass
5	12476.162	53.16	74.0	20.84	Peak	141.00	200	Horizontal	Pass
5**	12476.162	44.29	54.0	9.71	AV	141.00	200	Horizontal	Pass
6	16101.599	54.30	74.0	19.70	Peak	251.00	200	Horizontal	Pass
6**	16101.599	44.96	54.0	9.04	AV	251.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	43.86	74.0	30.14	Peak	179.00	100	Vertical	Pass
1**	1332.700	34.79	54.0	19.21	AV	179.00	100	Vertical	Pass
2	4660.000	58.70	74.0	15.30	Peak	360.00	100	Vertical	Pass
2**	4660.000	49.19	54.0	4.81	AV	360.00	100	Vertical	Pass
3	5819.000	104.22	--	--	Peak	62.00	150	Vertical	N/A
3**	5819.000	96.49	--	--	AV	62.00	150	Vertical	N/A
4	7369.000	53.76	74.0	20.24	Peak	84.00	200	Vertical	Pass
4**	7369.000	43.97	54.0	10.03	AV	84.00	200	Vertical	Pass
5	11652.513	53.81	74.0	20.19	Peak	10.00	200	Vertical	Pass
5**	11652.513	43.65	54.0	10.35	AV	10.00	200	Vertical	Pass
6	16140.713	54.23	74.0	19.77	Peak	355.00	100	Vertical	Pass
6**	16140.713	45.00	54.0	9.00	AV	355.00	100	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.700	40.36	74.0	33.64	Peak	196.00	100	Horizontal	Pass
1**	1329.700	31.48	54.0	22.52	AV	196.00	100	Horizontal	Pass
2	4603.750	53.51	74.0	20.49	Peak	217.00	100	Horizontal	Pass
2**	4603.750	39.94	54.0	14.06	AV	217.00	100	Horizontal	Pass
3	5744.250	95.28	--	--	Peak	282.00	100	Horizontal	N/A
3**	5744.250	87.28	--	--	AV	282.00	100	Horizontal	N/A
4	7307.500	53.18	74.0	20.82	Peak	86.00	200	Horizontal	Pass
4**	7307.500	42.98	54.0	11.02	AV	86.00	200	Horizontal	Pass
5	12460.013	53.40	74.0	20.60	Peak	214.00	200	Horizontal	Pass
5**	12460.013	44.23	54.0	9.77	AV	214.00	200	Horizontal	Pass
6	16074.037	54.27	74.0	19.73	Peak	113.00	100	Horizontal	Pass
6**	16074.037	44.76	54.0	9.24	AV	113.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.100	44.59	74.0	29.41	Peak	192.00	100	Vertical	Pass
1**	1333.100	35.18	54.0	18.82	AV	192.00	100	Vertical	Pass
2	4604.000	57.25	74.0	16.75	Peak	360.00	100	Vertical	Pass
2**	4604.000	42.71	54.0	11.29	AV	360.00	100	Vertical	Pass
3	5738.250	103.32	--	--	Peak	153.00	150	Vertical	N/A
3**	5738.250	95.29	--	--	AV	153.00	150	Vertical	N/A
4	7592.250	53.76	74.0	20.24	Peak	11.00	400	Vertical	Pass
4**	7592.250	44.39	54.0	9.61	AV	11.00	400	Vertical	Pass
5	11511.675	56.81	74.0	17.19	Peak	21.00	150	Vertical	Pass
5**	11511.675	47.19	54.0	6.81	AV	21.00	150	Vertical	Pass
6	15898.162	54.77	74.0	19.23	Peak	296.00	200	Vertical	Pass
6**	15898.162	45.57	54.0	8.43	AV	296.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1487.200	38.69	74.0	35.31	Peak	191.00	100	Horizontal	Pass
1**	1487.200	30.72	54.0	23.28	AV	191.00	100	Horizontal	Pass
2	4325.500	47.58	74.0	26.42	Peak	59.00	100	Horizontal	Pass
2**	4325.500	37.89	54.0	16.11	AV	59.00	100	Horizontal	Pass
3	5799.500	95.22	--	--	Peak	256.00	100	Horizontal	N/A
3**	5799.500	87.26	--	--	AV	256.00	100	Horizontal	N/A
4	7350.500	52.89	74.0	21.11	Peak	197.00	200	Horizontal	Pass
4**	7350.500	43.79	54.0	10.21	AV	197.00	200	Horizontal	Pass
5	12454.787	53.37	74.0	20.63	Peak	47.00	200	Horizontal	Pass
5**	12454.787	44.46	54.0	9.54	AV	47.00	200	Horizontal	Pass
6	16123.388	54.47	74.0	19.53	Peak	134.00	400	Horizontal	Pass
6**	16123.388	45.19	54.0	8.81	AV	134.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.100	39.03	74.0	34.97	Peak	189.00	200	Vertical	Pass
1**	1621.100	30.14	54.0	23.86	AV	189.00	200	Vertical	Pass
2	4636.500	47.15	74.0	26.85	Peak	38.00	100	Vertical	Pass
2**	4636.500	48.25	54.0	5.75	AV	38.00	100	Vertical	Pass
3	5809.000	104.06	--	--	Peak	96.00	100	Vertical	N/A
3**	5809.000	97.17	--	--	AV	96.00	100	Vertical	N/A
4	7359.500	53.15	74.0	20.85	Peak	333.00	300	Vertical	Pass
4**	7359.500	44.98	54.0	9.02	AV	333.00	300	Vertical	Pass
5	11596.937	52.61	74.0	21.39	Peak	6.00	100	Vertical	Pass
5**	11596.937	48.14	54.0	5.86	AV	6.00	100	Vertical	Pass
6	16105.275	54.15	74.0	19.85	Peak	211.00	400	Vertical	Pass
6**	16105.275	45.32	54.0	8.68	AV	211.00	400	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.800	38.17	74.0	35.83	Peak	34.00	400	Horizontal	Pass
1**	1615.800	29.42	54.0	24.58	AV	34.00	400	Horizontal	Pass
2	4350.500	47.66	74.0	26.34	Peak	38.00	200	Horizontal	Pass
2**	4350.500	38.72	54.0	15.28	AV	38.00	200	Horizontal	Pass
3	5810.000	91.87	--	--	Peak	256.00	200	Horizontal	N/A
3**	5810.000	83.60	--	--	AV	256.00	200	Horizontal	N/A
4	7369.000	54.24	74.0	19.76	Peak	360.00	400	Horizontal	Pass
4**	7369.000	44.25	54.0	9.75	AV	360.00	400	Horizontal	Pass
5	12517.963	53.98	74.0	20.02	Peak	146.00	200	Horizontal	Pass
5**	12517.963	45.00	54.0	9.00	AV	146.00	200	Horizontal	Pass
6	16101.599	54.15	74.0	19.85	Peak	360.00	300	Horizontal	Pass
6**	16101.599	45.41	54.0	8.59	AV	360.00	300	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.000	38.47	74.0	35.53	Peak	136.00	200	Vertical	Pass
1**	1497.000	29.89	54.0	24.11	AV	136.00	200	Vertical	Pass
2	4367.500	47.38	74.0	26.62	Peak	360.00	300	Vertical	Pass
2**	4367.500	40.08	54.0	13.92	AV	360.00	300	Vertical	Pass
3	5795.250	101.14	--	--	Peak	98.00	200	Vertical	N/A
3**	5795.250	93.18	--	--	AV	98.00	200	Vertical	N/A
4	7374.500	53.16	74.0	20.84	Peak	59.00	400	Vertical	Pass
4**	7374.500	43.29	54.0	10.71	AV	59.00	400	Vertical	Pass
5	11523.787	52.92	74.0	21.08	Peak	360.00	100	Vertical	Pass
5**	11523.787	47.85	54.0	6.15	AV	360.00	100	Vertical	Pass
6	16140.188	54.04	74.0	19.96	Peak	52.00	400	Vertical	Pass
6**	16140.188	45.32	54.0	8.68	AV	52.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	63.33	74.0	10.67	Peak	12.00	200	Vertical	Pass
1**	5147.833	44.57	54.0	9.43	AV	12.00	200	Vertical	Pass
2	5150.000	64.86	74.0	9.14	Peak	190.00	150	Vertical	Pass
2**	5150.000	44.74	54.0	9.26	AV	190.00	150	Vertical	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.62	74.0	21.38	Peak	261.00	200	Vertical	Pass
1**	5350.000	42.28	54.0	11.72	AV	261.00	200	Vertical	Pass
2	5457.800	55.36	74.0	18.64	Peak	360.00	150	Vertical	Pass
2**	5457.800	43.02	54.0	10.98	AV	360.00	150	Vertical	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	63.37	74.0	10.63	Peak	191.00	150	Vertical	Pass
1**	5146.750	44.81	54.0	9.19	AV	191.00	150	Vertical	Pass
2	5150.000	66.99	74.0	7.01	Peak	186.00	200	Vertical	Pass
2**	5150.000	45.34	54.0	8.66	AV	186.00	200	Vertical	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.24	74.0	21.76	Peak	0.00	100	Vertical	Pass
1**	5350.000	42.14	54.0	11.86	AV	0.00	100	Vertical	Pass
2	5372.733	55.21	74.0	18.79	Peak	281.00	100	Vertical	Pass
2**	5372.733	42.68	54.0	11.32	AV	281.00	100	Vertical	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	66.21	74.0	7.79	Peak	190.00	100	Vertical	Pass
1**	5147.833	47.14	54.0	6.86	AV	190.00	100	Vertical	Pass
2	5150.000	63.94	74.0	10.06	Peak	187.00	150	Vertical	Pass
2**	5150.000	47.72	54.0	6.28	AV	187.00	150	Vertical	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.59	74.0	21.41	Peak	177.00	100	Vertical	Pass
1**	5350.000	42.11	54.0	11.89	AV	177.00	100	Vertical	Pass
2	5451.383	54.88	74.0	19.12	Peak	360.00	100	Vertical	Pass
2**	5451.383	42.75	54.0	11.25	AV	360.00	100	Vertical	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	66.69	74.0	7.31	Peak	22.00	150	Vertical	Pass
1**	5147.833	45.59	54.0	8.41	AV	22.00	150	Vertical	Pass
2	5150.000	61.89	74.0	12.11	Peak	149.00	100	Vertical	Pass
2**	5150.000	45.53	54.0	8.47	AV	149.00	100	Vertical	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.58	74.0	21.42	Peak	211.00	200	Vertical	Pass
1**	5350.000	42.08	54.0	11.92	AV	211.00	200	Vertical	Pass
2	5391.617	55.23	74.0	18.77	Peak	299.00	100	Vertical	Pass
2**	5391.617	42.41	54.0	11.59	AV	299.00	100	Vertical	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	68.66	74.0	5.34	Peak	186.00	100	Vertical	Pass
1**	5148.917	47.85	54.0	6.15	AV	186.00	100	Vertical	Pass
2	5150.000	67.32	74.0	6.68	Peak	144.00	200	Vertical	Pass
2**	5150.000	48.62	54.0	5.38	AV	144.00	200	Vertical	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.37	74.0	21.63	Peak	35.00	150	Vertical	Pass
1**	5350.000	42.13	54.0	11.87	AV	35.00	150	Vertical	Pass
2	5372.733	54.54	74.0	19.46	Peak	294.00	200	Vertical	Pass
2**	5372.733	42.68	54.0	11.32	AV	294.00	200	Vertical	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	68.38	74.0	5.62	Peak	149.00	150	Vertical	Pass
1**	5146.750	48.38	54.0	5.62	AV	149.00	150	Vertical	Pass
2	5150.000	65.77	74.0	8.23	Peak	157.00	100	Vertical	Pass
2**	5150.000	48.26	54.0	5.74	AV	157.00	100	Vertical	Pass
3	5131.583	61.34	74.0	12.66	Peak	213.00	150	Vertical	Pass
3**	5131.583	50.23	54.0	3.77	AV	213.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.59	74.0	21.41	Peak	0.00	150	Vertical	Pass
1**	5350.000	42.13	54.0	11.87	AV	0.00	150	Vertical	Pass
2	5449.000	55.45	74.0	18.55	Peak	360.00	150	Vertical	Pass
2**	5449.000	42.82	54.0	11.18	AV	360.00	150	Vertical	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	64.85	74.0	9.15	Peak	160.00	100	Vertical	Pass
1**	5148.917	45.10	54.0	8.90	AV	160.00	100	Vertical	Pass
2	5150.000	66.97	74.0	7.03	Peak	12.00	100	Vertical	Pass
2**	5150.000	45.52	54.0	8.48	AV	12.00	100	Vertical	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.23	74.0	21.77	Peak	289.00	200	Vertical	Pass
1**	5350.000	42.12	54.0	11.88	AV	289.00	200	Vertical	Pass
2	5434.883	54.38	74.0	19.62	Peak	263.00	150	Vertical	Pass
2**	5434.883	42.24	54.0	11.76	AV	263.00	150	Vertical	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	70.52	74.0	3.48	Peak	204.00	200	Vertical	Pass
1**	5148.917	48.24	54.0	5.76	AV	204.00	200	Vertical	Pass
2	5150.000	66.38	74.0	7.62	Peak	182.00	150	Vertical	Pass
2**	5150.000	49.36	54.0	4.64	AV	182.00	150	Vertical	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.75	74.0	21.25	Peak	257.00	200	Vertical	Pass
1**	5350.000	42.18	54.0	11.82	AV	257.00	200	Vertical	Pass
2	5438.917	55.07	74.0	18.93	Peak	63.00	150	Vertical	Pass
2**	5438.917	42.56	54.0	11.44	AV	63.00	150	Vertical	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	65.72	74.0	8.28	Peak	150.00	200	Vertical	Pass
1**	5148.917	46.87	54.0	7.13	AV	150.00	200	Vertical	Pass
2	5150.000	62.89	74.0	11.11	Peak	184.00	150	Vertical	Pass
2**	5150.000	47.76	54.0	6.24	AV	184.00	150	Vertical	Pass
3	5132.666	59.82	74.0	14.18	Peak	206.00	150	Vertical	Pass
3**	5132.666	49.29	54.0	4.71	AV	206.00	150	Vertical	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.60	74.0	20.40	Peak	203.00	200	Vertical	Pass
1**	5350.000	42.33	54.0	11.67	AV	203.00	200	Vertical	Pass
2	5360.633	54.94	74.0	19.06	Peak	119.00	100	Vertical	Pass
2**	5360.633	42.65	54.0	11.35	AV	119.00	100	Vertical	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5138.083	54.71	74.0	19.29	Peak	322.00	150	Vertical	Pass
1**	5138.083	42.61	54.0	11.39	AV	322.00	150	Vertical	Pass
2	5150.000	52.90	74.0	21.10	Peak	322.00	150	Vertical	Pass
2**	5150.000	42.55	54.0	11.45	AV	322.00	150	Vertical	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.95	74.0	6.05	Peak	194.00	150	Vertical	Pass
1**	5350.000	49.99	54.0	4.01	AV	194.00	150	Vertical	Pass
2	5350.550	67.68	74.0	6.32	Peak	320.00	100	Vertical	Pass
2**	5350.550	49.32	54.0	4.68	AV	320.00	100	Vertical	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	54.59	74.0	19.41	Peak	204.00	200	Vertical	Pass
1**	5146.750	42.89	54.0	11.11	AV	204.00	200	Vertical	Pass
2	5150.000	52.77	74.0	21.23	Peak	180.00	200	Vertical	Pass
2**	5150.000	42.63	54.0	11.37	AV	180.00	200	Vertical	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	69.35	74.0	4.65	Peak	190.00	100	Vertical	Pass
1**	5350.000	50.07	54.0	3.93	AV	190.00	100	Vertical	Pass
2	5350.733	70.10	74.0	3.90	Peak	319.00	150	Vertical	Pass
2**	5350.733	49.72	54.0	4.28	AV	319.00	150	Vertical	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5081.750	54.09	74.0	19.91	Peak	0.00	100	Vertical	Pass
1**	5081.750	42.67	54.0	11.33	AV	0.00	100	Vertical	Pass
2	5150.000	53.08	74.0	20.92	Peak	0.00	200	Vertical	Pass
2**	5150.000	42.57	54.0	11.43	AV	0.00	200	Vertical	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.63	74.0	9.37	Peak	319.00	200	Vertical	Pass
1**	5350.000	47.06	54.0	6.94	AV	319.00	200	Vertical	Pass
2	5353.300	68.05	74.0	5.95	Peak	192.00	150	Vertical	Pass
2**	5353.300	45.95	54.0	8.05	AV	192.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5069.834	54.27	74.0	19.73	Peak	229.00	150	Vertical	Pass
1**	5069.834	42.36	54.0	11.64	AV	229.00	150	Vertical	Pass
2	5150.000	53.91	74.0	20.09	Peak	13.00	200	Vertical	Pass
2**	5150.000	42.54	54.0	11.46	AV	13.00	200	Vertical	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	68.80	74.0	5.20	Peak	191.00	100	Vertical	Pass
1**	5350.000	50.36	54.0	3.64	AV	191.00	100	Vertical	Pass
2	5350.917	69.15	74.0	4.85	Peak	327.00	100	Vertical	Pass
2**	5350.917	50.19	54.0	3.81	AV	327.00	100	Vertical	Pass
3	5350.183	67.38	74.0	6.62	Peak	191.00	150	Vertical	Pass
3**	5350.183	50.90	54.0	3.10	AV	191.00	150	Vertical	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.250	54.37	74.0	19.63	Peak	0.00	150	Vertical	Pass
1**	5101.250	42.82	54.0	11.18	AV	0.00	150	Vertical	Pass
2	5150.000	52.90	74.0	21.10	Peak	21.00	100	Vertical	Pass
2**	5150.000	42.86	54.0	11.14	AV	21.00	100	Vertical	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	68.56	74.0	5.44	Peak	276.00	200	Vertical	Pass
1**	5350.000	49.66	54.0	4.34	AV	276.00	200	Vertical	Pass
2	5350.367	70.57	74.0	3.43	Peak	6.00	150	Vertical	Pass
2**	5350.367	49.75	54.0	4.25	AV	6.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.500	54.03	74.0	19.97	Peak	205.00	200	Vertical	Pass
1**	5143.500	42.66	54.0	11.34	AV	205.00	200	Vertical	Pass
2	5150.000	53.25	74.0	20.75	Peak	130.00	200	Vertical	Pass
2**	5150.000	42.55	54.0	11.45	AV	130.00	200	Vertical	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.59	74.0	13.41	Peak	193.00	100	Vertical	Pass
1**	5350.000	47.93	54.0	6.07	AV	193.00	100	Vertical	Pass
2	5354.950	67.18	74.0	6.82	Peak	193.00	200	Vertical	Pass
2**	5354.950	48.36	54.0	5.64	AV	193.00	200	Vertical	Pass
3	5374.383	60.13	74.0	13.87	Peak	189.00	150	Vertical	Pass
3**	5374.383	50.01	54.0	3.99	AV	189.00	150	Vertical	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5092.583	54.32	74.0	19.68	Peak	360.00	200	Vertical	Pass
1**	5092.583	42.59	54.0	11.41	AV	360.00	200	Vertical	Pass
2	5150.000	52.85	74.0	21.15	Peak	87.00	200	Vertical	Pass
2**	5150.000	42.58	54.0	11.42	AV	87.00	200	Vertical	Pass


U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.62	74.0	9.38	Peak	0.00	200	Vertical	Pass
1**	5350.000	47.06	54.0	6.94	AV	0.00	200	Vertical	Pass
2	5355.317	69.35	74.0	4.65	Peak	321.00	150	Vertical	Pass
2**	5355.317	46.51	54.0	7.49	AV	321.00	150	Vertical	Pass
3	5350.550	65.25	74.0	8.75	Peak	360.00	150	Vertical	Pass
3**	5350.550	49.02	54.0	4.98	AV	360.00	150	Vertical	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5038.416	54.30	74.0	19.70	Peak	90.00	150	Vertical	Pass
1**	5038.416	42.04	54.0	11.96	AV	90.00	150	Vertical	Pass
2	5150.000	53.01	74.0	20.99	Peak	179.00	150	Vertical	Pass
2**	5150.000	42.53	54.0	11.47	AV	179.00	150	Vertical	Pass

U-NII-2A 11ax40(SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.18	74.0	10.82	Peak	1.00	200	Vertical	Pass
1**	5350.000	46.33	54.0	7.67	AV	1.00	200	Vertical	Pass
2	5350.183	70.98	74.0	3.02	Peak	318.00	150	Vertical	Pass
2**	5350.183	45.88	54.0	8.12	AV	318.00	150	Vertical	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5120.750	54.89	74.0	19.11	Peak	183.00	100	Vertical	Pass
1**	5120.750	42.33	54.0	11.67	AV	183.00	100	Vertical	Pass
2	5150.000	52.68	74.0	21.32	Peak	0.00	150	Vertical	Pass
2**	5150.000	42.53	54.0	11.47	AV	0.00	150	Vertical	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.14	74.0	7.86	Peak	193.00	150	Vertical	Pass
1**	5350.000	47.64	54.0	6.36	AV	193.00	150	Vertical	Pass
2	5350.917	65.83	74.0	8.17	Peak	326.00	200	Vertical	Pass
2**	5350.917	48.23	54.0	5.77	AV	326.00	200	Vertical	Pass
3	5375.667	61.19	74.0	12.81	Peak	317.00	150	Vertical	Pass
3**	5375.667	50.13	54.0	3.87	AV	317.00	150	Vertical	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.000	60.18	74.0	13.82	Peak	315.00	200	Vertical	Pass
1**	5456.000	43.20	54.0	10.80	AV	315.00	200	Vertical	Pass
2	5460.000	55.82	74.0	18.18	Peak	58.00	100	Vertical	Pass
2**	5460.000	43.60	54.0	10.40	AV	58.00	100	Vertical	Pass
3	5467.167	64.20	68.2	4.00	Peak	189.00	200	Vertical	Pass
3**	5467.167	44.12	--	--	AV	189.00	200	Vertical	N/A
4	5469.834	60.64	68.2	7.56	Peak	123.00	150	Vertical	Pass
4**	5469.834	43.73	--	--	AV	123.00	150	Vertical	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.42	68.2	9.78	Peak	259.00	200	Vertical	Pass
2	5725.834	64.75	68.2	3.45	Peak	89.00	100	Vertical	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.000	59.92	74.0	14.08	Peak	190.00	150	Vertical	Pass
1**	5455.000	43.12	54.0	10.88	AV	190.00	150	Vertical	Pass
2	5460.000	55.39	74.0	18.61	Peak	85.00	150	Vertical	Pass
2**	5460.000	43.56	54.0	10.44	AV	85.00	150	Vertical	Pass
3	5467.000	64.95	68.2	3.25	Peak	323.00	200	Vertical	Pass
3**	5467.000	44.23	--	--	AV	323.00	200	Vertical	N/A
4	5469.834	62.04	68.2	6.16	Peak	62.00	150	Vertical	Pass
4**	5469.834	43.87	--	--	AV	62.00	150	Vertical	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.26	68.2	5.94	Peak	104.00	150	Vertical	Pass
2	5725.334	65.20	68.2	3.00	Peak	51.00	100	Vertical	Pass


U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.667	62.31	74.0	11.69	Peak	193.00	150	Vertical	Pass
1**	5456.667	43.38	54.0	10.62	AV	193.00	150	Vertical	Pass
2	5460.000	56.47	74.0	17.53	Peak	49.00	100	Vertical	Pass
2**	5460.000	43.83	54.0	10.17	AV	49.00	100	Vertical	Pass
3	5469.666	62.71	68.2	5.49	Peak	314.00	200	Vertical	Pass
3**	5469.666	45.66	--	--	AV	314.00	200	Vertical	N/A
4	5469.834	62.13	68.2	6.07	Peak	320.00	100	Vertical	Pass
4**	5469.834	45.51	--	--	AV	320.00	100	Vertical	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.44	68.2	5.76	Peak	16.00	150	Vertical	Pass
2	5726.834	64.53	68.2	3.67	Peak	99.00	150	Vertical	Pass

U-NII-2C 11ac20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.667	58.85	74.0	15.15	Peak	62.00	200	Vertical	Pass
1**	5455.667	43.17	54.0	10.83	AV	62.00	200	Vertical	Pass
2	5460.000	55.71	74.0	18.29	Peak	318.00	200	Vertical	Pass
2**	5460.000	43.40	54.0	10.60	AV	318.00	200	Vertical	Pass
3	5469.500	65.18	68.2	3.02	Peak	315.00	200	Vertical	Pass
3**	5469.500	43.87	--	--	AV	315.00	200	Vertical	N/A
4	5469.834	62.36	68.2	5.84	Peak	192.00	150	Vertical	Pass
4**	5469.834	43.82	--	--	AV	192.00	150	Vertical	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.53	68.2	7.67	Peak	39.00	150	Vertical	Pass
2	5726.000	64.55	68.2	3.65	Peak	86.00	150	Vertical	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.500	62.98	74.0	11.02	Peak	187.00	150	Vertical	Pass
1**	5459.500	43.47	54.0	10.53	AV	187.00	150	Vertical	Pass
2	5460.000	59.05	74.0	14.95	Peak	187.00	100	Vertical	Pass
2**	5460.000	44.18	54.0	9.82	AV	187.00	100	Vertical	Pass
3	5468.500	65.17	68.2	3.03	Peak	321.00	150	Vertical	Pass
3**	5468.500	45.66	--	--	AV	321.00	150	Vertical	N/A
4	5469.834	57.55	68.2	10.65	Peak	321.00	200	Vertical	Pass
4**	5469.834	45.58	--	--	AV	321.00	200	Vertical	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.36	68.2	4.84	Peak	101.00	100	Vertical	Pass
2	5734.333	64.57	68.2	3.63	Peak	55.00	100	Vertical	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.000	61.57	74.0	12.43	Peak	325.00	200	Vertical	Pass
1**	5445.000	45.18	54.0	8.82	AV	325.00	200	Vertical	Pass
2	5460.000	57.52	74.0	16.48	Peak	187.00	150	Vertical	Pass
2**	5460.000	45.44	54.0	8.56	AV	187.00	150	Vertical	Pass
3	5465.166	62.64	68.2	5.56	Peak	190.00	150	Vertical	Pass
3**	5465.166	45.54	--	--	AV	190.00	150	Vertical	N/A
4	5469.834	56.53	68.2	11.67	Peak	316.00	100	Vertical	Pass
4**	5469.834	45.24	--	--	AV	316.00	100	Vertical	N/A

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.78	68.2	7.42	Peak	100.00	200	Vertical	Pass
2	5730.334	63.87	68.2	4.33	Peak	43.00	100	Vertical	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.334	56.70	74.0	17.30	Peak	124.00	100	Vertical	Pass
1**	5458.334	43.28	54.0	10.72	AV	124.00	100	Vertical	Pass
2	5460.000	53.88	74.0	20.12	Peak	46.00	150	Vertical	Pass
2**	5460.000	43.31	54.0	10.69	AV	46.00	150	Vertical	Pass
3	5467.500	60.69	68.2	7.51	Peak	58.00	150	Vertical	Pass
3**	5467.500	44.09	--	--	AV	58.00	150	Vertical	N/A
4	5469.834	59.54	68.2	8.66	Peak	61.00	100	Vertical	Pass
4**	5469.834	43.56	--	--	AV	61.00	100	Vertical	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.04	68.2	4.16	Peak	360.00	200	Vertical	Pass
2	5727.166	65.18	68.2	3.02	Peak	19.00	100	Vertical	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.667	61.56	74.0	12.44	Peak	182.00	150	Vertical	Pass
1**	5457.667	43.78	54.0	10.22	AV	182.00	150	Vertical	Pass
2	5460.000	57.34	74.0	16.66	Peak	314.00	100	Vertical	Pass
2**	5460.000	44.08	54.0	9.92	AV	314.00	100	Vertical	Pass
3	5469.500	62.67	68.2	5.53	Peak	327.00	100	Vertical	Pass
3**	5469.500	46.04	--	--	AV	327.00	100	Vertical	N/A
4	5469.834	57.82	68.2	10.38	Peak	155.00	200	Vertical	Pass
4**	5469.834	46.06	--	--	AV	155.00	200	Vertical	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.71	68.2	6.49	Peak	262.00	100	Vertical	Pass
2	5726.333	62.23	68.2	5.97	Peak	18.00	100	Vertical	Pass

U-NII-2C 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.833	64.71	74.0	9.29	Peak	190.00	200	Vertical	Pass
1**	5452.833	47.39	54.0	6.61	AV	190.00	200	Vertical	Pass
2	5460.000	60.60	74.0	13.40	Peak	187.00	200	Vertical	Pass
2**	5460.000	47.57	54.0	6.43	AV	187.00	200	Vertical	Pass
3	5467.334	64.38	68.2	3.82	Peak	321.00	150	Vertical	Pass
3**	5467.334	47.45	--	--	AV	321.00	150	Vertical	N/A
4	5469.834	61.03	68.2	7.17	Peak	316.00	150	Vertical	Pass
4**	5469.834	46.85	--	--	AV	316.00	150	Vertical	N/A

U-NII-2C 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.13	68.2	12.07	Peak	118.00	150	Vertical	Pass
2	5725.167	58.92	68.2	9.28	Peak	99.00	200	Vertical	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.334	54.81	68.2	13.39	Peak	0.00	100	Vertical	Pass
2	5650.000	54.40	68.2	13.80	Peak	46.00	200	Vertical	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	54.54	68.3	13.76	Peak	106.00	100	Vertical	Pass
2	5928.667	57.07	68.2	11.13	Peak	0.00	100	Vertical	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.500	55.96	68.2	12.24	Peak	122.00	200	Vertical	Pass
2	5650.000	53.85	68.2	14.35	Peak	214.00	150	Vertical	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	55.72	68.3	12.58	Peak	291.00	150	Vertical	Pass
2	5927.333	56.03	68.2	12.17	Peak	32.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.166	58.47	68.2	9.73	Peak	25.00	200	Vertical	Pass
2	5650.000	56.61	68.2	11.59	Peak	333.00	100	Vertical	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	55.10	68.3	13.20	Peak	19.00	100	Vertical	Pass
2	5927.834	55.44	68.2	12.76	Peak	28.00	100	Vertical	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.000	55.08	68.2	13.12	Peak	297.00	150	Vertical	Pass
2	5650.000	54.75	68.2	13.45	Peak	351.00	200	Vertical	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	54.42	68.3	13.88	Peak	139.00	150	Vertical	Pass
2	5925.834	56.57	68.2	11.63	Peak	144.00	150	Vertical	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.333	58.60	68.2	9.60	Peak	349.00	100	Vertical	Pass
2	5650.000	56.90	68.2	11.30	Peak	323.00	200	Vertical	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	54.02	68.3	14.28	Peak	16.00	100	Vertical	Pass
2	5927.834	56.00	68.2	12.20	Peak	327.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.166	64.91	68.2	3.29	Peak	46.00	150	Vertical	Pass
2	5650.000	64.68	68.2	3.52	Peak	43.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.166	64.91	68.2	3.29	Peak	46.00	150	Vertical	Pass
2	5650.000	64.68	68.2	3.52	Peak	43.00	200	Vertical	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.833	54.95	68.2	13.25	Peak	100.00	150	Vertical	Pass
2	5650.000	53.77	68.2	14.43	Peak	224.00	200	Vertical	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	56.06	68.3	12.24	Peak	40.00	150	Vertical	Pass
2	5926.500	55.80	68.2	12.40	Peak	30.00	100	Vertical	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.500	59.15	68.2	9.05	Peak	101.00	100	Vertical	Pass
2	5650.000	56.40	68.2	11.80	Peak	45.00	150	Vertical	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	54.50	68.3	13.80	Peak	32.00	100	Vertical	Pass
2	5948.000	55.66	68.2	12.54	Peak	293.00	100	Vertical	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.834	59.01	68.2	9.19	Peak	45.00	200	Vertical	Pass
2	5650.000	58.51	68.2	9.69	Peak	334.00	100	Vertical	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.833	56.09	68.3	12.21	Peak	30.00	150	Vertical	Pass
2	5925.500	59.45	68.2	8.75	Peak	26.00	100	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2591254-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2591254-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2591254-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--