


## 11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1332.200        | 44.85            | 74.0           | 29.15       | Peak     | 119.00         | 200         | Vertical | Pass    |
| 1** | 1332.200        | 28.33            | 54.0           | 25.67       | AV       | 119.00         | 200         | Vertical | Pass    |
| 2   | 2742.100        | 42.76            | 74.0           | 31.24       | Peak     | 166.00         | 400         | Vertical | Pass    |
| 2** | 2742.100        | 33.19            | 54.0           | 20.81       | AV       | 166.00         | 400         | Vertical | Pass    |
| 3   | 4260.000        | 44.54            | 74.0           | 29.46       | Peak     | 184.00         | 150         | Vertical | Pass    |
| 3** | 4260.000        | 35.16            | 54.0           | 18.84       | AV       | 184.00         | 150         | Vertical | Pass    |
| 4   | 5687.200        | 94.46            | --             | --          | Peak     | 38.00          | 300         | Vertical | N/A     |
| 4** | 5687.200        | 87.50            | --             | --          | AV       | 38.00          | 300         | Vertical | N/A     |
| 5   | 7399.050        | 46.82            | 74.0           | 27.18       | Peak     | 44.00          | 150         | Vertical | Pass    |
| 5** | 7399.050        | 37.57            | 54.0           | 16.43       | AV       | 44.00          | 150         | Vertical | Pass    |
| 6   | 11347.000       | 56.73            | 74.0           | 17.27       | Peak     | 342.00         | 100         | Vertical | Pass    |
| 6** | 11347.000       | 49.03            | 54.0           | 4.97        | AV       | 342.00         | 100         | Vertical | Pass    |

## 11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5,725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1174.100        | 38.68            | 74.0           | 35.32       | Peak     | 209.00         | 100         | Horizontal | Pass    |
| 1** | 1174.100        | 31.01            | 54.0           | 22.99       | AV       | 209.00         | 100         | Horizontal | Pass    |
| 2   | 2708.200        | 42.68            | 74.0           | 31.32       | Peak     | 132.00         | 300         | Horizontal | Pass    |
| 2** | 2708.200        | 33.08            | 54.0           | 20.92       | AV       | 132.00         | 300         | Horizontal | Pass    |
| 3   | 3941.200        | 44.35            | 74.0           | 29.65       | Peak     | 338.00         | 100         | Horizontal | Pass    |
| 3** | 3941.200        | 34.12            | 54.0           | 19.88       | AV       | 338.00         | 100         | Horizontal | Pass    |
| 4   | 5494.000        | 97.50            | --             | --          | Peak     | 257.00         | 300         | Horizontal | N/A     |
| 4** | 5494.000        | 90.44            | --             | --          | AV       | 257.00         | 300         | Horizontal | N/A     |
| 5   | 7356.212        | 46.71            | 74.0           | 27.29       | Peak     | 38.00          | 100         | Horizontal | Pass    |
| 5** | 7356.212        | 37.16            | 54.0           | 16.84       | AV       | 38.00          | 100         | Horizontal | Pass    |
| 6   | 11001.425       | 55.56            | 74.0           | 18.44       | Peak     | 261.00         | 150         | Horizontal | Pass    |
| 6** | 11001.425       | 45.93            | 54.0           | 8.07        | AV       | 261.00         | 150         | Horizontal | Pass    |

## 11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1399.900        | 39.10            | 74.0           | 34.90       | Peak     | 8.00           | 300         | Vertical | Pass    |
| 1** | 1399.900        | 32.48            | 54.0           | 21.52       | AV       | 8.00           | 300         | Vertical | Pass    |
| 2   | 2752.500        | 43.07            | 74.0           | 30.93       | Peak     | 61.00          | 200         | Vertical | Pass    |
| 2** | 2752.500        | 33.68            | 54.0           | 20.32       | AV       | 61.00          | 200         | Vertical | Pass    |
| 3   | 3785.800        | 44.67            | 74.0           | 29.33       | Peak     | 225.00         | 150         | Vertical | Pass    |
| 3** | 3785.800        | 34.99            | 54.0           | 19.01       | AV       | 225.00         | 150         | Vertical | Pass    |
| 4   | 5499.200        | 97.98            | --             | --          | Peak     | 154.00         | 400         | Vertical | N/A     |
| 4** | 5499.200        | 91.03            | --             | --          | AV       | 154.00         | 400         | Vertical | N/A     |
| 5   | 7410.263        | 46.19            | 74.0           | 27.81       | Peak     | 139.00         | 150         | Vertical | Pass    |
| 5** | 7410.263        | 36.81            | 54.0           | 17.19       | AV       | 139.00         | 150         | Vertical | Pass    |
| 6   | 11007.462       | 55.50            | 74.0           | 18.50       | Peak     | 18.00          | 150         | Vertical | Pass    |
| 6** | 11007.462       | 45.96            | 54.0           | 8.04        | AV       | 18.00          | 150         | Vertical | Pass    |

## 11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1179.600        | 38.95            | 74.0           | 35.05       | Peak     | 204.00         | 400         | Horizontal | Pass    |
| 1** | 1179.600        | 28.63            | 54.0           | 25.37       | AV       | 204.00         | 400         | Horizontal | Pass    |
| 2   | 2862.400        | 42.53            | 74.0           | 31.47       | Peak     | 47.00          | 400         | Horizontal | Pass    |
| 2** | 2862.400        | 33.00            | 54.0           | 21.00       | AV       | 47.00          | 400         | Horizontal | Pass    |
| 3   | 4302.000        | 44.66            | 74.0           | 29.34       | Peak     | 297.00         | 200         | Horizontal | Pass    |
| 3** | 4302.000        | 35.11            | 54.0           | 18.89       | AV       | 297.00         | 200         | Horizontal | Pass    |
| 4   | 5583.400        | 96.84            | --             | --          | Peak     | 251.00         | 100         | Horizontal | N/A     |
| 4** | 5583.400        | 88.78            | --             | --          | AV       | 251.00         | 100         | Horizontal | N/A     |
| 5   | 7404.800        | 46.23            | 74.0           | 27.77       | Peak     | 85.00          | 150         | Horizontal | Pass    |
| 5** | 7404.800        | 37.42            | 54.0           | 16.58       | AV       | 85.00          | 150         | Horizontal | Pass    |
| 6   | 11161.562       | 53.17            | 74.0           | 20.83       | Peak     | 23.00          | 150         | Horizontal | Pass    |
| 6** | 11161.562       | 42.90            | 54.0           | 11.10       | AV       | 23.00          | 150         | Horizontal | Pass    |

## 11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1333.500        | 41.00            | 74.0           | 33.00       | Peak     | 85.00          | 400         | Vertical | Pass    |
| 1** | 1333.500        | 28.73            | 54.0           | 25.27       | AV       | 85.00          | 400         | Vertical | Pass    |
| 2   | 2878.000        | 43.09            | 74.0           | 30.91       | Peak     | 311.00         | 100         | Vertical | Pass    |
| 2** | 2878.000        | 33.30            | 54.0           | 20.70       | AV       | 311.00         | 100         | Vertical | Pass    |
| 3   | 4185.200        | 44.46            | 74.0           | 29.54       | Peak     | 287.00         | 150         | Vertical | Pass    |
| 3** | 4185.200        | 34.69            | 54.0           | 19.31       | AV       | 287.00         | 150         | Vertical | Pass    |
| 4   | 5586.800        | 97.17            | --             | --          | Peak     | 336.00         | 300         | Vertical | N/A     |
| 4** | 5586.800        | 89.64            | --             | --          | AV       | 336.00         | 300         | Vertical | N/A     |
| 5   | 11157.250       | 57.94            | 74.0           | 16.06       | Peak     | 344.00         | 150         | Vertical | Pass    |
| 5** | 11157.250       | 47.45            | 54.0           | 6.55        | AV       | 344.00         | 150         | Vertical | Pass    |
| 6   | 16732.386       | 56.26            | 68.2           | 11.94       | Peak     | 253.00         | 150         | Vertical | Pass    |
| 6** | 16732.386       | 43.90            | --             | --          | AV       | 253.00         | 150         | Vertical | N/A     |

## 11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1040.300        | 39.07            | 74.0           | 34.93       | Peak     | 8.00           | 300         | Horizontal | Pass    |
| 1** | 1040.300        | 28.82            | 54.0           | 25.18       | AV       | 8.00           | 300         | Horizontal | Pass    |
| 2   | 2735.300        | 42.57            | 74.0           | 31.43       | Peak     | 239.00         | 100         | Horizontal | Pass    |
| 2** | 2735.300        | 33.20            | 54.0           | 20.80       | AV       | 239.00         | 100         | Horizontal | Pass    |
| 3   | 3973.600        | 44.44            | 74.0           | 29.56       | Peak     | 83.00          | 150         | Horizontal | Pass    |
| 3** | 3973.600        | 34.34            | 54.0           | 19.66       | AV       | 83.00          | 150         | Horizontal | Pass    |
| 4   | 5703.400        | 97.18            | --             | --          | Peak     | 342.00         | 100         | Horizontal | N/A     |
| 4** | 5703.400        | 88.70            | --             | --          | AV       | 342.00         | 100         | Horizontal | N/A     |
| 5   | 7336.088        | 47.12            | 74.0           | 26.88       | Peak     | 301.00         | 150         | Horizontal | Pass    |
| 5** | 7336.088        | 36.62            | 54.0           | 17.38       | AV       | 301.00         | 150         | Horizontal | Pass    |
| 6   | 11402.776       | 54.57            | 74.0           | 19.43       | Peak     | 36.00          | 150         | Horizontal | Pass    |
| 6** | 11402.776       | 43.40            | 54.0           | 10.60       | AV       | 36.00          | 150         | Horizontal | Pass    |

## 11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1162.900        | 39.50            | 74.0           | 34.50       | Peak     | 94.00          | 400         | Vertical | Pass    |
| 1** | 1162.900        | 28.51            | 54.0           | 25.49       | AV       | 94.00          | 400         | Vertical | Pass    |
| 2   | 2798.400        | 42.73            | 74.0           | 31.27       | Peak     | 150.00         | 200         | Vertical | Pass    |
| 2** | 2798.400        | 32.93            | 54.0           | 21.07       | AV       | 150.00         | 200         | Vertical | Pass    |
| 3   | 3970.200        | 44.37            | 74.0           | 29.63       | Peak     | 82.00          | 100         | Vertical | Pass    |
| 3** | 3970.200        | 35.76            | 54.0           | 18.24       | AV       | 82.00          | 100         | Vertical | Pass    |
| 4   | 5692.600        | 97.33            | --             | --          | Peak     | 0.00           | 100         | Vertical | N/A     |
| 4** | 5692.600        | 89.29            | --             | --          | AV       | 0.00           | 100         | Vertical | N/A     |
| 5   | 7457.700        | 47.34            | 74.0           | 26.66       | Peak     | 113.00         | 200         | Vertical | Pass    |
| 5** | 7457.700        | 36.72            | 54.0           | 17.28       | AV       | 113.00         | 200         | Vertical | Pass    |
| 6   | 11400.762       | 57.02            | 74.0           | 16.98       | Peak     | 345.00         | 150         | Vertical | Pass    |
| 6** | 11400.762       | 48.68            | 54.0           | 5.32        | AV       | 345.00         | 150         | Vertical | Pass    |

## 11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1331.700        | 39.33            | 74.0           | 34.67       | Peak     | 52.00          | 400         | Horizontal | Pass    |
| 1** | 1331.700        | 28.26            | 54.0           | 25.74       | AV       | 52.00          | 400         | Horizontal | Pass    |
| 2   | 2862.100        | 42.78            | 74.0           | 31.22       | Peak     | 30.00          | 100         | Horizontal | Pass    |
| 2** | 2862.100        | 33.05            | 54.0           | 20.95       | AV       | 30.00          | 100         | Horizontal | Pass    |
| 3   | 3904.400        | 45.08            | 74.0           | 28.92       | Peak     | 297.00         | 200         | Horizontal | Pass    |
| 3** | 3904.400        | 34.60            | 54.0           | 19.40       | AV       | 297.00         | 200         | Horizontal | Pass    |
| 4   | 5505.600        | 94.74            | --             | --          | Peak     | 254.00         | 400         | Horizontal | N/A     |
| 4** | 5505.600        | 86.84            | --             | --          | AV       | 254.00         | 400         | Horizontal | N/A     |
| 5   | 7446.200        | 46.46            | 74.0           | 27.54       | Peak     | 192.00         | 150         | Horizontal | Pass    |
| 5** | 7446.200        | 36.38            | 54.0           | 17.62       | AV       | 192.00         | 150         | Horizontal | Pass    |
| 6   | 11019.250       | 53.77            | 74.0           | 20.23       | Peak     | 17.00          | 150         | Horizontal | Pass    |
| 6** | 11019.250       | 42.66            | 54.0           | 11.34       | AV       | 17.00          | 150         | Horizontal | Pass    |

## 11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1197.600        | 40.55            | 74.0           | 33.45       | Peak     | 73.00          | 400         | Vertical | Pass    |
| 1** | 1197.600        | 29.83            | 54.0           | 24.17       | AV       | 73.00          | 400         | Vertical | Pass    |
| 2   | 2786.800        | 42.56            | 74.0           | 31.44       | Peak     | 73.00          | 300         | Vertical | Pass    |
| 2** | 2786.800        | 33.19            | 54.0           | 20.81       | AV       | 73.00          | 300         | Vertical | Pass    |
| 3   | 4332.800        | 45.11            | 74.0           | 28.89       | Peak     | 24.00          | 200         | Vertical | Pass    |
| 3** | 4332.800        | 34.47            | 54.0           | 19.53       | AV       | 24.00          | 200         | Vertical | Pass    |
| 4   | 5493.000        | 94.52            | --             | --          | Peak     | 155.00         | 300         | Vertical | N/A     |
| 4** | 5493.000        | 86.97            | --             | --          | AV       | 155.00         | 300         | Vertical | N/A     |
| 5   | 7477.825        | 45.90            | 74.0           | 28.10       | Peak     | 112.00         | 100         | Vertical | Pass    |
| 5** | 7477.825        | 36.00            | 54.0           | 18.00       | AV       | 112.00         | 100         | Vertical | Pass    |
| 6   | 11025.287       | 54.38            | 74.0           | 19.62       | Peak     | 20.00          | 150         | Vertical | Pass    |
| 6** | 11025.287       | 46.80            | 54.0           | 7.20        | AV       | 20.00          | 150         | Vertical | Pass    |

## 11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1593.400        | 38.17            | 74.0           | 35.83       | Peak     | 114.00         | 150         | Horizontal | Pass    |
| 1** | 1593.400        | 29.66            | 54.0           | 24.34       | AV       | 114.00         | 150         | Horizontal | Pass    |
| 2   | 2745.300        | 42.43            | 74.0           | 31.57       | Peak     | 189.00         | 100         | Horizontal | Pass    |
| 2** | 2745.300        | 33.35            | 54.0           | 20.65       | AV       | 189.00         | 100         | Horizontal | Pass    |
| 3   | 4316.200        | 44.60            | 74.0           | 29.40       | Peak     | 276.00         | 150         | Horizontal | Pass    |
| 3** | 4316.200        | 35.24            | 54.0           | 18.76       | AV       | 276.00         | 150         | Horizontal | Pass    |
| 4   | 5584.800        | 93.78            | --             | --          | Peak     | 254.00         | 200         | Horizontal | N/A     |
| 4** | 5584.800        | 86.15            | --             | --          | AV       | 254.00         | 200         | Horizontal | N/A     |
| 5   | 7390.138        | 46.06            | 74.0           | 27.94       | Peak     | 75.00          | 150         | Horizontal | Pass    |
| 5** | 7390.138        | 37.31            | 54.0           | 16.69       | AV       | 75.00          | 150         | Horizontal | Pass    |
| 6   | 11183.988       | 50.74            | 74.0           | 23.26       | Peak     | 264.00         | 150         | Horizontal | Pass    |
| 6** | 11183.988       | 42.67            | 54.0           | 11.33       | AV       | 264.00         | 150         | Horizontal | Pass    |

## 11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5,725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.400        | 41.40            | 74.0           | 32.60       | Peak     | 274.00         | 200         | Vertical | Pass    |
| 1** | 1327.400        | 27.72            | 54.0           | 26.28       | AV       | 274.00         | 200         | Vertical | Pass    |
| 2   | 2837.000        | 43.22            | 74.0           | 30.78       | Peak     | 322.00         | 100         | Vertical | Pass    |
| 2** | 2837.000        | 33.31            | 54.0           | 20.69       | AV       | 322.00         | 100         | Vertical | Pass    |
| 3   | 4297.600        | 44.76            | 74.0           | 29.24       | Peak     | 18.00          | 150         | Vertical | Pass    |
| 3** | 4297.600        | 35.77            | 54.0           | 18.23       | AV       | 18.00          | 150         | Vertical | Pass    |
| 4   | 5587.600        | 94.06            | --             | --          | Peak     | 155.00         | 200         | Vertical | N/A     |
| 4** | 5587.600        | 85.92            | --             | --          | AV       | 155.00         | 200         | Vertical | N/A     |
| 5   | 7478.975        | 46.53            | 74.0           | 27.47       | Peak     | 116.00         | 150         | Vertical | Pass    |
| 5** | 7478.975        | 36.15            | 54.0           | 17.85       | AV       | 116.00         | 150         | Vertical | Pass    |
| 6   | 11186.000       | 54.83            | 74.0           | 19.17       | Peak     | 340.00         | 150         | Vertical | Pass    |
| 6** | 11186.000       | 45.60            | 54.0           | 8.40        | AV       | 340.00         | 150         | Vertical | Pass    |

## 11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5,725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1485.100        | 38.58            | 74.0           | 35.42       | Peak     | 126.00         | 150         | Horizontal | Pass    |
| 1** | 1485.100        | 27.75            | 54.0           | 26.25       | AV       | 126.00         | 150         | Horizontal | Pass    |
| 2   | 2799.400        | 43.17            | 74.0           | 30.83       | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 2** | 2799.400        | 34.20            | 54.0           | 19.80       | AV       | 0.00           | 400         | Horizontal | Pass    |
| 3   | 4323.200        | 44.07            | 74.0           | 29.93       | Peak     | 110.00         | 150         | Horizontal | Pass    |
| 3** | 4323.200        | 34.65            | 54.0           | 19.35       | AV       | 110.00         | 150         | Horizontal | Pass    |
| 4   | 5682.800        | 93.48            | --             | --          | Peak     | 340.00         | 300         | Horizontal | N/A     |
| 4** | 5682.800        | 85.85            | --             | --          | AV       | 340.00         | 300         | Horizontal | N/A     |
| 5   | 7407.675        | 46.56            | 74.0           | 27.44       | Peak     | 266.00         | 100         | Horizontal | Pass    |
| 5** | 7407.675        | 37.68            | 54.0           | 16.32       | AV       | 266.00         | 100         | Horizontal | Pass    |
| 6   | 11338.087       | 52.64            | 74.0           | 21.36       | Peak     | 37.00          | 150         | Horizontal | Pass    |
| 6** | 11338.087       | 44.86            | 54.0           | 9.14        | AV       | 37.00          | 150         | Horizontal | Pass    |

## 11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1165.100        | 40.27            | 74.0           | 33.73       | Peak     | 77.00          | 100         | Vertical | Pass    |
| 1** | 1165.100        | 31.67            | 54.0           | 22.33       | AV       | 77.00          | 100         | Vertical | Pass    |
| 2   | 2841.600        | 42.82            | 74.0           | 31.18       | Peak     | 0.00           | 100         | Vertical | Pass    |
| 2** | 2841.600        | 32.83            | 54.0           | 21.17       | AV       | 0.00           | 100         | Vertical | Pass    |
| 3   | 4363.200        | 44.20            | 74.0           | 29.80       | Peak     | 231.00         | 200         | Vertical | Pass    |
| 3** | 4363.200        | 34.87            | 54.0           | 19.13       | AV       | 231.00         | 200         | Vertical | Pass    |
| 4   | 5663.600        | 93.73            | --             | --          | Peak     | 4.00           | 400         | Vertical | N/A     |
| 4** | 5663.600        | 85.93            | --             | --          | AV       | 4.00           | 400         | Vertical | N/A     |
| 5   | 7437.862        | 47.11            | 74.0           | 26.89       | Peak     | 159.00         | 200         | Vertical | Pass    |
| 5** | 7437.862        | 38.05            | 54.0           | 15.95       | AV       | 159.00         | 200         | Vertical | Pass    |
| 6   | 11335.788       | 54.24            | 74.0           | 19.76       | Peak     | 346.00         | 150         | Vertical | Pass    |
| 6** | 11335.788       | 44.90            | 54.0           | 9.10        | AV       | 346.00         | 150         | Vertical | Pass    |

## 11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1164.100        | 38.59            | 74.0           | 35.41       | Peak     | 332.00         | 300         | Horizontal | Pass    |
| 1** | 1164.100        | 28.51            | 54.0           | 25.49       | AV       | 332.00         | 300         | Horizontal | Pass    |
| 2   | 2758.900        | 42.88            | 74.0           | 31.12       | Peak     | 15.00          | 300         | Horizontal | Pass    |
| 2** | 2758.900        | 33.94            | 54.0           | 20.06       | AV       | 15.00          | 300         | Horizontal | Pass    |
| 3   | 4281.600        | 44.42            | 74.0           | 29.58       | Peak     | 183.00         | 200         | Horizontal | Pass    |
| 3** | 4281.600        | 33.81            | 54.0           | 20.19       | AV       | 183.00         | 200         | Horizontal | Pass    |
| 4   | 5555.200        | 95.00            | --             | --          | Peak     | 260.00         | 300         | Horizontal | N/A     |
| 4** | 5555.200        | 87.83            | --             | --          | AV       | 260.00         | 300         | Horizontal | N/A     |
| 5   | 7403.075        | 46.45            | 74.0           | 27.55       | Peak     | 92.00          | 100         | Horizontal | Pass    |
| 5** | 7403.075        | 37.86            | 54.0           | 16.14       | AV       | 92.00          | 100         | Horizontal | Pass    |
| 6   | 11045.987       | 53.20            | 74.0           | 20.80       | Peak     | 266.00         | 150         | Horizontal | Pass    |
| 6** | 11045.987       | 43.03            | 54.0           | 10.97       | AV       | 266.00         | 150         | Horizontal | Pass    |

## 11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1329.700        | 40.60            | 74.0           | 33.40       | Peak     | 153.00         | 200         | Vertical | Pass    |
| 1** | 1329.700        | 31.76            | 54.0           | 22.24       | AV       | 153.00         | 200         | Vertical | Pass    |
| 2   | 2797.900        | 43.10            | 74.0           | 30.90       | Peak     | 38.00          | 300         | Vertical | Pass    |
| 2** | 2797.900        | 33.67            | 54.0           | 20.33       | AV       | 38.00          | 300         | Vertical | Pass    |
| 3   | 4315.200        | 44.66            | 74.0           | 29.34       | Peak     | 119.00         | 100         | Vertical | Pass    |
| 3** | 4315.200        | 34.99            | 54.0           | 19.01       | AV       | 119.00         | 100         | Vertical | Pass    |
| 4   | 5535.400        | 95.01            | --             | --          | Peak     | 143.00         | 200         | Vertical | N/A     |
| 4** | 5535.400        | 87.34            | --             | --          | AV       | 143.00         | 200         | Vertical | N/A     |
| 5   | 7410.550        | 46.58            | 74.0           | 27.42       | Peak     | 90.00          | 200         | Vertical | Pass    |
| 5** | 7410.550        | 37.69            | 54.0           | 16.31       | AV       | 90.00          | 200         | Vertical | Pass    |
| 6   | 11055.475       | 54.83            | 74.0           | 19.17       | Peak     | 12.00          | 150         | Vertical | Pass    |
| 6** | 11055.475       | 45.25            | 54.0           | 8.75        | AV       | 12.00          | 150         | Vertical | Pass    |

## 11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1174.500        | 38.89            | 74.0           | 35.11       | Peak     | 208.00         | 400         | Horizontal | Pass    |
| 1** | 1174.500        | 28.74            | 54.0           | 25.26       | AV       | 208.00         | 400         | Horizontal | Pass    |
| 2   | 2829.100        | 42.95            | 74.0           | 31.05       | Peak     | 48.00          | 300         | Horizontal | Pass    |
| 2** | 2829.100        | 32.86            | 54.0           | 21.14       | AV       | 48.00          | 300         | Horizontal | Pass    |
| 3   | 4244.800        | 44.69            | 74.0           | 29.31       | Peak     | 340.00         | 200         | Horizontal | Pass    |
| 3** | 4244.800        | 37.09            | 54.0           | 16.91       | AV       | 340.00         | 200         | Horizontal | Pass    |
| 4   | 5578.800        | 93.73            | --             | --          | Peak     | 270.00         | 400         | Horizontal | N/A     |
| 4** | 5578.800        | 86.48            | --             | --          | AV       | 270.00         | 400         | Horizontal | N/A     |
| 5   | 7339.825        | 46.38            | 74.0           | 27.62       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 5** | 7339.825        | 38.20            | 54.0           | 15.80       | AV       | 360.00         | 100         | Horizontal | Pass    |
| 6   | 11210.438       | 51.55            | 74.0           | 22.45       | Peak     | 129.00         | 150         | Horizontal | Pass    |
| 6** | 11210.438       | 43.27            | 54.0           | 10.73       | AV       | 129.00         | 150         | Horizontal | Pass    |

## 11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1331.000        | 40.29            | 74.0           | 33.71       | Peak     | 256.00         | 100         | Vertical | Pass    |
| 1** | 1331.000        | 31.70            | 54.0           | 22.30       | AV       | 256.00         | 100         | Vertical | Pass    |
| 2   | 2859.200        | 42.89            | 74.0           | 31.11       | Peak     | 0.00           | 300         | Vertical | Pass    |
| 2** | 2859.200        | 33.52            | 54.0           | 20.48       | AV       | 0.00           | 300         | Vertical | Pass    |
| 3   | 4062.600        | 44.47            | 74.0           | 29.53       | Peak     | 0.00           | 200         | Vertical | Pass    |
| 3** | 4062.600        | 35.40            | 54.0           | 18.60       | AV       | 0.00           | 200         | Vertical | Pass    |
| 4   | 5584.400        | 95.51            | --             | --          | Peak     | 148.00         | 300         | Vertical | N/A     |
| 4** | 5584.400        | 85.95            | --             | --          | AV       | 148.00         | 300         | Vertical | N/A     |
| 5   | 7356.500        | 46.67            | 74.0           | 27.33       | Peak     | 155.00         | 150         | Vertical | Pass    |
| 5** | 7356.500        | 37.71            | 54.0           | 16.29       | AV       | 155.00         | 150         | Vertical | Pass    |
| 6   | 11204.400       | 57.24            | 74.0           | 16.76       | Peak     | 342.00         | 150         | Vertical | Pass    |
| 6** | 11204.400       | 47.02            | 54.0           | 6.98        | AV       | 342.00         | 150         | Vertical | Pass    |

## 11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1152.000        | 38.09            | 74.0           | 35.91       | Peak     | 132.00         | 200         | Horizontal | Pass    |
| 1** | 1152.000        | 30.04            | 54.0           | 23.96       | AV       | 132.00         | 200         | Horizontal | Pass    |
| 2   | 2807.700        | 42.39            | 74.0           | 31.61       | Peak     | 21.00          | 400         | Horizontal | Pass    |
| 2** | 2807.700        | 33.44            | 54.0           | 20.56       | AV       | 21.00          | 400         | Horizontal | Pass    |
| 3   | 4369.000        | 44.56            | 74.0           | 29.44       | Peak     | 96.00          | 150         | Horizontal | Pass    |
| 3** | 4369.000        | 35.33            | 54.0           | 18.67       | AV       | 96.00          | 150         | Horizontal | Pass    |
| 4   | 5505.400        | 100.17           | --             | --          | Peak     | 267.00         | 300         | Horizontal | N/A     |
| 4** | 5505.400        | 90.32            | --             | --          | AV       | 267.00         | 300         | Horizontal | N/A     |
| 5   | 7398.188        | 47.23            | 74.0           | 26.77       | Peak     | 297.00         | 200         | Horizontal | Pass    |
| 5** | 7398.188        | 37.97            | 54.0           | 16.03       | AV       | 297.00         | 200         | Horizontal | Pass    |
| 6   | 10993.662       | 52.61            | 74.0           | 21.39       | Peak     | 47.00          | 150         | Horizontal | Pass    |
| 6** | 10993.662       | 43.19            | 54.0           | 10.81       | AV       | 47.00          | 150         | Horizontal | Pass    |

## 11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.900        | 40.49            | 74.0           | 33.51       | Peak     | 153.00         | 400         | Vertical | Pass    |
| 1** | 1327.900        | 31.41            | 54.0           | 22.59       | AV       | 153.00         | 400         | Vertical | Pass    |
| 2   | 2852.000        | 43.17            | 74.0           | 30.83       | Peak     | 255.00         | 100         | Vertical | Pass    |
| 2** | 2852.000        | 32.94            | 54.0           | 21.06       | AV       | 255.00         | 100         | Vertical | Pass    |
| 3   | 4366.200        | 46.02            | 74.0           | 27.98       | Peak     | 277.00         | 200         | Vertical | Pass    |
| 3** | 4366.200        | 34.97            | 54.0           | 19.03       | AV       | 277.00         | 200         | Vertical | Pass    |
| 4   | 5491.800        | 99.18            | --             | --          | Peak     | 71.00          | 100         | Vertical | N/A     |
| 4** | 5491.800        | 90.98            | --             | --          | AV       | 71.00          | 100         | Vertical | N/A     |
| 5   | 7363.112        | 46.34            | 74.0           | 27.66       | Peak     | 210.00         | 200         | Vertical | Pass    |
| 5** | 7363.112        | 37.53            | 54.0           | 16.47       | AV       | 210.00         | 200         | Vertical | Pass    |
| 6   | 11005.162       | 55.74            | 74.0           | 18.26       | Peak     | 20.00          | 150         | Vertical | Pass    |
| 6** | 11005.162       | 45.38            | 54.0           | 8.62        | AV       | 20.00          | 150         | Vertical | Pass    |

## 11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1452.100        | 37.61            | 74.0           | 36.39       | Peak     | 160.00         | 150         | Horizontal | Pass    |
| 1** | 1452.100        | 27.50            | 54.0           | 26.50       | AV       | 160.00         | 150         | Horizontal | Pass    |
| 2   | 2753.900        | 42.65            | 74.0           | 31.35       | Peak     | 182.00         | 100         | Horizontal | Pass    |
| 2** | 2753.900        | 33.21            | 54.0           | 20.79       | AV       | 182.00         | 100         | Horizontal | Pass    |
| 3   | 4329.200        | 44.23            | 74.0           | 29.77       | Peak     | 260.00         | 100         | Horizontal | Pass    |
| 3** | 4329.200        | 35.41            | 54.0           | 18.59       | AV       | 260.00         | 100         | Horizontal | Pass    |
| 4   | 5574.600        | 97.76            | --             | --          | Peak     | 260.00         | 300         | Horizontal | N/A     |
| 4** | 5574.600        | 88.85            | --             | --          | AV       | 260.00         | 300         | Horizontal | N/A     |
| 5   | 7408.825        | 46.38            | 74.0           | 27.62       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 5** | 7408.825        | 37.82            | 54.0           | 16.18       | AV       | 360.00         | 100         | Horizontal | Pass    |
| 6   | 11161.275       | 51.60            | 74.0           | 22.40       | Peak     | 250.00         | 150         | Horizontal | Pass    |
| 6** | 11161.275       | 41.72            | 54.0           | 12.28       | AV       | 250.00         | 150         | Horizontal | Pass    |

## 11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5,725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1332.200        | 40.95            | 74.0           | 33.05       | Peak     | 125.00         | 200         | Vertical | Pass    |
| 1** | 1332.200        | 29.43            | 54.0           | 24.57       | AV       | 125.00         | 200         | Vertical | Pass    |
| 2   | 2870.900        | 42.94            | 74.0           | 31.06       | Peak     | 0.00           | 200         | Vertical | Pass    |
| 2** | 2870.900        | 33.56            | 54.0           | 20.44       | AV       | 0.00           | 200         | Vertical | Pass    |
| 3   | 4355.600        | 44.88            | 74.0           | 29.12       | Peak     | 195.00         | 150         | Vertical | Pass    |
| 3** | 4355.600        | 34.87            | 54.0           | 19.13       | AV       | 195.00         | 150         | Vertical | Pass    |
| 4   | 5577.800        | 99.31            | --             | --          | Peak     | 339.00         | 200         | Vertical | N/A     |
| 4** | 5577.800        | 88.80            | --             | --          | AV       | 339.00         | 200         | Vertical | N/A     |
| 5   | 11161.275       | 55.70            | 74.0           | 18.30       | Peak     | 35.00          | 150         | Vertical | Pass    |
| 5** | 11161.275       | 48.04            | 54.0           | 5.96        | AV       | 35.00          | 150         | Vertical | Pass    |
| 6   | 16754.962       | 55.09            | 68.2           | 13.11       | Peak     | 267.00         | 150         | Vertical | Pass    |
| 6** | 16754.962       | 42.68            | --             | --          | AV       | 267.00         | 150         | Vertical | N/A     |

## 11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1158.800        | 38.66            | 74.0           | 35.34       | Peak     | 209.00         | 100         | Horizontal | Pass    |
| 1** | 1158.800        | 28.17            | 54.0           | 25.83       | AV       | 209.00         | 100         | Horizontal | Pass    |
| 2   | 2809.900        | 42.29            | 74.0           | 31.71       | Peak     | 57.00          | 100         | Horizontal | Pass    |
| 2** | 2809.900        | 33.51            | 54.0           | 20.49       | AV       | 57.00          | 100         | Horizontal | Pass    |
| 3   | 3970.200        | 44.34            | 74.0           | 29.66       | Peak     | 239.00         | 150         | Horizontal | Pass    |
| 3** | 3970.200        | 34.78            | 54.0           | 19.22       | AV       | 239.00         | 150         | Horizontal | Pass    |
| 4   | 5698.800        | 98.07            | --             | --          | Peak     | 339.00         | 100         | Horizontal | N/A     |
| 4** | 5698.800        | 90.71            | --             | --          | AV       | 339.00         | 100         | Horizontal | N/A     |
| 5   | 7359.088        | 46.10            | 74.0           | 27.90       | Peak     | 237.00         | 150         | Horizontal | Pass    |
| 5** | 7359.088        | 37.14            | 54.0           | 16.86       | AV       | 237.00         | 150         | Horizontal | Pass    |
| 6   | 11397.599       | 53.71            | 74.0           | 20.29       | Peak     | 37.00          | 150         | Horizontal | Pass    |
| 6** | 11397.599       | 44.37            | 54.0           | 9.63        | AV       | 37.00          | 150         | Horizontal | Pass    |

## 11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1329.400        | 40.02            | 74.0           | 33.98       | Peak     | 274.00         | 100         | Vertical | Pass    |
| 1** | 1329.400        | 28.99            | 54.0           | 25.01       | AV       | 274.00         | 100         | Vertical | Pass    |
| 2   | 2788.600        | 42.93            | 74.0           | 31.07       | Peak     | 104.00         | 100         | Vertical | Pass    |
| 2** | 2788.600        | 32.75            | 54.0           | 21.25       | AV       | 104.00         | 100         | Vertical | Pass    |
| 3   | 4327.200        | 45.00            | 74.0           | 29.00       | Peak     | 88.00          | 100         | Vertical | Pass    |
| 3** | 4327.200        | 35.71            | 54.0           | 18.29       | AV       | 88.00          | 100         | Vertical | Pass    |
| 4   | 5696.000        | 98.70            | --             | --          | Peak     | 239.00         | 300         | Vertical | N/A     |
| 4** | 5696.000        | 90.46            | --             | --          | AV       | 239.00         | 300         | Vertical | N/A     |
| 5   | 7407.675        | 46.06            | 74.0           | 27.94       | Peak     | 95.00          | 150         | Vertical | Pass    |
| 5** | 7407.675        | 38.18            | 54.0           | 15.82       | AV       | 95.00          | 150         | Vertical | Pass    |
| 6   | 11406.800       | 57.11            | 74.0           | 16.89       | Peak     | 345.00         | 150         | Vertical | Pass    |
| 6** | 11406.800       | 47.53            | 54.0           | 6.47        | AV       | 345.00         | 150         | Vertical | Pass    |

## 11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1393.600        | 38.24            | 74.0           | 35.76       | Peak     | 155.00         | 300         | Horizontal | Pass    |
| 1** | 1393.600        | 27.93            | 54.0           | 26.07       | AV       | 155.00         | 300         | Horizontal | Pass    |
| 2   | 2745.300        | 43.52            | 74.0           | 30.48       | Peak     | 48.00          | 400         | Horizontal | Pass    |
| 2** | 2745.300        | 33.13            | 54.0           | 20.87       | AV       | 48.00          | 400         | Horizontal | Pass    |
| 3   | 4244.200        | 44.68            | 74.0           | 29.32       | Peak     | 69.00          | 100         | Horizontal | Pass    |
| 3** | 4244.200        | 33.65            | 54.0           | 20.35       | AV       | 69.00          | 100         | Horizontal | Pass    |
| 4   | 5509.000        | 97.02            | --             | --          | Peak     | 260.00         | 100         | Horizontal | N/A     |
| 4** | 5509.000        | 87.44            | --             | --          | AV       | 260.00         | 100         | Horizontal | N/A     |
| 5   | 7373.750        | 46.31            | 74.0           | 27.69       | Peak     | 251.00         | 150         | Horizontal | Pass    |
| 5** | 7373.750        | 37.26            | 54.0           | 16.74       | AV       | 251.00         | 150         | Horizontal | Pass    |
| 6   | 11022.987       | 51.37            | 74.0           | 22.63       | Peak     | 50.00          | 150         | Horizontal | Pass    |
| 6** | 11022.987       | 42.62            | 54.0           | 11.38       | AV       | 50.00          | 150         | Horizontal | Pass    |

## 11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1330.400        | 42.90            | 74.0           | 31.10       | Peak     | 129.00         | 300         | Vertical | Pass    |
| 1** | 1330.400        | 29.17            | 54.0           | 24.83       | AV       | 129.00         | 300         | Vertical | Pass    |
| 2   | 2790.800        | 46.75            | 74.0           | 27.25       | Peak     | 30.00          | 100         | Vertical | Pass    |
| 2** | 2790.800        | 38.35            | 54.0           | 15.65       | AV       | 30.00          | 100         | Vertical | Pass    |
| 3   | 4273.800        | 46.02            | 74.0           | 27.98       | Peak     | 71.00          | 100         | Vertical | Pass    |
| 3** | 4273.800        | 35.91            | 54.0           | 18.09       | AV       | 71.00          | 100         | Vertical | Pass    |
| 4   | 5502.800        | 96.37            | --             | --          | Peak     | 71.00          | 300         | Vertical | N/A     |
| 4** | 5502.800        | 87.19            | --             | --          | AV       | 71.00          | 300         | Vertical | N/A     |
| 5   | 7364.550        | 46.65            | 74.0           | 27.35       | Peak     | 169.00         | 100         | Vertical | Pass    |
| 5** | 7364.550        | 37.19            | 54.0           | 16.81       | AV       | 169.00         | 100         | Vertical | Pass    |
| 6   | 11021.550       | 53.29            | 74.0           | 20.71       | Peak     | 17.00          | 150         | Vertical | Pass    |
| 6** | 11021.550       | 44.84            | 54.0           | 9.16        | AV       | 17.00          | 150         | Vertical | Pass    |

## 11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1172.700        | 38.28            | 74.0           | 35.72       | Peak     | 209.00         | 300         | Horizontal | Pass    |
| 1** | 1172.700        | 28.53            | 54.0           | 25.47       | AV       | 209.00         | 300         | Horizontal | Pass    |
| 2   | 2879.900        | 42.26            | 74.0           | 31.74       | Peak     | 356.00         | 300         | Horizontal | Pass    |
| 2** | 2879.900        | 33.55            | 54.0           | 20.45       | AV       | 356.00         | 300         | Horizontal | Pass    |
| 3   | 4362.200        | 43.99            | 74.0           | 30.01       | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 3** | 4362.200        | 34.76            | 54.0           | 19.24       | AV       | 360.00         | 100         | Horizontal | Pass    |
| 4   | 5581.800        | 94.94            | --             | --          | Peak     | 261.00         | 400         | Horizontal | N/A     |
| 4** | 5581.800        | 86.25            | --             | --          | AV       | 261.00         | 400         | Horizontal | N/A     |
| 5   | 7389.562        | 46.96            | 74.0           | 27.04       | Peak     | 330.00         | 100         | Horizontal | Pass    |
| 5** | 7389.562        | 36.96            | 54.0           | 17.04       | AV       | 330.00         | 100         | Horizontal | Pass    |
| 6   | 11190.313       | 51.44            | 74.0           | 22.56       | Peak     | 303.00         | 150         | Horizontal | Pass    |
| 6** | 11190.313       | 42.34            | 54.0           | 11.66       | AV       | 303.00         | 150         | Horizontal | Pass    |

## 11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1329.500        | 38.94            | 74.0           | 35.06       | Peak     | 254.00         | 100         | Vertical | Pass    |
| 1** | 1329.500        | 30.13            | 54.0           | 23.87       | AV       | 254.00         | 100         | Vertical | Pass    |
| 2   | 2850.700        | 42.79            | 74.0           | 31.21       | Peak     | 169.00         | 100         | Vertical | Pass    |
| 2** | 2850.700        | 33.67            | 54.0           | 20.33       | AV       | 169.00         | 100         | Vertical | Pass    |
| 3   | 4304.000        | 44.37            | 74.0           | 29.63       | Peak     | 0.00           | 100         | Vertical | Pass    |
| 3** | 4304.000        | 34.91            | 54.0           | 19.09       | AV       | 0.00           | 100         | Vertical | Pass    |
| 4   | 5591.200        | 97.16            | --             | --          | Peak     | 145.00         | 400         | Vertical | N/A     |
| 4** | 5591.200        | 85.59            | --             | --          | AV       | 145.00         | 400         | Vertical | N/A     |
| 5   | 7382.950        | 46.20            | 74.0           | 27.80       | Peak     | 338.00         | 150         | Vertical | Pass    |
| 5** | 7382.950        | 37.88            | 54.0           | 16.12       | AV       | 338.00         | 150         | Vertical | Pass    |
| 6   | 11194.050       | 55.19            | 74.0           | 18.81       | Peak     | 32.00          | 150         | Vertical | Pass    |
| 6** | 11194.050       | 44.39            | 54.0           | 9.61        | AV       | 32.00          | 150         | Vertical | Pass    |

## 11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1352.200        | 38.38            | 74.0           | 35.62       | Peak     | 39.00          | 100         | Horizontal | Pass    |
| 1** | 1352.200        | 28.29            | 54.0           | 25.71       | AV       | 39.00          | 100         | Horizontal | Pass    |
| 2   | 2795.200        | 42.56            | 74.0           | 31.44       | Peak     | 340.00         | 100         | Horizontal | Pass    |
| 2** | 2795.200        | 33.87            | 54.0           | 20.13       | AV       | 340.00         | 100         | Horizontal | Pass    |
| 3   | 4369.600        | 45.20            | 74.0           | 28.80       | Peak     | 342.00         | 200         | Horizontal | Pass    |
| 3** | 4369.600        | 35.09            | 54.0           | 18.91       | AV       | 342.00         | 200         | Horizontal | Pass    |
| 4   | 5685.600        | 94.99            | --             | --          | Peak     | 342.00         | 100         | Horizontal | N/A     |
| 4** | 5685.600        | 87.21            | --             | --          | AV       | 342.00         | 100         | Horizontal | N/A     |
| 5   | 7319.413        | 46.33            | 74.0           | 27.67       | Peak     | 195.00         | 200         | Horizontal | Pass    |
| 5** | 7319.413        | 37.03            | 54.0           | 16.97       | AV       | 195.00         | 200         | Horizontal | Pass    |
| 6   | 11342.975       | 51.34            | 74.0           | 22.66       | Peak     | 40.00          | 150         | Horizontal | Pass    |
| 6** | 11342.975       | 42.17            | 54.0           | 11.83       | AV       | 40.00          | 150         | Horizontal | Pass    |

## 11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1330.800        | 40.45            | 74.0           | 33.55       | Peak     | 269.00         | 300         | Vertical | Pass    |
| 1** | 1330.800        | 27.98            | 54.0           | 26.02       | AV       | 269.00         | 300         | Vertical | Pass    |
| 2   | 2740.800        | 42.36            | 74.0           | 31.64       | Peak     | 42.00          | 200         | Vertical | Pass    |
| 2** | 2740.800        | 33.08            | 54.0           | 20.92       | AV       | 42.00          | 200         | Vertical | Pass    |
| 3   | 4213.600        | 44.49            | 74.0           | 29.51       | Peak     | 76.00          | 150         | Vertical | Pass    |
| 3** | 4213.600        | 33.95            | 54.0           | 20.05       | AV       | 76.00          | 150         | Vertical | Pass    |
| 4   | 5683.200        | 95.20            | --             | --          | Peak     | 228.00         | 400         | Vertical | N/A     |
| 4** | 5683.200        | 86.91            | --             | --          | AV       | 228.00         | 400         | Vertical | N/A     |
| 5   | 7450.225        | 48.13            | 74.0           | 25.87       | Peak     | 173.00         | 150         | Vertical | Pass    |
| 5** | 7450.225        | 37.50            | 54.0           | 16.50       | AV       | 173.00         | 150         | Vertical | Pass    |
| 6   | 11328.888       | 53.87            | 74.0           | 20.13       | Peak     | 347.00         | 150         | Vertical | Pass    |
| 6** | 11328.888       | 44.85            | 54.0           | 9.15        | AV       | 347.00         | 150         | Vertical | Pass    |

## 11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1001.500        | 38.70            | 74.0           | 35.30       | Peak     | 38.00          | 400         | Horizontal | Pass    |
| 1** | 1001.500        | 27.65            | 54.0           | 26.35       | AV       | 38.00          | 400         | Horizontal | Pass    |
| 2   | 2747.800        | 42.59            | 74.0           | 31.41       | Peak     | 18.00          | 100         | Horizontal | Pass    |
| 2** | 2747.800        | 33.31            | 54.0           | 20.69       | AV       | 18.00          | 100         | Horizontal | Pass    |
| 3   | 4313.000        | 44.71            | 74.0           | 29.29       | Peak     | 318.00         | 200         | Horizontal | Pass    |
| 3** | 4313.000        | 35.86            | 54.0           | 18.14       | AV       | 318.00         | 200         | Horizontal | Pass    |
| 4   | 5501.200        | 94.40            | --             | --          | Peak     | 277.00         | 300         | Horizontal | N/A     |
| 4** | 5501.200        | 84.85            | --             | --          | AV       | 277.00         | 300         | Horizontal | N/A     |
| 5   | 7330.625        | 46.36            | 74.0           | 27.64       | Peak     | 154.00         | 100         | Horizontal | Pass    |
| 5** | 7330.625        | 37.13            | 54.0           | 16.87       | AV       | 154.00         | 100         | Horizontal | Pass    |
| 6   | 11048.863       | 50.49            | 74.0           | 23.51       | Peak     | 49.00          | 150         | Horizontal | Pass    |
| 6** | 11048.863       | 41.81            | 54.0           | 12.19       | AV       | 49.00          | 150         | Horizontal | Pass    |

## 11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1329.400        | 38.98            | 74.0           | 35.02       | Peak     | 126.00         | 400         | Vertical | Pass    |
| 1** | 1329.400        | 30.48            | 54.0           | 23.52       | AV       | 126.00         | 400         | Vertical | Pass    |
| 2   | 2790.700        | 43.80            | 74.0           | 30.20       | Peak     | 359.00         | 100         | Vertical | Pass    |
| 2** | 2790.700        | 33.29            | 54.0           | 20.71       | AV       | 359.00         | 100         | Vertical | Pass    |
| 3   | 4338.800        | 44.70            | 74.0           | 29.30       | Peak     | 133.00         | 100         | Vertical | Pass    |
| 3** | 4338.800        | 34.86            | 54.0           | 19.14       | AV       | 133.00         | 100         | Vertical | Pass    |
| 4   | 5491.800        | 93.31            | --             | --          | Peak     | 153.00         | 200         | Vertical | N/A     |
| 4** | 5491.800        | 83.26            | --             | --          | AV       | 153.00         | 200         | Vertical | N/A     |
| 5   | 7397.038        | 46.44            | 74.0           | 27.56       | Peak     | 19.00          | 200         | Vertical | Pass    |
| 5** | 7397.038        | 37.21            | 54.0           | 16.79       | AV       | 19.00          | 200         | Vertical | Pass    |
| 6   | 11065.825       | 51.98            | 74.0           | 22.02       | Peak     | 345.00         | 150         | Vertical | Pass    |
| 6** | 11065.825       | 42.59            | 54.0           | 11.41       | AV       | 345.00         | 150         | Vertical | Pass    |

## 11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5,725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1150.500        | 38.43            | 74.0           | 35.57       | Peak     | 206.00         | 100         | Horizontal | Pass    |
| 1** | 1150.500        | 28.37            | 54.0           | 25.63       | AV       | 206.00         | 100         | Horizontal | Pass    |
| 2   | 2729.100        | 42.83            | 74.0           | 31.17       | Peak     | 294.00         | 300         | Horizontal | Pass    |
| 2** | 2729.100        | 33.22            | 54.0           | 20.78       | AV       | 294.00         | 300         | Horizontal | Pass    |
| 3   | 4313.400        | 44.85            | 74.0           | 29.15       | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 3** | 4313.400        | 35.54            | 54.0           | 18.46       | AV       | 0.00           | 200         | Horizontal | Pass    |
| 4   | 5599.000        | 92.97            | --             | --          | Peak     | 255.00         | 200         | Horizontal | N/A     |
| 4** | 5599.000        | 81.71            | --             | --          | AV       | 255.00         | 200         | Horizontal | N/A     |
| 5   | 7339.250        | 46.15            | 74.0           | 27.85       | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 5** | 7339.250        | 36.23            | 54.0           | 17.77       | AV       | 0.00           | 200         | Horizontal | Pass    |
| 6   | 11214.175       | 50.39            | 74.0           | 23.61       | Peak     | 236.00         | 150         | Horizontal | Pass    |
| 6** | 11214.175       | 41.12            | 54.0           | 12.88       | AV       | 236.00         | 150         | Horizontal | Pass    |

## 11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5,47-5.725)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1328.800        | 39.84            | 74.0           | 34.16       | Peak     | 256.00         | 100         | Vertical | Pass    |
| 1** | 1328.800        | 29.56            | 54.0           | 24.44       | AV       | 256.00         | 100         | Vertical | Pass    |
| 2   | 2744.900        | 42.65            | 74.0           | 31.35       | Peak     | 116.00         | 100         | Vertical | Pass    |
| 2** | 2744.900        | 33.20            | 54.0           | 20.80       | AV       | 116.00         | 100         | Vertical | Pass    |
| 3   | 4317.800        | 44.98            | 74.0           | 29.02       | Peak     | 0.00           | 200         | Vertical | Pass    |
| 3** | 4317.800        | 35.54            | 54.0           | 18.46       | AV       | 0.00           | 200         | Vertical | Pass    |
| 4   | 5641.800        | 93.15            | --             | --          | Peak     | 215.00         | 300         | Vertical | N/A     |
| 4** | 5641.800        | 83.29            | --             | --          | AV       | 215.00         | 300         | Vertical | N/A     |
| 5   | 7456.550        | 47.86            | 74.0           | 26.14       | Peak     | 131.00         | 100         | Vertical | Pass    |
| 5** | 7456.550        | 37.07            | 54.0           | 16.93       | AV       | 131.00         | 100         | Vertical | Pass    |
| 6   | 11190.313       | 53.14            | 74.0           | 20.86       | Peak     | 343.00         | 150         | Vertical | Pass    |
| 6** | 11190.313       | 42.96            | 54.0           | 11.04       | AV       | 343.00         | 150         | Vertical | Pass    |

## 11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1201.100        | 38.07            | 74.0           | 35.93       | Peak     | 255.00         | 100         | Horizontal | Pass    |
| 1** | 1201.100        | 29.26            | 54.0           | 24.74       | AV       | 255.00         | 100         | Horizontal | Pass    |
| 2   | 2843.400        | 42.22            | 74.0           | 31.78       | Peak     | 8.00           | 100         | Horizontal | Pass    |
| 2** | 2843.400        | 33.35            | 54.0           | 20.65       | AV       | 8.00           | 100         | Horizontal | Pass    |
| 3   | 4311.800        | 44.97            | 74.0           | 29.03       | Peak     | 68.00          | 200         | Horizontal | Pass    |
| 3** | 4311.800        | 35.20            | 54.0           | 18.80       | AV       | 68.00          | 200         | Horizontal | Pass    |
| 4   | 5747.800        | 100.85           | --             | --          | Peak     | 342.00         | 300         | Horizontal | N/A     |
| 4** | 5747.800        | 92.75            | --             | --          | AV       | 342.00         | 300         | Horizontal | N/A     |
| 5   | 7395.313        | 46.48            | 74.0           | 27.52       | Peak     | 11.00          | 100         | Horizontal | Pass    |
| 5** | 7395.313        | 38.27            | 54.0           | 15.73       | AV       | 11.00          | 100         | Horizontal | Pass    |
| 6   | 11485.287       | 55.58            | 74.0           | 18.42       | Peak     | 37.00          | 100         | Horizontal | Pass    |
| 6** | 11485.287       | 48.31            | 54.0           | 5.69        | AV       | 37.00          | 100         | Horizontal | Pass    |

## 11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1333.200        | 39.50            | 74.0           | 34.50       | Peak     | 260.00         | 400         | Vertical | Pass    |
| 1** | 1333.200        | 28.14            | 54.0           | 25.86       | AV       | 260.00         | 400         | Vertical | Pass    |
| 2   | 2861.900        | 42.66            | 74.0           | 31.34       | Peak     | 60.00          | 400         | Vertical | Pass    |
| 2** | 2861.900        | 33.29            | 54.0           | 20.71       | AV       | 60.00          | 400         | Vertical | Pass    |
| 3   | 3991.600        | 44.02            | 74.0           | 29.98       | Peak     | 196.00         | 100         | Vertical | Pass    |
| 3** | 3991.600        | 33.64            | 54.0           | 20.36       | AV       | 196.00         | 100         | Vertical | Pass    |
| 4   | 5747.000        | 99.46            | --             | --          | Peak     | 49.00          | 200         | Vertical | N/A     |
| 4** | 5747.000        | 92.94            | --             | --          | AV       | 49.00          | 200         | Vertical | N/A     |
| 5   | 7454.538        | 47.41            | 74.0           | 26.59       | Peak     | 176.00         | 200         | Vertical | Pass    |
| 5** | 7454.538        | 36.28            | 54.0           | 17.72       | AV       | 176.00         | 200         | Vertical | Pass    |
| 6   | 11493.913       | 54.83            | 74.0           | 19.17       | Peak     | 340.00         | 150         | Vertical | Pass    |
| 6** | 11493.913       | 47.41            | 54.0           | 6.59        | AV       | 340.00         | 150         | Vertical | Pass    |

## 11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1393.000        | 38.20            | 74.0           | 35.80       | Peak     | 128.00         | 200         | Horizontal | Pass    |
| 1** | 1393.000        | 27.88            | 54.0           | 26.12       | AV       | 128.00         | 200         | Horizontal | Pass    |
| 2   | 2871.900        | 42.50            | 74.0           | 31.50       | Peak     | 106.00         | 300         | Horizontal | Pass    |
| 2** | 2871.900        | 32.98            | 54.0           | 21.02       | AV       | 106.00         | 300         | Horizontal | Pass    |
| 3   | 4364.200        | 44.74            | 74.0           | 29.26       | Peak     | 292.00         | 150         | Horizontal | Pass    |
| 3** | 4364.200        | 35.65            | 54.0           | 18.35       | AV       | 292.00         | 150         | Horizontal | Pass    |
| 4   | 5783.200        | 102.34           | --             | --          | Peak     | 339.00         | 100         | Horizontal | N/A     |
| 4** | 5783.200        | 95.63            | --             | --          | AV       | 339.00         | 100         | Horizontal | N/A     |
| 5   | 7405.087        | 46.69            | 74.0           | 27.31       | Peak     | 163.00         | 100         | Horizontal | Pass    |
| 5** | 7405.087        | 37.97            | 54.0           | 16.03       | AV       | 163.00         | 100         | Horizontal | Pass    |
| 6   | 11569.526       | 52.94            | 74.0           | 21.06       | Peak     | 36.00          | 150         | Horizontal | Pass    |
| 6** | 11569.526       | 44.62            | 54.0           | 9.38        | AV       | 36.00          | 150         | Horizontal | Pass    |

## 11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1331.800        | 39.38            | 74.0           | 34.62       | Peak     | 78.00          | 400         | Vertical | Pass    |
| 1** | 1331.800        | 28.24            | 54.0           | 25.76       | AV       | 78.00          | 400         | Vertical | Pass    |
| 2   | 2782.300        | 42.35            | 74.0           | 31.65       | Peak     | 219.00         | 100         | Vertical | Pass    |
| 2** | 2782.300        | 33.37            | 54.0           | 20.63       | AV       | 219.00         | 100         | Vertical | Pass    |
| 3   | 4348.400        | 44.05            | 74.0           | 29.95       | Peak     | 69.00          | 150         | Vertical | Pass    |
| 3** | 4348.400        | 34.95            | 54.0           | 19.05       | AV       | 69.00          | 150         | Vertical | Pass    |
| 4   | 5786.600        | 101.59           | --             | --          | Peak     | 342.00         | 400         | Vertical | N/A     |
| 4** | 5786.600        | 93.23            | --             | --          | AV       | 342.00         | 400         | Vertical | N/A     |
| 5   | 7396.463        | 46.25            | 74.0           | 27.75       | Peak     | 89.00          | 200         | Vertical | Pass    |
| 5** | 7396.463        | 37.51            | 54.0           | 16.49       | AV       | 89.00          | 200         | Vertical | Pass    |
| 6   | 11569.812       | 55.18            | 74.0           | 18.82       | Peak     | 13.00          | 150         | Vertical | Pass    |
| 6** | 11569.812       | 45.78            | 54.0           | 8.22        | AV       | 13.00          | 150         | Vertical | Pass    |

## 11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1177.400        | 38.67            | 74.0           | 35.33       | Peak     | 208.00         | 400         | Horizontal | Pass    |
| 1** | 1177.400        | 28.71            | 54.0           | 25.29       | AV       | 208.00         | 400         | Horizontal | Pass    |
| 2   | 2859.800        | 42.96            | 74.0           | 31.04       | Peak     | 239.00         | 300         | Horizontal | Pass    |
| 2** | 2859.800        | 33.92            | 54.0           | 20.08       | AV       | 239.00         | 300         | Horizontal | Pass    |
| 3   | 4369.400        | 45.14            | 74.0           | 28.86       | Peak     | 360.00         | 150         | Horizontal | Pass    |
| 3** | 4369.400        | 36.02            | 54.0           | 17.98       | AV       | 360.00         | 150         | Horizontal | Pass    |
| 4   | 5828.400        | 104.11           | --             | --          | Peak     | 0.00           | 400         | Horizontal | N/A     |
| 4** | 5828.400        | 96.64            | --             | --          | AV       | 0.00           | 400         | Horizontal | N/A     |
| 5   | 7399.912        | 46.89            | 74.0           | 27.11       | Peak     | 192.00         | 100         | Horizontal | Pass    |
| 5** | 7399.912        | 37.76            | 54.0           | 16.24       | AV       | 192.00         | 100         | Horizontal | Pass    |
| 6   | 11657.500       | 52.19            | 74.0           | 21.81       | Peak     | 38.00          | 150         | Horizontal | Pass    |
| 6** | 11657.500       | 43.07            | 54.0           | 10.93       | AV       | 38.00          | 150         | Horizontal | Pass    |

## 11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1195.500        | 39.81            | 74.0           | 34.19       | Peak     | 72.00          | 200         | Vertical | Pass    |
| 1** | 1195.500        | 31.11            | 54.0           | 22.89       | AV       | 72.00          | 200         | Vertical | Pass    |
| 2   | 2764.300        | 42.35            | 74.0           | 31.65       | Peak     | 196.00         | 200         | Vertical | Pass    |
| 2** | 2764.300        | 34.19            | 54.0           | 19.81       | AV       | 196.00         | 200         | Vertical | Pass    |
| 3   | 4311.800        | 44.32            | 74.0           | 29.68       | Peak     | 45.00          | 150         | Vertical | Pass    |
| 3** | 4311.800        | 36.75            | 54.0           | 17.25       | AV       | 45.00          | 150         | Vertical | Pass    |
| 4   | 5828.800        | 101.73           | --             | --          | Peak     | 169.00         | 300         | Vertical | N/A     |
| 4** | 5828.800        | 93.52            | --             | --          | AV       | 169.00         | 300         | Vertical | N/A     |
| 5   | 7410.263        | 47.54            | 74.0           | 26.46       | Peak     | 234.00         | 150         | Vertical | Pass    |
| 5** | 7410.263        | 37.70            | 54.0           | 16.30       | AV       | 234.00         | 150         | Vertical | Pass    |
| 6   | 11645.138       | 51.98            | 74.0           | 22.02       | Peak     | 13.00          | 150         | Vertical | Pass    |
| 6** | 11645.138       | 44.25            | 54.0           | 9.75        | AV       | 13.00          | 150         | Vertical | Pass    |

## 11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1178.500        | 38.03            | 74.0           | 35.97       | Peak     | 137.00         | 150         | Horizontal | Pass    |
| 1** | 1178.500        | 28.24            | 54.0           | 25.76       | AV       | 137.00         | 150         | Horizontal | Pass    |
| 2   | 2848.700        | 43.09            | 74.0           | 30.91       | Peak     | 360.00         | 400         | Horizontal | Pass    |
| 2** | 2848.700        | 33.07            | 54.0           | 20.93       | AV       | 360.00         | 400         | Horizontal | Pass    |
| 3   | 4250.800        | 44.47            | 74.0           | 29.53       | Peak     | 56.00          | 100         | Horizontal | Pass    |
| 3** | 4250.800        | 34.87            | 54.0           | 19.13       | AV       | 56.00          | 100         | Horizontal | Pass    |
| 4   | 5749.000        | 102.54           | --             | --          | Peak     | 339.00         | 200         | Horizontal | N/A     |
| 4** | 5749.000        | 94.85            | --             | --          | AV       | 339.00         | 200         | Horizontal | N/A     |
| 5   | 7420.325        | 46.78            | 74.0           | 27.22       | Peak     | 312.00         | 150         | Horizontal | Pass    |
| 5** | 7420.325        | 37.47            | 54.0           | 16.53       | AV       | 312.00         | 150         | Horizontal | Pass    |
| 6   | 11489.887       | 55.65            | 74.0           | 18.35       | Peak     | 39.00          | 150         | Horizontal | Pass    |
| 6** | 11489.887       | 49.42            | 54.0           | 4.58        | AV       | 39.00          | 150         | Horizontal | Pass    |

## 11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1393.600        | 39.09            | 74.0           | 34.91       | Peak     | 123.00         | 100         | Vertical | Pass    |
| 1** | 1393.600        | 28.55            | 54.0           | 25.45       | AV       | 123.00         | 100         | Vertical | Pass    |
| 2   | 2792.200        | 43.55            | 74.0           | 30.45       | Peak     | 38.00          | 300         | Vertical | Pass    |
| 2** | 2792.200        | 32.53            | 54.0           | 21.47       | AV       | 38.00          | 300         | Vertical | Pass    |
| 3   | 4349.800        | 43.98            | 74.0           | 30.02       | Peak     | 128.00         | 150         | Vertical | Pass    |
| 3** | 4349.800        | 34.23            | 54.0           | 19.77       | AV       | 128.00         | 150         | Vertical | Pass    |
| 4   | 5752.600        | 101.77           | --             | --          | Peak     | 64.00          | 100         | Vertical | N/A     |
| 4** | 5752.600        | 93.61            | --             | --          | AV       | 64.00          | 100         | Vertical | N/A     |
| 5   | 7362.825        | 46.55            | 74.0           | 27.45       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 5** | 7362.825        | 36.82            | 54.0           | 17.18       | AV       | 0.00           | 150         | Vertical | Pass    |
| 6   | 11498.800       | 57.31            | 74.0           | 16.69       | Peak     | 29.00          | 150         | Vertical | Pass    |
| 6** | 11498.800       | 48.96            | 54.0           | 5.04        | AV       | 29.00          | 150         | Vertical | Pass    |

## 11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1195.800        | 38.73            | 74.0           | 35.27       | Peak     | 58.00          | 100         | Horizontal | Pass    |
| 1** | 1195.800        | 28.97            | 54.0           | 25.03       | AV       | 58.00          | 100         | Horizontal | Pass    |
| 2   | 2742.400        | 43.01            | 74.0           | 30.99       | Peak     | 360.00         | 300         | Horizontal | Pass    |
| 2** | 2742.400        | 34.00            | 54.0           | 20.00       | AV       | 360.00         | 300         | Horizontal | Pass    |
| 3   | 4344.200        | 44.65            | 74.0           | 29.35       | Peak     | 338.00         | 150         | Horizontal | Pass    |
| 3** | 4344.200        | 35.40            | 54.0           | 18.60       | AV       | 338.00         | 150         | Horizontal | Pass    |
| 4   | 5791.000        | 104.34           | --             | --          | Peak     | 338.00         | 300         | Horizontal | N/A     |
| 4** | 5791.000        | 96.65            | --             | --          | AV       | 338.00         | 300         | Horizontal | N/A     |
| 5   | 7358.225        | 46.93            | 74.0           | 27.07       | Peak     | 189.00         | 150         | Horizontal | Pass    |
| 5** | 7358.225        | 36.91            | 54.0           | 17.09       | AV       | 189.00         | 150         | Horizontal | Pass    |
| 6   | 11561.763       | 52.57            | 74.0           | 21.43       | Peak     | 39.00          | 150         | Horizontal | Pass    |
| 6** | 11561.763       | 43.62            | 54.0           | 10.38       | AV       | 39.00          | 150         | Horizontal | Pass    |

## 11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.700        | 43.98            | 74.0           | 30.02       | Peak     | 126.00         | 300         | Vertical | Pass    |
| 1** | 1327.700        | 28.50            | 54.0           | 25.50       | AV       | 126.00         | 300         | Vertical | Pass    |
| 2   | 2803.500        | 42.92            | 74.0           | 31.08       | Peak     | 348.00         | 300         | Vertical | Pass    |
| 2** | 2803.500        | 33.59            | 54.0           | 20.41       | AV       | 348.00         | 300         | Vertical | Pass    |
| 3   | 4318.400        | 44.46            | 74.0           | 29.54       | Peak     | 0.00           | 100         | Vertical | Pass    |
| 3** | 4318.400        | 35.39            | 54.0           | 18.61       | AV       | 0.00           | 100         | Vertical | Pass    |
| 4   | 5777.400        | 103.10           | --             | --          | Peak     | 120.00         | 200         | Vertical | N/A     |
| 4** | 5777.400        | 94.88            | --             | --          | AV       | 120.00         | 200         | Vertical | N/A     |
| 5   | 11575.276       | 55.11            | 74.0           | 18.89       | Peak     | 13.00          | 150         | Vertical | Pass    |
| 5** | 11575.276       | 46.24            | 54.0           | 7.76        | AV       | 13.00          | 150         | Vertical | Pass    |
| 6   | 17350.050       | 55.00            | 68.2           | 13.20       | Peak     | 258.00         | 150         | Vertical | Pass    |
| 6** | 17350.050       | 45.60            | --             | --          | AV       | 258.00         | 150         | Vertical | N/A     |

## 11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1167.100        | 39.26            | 74.0           | 34.74       | Peak     | 209.00         | 200         | Horizontal | Pass    |
| 1** | 1167.100        | 28.82            | 54.0           | 25.18       | AV       | 209.00         | 200         | Horizontal | Pass    |
| 2   | 2808.300        | 42.31            | 74.0           | 31.69       | Peak     | 289.00         | 100         | Horizontal | Pass    |
| 2** | 2808.300        | 33.95            | 54.0           | 20.05       | AV       | 289.00         | 100         | Horizontal | Pass    |
| 3   | 4321.200        | 44.26            | 74.0           | 29.74       | Peak     | 360.00         | 150         | Horizontal | Pass    |
| 3** | 4321.200        | 36.11            | 54.0           | 17.89       | AV       | 360.00         | 150         | Horizontal | Pass    |
| 4   | 5828.400        | 105.94           | --             | --          | Peak     | 360.00         | 200         | Horizontal | N/A     |
| 4** | 5828.400        | 98.45            | --             | --          | AV       | 360.00         | 200         | Horizontal | N/A     |
| 5   | 7406.813        | 46.08            | 74.0           | 27.92       | Peak     | 228.00         | 150         | Horizontal | Pass    |
| 5** | 7406.813        | 37.72            | 54.0           | 16.28       | AV       | 228.00         | 150         | Horizontal | Pass    |
| 6   | 11643.125       | 51.74            | 74.0           | 22.26       | Peak     | 275.00         | 150         | Horizontal | Pass    |
| 6** | 11643.125       | 41.81            | 54.0           | 12.19       | AV       | 275.00         | 150         | Horizontal | Pass    |

## 11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1598.800        | 38.63            | 74.0           | 35.37       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 1** | 1598.800        | 28.74            | 54.0           | 25.26       | AV       | 0.00           | 150         | Vertical | Pass    |
| 2   | 2788.100        | 44.64            | 74.0           | 29.36       | Peak     | 88.00          | 300         | Vertical | Pass    |
| 2** | 2788.100        | 33.25            | 54.0           | 20.75       | AV       | 88.00          | 300         | Vertical | Pass    |
| 3   | 3762.600        | 46.85            | 74.0           | 27.15       | Peak     | 120.00         | 150         | Vertical | Pass    |
| 3** | 3762.600        | 37.52            | 54.0           | 16.48       | AV       | 120.00         | 150         | Vertical | Pass    |
| 4   | 5828.600        | 104.01           | --             | --          | Peak     | 164.00         | 300         | Vertical | N/A     |
| 4** | 5828.600        | 96.93            | --             | --          | AV       | 164.00         | 300         | Vertical | N/A     |
| 5   | 11643.700       | 53.82            | 74.0           | 20.18       | Peak     | 8.00           | 150         | Vertical | Pass    |
| 5** | 11643.700       | 44.56            | 54.0           | 9.44        | AV       | 8.00           | 150         | Vertical | Pass    |
| 6   | 17473.950       | 56.47            | 68.2           | 11.73       | Peak     | 254.00         | 150         | Vertical | Pass    |
| 6** | 17473.950       | 46.07            | --             | --          | AV       | 254.00         | 150         | Vertical | N/A     |

## 11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1408.500        | 38.11            | 74.0           | 35.89       | Peak     | 0.00           | 300         | Horizontal | Pass    |
| 1** | 1408.500        | 29.16            | 54.0           | 24.84       | AV       | 0.00           | 300         | Horizontal | Pass    |
| 2   | 2816.300        | 42.51            | 74.0           | 31.49       | Peak     | 246.00         | 400         | Horizontal | Pass    |
| 2** | 2816.300        | 33.35            | 54.0           | 20.65       | AV       | 246.00         | 400         | Horizontal | Pass    |
| 3   | 4326.800        | 44.75            | 74.0           | 29.25       | Peak     | 0.00           | 100         | Horizontal | Pass    |
| 3** | 4326.800        | 36.40            | 54.0           | 17.60       | AV       | 0.00           | 100         | Horizontal | Pass    |
| 4   | 5768.000        | 101.14           | --             | --          | Peak     | 343.00         | 100         | Horizontal | N/A     |
| 4** | 5768.000        | 93.62            | --             | --          | AV       | 343.00         | 100         | Horizontal | N/A     |
| 5   | 7176.525        | 49.00            | 68.2           | 19.20       | Peak     | 76.00          | 150         | Horizontal | Pass    |
| 5** | 7176.525        | 40.49            | --             | --          | AV       | 76.00          | 150         | Horizontal | N/A     |
| 6   | 11498.800       | 53.01            | 74.0           | 20.99       | Peak     | 40.00          | 150         | Horizontal | Pass    |
| 6** | 11498.800       | 42.72            | 54.0           | 11.28       | AV       | 40.00          | 150         | Horizontal | Pass    |

## 11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.200        | 39.93            | 74.0           | 34.07       | Peak     | 251.00         | 100         | Vertical | Pass    |
| 1** | 1327.200        | 28.44            | 54.0           | 25.56       | AV       | 251.00         | 100         | Vertical | Pass    |
| 2   | 2757.400        | 42.95            | 74.0           | 31.05       | Peak     | 302.00         | 100         | Vertical | Pass    |
| 2** | 2757.400        | 32.78            | 54.0           | 21.22       | AV       | 302.00         | 100         | Vertical | Pass    |
| 3   | 4364.000        | 44.18            | 74.0           | 29.82       | Peak     | 0.00           | 100         | Vertical | Pass    |
| 3** | 4364.000        | 35.17            | 54.0           | 18.83       | AV       | 0.00           | 100         | Vertical | Pass    |
| 4   | 5769.200        | 99.23            | --             | --          | Peak     | 36.00          | 400         | Vertical | N/A     |
| 4** | 5769.200        | 91.68            | --             | --          | AV       | 36.00          | 400         | Vertical | N/A     |
| 5   | 7988.712        | 50.93            | 68.2           | 17.27       | Peak     | 104.00         | 150         | Vertical | Pass    |
| 5** | 7988.712        | 36.42            | --             | --          | AV       | 104.00         | 150         | Vertical | N/A     |
| 6   | 11504.550       | 54.54            | 74.0           | 19.46       | Peak     | 338.00         | 150         | Vertical | Pass    |
| 6** | 11504.550       | 43.91            | 54.0           | 10.09       | AV       | 338.00         | 150         | Vertical | Pass    |

## 11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1498.800        | 38.35            | 74.0           | 35.65       | Peak     | 121.00         | 150         | Horizontal | Pass    |
| 1** | 1498.800        | 30.52            | 54.0           | 23.48       | AV       | 121.00         | 150         | Horizontal | Pass    |
| 2   | 2742.900        | 42.61            | 74.0           | 31.39       | Peak     | 327.00         | 400         | Horizontal | Pass    |
| 2** | 2742.900        | 33.41            | 54.0           | 20.59       | AV       | 327.00         | 400         | Horizontal | Pass    |
| 3   | 4363.000        | 44.87            | 74.0           | 29.13       | Peak     | 360.00         | 200         | Horizontal | Pass    |
| 3** | 4363.000        | 35.85            | 54.0           | 18.15       | AV       | 360.00         | 200         | Horizontal | Pass    |
| 4   | 5807.200        | 101.97           | --             | --          | Peak     | 344.00         | 400         | Horizontal | N/A     |
| 4** | 5807.200        | 94.19            | --             | --          | AV       | 344.00         | 400         | Horizontal | N/A     |
| 5   | 7228.275        | 48.96            | 68.2           | 19.24       | Peak     | 93.00          | 150         | Horizontal | Pass    |
| 5** | 7228.275        | 40.87            | --             | --          | AV       | 93.00          | 150         | Horizontal | N/A     |
| 6   | 11590.225       | 52.59            | 74.0           | 21.41       | Peak     | 37.00          | 150         | Horizontal | Pass    |
| 6** | 11590.225       | 42.99            | 54.0           | 11.01       | AV       | 37.00          | 150         | Horizontal | Pass    |

## 11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1330.400        | 41.30            | 74.0           | 32.70       | Peak     | 135.00         | 300         | Vertical | Pass    |
| 1** | 1330.400        | 29.74            | 54.0           | 24.26       | AV       | 135.00         | 300         | Vertical | Pass    |
| 2   | 2729.800        | 42.62            | 74.0           | 31.38       | Peak     | 29.00          | 300         | Vertical | Pass    |
| 2** | 2729.800        | 32.89            | 54.0           | 21.11       | AV       | 29.00          | 300         | Vertical | Pass    |
| 3   | 5788.400        | 100.05           | --             | --          | Peak     | 185.00         | 200         | Vertical | N/A     |
| 3** | 5788.400        | 93.16            | --             | --          | AV       | 185.00         | 200         | Vertical | N/A     |
| 4   | 7994.750        | 51.85            | 68.2           | 16.35       | Peak     | 102.00         | 150         | Vertical | Pass    |
| 4** | 7994.750        | 39.60            | --             | --          | AV       | 102.00         | 150         | Vertical | N/A     |
| 5   | 11595.688       | 53.64            | 74.0           | 20.36       | Peak     | 32.00          | 150         | Vertical | Pass    |
| 5** | 11595.688       | 44.51            | 54.0           | 9.49        | AV       | 32.00          | 150         | Vertical | Pass    |
| 6   | 15998.701       | 52.33            | 74.0           | 21.67       | Peak     | 196.00         | 150         | Vertical | Pass    |
| 6** | 15998.701       | 42.78            | 54.0           | 11.22       | AV       | 196.00         | 150         | Vertical | Pass    |

## 11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1184.900        | 38.81            | 74.0           | 35.19       | Peak     | 300.00         | 100         | Horizontal | Pass    |
| 1** | 1184.900        | 30.25            | 54.0           | 23.75       | AV       | 300.00         | 100         | Horizontal | Pass    |
| 2   | 2796.200        | 42.92            | 74.0           | 31.08       | Peak     | 196.00         | 100         | Horizontal | Pass    |
| 2** | 2796.200        | 33.22            | 54.0           | 20.78       | AV       | 196.00         | 100         | Horizontal | Pass    |
| 3   | 4360.000        | 45.76            | 74.0           | 28.24       | Peak     | 42.00          | 150         | Horizontal | Pass    |
| 3** | 4360.000        | 35.23            | 54.0           | 18.77       | AV       | 42.00          | 150         | Horizontal | Pass    |
| 4   | 5741.000        | 101.04           | --             | --          | Peak     | 189.00         | 300         | Horizontal | N/A     |
| 4** | 5741.000        | 93.96            | --             | --          | AV       | 189.00         | 300         | Horizontal | N/A     |
| 5   | 7398.475        | 46.64            | 74.0           | 27.36       | Peak     | 220.00         | 150         | Horizontal | Pass    |
| 5** | 7398.475        | 38.00            | 54.0           | 16.00       | AV       | 220.00         | 150         | Horizontal | Pass    |
| 6   | 11491.613       | 49.49            | 74.0           | 24.51       | Peak     | 206.00         | 150         | Horizontal | Pass    |
| 6** | 11491.613       | 44.74            | 54.0           | 9.26        | AV       | 206.00         | 150         | Horizontal | Pass    |

## 11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.500        | 38.86            | 74.0           | 35.14       | Peak     | 287.00         | 200         | Vertical | Pass    |
| 1** | 1327.500        | 29.46            | 54.0           | 24.54       | AV       | 287.00         | 200         | Vertical | Pass    |
| 2   | 2790.700        | 43.65            | 74.0           | 30.35       | Peak     | 277.00         | 100         | Vertical | Pass    |
| 2** | 2790.700        | 33.55            | 54.0           | 20.45       | AV       | 277.00         | 100         | Vertical | Pass    |
| 3   | 4146.800        | 45.16            | 74.0           | 28.84       | Peak     | 334.00         | 100         | Vertical | Pass    |
| 3** | 4146.800        | 34.50            | 54.0           | 19.50       | AV       | 334.00         | 100         | Vertical | Pass    |
| 4   | 5753.000        | 98.50            | --             | --          | Peak     | 229.00         | 200         | Vertical | N/A     |
| 4** | 5753.000        | 92.13            | --             | --          | AV       | 229.00         | 200         | Vertical | N/A     |
| 5   | 7975.200        | 49.94            | 68.2           | 18.26       | Peak     | 279.00         | 150         | Vertical | Pass    |
| 5** | 7975.200        | 39.31            | --             | --          | AV       | 279.00         | 150         | Vertical | N/A     |
| 6   | 11488.451       | 51.86            | 74.0           | 22.14       | Peak     | 156.00         | 150         | Vertical | Pass    |
| 6** | 11488.451       | 47.47            | 54.0           | 6.53        | AV       | 156.00         | 150         | Vertical | Pass    |

## 11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1185.300        | 38.57            | 74.0           | 35.43       | Peak     | 0.00           | 300         | Horizontal | Pass    |
| 1** | 1185.300        | 30.16            | 54.0           | 23.84       | AV       | 0.00           | 300         | Horizontal | Pass    |
| 2   | 2740.100        | 42.48            | 74.0           | 31.52       | Peak     | 360.00         | 300         | Horizontal | Pass    |
| 2** | 2740.100        | 34.49            | 54.0           | 19.51       | AV       | 360.00         | 300         | Horizontal | Pass    |
| 3   | 3973.400        | 44.15            | 74.0           | 29.85       | Peak     | 41.00          | 150         | Horizontal | Pass    |
| 3** | 3973.400        | 34.74            | 54.0           | 19.26       | AV       | 41.00          | 150         | Horizontal | Pass    |
| 4   | 5787.600        | 102.95           | --             | --          | Peak     | 185.00         | 100         | Horizontal | N/A     |
| 4** | 5787.600        | 94.73            | --             | --          | AV       | 185.00         | 100         | Horizontal | N/A     |
| 5   | 7358.225        | 46.32            | 74.0           | 27.68       | Peak     | 223.00         | 150         | Horizontal | Pass    |
| 5** | 7358.225        | 37.11            | 54.0           | 16.89       | AV       | 223.00         | 150         | Horizontal | Pass    |
| 6   | 11565.500       | 48.35            | 74.0           | 25.65       | Peak     | 119.00         | 150         | Horizontal | Pass    |
| 6** | 11565.500       | 45.24            | 54.0           | 8.76        | AV       | 119.00         | 150         | Horizontal | Pass    |

## 11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1202.900        | 38.53            | 74.0           | 35.47       | Peak     | 286.00         | 200         | Vertical | Pass    |
| 1** | 1202.900        | 30.52            | 54.0           | 23.48       | AV       | 286.00         | 200         | Vertical | Pass    |
| 2   | 2752.600        | 42.96            | 74.0           | 31.04       | Peak     | 360.00         | 300         | Vertical | Pass    |
| 2** | 2752.600        | 33.51            | 54.0           | 20.49       | AV       | 360.00         | 300         | Vertical | Pass    |
| 3   | 4372.000        | 44.78            | 74.0           | 29.22       | Peak     | 296.00         | 200         | Vertical | Pass    |
| 3** | 4372.000        | 36.08            | 54.0           | 17.92       | AV       | 296.00         | 200         | Vertical | Pass    |
| 4   | 5784.800        | 100.43           | --             | --          | Peak     | 165.00         | 100         | Vertical | N/A     |
| 4** | 5784.800        | 91.52            | --             | --          | AV       | 165.00         | 100         | Vertical | N/A     |
| 5   | 7385.538        | 46.66            | 74.0           | 27.34       | Peak     | 217.00         | 200         | Vertical | Pass    |
| 5** | 7385.538        | 37.74            | 54.0           | 16.26       | AV       | 217.00         | 200         | Vertical | Pass    |
| 6   | 11569.812       | 51.88            | 74.0           | 22.12       | Peak     | 155.00         | 150         | Vertical | Pass    |
| 6** | 11569.812       | 46.12            | 54.0           | 7.88        | AV       | 155.00         | 150         | Vertical | Pass    |

## 11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1201.100        | 38.86            | 74.0           | 35.14       | Peak     | 236.00         | 100         | Horizontal | Pass    |
| 1** | 1201.100        | 30.57            | 54.0           | 23.43       | AV       | 236.00         | 100         | Horizontal | Pass    |
| 2   | 2870.000        | 42.69            | 74.0           | 31.31       | Peak     | 0.00           | 300         | Horizontal | Pass    |
| 2** | 2870.000        | 33.24            | 54.0           | 20.76       | AV       | 0.00           | 300         | Horizontal | Pass    |
| 3   | 4365.000        | 44.19            | 74.0           | 29.81       | Peak     | 270.00         | 150         | Horizontal | Pass    |
| 3** | 4365.000        | 35.14            | 54.0           | 18.86       | AV       | 270.00         | 150         | Horizontal | Pass    |
| 4   | 5830.000        | 103.78           | --             | --          | Peak     | 187.00         | 100         | Horizontal | N/A     |
| 4** | 5830.000        | 96.13            | --             | --          | AV       | 187.00         | 100         | Horizontal | N/A     |
| 5   | 7374.038        | 47.13            | 74.0           | 26.87       | Peak     | 35.00          | 150         | Horizontal | Pass    |
| 5** | 7374.038        | 37.17            | 54.0           | 16.83       | AV       | 35.00          | 150         | Horizontal | Pass    |
| 6   | 11654.625       | 49.02            | 74.0           | 24.98       | Peak     | 208.00         | 150         | Horizontal | Pass    |
| 6** | 11654.625       | 44.20            | 54.0           | 9.80        | AV       | 208.00         | 150         | Horizontal | Pass    |

## 11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1185.400        | 38.05            | 74.0           | 35.95       | Peak     | 230.00         | 200         | Vertical | Pass    |
| 1** | 1185.400        | 29.97            | 54.0           | 24.03       | AV       | 230.00         | 200         | Vertical | Pass    |
| 2   | 2837.800        | 42.21            | 74.0           | 31.79       | Peak     | 251.00         | 400         | Vertical | Pass    |
| 2** | 2837.800        | 33.08            | 54.0           | 20.92       | AV       | 251.00         | 400         | Vertical | Pass    |
| 3   | 4321.400        | 45.30            | 74.0           | 28.70       | Peak     | 186.00         | 100         | Vertical | Pass    |
| 3** | 4321.400        | 35.43            | 54.0           | 18.57       | AV       | 186.00         | 100         | Vertical | Pass    |
| 4   | 5823.400        | 100.97           | --             | --          | Peak     | 163.00         | 300         | Vertical | N/A     |
| 4** | 5823.400        | 93.51            | --             | --          | AV       | 163.00         | 300         | Vertical | N/A     |
| 5   | 7318.263        | 46.79            | 74.0           | 27.21       | Peak     | 24.00          | 150         | Vertical | Pass    |
| 5** | 7318.263        | 37.20            | 54.0           | 16.80       | AV       | 24.00          | 150         | Vertical | Pass    |
| 6   | 11654.050       | 49.29            | 74.0           | 24.71       | Peak     | 154.00         | 150         | Vertical | Pass    |
| 6** | 11654.050       | 45.07            | 54.0           | 8.93        | AV       | 154.00         | 150         | Vertical | Pass    |

## 11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1393.100        | 38.43            | 74.0           | 35.57       | Peak     | 49.00          | 200         | Horizontal | Pass    |
| 1** | 1393.100        | 28.56            | 54.0           | 25.44       | AV       | 49.00          | 200         | Horizontal | Pass    |
| 2   | 2828.900        | 42.78            | 74.0           | 31.22       | Peak     | 227.00         | 200         | Horizontal | Pass    |
| 2** | 2828.900        | 33.06            | 54.0           | 20.94       | AV       | 227.00         | 200         | Horizontal | Pass    |
| 3   | 4317.400        | 45.19            | 74.0           | 28.81       | Peak     | 360.00         | 200         | Horizontal | Pass    |
| 3** | 4317.400        | 35.26            | 54.0           | 18.74       | AV       | 360.00         | 200         | Horizontal | Pass    |
| 4   | 5771.200        | 99.64            | --             | --          | Peak     | 360.00         | 100         | Horizontal | N/A     |
| 4** | 5771.200        | 91.69            | --             | --          | Peak     | 360.00         | 100         | Horizontal | N/A     |
| 5   | 7422.338        | 46.43            | 74.0           | 27.57       | Peak     | 244.00         | 100         | Horizontal | Pass    |
| 5** | 7422.338        | 37.54            | 54.0           | 16.46       | AV       | 244.00         | 100         | Horizontal | Pass    |
| 6   | 11506.850       | 48.75            | 74.0           | 25.25       | Peak     | 258.00         | 150         | Horizontal | Pass    |
| 6** | 11506.850       | 44.73            | 54.0           | 9.27        | AV       | 258.00         | 150         | Horizontal | Pass    |

## 11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1328.700        | 42.27            | 74.0           | 31.73       | Peak     | 78.00          | 100         | Vertical | Pass    |
| 1** | 1328.700        | 34.09            | 54.0           | 19.91       | AV       | 78.00          | 100         | Vertical | Pass    |
| 2   | 2728.700        | 43.35            | 74.0           | 30.65       | Peak     | 360.00         | 100         | Vertical | Pass    |
| 2** | 2728.700        | 33.87            | 54.0           | 20.13       | AV       | 360.00         | 100         | Vertical | Pass    |
| 3   | 4301.000        | 44.19            | 74.0           | 29.81       | Peak     | 123.00         | 150         | Vertical | Pass    |
| 3** | 4301.000        | 35.97            | 54.0           | 18.03       | AV       | 123.00         | 150         | Vertical | Pass    |
| 4   | 5771.400        | 97.91            | --             | --          | Peak     | 123.00         | 100         | Vertical | N/A     |
| 4** | 5771.400        | 90.28            | --             | --          | AV       | 123.00         | 100         | Vertical | N/A     |
| 5   | 7962.550        | 50.81            | 68.2           | 17.39       | Peak     | 156.00         | 150         | Vertical | Pass    |
| 5** | 7962.550        | 37.23            | --             | --          | AV       | 156.00         | 150         | Vertical | N/A     |
| 6   | 11514.325       | 50.39            | 74.0           | 23.61       | Peak     | 53.00          | 150         | Vertical | Pass    |
| 6** | 11514.325       | 46.96            | 54.0           | 7.04        | AV       | 53.00          | 150         | Vertical | Pass    |

## 11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1187.500        | 38.62            | 74.0           | 35.38       | Peak     | 175.00         | 100         | Horizontal | Pass    |
| 1** | 1187.500        | 29.58            | 54.0           | 24.42       | AV       | 175.00         | 100         | Horizontal | Pass    |
| 2   | 2839.700        | 42.95            | 74.0           | 31.05       | Peak     | 102.00         | 100         | Horizontal | Pass    |
| 2** | 2839.700        | 33.13            | 54.0           | 20.87       | AV       | 102.00         | 100         | Horizontal | Pass    |
| 3   | 4285.200        | 44.65            | 74.0           | 29.35       | Peak     | 360.00         | 150         | Horizontal | Pass    |
| 3** | 4285.200        | 35.72            | 54.0           | 18.28       | AV       | 360.00         | 150         | Horizontal | Pass    |
| 4   | 5784.200        | 99.79            | --             | --          | Peak     | 360.00         | 300         | Horizontal | N/A     |
| 4** | 5784.200        | 91.66            | --             | --          | AV       | 360.00         | 300         | Horizontal | N/A     |
| 5   | 7225.688        | 46.66            | 68.2           | 21.54       | Peak     | 75.00          | 150         | Horizontal | Pass    |
| 5** | 7225.688        | 38.22            | --             | --          | AV       | 75.00          | 150         | Horizontal | N/A     |
| 6   | 11599.138       | 51.41            | 74.0           | 22.59       | Peak     | 37.00          | 150         | Horizontal | Pass    |
| 6** | 11599.138       | 42.94            | 54.0           | 11.06       | AV       | 37.00          | 150         | Horizontal | Pass    |

## 11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.400        | 41.90            | 74.0           | 32.10       | Peak     | 122.00         | 300         | Vertical | Pass    |
| 1** | 1327.400        | 31.19            | 54.0           | 22.81       | AV       | 122.00         | 300         | Vertical | Pass    |
| 2   | 2866.900        | 43.33            | 74.0           | 30.67       | Peak     | 158.00         | 200         | Vertical | Pass    |
| 2** | 2866.900        | 32.81            | 54.0           | 21.19       | AV       | 158.00         | 200         | Vertical | Pass    |
| 3   | 4308.800        | 44.47            | 74.0           | 29.53       | Peak     | 323.00         | 150         | Vertical | Pass    |
| 3** | 4308.800        | 35.57            | 54.0           | 18.43       | AV       | 323.00         | 150         | Vertical | Pass    |
| 4   | 5809.400        | 98.77            | --             | --          | Peak     | 120.00         | 100         | Vertical | N/A     |
| 4** | 5809.400        | 90.44            | --             | --          | AV       | 120.00         | 100         | Vertical | N/A     |
| 5   | 7979.513        | 52.14            | 68.2           | 16.06       | Peak     | 115.00         | 150         | Vertical | Pass    |
| 5** | 7979.513        | 41.15            | --             | --          | AV       | 115.00         | 150         | Vertical | N/A     |
| 6   | 11588.787       | 50.21            | 74.0           | 23.79       | Peak     | 333.00         | 150         | Vertical | Pass    |
| 6** | 11588.787       | 46.13            | 54.0           | 7.87        | AV       | 333.00         | 150         | Vertical | Pass    |

## 11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1177.500        | 39.41            | 74.0           | 34.59       | Peak     | 174.00         | 400         | Horizontal | Pass    |
| 1** | 1177.500        | 28.66            | 54.0           | 25.34       | AV       | 174.00         | 400         | Horizontal | Pass    |
| 2   | 2859.900        | 42.79            | 74.0           | 31.21       | Peak     | 209.00         | 100         | Horizontal | Pass    |
| 2** | 2859.900        | 34.80            | 54.0           | 19.20       | AV       | 209.00         | 100         | Horizontal | Pass    |
| 3   | 4295.200        | 46.23            | 74.0           | 27.77       | Peak     | 22.00          | 200         | Horizontal | Pass    |
| 3** | 4295.200        | 36.97            | 54.0           | 17.03       | AV       | 22.00          | 200         | Horizontal | Pass    |
| 4   | 5811.400        | 98.50            | --             | --          | Peak     | 360.00         | 100         | Horizontal | N/A     |
| 4** | 5811.400        | 90.73            | --             | --          | AV       | 360.00         | 100         | Horizontal | N/A     |
| 5   | 7180.837        | 51.94            | 68.2           | 16.26       | Peak     | 65.00          | 150         | Horizontal | Pass    |
| 5** | 7180.837        | 42.99            | --             | --          | AV       | 65.00          | 150         | Horizontal | N/A     |
| 6   | 10976.700       | 50.16            | 74.0           | 23.84       | Peak     | 145.00         | 150         | Horizontal | Pass    |
| 6** | 10976.700       | 40.91            | 54.0           | 13.09       | AV       | 145.00         | 150         | Horizontal | Pass    |

## 11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.900        | 41.21            | 74.0           | 32.79       | Peak     | 247.00         | 300         | Vertical | Pass    |
| 1** | 1327.900        | 28.99            | 54.0           | 25.01       | AV       | 247.00         | 300         | Vertical | Pass    |
| 2   | 2728.300        | 43.26            | 74.0           | 30.74       | Peak     | 226.00         | 100         | Vertical | Pass    |
| 2** | 2728.300        | 34.25            | 54.0           | 19.75       | AV       | 226.00         | 100         | Vertical | Pass    |
| 3   | 4374.400        | 45.23            | 74.0           | 28.77       | Peak     | 46.00          | 150         | Vertical | Pass    |
| 3** | 4374.400        | 35.36            | 54.0           | 18.64       | AV       | 46.00          | 150         | Vertical | Pass    |
| 4   | 5789.600        | 96.83            | --             | --          | Peak     | 121.00         | 400         | Vertical | N/A     |
| 4** | 5789.600        | 88.56            | --             | --          | AV       | 121.00         | 400         | Vertical | N/A     |
| 5   | 7185.725        | 51.45            | 68.2           | 16.75       | Peak     | 93.00          | 150         | Vertical | Pass    |
| 5** | 7185.725        | 41.95            | --             | --          | AV       | 93.00          | 150         | Vertical | N/A     |
| 6   | 11526.112       | 51.54            | 74.0           | 22.46       | Peak     | 340.00         | 150         | Vertical | Pass    |
| 6** | 11526.112       | 42.60            | 54.0           | 11.40       | AV       | 340.00         | 150         | Vertical | Pass    |

## 11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1176.300        | 39.17            | 74.0           | 34.83       | Peak     | 193.00         | 200         | Horizontal | Pass    |
| 1** | 1176.300        | 29.28            | 54.0           | 24.72       | AV       | 193.00         | 200         | Horizontal | Pass    |
| 2   | 2857.300        | 43.46            | 74.0           | 30.54       | Peak     | 56.00          | 400         | Horizontal | Pass    |
| 2** | 2857.300        | 33.43            | 54.0           | 20.57       | AV       | 56.00          | 400         | Horizontal | Pass    |
| 3   | 4302.000        | 44.99            | 74.0           | 29.01       | Peak     | 320.00         | 200         | Horizontal | Pass    |
| 3** | 4302.000        | 34.95            | 54.0           | 19.05       | AV       | 320.00         | 200         | Horizontal | Pass    |
| 4   | 5736.200        | 100.84           | --             | --          | Peak     | 360.00         | 100         | Horizontal | N/A     |
| 4** | 5736.200        | 91.20            | --             | --          | AV       | 360.00         | 100         | Horizontal | N/A     |
| 5   | 7445.625        | 46.55            | 74.0           | 27.45       | Peak     | 313.00         | 100         | Horizontal | Pass    |
| 5** | 7445.625        | 37.12            | 54.0           | 16.88       | AV       | 313.00         | 100         | Horizontal | Pass    |
| 6   | 11485.575       | 51.49            | 74.0           | 22.51       | Peak     | 38.00          | 150         | Horizontal | Pass    |
| 6** | 11485.575       | 43.64            | 54.0           | 10.36       | AV       | 38.00          | 150         | Horizontal | Pass    |

## 11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1327.000        | 45.16            | 74.0           | 28.84       | Peak     | 128.00         | 100         | Vertical | Pass    |
| 1** | 1327.000        | 28.87            | 54.0           | 25.13       | AV       | 128.00         | 100         | Vertical | Pass    |
| 2   | 2877.500        | 42.93            | 74.0           | 31.07       | Peak     | 231.00         | 300         | Vertical | Pass    |
| 2** | 2877.500        | 35.20            | 54.0           | 18.80       | AV       | 231.00         | 300         | Vertical | Pass    |
| 3   | 4277.600        | 45.10            | 74.0           | 28.90       | Peak     | 355.00         | 100         | Vertical | Pass    |
| 3** | 4277.600        | 35.25            | 54.0           | 18.75       | AV       | 355.00         | 100         | Vertical | Pass    |
| 4   | 5751.800        | 101.10           | --             | --          | Peak     | 72.00          | 100         | Vertical | N/A     |
| 4** | 5751.800        | 92.59            | --             | --          | AV       | 72.00          | 100         | Vertical | N/A     |
| 5   | 7390.138        | 46.73            | 74.0           | 27.27       | Peak     | 32.00          | 200         | Vertical | Pass    |
| 5** | 7390.138        | 38.30            | 54.0           | 15.70       | AV       | 32.00          | 200         | Vertical | Pass    |
| 6   | 11489.025       | 52.80            | 74.0           | 21.20       | Peak     | 338.00         | 150         | Vertical | Pass    |
| 6** | 11489.025       | 49.28            | 54.0           | 4.72        | AV       | 338.00         | 150         | Vertical | Pass    |

## 11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1331.200        | 39.56            | 74.0           | 34.44       | Peak     | 22.00          | 200         | Horizontal | Pass    |
| 1** | 1331.200        | 28.61            | 54.0           | 25.39       | AV       | 22.00          | 200         | Horizontal | Pass    |
| 2   | 2771.300        | 43.09            | 74.0           | 30.91       | Peak     | 126.00         | 200         | Horizontal | Pass    |
| 2** | 2771.300        | 33.96            | 54.0           | 20.04       | AV       | 126.00         | 200         | Horizontal | Pass    |
| 3   | 4360.000        | 45.04            | 74.0           | 28.96       | Peak     | 227.00         | 150         | Horizontal | Pass    |
| 3** | 4360.000        | 35.47            | 54.0           | 18.53       | AV       | 227.00         | 150         | Horizontal | Pass    |
| 4   | 5782.800        | 103.30           | --             | --          | Peak     | 358.00         | 400         | Horizontal | N/A     |
| 4** | 5782.800        | 94.49            | --             | --          | AV       | 358.00         | 400         | Horizontal | N/A     |
| 5   | 7454.538        | 46.49            | 74.0           | 27.51       | Peak     | 194.00         | 100         | Horizontal | Pass    |
| 5** | 7454.538        | 37.67            | 54.0           | 16.33       | AV       | 194.00         | 100         | Horizontal | Pass    |
| 6   | 11568.088       | 49.88            | 74.0           | 24.12       | Peak     | 357.00         | 150         | Horizontal | Pass    |
| 6** | 11568.088       | 44.79            | 54.0           | 9.21        | AV       | 357.00         | 150         | Horizontal | Pass    |

## 11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1330.800        | 42.38            | 74.0           | 31.62       | Peak     | 123.00         | 100         | Vertical | Pass    |
| 1** | 1330.800        | 28.69            | 54.0           | 25.31       | AV       | 123.00         | 100         | Vertical | Pass    |
| 2   | 2747.600        | 42.90            | 74.0           | 31.10       | Peak     | 227.00         | 400         | Vertical | Pass    |
| 2** | 2747.600        | 33.36            | 54.0           | 20.64       | AV       | 227.00         | 400         | Vertical | Pass    |
| 3   | 4329.000        | 44.39            | 74.0           | 29.61       | Peak     | 206.00         | 200         | Vertical | Pass    |
| 3** | 4329.000        | 35.14            | 54.0           | 18.86       | AV       | 206.00         | 200         | Vertical | Pass    |
| 4   | 5783.600        | 101.64           | --             | --          | Peak     | 123.00         | 300         | Vertical | N/A     |
| 4** | 5783.600        | 93.01            | --             | --          | AV       | 123.00         | 300         | Vertical | N/A     |
| 5   | 7998.488        | 53.18            | 68.2           | 15.02       | Peak     | 111.00         | 150         | Vertical | Pass    |
| 5** | 7998.488        | 37.26            | --             | --          | AV       | 111.00         | 150         | Vertical | N/A     |
| 6   | 11571.826       | 53.09            | 74.0           | 20.91       | Peak     | 337.00         | 150         | Vertical | Pass    |
| 6** | 11571.826       | 49.01            | 54.0           | 4.99        | AV       | 337.00         | 150         | Vertical | Pass    |

## 11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1199.100        | 38.95            | 74.0           | 35.05       | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 1** | 1199.100        | 28.72            | 54.0           | 25.28       | AV       | 0.00           | 400         | Horizontal | Pass    |
| 2   | 2878.200        | 43.72            | 74.0           | 30.28       | Peak     | 116.00         | 200         | Horizontal | Pass    |
| 2** | 2878.200        | 33.93            | 54.0           | 20.07       | AV       | 116.00         | 200         | Horizontal | Pass    |
| 3   | 4115.600        | 44.62            | 74.0           | 29.38       | Peak     | 270.00         | 200         | Horizontal | Pass    |
| 3** | 4115.600        | 34.65            | 54.0           | 19.35       | AV       | 270.00         | 200         | Horizontal | Pass    |
| 4   | 5832.200        | 106.14           | --             | --          | Peak     | 0.00           | 400         | Horizontal | N/A     |
| 4** | 5832.200        | 96.34            | --             | --          | AV       | 0.00           | 400         | Horizontal | N/A     |
| 5   | 7407.100        | 46.67            | 74.0           | 27.33       | Peak     | 339.00         | 200         | Horizontal | Pass    |
| 5** | 7407.100        | 37.52            | 54.0           | 16.48       | AV       | 339.00         | 200         | Horizontal | Pass    |
| 6   | 11646.000       | 50.81            | 74.0           | 23.19       | Peak     | 36.00          | 150         | Horizontal | Pass    |
| 6** | 11646.000       | 45.45            | 54.0           | 8.55        | AV       | 36.00          | 150         | Horizontal | Pass    |

## 11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1331.800        | 41.88            | 74.0           | 32.12       | Peak     | 249.00         | 200         | Vertical | Pass    |
| 1** | 1331.800        | 29.44            | 54.0           | 24.56       | AV       | 249.00         | 200         | Vertical | Pass    |
| 2   | 2740.800        | 42.80            | 74.0           | 31.20       | Peak     | 21.00          | 200         | Vertical | Pass    |
| 2** | 2740.800        | 33.36            | 54.0           | 20.64       | AV       | 21.00          | 200         | Vertical | Pass    |
| 3   | 4373.600        | 44.85            | 74.0           | 29.15       | Peak     | 92.00          | 150         | Vertical | Pass    |
| 3** | 4373.600        | 36.19            | 54.0           | 17.81       | AV       | 92.00          | 150         | Vertical | Pass    |
| 4   | 5820.000        | 101.96           | --             | --          | Peak     | 360.00         | 100         | Vertical | N/A     |
| 4** | 5820.000        | 93.08            | --             | --          | AV       | 360.00         | 100         | Vertical | N/A     |
| 5   | 7411.987        | 46.70            | 74.0           | 27.30       | Peak     | 45.00          | 150         | Vertical | Pass    |
| 5** | 7411.987        | 38.41            | 54.0           | 15.59       | AV       | 45.00          | 150         | Vertical | Pass    |
| 6   | 11652.612       | 51.29            | 74.0           | 22.71       | Peak     | 341.00         | 150         | Vertical | Pass    |
| 6** | 11652.612       | 45.18            | 54.0           | 8.82        | AV       | 341.00         | 150         | Vertical | Pass    |

## 11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1409.300        | 38.68            | 74.0           | 35.32       | Peak     | 0.00           | 300         | Horizontal | Pass    |
| 1** | 1409.300        | 28.41            | 54.0           | 25.59       | AV       | 0.00           | 300         | Horizontal | Pass    |
| 2   | 2767.800        | 42.68            | 74.0           | 31.32       | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 2** | 2767.800        | 33.38            | 54.0           | 20.62       | AV       | 0.00           | 400         | Horizontal | Pass    |
| 3   | 4329.200        | 44.96            | 74.0           | 29.04       | Peak     | 190.00         | 150         | Horizontal | Pass    |
| 3** | 4329.200        | 35.95            | 54.0           | 18.05       | AV       | 190.00         | 150         | Horizontal | Pass    |
| 4   | 5754.200        | 99.14            | --             | --          | Peak     | 360.00         | 200         | Horizontal | N/A     |
| 4** | 5754.200        | 88.55            | --             | --          | AV       | 360.00         | 200         | Horizontal | N/A     |
| 5   | 7208.725        | 47.17            | 68.2           | 21.03       | Peak     | 79.00          | 150         | Horizontal | Pass    |
| 5** | 7208.725        | 38.96            | --             | --          | AV       | 79.00          | 150         | Horizontal | N/A     |
| 6   | 11491.037       | 50.97            | 74.0           | 23.03       | Peak     | 262.00         | 150         | Horizontal | Pass    |
| 6** | 11491.037       | 40.90            | 54.0           | 13.10       | AV       | 262.00         | 150         | Horizontal | Pass    |

## 11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1394.200        | 41.77            | 74.0           | 32.23       | Peak     | 128.00         | 200         | Vertical | Pass    |
| 1** | 1394.200        | 29.01            | 54.0           | 24.99       | AV       | 128.00         | 200         | Vertical | Pass    |
| 2   | 2767.900        | 42.97            | 74.0           | 31.03       | Peak     | 213.00         | 100         | Vertical | Pass    |
| 2** | 2767.900        | 33.42            | 54.0           | 20.58       | AV       | 213.00         | 100         | Vertical | Pass    |
| 3   | 4868.600        | 48.41            | 74.0           | 25.59       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 3** | 4868.600        | 38.47            | 54.0           | 15.53       | AV       | 0.00           | 150         | Vertical | Pass    |
| 4   | 5771.200        | 98.16            | --             | --          | Peak     | 124.00         | 300         | Vertical | N/A     |
| 4** | 5771.200        | 91.10            | --             | --          | AV       | 124.00         | 300         | Vertical | N/A     |
| 5   | 7994.462        | 51.37            | 68.2           | 16.83       | Peak     | 106.00         | 150         | Vertical | Pass    |
| 5** | 7994.462        | 37.72            | --             | --          | AV       | 106.00         | 150         | Vertical | N/A     |
| 6   | 11503.974       | 49.68            | 74.0           | 24.32       | Peak     | 340.00         | 150         | Vertical | Pass    |
| 6** | 11503.974       | 46.04            | 54.0           | 7.96        | AV       | 340.00         | 150         | Vertical | Pass    |

## 11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1172.900        | 39.29            | 74.0           | 34.71       | Peak     | 4.00           | 300         | Horizontal | Pass    |
| 1** | 1172.900        | 28.78            | 54.0           | 25.22       | AV       | 4.00           | 300         | Horizontal | Pass    |
| 2   | 2790.200        | 44.99            | 74.0           | 29.01       | Peak     | 301.00         | 100         | Horizontal | Pass    |
| 2** | 2790.200        | 32.84            | 54.0           | 21.16       | AV       | 301.00         | 100         | Horizontal | Pass    |
| 3   | 4119.000        | 44.95            | 74.0           | 29.05       | Peak     | 153.00         | 100         | Horizontal | Pass    |
| 3** | 4119.000        | 34.71            | 54.0           | 19.29       | AV       | 153.00         | 100         | Horizontal | Pass    |
| 4   | 5796.200        | 101.39           | --             | --          | Peak     | 0.00           | 300         | Horizontal | N/A     |
| 4** | 5796.200        | 89.71            | --             | --          | AV       | 0.00           | 300         | Horizontal | N/A     |
| 5   | 7416.013        | 47.00            | 74.0           | 27.00       | Peak     | 174.00         | 100         | Horizontal | Pass    |
| 5** | 7416.013        | 37.93            | 54.0           | 16.07       | AV       | 174.00         | 100         | Horizontal | Pass    |
| 6   | 11596.550       | 48.74            | 74.0           | 25.26       | Peak     | 35.00          | 150         | Horizontal | Pass    |
| 6** | 11596.550       | 44.31            | 54.0           | 9.69        | AV       | 35.00          | 150         | Horizontal | Pass    |

## 11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1332.500        | 44.05            | 74.0           | 29.95       | Peak     | 134.00         | 100         | Vertical | Pass    |
| 1** | 1332.500        | 28.67            | 54.0           | 25.33       | AV       | 134.00         | 100         | Vertical | Pass    |
| 2   | 2852.600        | 43.07            | 74.0           | 30.93       | Peak     | 109.00         | 300         | Vertical | Pass    |
| 2** | 2852.600        | 33.17            | 54.0           | 20.83       | AV       | 109.00         | 300         | Vertical | Pass    |
| 3   | 3923.600        | 45.16            | 74.0           | 28.84       | Peak     | 23.00          | 200         | Vertical | Pass    |
| 3** | 3923.600        | 34.01            | 54.0           | 19.99       | AV       | 23.00          | 200         | Vertical | Pass    |
| 4   | 5809.600        | 99.60            | --             | --          | Peak     | 130.00         | 400         | Vertical | Pass    |
| 4** | 5809.600        | 89.73            | --             | --          | AV       | 130.00         | 400         | Vertical | N/A     |
| 5   | 7417.163        | 47.34            | 74.0           | 26.66       | Peak     | 215.00         | 150         | Vertical | Pass    |
| 5** | 7417.163        | 37.47            | 54.0           | 16.53       | AV       | 215.00         | 150         | Vertical | Pass    |
| 6   | 11598.850       | 50.43            | 74.0           | 23.57       | Peak     | 360.00         | 150         | Vertical | Pass    |
| 6** | 11598.850       | 46.08            | 54.0           | 7.92        | AV       | 360.00         | 150         | Vertical | Pass    |

## 11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 1175.100        | 38.78            | 74.0           | 35.22       | Peak     | 179.00         | 100         | Horizontal | Pass    |
| 1** | 1175.100        | 29.42            | 54.0           | 24.58       | AV       | 179.00         | 100         | Horizontal | Pass    |
| 2   | 2752.600        | 42.90            | 74.0           | 31.10       | Peak     | 105.00         | 200         | Horizontal | Pass    |
| 2** | 2752.600        | 34.11            | 54.0           | 19.89       | AV       | 105.00         | 200         | Horizontal | Pass    |
| 3   | 4359.600        | 45.17            | 74.0           | 28.83       | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 3** | 4359.600        | 35.81            | 54.0           | 18.19       | AV       | 0.00           | 200         | Horizontal | Pass    |
| 4   | 5790.200        | 97.77            | --             | --          | Peak     | 360.00         | 200         | Horizontal | N/A     |
| 4** | 5790.200        | 87.97            | --             | --          | AV       | 360.00         | 200         | Horizontal | N/A     |
| 5   | 7180.837        | 50.67            | 68.2           | 17.53       | Peak     | 82.00          | 150         | Horizontal | Pass    |
| 5** | 7180.837        | 42.58            | --             | --          | AV       | 82.00          | 150         | Horizontal | N/A     |
| 6   | 11045.701       | 50.21            | 74.0           | 23.79       | Peak     | 333.00         | 150         | Horizontal | Pass    |
| 6** | 11045.701       | 43.03            | 54.0           | 10.97       | AV       | 333.00         | 150         | Horizontal | Pass    |

## 11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

RSE (SRD)\_FCC Part 15E\_FCC 15.407(5.725-5.85)\_1GHz-18GHz



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 1331.200        | 40.81            | 74.0           | 33.19       | Peak     | 253.00         | 200         | Vertical | Pass    |
| 1** | 1331.200        | 29.72            | 54.0           | 24.28       | AV       | 253.00         | 200         | Vertical | Pass    |
| 2   | 2793.600        | 44.36            | 74.0           | 29.64       | Peak     | 59.00          | 100         | Vertical | Pass    |
| 2** | 2793.600        | 35.82            | 54.0           | 18.18       | AV       | 59.00          | 100         | Vertical | Pass    |
| 3   | 3942.200        | 44.83            | 74.0           | 29.17       | Peak     | 253.00         | 200         | Vertical | Pass    |
| 3** | 3942.200        | 34.64            | 54.0           | 19.36       | AV       | 253.00         | 200         | Vertical | Pass    |
| 4   | 5781.200        | 95.90            | --             | --          | Peak     | 123.00         | 300         | Vertical | N/A     |
| 4** | 5781.200        | 87.07            | --             | --          | AV       | 123.00         | 300         | Vertical | N/A     |
| 5   | 7181.125        | 49.16            | 68.2           | 19.04       | Peak     | 0.00           | 150         | Vertical | Pass    |
| 5** | 7181.125        | 40.14            | --             | --          | AV       | 0.00           | 150         | Vertical | N/A     |
| 6   | 11043.974       | 50.62            | 74.0           | 23.38       | Peak     | 324.00         | 150         | Vertical | Pass    |
| 6** | 11043.974       | 41.50            | 54.0           | 12.50       | AV       | 324.00         | 150         | Vertical | Pass    |

## A.6.2 Band Edge (Restricted-band)


| Test Band | Mode               | Channel | Verdict |
|-----------|--------------------|---------|---------|
| U-NII-1   | 802.11a            | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11n(HT20)      | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11n(HT40)      | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11ac(VHT20)    | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11ac(VHT40)    | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11ac(VHT80)    | Middle  | Pass    |
|           | 802.11ax(HE20)(SU) | Low     | Pass    |
|           |                    | High    | Pass    |
| U-NII-2A  | 802.11a            | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11n(HT20)      | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11n(HT40)      | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11ac(VHT20)    | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11ac(VHT40)    | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11ac(VHT80)    | Middle  | Pass    |
|           | 802.11ax(HE20)(SU) | Low     | Pass    |
|           |                    | High    | Pass    |
| U-NII-2C  | 802.11a            | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11n(HT20)      | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11n(HT40)      | Low     | Pass    |
|           |                    | High    | Pass    |
|           | 802.11ac(VHT20)    | Low     | Pass    |
|           |                    | High    | Pass    |

|         |                    |        |      |
|---------|--------------------|--------|------|
|         | 802.11ac(VHT40)    | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ac(VHT80)    | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ax(HE20)(SU) | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ax(HE40)(SU) | Low    | Pass |
|         |                    | High   | Pass |
| U-NII-3 | 802.11a            | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11n(HT20)      | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11n(HT40)      | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ac(VHT20)    | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ac(VHT40)    | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ac(VHT80)    | Middle | Pass |
|         | 802.11ax(HE20)(SU) | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ax(HE40)(SU) | Low    | Pass |
|         |                    | High   | Pass |
|         | 802.11ax(HE80)(SU) | Middle | Pass |

Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


### Test Data and Plots

#### U-NII-1 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4840.925        | 54.00            | 74.0           | 20.00       | Peak     | 221.00         | 300         | Horizontal | Pass    |
| 1** | 4840.925        | 43.05            | 54.0           | 10.95       | AV       | 221.00         | 300         | Horizontal | Pass    |
| 2   | 5150.000        | 52.14            | 74.0           | 21.86       | Peak     | 63.00          | 300         | Horizontal | Pass    |
| 2** | 5150.000        | 42.79            | 54.0           | 11.21       | AV       | 63.00          | 300         | Horizontal | Pass    |

## U-NII-1 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 51.04            | 74.0           | 22.96       | Peak     | 152.00         | 100         | Horizontal | Pass    |
| 1** | 5350.000        | 40.66            | 54.0           | 13.34       | AV       | 152.00         | 100         | Horizontal | Pass    |
| 2   | 5367.234        | 55.61            | 74.0           | 18.39       | Peak     | 188.00         | 300         | Horizontal | Pass    |
| 2** | 5367.234        | 41.78            | 54.0           | 12.22       | AV       | 188.00         | 300         | Horizontal | Pass    |

## U-NII-1 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4852.625        | 53.84            | 74.0           | 20.16       | Peak     | 146.00         | 100         | Horizontal | Pass    |
| 1** | 4852.625        | 42.83            | 54.0           | 11.17       | AV       | 146.00         | 100         | Horizontal | Pass    |
| 2   | 5150.000        | 52.66            | 74.0           | 21.34       | Peak     | 202.00         | 400         | Horizontal | Pass    |
| 2** | 5150.000        | 42.50            | 54.0           | 11.50       | AV       | 202.00         | 400         | Horizontal | Pass    |

## U-NII-1 11n20 High Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 50.81            | 74.0           | 23.19       | Peak     | 198.00         | 400         | Horizontal | Pass    |
| 1** | 5350.000        | 40.64            | 54.0           | 13.36       | AV       | 198.00         | 400         | Horizontal | Pass    |
| 2   | 5381.717        | 54.16            | 74.0           | 19.84       | Peak     | 134.00         | 200         | Horizontal | Pass    |
| 2** | 5381.717        | 42.74            | 54.0           | 11.26       | AV       | 134.00         | 200         | Horizontal | Pass    |

## U-NII-1 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5146.425        | 65.29            | 74.0           | 8.71        | Peak     | 335.00         | 100         | Horizontal | Pass    |
| 1** | 5146.425        | 49.57            | 54.0           | 4.43        | AV       | 335.00         | 100         | Horizontal | Pass    |
| 2   | 5150.000        | 69.33            | 74.0           | 4.67        | Peak     | 5.00           | 200         | Horizontal | Pass    |
| 2** | 5150.000        | 48.24            | 54.0           | 5.76        | AV       | 5.00           | 200         | Horizontal | Pass    |

## U-NII-1 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 51.49            | 74.0           | 22.51       | Peak     | 175.00         | 400         | Horizontal | Pass    |
| 1** | 5350.000        | 40.60            | 54.0           | 13.40       | AV       | 175.00         | 400         | Horizontal | Pass    |
| 2   | 5375.117        | 54.16            | 74.0           | 19.84       | Peak     | 254.00         | 200         | Horizontal | Pass    |
| 2** | 5375.117        | 42.52            | 54.0           | 11.48       | AV       | 254.00         | 200         | Horizontal | Pass    |

## U-NII-1 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5149.025        | 66.69            | 74.0           | 7.31        | Peak     | 61.00          | 200         | Horizontal | Pass    |
| 1** | 5149.025        | 49.24            | 54.0           | 4.76        | AV       | 61.00          | 200         | Horizontal | Pass    |
| 2   | 5150.000        | 66.94            | 74.0           | 7.06        | Peak     | 27.00          | 300         | Horizontal | Pass    |
| 2** | 5150.000        | 49.99            | 54.0           | 4.01        | AV       | 27.00          | 300         | Horizontal | Pass    |

## U-NII-1 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 50.97            | 74.0           | 23.03       | Peak     | 162.00         | 200         | Horizontal | Pass    |
| 1** | 5350.000        | 40.82            | 54.0           | 13.18       | AV       | 162.00         | 200         | Horizontal | Pass    |
| 2   | 5375.850        | 54.79            | 74.0           | 19.21       | Peak     | 273.00         | 400         | Horizontal | Pass    |
| 2** | 5375.850        | 42.65            | 54.0           | 11.35       | AV       | 273.00         | 400         | Horizontal | Pass    |

## U-NII-1 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5147.400        | 67.19            | 74.0           | 6.81        | Peak     | 0.00           | 200         | Horizontal | Pass    |
| 1** | 5147.400        | 48.65            | 54.0           | 5.35        | AV       | 0.00           | 200         | Horizontal | Pass    |
| 2   | 5150.000        | 63.49            | 74.0           | 10.51       | Peak     | 68.00          | 100         | Horizontal | Pass    |
| 2** | 5150.000        | 50.12            | 54.0           | 3.88        | AV       | 68.00          | 100         | Horizontal | Pass    |

## U-NII-1 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 51.15            | 74.0           | 22.85       | Peak     | 297.00         | 100         | Horizontal | Pass    |
| 1** | 5350.000        | 40.79            | 54.0           | 13.21       | AV       | 297.00         | 100         | Horizontal | Pass    |
| 2   | 5380.800        | 55.88            | 74.0           | 18.12       | Peak     | 297.00         | 400         | Horizontal | Pass    |
| 2** | 5380.800        | 42.79            | 54.0           | 11.21       | AV       | 297.00         | 400         | Horizontal | Pass    |

## U-NII-1 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5128.550        | 61.93            | 74.0           | 12.07       | Peak     | 13.00          | 100         | Horizontal | Pass    |
| 1** | 5128.550        | 50.51            | 54.0           | 3.49        | AV       | 13.00          | 100         | Horizontal | Pass    |
| 2   | 5141.225        | 66.28            | 74.0           | 7.72        | Peak     | 0.00           | 100         | Horizontal | Pass    |
| 2** | 5141.225        | 48.68            | 54.0           | 5.32        | AV       | 0.00           | 100         | Horizontal | Pass    |
| 3   | 5150.000        | 63.91            | 74.0           | 10.09       | Peak     | 9.00           | 200         | Horizontal | Pass    |
| 3** | 5150.000        | 47.41            | 54.0           | 6.59        | AV       | 9.00           | 200         | Horizontal | Pass    |

## U-NII-1 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 56.69            | 74.0           | 17.31       | Peak     | 163.00         | 400         | Horizontal | Pass    |
| 1** | 5350.000        | 43.64            | 54.0           | 10.36       | AV       | 163.00         | 400         | Horizontal | Pass    |
| 2   | 5356.233        | 57.01            | 74.0           | 16.99       | Peak     | 187.00         | 100         | Horizontal | Pass    |
| 2** | 5356.233        | 43.12            | 54.0           | 10.88       | AV       | 187.00         | 100         | Horizontal | Pass    |

## U-NII-1 11ax20(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5148.375        | 66.67            | 74.0           | 7.33        | Peak     | 21.00          | 400         | Horizontal | Pass    |
| 1** | 5148.375        | 46.73            | 54.0           | 7.27        | AV       | 21.00          | 400         | Horizontal | Pass    |
| 2   | 5150.000        | 63.94            | 74.0           | 10.06       | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 2** | 5150.000        | 47.42            | 54.0           | 6.58        | AV       | 0.00           | 400         | Horizontal | Pass    |

## U-NII-1 11ax20(SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 50.60            | 74.0           | 23.40       | Peak     | 229.00         | 200         | Horizontal | Pass    |
| 1** | 5350.000        | 40.69            | 54.0           | 13.31       | AV       | 229.00         | 200         | Horizontal | Pass    |
| 2   | 5381.350        | 54.37            | 74.0           | 19.63       | Peak     | 0.00           | 300         | Horizontal | Pass    |
| 2** | 5381.350        | 42.82            | 54.0           | 11.18       | AV       | 0.00           | 300         | Horizontal | Pass    |

## U-NII-1 11ax40(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5149.350        | 66.96            | 74.0           | 7.04        | Peak     | 334.00         | 400         | Horizontal | Pass    |
| 1** | 5149.350        | 48.01            | 54.0           | 5.99        | AV       | 334.00         | 400         | Horizontal | Pass    |
| 2   | 5150.000        | 64.59            | 74.0           | 9.41        | Peak     | 24.00          | 300         | Horizontal | Pass    |
| 2** | 5150.000        | 47.48            | 54.0           | 6.52        | AV       | 24.00          | 300         | Horizontal | Pass    |

## U-NII-1 11ax40(SU) High Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 51.96            | 74.0           | 22.04       | Peak     | 86.00          | 100         | Horizontal | Pass    |
| 1** | 5350.000        | 40.67            | 54.0           | 13.33       | AV       | 86.00          | 100         | Horizontal | Pass    |
| 2   | 5376.217        | 54.26            | 74.0           | 19.74       | Peak     | 159.00         | 400         | Horizontal | Pass    |
| 2** | 5376.217        | 42.76            | 54.0           | 11.24       | AV       | 159.00         | 400         | Horizontal | Pass    |

## U-NII-1 11ax80(SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5128.875        | 61.34            | 74.0           | 12.66       | Peak     | 341.00         | 100         | Horizontal | Pass    |
| 1** | 5128.875        | 50.36            | 54.0           | 3.64        | AV       | 341.00         | 100         | Horizontal | Pass    |
| 2   | 5148.375        | 65.05            | 74.0           | 8.95        | Peak     | 346.00         | 100         | Horizontal | Pass    |
| 2** | 5148.375        | 47.33            | 54.0           | 6.67        | AV       | 346.00         | 100         | Horizontal | Pass    |
| 3   | 5150.000        | 62.60            | 74.0           | 11.40       | Peak     | 11.00          | 300         | Horizontal | Pass    |
| 3** | 5150.000        | 47.36            | 54.0           | 6.64        | AV       | 11.00          | 300         | Horizontal | Pass    |

## U-NII-1 11ax80(SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 51.30            | 74.0           | 22.70       | Peak     | 245.00         | 300         | Horizontal | Pass    |
| 1** | 5350.000        | 41.74            | 54.0           | 12.26       | AV       | 245.00         | 300         | Horizontal | Pass    |
| 2   | 5370.533        | 54.62            | 74.0           | 19.38       | Peak     | 239.00         | 400         | Horizontal | Pass    |
| 2** | 5370.533        | 42.41            | 54.0           | 11.59       | AV       | 239.00         | 400         | Horizontal | Pass    |

## U-NII-2A 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4854.250        | 54.87            | 74.0           | 19.13       | Peak     | 171.00         | 200         | Horizontal | Pass    |
| 1** | 4854.250        | 42.83            | 54.0           | 11.17       | AV       | 171.00         | 200         | Horizontal | Pass    |
| 2   | 5150.000        | 53.43            | 74.0           | 20.57       | Peak     | 295.00         | 200         | Horizontal | Pass    |
| 2** | 5150.000        | 42.57            | 54.0           | 11.43       | AV       | 295.00         | 200         | Horizontal | Pass    |

## U-NII-2A 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 66.35            | 74.0           | 7.65        | Peak     | 235.00         | 300         | Horizontal | Pass    |
| 1** | 5350.000        | 45.12            | 54.0           | 8.88        | AV       | 235.00         | 300         | Horizontal | Pass    |
| 2   | 5350.550        | 67.00            | 74.0           | 7.00        | Peak     | 195.00         | 300         | Horizontal | Pass    |
| 2** | 5350.550        | 45.79            | 54.0           | 8.21        | AV       | 195.00         | 300         | Horizontal | Pass    |

## U-NII-2A 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5089.225        | 53.58            | 74.0           | 20.42       | Peak     | 282.00         | 100         | Horizontal | Pass    |
| 1** | 5089.225        | 42.47            | 54.0           | 11.53       | AV       | 282.00         | 100         | Horizontal | Pass    |
| 2   | 5150.000        | 52.12            | 74.0           | 21.88       | Peak     | 356.00         | 300         | Horizontal | Pass    |
| 2** | 5150.000        | 42.81            | 54.0           | 11.19       | AV       | 356.00         | 300         | Horizontal | Pass    |

## U-NII-2A 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 67.41            | 74.0           | 6.59        | Peak     | 343.00         | 400         | Horizontal | Pass    |
| 1** | 5350.000        | 50.62            | 54.0           | 3.38        | AV       | 343.00         | 400         | Horizontal | Pass    |
| 2   | 5350.733        | 70.84            | 74.0           | 3.16        | Peak     | 343.00         | 200         | Horizontal | Pass    |
| 2** | 5350.733        | 50.72            | 54.0           | 3.28        | AV       | 343.00         | 200         | Horizontal | Pass    |

## U-NII-2A 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4851.975        | 54.86            | 74.0           | 19.14       | Peak     | 36.00          | 100         | Horizontal | Pass    |
| 1** | 4851.975        | 42.82            | 54.0           | 11.18       | AV       | 36.00          | 100         | Horizontal | Pass    |
| 2   | 5150.000        | 52.10            | 74.0           | 21.90       | Peak     | 240.00         | 200         | Horizontal | Pass    |
| 2** | 5150.000        | 43.03            | 54.0           | 10.97       | AV       | 240.00         | 200         | Horizontal | Pass    |

## U-NII-2A 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 66.47            | 74.0           | 7.53        | Peak     | 348.00         | 100         | Horizontal | Pass    |
| 1** | 5350.000        | 49.01            | 54.0           | 4.99        | AV       | 348.00         | 100         | Horizontal | Pass    |
| 2   | 5350.183        | 68.51            | 74.0           | 5.49        | Peak     | 81.00          | 400         | Horizontal | Pass    |
| 2** | 5350.183        | 49.51            | 54.0           | 4.49        | AV       | 81.00          | 400         | Horizontal | Pass    |

## U-NII-2A 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4847.425        | 54.86            | 74.0           | 19.14       | Peak     | 290.00         | 400         | Horizontal | Pass    |
| 1** | 4847.425        | 42.98            | 54.0           | 11.02       | AV       | 290.00         | 400         | Horizontal | Pass    |
| 2   | 5150.000        | 52.16            | 74.0           | 21.84       | Peak     | 119.00         | 300         | Horizontal | Pass    |
| 2** | 5150.000        | 42.88            | 54.0           | 11.12       | AV       | 119.00         | 300         | Horizontal | Pass    |

## U-NII-2A 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 65.69            | 74.0           | 8.31        | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 1** | 5350.000        | 49.78            | 54.0           | 4.22        | AV       | 0.00           | 400         | Horizontal | Pass    |
| 2   | 5350.550        | 69.15            | 74.0           | 4.85        | Peak     | 76.00          | 300         | Horizontal | Pass    |
| 2** | 5350.550        | 49.64            | 54.0           | 4.36        | AV       | 76.00          | 300         | Horizontal | Pass    |
| 3   | 5350.917        | 68.24            | 74.0           | 5.76        | Peak     | 73.00          | 100         | Horizontal | Pass    |
| 3** | 5350.917        | 49.83            | 54.0           | 4.17        | AV       | 73.00          | 100         | Horizontal | Pass    |

## U-NII-2A 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4849.700        | 54.01            | 74.0           | 19.99       | Peak     | 0.00           | 300         | Horizontal | Pass    |
| 1** | 4849.700        | 42.91            | 54.0           | 11.09       | AV       | 0.00           | 300         | Horizontal | Pass    |
| 2   | 5150.000        | 53.07            | 74.0           | 20.93       | Peak     | 169.00         | 200         | Horizontal | Pass    |
| 2** | 5150.000        | 42.47            | 54.0           | 11.53       | AV       | 169.00         | 200         | Horizontal | Pass    |

## U-NII-2A 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 66.64            | 74.0           | 7.36        | Peak     | 65.00          | 300         | Horizontal | Pass    |
| 1** | 5350.000        | 49.21            | 54.0           | 4.79        | AV       | 65.00          | 300         | Horizontal | Pass    |
| 2   | 5350.183        | 68.49            | 74.0           | 5.51        | Peak     | 346.00         | 400         | Horizontal | Pass    |
| 2** | 5350.183        | 48.92            | 54.0           | 5.08        | AV       | 346.00         | 400         | Horizontal | Pass    |
| 3   | 5352.383        | 66.12            | 74.0           | 7.88        | Peak     | 12.00          | 100         | Horizontal | Pass    |
| 3** | 5352.383        | 49.51            | 54.0           | 4.49        | AV       | 12.00          | 100         | Horizontal | Pass    |

## U-NII-2A 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5149.350        | 58.04            | 74.0           | 15.96       | Peak     | 233.00         | 300         | Horizontal | Pass    |
| 1** | 5149.350        | 44.79            | 54.0           | 9.21        | AV       | 233.00         | 300         | Horizontal | Pass    |
| 2   | 5150.000        | 56.90            | 74.0           | 17.10       | Peak     | 185.00         | 200         | Horizontal | Pass    |
| 2** | 5150.000        | 44.77            | 54.0           | 9.23        | AV       | 185.00         | 200         | Horizontal | Pass    |

## U-NII-2A 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 64.20            | 74.0           | 9.80        | Peak     | 163.00         | 300         | Horizontal | Pass    |
| 1** | 5350.000        | 45.92            | 54.0           | 8.08        | AV       | 163.00         | 300         | Horizontal | Pass    |
| 2   | 5350.183        | 67.29            | 74.0           | 6.71        | Peak     | 67.00          | 300         | Horizontal | Pass    |
| 2** | 5350.183        | 45.56            | 54.0           | 8.44        | AV       | 67.00          | 300         | Horizontal | Pass    |
| 3   | 5373.467        | 62.77            | 74.0           | 11.23       | Peak     | 6.00           | 100         | Horizontal | Pass    |
| 3** | 5373.467        | 48.77            | 54.0           | 5.23        | AV       | 6.00           | 100         | Horizontal | Pass    |

## U-NII-2A 11ax20(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4822.075        | 54.24            | 74.0           | 19.76       | Peak     | 278.00         | 200         | Horizontal | Pass    |
| 1** | 4822.075        | 42.31            | 54.0           | 11.69       | AV       | 278.00         | 200         | Horizontal | Pass    |
| 2   | 5150.000        | 52.07            | 74.0           | 21.93       | Peak     | 143.00         | 300         | Horizontal | Pass    |
| 2** | 5150.000        | 42.84            | 54.0           | 11.16       | AV       | 143.00         | 300         | Horizontal | Pass    |
| 3   | 4848.400        | 52.12            | 74.0           | 21.88       | Peak     | 0.00           | 100         | Horizontal | Pass    |
| 3** | 4848.400        | 43.49            | 54.0           | 10.51       | AV       | 0.00           | 100         | Horizontal | Pass    |

## U-NII-2A 11ax20(SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 51.00            | 74.0           | 23.00       | Peak     | 107.00         | 400         | Horizontal | Pass    |
| 1** | 5350.000        | 40.76            | 54.0           | 13.24       | AV       | 107.00         | 400         | Horizontal | Pass    |
| 2   | 5373.283        | 54.44            | 74.0           | 19.56       | Peak     | 5.00           | 200         | Horizontal | Pass    |
| 2** | 5373.283        | 42.51            | 54.0           | 11.49       | AV       | 5.00           | 200         | Horizontal | Pass    |

## U-NII-2A 11ax40(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4840.600        | 53.83            | 74.0           | 20.17       | Peak     | 245.00         | 400         | Horizontal | Pass    |
| 1** | 4840.600        | 43.04            | 54.0           | 10.96       | AV       | 245.00         | 400         | Horizontal | Pass    |
| 2   | 5150.000        | 52.57            | 74.0           | 21.43       | Peak     | 309.00         | 400         | Horizontal | Pass    |
| 2** | 5150.000        | 42.72            | 54.0           | 11.28       | AV       | 309.00         | 400         | Horizontal | Pass    |
| 3   | 4850.350        | 52.04            | 74.0           | 21.96       | Peak     | 11.00          | 100         | Horizontal | Pass    |
| 3** | 4850.350        | 43.39            | 54.0           | 10.61       | AV       | 11.00          | 100         | Horizontal | Pass    |

## U-NII-2A 11ax40(SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 53.03            | 74.0           | 20.97       | Peak     | 183.00         | 300         | Horizontal | Pass    |
| 1** | 5350.000        | 41.80            | 54.0           | 12.20       | AV       | 183.00         | 300         | Horizontal | Pass    |
| 2   | 5381.900        | 54.63            | 74.0           | 19.37       | Peak     | 0.00           | 400         | Horizontal | Pass    |
| 2** | 5381.900        | 43.03            | 54.0           | 10.97       | AV       | 0.00           | 400         | Horizontal | Pass    |

## U-NII-2A 11ax80(SU) Middle Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 4858.800        | 53.76            | 74.0           | 20.24       | Peak     | 75.00          | 400         | Horizontal | Pass    |
| 1** | 4858.800        | 42.30            | 54.0           | 11.70       | AV       | 75.00          | 400         | Horizontal | Pass    |
| 2   | 5150.000        | 52.86            | 74.0           | 21.14       | Peak     | 243.00         | 100         | Horizontal | Pass    |
| 2** | 5150.000        | 42.51            | 54.0           | 11.49       | AV       | 243.00         | 100         | Horizontal | Pass    |

## U-NII-2A 11ax80(SU) Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5350.000        | 57.49            | 74.0           | 16.51       | Peak     | 191.00         | 100         | Horizontal | Pass    |
| 1** | 5350.000        | 42.37            | 54.0           | 11.63       | AV       | 191.00         | 100         | Horizontal | Pass    |
| 2   | 5351.283        | 59.84            | 74.0           | 14.16       | Peak     | 188.00         | 200         | Horizontal | Pass    |
| 2** | 5351.283        | 42.58            | 54.0           | 11.42       | AV       | 188.00         | 200         | Horizontal | Pass    |

## U-NII-2C 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5459.000        | 59.66            | 74.0           | 14.34       | Peak     | 87.00          | 300         | Horizontal | Pass    |
| 1** | 5459.000        | 42.37            | 54.0           | 11.63       | AV       | 87.00          | 300         | Horizontal | Pass    |
| 2   | 5460.000        | 54.79            | 74.0           | 19.21       | Peak     | 104.00         | 400         | Horizontal | Pass    |
| 2** | 5460.000        | 42.38            | 54.0           | 11.62       | AV       | 104.00         | 400         | Horizontal | Pass    |
| 3   | 5467.800        | 62.20            | 68.2           | 6.00        | Peak     | 98.00          | 300         | Horizontal | Pass    |
| 3** | 5467.800        | 44.38            | --             | --          | AV       | 98.00          | 300         | Horizontal | N/A     |
| 4   | 5470.000        | 62.11            | 68.2           | 6.09        | Peak     | 80.00          | 400         | Horizontal | Pass    |
| 4** | 5470.000        | 44.70            | --             | --          | AV       | 80.00          | 400         | Horizontal | N/A     |

## U-NII-2C 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 61.89            | 68.2           | 6.31        | Peak     | 353.00         | 100         | Horizontal | Pass    |
| 2   | 5725.625        | 65.20            | 68.2           | 3.00        | Peak     | 352.00         | 400         | Horizontal | Pass    |

## U-NII-2C 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5455.000        | 58.10            | 74.0           | 15.90       | Peak     | 61.00          | 200         | Horizontal | Pass    |
| 1** | 5455.000        | 42.54            | 54.0           | 11.46       | AV       | 61.00          | 200         | Horizontal | Pass    |
| 2   | 5460.000        | 54.97            | 74.0           | 19.03       | Peak     | 26.00          | 200         | Horizontal | Pass    |
| 2** | 5460.000        | 42.81            | 54.0           | 11.19       | AV       | 26.00          | 200         | Horizontal | Pass    |
| 3   | 5469.800        | 64.06            | 68.2           | 4.14        | Peak     | 13.00          | 400         | Horizontal | Pass    |
| 3** | 5469.800        | 45.09            | --             | --          | AV       | 13.00          | 400         | Horizontal | N/A     |
| 4   | 5470.000        | 61.89            | 68.2           | 6.31        | Peak     | 80.00          | 200         | Horizontal | Pass    |
| 4** | 5470.000        | 45.30            | --             | --          | AV       | 80.00          | 200         | Horizontal | N/A     |

## U-NII-2C 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 61.83            | 68.2           | 6.37        | Peak     | 352.00         | 100         | Horizontal | Pass    |
| 2   | 5726.250        | 65.07            | 68.2           | 3.13        | Peak     | 352.00         | 200         | Horizontal | Pass    |

## U-NII-2C 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5455.800        | 56.61            | 74.0           | 17.39       | Peak     | 16.00          | 400         | Horizontal | Pass    |
| 1** | 5455.800        | 42.00            | 54.0           | 12.00       | AV       | 16.00          | 400         | Horizontal | Pass    |
| 2   | 5460.000        | 56.78            | 74.0           | 17.22       | Peak     | 280.00         | 300         | Horizontal | Pass    |
| 2** | 5460.000        | 42.12            | 54.0           | 11.88       | AV       | 280.00         | 300         | Horizontal | Pass    |
| 3   | 5468.800        | 62.89            | 68.2           | 5.31        | Peak     | 16.00          | 400         | Horizontal | Pass    |
| 3** | 5468.800        | 43.19            | --             | --          | AV       | 16.00          | 400         | Horizontal | N/A     |
| 4   | 5470.000        | 56.68            | 68.2           | 11.52       | Peak     | 13.00          | 100         | Horizontal | Pass    |
| 4** | 5470.000        | 44.02            | --             | --          | AV       | 13.00          | 100         | Horizontal | N/A     |

## U-NII-2C 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 60.81            | 68.2           | 7.39        | Peak     | 353.00         | 100         | Horizontal | Pass    |
| 2   | 5725.625        | 63.89            | 68.2           | 4.31        | Peak     | 353.00         | 400         | Horizontal | Pass    |

## U-NII-2C 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5459.600        | 59.48            | 74.0           | 14.52       | Peak     | 64.00          | 400         | Horizontal | Pass    |
| 1** | 5459.600        | 42.86            | 54.0           | 11.14       | AV       | 64.00          | 400         | Horizontal | Pass    |
| 2   | 5460.000        | 59.05            | 74.0           | 14.95       | Peak     | 64.00          | 100         | Horizontal | Pass    |
| 2** | 5460.000        | 43.52            | 54.0           | 10.48       | AV       | 64.00          | 100         | Horizontal | Pass    |
| 3   | 5469.800        | 64.57            | 68.2           | 3.63        | Peak     | 274.00         | 100         | Horizontal | Pass    |
| 3** | 5469.800        | 45.08            | --             | --          | AV       | 274.00         | 100         | Horizontal | N/A     |
| 4   | 5470.000        | 63.31            | 68.2           | 4.89        | Peak     | 256.00         | 100         | Horizontal | Pass    |
| 4** | 5470.000        | 45.08            | --             | --          | AV       | 256.00         | 100         | Horizontal | N/A     |

## U-NII-2C 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 60.51            | 68.2           | 7.69        | Peak     | 285.00         | 400         | Horizontal | Pass    |
| 2   | 5726.875        | 64.20            | 68.2           | 4.00        | Peak     | 357.00         | 200         | Horizontal | Pass    |

## U-NII-2C 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5459.600        | 58.93            | 74.0           | 15.07       | Peak     | 24.00          | 200         | Horizontal | Pass    |
| 1** | 5459.600        | 42.93            | 54.0           | 11.07       | AV       | 24.00          | 200         | Horizontal | Pass    |
| 2   | 5460.000        | 56.66            | 74.0           | 17.34       | Peak     | 24.00          | 100         | Horizontal | Pass    |
| 2** | 5460.000        | 43.02            | 54.0           | 10.98       | AV       | 24.00          | 100         | Horizontal | Pass    |
| 3   | 5469.600        | 62.85            | 68.2           | 5.35        | Peak     | 71.00          | 100         | Horizontal | Pass    |
| 3** | 5469.600        | 43.91            | --             | --          | AV       | 71.00          | 100         | Horizontal | N/A     |
| 4   | 5470.000        | 61.83            | 68.2           | 6.37        | Peak     | 60.00          | 400         | Horizontal | Pass    |
| 4** | 5470.000        | 43.88            | --             | --          | AV       | 60.00          | 400         | Horizontal | N/A     |

## U-NII-2C 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 61.54            | 68.2           | 6.66        | Peak     | 357.00         | 200         | Horizontal | Pass    |
| 2   | 5737.083        | 63.63            | 68.2           | 4.57        | Peak     | 357.00         | 400         | Horizontal | Pass    |

## U-NII-2C 11ac80 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5441.000        | 60.09            | 74.0           | 13.91       | Peak     | 15.00          | 300         | Horizontal | Pass    |
| 1** | 5441.000        | 43.74            | 54.0           | 10.26       | AV       | 15.00          | 300         | Horizontal | Pass    |
| 2   | 5460.000        | 58.83            | 74.0           | 15.17       | Peak     | 260.00         | 300         | Horizontal | Pass    |
| 2** | 5460.000        | 44.36            | 54.0           | 9.64        | AV       | 260.00         | 300         | Horizontal | Pass    |
| 3   | 5469.000        | 63.88            | 68.2           | 4.32        | Peak     | 15.00          | 200         | Horizontal | Pass    |
| 3** | 5469.000        | 44.13            | --             | --          | AV       | 15.00          | 200         | Horizontal | N/A     |
| 4   | 5470.000        | 61.91            | 68.2           | 6.29        | Peak     | 60.00          | 300         | Horizontal | Pass    |
| 4** | 5470.000        | 44.65            | --             | --          | AV       | 60.00          | 300         | Horizontal | N/A     |

## U-NII-2C 11ac80 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 58.46            | 68.2           | 9.74        | Peak     | 171.00         | 400         | Horizontal | Pass    |
| 2   | 5725.209        | 63.56            | 68.2           | 4.64        | Peak     | 173.00         | 400         | Horizontal | Pass    |

## U-NII-2C 11ax20(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5381.600        | 54.23            | 74.0           | 19.77       | Peak     | 0.00           | 100         | Horizontal | Pass    |
| 1** | 5381.600        | 42.89            | 54.0           | 11.11       | AV       | 0.00           | 100         | Horizontal | Pass    |
| 2   | 5460.000        | 52.04            | 74.0           | 21.96       | Peak     | 70.00          | 100         | Horizontal | Pass    |
| 2** | 5460.000        | 42.12            | 54.0           | 11.88       | AV       | 70.00          | 100         | Horizontal | Pass    |
| 3   | 5466.000        | 54.18            | 68.2           | 14.02       | Peak     | 208.00         | 100         | Horizontal | Pass    |
| 3** | 5466.000        | 43.06            | --             | --          | AV       | 208.00         | 100         | Horizontal | N/A     |
| 4   | 5470.000        | 53.51            | 68.2           | 14.69       | Peak     | 243.00         | 200         | Horizontal | Pass    |
| 4** | 5470.000        | 43.34            | --             | --          | AV       | 243.00         | 200         | Horizontal | N/A     |

## U-NII-2C 11ax20(SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 52.59            | 68.2           | 15.61       | Peak     | 351.00         | 200         | Horizontal | Pass    |
| 2   | 5845.625        | 55.17            | 68.2           | 13.03       | Peak     | 145.00         | 100         | Horizontal | Pass    |

## U-NII-2C 11ax40(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5457.800        | 58.08            | 74.0           | 15.92       | Peak     | 60.00          | 400         | Horizontal | Pass    |
| 1** | 5457.800        | 43.17            | 54.0           | 10.83       | AV       | 60.00          | 400         | Horizontal | Pass    |
| 2   | 5460.000        | 56.61            | 74.0           | 17.39       | Peak     | 15.00          | 400         | Horizontal | Pass    |
| 2** | 5460.000        | 42.95            | 54.0           | 11.05       | AV       | 15.00          | 400         | Horizontal | Pass    |
| 3   | 5466.000        | 62.33            | 68.2           | 5.87        | Peak     | 15.00          | 400         | Horizontal | Pass    |
| 3** | 5466.000        | 44.06            | --             | --          | AV       | 15.00          | 400         | Horizontal | N/A     |
| 4   | 5470.000        | 61.26            | 68.2           | 6.94        | Peak     | 261.00         | 200         | Horizontal | Pass    |
| 4** | 5470.000        | 44.36            | --             | --          | AV       | 261.00         | 200         | Horizontal | N/A     |

## U-NII-2C 11ax40(SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5725.000        | 61.81            | 68.2           | 6.39        | Peak     | 360.00         | 100         | Horizontal | Pass    |
| 2   | 5726.042        | 64.68            | 68.2           | 3.52        | Peak     | 360.00         | 300         | Horizontal | Pass    |

## U-NII-2C 11ax80(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5430.000        | 60.74            | 74.0           | 13.26       | Peak     | 284.00         | 100         | Horizontal | Pass    |
| 1** | 5430.000        | 44.36            | 54.0           | 9.64        | AV       | 284.00         | 100         | Horizontal | Pass    |
| 2   | 5460.000        | 57.69            | 74.0           | 16.31       | Peak     | 68.00          | 300         | Horizontal | Pass    |
| 2** | 5460.000        | 44.53            | 54.0           | 9.47        | AV       | 68.00          | 300         | Horizontal | Pass    |
| 3   | 5465.800        | 62.59            | 68.2           | 5.61        | Peak     | 14.00          | 100         | Horizontal | Pass    |
| 3** | 5465.800        | 44.20            | --             | --          | AV       | 14.00          | 100         | Horizontal | N/A     |
| 4   | 5470.000        | 60.58            | 68.2           | 7.62        | Peak     | 79.00          | 100         | Horizontal | Pass    |
| 4** | 5470.000        | 44.19            | --             | --          | AV       | 79.00          | 100         | Horizontal | N/A     |

## U-NII-2C 11ax80(SU) High Channel




| No. | Frequency<br>(MHz) | Results<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Detector | Table<br>(Degree) | Height<br>(cm) | Antenna    | Verdict |
|-----|--------------------|---------------------|-------------------|----------------|----------|-------------------|----------------|------------|---------|
| 1   | 5725.000           | 53.49               | 68.2              | 14.71          | Peak     | 0.00              | 300            | Horizontal | Pass    |
| 2   | 5725.209           | 56.34               | 68.2              | 11.86          | Peak     | 16.00             | 200            | Horizontal | Pass    |

## U-NII-3 11a Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5646.042        | 54.27            | 68.2           | 13.93       | Peak     | 130.00         | 300         | Horizontal | Pass    |
| 2   | 5650.000        | 53.81            | 68.2           | 14.39       | Peak     | 263.00         | 100         | Horizontal | Pass    |

## U-NII-3 11a High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 52.98            | 68.4           | 15.42       | Peak     | 285.00         | 200         | Horizontal | Pass    |
| 2   | 5971.250        | 56.56            | 68.2           | 11.64       | Peak     | 350.00         | 200         | Horizontal | Pass    |

## U-NII-3 11n20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5646.250        | 53.62            | 68.2           | 14.58       | Peak     | 35.00          | 300         | Horizontal | Pass    |
| 2   | 5650.000        | 52.64            | 68.2           | 15.56       | Peak     | 48.00          | 300         | Horizontal | Pass    |

## U-NII-3 11n20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 54.03            | 68.4           | 14.37       | Peak     | 95.00          | 400         | Horizontal | Pass    |
| 2   | 5956.250        | 54.77            | 68.2           | 13.43       | Peak     | 45.00          | 300         | Horizontal | Pass    |

## U-NII-3 11n40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5644.167        | 53.60            | 68.2           | 14.60       | Peak     | 143.00         | 300         | Horizontal | Pass    |
| 2   | 5650.000        | 52.33            | 68.2           | 15.87       | Peak     | 96.00          | 400         | Horizontal | Pass    |

## U-NII-3 11n40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 52.65            | 68.4           | 15.75       | Peak     | 46.00          | 400         | Horizontal | Pass    |
| 2   | 5927.000        | 55.13            | 68.2           | 13.07       | Peak     | 335.00         | 100         | Horizontal | Pass    |

## U-NII-3 11ac20 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5648.958        | 54.03            | 68.2           | 14.17       | Peak     | 177.00         | 400         | Horizontal | Pass    |
| 2   | 5650.000        | 52.19            | 68.2           | 16.01       | Peak     | 229.00         | 300         | Horizontal | Pass    |

## U-NII-3 11ac20 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 52.93            | 68.4           | 15.47       | Peak     | 131.00         | 300         | Horizontal | Pass    |
| 2   | 5967.500        | 55.60            | 68.2           | 12.60       | Peak     | 142.00         | 400         | Horizontal | Pass    |

## U-NII-3 11ac40 Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5647.709        | 54.01            | 68.2           | 14.19       | Peak     | 88.00          | 300         | Horizontal | Pass    |
| 2   | 5650.000        | 52.73            | 68.2           | 15.47       | Peak     | 269.00         | 100         | Horizontal | Pass    |

## U-NII-3 11ac40 High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 52.49            | 68.4           | 15.91       | Peak     | 65.00          | 400         | Horizontal | Pass    |
| 2   | 5970.000        | 55.17            | 68.2           | 13.03       | Peak     | 286.00         | 100         | Horizontal | Pass    |

## U-NII-3 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5642.292        | 60.93            | 68.2           | 7.27        | Peak     | 263.00         | 300         | Horizontal | Pass    |
| 2   | 5650.000        | 60.20            | 68.2           | 8.00        | Peak     | 263.00         | 100         | Horizontal | Pass    |

## U-NII-3 11ac80 Middle Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 57.89            | 68.4           | 10.51       | Peak     | 349.00         | 300         | Horizontal | Pass    |
| 2   | 5926.500        | 60.49            | 68.2           | 7.71        | Peak     | 12.00          | 100         | Horizontal | Pass    |

## U-NII-3 11ax20(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5632.291        | 54.74            | 68.2           | 13.46       | Peak     | 176.00         | 400         | Horizontal | Pass    |
| 2   | 5650.000        | 52.24            | 68.2           | 15.96       | Peak     | 21.00          | 100         | Horizontal | Pass    |

## U-NII-3 11ax20(SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 53.06            | 68.4           | 15.34       | Peak     | 79.00          | 200         | Horizontal | Pass    |
| 2   | 5976.250        | 55.57            | 68.2           | 12.63       | Peak     | 0.00           | 400         | Horizontal | Pass    |

## U-NII-3 11ax40(SU) Low Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5636.042        | 54.03            | 68.2           | 14.17       | Peak     | 157.00         | 400         | Horizontal | Pass    |
| 2   | 5650.000        | 54.32            | 68.2           | 13.88       | Peak     | 145.00         | 200         | Horizontal | Pass    |

## U-NII-3 11ax40(SU) High Channel




| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 53.77            | 68.4           | 14.63       | Peak     | 235.00         | 100         | Horizontal | Pass    |
| 2   | 5934.750        | 55.08            | 68.2           | 13.12       | Peak     | 329.00         | 400         | Horizontal | Pass    |

## U-NII-3 11ax80(SU) Middle Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5640.625        | 55.99            | 68.2           | 12.21       | Peak     | 268.00         | 200         | Horizontal | Pass    |
| 2   | 5650.000        | 56.48            | 68.2           | 11.72       | Peak     | 6.00           | 400         | Horizontal | Pass    |

## U-NII-3 11ax80(SU) Middle Channel



| No. | Frequency (MHz) | Results (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 5924.750        | 56.10            | 68.4           | 12.30       | Peak     | 360.00         | 400         | Horizontal | Pass    |
| 2   | 5928.500        | 57.55            | 68.2           | 10.65       | Peak     | 350.00         | 200         | Horizontal | Pass    |

## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SZ25C1054-AR.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SZ25C1054-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SZ25C1054-AI.PDF”.

## Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--