


11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.200	42.00	74.0	32.00	Peak	184.00	300	Horizontal	Pass
1**	1585.200	33.37	54.0	20.63	AV	184.00	300	Horizontal	Pass
2	4246.750	49.37	74.0	24.63	Peak	360.00	400	Horizontal	Pass
2**	4246.750	39.39	54.0	14.61	AV	360.00	400	Horizontal	Pass
3	5589.000	104.25	--	--	Peak	295.00	100	Horizontal	N/A
3**	5589.000	96.00	--	--	AV	295.00	100	Horizontal	N/A
4	7541.250	56.46	74.0	17.54	Peak	360.00	300	Horizontal	Pass
4**	7541.250	46.98	54.0	7.02	AV	360.00	300	Horizontal	Pass
5	12635.525	51.04	74.0	22.96	Peak	76.00	150	Horizontal	Pass
5**	12635.525	40.88	54.0	13.12	AV	76.00	150	Horizontal	Pass
6	15980.588	51.55	74.0	22.45	Peak	289.00	300	Horizontal	Pass
6**	15980.588	41.53	54.0	12.47	AV	289.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.900	42.22	74.0	31.78	Peak	296.00	200	Vertical	Pass
1**	1525.900	32.28	54.0	21.72	AV	296.00	200	Vertical	Pass
2	4295.500	49.15	74.0	24.85	Peak	264.00	300	Vertical	Pass
2**	4295.500	40.38	54.0	13.62	AV	264.00	300	Vertical	Pass
3	5591.000	105.34	--	--	Peak	12.00	150	Vertical	N/A
3**	5591.000	96.64	--	--	AV	12.00	150	Vertical	N/A
4	7624.500	56.93	74.0	17.07	Peak	346.00	300	Vertical	Pass
4**	7624.500	47.17	54.0	6.83	AV	346.00	300	Vertical	Pass
5	11178.700	52.74	74.0	21.26	Peak	52.00	150	Vertical	Pass
5**	11178.700	48.97	54.0	5.03	AV	52.00	150	Vertical	Pass
6	16090.575	51.90	74.0	22.10	Peak	176.00	300	Vertical	Pass
6**	16090.575	42.29	54.0	11.71	AV	176.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.800	41.70	74.0	32.30	Peak	0.00	400	Horizontal	Pass
1**	1436.800	32.68	54.0	21.32	AV	0.00	400	Horizontal	Pass
2	4265.750	49.24	74.0	24.76	Peak	3.00	200	Horizontal	Pass
2**	4265.750	39.72	54.0	14.28	AV	3.00	200	Horizontal	Pass
3	5594.500	104.25	--	--	Peak	304.00	100	Horizontal	N/A
3**	5594.500	96.86	--	--	AV	304.00	100	Horizontal	N/A
4	7345.500	57.47	74.0	16.53	Peak	78.00	200	Horizontal	Pass
4**	7345.500	46.50	54.0	7.50	AV	78.00	200	Horizontal	Pass
5	12291.863	50.95	74.0	23.05	Peak	286.00	150	Horizontal	Pass
5**	12291.863	40.80	54.0	13.20	AV	286.00	150	Horizontal	Pass
6	16084.275	51.02	74.0	22.98	Peak	349.00	200	Horizontal	Pass
6**	16084.275	41.44	54.0	12.56	AV	349.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.700	41.89	74.0	32.11	Peak	298.00	100	Vertical	Pass
1**	1568.700	31.39	54.0	22.61	AV	298.00	100	Vertical	Pass
2	4286.500	49.30	74.0	24.70	Peak	45.00	200	Vertical	Pass
2**	4286.500	40.21	54.0	13.79	AV	45.00	200	Vertical	Pass
3	5592.750	106.75	--	--	Peak	10.00	100	Vertical	N/A
3**	5592.750	96.94	--	--	AV	10.00	100	Vertical	N/A
4	7612.750	56.95	74.0	17.05	Peak	360.00	200	Vertical	Pass
4**	7612.750	46.99	54.0	7.01	AV	360.00	200	Vertical	Pass
5	11181.550	53.77	74.0	20.23	Peak	171.00	150	Vertical	Pass
5**	11181.550	45.68	54.0	8.32	AV	171.00	150	Vertical	Pass
6	11181.787	50.56	74.0	23.44	Peak	52.00	150	Vertical	Pass
6**	11181.787	46.65	54.0	7.35	AV	52.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.800	42.00	74.0	32.00	Peak	181.00	300	Horizontal	Pass
1**	1514.800	32.75	54.0	21.25	AV	181.00	300	Horizontal	Pass
2	4300.750	49.10	74.0	24.90	Peak	357.00	400	Horizontal	Pass
2**	4300.750	39.85	54.0	14.15	AV	357.00	400	Horizontal	Pass
3	5497.500	106.17	--	--	Peak	75.00	200	Horizontal	N/A
3**	5497.500	98.71	--	--	AV	75.00	200	Horizontal	N/A
4	7615.000	56.91	74.0	17.09	Peak	2.00	200	Horizontal	Pass
4**	7615.000	47.62	54.0	6.38	AV	2.00	200	Horizontal	Pass
5	12560.000	51.44	74.0	22.56	Peak	344.00	100	Horizontal	Pass
5**	12560.000	40.86	54.0	13.14	AV	344.00	100	Horizontal	Pass
6	16111.313	51.31	74.0	22.69	Peak	360.00	100	Horizontal	Pass
6**	16111.313	41.38	54.0	12.62	AV	360.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.700	42.02	74.0	31.98	Peak	0.00	300	Vertical	Pass
1**	1606.700	31.98	54.0	22.02	AV	0.00	300	Vertical	Pass
2	4286.250	49.25	74.0	24.75	Peak	360.00	200	Vertical	Pass
2**	4286.250	40.33	54.0	13.67	AV	360.00	200	Vertical	Pass
3	5501.000	104.89	--	--	Peak	14.00	200	Vertical	N/A
3**	5501.000	97.66	--	--	AV	14.00	200	Vertical	N/A
4	7382.000	56.80	74.0	17.20	Peak	305.00	100	Vertical	Pass
4**	7382.000	47.25	54.0	6.75	AV	305.00	100	Vertical	Pass
5	10999.862	50.51	74.0	23.49	Peak	41.00	150	Vertical	Pass
5**	10999.862	45.76	54.0	8.24	AV	41.00	150	Vertical	Pass
6	15385.500	51.63	74.0	22.37	Peak	13.00	100	Vertical	Pass
6**	15385.500	42.28	54.0	11.72	AV	13.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.200	42.19	74.0	31.81	Peak	226.00	100	Horizontal	Pass
1**	1624.200	32.84	54.0	21.16	AV	226.00	100	Horizontal	Pass
2	4289.000	49.45	74.0	24.55	Peak	232.00	400	Horizontal	Pass
2**	4289.000	39.87	54.0	14.13	AV	232.00	400	Horizontal	Pass
3	5581.250	106.30	--	--	Peak	294.00	100	Horizontal	N/A
3**	5581.250	99.21	--	--	AV	294.00	100	Horizontal	N/A
4	7349.250	57.34	74.0	16.66	Peak	284.00	400	Horizontal	Pass
4**	7349.250	47.95	54.0	6.05	AV	284.00	400	Horizontal	Pass
5	11162.787	48.46	74.0	25.54	Peak	310.00	150	Horizontal	Pass
5**	11162.787	44.75	54.0	9.25	AV	310.00	150	Horizontal	Pass
6	15961.687	51.79	74.0	22.21	Peak	295.00	100	Horizontal	Pass
6**	15961.687	41.94	54.0	12.06	AV	295.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.700	42.22	74.0	31.78	Peak	340.00	100	Vertical	Pass
1**	1494.700	32.58	54.0	21.42	AV	340.00	100	Vertical	Pass
2	3989.500	49.15	74.0	24.85	Peak	262.00	200	Vertical	Pass
2**	3989.500	38.59	54.0	15.41	AV	262.00	200	Vertical	Pass
3	5575.000	107.03	--	--	Peak	6.00	200	Vertical	N/A
3**	5575.000	99.28	--	--	AV	6.00	200	Vertical	N/A
4	7480.750	56.83	74.0	17.17	Peak	315.00	400	Vertical	Pass
4**	7480.750	47.62	54.0	6.38	AV	315.00	400	Vertical	Pass
5	11158.038	56.10	74.0	17.90	Peak	168.00	100	Vertical	Pass
5**	11158.038	46.84	54.0	7.16	AV	168.00	100	Vertical	Pass
6	11158.275	53.53	74.0	20.47	Peak	168.00	150	Vertical	Pass
6**	11158.275	50.06	54.0	3.94	AV	168.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.200	42.31	74.0	31.69	Peak	343.00	300	Horizontal	Pass
1**	1516.200	33.52	54.0	20.48	AV	343.00	300	Horizontal	Pass
2	4251.750	49.11	74.0	24.89	Peak	75.00	400	Horizontal	Pass
2**	4251.750	39.63	54.0	14.37	AV	75.00	400	Horizontal	Pass
3	5697.750	106.81	--	--	Peak	293.00	200	Horizontal	N/A
3**	5697.750	98.27	--	--	AV	293.00	200	Horizontal	N/A
4	7487.000	56.59	74.0	17.41	Peak	334.00	300	Horizontal	Pass
4**	7487.000	47.87	54.0	6.13	AV	334.00	300	Horizontal	Pass
5	12448.850	50.88	74.0	23.12	Peak	0.00	100	Horizontal	Pass
5**	12448.850	41.79	54.0	12.21	AV	0.00	100	Horizontal	Pass
6	15956.700	51.31	74.0	22.69	Peak	87.00	300	Horizontal	Pass
6**	15956.700	41.86	54.0	12.14	AV	87.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.800	42.42	74.0	31.58	Peak	14.00	400	Vertical	Pass
1**	1517.800	33.40	54.0	20.60	AV	14.00	400	Vertical	Pass
2	4274.250	49.62	74.0	24.38	Peak	1.00	300	Vertical	Pass
2**	4274.250	39.80	54.0	14.20	AV	1.00	300	Vertical	Pass
3	5697.000	105.79	--	--	Peak	355.00	100	Vertical	N/A
3**	5697.000	97.87	--	--	AV	355.00	100	Vertical	N/A
4	7370.250	56.45	74.0	17.55	Peak	1.00	300	Vertical	Pass
4**	7370.250	47.48	54.0	6.52	AV	1.00	300	Vertical	Pass
5	11400.287	51.04	74.0	22.96	Peak	14.00	150	Vertical	Pass
5**	11400.287	45.41	54.0	8.59	AV	14.00	150	Vertical	Pass
6	15982.162	51.34	74.0	22.66	Peak	93.00	300	Vertical	Pass
6**	15982.162	42.73	54.0	11.27	AV	93.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.200	42.69	74.0	31.31	Peak	102.00	400	Horizontal	Pass
1**	1617.200	32.52	54.0	21.48	AV	102.00	400	Horizontal	Pass
2	4243.000	49.09	74.0	24.91	Peak	130.00	400	Horizontal	Pass
2**	4243.000	40.69	54.0	13.31	AV	130.00	400	Horizontal	Pass
3	5514.750	104.45	--	--	Peak	78.00	100	Horizontal	N/A
3**	5514.750	95.27	--	--	AV	78.00	100	Horizontal	N/A
4	7735.250	56.69	74.0	17.31	Peak	99.00	400	Horizontal	Pass
4**	7735.250	47.36	54.0	6.64	AV	99.00	400	Horizontal	Pass
5	11259.924	50.43	74.0	23.57	Peak	315.00	200	Horizontal	Pass
5**	11259.924	41.50	54.0	12.50	AV	315.00	200	Horizontal	Pass
6	15430.125	51.66	74.0	22.34	Peak	256.00	200	Horizontal	Pass
6**	15430.125	42.64	54.0	11.36	AV	256.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.400	42.14	74.0	31.86	Peak	328.00	400	Vertical	Pass
1**	1499.400	32.74	54.0	21.26	AV	328.00	400	Vertical	Pass
2	4099.500	48.95	74.0	25.05	Peak	243.00	200	Vertical	Pass
2**	4099.500	40.19	54.0	13.81	AV	243.00	200	Vertical	Pass
3	5511.500	103.87	--	--	Peak	315.00	100	Vertical	N/A
3**	5511.500	96.47	--	--	AV	315.00	100	Vertical	N/A
4	7541.000	57.00	74.0	17.00	Peak	360.00	400	Vertical	Pass
4**	7541.000	47.83	54.0	6.17	AV	360.00	400	Vertical	Pass
5	12227.738	51.31	74.0	22.69	Peak	359.00	200	Vertical	Pass
5**	12227.738	41.98	54.0	12.02	AV	359.00	200	Vertical	Pass
6	15440.099	51.44	74.0	22.56	Peak	122.00	300	Vertical	Pass
6**	15440.099	42.40	54.0	11.60	AV	122.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.100	42.51	74.0	31.49	Peak	94.00	100	Horizontal	Pass
1**	1522.100	32.82	54.0	21.18	AV	94.00	100	Horizontal	Pass
2	4342.750	50.04	74.0	23.96	Peak	90.00	400	Horizontal	Pass
2**	4342.750	39.92	54.0	14.08	AV	90.00	400	Horizontal	Pass
3	5593.500	104.84	--	--	Peak	305.00	100	Horizontal	N/A
3**	5593.500	95.96	--	--	AV	305.00	100	Horizontal	N/A
4	7617.750	56.78	74.0	17.22	Peak	131.00	300	Horizontal	Pass
4**	7617.750	48.04	54.0	5.96	AV	131.00	300	Horizontal	Pass
5	12272.151	51.09	74.0	22.91	Peak	358.00	150	Horizontal	Pass
5**	12272.151	40.45	54.0	13.55	AV	358.00	150	Horizontal	Pass
6	15425.138	51.87	74.0	22.13	Peak	243.00	300	Horizontal	Pass
6**	15425.138	42.17	54.0	11.83	AV	243.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.800	42.52	74.0	31.48	Peak	350.00	200	Vertical	Pass
1**	1598.800	32.44	54.0	21.56	AV	350.00	200	Vertical	Pass
2	4206.750	49.17	74.0	24.83	Peak	47.00	300	Vertical	Pass
2**	4206.750	40.46	54.0	13.54	AV	47.00	300	Vertical	Pass
3	5589.250	105.99	--	--	Peak	7.00	200	Vertical	N/A
3**	5589.250	96.70	--	--	AV	7.00	200	Vertical	N/A
4	11165.875	54.43	74.0	19.57	Peak	45.00	150	Vertical	Pass
4**	11165.875	43.41	54.0	10.59	AV	45.00	150	Vertical	Pass
5	11178.463	50.85	74.0	23.15	Peak	138.00	150	Vertical	Pass
5**	11178.463	48.29	54.0	5.71	AV	138.00	150	Vertical	Pass
6	16072.988	51.41	74.0	22.59	Peak	74.00	400	Vertical	Pass
6**	16072.988	42.06	54.0	11.94	AV	74.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.700	41.66	74.0	32.34	Peak	127.00	100	Horizontal	Pass
1**	1479.700	31.31	54.0	22.69	AV	127.00	100	Horizontal	Pass
2	4268.250	49.12	74.0	24.88	Peak	253.00	200	Horizontal	Pass
2**	4268.250	39.44	54.0	14.56	AV	253.00	200	Horizontal	Pass
3	5666.000	104.89	--	--	Peak	295.00	150	Horizontal	N/A
3**	5666.000	95.56	--	--	AV	295.00	150	Horizontal	N/A
4	7526.500	56.54	74.0	17.46	Peak	212.00	400	Horizontal	Pass
4**	7526.500	47.97	54.0	6.03	AV	212.00	400	Horizontal	Pass
5	12314.662	51.13	74.0	22.87	Peak	153.00	100	Horizontal	Pass
5**	12314.662	40.94	54.0	13.06	AV	153.00	100	Horizontal	Pass
6	15361.613	51.39	74.0	22.61	Peak	350.00	400	Horizontal	Pass
6**	15361.613	41.10	54.0	12.90	AV	350.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.400	42.25	74.0	31.75	Peak	156.00	200	Vertical	Pass
1**	1594.400	31.99	54.0	22.01	AV	156.00	200	Vertical	Pass
2	3982.000	49.40	74.0	24.60	Peak	360.00	400	Vertical	Pass
2**	3982.000	39.19	54.0	14.81	AV	360.00	400	Vertical	Pass
3	5672.000	104.95	--	--	Peak	4.00	100	Vertical	N/A
3**	5672.000	95.52	--	--	AV	4.00	100	Vertical	N/A
4	7611.500	57.17	74.0	16.83	Peak	212.00	300	Vertical	Pass
4**	7611.500	47.81	54.0	6.19	AV	212.00	300	Vertical	Pass
5	11342.576	51.84	74.0	22.16	Peak	14.00	150	Vertical	Pass
5**	11342.576	46.81	54.0	7.19	AV	14.00	150	Vertical	Pass
6	16082.962	51.05	74.0	22.95	Peak	317.00	100	Vertical	Pass
6**	16082.962	42.61	54.0	11.39	AV	317.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.000	41.38	74.0	32.62	Peak	359.00	300	Horizontal	Pass
1**	1495.000	32.18	54.0	21.82	AV	359.00	300	Horizontal	Pass
2	4339.250	48.65	74.0	25.35	Peak	1.00	100	Horizontal	Pass
2**	4339.250	39.70	54.0	14.30	AV	1.00	100	Horizontal	Pass
3	5526.250	100.21	--	--	Peak	88.00	100	Horizontal	N/A
3**	5526.250	92.49	--	--	AV	88.00	100	Horizontal	N/A
4	7673.000	56.41	74.0	17.59	Peak	357.00	200	Horizontal	Pass
4**	7673.000	46.23	54.0	7.77	AV	357.00	200	Horizontal	Pass
5	11075.387	50.42	74.0	23.58	Peak	316.00	200	Horizontal	Pass
5**	11075.387	39.92	54.0	14.08	AV	316.00	200	Horizontal	Pass
6	15991.349	51.81	74.0	22.19	Peak	260.00	400	Horizontal	Pass
6**	15991.349	42.59	54.0	11.41	AV	260.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.900	41.87	74.0	32.13	Peak	80.00	100	Vertical	Pass
1**	1606.900	32.39	54.0	21.61	AV	80.00	100	Vertical	Pass
2	4310.500	49.14	74.0	24.86	Peak	253.00	300	Vertical	Pass
2**	4310.500	40.22	54.0	13.78	AV	253.00	300	Vertical	Pass
3	5531.250	102.31	--	--	Peak	11.00	100	Vertical	N/A
3**	5531.250	95.31	--	--	AV	11.00	100	Vertical	N/A
4	7479.500	55.98	74.0	18.02	Peak	7.00	100	Vertical	Pass
4**	7479.500	47.02	54.0	6.98	AV	7.00	100	Vertical	Pass
5	11075.625	49.42	74.0	24.58	Peak	47.00	150	Vertical	Pass
5**	11075.625	44.12	54.0	9.88	AV	47.00	150	Vertical	Pass
6	15424.349	51.05	74.0	22.95	Peak	83.00	200	Vertical	Pass
6**	15424.349	41.27	54.0	12.73	AV	83.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.100	41.51	74.0	32.49	Peak	0.00	400	Horizontal	Pass
1**	1495.100	32.28	54.0	21.72	AV	0.00	400	Horizontal	Pass
2	4339.250	49.32	74.0	24.68	Peak	360.00	400	Horizontal	Pass
2**	4339.250	39.85	54.0	14.15	AV	360.00	400	Horizontal	Pass
3	5623.500	100.38	--	--	Peak	295.00	150	Horizontal	N/A
3**	5623.500	92.14	--	--	AV	295.00	150	Horizontal	N/A
4	7607.750	56.28	74.0	17.72	Peak	140.00	200	Horizontal	Pass
4**	7607.750	47.31	54.0	6.69	AV	140.00	200	Horizontal	Pass
5	12075.500	50.56	74.0	23.44	Peak	72.00	150	Horizontal	Pass
5**	12075.500	40.22	54.0	13.78	AV	72.00	150	Horizontal	Pass
6	16086.375	51.32	74.0	22.68	Peak	55.00	200	Horizontal	Pass
6**	16086.375	41.32	54.0	12.68	AV	55.00	200	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	42.00	74.0	32.00	Peak	351.00	400	Vertical	Pass
1**	1495.500	32.76	54.0	21.24	AV	351.00	400	Vertical	Pass
2	3816.250	48.85	74.0	25.15	Peak	0.00	400	Vertical	Pass
2**	3816.250	38.14	54.0	15.86	AV	0.00	400	Vertical	Pass
3	5611.500	101.91	--	--	Peak	3.00	200	Vertical	N/A
3**	5611.500	94.95	--	--	AV	3.00	200	Vertical	N/A
4	7500.250	56.67	74.0	17.33	Peak	355.00	300	Vertical	Pass
4**	7500.250	47.41	54.0	6.59	AV	355.00	300	Vertical	Pass
5	11238.787	49.83	74.0	24.17	Peak	148.00	150	Vertical	Pass
5**	11238.787	44.47	54.0	9.53	AV	148.00	150	Vertical	Pass
6	15984.263	51.58	74.0	22.42	Peak	104.00	100	Vertical	Pass
6**	15984.263	42.27	54.0	11.73	AV	104.00	100	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.800	41.71	74.0	32.29	Peak	0.00	300	Horizontal	Pass
1**	1440.800	31.82	54.0	22.18	AV	0.00	300	Horizontal	Pass
2	4310.000	49.11	74.0	24.89	Peak	305.00	400	Horizontal	Pass
2**	4310.000	39.60	54.0	14.40	AV	305.00	400	Horizontal	Pass
3	5561.750	98.32	--	--	Peak	294.00	100	Horizontal	N/A
3**	5561.750	91.67	--	--	AV	294.00	100	Horizontal	N/A
4	7603.250	57.20	74.0	16.80	Peak	356.00	100	Horizontal	Pass
4**	7603.250	47.23	54.0	6.77	AV	356.00	100	Horizontal	Pass
5	11998.312	50.42	74.0	23.58	Peak	310.00	200	Horizontal	Pass
5**	11998.312	40.64	54.0	13.36	AV	310.00	200	Horizontal	Pass
6	15383.400	51.10	74.0	22.90	Peak	78.00	400	Horizontal	Pass
6**	15383.400	41.61	54.0	12.39	AV	78.00	400	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.400	42.06	74.0	31.94	Peak	140.00	300	Vertical	Pass
1**	1513.400	32.27	54.0	21.73	AV	140.00	300	Vertical	Pass
2	4325.000	48.99	74.0	25.01	Peak	212.00	300	Vertical	Pass
2**	4325.000	40.89	54.0	13.11	AV	212.00	300	Vertical	Pass
3	5566.000	100.83	--	--	Peak	11.00	100	Vertical	N/A
3**	5566.000	93.36	--	--	AV	11.00	100	Vertical	N/A
4	7610.500	57.28	74.0	16.72	Peak	58.00	300	Vertical	Pass
4**	7610.500	47.36	54.0	6.64	AV	58.00	300	Vertical	Pass
5	11156.375	50.68	74.0	23.32	Peak	49.00	200	Vertical	Pass
5**	11156.375	41.47	54.0	12.53	AV	49.00	200	Vertical	Pass
6	15946.463	51.40	74.0	22.60	Peak	301.00	400	Vertical	Pass
6**	15946.463	41.72	54.0	12.28	AV	301.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.600	42.44	74.0	31.56	Peak	297.00	200	Horizontal	Pass
1**	1581.600	32.72	54.0	21.28	AV	297.00	200	Horizontal	Pass
2	4107.000	49.44	74.0	24.56	Peak	220.00	200	Horizontal	Pass
2**	4107.000	39.71	54.0	14.29	AV	220.00	200	Horizontal	Pass
3	5498.750	105.69	--	--	Peak	304.00	150	Horizontal	N/A
3**	5498.750	98.91	--	--	AV	304.00	150	Horizontal	N/A
4	7736.500	57.20	74.0	16.80	Peak	251.00	100	Horizontal	Pass
4**	7736.500	47.44	54.0	6.56	AV	251.00	100	Horizontal	Pass
5	12533.875	50.69	74.0	23.31	Peak	176.00	150	Horizontal	Pass
5**	12533.875	41.44	54.0	12.56	AV	176.00	150	Horizontal	Pass
6	15730.162	51.18	74.0	22.82	Peak	360.00	400	Horizontal	Pass
6**	15730.162	39.95	54.0	14.05	AV	360.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.700	42.21	74.0	31.79	Peak	345.00	300	Vertical	Pass
1**	1517.700	32.91	54.0	21.09	AV	345.00	300	Vertical	Pass
2	4285.500	49.33	74.0	24.67	Peak	202.00	200	Vertical	Pass
2**	4285.500	39.59	54.0	14.41	AV	202.00	200	Vertical	Pass
3	5501.500	104.81	--	--	Peak	10.00	200	Vertical	N/A
3**	5501.500	97.34	--	--	AV	10.00	200	Vertical	N/A
4	7402.500	56.55	74.0	17.45	Peak	150.00	200	Vertical	Pass
4**	7402.500	47.58	54.0	6.42	AV	150.00	200	Vertical	Pass
5	11002.000	50.06	74.0	23.94	Peak	41.00	150	Vertical	Pass
5**	11002.000	45.65	54.0	8.35	AV	41.00	150	Vertical	Pass
6	15441.412	51.28	74.0	22.72	Peak	11.00	400	Vertical	Pass
6**	15441.412	42.26	54.0	11.74	AV	11.00	400	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	42.34	74.0	31.66	Peak	21.00	100	Horizontal	Pass
1**	1498.200	32.93	54.0	21.07	AV	21.00	100	Horizontal	Pass
2	4291.000	49.17	74.0	24.83	Peak	272.00	400	Horizontal	Pass
2**	4291.000	39.57	54.0	14.43	AV	272.00	400	Horizontal	Pass
3	5578.250	106.35	--	--	Peak	305.00	200	Horizontal	N/A
3**	5578.250	98.81	--	--	AV	305.00	200	Horizontal	N/A
4	7502.250	56.82	74.0	17.18	Peak	127.00	100	Horizontal	Pass
4**	7502.250	46.82	54.0	7.18	AV	127.00	100	Horizontal	Pass
5	11161.600	48.27	74.0	25.73	Peak	10.00	150	Horizontal	Pass
5**	11161.600	44.46	54.0	9.54	AV	10.00	150	Horizontal	Pass
6	15445.349	51.27	74.0	22.73	Peak	360.00	100	Horizontal	Pass
6**	15445.349	42.62	54.0	11.38	AV	360.00	100	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.100	42.62	74.0	31.38	Peak	318.00	300	Vertical	Pass
1**	1493.100	32.38	54.0	21.62	AV	318.00	300	Vertical	Pass
2	4224.000	48.79	74.0	25.21	Peak	283.00	200	Vertical	Pass
2**	4224.000	40.33	54.0	13.67	AV	283.00	200	Vertical	Pass
3	5578.250	107.28	--	--	Peak	6.00	100	Vertical	N/A
3**	5578.250	99.95	--	--	AV	6.00	100	Vertical	N/A
4	7468.500	56.96	74.0	17.04	Peak	43.00	400	Vertical	Pass
4**	7468.500	46.57	54.0	7.43	AV	43.00	400	Vertical	Pass
5	11161.600	56.95	74.0	17.05	Peak	47.00	150	Vertical	Pass
5**	11161.600	49.16	54.0	4.84	AV	47.00	150	Vertical	Pass
6	11161.838	56.74	74.0	17.26	Peak	166.00	150	Vertical	Pass
6**	11161.838	49.45	54.0	4.55	AV	166.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.100	41.91	74.0	32.09	Peak	73.00	300	Horizontal	Pass
1**	1621.100	32.82	54.0	21.18	AV	73.00	300	Horizontal	Pass
2	4282.500	49.63	74.0	24.37	Peak	253.00	200	Horizontal	Pass
2**	4282.500	39.98	54.0	14.02	AV	253.00	200	Horizontal	Pass
3	5700.250	107.25	--	--	Peak	294.00	200	Horizontal	N/A
3**	5700.250	99.01	--	--	AV	294.00	200	Horizontal	N/A
4	7623.000	56.52	74.0	17.48	Peak	90.00	200	Horizontal	Pass
4**	7623.000	48.76	54.0	5.24	AV	90.00	200	Horizontal	Pass
5	11865.312	50.90	74.0	23.10	Peak	277.00	100	Horizontal	Pass
5**	11865.312	40.49	54.0	13.51	AV	277.00	100	Horizontal	Pass
6	15441.937	52.15	74.0	21.85	Peak	16.00	400	Horizontal	Pass
6**	15441.937	43.23	54.0	10.77	AV	16.00	400	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.900	42.75	74.0	31.25	Peak	310.00	200	Vertical	Pass
1**	1446.900	32.55	54.0	21.45	AV	310.00	200	Vertical	Pass
2	4382.250	49.09	74.0	24.91	Peak	147.00	100	Vertical	Pass
2**	4382.250	39.44	54.0	14.56	AV	147.00	100	Vertical	Pass
3	5700.500	106.31	--	--	Peak	346.00	200	Vertical	N/A
3**	5700.500	98.72	--	--	AV	346.00	200	Vertical	N/A
4	7553.750	57.09	74.0	16.91	Peak	346.00	400	Vertical	Pass
4**	7553.750	47.05	54.0	6.95	AV	346.00	400	Vertical	Pass
5	11398.862	50.40	74.0	23.60	Peak	188.00	150	Vertical	Pass
5**	11398.862	45.35	54.0	8.65	AV	188.00	150	Vertical	Pass
6	15436.951	51.47	74.0	22.53	Peak	359.00	300	Vertical	Pass
6**	15436.951	42.79	54.0	11.21	AV	359.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.400	42.42	74.0	31.58	Peak	324.00	400	Horizontal	Pass
1**	1596.400	32.49	54.0	21.51	AV	324.00	400	Horizontal	Pass
2	4196.750	49.35	74.0	24.65	Peak	234.00	100	Horizontal	Pass
2**	4196.750	38.87	54.0	15.13	AV	234.00	100	Horizontal	Pass
3	5508.750	101.92	--	--	Peak	306.00	150	Horizontal	N/A
3**	5508.750	93.17	--	--	AV	306.00	150	Horizontal	N/A
4	7622.750	56.72	74.0	17.28	Peak	56.00	300	Horizontal	Pass
4**	7622.750	47.56	54.0	6.44	AV	56.00	300	Horizontal	Pass
5	12346.013	51.94	74.0	22.06	Peak	83.00	200	Horizontal	Pass
5**	12346.013	41.67	54.0	12.33	AV	83.00	200	Horizontal	Pass
6	15375.526	51.90	74.0	22.10	Peak	127.00	200	Horizontal	Pass
6**	15375.526	42.40	54.0	11.60	AV	127.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.000	42.14	74.0	31.86	Peak	0.00	400	Vertical	Pass
1**	1552.000	32.97	54.0	21.03	AV	0.00	400	Vertical	Pass
2	4369.750	49.45	74.0	24.55	Peak	360.00	300	Vertical	Pass
2**	4369.750	39.60	54.0	14.40	AV	360.00	300	Vertical	Pass
3	5527.750	101.40	--	--	Peak	7.00	100	Vertical	N/A
3**	5527.750	92.19	--	--	AV	7.00	100	Vertical	N/A
4	7551.000	58.04	74.0	15.96	Peak	263.00	400	Vertical	Pass
4**	7551.000	47.93	54.0	6.07	AV	263.00	400	Vertical	Pass
5	12399.450	51.15	74.0	22.85	Peak	2.00	100	Vertical	Pass
5**	12399.450	40.54	54.0	13.46	AV	2.00	100	Vertical	Pass
6	16082.175	52.59	74.0	21.41	Peak	10.00	300	Vertical	Pass
6**	16082.175	42.13	54.0	11.87	AV	10.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.200	42.47	74.0	31.53	Peak	8.00	100	Horizontal	Pass
1**	1479.200	32.08	54.0	21.92	AV	8.00	100	Horizontal	Pass
2	4308.000	49.68	74.0	24.32	Peak	78.00	400	Horizontal	Pass
2**	4308.000	40.56	54.0	13.44	AV	78.00	400	Horizontal	Pass
3	5596.000	102.79	--	--	Peak	296.00	150	Horizontal	N/A
3**	5596.000	93.29	--	--	AV	296.00	150	Horizontal	N/A
4	7453.000	57.00	74.0	17.00	Peak	110.00	200	Horizontal	Pass
4**	7453.000	47.08	54.0	6.92	AV	110.00	200	Horizontal	Pass
5	12333.662	51.00	74.0	23.00	Peak	224.00	100	Horizontal	Pass
5**	12333.662	41.49	54.0	12.51	AV	224.00	100	Horizontal	Pass
6	15995.288	51.84	74.0	22.16	Peak	168.00	400	Horizontal	Pass
6**	15995.288	42.15	54.0	11.85	AV	168.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.000	42.09	74.0	31.91	Peak	90.00	200	Vertical	Pass
1**	1625.000	33.30	54.0	20.70	AV	90.00	200	Vertical	Pass
2	4205.250	49.30	74.0	24.70	Peak	152.00	400	Vertical	Pass
2**	4205.250	39.13	54.0	14.87	AV	152.00	400	Vertical	Pass
3	5591.000	104.96	--	--	Peak	0.00	100	Vertical	N/A
3**	5591.000	95.73	--	--	AV	0.00	100	Vertical	N/A
4	7721.000	56.99	74.0	17.01	Peak	162.00	200	Vertical	Pass
4**	7721.000	46.23	54.0	7.77	AV	162.00	200	Vertical	Pass
5	11163.975	49.16	74.0	24.84	Peak	171.00	150	Vertical	Pass
5**	11163.975	44.56	54.0	9.44	AV	171.00	150	Vertical	Pass
6	16132.050	50.98	74.0	23.02	Peak	240.00	300	Vertical	Pass
6**	16132.050	42.12	54.0	11.88	AV	240.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.900	41.87	74.0	32.13	Peak	341.00	200	Horizontal	Pass
1**	1522.900	31.96	54.0	22.04	AV	341.00	200	Horizontal	Pass
2	4228.750	49.64	74.0	24.36	Peak	119.00	300	Horizontal	Pass
2**	4228.750	40.04	54.0	13.96	AV	119.00	300	Horizontal	Pass
3	5664.750	103.44	--	--	Peak	305.00	150	Horizontal	N/A
3**	5664.750	93.42	--	--	AV	305.00	150	Horizontal	N/A
4	7317.000	56.68	74.0	17.32	Peak	253.00	400	Horizontal	Pass
4**	7317.000	48.37	54.0	5.63	AV	253.00	400	Horizontal	Pass
5	11937.988	50.70	74.0	23.30	Peak	21.00	200	Horizontal	Pass
5**	11937.988	42.07	54.0	11.93	AV	21.00	200	Horizontal	Pass
6	15430.388	52.01	74.0	21.99	Peak	284.00	200	Horizontal	Pass
6**	15430.388	42.19	54.0	11.81	AV	284.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.100	41.88	74.0	32.12	Peak	119.00	400	Vertical	Pass
1**	1450.100	32.15	54.0	21.85	AV	119.00	400	Vertical	Pass
2	4399.750	49.52	74.0	24.48	Peak	254.00	300	Vertical	Pass
2**	4399.750	39.71	54.0	14.29	AV	254.00	300	Vertical	Pass
3	5661.500	103.71	--	--	Peak	346.00	100	Vertical	N/A
3**	5661.500	93.72	--	--	AV	346.00	100	Vertical	N/A
4	7629.250	56.88	74.0	17.12	Peak	360.00	300	Vertical	Pass
4**	7629.250	47.82	54.0	6.18	AV	360.00	300	Vertical	Pass
5	11344.238	49.78	74.0	24.22	Peak	0.00	150	Vertical	Pass
5**	11344.238	44.43	54.0	9.57	AV	0.00	150	Vertical	Pass
6	16077.450	51.70	74.0	22.30	Peak	254.00	300	Vertical	Pass
6**	16077.450	42.35	54.0	11.65	AV	254.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.900	41.38	74.0	32.62	Peak	343.00	400	Horizontal	Pass
1**	1583.900	32.02	54.0	21.98	AV	343.00	400	Horizontal	Pass
2	4258.500	49.02	74.0	24.98	Peak	171.00	200	Horizontal	Pass
2**	4258.500	39.44	54.0	14.56	AV	171.00	200	Horizontal	Pass
3	5523.500	100.64	--	--	Peak	90.00	100	Horizontal	N/A
3**	5523.500	90.13	--	--	AV	90.00	100	Horizontal	N/A
4	7282.750	56.36	74.0	17.64	Peak	360.00	200	Horizontal	Pass
4**	7282.750	46.21	54.0	7.79	AV	360.00	200	Horizontal	Pass
5	10823.400	50.10	74.0	23.90	Peak	274.00	200	Horizontal	Pass
5**	10823.400	39.93	54.0	14.07	AV	274.00	200	Horizontal	Pass
6	16094.250	51.53	74.0	22.47	Peak	322.00	300	Horizontal	Pass
6**	16094.250	42.39	54.0	11.61	AV	322.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.300	41.40	74.0	32.60	Peak	50.00	300	Vertical	Pass
1**	1515.300	31.96	54.0	22.04	AV	50.00	300	Vertical	Pass
2	4288.750	49.01	74.0	24.99	Peak	0.00	300	Vertical	Pass
2**	4288.750	39.45	54.0	14.55	AV	0.00	300	Vertical	Pass
3	5532.500	101.92	--	--	Peak	360.00	200	Vertical	N/A
3**	5532.500	93.25	--	--	AV	360.00	200	Vertical	N/A
4	7354.000	56.40	74.0	17.60	Peak	284.00	300	Vertical	Pass
4**	7354.000	46.92	54.0	7.08	AV	284.00	300	Vertical	Pass
5	11948.912	50.53	74.0	23.47	Peak	359.00	100	Vertical	Pass
5**	11948.912	40.91	54.0	13.09	AV	359.00	100	Vertical	Pass
6	15987.675	51.73	74.0	22.27	Peak	356.00	100	Vertical	Pass
6**	15987.675	42.72	54.0	11.28	AV	356.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.600	41.98	74.0	32.02	Peak	248.00	200	Horizontal	Pass
1**	1529.600	32.94	54.0	21.06	AV	248.00	200	Horizontal	Pass
2	4278.250	48.79	74.0	25.21	Peak	182.00	300	Horizontal	Pass
2**	4278.250	40.57	54.0	13.43	AV	182.00	300	Horizontal	Pass
3	5620.750	101.37	--	--	Peak	305.00	150	Horizontal	N/A
3**	5620.750	91.34	--	--	AV	305.00	150	Horizontal	N/A
4	7634.000	56.25	74.0	17.75	Peak	274.00	400	Horizontal	Pass
4**	7634.000	47.19	54.0	6.81	AV	274.00	400	Horizontal	Pass
5	12118.013	50.18	74.0	23.82	Peak	285.00	100	Horizontal	Pass
5**	12118.013	40.25	54.0	13.75	AV	285.00	100	Horizontal	Pass
6	15391.013	51.06	74.0	22.94	Peak	91.00	100	Horizontal	Pass
6**	15391.013	40.89	54.0	13.11	AV	91.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.400	42.08	74.0	31.92	Peak	142.00	200	Vertical	Pass
1**	1503.400	32.08	54.0	21.92	AV	142.00	200	Vertical	Pass
2	4312.000	49.24	74.0	24.76	Peak	4.00	400	Vertical	Pass
2**	4312.000	40.06	54.0	13.94	AV	4.00	400	Vertical	Pass
3	5616.500	103.39	--	--	Peak	2.00	100	Vertical	N/A
3**	5616.500	93.51	--	--	AV	2.00	100	Vertical	N/A
4	7625.500	57.30	74.0	16.70	Peak	212.00	100	Vertical	Pass
4**	7625.500	47.39	54.0	6.61	AV	212.00	100	Vertical	Pass
5	11254.462	48.29	74.0	25.71	Peak	10.00	150	Vertical	Pass
5**	11254.462	43.67	54.0	10.33	AV	10.00	150	Vertical	Pass
6	15980.849	51.58	74.0	22.42	Peak	119.00	400	Vertical	Pass
6**	15980.849	41.84	54.0	12.16	AV	119.00	400	Vertical	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.900	42.15	74.0	31.85	Peak	224.00	300	Horizontal	Pass
1**	1551.900	31.47	54.0	22.53	AV	224.00	300	Horizontal	Pass
2	4362.500	48.74	74.0	25.26	Peak	115.00	200	Horizontal	Pass
2**	4362.500	39.64	54.0	14.36	AV	115.00	200	Horizontal	Pass
3	5566.250	98.40	--	--	Peak	303.00	200	Horizontal	N/A
3**	5566.250	88.78	--	--	AV	303.00	200	Horizontal	N/A
4	7643.750	57.05	74.0	16.95	Peak	303.00	100	Horizontal	Pass
4**	7643.750	46.71	54.0	7.29	AV	303.00	100	Horizontal	Pass
5	12458.112	50.61	74.0	23.39	Peak	358.00	100	Horizontal	Pass
5**	12458.112	40.68	54.0	13.32	AV	358.00	100	Horizontal	Pass
6	15994.237	50.68	74.0	23.32	Peak	31.00	400	Horizontal	Pass
6**	15994.237	42.32	54.0	11.68	AV	31.00	400	Horizontal	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.500	41.73	74.0	32.27	Peak	188.00	200	Vertical	Pass
1**	1530.500	32.99	54.0	21.01	AV	188.00	200	Vertical	Pass
2	4256.000	49.52	74.0	24.48	Peak	119.00	200	Vertical	Pass
2**	4256.000	39.39	54.0	14.61	AV	119.00	200	Vertical	Pass
3	5572.500	100.18	--	--	Peak	10.00	100	Vertical	N/A
3**	5572.500	91.09	--	--	AV	10.00	100	Vertical	N/A
4	7537.750	56.67	74.0	17.33	Peak	272.00	200	Vertical	Pass
4**	7537.750	46.83	54.0	7.17	AV	272.00	200	Vertical	Pass
5	11928.250	50.30	74.0	23.70	Peak	156.00	200	Vertical	Pass
5**	11928.250	40.45	54.0	13.55	AV	156.00	200	Vertical	Pass
6	16093.200	50.79	74.0	23.21	Peak	356.00	300	Vertical	Pass
6**	16093.200	41.49	54.0	12.51	AV	356.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.700	41.84	74.0	32.16	Peak	359.00	200	Horizontal	Pass
1**	1553.700	31.53	54.0	22.47	AV	359.00	200	Horizontal	Pass
2	4186.500	49.51	74.0	24.49	Peak	129.00	200	Horizontal	Pass
2**	4186.500	39.42	54.0	14.58	AV	129.00	200	Horizontal	Pass
3	5743.750	104.61	--	--	Peak	294.00	150	Horizontal	N/A
3**	5743.750	95.50	--	--	AV	294.00	150	Horizontal	N/A
4	7379.750	56.37	74.0	17.63	Peak	315.00	200	Horizontal	Pass
4**	7379.750	47.57	54.0	6.43	AV	315.00	200	Horizontal	Pass
5	12325.349	50.97	74.0	23.03	Peak	358.00	150	Horizontal	Pass
5**	12325.349	41.17	54.0	12.83	AV	358.00	150	Horizontal	Pass
6	15438.788	50.80	74.0	23.20	Peak	29.00	300	Horizontal	Pass
6**	15438.788	42.47	54.0	11.53	AV	29.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.200	41.43	74.0	32.57	Peak	341.00	400	Vertical	Pass
1**	1575.200	33.33	54.0	20.67	AV	341.00	400	Vertical	Pass
2	4359.250	48.97	74.0	25.03	Peak	1.00	100	Vertical	Pass
2**	4359.250	39.39	54.0	14.61	AV	1.00	100	Vertical	Pass
3	5746.000	104.71	--	--	Peak	344.00	100	Vertical	N/A
3**	5746.000	97.12	--	--	AV	344.00	100	Vertical	N/A
4	7555.250	56.48	74.0	17.52	Peak	127.00	400	Vertical	Pass
4**	7555.250	46.94	54.0	7.06	AV	127.00	400	Vertical	Pass
5	11490.300	50.62	74.0	23.38	Peak	23.00	150	Vertical	Pass
5**	11490.300	44.33	54.0	9.67	AV	23.00	150	Vertical	Pass
6	15977.437	50.84	74.0	23.16	Peak	4.00	300	Vertical	Pass
6**	15977.437	41.80	54.0	12.20	AV	4.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.200	41.57	74.0	32.43	Peak	198.00	200	Horizontal	Pass
1**	1504.200	31.80	54.0	22.20	AV	198.00	200	Horizontal	Pass
2	4213.250	48.93	74.0	25.07	Peak	220.00	400	Horizontal	Pass
2**	4213.250	39.30	54.0	14.70	AV	220.00	400	Horizontal	Pass
3	5783.250	103.25	--	--	Peak	334.00	100	Horizontal	N/A
3**	5783.250	96.05	--	--	AV	334.00	100	Horizontal	N/A
4	7466.250	56.57	74.0	17.43	Peak	360.00	100	Horizontal	Pass
4**	7466.250	47.02	54.0	6.98	AV	360.00	100	Horizontal	Pass
5	11918.750	50.87	74.0	23.13	Peak	111.00	200	Horizontal	Pass
5**	11918.750	40.95	54.0	13.05	AV	111.00	200	Horizontal	Pass
6	16114.463	50.97	74.0	23.03	Peak	162.00	100	Horizontal	Pass
6**	16114.463	41.36	54.0	12.64	AV	162.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.500	41.69	74.0	32.31	Peak	358.00	400	Vertical	Pass
1**	1437.500	32.48	54.0	21.52	AV	358.00	400	Vertical	Pass
2	4358.250	48.81	74.0	25.19	Peak	243.00	400	Vertical	Pass
2**	4358.250	39.39	54.0	14.61	AV	243.00	400	Vertical	Pass
3	5783.750	106.35	--	--	Peak	346.00	200	Vertical	N/A
3**	5783.750	99.09	--	--	AV	346.00	200	Vertical	N/A
4	7622.250	56.30	74.0	17.70	Peak	305.00	300	Vertical	Pass
4**	7622.250	47.71	54.0	6.29	AV	305.00	300	Vertical	Pass
5	11571.287	48.50	74.0	25.50	Peak	60.00	150	Vertical	Pass
5**	11571.287	44.61	54.0	9.39	AV	60.00	150	Vertical	Pass
6	15985.838	51.52	74.0	22.48	Peak	199.00	300	Vertical	Pass
6**	15985.838	43.20	54.0	10.80	AV	199.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.000	41.69	74.0	32.31	Peak	194.00	200	Horizontal	Pass
1**	1520.000	31.97	54.0	22.03	AV	194.00	200	Horizontal	Pass
2	4348.250	49.28	74.0	24.72	Peak	360.00	100	Horizontal	Pass
2**	4348.250	39.61	54.0	14.39	AV	360.00	100	Horizontal	Pass
3	5823.750	102.11	--	--	Peak	335.00	150	Horizontal	N/A
3**	5823.750	95.48	--	--	AV	335.00	150	Horizontal	N/A
4	7616.500	56.56	74.0	17.44	Peak	96.00	400	Horizontal	Pass
4**	7616.500	47.03	54.0	6.97	AV	96.00	400	Horizontal	Pass
5	12371.188	50.23	74.0	23.77	Peak	150.00	200	Horizontal	Pass
5**	12371.188	41.53	54.0	12.47	AV	150.00	200	Horizontal	Pass
6	15990.563	51.36	74.0	22.64	Peak	7.00	400	Horizontal	Pass
6**	15990.563	43.02	54.0	10.98	AV	7.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.300	42.09	74.0	31.91	Peak	168.00	200	Vertical	Pass
1**	1435.300	31.73	54.0	22.27	AV	168.00	200	Vertical	Pass
2	4243.000	48.72	74.0	25.28	Peak	187.00	300	Vertical	Pass
2**	4243.000	39.21	54.0	14.79	AV	187.00	300	Vertical	Pass
3	5826.750	105.58	--	--	Peak	8.00	100	Vertical	N/A
3**	5826.750	98.48	--	--	AV	8.00	100	Vertical	N/A
4	7741.000	56.08	74.0	17.92	Peak	4.00	300	Vertical	Pass
4**	7741.000	46.68	54.0	7.32	AV	4.00	300	Vertical	Pass
5	11651.325	51.96	74.0	22.04	Peak	136.00	200	Vertical	Pass
5**	11651.325	41.28	54.0	12.72	AV	136.00	200	Vertical	Pass
6	15982.425	50.96	74.0	23.04	Peak	360.00	100	Vertical	Pass
6**	15982.425	41.49	54.0	12.51	AV	360.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	41.35	74.0	32.65	Peak	171.00	100	Horizontal	Pass
1**	1499.900	32.32	54.0	21.68	AV	171.00	100	Horizontal	Pass
2	4364.000	48.80	74.0	25.20	Peak	253.00	400	Horizontal	Pass
2**	4364.000	39.34	54.0	14.66	AV	253.00	400	Horizontal	Pass
3	5743.250	102.90	--	--	Peak	294.00	150	Horizontal	N/A
3**	5743.250	94.75	--	--	AV	294.00	150	Horizontal	N/A
4	7735.750	56.46	74.0	17.54	Peak	360.00	400	Horizontal	Pass
4**	7735.750	46.80	54.0	7.20	AV	360.00	400	Horizontal	Pass
5	12343.875	50.31	74.0	23.69	Peak	355.00	100	Horizontal	Pass
5**	12343.875	41.23	54.0	12.77	AV	355.00	100	Horizontal	Pass
6	15988.200	51.75	74.0	22.25	Peak	323.00	300	Horizontal	Pass
6**	15988.200	42.23	54.0	11.77	AV	323.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.000	41.78	74.0	32.22	Peak	124.00	100	Vertical	Pass
1**	1530.000	31.80	54.0	22.20	AV	124.00	100	Vertical	Pass
2	4308.500	49.51	74.0	24.49	Peak	302.00	100	Vertical	Pass
2**	4308.500	40.06	54.0	13.94	AV	302.00	100	Vertical	Pass
3	5746.000	106.42	--	--	Peak	344.00	150	Vertical	N/A
3**	5746.000	97.25	--	--	AV	344.00	150	Vertical	N/A
4	7627.250	56.87	74.0	17.13	Peak	344.00	200	Vertical	Pass
4**	7627.250	47.02	54.0	6.98	AV	344.00	200	Vertical	Pass
5	11490.062	48.87	74.0	25.13	Peak	355.00	150	Vertical	Pass
5**	11490.062	44.43	54.0	9.57	AV	355.00	150	Vertical	Pass
6	15952.763	51.60	74.0	22.40	Peak	360.00	100	Vertical	Pass
6**	15952.763	42.14	54.0	11.86	AV	360.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.100	41.42	74.0	32.58	Peak	357.00	100	Horizontal	Pass
1**	1567.100	31.60	54.0	22.40	AV	357.00	100	Horizontal	Pass
2	4303.500	49.51	74.0	24.49	Peak	140.00	400	Horizontal	Pass
2**	4303.500	39.68	54.0	14.32	AV	140.00	400	Horizontal	Pass
3	5786.250	104.14	--	--	Peak	325.00	200	Horizontal	N/A
3**	5786.250	96.80	--	--	AV	325.00	200	Horizontal	N/A
4	7372.500	56.67	74.0	17.33	Peak	202.00	200	Horizontal	Pass
4**	7372.500	46.63	54.0	7.37	AV	202.00	200	Horizontal	Pass
5	12248.162	50.59	74.0	23.41	Peak	337.00	100	Horizontal	Pass
5**	12248.162	40.35	54.0	13.65	AV	337.00	100	Horizontal	Pass
6	15417.263	51.36	74.0	22.64	Peak	246.00	200	Horizontal	Pass
6**	15417.263	41.32	54.0	12.68	AV	246.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.900	42.05	74.0	31.95	Peak	1.00	200	Vertical	Pass
1**	1496.900	31.85	54.0	22.15	AV	1.00	200	Vertical	Pass
2	4276.500	48.72	74.0	25.28	Peak	219.00	100	Vertical	Pass
2**	4276.500	39.77	54.0	14.23	AV	219.00	100	Vertical	Pass
3	5780.250	107.84	--	--	Peak	345.00	150	Vertical	N/A
3**	5780.250	99.37	--	--	AV	345.00	150	Vertical	N/A
4	7253.500	56.36	74.0	17.64	Peak	282.00	300	Vertical	Pass
4**	7253.500	47.37	54.0	6.63	AV	282.00	300	Vertical	Pass
5	11567.013	51.46	74.0	22.54	Peak	176.00	150	Vertical	Pass
5**	11567.013	45.38	54.0	8.62	AV	176.00	150	Vertical	Pass
6	15967.988	51.51	74.0	22.49	Peak	3.00	100	Vertical	Pass
6**	15967.988	42.07	54.0	11.93	AV	3.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.000	41.47	74.0	32.53	Peak	358.00	200	Horizontal	Pass
1**	1582.000	32.53	54.0	21.47	AV	358.00	200	Horizontal	Pass
2	4298.750	49.26	74.0	24.74	Peak	126.00	200	Horizontal	Pass
2**	4298.750	40.60	54.0	13.40	AV	126.00	200	Horizontal	Pass
3	5826.500	103.38	--	--	Peak	336.00	150	Horizontal	N/A
3**	5826.500	96.13	--	--	AV	336.00	150	Horizontal	N/A
4	7380.250	56.43	74.0	17.57	Peak	315.00	300	Horizontal	Pass
4**	7380.250	46.32	54.0	7.68	AV	315.00	300	Horizontal	Pass
5	12446.238	50.53	74.0	23.47	Peak	189.00	200	Horizontal	Pass
5**	12446.238	41.82	54.0	12.18	AV	189.00	200	Horizontal	Pass
6	15440.099	51.71	74.0	22.29	Peak	176.00	100	Horizontal	Pass
6**	15440.099	41.83	54.0	12.17	AV	176.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.800	41.84	74.0	32.16	Peak	2.00	400	Vertical	Pass
1**	1492.800	32.10	54.0	21.90	AV	2.00	400	Vertical	Pass
2	4258.500	49.28	74.0	24.72	Peak	334.00	300	Vertical	Pass
2**	4258.500	39.55	54.0	14.45	AV	334.00	300	Vertical	Pass
3	5826.500	107.42	--	--	Peak	8.00	100	Vertical	N/A
3**	5826.500	100.71	--	--	AV	8.00	100	Vertical	N/A
4	7257.000	56.15	74.0	17.85	Peak	197.00	200	Vertical	Pass
4**	7257.000	47.80	54.0	6.20	AV	197.00	200	Vertical	Pass
5	11655.838	49.30	74.0	24.70	Peak	264.00	150	Vertical	Pass
5**	11655.838	45.21	54.0	8.79	AV	264.00	150	Vertical	Pass
6	15958.013	50.88	74.0	23.12	Peak	266.00	400	Vertical	Pass
6**	15958.013	41.80	54.0	12.20	AV	266.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.800	41.77	74.0	32.23	Peak	152.00	100	Horizontal	Pass
1**	1553.800	32.36	54.0	21.64	AV	152.00	100	Horizontal	Pass
2	4317.250	48.84	74.0	25.16	Peak	104.00	400	Horizontal	Pass
2**	4317.250	40.00	54.0	14.00	AV	104.00	400	Horizontal	Pass
3	5758.500	100.71	--	--	Peak	293.00	100	Horizontal	N/A
3**	5758.500	93.83	--	--	AV	293.00	100	Horizontal	N/A
4	7453.500	56.25	74.0	17.75	Peak	261.00	100	Horizontal	Pass
4**	7453.500	46.55	54.0	7.45	AV	261.00	100	Horizontal	Pass
5	12478.775	50.23	74.0	23.77	Peak	6.00	100	Horizontal	Pass
5**	12478.775	40.61	54.0	13.39	AV	6.00	100	Horizontal	Pass
6	15986.888	51.50	74.0	22.50	Peak	225.00	300	Horizontal	Pass
6**	15986.888	42.74	54.0	11.26	AV	225.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.000	42.25	74.0	31.75	Peak	0.00	100	Vertical	Pass
1**	1573.000	32.72	54.0	21.28	AV	0.00	100	Vertical	Pass
2	4364.000	48.96	74.0	25.04	Peak	152.00	200	Vertical	Pass
2**	4364.000	39.51	54.0	14.49	AV	152.00	200	Vertical	Pass
3	5753.250	104.00	--	--	Peak	336.00	100	Vertical	N/A
3**	5753.250	96.19	--	--	AV	336.00	100	Vertical	N/A
4	7619.500	56.50	74.0	17.50	Peak	325.00	100	Vertical	Pass
4**	7619.500	47.00	54.0	7.00	AV	325.00	100	Vertical	Pass
5	11509.775	50.36	74.0	23.64	Peak	56.00	150	Vertical	Pass
5**	11509.775	44.04	54.0	9.96	AV	56.00	150	Vertical	Pass
6	15438.525	50.66	74.0	23.34	Peak	238.00	200	Vertical	Pass
6**	15438.525	42.07	54.0	11.93	AV	238.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.800	41.64	74.0	32.36	Peak	45.00	100	Horizontal	Pass
1**	1573.800	32.15	54.0	21.85	AV	45.00	100	Horizontal	Pass
2	4222.250	49.51	74.0	24.49	Peak	233.00	200	Horizontal	Pass
2**	4222.250	39.74	54.0	14.26	AV	233.00	200	Horizontal	Pass
3	5793.500	100.50	--	--	Peak	334.00	150	Horizontal	N/A
3**	5793.500	93.33	--	--	AV	334.00	150	Horizontal	N/A
4	7735.000	56.72	74.0	17.28	Peak	264.00	300	Horizontal	Pass
4**	7735.000	46.37	54.0	7.63	AV	264.00	300	Horizontal	Pass
5	12104.950	50.18	74.0	23.82	Peak	163.00	100	Horizontal	Pass
5**	12104.950	40.49	54.0	13.51	AV	163.00	100	Horizontal	Pass
6	15813.112	50.82	74.0	23.18	Peak	285.00	400	Horizontal	Pass
6**	15813.112	40.02	54.0	13.98	AV	285.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.700	41.96	74.0	32.04	Peak	114.00	400	Vertical	Pass
1**	1507.700	32.31	54.0	21.69	AV	114.00	400	Vertical	Pass
2	4277.750	48.69	74.0	25.31	Peak	17.00	200	Vertical	Pass
2**	4277.750	39.59	54.0	14.41	AV	17.00	200	Vertical	Pass
3	5793.500	103.31	--	--	Peak	346.00	100	Vertical	N/A
3**	5793.500	96.49	--	--	AV	346.00	100	Vertical	N/A
4	7633.500	56.37	74.0	17.63	Peak	232.00	200	Vertical	Pass
4**	7633.500	47.24	54.0	6.76	AV	232.00	200	Vertical	Pass
5	11585.776	52.30	74.0	21.70	Peak	55.00	100	Vertical	Pass
5**	11585.776	40.13	54.0	13.87	AV	55.00	100	Vertical	Pass
6	15438.788	51.46	74.0	22.54	Peak	359.00	300	Vertical	Pass
6**	15438.788	42.11	54.0	11.89	AV	359.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.200	41.63	74.0	32.37	Peak	203.00	400	Horizontal	Pass
1**	1513.200	31.57	54.0	22.43	AV	203.00	400	Horizontal	Pass
2	4264.750	49.61	74.0	24.39	Peak	75.00	100	Horizontal	Pass
2**	4264.750	39.52	54.0	14.48	AV	75.00	100	Horizontal	Pass
3	5746.250	103.26	--	--	Peak	86.00	200	Horizontal	N/A
3**	5746.250	96.39	--	--	AV	86.00	200	Horizontal	N/A
4	7535.500	55.96	74.0	18.04	Peak	243.00	200	Horizontal	Pass
4**	7535.500	47.21	54.0	6.79	AV	243.00	200	Horizontal	Pass
5	12501.576	50.39	74.0	23.61	Peak	236.00	150	Horizontal	Pass
5**	12501.576	40.63	54.0	13.37	AV	236.00	150	Horizontal	Pass
6	15444.825	51.13	74.0	22.87	Peak	104.00	100	Horizontal	Pass
6**	15444.825	41.74	54.0	12.26	AV	104.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.500	42.21	74.0	31.79	Peak	0.00	300	Vertical	Pass
1**	1468.500	32.06	54.0	21.94	AV	0.00	300	Vertical	Pass
2	4342.000	49.18	74.0	24.82	Peak	147.00	200	Vertical	Pass
2**	4342.000	39.88	54.0	14.12	AV	147.00	200	Vertical	Pass
3	5749.750	105.96	--	--	Peak	344.00	100	Vertical	N/A
3**	5749.750	96.43	--	--	AV	344.00	100	Vertical	N/A
4	7537.750	55.87	74.0	18.13	Peak	240.00	300	Vertical	Pass
4**	7537.750	46.40	54.0	7.60	AV	240.00	300	Vertical	Pass
5	11489.825	49.16	74.0	24.84	Peak	55.00	150	Vertical	Pass
5**	11489.825	44.31	54.0	9.69	AV	55.00	150	Vertical	Pass
6	15936.750	50.92	74.0	23.08	Peak	59.00	300	Vertical	Pass
6**	15936.750	40.96	54.0	13.04	AV	59.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.500	42.03	74.0	31.97	Peak	106.00	100	Horizontal	Pass
1**	1573.500	31.85	54.0	22.15	AV	106.00	100	Horizontal	Pass
2	4286.500	49.01	74.0	24.99	Peak	1.00	100	Horizontal	Pass
2**	4286.500	40.19	54.0	13.81	AV	1.00	100	Horizontal	Pass
3	5782.500	104.13	--	--	Peak	334.00	200	Horizontal	N/A
3**	5782.500	95.87	--	--	AV	334.00	200	Horizontal	N/A
4	7612.250	56.41	74.0	17.59	Peak	178.00	300	Horizontal	Pass
4**	7612.250	47.38	54.0	6.62	AV	178.00	300	Horizontal	Pass
5	11784.563	50.32	74.0	23.68	Peak	62.00	200	Horizontal	Pass
5**	11784.563	41.01	54.0	12.99	AV	62.00	200	Horizontal	Pass
6	16110.788	50.92	74.0	23.08	Peak	348.00	200	Horizontal	Pass
6**	16110.788	41.80	54.0	12.20	AV	348.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.700	41.37	74.0	32.63	Peak	270.00	100	Vertical	Pass
1**	1516.700	32.29	54.0	21.71	AV	270.00	100	Vertical	Pass
2	3812.500	49.14	74.0	24.86	Peak	65.00	100	Vertical	Pass
2**	3812.500	40.00	54.0	14.00	AV	65.00	100	Vertical	Pass
3	5783.500	107.65	--	--	Peak	346.00	100	Vertical	N/A
3**	5783.500	99.44	--	--	AV	346.00	100	Vertical	N/A
4	7644.250	56.40	74.0	17.60	Peak	129.00	400	Vertical	Pass
4**	7644.250	47.89	54.0	6.11	AV	129.00	400	Vertical	Pass
5	11573.425	52.67	74.0	21.33	Peak	29.00	150	Vertical	Pass
5**	11573.425	46.30	54.0	7.70	AV	29.00	150	Vertical	Pass
6	16108.425	51.04	74.0	22.96	Peak	326.00	300	Vertical	Pass
6**	16108.425	41.97	54.0	12.03	AV	326.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.500	42.01	74.0	31.99	Peak	106.00	400	Horizontal	Pass
1**	1489.500	31.71	54.0	22.29	AV	106.00	400	Horizontal	Pass
2	4164.000	49.28	74.0	24.72	Peak	176.00	200	Horizontal	Pass
2**	4164.000	39.00	54.0	15.00	AV	176.00	200	Horizontal	Pass
3	5826.750	103.55	--	--	Peak	334.00	150	Horizontal	N/A
3**	5826.750	96.07	--	--	AV	334.00	150	Horizontal	N/A
4	7624.750	56.45	74.0	17.55	Peak	334.00	400	Horizontal	Pass
4**	7624.750	47.17	54.0	6.83	AV	334.00	400	Horizontal	Pass
5	12186.174	51.29	74.0	22.71	Peak	355.00	200	Horizontal	Pass
5**	12186.174	41.90	54.0	12.10	AV	355.00	200	Horizontal	Pass
6	15915.225	51.32	74.0	22.68	Peak	157.00	100	Horizontal	Pass
6**	15915.225	41.06	54.0	12.94	AV	157.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.800	42.07	74.0	31.93	Peak	344.00	400	Vertical	Pass
1**	1580.800	32.14	54.0	21.86	AV	344.00	400	Vertical	Pass
2	4292.750	49.37	74.0	24.63	Peak	0.00	400	Vertical	Pass
2**	4292.750	40.74	54.0	13.26	AV	0.00	400	Vertical	Pass
3	5825.750	106.97	--	--	Peak	10.00	100	Vertical	N/A
3**	5825.750	99.32	--	--	AV	10.00	100	Vertical	N/A
4	7740.250	56.84	74.0	17.16	Peak	119.00	300	Vertical	Pass
4**	7740.250	46.64	54.0	7.36	AV	119.00	300	Vertical	Pass
5	11646.338	49.27	74.0	24.73	Peak	139.00	150	Vertical	Pass
5**	11646.338	45.35	54.0	8.65	AV	139.00	150	Vertical	Pass
6	15990.563	51.07	74.0	22.93	Peak	300.00	100	Vertical	Pass
6**	15990.563	42.61	54.0	11.39	AV	300.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	41.79	74.0	32.21	Peak	120.00	400	Horizontal	Pass
1**	1595.600	32.08	54.0	21.92	AV	120.00	400	Horizontal	Pass
2	4346.000	49.13	74.0	24.87	Peak	2.00	300	Horizontal	Pass
2**	4346.000	39.84	54.0	14.16	AV	2.00	300	Horizontal	Pass
3	5753.500	100.74	--	--	Peak	302.00	200	Horizontal	N/A
3**	5753.500	92.82	--	--	AV	302.00	200	Horizontal	N/A
4	7740.000	57.43	74.0	16.57	Peak	311.00	300	Horizontal	Pass
4**	7740.000	47.01	54.0	6.99	AV	311.00	300	Horizontal	Pass
5	12330.575	50.25	74.0	23.75	Peak	174.00	100	Horizontal	Pass
5**	12330.575	40.60	54.0	13.40	AV	174.00	100	Horizontal	Pass
6	15435.375	50.76	74.0	23.24	Peak	360.00	200	Horizontal	Pass
6**	15435.375	42.01	54.0	11.99	AV	360.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.000	42.31	74.0	31.69	Peak	2.00	400	Vertical	Pass
1**	1452.000	32.69	54.0	21.31	AV	2.00	400	Vertical	Pass
2	4345.000	49.01	74.0	24.99	Peak	4.00	400	Vertical	Pass
2**	4345.000	39.61	54.0	14.39	AV	4.00	400	Vertical	Pass
3	5756.250	104.10	--	--	Peak	346.00	150	Vertical	N/A
3**	5756.250	95.58	--	--	AV	346.00	150	Vertical	N/A
4	7650.750	56.81	74.0	17.19	Peak	282.00	100	Vertical	Pass
4**	7650.750	46.97	54.0	7.03	AV	282.00	100	Vertical	Pass
5	12279.987	50.61	74.0	23.39	Peak	358.00	100	Vertical	Pass
5**	12279.987	40.68	54.0	13.32	AV	358.00	100	Vertical	Pass
6	15990.038	51.26	74.0	22.74	Peak	1.00	100	Vertical	Pass
6**	15990.038	42.81	54.0	11.19	AV	1.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.400	41.41	74.0	32.59	Peak	8.00	200	Horizontal	Pass
1**	1624.400	32.61	54.0	21.39	AV	8.00	200	Horizontal	Pass
2	4301.250	48.61	74.0	25.39	Peak	0.00	200	Horizontal	Pass
2**	4301.250	39.73	54.0	14.27	AV	0.00	200	Horizontal	Pass
3	5793.500	100.19	--	--	Peak	336.00	150	Horizontal	N/A
3**	5793.500	92.91	--	--	AV	336.00	150	Horizontal	N/A
4	7448.500	56.34	74.0	17.66	Peak	80.00	400	Horizontal	Pass
4**	7448.500	46.28	54.0	7.72	AV	80.00	400	Horizontal	Pass
5	12437.687	50.50	74.0	23.50	Peak	337.00	200	Horizontal	Pass
5**	12437.687	41.37	54.0	12.63	AV	337.00	200	Horizontal	Pass
6	15383.400	51.21	74.0	22.79	Peak	298.00	200	Horizontal	Pass
6**	15383.400	42.29	54.0	11.71	AV	298.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.400	41.62	74.0	32.38	Peak	358.00	200	Vertical	Pass
1**	1618.400	32.33	54.0	21.67	AV	358.00	200	Vertical	Pass
2	4371.500	48.73	74.0	25.27	Peak	90.00	300	Vertical	Pass
2**	4371.500	39.04	54.0	14.96	AV	90.00	300	Vertical	Pass
3	5799.500	102.90	--	--	Peak	346.00	200	Vertical	N/A
3**	5799.500	95.68	--	--	AV	346.00	200	Vertical	N/A
4	7408.250	56.47	74.0	17.53	Peak	58.00	100	Vertical	Pass
4**	7408.250	46.75	54.0	7.25	AV	58.00	100	Vertical	Pass
5	11588.862	52.32	74.0	21.68	Peak	174.00	100	Vertical	Pass
5**	11588.862	40.62	54.0	13.38	AV	174.00	100	Vertical	Pass
6	16062.750	51.11	74.0	22.89	Peak	360.00	100	Vertical	Pass
6**	16062.750	41.54	54.0	12.46	AV	360.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	42.40	74.0	31.60	Peak	0.00	400	Horizontal	Pass
1**	1572.800	32.19	54.0	21.81	AV	0.00	400	Horizontal	Pass
2	4319.000	49.02	74.0	24.98	Peak	293.00	300	Horizontal	Pass
2**	4319.000	40.54	54.0	13.46	AV	293.00	300	Horizontal	Pass
3	5773.500	98.21	--	--	Peak	336.00	200	Horizontal	N/A
3**	5773.500	90.89	--	--	AV	336.00	200	Horizontal	N/A
4	7614.250	56.70	74.0	17.30	Peak	76.00	200	Horizontal	Pass
4**	7614.250	47.48	54.0	6.52	AV	76.00	200	Horizontal	Pass
5	12613.675	50.60	74.0	23.40	Peak	24.00	100	Horizontal	Pass
5**	12613.675	41.37	54.0	12.63	AV	24.00	100	Horizontal	Pass
6	16101.599	51.48	74.0	22.52	Peak	299.00	200	Horizontal	Pass
6**	16101.599	41.45	54.0	12.55	AV	299.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.100	41.84	74.0	32.16	Peak	106.00	200	Vertical	Pass
1**	1494.100	32.94	54.0	21.06	AV	106.00	200	Vertical	Pass
2	4313.500	49.17	74.0	24.83	Peak	305.00	100	Vertical	Pass
2**	4313.500	40.39	54.0	13.61	AV	305.00	100	Vertical	Pass
3	5777.000	102.64	--	--	Peak	348.00	150	Vertical	N/A
3**	5777.000	95.20	--	--	AV	348.00	150	Vertical	N/A
4	7476.500	56.53	74.0	17.47	Peak	37.00	100	Vertical	Pass
4**	7476.500	47.37	54.0	6.63	AV	37.00	100	Vertical	Pass
5	12327.487	50.69	74.0	23.31	Peak	11.00	200	Vertical	Pass
5**	12327.487	42.23	54.0	11.77	AV	11.00	200	Vertical	Pass
6	15992.401	51.59	74.0	22.41	Peak	360.00	300	Vertical	Pass
6**	15992.401	43.39	54.0	10.61	AV	360.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.700	41.43	74.0	32.57	Peak	67.00	300	Horizontal	Pass
1**	1574.700	32.69	54.0	21.31	AV	67.00	300	Horizontal	Pass
2	4187.250	48.79	74.0	25.21	Peak	78.00	400	Horizontal	Pass
2**	4187.250	38.77	54.0	15.23	AV	78.00	400	Horizontal	Pass
3	5743.250	103.40	--	--	Peak	305.00	200	Horizontal	N/A
3**	5743.250	94.79	--	--	AV	305.00	200	Horizontal	N/A
4	7623.500	56.39	74.0	17.61	Peak	0.00	400	Horizontal	Pass
4**	7623.500	47.38	54.0	6.62	AV	0.00	400	Horizontal	Pass
5	12382.349	50.55	74.0	23.45	Peak	307.00	100	Horizontal	Pass
5**	12382.349	40.76	54.0	13.24	AV	307.00	100	Horizontal	Pass
6	15972.975	51.48	74.0	22.52	Peak	10.00	300	Horizontal	Pass
6**	15972.975	42.45	54.0	11.55	AV	10.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.400	41.83	74.0	32.17	Peak	292.00	400	Vertical	Pass
1**	1469.400	32.03	54.0	21.97	AV	292.00	400	Vertical	Pass
2	4332.750	49.48	74.0	24.52	Peak	59.00	300	Vertical	Pass
2**	4332.750	40.46	54.0	13.54	AV	59.00	300	Vertical	Pass
3	5742.750	104.77	--	--	Peak	346.00	100	Vertical	N/A
3**	5742.750	96.62	--	--	AV	346.00	100	Vertical	N/A
4	7557.250	56.98	74.0	17.02	Peak	294.00	200	Vertical	Pass
4**	7557.250	47.64	54.0	6.36	AV	294.00	200	Vertical	Pass
5	11490.062	48.21	74.0	25.79	Peak	137.00	150	Vertical	Pass
5**	11490.062	43.45	54.0	10.55	AV	137.00	150	Vertical	Pass
6	15985.838	51.31	74.0	22.69	Peak	240.00	200	Vertical	Pass
6**	15985.838	42.16	54.0	11.84	AV	240.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.200	41.56	74.0	32.44	Peak	289.00	200	Horizontal	Pass
1**	1546.200	31.79	54.0	22.21	AV	289.00	200	Horizontal	Pass
2	4297.250	49.40	74.0	24.60	Peak	73.00	400	Horizontal	Pass
2**	4297.250	39.59	54.0	14.41	AV	73.00	400	Horizontal	Pass
3	5786.750	103.09	--	--	Peak	344.00	150	Horizontal	N/A
3**	5786.750	96.11	--	--	AV	344.00	150	Horizontal	N/A
4	7608.250	56.35	74.0	17.65	Peak	73.00	200	Horizontal	Pass
4**	7608.250	47.06	54.0	6.94	AV	73.00	200	Horizontal	Pass
5	12438.400	50.19	74.0	23.81	Peak	189.00	200	Horizontal	Pass
5**	12438.400	40.97	54.0	13.03	AV	189.00	200	Horizontal	Pass
6	15985.050	51.08	74.0	22.92	Peak	339.00	300	Horizontal	Pass
6**	15985.050	41.94	54.0	12.06	AV	339.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.500	41.88	74.0	32.12	Peak	358.00	100	Vertical	Pass
1**	1468.500	32.35	54.0	21.65	AV	358.00	100	Vertical	Pass
2	4357.500	49.34	74.0	24.66	Peak	32.00	100	Vertical	Pass
2**	4357.500	39.58	54.0	14.42	AV	32.00	100	Vertical	Pass
3	5785.750	106.23	--	--	Peak	346.00	100	Vertical	N/A
3**	5785.750	99.13	--	--	AV	346.00	100	Vertical	N/A
4	7616.500	55.93	74.0	18.07	Peak	336.00	400	Vertical	Pass
4**	7616.500	47.35	54.0	6.65	AV	336.00	400	Vertical	Pass
5	11571.049	50.31	74.0	23.69	Peak	68.00	150	Vertical	Pass
5**	11571.049	44.35	54.0	9.65	AV	68.00	150	Vertical	Pass
6	15395.213	50.87	74.0	23.13	Peak	34.00	300	Vertical	Pass
6**	15395.213	43.10	54.0	10.90	AV	34.00	300	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.000	41.63	74.0	32.37	Peak	227.00	400	Horizontal	Pass
1**	1522.000	31.70	54.0	22.30	AV	227.00	400	Horizontal	Pass
2	4225.000	48.75	74.0	25.25	Peak	344.00	200	Horizontal	Pass
2**	4225.000	39.65	54.0	14.35	AV	344.00	200	Horizontal	Pass
3	5826.750	102.47	--	--	Peak	334.00	200	Horizontal	N/A
3**	5826.750	95.07	--	--	AV	334.00	200	Horizontal	N/A
4	7391.000	56.24	74.0	17.76	Peak	241.00	400	Horizontal	Pass
4**	7391.000	47.47	54.0	6.53	AV	241.00	400	Horizontal	Pass
5	12557.150	50.67	74.0	23.33	Peak	57.00	100	Horizontal	Pass
5**	12557.150	41.43	54.0	12.57	AV	57.00	100	Horizontal	Pass
6	16045.688	51.06	74.0	22.94	Peak	232.00	300	Horizontal	Pass
6**	16045.688	40.91	54.0	13.09	AV	232.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.900	42.12	74.0	31.88	Peak	164.00	400	Vertical	Pass
1**	1577.900	31.93	54.0	22.07	AV	164.00	400	Vertical	Pass
2	4330.500	48.56	74.0	25.44	Peak	305.00	400	Vertical	Pass
2**	4330.500	40.11	54.0	13.89	AV	305.00	400	Vertical	Pass
3	5823.750	105.89	--	--	Peak	11.00	150	Vertical	N/A
3**	5823.750	98.94	--	--	AV	11.00	150	Vertical	N/A
4	7606.000	55.89	74.0	18.11	Peak	17.00	300	Vertical	Pass
4**	7606.000	47.12	54.0	6.88	AV	17.00	300	Vertical	Pass
5	11648.474	50.46	74.0	23.54	Peak	138.00	100	Vertical	Pass
5**	11648.474	42.39	54.0	11.61	AV	138.00	100	Vertical	Pass
6	15971.401	51.41	74.0	22.59	Peak	27.00	400	Vertical	Pass
6**	15971.401	41.72	54.0	12.28	AV	27.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.200	41.85	74.0	32.15	Peak	308.00	300	Horizontal	Pass
1**	1552.200	31.99	54.0	22.01	AV	308.00	300	Horizontal	Pass
2	4306.500	49.09	74.0	24.91	Peak	171.00	100	Horizontal	Pass
2**	4306.500	40.05	54.0	13.95	AV	171.00	100	Horizontal	Pass
3	5753.750	101.72	--	--	Peak	294.00	200	Horizontal	N/A
3**	5753.750	92.48	--	--	AV	294.00	200	Horizontal	N/A
4	7553.000	57.20	74.0	16.80	Peak	191.00	300	Horizontal	Pass
4**	7553.000	46.96	54.0	7.04	AV	191.00	300	Horizontal	Pass
5	11843.937	50.36	74.0	23.64	Peak	212.00	100	Horizontal	Pass
5**	11843.937	40.71	54.0	13.29	AV	212.00	100	Horizontal	Pass
6	15438.000	51.03	74.0	22.97	Peak	8.00	200	Horizontal	Pass
6**	15438.000	41.37	54.0	12.63	AV	8.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.900	42.00	74.0	32.00	Peak	100.00	100	Vertical	Pass
1**	1531.900	31.97	54.0	22.03	AV	100.00	100	Vertical	Pass
2	4148.000	48.78	74.0	25.22	Peak	0.00	400	Vertical	Pass
2**	4148.000	39.51	54.0	14.49	AV	0.00	400	Vertical	Pass
3	5752.500	104.09	--	--	Peak	222.00	200	Vertical	N/A
3**	5752.500	94.64	--	--	AV	222.00	200	Vertical	N/A
4	7371.750	56.71	74.0	17.29	Peak	315.00	200	Vertical	Pass
4**	7371.750	47.11	54.0	6.89	AV	315.00	200	Vertical	Pass
5	11513.338	47.53	74.0	26.47	Peak	56.00	150	Vertical	Pass
5**	11513.338	43.38	54.0	10.62	AV	56.00	150	Vertical	Pass
6	15992.401	51.24	74.0	22.76	Peak	121.00	200	Vertical	Pass
6**	15992.401	42.37	54.0	11.63	AV	121.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.400	41.73	74.0	32.27	Peak	30.00	200	Horizontal	Pass
1**	1514.400	31.59	54.0	22.41	AV	30.00	200	Horizontal	Pass
2	4299.000	48.96	74.0	25.04	Peak	346.00	400	Horizontal	Pass
2**	4299.000	39.88	54.0	14.12	AV	346.00	400	Horizontal	Pass
3	5796.500	101.32	--	--	Peak	334.00	200	Horizontal	N/A
3**	5796.500	93.04	--	--	AV	334.00	200	Horizontal	N/A
4	7321.000	56.40	74.0	17.60	Peak	98.00	100	Horizontal	Pass
4**	7321.000	46.27	54.0	7.73	AV	98.00	100	Horizontal	Pass
5	11947.250	50.79	74.0	23.21	Peak	263.00	150	Horizontal	Pass
5**	11947.250	40.91	54.0	13.09	AV	263.00	150	Horizontal	Pass
6	16017.599	50.63	74.0	23.37	Peak	303.00	400	Horizontal	Pass
6**	16017.599	40.26	54.0	13.74	AV	303.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.300	41.82	74.0	32.18	Peak	62.00	200	Vertical	Pass
1**	1533.300	32.02	54.0	21.98	AV	62.00	200	Vertical	Pass
2	4319.750	49.05	74.0	24.95	Peak	346.00	200	Vertical	Pass
2**	4319.750	40.21	54.0	13.79	AV	346.00	200	Vertical	Pass
3	5796.000	104.32	--	--	Peak	346.00	150	Vertical	N/A
3**	5796.000	95.15	--	--	AV	346.00	150	Vertical	N/A
4	7612.750	56.43	74.0	17.57	Peak	280.00	400	Vertical	Pass
4**	7612.750	47.57	54.0	6.43	AV	280.00	400	Vertical	Pass
5	11971.474	50.37	74.0	23.63	Peak	241.00	150	Vertical	Pass
5**	11971.474	40.30	54.0	13.70	AV	241.00	150	Vertical	Pass
6	15991.088	51.30	74.0	22.70	Peak	279.00	200	Vertical	Pass
6**	15991.088	42.30	54.0	11.70	AV	279.00	200	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.700	41.68	74.0	32.32	Peak	143.00	400	Horizontal	Pass
1**	1504.700	32.92	54.0	21.08	AV	143.00	400	Horizontal	Pass
2	4329.000	48.79	74.0	25.21	Peak	0.00	300	Horizontal	Pass
2**	4329.000	40.04	54.0	13.96	AV	0.00	300	Horizontal	Pass
3	5768.250	97.05	--	--	Peak	336.00	100	Horizontal	N/A
3**	5768.250	89.66	--	--	AV	336.00	100	Horizontal	N/A
4	7629.250	56.37	74.0	17.63	Peak	7.00	100	Horizontal	Pass
4**	7629.250	47.55	54.0	6.45	AV	7.00	100	Horizontal	Pass
5	12355.750	50.23	74.0	23.77	Peak	340.00	100	Horizontal	Pass
5**	12355.750	40.55	54.0	13.45	AV	340.00	100	Horizontal	Pass
6	15991.088	51.56	74.0	22.44	Peak	83.00	400	Horizontal	Pass
6**	15991.088	41.89	54.0	12.11	AV	83.00	400	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.700	42.14	74.0	31.86	Peak	226.00	200	Vertical	Pass
1**	1575.700	33.14	54.0	20.86	AV	226.00	200	Vertical	Pass
2	4265.750	48.61	74.0	25.39	Peak	315.00	400	Vertical	Pass
2**	4265.750	39.26	54.0	14.74	AV	315.00	400	Vertical	Pass
3	5771.000	100.24	--	--	Peak	346.00	100	Vertical	N/A
3**	5771.000	92.38	--	--	AV	346.00	100	Vertical	N/A
4	7550.250	56.70	74.0	17.30	Peak	88.00	300	Vertical	Pass
4**	7550.250	46.71	54.0	7.29	AV	88.00	300	Vertical	Pass
5	12084.763	50.89	74.0	23.11	Peak	326.00	200	Vertical	Pass
5**	12084.763	39.95	54.0	14.05	AV	326.00	200	Vertical	Pass
6	16032.825	50.83	74.0	23.17	Peak	150.00	400	Vertical	Pass
6**	16032.825	40.98	54.0	13.02	AV	150.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

Note: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.900	57.28	74.0	16.72	Peak	96.00	150	Horizontal	Pass
1**	5114.900	45.92	54.0	8.08	AV	96.00	150	Horizontal	Pass
2	5150.000	55.30	74.0	18.70	Peak	264.00	100	Horizontal	Pass
2**	5150.000	45.75	54.0	8.25	AV	264.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.64	74.0	17.36	Peak	218.00	100	Horizontal	Pass
1**	5350.000	45.74	54.0	8.26	AV	218.00	100	Horizontal	Pass
2	5387.400	57.69	74.0	16.31	Peak	358.00	100	Horizontal	Pass
2**	5387.400	45.11	54.0	8.89	AV	358.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.200	57.58	74.0	16.42	Peak	161.00	150	Horizontal	Pass
1**	5116.200	45.98	54.0	8.02	AV	161.00	150	Horizontal	Pass
2	5150.000	56.17	74.0	17.83	Peak	345.00	200	Horizontal	Pass
2**	5150.000	45.83	54.0	8.17	AV	345.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.06	74.0	17.94	Peak	298.00	150	Horizontal	Pass
1**	5350.000	45.48	54.0	8.52	AV	298.00	150	Horizontal	Pass
2	5372.733	57.76	74.0	16.24	Peak	334.00	200	Horizontal	Pass
2**	5372.733	45.75	54.0	8.25	AV	334.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.775	59.66	74.0	14.34	Peak	82.00	100	Horizontal	Pass
1**	5145.775	48.52	54.0	5.48	AV	82.00	100	Horizontal	Pass
2	5150.000	59.34	74.0	14.66	Peak	80.00	150	Horizontal	Pass
2**	5150.000	48.90	54.0	5.10	AV	80.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.65	74.0	18.35	Peak	360.00	100	Horizontal	Pass
1**	5350.000	45.66	54.0	8.34	AV	360.00	100	Horizontal	Pass
2	5370.350	57.69	74.0	16.31	Peak	83.00	100	Horizontal	Pass
2**	5370.350	45.51	54.0	8.49	AV	83.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.650	57.51	74.0	16.49	Peak	285.00	150	Horizontal	Pass
1**	4994.650	45.42	54.0	8.58	AV	285.00	150	Horizontal	Pass
2	5150.000	55.06	74.0	18.94	Peak	327.00	150	Horizontal	Pass
2**	5150.000	46.03	54.0	7.97	AV	327.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	74.0	18.08	Peak	102.00	100	Horizontal	Pass
1**	5350.000	45.52	54.0	8.48	AV	102.00	100	Horizontal	Pass
2	5393.267	57.40	74.0	16.60	Peak	102.00	200	Horizontal	Pass
2**	5393.267	45.42	54.0	8.58	AV	102.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.73	74.0	16.27	Peak	94.00	200	Horizontal	Pass
1**	5147.725	47.83	54.0	6.17	AV	94.00	200	Horizontal	Pass
2	5150.000	56.74	74.0	17.26	Peak	339.00	100	Horizontal	Pass
2**	5150.000	47.54	54.0	6.46	AV	339.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.11	74.0	17.89	Peak	308.00	200	Horizontal	Pass
1**	5350.000	45.71	54.0	8.29	AV	308.00	200	Horizontal	Pass
2	5370.717	57.72	74.0	16.28	Peak	94.00	100	Horizontal	Pass
2**	5370.717	45.54	54.0	8.46	AV	94.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.850	60.17	74.0	13.83	Peak	306.00	200	Horizontal	Pass
1**	5116.850	48.32	54.0	5.68	AV	306.00	200	Horizontal	Pass
2	5150.000	58.38	74.0	15.62	Peak	306.00	150	Horizontal	Pass
2**	5150.000	50.28	54.0	3.72	AV	306.00	150	Horizontal	Pass
3	5146.100	59.19	74.0	14.81	Peak	121.00	150	Horizontal	Pass
3**	5146.100	50.28	54.0	3.72	AV	121.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.86	74.0	18.14	Peak	310.00	100	Horizontal	Pass
1**	5350.000	45.06	54.0	8.94	AV	310.00	100	Horizontal	Pass
2	5444.233	57.00	74.0	17.00	Peak	310.00	200	Horizontal	Pass
2**	5444.233	45.04	54.0	8.96	AV	310.00	200	Horizontal	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.250	59.95	74.0	14.05	Peak	315.00	100	Horizontal	Pass
1**	5114.250	49.51	54.0	4.49	AV	315.00	100	Horizontal	Pass
2	5150.000	56.26	74.0	17.74	Peak	72.00	150	Horizontal	Pass
2**	5150.000	48.11	54.0	5.89	AV	72.00	150	Horizontal	Pass
3	5144.800	59.44	74.0	14.56	Peak	340.00	150	Horizontal	Pass
3**	5144.800	50.04	54.0	3.96	AV	340.00	150	Horizontal	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.34	74.0	16.66	Peak	76.00	100	Horizontal	Pass
1**	5350.000	47.04	54.0	6.96	AV	76.00	100	Horizontal	Pass
2	5355.317	60.25	74.0	13.75	Peak	99.00	150	Horizontal	Pass
2**	5355.317	47.18	54.0	6.82	AV	99.00	150	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5104.175	57.22	74.0	16.78	Peak	199.00	150	Horizontal	Pass
1**	5104.175	45.67	54.0	8.33	AV	199.00	150	Horizontal	Pass
2	5150.000	55.85	74.0	18.15	Peak	78.00	100	Horizontal	Pass
2**	5150.000	46.20	54.0	7.80	AV	78.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.94	74.0	18.06	Peak	39.00	100	Horizontal	Pass
1**	5350.000	45.46	54.0	8.54	AV	39.00	100	Horizontal	Pass
2	5388.683	57.80	74.0	16.20	Peak	86.00	200	Horizontal	Pass
2**	5388.683	45.29	54.0	8.71	AV	86.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	57.27	74.0	16.73	Peak	73.00	100	Horizontal	Pass
1**	5146.750	46.69	54.0	7.31	AV	73.00	100	Horizontal	Pass
2	5150.000	55.50	74.0	18.50	Peak	10.00	100	Horizontal	Pass
2**	5150.000	47.42	54.0	6.58	AV	10.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	74.0	18.08	Peak	277.00	100	Horizontal	Pass
1**	5350.000	45.61	54.0	8.39	AV	277.00	100	Horizontal	Pass
2	5353.483	57.52	74.0	16.48	Peak	358.00	200	Horizontal	Pass
2**	5353.483	45.67	54.0	8.33	AV	358.00	200	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	60.67	74.0	13.33	Peak	341.00	150	Horizontal	Pass
1**	5149.675	50.06	54.0	3.94	AV	341.00	150	Horizontal	Pass
2	5150.000	59.49	74.0	14.51	Peak	337.00	100	Horizontal	Pass
2**	5150.000	50.94	54.0	3.06	AV	337.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.96	74.0	18.04	Peak	208.00	100	Horizontal	Pass
1**	5350.000	45.56	54.0	8.44	AV	208.00	100	Horizontal	Pass
2	5380.983	57.89	74.0	16.11	Peak	2.00	200	Horizontal	Pass
2**	5380.983	45.46	54.0	8.54	AV	2.00	200	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.575	60.26	74.0	13.74	Peak	75.00	100	Horizontal	Pass
1**	5127.575	49.81	54.0	4.19	AV	75.00	100	Horizontal	Pass
2	5150.000	58.00	74.0	16.00	Peak	88.00	150	Horizontal	Pass
2**	5150.000	49.47	54.0	4.53	AV	88.00	150	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.50	74.0	15.50	Peak	78.00	150	Horizontal	Pass
1**	5350.000	49.06	54.0	4.94	AV	78.00	150	Horizontal	Pass
2	5381.717	60.96	74.0	13.04	Peak	75.00	150	Horizontal	Pass
2**	5381.717	49.18	54.0	4.82	AV	75.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5052.800	56.87	74.0	17.13	Peak	181.00	150	Horizontal	Pass
1**	5052.800	46.40	54.0	7.60	AV	181.00	150	Horizontal	Pass
2	5150.000	55.31	74.0	18.69	Peak	0.00	100	Horizontal	Pass
2**	5150.000	46.11	54.0	7.89	AV	0.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.15	74.0	17.85	Peak	289.00	200	Horizontal	Pass
1**	5350.000	45.27	54.0	8.73	AV	289.00	200	Horizontal	Pass
2	5451.750	57.46	74.0	16.54	Peak	360.00	150	Horizontal	Pass
2**	5451.750	45.10	54.0	8.90	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5030.725	57.15	74.0	16.85	Peak	262.00	100	Horizontal	Pass
1**	5030.725	46.15	54.0	7.85	AV	262.00	100	Horizontal	Pass
2	5150.000	55.43	74.0	18.57	Peak	138.00	200	Horizontal	Pass
2**	5150.000	45.66	54.0	8.34	AV	138.00	200	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.21	74.0	17.79	Peak	148.00	200	Horizontal	Pass
1**	5350.000	45.67	54.0	8.33	AV	148.00	200	Horizontal	Pass
2	5395.650	57.92	74.0	16.08	Peak	360.00	100	Horizontal	Pass
2**	5395.650	45.24	54.0	8.76	AV	360.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5112.300	57.56	74.0	16.44	Peak	292.00	200	Horizontal	Pass
1**	5112.300	45.80	54.0	8.20	AV	292.00	200	Horizontal	Pass
2	5150.000	55.93	74.0	18.07	Peak	28.00	100	Horizontal	Pass
2**	5150.000	45.59	54.0	8.41	AV	28.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.78	74.0	17.22	Peak	0.00	150	Horizontal	Pass
1**	5350.000	45.24	54.0	8.76	AV	0.00	150	Horizontal	Pass
2	5436.900	57.85	74.0	16.15	Peak	159.00	200	Horizontal	Pass
2**	5436.900	44.93	54.0	9.07	AV	159.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	57.65	74.0	16.35	Peak	155.00	100	Horizontal	Pass
1**	5147.725	45.57	54.0	8.43	AV	155.00	100	Horizontal	Pass
2	5150.000	55.12	74.0	18.88	Peak	45.00	150	Horizontal	Pass
2**	5150.000	45.89	54.0	8.11	AV	45.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.97	74.0	18.03	Peak	8.00	150	Horizontal	Pass
1**	5350.000	45.27	54.0	8.73	AV	8.00	150	Horizontal	Pass
2	5458.533	57.95	74.0	16.05	Peak	360.00	200	Horizontal	Pass
2**	5458.533	45.23	54.0	8.77	AV	360.00	200	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	57.25	74.0	16.75	Peak	168.00	150	Horizontal	Pass
1**	5146.750	45.68	54.0	8.32	AV	168.00	150	Horizontal	Pass
2	5150.000	55.24	74.0	18.76	Peak	0.00	200	Horizontal	Pass
2**	5150.000	45.74	54.0	8.26	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.64	74.0	18.36	Peak	261.00	100	Horizontal	Pass
1**	5350.000	45.29	54.0	8.71	AV	261.00	100	Horizontal	Pass
2	5457.983	57.68	74.0	16.32	Peak	348.00	100	Horizontal	Pass
2**	5457.983	45.20	54.0	8.80	AV	348.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.800	57.94	74.0	16.06	Peak	86.00	100	Horizontal	Pass
1**	5131.800	46.03	54.0	7.97	AV	86.00	100	Horizontal	Pass
2	5150.000	55.37	74.0	18.63	Peak	320.00	100	Horizontal	Pass
2**	5150.000	45.76	54.0	8.24	AV	320.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.49	74.0	14.51	Peak	174.00	200	Horizontal	Pass
1**	5350.000	50.82	54.0	3.18	AV	174.00	200	Horizontal	Pass
2	5351.100	61.54	74.0	12.46	Peak	186.00	200	Horizontal	Pass
2**	5351.100	49.90	54.0	4.10	AV	186.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.800	56.92	74.0	17.08	Peak	360.00	200	Horizontal	Pass
1**	5131.800	46.16	54.0	7.84	AV	360.00	200	Horizontal	Pass
2	5150.000	55.53	74.0	18.47	Peak	204.00	150	Horizontal	Pass
2**	5150.000	45.68	54.0	8.32	AV	204.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.18	74.0	17.82	Peak	352.00	200	Horizontal	Pass
1**	5350.000	45.28	54.0	8.72	AV	352.00	200	Horizontal	Pass
2	5368.517	57.22	74.0	16.78	Peak	90.00	150	Horizontal	Pass
2**	5368.517	45.20	54.0	8.80	AV	90.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4975.475	57.14	74.0	16.86	Peak	0.00	100	Horizontal	Pass
1**	4975.475	45.52	54.0	8.48	AV	0.00	100	Horizontal	Pass
2	5150.000	55.16	74.0	18.84	Peak	109.00	100	Horizontal	Pass
2**	5150.000	45.81	54.0	8.19	AV	109.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.02	74.0	17.98	Peak	60.00	100	Horizontal	Pass
1**	5350.000	45.44	54.0	8.56	AV	60.00	100	Horizontal	Pass
2	5370.717	57.59	74.0	16.41	Peak	32.00	150	Horizontal	Pass
2**	5370.717	45.09	54.0	8.91	AV	32.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5083.375	56.94	74.0	17.06	Peak	240.00	150	Horizontal	Pass
1**	5083.375	45.68	54.0	8.32	AV	240.00	150	Horizontal	Pass
2	5150.000	55.27	74.0	18.73	Peak	156.00	150	Horizontal	Pass
2**	5150.000	45.69	54.0	8.31	AV	156.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.19	74.0	17.81	Peak	238.00	200	Horizontal	Pass
1**	5350.000	46.82	54.0	7.18	AV	238.00	200	Horizontal	Pass
2	5350.733	57.38	74.0	16.62	Peak	325.00	200	Horizontal	Pass
2**	5350.733	46.62	54.0	7.38	AV	325.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5374.400	57.09	74.0	16.91	Peak	1.00	150	Horizontal	Pass
1**	5374.400	45.17	54.0	8.83	AV	1.00	150	Horizontal	Pass
2	5460.000	55.64	74.0	18.36	Peak	21.00	100	Horizontal	Pass
2**	5460.000	45.23	54.0	8.77	AV	21.00	100	Horizontal	Pass
3	5461.000	57.07	68.2	11.13	Peak	301.00	150	Horizontal	Pass
3**	5461.000	45.13	--	--	AV	301.00	150	Horizontal	N/A
4	5469.800	56.28	68.2	11.92	Peak	352.00	100	Horizontal	Pass
4**	5469.800	45.24	--	--	AV	352.00	100	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.40	68.2	10.80	Peak	322.00	200	Horizontal	Pass
2	5776.459	58.38	68.2	9.82	Peak	279.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5366.800	57.25	74.0	16.75	Peak	145.00	150	Horizontal	Pass
1**	5366.800	44.95	54.0	9.05	AV	145.00	150	Horizontal	Pass
2	5460.000	55.94	74.0	18.06	Peak	274.00	200	Horizontal	Pass
2**	5460.000	45.21	54.0	8.79	AV	274.00	200	Horizontal	Pass
3	5469.800	56.77	68.2	11.43	Peak	290.00	150	Horizontal	Pass
3**	5469.800	45.42	--	--	AV	290.00	150	Horizontal	N/A
4	5469.800	56.77	68.2	11.43	Peak	290.00	100	Horizontal	Pass
4**	5469.800	45.42	--	--	AV	290.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.02	68.2	11.18	Peak	360.00	100	Horizontal	Pass
2	5736.875	58.90	68.2	9.30	Peak	328.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5390.800	56.70	74.0	17.30	Peak	15.00	200	Horizontal	Pass
1**	5390.800	44.91	54.0	9.09	AV	15.00	200	Horizontal	Pass
2	5460.000	55.92	74.0	18.08	Peak	259.00	200	Horizontal	Pass
2**	5460.000	45.41	54.0	8.59	AV	259.00	200	Horizontal	Pass
3	5464.800	57.06	68.2	11.14	Peak	360.00	150	Horizontal	Pass
3**	5464.800	45.29	--	--	AV	360.00	150	Horizontal	N/A
4	5469.800	55.82	68.2	12.38	Peak	259.00	150	Horizontal	Pass
4**	5469.800	45.60	--	--	AV	259.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.15	68.2	11.05	Peak	331.00	150	Horizontal	Pass
2	5762.500	58.43	68.2	9.77	Peak	52.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.000	57.00	74.0	17.00	Peak	248.00	150	Horizontal	Pass
1**	5371.000	45.11	54.0	8.89	AV	248.00	150	Horizontal	Pass
2	5460.000	55.48	74.0	18.52	Peak	310.00	200	Horizontal	Pass
2**	5460.000	45.07	54.0	8.93	AV	310.00	200	Horizontal	Pass
3	5462.000	56.90	68.2	11.30	Peak	310.00	100	Horizontal	Pass
3**	5462.000	45.09	--	--	AV	310.00	100	Horizontal	N/A
4	5469.800	55.65	68.2	12.55	Peak	261.00	200	Horizontal	Pass
4**	5469.800	45.27	--	--	AV	261.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.85	68.2	11.35	Peak	13.00	150	Horizontal	Pass
2	5729.584	58.86	68.2	9.34	Peak	328.00	150	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.200	57.07	74.0	16.93	Peak	231.00	100	Horizontal	Pass
1**	5440.200	45.07	54.0	8.93	AV	231.00	100	Horizontal	Pass
2	5460.000	55.38	74.0	18.62	Peak	262.00	200	Horizontal	Pass
2**	5460.000	45.16	54.0	8.84	AV	262.00	200	Horizontal	Pass
3	5467.200	57.37	68.2	10.83	Peak	347.00	200	Horizontal	Pass
3**	5467.200	45.44	--	--	AV	347.00	200	Horizontal	N/A
4	5469.800	55.40	68.2	12.80	Peak	96.00	150	Horizontal	Pass
4**	5469.800	45.42	--	--	AV	96.00	150	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.11	68.2	12.09	Peak	42.00	100	Horizontal	Pass
2	5801.041	58.46	68.2	9.74	Peak	140.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.400	58.73	74.0	15.27	Peak	83.00	200	Horizontal	Pass
1**	5456.400	46.34	54.0	7.66	AV	83.00	200	Horizontal	Pass
2	5460.000	56.57	74.0	17.43	Peak	101.00	150	Horizontal	Pass
2**	5460.000	45.88	54.0	8.12	AV	101.00	150	Horizontal	Pass
3	5469.600	59.21	68.2	8.99	Peak	84.00	100	Horizontal	Pass
3**	5469.600	48.54	--	--	AV	84.00	100	Horizontal	N/A
4	5469.800	58.33	68.2	9.87	Peak	86.00	150	Horizontal	Pass
4**	5469.800	48.92	--	--	AV	86.00	150	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.55	68.2	10.65	Peak	310.00	100	Horizontal	Pass
2	5734.583	58.26	68.2	9.94	Peak	294.00	200	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.200	62.30	74.0	11.70	Peak	296.00	200	Horizontal	Pass
1**	5443.200	47.61	54.0	6.39	AV	296.00	200	Horizontal	Pass
2	5460.000	59.33	74.0	14.67	Peak	85.00	100	Horizontal	Pass
2**	5460.000	47.81	54.0	6.19	AV	85.00	100	Horizontal	Pass
3	5463.000	61.78	68.2	6.42	Peak	86.00	100	Horizontal	Pass
3**	5463.000	48.98	--	--	AV	86.00	100	Horizontal	N/A
4	5469.800	59.97	68.2	8.23	Peak	86.00	100	Horizontal	Pass
4**	5469.800	47.87	--	--	AV	86.00	100	Horizontal	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.19	68.2	9.01	Peak	300.00	200	Horizontal	Pass
2	5726.250	60.58	68.2	7.62	Peak	298.00	100	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.200	57.00	74.0	17.00	Peak	360.00	150	Horizontal	Pass
1**	5351.200	45.24	54.0	8.76	AV	360.00	150	Horizontal	Pass
2	5460.000	55.83	74.0	18.17	Peak	75.00	100	Horizontal	Pass
2**	5460.000	45.31	54.0	8.69	AV	75.00	100	Horizontal	Pass
3	5462.000	57.26	68.2	10.94	Peak	39.00	100	Horizontal	Pass
3**	5462.000	45.38	--	--	AV	39.00	100	Horizontal	N/A
4	5469.800	55.99	68.2	12.21	Peak	42.00	100	Horizontal	Pass
4**	5469.800	45.49	--	--	AV	42.00	100	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.04	68.2	11.16	Peak	208.00	200	Horizontal	Pass
2	5804.791	58.22	68.2	9.98	Peak	285.00	100	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.000	57.19	74.0	16.81	Peak	256.00	200	Horizontal	Pass
1**	5353.000	45.11	54.0	8.89	AV	256.00	200	Horizontal	Pass
2	5460.000	56.21	74.0	17.79	Peak	256.00	100	Horizontal	Pass
2**	5460.000	45.21	54.0	8.79	AV	256.00	100	Horizontal	Pass
3	5460.800	56.74	68.2	11.46	Peak	228.00	150	Horizontal	Pass
3**	5460.800	45.29	--	--	AV	228.00	150	Horizontal	N/A
4	5469.800	56.45	68.2	11.75	Peak	127.00	200	Horizontal	Pass
4**	5469.800	45.61	--	--	AV	127.00	200	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.62	68.2	11.58	Peak	124.00	150	Horizontal	Pass
2	5763.125	58.40	68.2	9.80	Peak	4.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.600	57.81	74.0	16.19	Peak	91.00	200	Horizontal	Pass
1**	5449.600	46.20	54.0	7.80	AV	91.00	200	Horizontal	Pass
2	5460.000	56.42	74.0	17.58	Peak	104.00	100	Horizontal	Pass
2**	5460.000	45.70	54.0	8.30	AV	104.00	100	Horizontal	Pass
3	5469.600	58.86	68.2	9.34	Peak	91.00	100	Horizontal	Pass
3**	5469.600	47.98	--	--	AV	91.00	100	Horizontal	N/A
4	5469.800	57.33	68.2	10.87	Peak	91.00	150	Horizontal	Pass
4**	5469.800	48.01	--	--	AV	91.00	150	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.56	68.2	11.64	Peak	96.00	100	Horizontal	Pass
2	5788.541	58.44	68.2	9.76	Peak	173.00	200	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.200	59.72	74.0	14.28	Peak	78.00	100	Horizontal	Pass
1**	5441.200	48.07	54.0	5.93	AV	78.00	100	Horizontal	Pass
2	5460.000	57.91	74.0	16.09	Peak	91.00	100	Horizontal	Pass
2**	5460.000	47.92	54.0	6.08	AV	91.00	100	Horizontal	Pass
3	5462.000	59.73	68.2	8.47	Peak	93.00	100	Horizontal	Pass
3**	5462.000	48.10	--	--	AV	93.00	100	Horizontal	N/A
4	5469.800	58.29	68.2	9.91	Peak	91.00	100	Horizontal	Pass
4**	5469.800	48.39	--	--	AV	91.00	100	Horizontal	N/A

U-NII-2C 11ax160(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.40	68.2	10.80	Peak	302.00	100	Horizontal	Pass
2	5729.375	59.30	68.2	8.90	Peak	104.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5607.500	57.56	68.2	10.64	Peak	182.00	100	Horizontal	Pass
2	5650.000	55.94	68.2	12.26	Peak	293.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.86	68.4	10.54	Peak	323.00	100	Horizontal	Pass
2	5944.000	58.99	68.2	9.21	Peak	338.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.709	57.44	68.2	10.76	Peak	83.00	150	Horizontal	Pass
2	5650.000	56.17	68.2	12.03	Peak	355.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.53	68.4	10.87	Peak	106.00	100	Horizontal	Pass
2	5939.750	59.04	68.2	9.16	Peak	274.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.875	57.59	68.2	10.61	Peak	1.00	100	Horizontal	Pass
2	5650.000	56.44	68.2	11.76	Peak	322.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.96	68.4	11.44	Peak	57.00	150	Horizontal	Pass
2	5928.000	59.09	68.2	9.11	Peak	23.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.250	57.50	68.2	10.70	Peak	359.00	100	Horizontal	Pass
2	5650.000	55.97	68.2	12.23	Peak	49.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.17	68.4	11.23	Peak	23.00	200	Horizontal	Pass
2	5943.750	58.24	68.2	9.96	Peak	23.00	150	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.167	58.73	68.2	9.47	Peak	1.00	200	Horizontal	Pass
2	5650.000	56.91	68.2	11.29	Peak	300.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.48	68.4	10.92	Peak	338.00	100	Horizontal	Pass
2	5942.250	58.56	68.2	9.64	Peak	122.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.125	57.93	68.2	10.27	Peak	106.00	100	Horizontal	Pass
2	5650.000	55.81	68.2	12.39	Peak	142.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.40	68.4	11.00	Peak	166.00	100	Horizontal	Pass
2	5933.500	58.70	68.2	9.50	Peak	251.00	100	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.916	57.63	68.2	10.57	Peak	184.00	150	Horizontal	Pass
2	5650.000	55.39	68.2	12.81	Peak	323.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.24	68.4	11.16	Peak	241.00	150	Horizontal	Pass
2	5939.500	58.87	68.2	9.33	Peak	310.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5621.666	57.91	68.2	10.29	Peak	12.00	200	Horizontal	Pass
2	5650.000	55.61	68.2	12.59	Peak	229.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.35	68.4	11.05	Peak	345.00	100	Horizontal	Pass
2	5931.000	59.35	68.2	8.85	Peak	104.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.625	58.25	68.2	9.95	Peak	117.00	100	Horizontal	Pass
2	5650.000	56.19	68.2	12.01	Peak	169.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.04	68.4	10.36	Peak	196.00	150	Horizontal	Pass
2	5940.750	59.29	68.2	8.91	Peak	124.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25C1115-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25C1115-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25C1115-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--