



802.11b HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.44	74.0	18.56	Peak	322.00	200	Vertical	Pass
1**	2483.500	45.63	54.0	8.37	AV	322.00	200	Vertical	Pass
2	2492.950	56.08	74.0	17.92	Peak	129.00	100	Vertical	Pass
2**	2492.950	44.27	54.0	9.73	AV	129.00	100	Vertical	Pass


802.11g LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.833	64.68	74.0	9.32	Peak	328.00	200	Vertical	Pass
1**	2388.833	49.37	54.0	4.63	AV	328.00	200	Vertical	Pass
2	2389.833	66.76	74.0	7.24	Peak	332.00	150	Vertical	Pass
2**	2389.833	50.18	54.0	3.82	AV	332.00	150	Vertical	Pass

802.11g HIGH CHANNEL


3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	69.27	74.0	4.73	Peak	174.00	100	Vertical	Pass
1**	2483.500	50.67	54.0	3.33	AV	174.00	100	Vertical	Pass
2	2483.800	67.76	74.0	6.24	Peak	333.00	200	Vertical	Pass
2**	2483.800	50.28	54.0	3.72	AV	333.00	200	Vertical	Pass

802.11n20 LOW CHANNEL


3#_Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.667	63.97	74.0	10.03	Peak	325.00	100	Vertical	Pass
1**	2388.667	46.90	54.0	7.10	AV	325.00	100	Vertical	Pass
2	2389.833	62.51	74.0	11.49	Peak	344.00	150	Vertical	Pass
2**	2389.833	48.14	54.0	5.86	AV	344.00	150	Vertical	Pass

802.11n20 HIGH CHANNEL


3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.64	74.0	9.36	Peak	334.00	150	Vertical	Pass
1**	2483.500	50.98	54.0	3.02	AV	334.00	150	Vertical	Pass
2	2484.850	67.95	74.0	6.05	Peak	327.00	100	Vertical	Pass
2**	2484.850	49.35	54.0	4.65	AV	327.00	100	Vertical	Pass

802.11n40 LOW CHANNEL


3#_Bandedge - ATT_FCC_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	61.49	74.0	12.51	Peak	343.00	100	Vertical	Pass
1**	2389.667	49.73	54.0	4.27	AV	343.00	100	Vertical	Pass
2	2389.833	61.19	74.0	12.81	Peak	338.00	100	Vertical	Pass
2**	2389.833	50.71	54.0	3.29	AV	338.00	100	Vertical	Pass


802.11n40 HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	62.43	74.0	11.57	Peak	323.00	150	Vertical	Pass
1**	2483.550	50.38	54.0	3.62	AV	323.00	150	Vertical	Pass
2	2489.950	63.73	74.0	10.27	Peak	181.00	100	Vertical	Pass
2**	2489.950	48.61	54.0	5.39	AV	181.00	100	Vertical	Pass
3	2483.950	62.33	74.0	11.67	Peak	182.00	150	Vertical	Pass
3**	2483.950	50.64	54.0	3.36	AV	182.00	150	Vertical	Pass


802.11ax20(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.167	68.21	74.0	5.79	Peak	91.00	100	Vertical	Pass
1**	2388.167	50.26	54.0	3.74	AV	91.00	100	Vertical	Pass
2	2389.833	66.28	74.0	7.72	Peak	328.00	100	Vertical	Pass
2**	2389.833	50.01	54.0	3.99	AV	328.00	100	Vertical	Pass


802.11ax20(SU) HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.14	74.0	9.86	Peak	180.00	100	Vertical	Pass
1**	2483.500	49.97	54.0	4.03	AV	180.00	100	Vertical	Pass
2	2484.050	66.88	74.0	7.12	Peak	186.00	100	Vertical	Pass
2**	2484.050	48.16	54.0	5.84	AV	186.00	100	Vertical	Pass


802.11ax40(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.667	62.71	74.0	11.29	Peak	360.00	150	Vertical	Pass
1**	2386.667	48.45	54.0	5.55	AV	360.00	150	Vertical	Pass
2	2389.833	61.77	74.0	12.23	Peak	332.00	200	Vertical	Pass
2**	2389.833	49.70	54.0	4.30	AV	332.00	200	Vertical	Pass


802.11ax40(SU) HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	62.12	74.0	11.88	Peak	330.00	200	Vertical	Pass
1**	2483.550	49.60	54.0	4.40	AV	330.00	200	Vertical	Pass
2	2484.900	64.79	74.0	9.21	Peak	330.00	200	Vertical	Pass
2**	2484.900	49.73	54.0	4.27	AV	330.00	200	Vertical	Pass
3	2483.950	61.38	74.0	12.62	Peak	185.00	150	Vertical	Pass
3**	2483.950	50.67	54.0	3.33	AV	185.00	150	Vertical	Pass


802.11ax20(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2385.000	57.14	74.0	16.86	Peak	53.00	100	Vertical	Pass
1**	2385.000	45.70	54.0	8.30	AV	53.00	100	Vertical	Pass
2	2389.833	54.92	74.0	19.08	Peak	111.00	100	Vertical	Pass
2**	2389.833	45.03	54.0	8.97	AV	111.00	100	Vertical	Pass


802.11ax20(RU26) HIGH CHANNEL

3#_Bandedge - ATT_FCC_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.89	74.0	17.11	Peak	104.00	150	Vertical	Pass
1**	2483.500	44.92	54.0	9.08	AV	104.00	150	Vertical	Pass
2	2484.250	59.38	74.0	14.62	Peak	58.00	200	Vertical	Pass
2**	2484.250	44.98	54.0	9.02	AV	58.00	200	Vertical	Pass

802.11ax40(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2369.667	58.30	74.0	15.70	Peak	136.00	100	Vertical	Pass
1**	2369.667	45.54	54.0	8.46	AV	136.00	100	Vertical	Pass
2	2389.833	54.94	74.0	19.06	Peak	50.00	200	Vertical	Pass
2**	2389.833	45.11	54.0	8.89	AV	50.00	200	Vertical	Pass

802.11ax40(RU26) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	62.96	74.0	11.04	Peak	235.00	200	Vertical	Pass
1**	2483.550	44.92	54.0	9.08	AV	235.00	200	Vertical	Pass
2	2484.900	63.12	74.0	10.88	Peak	109.00	150	Vertical	Pass
2**	2484.900	44.88	54.0	9.12	AV	109.00	150	Vertical	Pass

A.8 Power Spectral Density (PSD)

Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

ANT0

Test Data

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.56	8	Pass
Middle	-3.98	8	Pass
High	-5.45	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-5.89	8	Pass
Middle	-6.20	8	Pass
High	-6.80	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.47	8	Pass
Middle	-6.13	8	Pass
High	-6.99	8	Pass

802.11n-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.42	8	Pass
Middle	-9.85	8	Pass
High	-10.03	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.51	8	Pass
Middle	-9.77	8	Pass
High	-8.90	8	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-10.96	8	Pass
Middle	-12.85	8	Pass
High	-12.46	8	Pass

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.97	8	Pass
Middle	-1.96	8	Pass
High	-3.07	8	Pass

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.13	8	Pass
Middle	-2.01	8	Pass
High	-2.78	8	Pass

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.46	8	Pass
Middle	-5.05	8	Pass
High	-6.12	8	Pass

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-3.61	8	Pass
Middle	-3.07	8	Pass
High	-2.97	8	Pass

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-1.93	8	Pass
Middle	-3.36	8	Pass
High	-2.73	8	Pass

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.93	8	Pass
Middle	-4.98	8	Pass
High	-4.82	8	Pass

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.93	8	Pass
Middle	-8.03	8	Pass
High	-8.63	8	Pass

ANT1**Test Data****802.11b Mode:**

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.92	8	Pass
Middle	-4.77	8	Pass
High	-4.84	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-5.99	8	Pass
Middle	-6.36	8	Pass
High	-7.35	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.97	8	Pass
Middle	-7.85	8	Pass
High	-8.16	8	Pass

802.11n-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.51	8	Pass
Middle	-10.91	8	Pass
High	-11.71	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.69	8	Pass
Middle	-9.33	8	Pass
High	-9.90	8	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-11.56	8	Pass
Middle	-11.10	8	Pass
High	-12.04	8	Pass

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.31	8	Pass
Middle	-3.55	8	Pass
High	-3.54	8	Pass

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.90	8	Pass
Middle	-3.37	8	Pass
High	-3.88	8	Pass

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-7.68	8	Pass
Middle	-5.87	8	Pass
High	-5.95	8	Pass

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-3.87	8	Pass
Middle	-3.02	8	Pass
High	-3.25	8	Pass

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-3.75	8	Pass
Middle	-3.59	8	Pass
High	-3.67	8	Pass

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-5.86	8	Pass
Middle	-5.60	8	Pass
High	-6.20	8	Pass

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-9.11	8	Pass
Middle	-9.67	8	Pass
High	-9.25	8	Pass

MIMOTest Data

802.11b Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-1.72	8	Pass
Middle	-1.35	8	Pass
High	-2.12	8	Pass

802.11g Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.93	8	Pass
Middle	-3.27	8	Pass
High	-4.06	8	Pass

802.11n-20 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.70	8	Pass
Middle	-3.90	8	Pass
High	-4.53	8	Pass

802.11n-40 MHz Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.45	8	Pass
Middle	-7.34	8	Pass
High	-7.78	8	Pass

802.11ax-20 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-6.59	8	Pass
Middle	-6.53	8	Pass
High	-6.36	8	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-8.24	8	Pass
Middle	-8.88	8	Pass
High	-9.23	8	Pass

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	0.38	8	Pass
Middle	0.33	8	Pass
High	-0.29	8	Pass

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-1.48	8	Pass
Middle	0.38	8	Pass
High	-0.29	8	Pass

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-4.55	8	Pass
Middle	-2.43	8	Pass
High	-3.02	8	Pass

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-0.73	8	Pass
Middle	-0.03	8	Pass
High	-0.10	8	Pass

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	0.27	8	Pass
Middle	-0.46	8	Pass
High	-0.16	8	Pass

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-2.36	8	Pass
Middle	-2.27	8	Pass
High	-2.45	8	Pass


802.11ax-40 MHz(RU242) Mode:

Channel	Spectral Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-5.47	8	Pass
Middle	-5.76	8	Pass
High	-5.92	8	Pass


ANT0

Test Plots


802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL




802.11n-40 MHz MIDDLE CHANNEL




802.11n-40 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-40 MHz(SU) LOW CHANNEL




802.11ax-40 MHz(SU) MIDDLE CHANNEL




802.11ax-40 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL




802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL




802.11ax-20 MHz(RU52) MIDDLE CHANNEL




802.11ax-20 MHz(RU52) HIGH CHANNEL




802.11ax-20 MHz(RU106) LOW CHANNEL




802.11ax-20 MHz(RU106) MIDDLE CHANNEL




802.11ax-20 MHz(RU106) HIGH CHANNEL




802.11ax-40 MHz(RU26) LOW CHANNEL




802.11ax-40 MHz(RU26) MIDDLE CHANNEL




802.11ax-40 MHz(RU26) HIGH CHANNEL




802.11ax-40 MHz(RU52) LOW CHANNEL




802.11ax-40 MHz(RU52) MIDDLE CHANNEL




802.11ax-40 MHz(RU52) HIGH CHANNEL




802.11ax-40 MHz(RU106) LOW CHANNEL



802.11ax-40 MHz(RU106) MIDDLE CHANNEL




802.11ax-40 MHz(RU106) HIGH CHANNEL




802.11ax-40 MHz(RU242) LOW CHANNEL



802.11ax-40 MHz(RU242) MIDDLE CHANNEL




802.11ax-40 MHz(RU242) HIGH CHANNEL




ANT1

Test Plots


802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL




802.11n-40 MHz MIDDLE CHANNEL




802.11n-40 MHz HIGH CHANNEL




802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-40 MHz(SU) LOW CHANNEL




802.11ax-40 MHz(SU) MIDDLE CHANNEL




802.11ax-40 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL




802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL




802.11ax-20 MHz(RU52) MIDDLE CHANNEL




802.11ax-20 MHz(RU52) HIGH CHANNEL




802.11ax-20 MHz(RU106) LOW CHANNEL




802.11ax-20 MHz(RU106) MIDDLE CHANNEL




802.11ax-20 MHz(RU106) HIGH CHANNEL




802.11ax-40 MHz(RU26) LOW CHANNEL




802.11ax-40 MHz(RU26) MIDDLE CHANNEL




802.11ax-40 MHz(RU26) HIGH CHANNEL




802.11ax-40 MHz(RU52) LOW CHANNEL




802.11ax-40 MHz(RU52) MIDDLE CHANNEL




802.11ax-40 MHz(RU52) HIGH CHANNEL




802.11ax-40 MHz(RU106) LOW CHANNEL




802.11ax-40 MHz(RU106) MIDDLE CHANNEL




802.11ax-40 MHz(RU106) HIGH CHANNEL




802.11ax-40 MHz(RU242) LOW CHANNEL



802.11ax-40 MHz(RU242) MIDDLE CHANNEL



802.11ax-40 MHz(RU242) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-EE26040681-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-EE26040681-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-EE26040681-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--