

A.5.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-5	802.11a	Low	Pass
	802.11ax(HE20)(SU)	Low	Pass
	802.11ax(HE40)(SU)	Low	Pass
	802.11ax(HE80)(SU)	Low	Pass
	802.11ax(HE160)(SU)	Low	Pass
	802.11ax(HE20)(RU26)	Low	Pass
	802.11ax(HE40)(RU26)	Low	Pass
	802.11ax(HE80)(RU26)	Low	Pass
	802.11ax(HE160)(RU26)	Low	Pass
U-NII-8	802.11a	High	Pass
	802.11ax(HE20)(SU)	High	Pass
	802.11ax(HE40)(SU)	High	Pass
	802.11ax(HE80)(SU)	High	Pass
	802.11ax(HE160)(SU)	High	Pass
	802.11ax(HE20)(RU26)	High	Pass
	802.11ax(HE40)(RU26)	High	Pass
	802.11ax(HE80)(RU26)	High	Pass
	802.11ax(HE160)(RU26)	High	Pass

Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.


Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Note ³: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


MIMO

U-NII-5 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.362	66.07	88.2	22.13	Peak	183.00	150	Vertical	Pass
1**	5924.362	50.44	68.2	17.76	AV	183.00	150	Vertical	Pass
2	5924.788	63.62	88.2	24.58	Peak	343.00	100	Vertical	Pass
2**	5924.788	50.98	68.2	17.22	AV	343.00	100	Vertical	Pass

U-NII-5 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5922.450	58.73	88.2	29.47	Peak	296.00	150	Vertical	Pass
1**	5922.450	47.24	68.2	20.96	AV	296.00	150	Vertical	Pass
2	5924.788	56.54	88.2	31.66	Peak	277.00	200	Vertical	Pass
2**	5924.788	47.20	68.2	21.00	AV	277.00	200	Vertical	Pass

U-NII-5 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5754.150	58.02	88.2	30.18	Peak	67.00	200	Vertical	Pass
1**	5754.150	45.97	68.2	22.23	AV	67.00	200	Vertical	Pass
2	5924.788	56.85	88.2	31.35	Peak	245.00	200	Vertical	Pass
2**	5924.788	47.29	68.2	20.91	AV	245.00	200	Vertical	Pass

U-NII-5 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5919.263	61.46	88.2	26.74	Peak	347.00	150	Vertical	Pass
1**	5919.263	48.21	68.2	19.99	AV	347.00	150	Vertical	Pass
2	5924.788	58.90	88.2	29.30	Peak	7.00	100	Vertical	Pass
2**	5924.788	48.92	68.2	19.28	AV	7.00	100	Vertical	Pass

U-NII-5 11ax160(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5901.412	59.93	88.2	28.27	Peak	303.00	150	Vertical	Pass
1**	5901.412	47.55	68.2	20.65	AV	303.00	150	Vertical	Pass
2	5924.788	55.95	88.2	32.25	Peak	303.00	150	Vertical	Pass
2**	5924.788	46.06	68.2	22.14	AV	303.00	150	Vertical	Pass

U-NII-5 11ax20(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5822.150	58.08	88.2	30.12	Peak	82.00	100	Vertical	Pass
1**	5822.150	45.93	68.2	22.27	AV	82.00	100	Vertical	Pass
2	5924.788	54.91	88.2	33.29	Peak	42.00	200	Vertical	Pass
2**	5924.788	45.53	68.2	22.67	AV	42.00	200	Vertical	Pass

U-NII-5 11ax40(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5741.188	57.66	88.2	30.54	Peak	223.00	150	Vertical	Pass
1**	5741.188	46.51	68.2	21.69	AV	223.00	150	Vertical	Pass
2	5924.788	54.48	88.2	33.72	Peak	240.00	150	Vertical	Pass
2**	5924.788	45.88	68.2	22.32	AV	240.00	150	Vertical	Pass

U-NII-5 11ax80(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5889.300	58.17	88.2	30.03	Peak	358.00	200	Vertical	Pass
1**	5889.300	46.30	68.2	21.90	AV	358.00	200	Vertical	Pass
2	5924.788	55.55	88.2	32.65	Peak	185.00	200	Vertical	Pass
2**	5924.788	45.62	68.2	22.58	AV	185.00	200	Vertical	Pass

U-NII-5 11ax160(RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5906.725	57.98	88.2	30.22	Peak	123.00	150	Vertical	Pass
1**	5906.725	46.50	68.2	21.70	AV	123.00	150	Vertical	Pass
2	5924.788	54.16	88.2	34.04	Peak	245.00	200	Vertical	Pass
2**	5924.788	45.75	68.2	22.45	AV	245.00	200	Vertical	Pass

U-NII-8 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	78.98	88.2	9.22	Peak	22.00	150	Vertical	Pass
1**	7125.000	61.91	68.2	6.29	AV	22.00	150	Vertical	Pass
2	7125.250	78.33	88.2	9.87	Peak	22.00	100	Vertical	Pass
2**	7125.250	61.87	68.2	6.33	AV	22.00	100	Vertical	Pass
3	7125.063	75.77	88.2	12.43	Peak	22.00	100	Vertical	Pass
3**	7125.063	64.00	68.2	4.20	AV	22.00	100	Vertical	Pass

U-NII-8 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	72.59	88.2	15.61	Peak	101.00	200	Vertical	Pass
1**	7125.000	65.18	68.2	3.02	AV	101.00	200	Vertical	Pass
2	7125.125	72.04	88.2	16.16	Peak	261.00	100	Vertical	Pass
2**	7125.125	63.33	68.2	4.87	AV	261.00	100	Vertical	Pass

U-NII-8 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	64.49	88.2	23.71	Peak	239.00	200	Vertical	Pass
1**	7125.000	49.55	68.2	18.65	AV	239.00	200	Vertical	Pass
2	7126.875	61.40	88.2	26.80	Peak	260.00	100	Vertical	Pass
2**	7126.875	49.57	68.2	18.63	AV	260.00	100	Vertical	Pass

U-NII-8 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	57.79	88.2	30.41	Peak	271.00	100	Vertical	Pass
1**	7125.063	48.00	68.2	20.20	AV	271.00	100	Vertical	Pass
2	7175.000	59.85	88.2	28.35	Peak	57.00	200	Vertical	Pass
2**	7175.000	48.56	68.2	19.64	AV	57.00	200	Vertical	Pass

U-NII-8 11ax160(SU) High Channel




No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	57.54	88.2	30.66	Peak	130.00	100	Vertical	Pass
1**	7125.000	47.99	68.2	20.21	AV	130.00	100	Vertical	Pass
2	7170.187	59.71	88.2	28.49	Peak	294.00	150	Vertical	Pass
2**	7170.187	48.61	68.2	19.59	AV	294.00	150	Vertical	Pass

U-NII-8 11ax20(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	73.04	88.2	15.16	Peak	228.00	200	Vertical	Pass
1**	7125.000	65.18	68.2	3.02	AV	228.00	200	Vertical	Pass
2	7125.313	71.85	88.2	16.35	Peak	305.00	150	Vertical	Pass
2**	7125.313	60.05	68.2	8.15	AV	305.00	150	Vertical	Pass

U-NII-8 11ax40(RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	57.56	88.2	30.64	Peak	86.00	150	Vertical	Pass
1**	7125.063	47.66	68.2	20.54	AV	86.00	150	Vertical	Pass
2	7138.625	60.09	88.2	28.11	Peak	18.00	100	Vertical	Pass
2**	7138.625	48.12	68.2	20.08	AV	18.00	100	Vertical	Pass

U-NII-8 11ax80(RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	57.93	88.2	30.27	Peak	304.00	200	Vertical	Pass
1**	7125.000	47.73	68.2	20.47	AV	304.00	200	Vertical	Pass
2	7127.563	60.42	88.2	27.78	Peak	18.00	150	Vertical	Pass
2**	7127.563	47.89	68.2	20.31	AV	18.00	150	Vertical	Pass

U-NII-8 11ax160(RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	57.52	88.2	30.68	Peak	36.00	200	Vertical	Pass
1**	7125.063	47.54	68.2	20.66	AV	36.00	200	Vertical	Pass
2	7170.563	60.02	88.2	28.18	Peak	166.00	200	Vertical	Pass
2**	7170.563	48.35	68.2	19.85	AV	166.00	200	Vertical	Pass

A.6 Contention Based Protocol

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna)

Test Data

U-NII-5 (5925 MHz to 6425 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
11ax20	37	6135	6135	-67.30	-2.69	-64.61	-62	Ceased	100%	100%	PASS
				-67.80	-2.69	-65.11	-62	Minimal	/	/	/
				-68.30	-2.69	-65.61	-62	Normal	/	/	/
11ax160	47	6185	6110	-67.74	-2.69	-65.05	-62	Ceased	100%	100%	PASS
				-68.24	-2.69	-65.55	-62	Minimal	/	/	/
				-68.74	-2.69	-66.05	-62	Normal	/	/	/
			6185	-66.45	-2.69	-63.76	-62	Ceased	100%	90%	PASS
				-66.95	-2.69	-64.26	-62	Minimal	/	/	/
				-67.45	-2.69	-64.76	-62	Normal	/	/	/
			6260	-67.11	-2.69	-64.42	-62	Ceased	100%	100%	PASS
				-67.61	-2.69	-64.92	-62	Minimal	/	/	/
				-68.11	-2.69	-65.42	-62	Normal	/	/	/

U-NII-6 (6425 MHz to 6525 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
11ax20	101	6455	6455	-68.30	-3.29	-65.01	-62	Ceased	100%	100%	PASS
				-68.80	-3.29	-65.51	-62	Minimal	/	/	/
				-69.30	-3.29	-66.01	-62	Normal	/	/	/
11ax160	111	6505	6430	-67.24	-3.29	-63.95	-62	Ceased	100%	90%	PASS
				-67.74	-3.29	-64.45	-62	Minimal	/	/	/
				-68.24	-3.29	-64.95	-62	Normal	/	/	/
			6505	-68.16	-3.29	-64.87	-62	Ceased	100%	100%	PASS
				-68.66	-3.29	-65.37	-62	Minimal	/	/	/
				-69.16	-3.29	-65.87	-62	Normal	/	/	/
			6580	-68.00	-3.29	-64.71	-62	Ceased	100%	100%	PASS
				-68.50	-3.29	-65.21	-62	Minimal	/	/	/
				-69.00	-3.29	-65.71	-62	Normal	/	/	/

U-NII-7 (6525 MHz to 6875 MHz)

Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
11ax20	149	6695	6695	-68.11	-2.52	-65.59	-62	Ceased	100%	100%	PASS
				-68.61	-2.52	-66.09	-62	Minimal	/	/	/
				-69.11	-2.52	-66.59	-62	Normal	/	/	/
11ax160	143	6665	6590	-66.66	-2.52	-64.14	-62	Ceased	100%	90%	PASS
				-67.16	-2.52	-64.64	-62	Minimal	/	/	/
				-67.66	-2.52	-65.14	-62	Normal	/	/	/
			6665	-67.49	-2.52	-64.97	-62	Ceased	100%	100%	PASS
				-67.99	-2.52	-65.47	-62	Minimal	/	/	/
				-68.49	-2.52	-65.97	-62	Normal	/	/	/
			6740	-66.37	-2.52	-63.85	-62	Ceased	100%	100%	PASS
				-66.87	-2.52	-64.35	-62	Minimal	/	/	/
				-67.37	-2.52	-64.85	-62	Normal	/	/	/


U-NII-8 (6875 MHz to 7125 MHz)

Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
11ax20	213	7015	7015	-69.85	-2.01	-67.84	-62	Ceased	100%	90%	PASS
				-70.35	-2.01	-68.34	-62	Minimal	/	/	/
				-70.85	-2.01	-68.84	-62	Normal	/	/	/
11ax160	207	6985	6910	-66.41	-2.01	-64.40	-62	Ceased	100%	100%	PASS
				-66.91	-2.01	-64.90	-62	Minimal	/	/	/
				-67.41	-2.01	-65.40	-62	Normal	/	/	/
			6985	-67.03	-2.01	-65.02	-62	Ceased	100%	90%	PASS
				-67.53	-2.01	-65.52	-62	Minimal	/	/	/
				-68.03	-2.01	-66.02	-62	Normal	/	/	/
			7060	-66.77	-2.01	-64.76	-62	Ceased	100%	100%	PASS
				-67.27	-2.01	-65.26	-62	Minimal	/	/	/
				-67.77	-2.01	-65.76	-62	Normal	/	/	/

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 37




Date: 22 JUN 2026 16:12:32

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 22 JUN 2026 16:19:32

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 22 JUN 2026 16:20:21


802.11ax (HE160)-Channel 47 (High Edge)



Date: 22 JUN 2026 16:21:48


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 37




Date: 8.MAY.2026 19:47:42

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 8.MAY.2026 20:01:58

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 8.MAY.2026 20:04:41

802.11ax (HE160)-Channel 47 (High Edge)




Date: 8.MAY.2026 20:26:49

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 101




Date: 22 JUN 2026 16:13:34

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 22 JUN 2026 16:38:06

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 22 JUN 2026 16:38:51


802.11ax (HE160)-Channel 111 (High Edge)



Date: 22 JUN 2026 16:41:15


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 101




Date: 8.MAY.2026 19:48:29

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 8.MAY.2026 20:24:06

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 8.MAY.2026 20:25:00

802.11ax (HE160)-Channel 111 (High Edge)




Date: 8.MAY.2026 20:25:57

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 149




Date: 22 JUN 2026 16:16:29

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 22 JUN 2026 16:46:59

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 22 JUN 2026 16:49:45


802.11ax (HE160)-Channel 143 (High Edge)




Date: 22 JUN 2026 16:50:42

Plots of EUT Tx waveform


802.11ax (HE20)-Channel 149




802.11ax (HE160)-Channel 143 (Low Edge)



802.11ax (HE160)-Channel 143 (Middle Edge)




802.11ax (HE160)-Channel 143 (High Edge)



Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 213




Date: 8.MAY.2026 21:27:04

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 22 JUN 2026 17:01:31

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 22 JUN 2026 17:02:22


802.11ax (HE160)-Channel 207 (High Edge)



Date: 22 JUN 2026 17:03:13


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 213




Date: 8.MAY.2026 19:51:41

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 8.MAY.2026 20:15:08

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 8.MAY.2026 20:15:53

802.11ax (HE160)-Channel 207 (High Edge)



Date: 8.MAY.2026 20:11:42


A.7 In-Band Emissions

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Plots

ANTO


11a, U-NII-5, Low Channel




11a, U-NII-5, Middle Channel




11a, U-NII-5, High Channel




11ax20(SU), U-NII-5, Low Channel




11ax20(SU), U-NII-5, Middle Channel




11ax20(SU), U-NII-5, High Channel




11ax40(SU), U-NII-5, Low Channel



11ax40(SU), U-NII-5, Middle Channel



11ax40(SU), U-NII-5, High Channel



11ax80(SU), U-NII-5, Low Channel




11ax80(SU), U-NII-5, Middle Channel




11ax80(SU), U-NII-5, High Channel




11ax160(SU), U-NII-5, Low Channel




11ax160(SU), U-NII-5, Middle Channel




11ax160(SU), U-NII-5, High Channel



11a, U-NII-6, Low Channel




11a, U-NII-6, Middle Channel




11a, U-NII-6, High Channel




11ax20(SU), U-NII-6, Low Channel



11ax20(SU), U-NII-6, Middle Channel




11ax20(SU), U-NII-6, High Channel




11ax40(SU), U-NII-6, Low Channel



11ax40(SU), U-NII-6, High Channel



11ax80(SU), U-NII-6, Low Channel




11ax80(SU), U-NII-6, High Channel



11ax160(SU), U-NII-6, Middle Channel




11a, U-NII-7, Low Channel




11a, U-NII-7, Middle Channel



11a, U-NII-7, High Channel



11ax20(SU), U-NII-7, Low Channel




11ax20(SU), U-NII-7, Middle Channel




11ax20(SU), U-NII-7, High Channel




11ax40(SU), U-NII-7, Low Channel



11ax40(SU), U-NII-7, Middle Channel



11ax40(SU), U-NII-7, High Channel



11ax80(SU), U-NII-7, Low Channel




11ax80(SU), U-NII-7, Middle Channel




11ax80(SU), U-NII-7, High Channel



11ax160(SU), U-NII-7, Middle Channel



11a, U-NII-8, Low Channel



11a, U-NII-8, Middle Channel




11a, U-NII-8, Middle Channel




11a, U-NII-8, Middle Channel




11a, U-NII-8, High Channel




11ax20(SU), U-NII-8, Low Channel




11ax20(SU), U-NII-8, Middle Channel




11ax20(SU), U-NII-8, Middle Channel



11ax20(SU), U-NII-8, Middle Channel



11ax20(SU), U-NII-8, High Channel



11ax40(SU), U-NII-8, Low Channel



11ax40(SU), U-NII-8, Middle Channel



11ax40(SU), U-NII-8, High Channel



11ax80(SU), U-NII-8, Low Channel




11ax80(SU), U-NII-8, Middle Channel



11ax80(SU), U-NII-8, High Channel



11ax160(SU), U-NII-8, Low Channel



11ax160(SU), U-NII-8, High Channel

