OBW NVNT ax20 106@54 5580MHz Ant2



OBW NVNT ax20 106@54 5700MHz Ant1

OBW NVNT ax20 106@54 5700MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

OBW NVNT ax20 106@54 5745MHz Ant1



OBW NVNT ax20 106@54 5745MHz Ant2

OBW NVNT ax20 106@54 5785MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

OBW NVNT ax20 106@54 5785MHz Ant2



OBW NVNT ax20 106@54 5825MHz Ant1

OBW NVNT ax20 106@54 5825MHz Ant2



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

Appendix E1:Maximum Conducted Output Power

Mode	Frequency (MHz)	Antenna	Total Power (dBm)	FCC Limit (dBm)	ISED Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
ax20 26@0	5180	Ant1	6.12	≤23.98	---	5.79	≤22.62	Pass
ax20 26@0	5180	Ant2	6.74	≤23.98	---	6.41	≤22.64	Pass
ax20 26@0	5180	Sum	9.45	≤23.98	---	9.12	≤22.62	Pass
ax20 26@0	5200	Ant1	6.1	≤23.98	---	5.77	≤22.61	Pass
ax20 26@0	5200	Ant2	6.48	≤23.98	---	6.15	≤22.60	Pass
ax20 26@0	5200	Sum	9.3	≤23.98	---	8.97	≤22.60	Pass
ax20 26@0	5240	Ant1	5.79	≤23.98	---	5.46	≤22.61	Pass
ax20 26@0	5240	Ant2	6.41	≤23.98	---	6.08	≤22.60	Pass
ax20 26@0	5240	Sum	9.12	≤23.98	---	8.79	≤22.60	Pass
ax20 26@0	5260	Ant1	9.09	≤23.98	≤23.62	8.76	≤29.62	Pass
ax20 26@0	5260	Ant2	10.31	≤23.98	≤23.54	9.98	≤29.54	Pass
ax20 26@0	5260	Sum	12.75	≤23.98	≤23.54	12.42	≤29.54	Pass
ax20 26@0	5280	Ant1	9.36	≤23.98	≤23.55	9.03	≤29.55	Pass
ax20 26@0	5280	Ant2	10.46	≤23.98	≤23.63	10.13	≤29.63	Pass
ax20 26@0	5280	Sum	12.96	≤23.98	≤23.55	12.63	≤29.55	Pass
ax20 26@0	5320	Ant1	9.22	≤23.90	≤23.60	8.89	≤29.60	Pass
ax20 26@0	5320	Ant2	10.58	≤23.98	≤23.61	10.25	≤29.61	Pass
ax20 26@0	5320	Sum	12.96	≤23.90	≤23.60	12.63	≤29.60	Pass
ax20 26@0	5500	Ant1	10.72	≤23.91	≤23.62	10.39	≤29.62	Pass
ax20 26@0	5500	Ant2	9.76	≤23.94	≤23.56	9.43	≤29.56	Pass
ax20 26@0	5500	Sum	13.28	≤23.91	≤23.56	12.95	≤29.56	Pass
ax20 26@0	5580	Ant1	10.39	≤23.93	≤23.60	10.06	≤29.60	Pass
ax20 26@0	5580	Ant2	9.24	≤23.96	≤23.62	8.91	≤29.62	Pass
ax20 26@0	5580	Sum	12.86	≤23.93	≤23.60	12.53	≤29.60	Pass
ax20 26@0	5700	Ant1	10.85	≤23.95	≤23.61	10.52	≤29.61	Pass
ax20 26@0	5700	Ant2	9.81	≤23.94	≤23.61	9.48	≤29.61	Pass
ax20 26@0	5700	Sum	13.37	≤23.94	≤23.61	13.04	≤29.61	Pass
ax20 26@0	5745	Ant1	14.87	≤30.00	≤30.00	14.54	---	Pass
ax20 26@0	5745	Ant2	13.99	≤30.00	≤30.00	13.66	---	Pass
ax20 26@0	5745	Sum	17.46	≤30.00	≤30.00	17.13	---	Pass
ax20 26@0	5785	Ant1	14.91	≤30.00	≤30.00	14.58	---	Pass
ax20 26@0	5785	Ant2	14.02	≤30.00	≤30.00	13.69	---	Pass
ax20 26@0	5785	Sum	17.50	≤30.00	≤30.00	17.17	---	Pass
ax20 26@0	5825	Ant1	14.70	≤30.00	≤30.00	14.37	---	Pass
ax20 26@0	5825	Ant2	13.37	≤30.00	≤30.00	13.04	---	Pass
ax20 26@0	5825	Sum	17.10	≤30.00	≤30.00	16.77	---	Pass

Mode		Antenna		FCC		EIRP		Verdict

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

	Frequency (MHz)		Total Power (dBm)	Limit (dBm)	ISED Limit (dBm)	(dBm)	Limit (dBm)	
ax20 26@4	5180	Ant1	6.98	≤23.98	---	6.65	≤22.31	Pass
ax20 26@4	5180	Ant2	7.41	≤23.98	---	7.08	≤22.27	Pass
ax20 26@4	5180	Sum	10.21	≤23.98	---	9.88	≤22.27	Pass
ax20 26@4	5200	Ant1	6.84	≤23.98	---	6.51	≤22.27	Pass
ax20 26@4	5200	Ant2	7.35	≤23.98	---	7.02	≤22.28	Pass
ax20 26@4	5200	Sum	10.11	≤23.98	---	9.78	≤22.27	Pass
ax20 26@4	5240	Ant1	6.66	≤23.98	---	6.33	≤22.21	Pass
ax20 26@4	5240	Ant2	7.48	≤23.98	---	7.15	≤22.27	Pass
ax20 26@4	5240	Sum	10.1	≤23.98	---	9.77	≤22.21	Pass
ax20 26@4	5260	Ant1	9.37	≤23.57	≤23.30	9.04	≤29.30	Pass
ax20 26@4	5260	Ant2	10.73	≤23.55	≤23.29	10.4	≤29.29	Pass
ax20 26@4	5260	Sum	13.11	≤23.55	≤23.29	12.78	≤29.29	Pass
ax20 26@4	5280	Ant1	9.57	≤23.54	≤23.30	9.24	≤29.30	Pass
ax20 26@4	5280	Ant2	10.78	≤23.55	≤23.29	10.45	≤29.29	Pass
ax20 26@4	5280	Sum	13.23	≤23.54	≤23.29	12.9	≤29.29	Pass
ax20 26@4	5320	Ant1	9.18	≤23.55	≤23.32	8.85	≤29.32	Pass
ax20 26@4	5320	Ant2	10.58	≤23.56	≤23.31	10.25	≤29.31	Pass
ax20 26@4	5320	Sum	12.95	≤23.55	≤23.31	12.62	≤29.31	Pass
ax20 26@4	5500	Ant1	11.28	≤23.57	≤23.28	10.95	≤29.28	Pass
ax20 26@4	5500	Ant2	10.08	≤23.57	≤23.29	9.75	≤29.29	Pass
ax20 26@4	5500	Sum	13.73	≤23.57	≤23.28	13.4	≤29.28	Pass
ax20 26@4	5580	Ant1	10.43	≤23.51	≤23.30	10.1	≤29.30	Pass
ax20 26@4	5580	Ant2	9.44	≤23.55	≤23.25	9.11	≤29.25	Pass
ax20 26@4	5580	Sum	12.97	≤23.51	≤23.25	12.64	≤29.25	Pass
ax20 26@4	5700	Ant1	11.05	≤23.57	≤23.30	10.72	≤29.30	Pass
ax20 26@4	5700	Ant2	10.07	≤23.57	≤23.29	9.74	≤29.29	Pass
ax20 26@4	5700	Sum	13.60	≤23.57	≤23.29	13.27	≤29.29	Pass
ax20 26@4	5745	Ant1	14.82	≤30.00	≤30.00	14.49	---	Pass
ax20 26@4	5745	Ant2	13.76	≤30.00	≤30.00	13.43	---	Pass
ax20 26@4	5745	Sum	17.33	≤30.00	≤30.00	17	---	Pass
ax20 26@4	5785	Ant1	14.79	≤30.00	≤30.00	14.46	---	Pass
ax20 26@4	5785	Ant2	13.69	≤30.00	≤30.00	13.36	---	Pass
ax20 26@4	5785	Sum	17.29	≤30.00	≤30.00	16.96	---	Pass
ax20 26@4	5825	Ant1	15.00	≤30.00	≤30.00	14.67	---	Pass
ax20 26@4	5825	Ant2	13.76	≤30.00	≤30.00	13.43	---	Pass
ax20 26@4	5825	Sum	17.43	≤30.00	≤30.00	17.1	---	Pass

Mode	Frequency (MHz)	Antenna	Total Power (dBm)	FCC Limit (dBm)	ISED Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 26@8	5180	Ant1	6.55	≤23.98	---	6.22	≤22.64	Pass
ax20 26@8	5180	Ant2	7.07	≤23.98	---	6.74	≤22.63	Pass
ax20 26@8	5180	Sum	9.83	≤23.98	---	9.5	≤22.63	Pass
ax20 26@8	5200	Ant1	6.33	≤23.98	---	6	≤22.59	Pass
ax20 26@8	5200	Ant2	6.89	≤23.98	---	6.56	≤22.57	Pass
ax20 26@8	5200	Sum	9.63	≤23.98	---	9.3	≤22.57	Pass
ax20 26@8	5240	Ant1	6.26	≤23.98	---	5.93	≤22.63	Pass
ax20 26@8	5240	Ant2	7.1	≤23.98	---	6.77	≤22.61	Pass
ax20 26@8	5240	Sum	9.71	≤23.98	---	9.38	≤22.61	Pass
ax20 26@8	5260	Ant1	9.16	≤23.98	≤23.59	8.83	≤29.59	Pass
ax20 26@8	5260	Ant2	10.48	≤23.98	≤23.57	10.15	≤29.57	Pass
ax20 26@8	5260	Sum	12.88	≤23.98	≤23.57	12.55	≤29.57	Pass
ax20 26@8	5280	Ant1	9.15	≤23.98	≤23.65	8.82	≤29.65	Pass
ax20 26@8	5280	Ant2	10.30	≤23.96	≤23.57	9.97	≤29.57	Pass
ax20 26@8	5280	Sum	12.77	≤23.96	≤23.57	12.44	≤29.57	Pass
ax20 26@8	5320	Ant1	9.26	≤23.98	≤23.62	8.93	≤29.62	Pass
ax20 26@8	5320	Ant2	10.65	≤23.98	≤23.63	10.32	≤29.63	Pass
ax20 26@8	5320	Sum	13.02	≤23.98	≤23.62	12.69	≤29.62	Pass
ax20 26@8	5500	Ant1	10.84	≤23.98	≤23.64	10.51	≤29.64	Pass
ax20 26@8	5500	Ant2	9.56	≤23.98	≤23.63	9.23	≤29.63	Pass
ax20 26@8	5500	Sum	13.26	≤23.98	≤23.63	12.93	≤29.63	Pass
ax20 26@8	5580	Ant1	10.49	≤23.57	≤23.27	10.16	≤29.27	Pass
ax20 26@8	5580	Ant2	9.39	≤23.55	≤23.28	9.06	≤29.28	Pass
ax20 26@8	5580	Sum	12.99	≤23.55	≤23.27	12.66	≤29.27	Pass
ax20 26@8	5700	Ant1	10.53	≤23.96	≤23.64	10.2	≤29.64	Pass
ax20 26@8	5700	Ant2	9.64	≤23.98	≤23.63	9.31	≤29.63	Pass
ax20 26@8	5700	Sum	13.12	≤23.96	≤23.63	12.79	≤29.63	Pass
ax20 26@8	5745	Ant1	15.04	≤30.00	≤30.00	14.71	---	Pass
ax20 26@8	5745	Ant2	13.94	≤30.00	≤30.00	13.61	---	Pass
ax20 26@8	5745	Sum	17.54	≤30.00	≤30.00	17.21	---	Pass
ax20 26@8	5785	Ant1	14.38	≤30.00	≤30.00	14.05	---	Pass
ax20 26@8	5785	Ant2	13.28	≤30.00	≤30.00	12.95	---	Pass
ax20 26@8	5785	Sum	16.88	≤30.00	≤30.00	16.55	---	Pass
ax20 26@8	5825	Ant1	14.64	≤30.00	≤30.00	14.31	---	Pass
ax20 26@8	5825	Ant2	13.11	≤30.00	≤30.00	12.78	---	Pass
ax20 26@8	5825	Sum	16.95	≤30.00	≤30.00	16.62	---	Pass

Mode	Frequency (MHz)	Antenna	Total Power (dBm)	FCC Limit (dBm)	ISED Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
ax20 52@37	5180	Ant1	8.31	≤23.98	---	7.98	≤22.59	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 52@37	5180	Ant2	8.91	≤23.98	---	8.58	≤22.58	Pass
ax20 52@37	5180	Sum	11.63	≤23.98	---	11.3	≤22.58	Pass
ax20 52@37	5200	Ant1	8.42	≤23.98	---	8.09	≤22.59	Pass
ax20 52@37	5200	Ant2	9	≤23.98	---	8.67	≤22.56	Pass
ax20 52@37	5200	Sum	11.73	≤23.98	---	11.4	≤22.56	Pass
ax20 52@37	5240	Ant1	8.19	≤23.98	---	7.86	≤22.55	Pass
ax20 52@37	5240	Ant2	9.01	≤23.98	---	8.68	≤22.58	Pass
ax20 52@37	5240	Sum	11.63	≤23.98	---	11.3	≤22.55	Pass
ax20 52@37	5260	Ant1	11.50	≤23.98	≤23.58	11.17	≤29.58	Pass
ax20 52@37	5260	Ant2	12.52	≤23.98	≤23.57	12.19	≤29.57	Pass
ax20 52@37	5260	Sum	15.05	≤23.98	≤23.57	14.72	≤29.57	Pass
ax20 52@37	5280	Ant1	11.54	≤23.98	≤23.59	11.21	≤29.59	Pass
ax20 52@37	5280	Ant2	12.56	≤23.96	≤23.58	12.23	≤29.58	Pass
ax20 52@37	5280	Sum	15.09	≤23.96	≤23.58	14.76	≤29.58	Pass
ax20 52@37	5320	Ant1	11.86	≤23.95	≤23.58	11.53	≤29.58	Pass
ax20 52@37	5320	Ant2	13.20	≤23.98	≤23.57	12.87	≤29.57	Pass
ax20 52@37	5320	Sum	15.59	≤23.95	≤23.57	15.26	≤29.57	Pass
ax20 52@37	5500	Ant1	13.01	≤23.98	≤23.58	12.68	≤29.58	Pass
ax20 52@37	5500	Ant2	12.00	≤23.93	≤23.58	11.67	≤29.58	Pass
ax20 52@37	5500	Sum	15.54	≤23.93	≤23.58	15.21	≤29.58	Pass
ax20 52@37	5580	Ant1	12.99	≤23.98	≤23.58	12.66	≤29.58	Pass
ax20 52@37	5580	Ant2	11.89	≤23.98	≤23.58	11.56	≤29.58	Pass
ax20 52@37	5580	Sum	15.49	≤23.98	≤23.58	15.16	≤29.58	Pass
ax20 52@37	5700	Ant1	13.05	≤23.98	≤23.58	12.72	≤29.58	Pass
ax20 52@37	5700	Ant2	12.16	≤23.97	≤23.55	11.83	≤29.55	Pass
ax20 52@37	5700	Sum	15.64	≤23.97	≤23.55	15.31	≤29.55	Pass
ax20 52@37	5745	Ant1	14.56	≤30.00	≤30.00	14.23	---	Pass
ax20 52@37	5745	Ant2	13.62	≤30.00	≤30.00	13.29	---	Pass
ax20 52@37	5745	Sum	17.13	≤30.00	≤30.00	16.8	---	Pass
ax20 52@37	5785	Ant1	14.78	≤30.00	≤30.00	14.45	---	Pass
ax20 52@37	5785	Ant2	13.61	≤30.00	≤30.00	13.28	---	Pass
ax20 52@37	5785	Sum	17.24	≤30.00	≤30.00	16.91	---	Pass
ax20 52@37	5825	Ant1	14.68	≤30.00	≤30.00	14.35	---	Pass
ax20 52@37	5825	Ant2	13.24	≤30.00	≤30.00	12.91	---	Pass
ax20 52@37	5825	Sum	17.03	≤30.00	≤30.00	16.7	---	Pass

Mode	Frequency (MHz)	Antenna	Total Power (dBm)	FCC Limit (dBm)	ISED Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
ax20 52@38	5180	Ant1	8.44	≤23.98	---	8.11	≤22.32	Pass
ax20 52@38	5180	Ant2	9.01	≤23.98	---	8.68	≤22.33	Pass
ax20 52@38	5180	Sum	11.74	≤23.98	---	11.41	≤22.32	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 52@38	5200	Ant1	8.75	≤23.98	---	8.42	≤22.33	Pass
ax20 52@38	5200	Ant2	9.4	≤23.98	---	9.07	≤22.32	Pass
ax20 52@38	5200	Sum	12.1	≤23.98	---	11.77	≤22.32	Pass
ax20 52@38	5240	Ant1	8.57	≤23.98	---	8.24	≤22.33	Pass
ax20 52@38	5240	Ant2	9.49	≤23.98	---	9.16	≤22.32	Pass
ax20 52@38	5240	Sum	12.06	≤23.98	---	11.73	≤22.32	Pass
ax20 52@38	5260	Ant1	11.40	≤23.58	≤23.32	11.07	≤29.32	Pass
ax20 52@38	5260	Ant2	12.49	≤23.57	≤23.32	12.16	≤29.32	Pass
ax20 52@38	5260	Sum	14.99	≤23.57	≤23.32	14.66	≤29.32	Pass
ax20 52@38	5280	Ant1	11.43	≤23.63	≤23.30	11.1	≤29.30	Pass
ax20 52@38	5280	Ant2	12.48	≤23.59	≤23.31	12.15	≤29.31	Pass
ax20 52@38	5280	Sum	15.00	23.59	≤23.30	14.67	≤29.30	Pass
ax20 52@38	5320	Ant1	11.80	≤23.63	≤23.31	11.47	≤29.31	Pass
ax20 52@38	5320	Ant2	13.14	≤23.58	≤23.31	12.81	≤29.31	Pass
ax20 52@38	5320	Sum	15.53	≤23.58	≤23.31	15.2	≤29.31	Pass
ax20 52@38	5500	Ant1	13.13	≤23.60	≤23.30	12.8	≤29.30	Pass
ax20 52@38	5500	Ant2	12.02	≤23.59	≤23.32	11.69	≤29.32	Pass
ax20 52@38	5500	Sum	15.62	≤23.59	≤23.30	15.29	≤29.30	Pass
ax20 52@38	5580	Ant1	12.97	≤23.61	≤23.29	12.64	≤29.29	Pass
ax20 52@38	5580	Ant2	11.81	≤23.61	≤23.27	11.48	≤29.27	Pass
ax20 52@38	5580	Sum	15.44	≤23.61	≤23.27	15.11	≤29.27	Pass
ax20 52@38	5700	Ant1	12.86	≤23.59	≤23.33	12.53	≤29.33	Pass
ax20 52@38	5700	Ant2	11.95	≤23.58	≤23.32	11.62	≤29.32	Pass
ax20 52@38	5700	Sum	15.44	≤23.58	≤23.32	15.11	≤29.32	Pass
ax20 52@38	5745	Ant1	14.98	≤30.00	≤30.00	14.65	---	Pass
ax20 52@38	5745	Ant2	14.13	≤30.00	≤30.00	13.8	---	Pass
ax20 52@38	5745	Sum	17.59	≤30.00	≤30.00	17.26	---	Pass
ax20 52@38	5785	Ant1	14.74	≤30.00	≤30.00	14.41	---	Pass
ax20 52@38	5785	Ant2	13.35	≤30.00	≤30.00	13.02	---	Pass
ax20 52@38	5785	Sum	17.11	≤30.00	≤30.00	16.78	---	Pass
ax20 52@38	5825	Ant1	15.03	≤30.00	≤30.00	14.7	---	Pass
ax20 52@38	5825	Ant2	13.81	≤30.00	≤30.00	13.48	---	Pass
ax20 52@38	5825	Sum	17.47	≤30.00	≤30.00	17.14	---	Pass

Mode	Frequency (MHz)	Antenna	Total Power (dBm)	FCC Limit (dBm)	ISED Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
ax20 52@40	5180	Ant1	8.35	≤23.98	---	8.02	≤22.61	Pass
ax20 52@40	5180	Ant2	8.87	≤23.98	---	8.54	≤22.6	Pass
ax20 52@40	5180	Sum	11.63	≤23.98	---	11.3	≤22.6	Pass
ax20 52@40	5200	Ant1	8.6	≤23.98	---	8.27	≤22.59	Pass
ax20 52@40	5200	Ant2	9.44	≤23.98	---	9.11	≤22.58	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 52@40	5200	Sum	12.05	≤23.98	---	11.72	≤22.58	Pass
ax20 52@40	5240	Ant1	8.48	≤23.98	---	8.15	≤22.62	Pass
ax20 52@40	5240	Ant2	9.47	≤23.98	---	9.14	≤22.52	Pass
ax20 52@40	5240	Sum	12.01	≤23.98	---	11.68	≤22.52	Pass
ax20 52@40	5260	Ant1	11.51	≤23.98	≤23.6	11.18	≤29.6	Pass
ax20 52@40	5260	Ant2	12.52	≤23.98	≤23.59	12.19	≤29.59	Pass
ax20 52@40	5260	Sum	15.05	≤23.98	≤23.59	14.72	≤29.59	Pass
ax20 52@40	5280	Ant1	11.70	≤23.98	≤23.59	11.37	≤29.59	Pass
ax20 52@40	5280	Ant2	12.66	≤23.98	≤23.58	12.33	≤29.58	Pass
ax20 52@40	5280	Sum	15.22	≤23.98	≤23.58	14.89	≤29.58	Pass
ax20 52@40	5320	Ant1	11.57	≤23.98	≤23.58	11.24	≤29.58	Pass
ax20 52@40	5320	Ant2	13.03	≤23.98	≤23.6	12.7	≤29.6	Pass
ax20 52@40	5320	Sum	15.37	≤23.98	≤23.58	15.04	≤29.58	Pass
ax20 52@40	5500	Ant1	13.18	≤23.98	≤23.59	12.85	≤29.59	Pass
ax20 52@40	5500	Ant2	11.96	≤23.98	≤23.6	11.63	≤29.6	Pass
ax20 52@40	5500	Sum	15.62	≤23.98	≤23.59	15.29	≤29.59	Pass
ax20 52@40	5580	Ant1	12.56	≤23.98	≤23.61	12.23	≤29.61	Pass
ax20 52@40	5580	Ant2	11.90	≤23.98	≤23.6	11.57	≤29.6	Pass
ax20 52@40	5580	Sum	15.25	≤23.98	≤23.6	14.92	≤29.6	Pass
ax20 52@40	5700	Ant1	12.68	≤23.98	≤23.61	12.35	≤29.61	Pass
ax20 52@40	5700	Ant2	11.72	≤23.97	≤23.6	11.39	≤29.6	Pass
ax20 52@40	5700	Sum	15.24	≤23.97	≤23.6	14.91	≤29.6	Pass
ax20 52@40	5745	Ant1	14.41	≤30.00	≤30.00	14.08	---	Pass
ax20 52@40	5745	Ant2	13.43	≤30.00	≤30.00	13.1	---	Pass
ax20 52@40	5745	Sum	16.96	≤30.00	≤30.00	16.63	---	Pass
ax20 52@40	5785	Ant1	14.81	≤30.00	≤30.00	14.48	---	Pass
ax20 52@40	5785	Ant2	13.58	≤30.00	≤30.00	13.25	---	Pass
ax20 52@40	5785	Sum	17.25	≤30.00	≤30.00	16.92	---	Pass
ax20 52@40	5825	Ant1	14.78	≤30.00	≤30.00	14.45	---	Pass
ax20 52@40	5825	Ant2	13.52	≤30.00	≤30.00	13.19	---	Pass
ax20 52@40	5825	Sum	17.21	≤30.00	≤30.00	16.88	---	Pass

Mode	Frequency (MHz)	Antenna	Total Power (dBm)	FCC Limit (dBm)	ISED Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
ax20 106@53	5180	Ant1	11.27	≤23.98	---	10.94	≤22.59	Pass
ax20 106@53	5180	Ant2	11.89	≤23.98	---	11.56	≤22.58	Pass
ax20 106@53	5180	Sum	14.6	≤23.98	---	14.27	≤22.58	Pass
ax20 106@53	5200	Ant1	11.15	≤23.98	---	10.82	≤22.59	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 106@53	5200	Ant2	11.84	≤23.98	---	11.51	≤22.58	Pass
ax20 106@53	5200	Sum	14.52	≤23.98	---	14.19	≤22.58	Pass
ax20 106@53	5240	Ant1	10.95	≤23.98	---	10.62	≤22.6	Pass
ax20 106@53	5240	Ant2	11.81	≤23.98	---	11.48	≤22.56	Pass
ax20 106@53	5240	Sum	14.41	≤23.98	---	14.08	≤22.56	Pass
ax20 106@53	5260	Ant1	14.47	≤23.98	≤23.59	14.14	≤29.59	Pass
ax20 106@53	5260	Ant2	15.59	≤23.98	≤23.58	15.26	≤29.58	Pass
ax20 106@53	5260	Sum	18.08	≤23.98	≤23.58	17.75	≤29.58	Pass
ax20 106@53	5280	Ant1	14.60	≤23.98	≤23.59	14.27	≤29.59	Pass
ax20 106@53	5280	Ant2	15.68	≤23.98	≤23.57	15.35	≤29.57	Pass
ax20 106@53	5280	Sum	18.18	≤23.98	≤23.57	17.85	≤29.57	Pass
ax20 106@53	5320	Ant1	14.84	≤23.98	≤23.57	14.51	≤29.57	Pass
ax20 106@53	5320	Ant2	16.24	≤23.98	≤23.58	15.91	≤29.58	Pass
ax20 106@53	5320	Sum	18.61	≤23.98	≤23.57	18.28	≤29.57	Pass
ax20 106@53	5500	Ant1	15.66	≤23.98	≤23.6	15.33	≤29.6	Pass
ax20 106@53	5500	Ant2	14.57	≤23.98	≤23.58	14.24	≤29.58	Pass
ax20 106@53	5500	Sum	18.16	≤23.98	≤23.58	17.83	≤29.58	Pass
ax20 106@53	5580	Ant1	14.79	≤23.98	≤23.59	14.46	≤29.59	Pass
ax20 106@53	5580	Ant2	13.92	≤23.98	≤23.59	13.59	≤29.59	Pass
ax20 106@53	5580	Sum	17.39	≤23.98	≤23.59	17.06	≤29.59	Pass
ax20 106@53	5700	Ant1	14.82	≤23.98	≤23.58	14.49	≤29.58	Pass
ax20 106@53	5700	Ant2	14.01	≤23.98	≤23.53	13.68	≤29.53	Pass
ax20 106@53	5700	Sum	17.44	≤23.98	≤23.53	17.11	≤29.53	Pass
ax20 106@53	5745	Ant1	14.54	≤30.00	≤30.00	14.21	---	Pass
ax20 106@53	5745	Ant2	13.85	≤30.00	≤30.00	13.52	---	Pass
ax20 106@53	5745	Sum	17.22	≤30.00	≤30.00	16.89	---	Pass
ax20 106@53	5785	Ant1	14.95	≤30.00	≤30.00	14.62	---	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 106@53	5785	Ant2	13.66	≤30.00	≤30.00	13.33	---	Pass
ax20 106@53	5785	Sum	17.36	≤30.00	≤30.00	17.03	---	Pass
ax20 106@53	5825	Ant1	14.84	≤30.00	≤30.00	14.51	---	Pass
ax20 106@53	5825	Ant2	13.60	≤30.00	≤30.00	13.27	---	Pass
ax20 106@53	5825	Sum	17.27	≤30.00	≤30.00	16.94	---	Pass

Mode	Frequency (MHz)	Antenna	Total Power (dBm)	FCC Limit (dBm)	ISED Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
ax20 106@54	5180	Ant1	11.11	≤23.98	---	10.78	≤22.59	Pass
ax20 106@54	5180	Ant2	11.69	≤23.98	---	11.36	≤22.54	Pass
ax20 106@54	5180	Sum	14.42	≤23.98	---	14.09	≤22.54	Pass
ax20 106@54	5200	Ant1	11.39	≤23.98	---	11.06	≤22.6	Pass
ax20 106@54	5200	Ant2	12.29	≤23.98	---	11.96	≤22.6	Pass
ax20 106@54	5200	Sum	14.87	≤23.98	---	14.54	≤22.6	Pass
ax20 106@54	5240	Ant1	11.31	≤23.98	---	10.98	≤22.6	Pass
ax20 106@54	5240	Ant2	12.38	≤23.98	---	12.05	≤22.61	Pass
ax20 106@54	5240	Sum	14.89	≤23.98	---	14.56	≤22.6	Pass
ax20 106@54	5260	Ant1	14.49	≤23.98	≤23.62	14.16	≤29.62	Pass
ax20 106@54	5260	Ant2	15.67	≤23.98	≤23.6	15.34	≤29.6	Pass
ax20 106@54	5260	Sum	18.13	≤23.98	≤23.6	17.8	≤29.6	Pass
ax20 106@54	5280	Ant1	14.57	≤23.98	≤23.62	14.24	≤29.62	Pass
ax20 106@54	5280	Ant2	15.71	≤23.98	≤23.58	15.38	≤29.58	Pass
ax20 106@54	5280	Sum	18.19	≤23.98	≤23.58	17.86	≤29.58	Pass
ax20 106@54	5320	Ant1	14.57	≤23.98	≤23.61	14.24	≤29.61	Pass
ax20 106@54	5320	Ant2	16.05	≤23.98	≤23.59	15.72	≤29.59	Pass
ax20 106@54	5320	Sum	18.38	≤23.98	≤23.59	18.05	≤29.59	Pass
ax20 106@54	5500	Ant1	15.50	≤23.98	≤23.61	15.17	≤29.61	Pass
ax20 106@54	5500	Ant2	14.35	≤23.98	≤23.57	14.02	≤29.57	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 106@54	5500	Sum	17.97	≤23.98	≤23.57	17.64	≤29.57	Pass
ax20 106@54	5580	Ant1	14.84	≤23.98	≤23.62	14.51	≤29.62	Pass
ax20 106@54	5580	Ant2	13.94	≤23.98	≤23.61	13.61	≤29.61	Pass
ax20 106@54	5580	Sum	17.42	≤23.98	≤23.61	17.09	≤29.61	Pass
ax20 106@54	5700	Ant1	14.64	≤23.98	≤23.61	14.31	≤29.61	Pass
ax20 106@54	5700	Ant2	13.77	≤23.98	≤23.6	13.44	≤29.6	Pass
ax20 106@54	5700	Sum	17.24	≤23.98	≤23.6	16.91	≤29.6	Pass
ax20 106@54	5745	Ant1	14.58	≤30.00	≤30.00	14.25	---	Pass
ax20 106@54	5745	Ant2	13.67	≤30.00	≤30.00	13.34	---	Pass
ax20 106@54	5745	Sum	17.16	≤30.00	≤30.00	16.83	---	Pass
ax20 106@54	5785	Ant1	15.00	≤30.00	≤30.00	14.67	---	Pass
ax20 106@54	5785	Ant2	13.78	≤30.00	≤30.00	13.45	---	Pass
ax20 106@54	5785	Sum	17.44	≤30.00	≤30.00	17.11	---	Pass
ax20 106@54	5825	Ant1	14.79	≤30.00	≤30.00	14.46	---	Pass
ax20 106@54	5825	Ant2	13.57	≤30.00	≤30.00	13.24	---	Pass
ax20 106@54	5825	Sum	17.23	≤30.00	≤30.00	16.9	---	Pass

Note: 1. Conducted Power=Meas. Level+ Correction Factor
2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

Appendix F1:Maximum Power Spectral Density Level

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
ax20 26@0	5180	Ant1	3.17	0.17	3.34	≤11	3.01	≤10	Pass
ax20 26@0	5180	Ant2	3.81	0.17	3.98	≤11	3.65	≤10	Pass
ax20 26@0	5180	Sum	6.51	0.17	6.68	≤11	9.36	≤10	Pass
ax20 26@0	5200	Ant1	3.09	0.17	3.26	≤11	2.93	≤10	Pass
ax20 26@0	5200	Ant2	3.37	0.17	3.54	≤11	3.21	≤10	Pass
ax20 26@0	5200	Sum	6.24	0.17	6.41	≤11	9.09	≤10	Pass
ax20 26@0	5240	Ant1	2.81	0.17	2.98	≤11	2.65	≤10	Pass
ax20 26@0	5240	Ant2	3.55	0.17	3.72	≤11	3.39	≤10	Pass
ax20 26@0	5240	Sum	6.21	0.17	6.38	≤11	9.06	≤10	Pass
ax20 26@0	5260	Ant1	6.07	0.17	6.24	≤11	5.91	---	Pass
ax20 26@0	5260	Ant2	7.06	0.17	7.23	≤11	6.90	---	Pass
ax20 26@0	5260	Sum	9.6	0.17	9.77	≤11	12.45	---	Pass
ax20 26@0	5280	Ant1	6.32	0.17	6.49	≤11	6.16	---	Pass
ax20 26@0	5280	Ant2	7.7	0.17	7.87	≤11	7.54	---	Pass
ax20 26@0	5280	Sum	10.07	0.17	10.24	≤11	12.92	---	Pass
ax20 26@0	5320	Ant1	5.96	0.17	6.13	≤11	5.80	---	Pass
ax20 26@0	5320	Ant2	7.69	0.17	7.86	≤11	7.53	---	Pass
ax20 26@0	5320	Sum	9.92	0.17	10.09	≤11	12.77	---	Pass
ax20 26@0	5500	Ant1	7.4	0.17	7.57	≤11	7.24	---	Pass
ax20 26@0	5500	Ant2	6.97	0.17	7.14	≤11	6.81	---	Pass
ax20 26@0	5500	Sum	10.2	0.17	10.37	≤11	13.05	---	Pass
ax20 26@0	5580	Ant1	7.38	0.17	7.55	≤11	7.22	---	Pass
ax20 26@0	5580	Ant2	6.2	0.17	6.37	≤11	6.04	---	Pass
ax20 26@0	5580	Sum	9.84	0.17	10.01	≤11	12.69	---	Pass
ax20 26@0	5700	Ant1	7.59	0.17	7.76	≤11	7.43	---	Pass
ax20 26@0	5700	Ant2	6.45	0.17	6.62	≤11	6.29	---	Pass
ax20 26@0	5700	Sum	10.07	0.17	10.24	≤11	12.92	---	Pass
ax20 26@0	5745	Ant1	9.81	0.17	9.98	≤30	9.65	---	Pass
ax20 26@0	5745	Ant2	9.61	0.17	9.78	≤30	9.45	---	Pass
ax20 26@0	5745	Sum	12.72	0.17	12.89	≤30	15.57	---	Pass
ax20 26@0	5785	Ant1	9.41	0.17	9.58	≤30	9.25	---	Pass
ax20 26@0	5785	Ant2	8.81	0.17	8.98	≤30	8.65	---	Pass
ax20 26@0	5785	Sum	12.13	0.17	12.3	≤30	14.98	---	Pass
ax20 26@0	5825	Ant1	9.57	0.17	9.74	≤30	9.41	---	Pass
ax20 26@0	5825	Ant2	8.74	0.17	8.91	≤30	8.58	---	Pass
ax20 26@0	5825	Sum	12.19	0.17	12.36	≤30	15.04	---	Pass
ax20 26@4	5180	Ant1	3.07	0.17	3.24	≤11	2.91	≤10	Pass
ax20 26@4	5180	Ant2	3.24	0.17	3.41	≤11	3.08	≤10	Pass
ax20 26@4	5180	Sum	6.17	0.17	6.34	≤11	9.02	≤10	Pass
ax20 26@4	5200	Ant1	2.5	0.17	2.67	≤11	2.34	≤10	Pass
ax20 26@4	5200	Ant2	3.12	0.17	3.29	≤11	2.96	≤10	Pass
ax20 26@4	5200	Sum	5.83	0.17	6	≤11	8.68	≤10	Pass
ax20 26@4	5240	Ant1	2.7	0.17	2.87	≤11	2.54	≤10	Pass
ax20 26@4	5240	Ant2	3.08	0.17	3.25	≤11	2.92	≤10	Pass
ax20 26@4	5240	Sum	5.9	0.17	6.07	≤11	8.75	≤10	Pass
ax20 26@4	5260	Ant1	5.84	0.17	6.01	≤11	5.68	---	Pass
ax20 26@4	5260	Ant2	7.15	0.17	7.32	≤11	6.99	---	Pass
ax20 26@4	5260	Sum	9.55	0.17	9.72	≤11	12.40	---	Pass
ax20 26@4	5280	Ant1	5.77	0.17	5.94	≤11	5.61	---	Pass
ax20 26@4	5280	Ant2	7.07	0.17	7.24	≤11	6.91	---	Pass
ax20 26@4	5280	Sum	9.48	0.17	9.65	≤11	12.33	---	Pass
ax20 26@4	5320	Ant1	4.85	0.17	5.02	≤11	4.69	---	Pass
ax20 26@4	5320	Ant2	6.66	0.17	6.83	≤11	6.50	---	Pass
ax20 26@4	5320	Sum	8.86	0.17	9.03	≤11	11.71	---	Pass
ax20 26@4	5500	Ant1	7.29	0.17	7.46	≤11	7.13	---	Pass
ax20 26@4	5500	Ant2	5.74	0.17	5.91	≤11	5.58	---	Pass
ax20 26@4	5500	Sum	9.59	0.17	9.76	≤11	12.44	---	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 26@4	5580	Ant1	6.68	0.17	6.85	≤11	6.52	---	Pass
ax20 26@4	5580	Ant2	5.22	0.17	5.39	≤11	5.06	---	Pass
ax20 26@4	5580	Sum	9.02	0.17	9.19	≤11	11.87	---	Pass
ax20 26@4	5700	Ant1	6.67	0.17	6.84	≤11	6.51	---	Pass
ax20 26@4	5700	Ant2	6.09	0.17	6.26	≤11	5.93	---	Pass
ax20 26@4	5700	Sum	9.4	0.17	9.57	≤11	12.25	---	Pass
ax20 26@4	5745	Ant1	8.74	0.17	8.91	≤30	8.58	---	Pass
ax20 26@4	5745	Ant2	7.8	0.17	7.97	≤30	7.64	---	Pass
ax20 26@4	5745	Sum	11.31	0.17	11.48	≤30	14.16	---	Pass
ax20 26@4	5785	Ant1	8.65	0.17	8.82	≤30	8.49	---	Pass
ax20 26@4	5785	Ant2	7.34	0.17	7.51	≤30	7.18	---	Pass
ax20 26@4	5785	Sum	11.05	0.17	11.22	≤30	13.90	---	Pass
ax20 26@4	5825	Ant1	9.2	0.17	9.37	≤30	9.04	---	Pass
ax20 26@4	5825	Ant2	8.03	0.17	8.2	≤30	7.87	---	Pass
ax20 26@4	5825	Sum	11.66	0.17	11.83	≤30	14.51	---	Pass
ax20 26@8	5180	Ant1	3.35	0.17	3.52	≤11	3.19	≤10	Pass
ax20 26@8	5180	Ant2	3.62	0.17	3.79	≤11	3.46	≤10	Pass
ax20 26@8	5180	Sum	6.5	0.17	6.67	≤11	9.35	≤10	Pass
ax20 26@8	5200	Ant1	2.72	0.17	2.89	≤11	2.56	≤10	Pass
ax20 26@8	5200	Ant2	3.84	0.17	4.01	≤11	3.68	≤10	Pass
ax20 26@8	5200	Sum	6.33	0.17	6.5	≤11	9.18	≤10	Pass
ax20 26@8	5240	Ant1	2.71	0.17	2.88	≤11	2.55	≤10	Pass
ax20 26@8	5240	Ant2	4.03	0.17	4.2	≤11	3.87	≤10	Pass
ax20 26@8	5240	Sum	6.43	0.17	6.6	≤11	9.28	≤10	Pass
ax20 26@8	5260	Ant1	6.24	0.17	6.41	≤11	6.08	---	Pass
ax20 26@8	5260	Ant2	7.51	0.17	7.68	≤11	7.35	---	Pass
ax20 26@8	5260	Sum	9.93	0.17	10.1	≤11	12.78	---	Pass
ax20 26@8	5280	Ant1	6.55	0.17	6.72	≤11	6.39	---	Pass
ax20 26@8	5280	Ant2	7.38	0.17	7.55	≤11	7.22	---	Pass
ax20 26@8	5280	Sum	10	0.17	10.17	≤11	12.85	---	Pass
ax20 26@8	5320	Ant1	5.84	0.17	6.01	≤11	5.68	---	Pass
ax20 26@8	5320	Ant2	7.93	0.17	8.1	≤11	7.77	---	Pass
ax20 26@8	5320	Sum	10.02	0.17	10.19	≤11	12.87	---	Pass
ax20 26@8	5500	Ant1	7.43	0.17	7.6	≤11	7.27	---	Pass
ax20 26@8	5500	Ant2	6.81	0.17	6.98	≤11	6.65	---	Pass
ax20 26@8	5500	Sum	10.14	0.17	10.31	≤11	12.99	---	Pass
ax20 26@8	5580	Ant1	6.7	0.17	6.87	≤11	6.54	---	Pass
ax20 26@8	5580	Ant2	5.92	0.17	6.09	≤11	5.76	---	Pass
ax20 26@8	5580	Sum	9.34	0.17	9.51	≤11	12.19	---	Pass
ax20 26@8	5700	Ant1	7.57	0.17	7.74	≤11	7.41	---	Pass
ax20 26@8	5700	Ant2	6.25	0.17	6.42	≤11	6.09	---	Pass
ax20 26@8	5700	Sum	9.97	0.17	10.14	≤11	12.82	---	Pass
ax20 26@8	5745	Ant1	10.07	0.17	10.24	≤30	9.91	---	Pass
ax20 26@8	5745	Ant2	8.82	0.17	8.99	≤30	8.66	---	Pass
ax20 26@8	5745	Sum	12.5	0.17	12.67	≤30	15.35	---	Pass
ax20 26@8	5785	Ant1	9.78	0.17	9.95	≤30	9.62	---	Pass
ax20 26@8	5785	Ant2	8.52	0.17	8.69	≤30	8.36	---	Pass
ax20 26@8	5785	Sum	12.21	0.17	12.38	≤30	15.06	---	Pass
ax20 26@8	5825	Ant1	9.66	0.17	9.83	≤30	9.50	---	Pass
ax20 26@8	5825	Ant2	8.17	0.17	8.34	≤30	8.01	---	Pass
ax20 26@8	5825	Sum	11.99	0.17	12.16	≤30	14.84	---	Pass
ax20 52@37	5180	Ant1	2.2	0.33	2.53	≤11	2.20	≤10	Pass
ax20 52@37	5180	Ant2	3.09	0.33	3.42	≤11	3.09	≤10	Pass
ax20 52@37	5180	Sum	5.68	0.33	6.01	≤11	8.69	≤10	Pass
ax20 52@37	5200	Ant1	2.59	0.33	2.92	≤11	2.59	≤10	Pass
ax20 52@37	5200	Ant2	3.37	0.33	3.7	≤11	3.37	≤10	Pass
ax20 52@37	5200	Sum	6.01	0.33	6.34	≤11	9.02	≤10	Pass
ax20 52@37	5240	Ant1	2.45	0.33	2.78	≤11	2.45	≤10	Pass
ax20 52@37	5240	Ant2	2.92	0.33	3.25	≤11	2.92	≤10	Pass
ax20 52@37	5240	Sum	5.7	0.33	6.03	≤11	8.71	≤10	Pass
ax20 52@37	5260	Ant1	6.03	0.33	6.36	≤11	6.03	---	Pass
ax20 52@37	5260	Ant2	7.19	0.33	7.52	≤11	7.19	---	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 52@37	5260	Sum	9.66	0.33	9.99	≤11	12.67	---	Pass
ax20 52@37	5280	Ant1	5.71	0.33	6.04	≤11	5.71	---	Pass
ax20 52@37	5280	Ant2	6.79	0.33	7.12	≤11	6.79	---	Pass
ax20 52@37	5280	Sum	9.29	0.33	9.62	≤11	12.30	---	Pass
ax20 52@37	5320	Ant1	5.94	0.33	6.27	≤11	5.94	---	Pass
ax20 52@37	5320	Ant2	7.6	0.33	7.93	≤11	7.60	---	Pass
ax20 52@37	5320	Sum	9.86	0.33	10.19	≤11	12.87	---	Pass
ax20 52@37	5500	Ant1	6.96	0.33	7.29	≤11	6.96	---	Pass
ax20 52@37	5500	Ant2	6.01	0.33	6.34	≤11	6.01	---	Pass
ax20 52@37	5500	Sum	9.52	0.33	9.85	≤11	12.53	---	Pass
ax20 52@37	5580	Ant1	7.55	0.33	7.88	≤11	7.55	---	Pass
ax20 52@37	5580	Ant2	6.13	0.33	6.46	≤11	6.13	---	Pass
ax20 52@37	5580	Sum	9.91	0.33	10.24	≤11	12.92	---	Pass
ax20 52@37	5700	Ant1	7.11	0.33	7.44	≤11	7.11	---	Pass
ax20 52@37	5700	Ant2	6.14	0.33	6.47	≤11	6.14	---	Pass
ax20 52@37	5700	Sum	9.66	0.33	9.99	≤11	12.67	---	Pass
ax20 52@37	5745	Ant1	5.63	0.33	5.96	≤30	5.63	---	Pass
ax20 52@37	5745	Ant2	5.09	0.33	5.42	≤30	5.09	---	Pass
ax20 52@37	5745	Sum	8.38	0.33	8.71	≤30	11.39	---	Pass
ax20 52@37	5785	Ant1	6.6	0.33	6.93	≤30	6.60	---	Pass
ax20 52@37	5785	Ant2	5.28	0.33	5.61	≤30	5.28	---	Pass
ax20 52@37	5785	Sum	9	0.33	9.33	≤30	12.01	---	Pass
ax20 52@37	5825	Ant1	6.83	0.33	7.16	≤30	6.83	---	Pass
ax20 52@37	5825	Ant2	5.51	0.33	5.84	≤30	5.51	---	Pass
ax20 52@37	5825	Sum	9.23	0.33	9.56	≤30	12.24	---	Pass
ax20 52@38	5180	Ant1	2.44	0.33	2.77	≤11	2.44	≤10	Pass
ax20 52@38	5180	Ant2	2.95	0.33	3.28	≤11	2.95	≤10	Pass
ax20 52@38	5180	Sum	5.71	0.33	6.04	≤11	8.72	≤10	Pass
ax20 52@38	5200	Ant1	2.67	0.33	3	≤11	2.67	≤10	Pass
ax20 52@38	5200	Ant2	3.49	0.33	3.82	≤11	3.49	≤10	Pass
ax20 52@38	5200	Sum	6.11	0.33	6.44	≤11	9.12	≤10	Pass
ax20 52@38	5240	Ant1	2.89	0.33	3.22	≤11	2.89	≤10	Pass
ax20 52@38	5240	Ant2	3.71	0.33	4.04	≤11	3.71	≤10	Pass
ax20 52@38	5240	Sum	6.33	0.33	6.66	≤11	9.34	≤10	Pass
ax20 52@38	5260	Ant1	5.77	0.33	6.1	≤11	5.77	---	Pass
ax20 52@38	5260	Ant2	7.05	0.33	7.38	≤11	7.05	---	Pass
ax20 52@38	5260	Sum	9.47	0.33	9.8	≤11	12.48	---	Pass
ax20 52@38	5280	Ant1	5.81	0.33	6.14	≤11	5.81	---	Pass
ax20 52@38	5280	Ant2	6.9	0.33	7.23	≤11	6.90	---	Pass
ax20 52@38	5280	Sum	9.4	0.33	9.73	≤11	12.41	---	Pass
ax20 52@38	5320	Ant1	5.9	0.33	6.23	≤11	5.90	---	Pass
ax20 52@38	5320	Ant2	7.52	0.33	7.85	≤11	7.52	---	Pass
ax20 52@38	5320	Sum	9.8	0.33	10.13	≤11	12.81	---	Pass
ax20 52@38	5500	Ant1	7.09	0.33	7.42	≤11	7.09	---	Pass
ax20 52@38	5500	Ant2	6.18	0.33	6.51	≤11	6.18	---	Pass
ax20 52@38	5500	Sum	9.67	0.33	10	≤11	12.68	---	Pass
ax20 52@38	5580	Ant1	7.56	0.33	7.89	≤11	7.56	---	Pass
ax20 52@38	5580	Ant2	6.3	0.33	6.63	≤11	6.30	---	Pass
ax20 52@38	5580	Sum	9.99	0.33	10.32	≤11	13.00	---	Pass
ax20 52@38	5700	Ant1	7.17	0.33	7.5	≤11	7.17	---	Pass
ax20 52@38	5700	Ant2	6.22	0.33	6.55	≤11	6.22	---	Pass
ax20 52@38	5700	Sum	9.73	0.33	10.06	≤11	12.74	---	Pass
ax20 52@38	5745	Ant1	5.82	0.33	6.15	≤30	5.82	---	Pass
ax20 52@38	5745	Ant2	5	0.33	5.33	≤30	5.00	---	Pass
ax20 52@38	5745	Sum	8.44	0.33	8.77	≤30	11.45	---	Pass
ax20 52@38	5785	Ant1	5.73	0.33	6.06	≤30	5.73	---	Pass
ax20 52@38	5785	Ant2	4.71	0.33	5.04	≤30	4.71	---	Pass
ax20 52@38	5785	Sum	8.26	0.33	8.59	≤30	11.27	---	Pass
ax20 52@38	5825	Ant1	6.47	0.33	6.8	≤30	6.47	---	Pass
ax20 52@38	5825	Ant2	5.36	0.33	5.69	≤30	5.36	---	Pass
ax20 52@38	5825	Sum	8.96	0.33	9.29	≤30	11.97	---	Pass
ax20 52@40	5180	Ant1	2.16	0.32	2.48	≤11	2.15	≤10	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 52@40	5180	Ant2	3.25	0.32	3.57	≤11	3.24	≤10	Pass
ax20 52@40	5180	Sum	5.75	0.32	6.07	≤11	8.75	≤10	Pass
ax20 52@40	5200	Ant1	2.65	0.32	2.97	≤11	2.64	≤10	Pass
ax20 52@40	5200	Ant2	3.61	0.32	3.93	≤11	3.60	≤10	Pass
ax20 52@40	5200	Sum	6.17	0.32	6.49	≤11	9.17	≤10	Pass
ax20 52@40	5240	Ant1	2.81	0.32	3.13	≤11	2.80	≤10	Pass
ax20 52@40	5240	Ant2	3.51	0.32	3.83	≤11	3.50	≤10	Pass
ax20 52@40	5240	Sum	6.18	0.32	6.5	≤11	9.18	≤10	Pass
ax20 52@40	5260	Ant1	5.75	0.32	6.07	≤11	5.74	---	Pass
ax20 52@40	5260	Ant2	6.72	0.32	7.04	≤11	6.71	---	Pass
ax20 52@40	5260	Sum	9.27	0.32	9.59	≤11	12.27	---	Pass
ax20 52@40	5280	Ant1	6.46	0.32	6.78	≤11	6.45	---	Pass
ax20 52@40	5280	Ant2	7.05	0.32	7.37	≤11	7.04	---	Pass
ax20 52@40	5280	Sum	9.78	0.32	10.1	≤11	12.78	---	Pass
ax20 52@40	5320	Ant1	6.09	0.32	6.41	≤11	6.08	---	Pass
ax20 52@40	5320	Ant2	7.74	0.32	8.06	≤11	7.73	---	Pass
ax20 52@40	5320	Sum	10	0.32	10.32	≤11	13.00	---	Pass
ax20 52@40	5500	Ant1	7.09	0.32	7.41	≤11	7.08	---	Pass
ax20 52@40	5500	Ant2	6.33	0.32	6.65	≤11	6.32	---	Pass
ax20 52@40	5500	Sum	9.74	0.32	10.06	≤11	12.74	---	Pass
ax20 52@40	5580	Ant1	7.09	0.32	7.41	≤11	7.08	---	Pass
ax20 52@40	5580	Ant2	6.42	0.32	6.74	≤11	6.41	---	Pass
ax20 52@40	5580	Sum	9.78	0.32	10.1	≤11	12.78	---	Pass
ax20 52@40	5700	Ant1	6.67	0.32	6.99	≤11	6.66	---	Pass
ax20 52@40	5700	Ant2	5.73	0.32	6.05	≤11	5.72	---	Pass
ax20 52@40	5700	Sum	9.24	0.32	9.56	≤11	12.24	---	Pass
ax20 52@40	5745	Ant1	5.59	0.32	5.91	≤30	5.58	---	Pass
ax20 52@40	5745	Ant2	5.07	0.32	5.39	≤30	5.06	---	Pass
ax20 52@40	5745	Sum	8.35	0.32	8.67	≤30	11.35	---	Pass
ax20 52@40	5785	Ant1	6.58	0.32	6.9	≤30	6.57	---	Pass
ax20 52@40	5785	Ant2	5.49	0.32	5.81	≤30	5.48	---	Pass
ax20 52@40	5785	Sum	9.08	0.32	9.4	≤30	12.08	---	Pass
ax20 52@40	5825	Ant1	6.74	0.32	7.06	≤30	6.73	---	Pass
ax20 52@40	5825	Ant2	5.33	0.32	5.65	≤30	5.32	---	Pass
ax20 52@40	5825	Sum	9.1	0.32	9.42	≤30	12.10	---	Pass
ax20 106@53	5180	Ant1	2.24	0.57	2.81	≤11	2.48	≤10	Pass
ax20 106@53	5180	Ant2	3.17	0.57	3.74	≤11	3.41	≤10	Pass
ax20 106@53	5180	Sum	5.74	0.57	6.31	≤11	8.99	≤10	Pass
ax20 106@53	5200	Ant1	2.06	0.57	2.63	≤11	2.30	≤10	Pass
ax20 106@53	5200	Ant2	2.88	0.57	3.45	≤11	3.12	≤10	Pass
ax20 106@53	5200	Sum	5.5	0.57	6.07	≤11	8.75	≤10	Pass
ax20 106@53	5240	Ant1	2.04	0.57	2.61	≤11	2.28	≤10	Pass
ax20 106@53	5240	Ant2	2.74	0.57	3.31	≤11	2.98	≤10	Pass
ax20 106@53	5240	Sum	5.41	0.57	5.98	≤11	8.66	≤10	Pass
ax20 106@53	5260	Ant1	5.85	0.57	6.42	≤11	6.09	---	Pass
ax20 106@53	5260	Ant2	6.89	0.57	7.46	≤11	7.13	---	Pass
ax20 106@53	5260	Sum	9.41	0.57	9.98	≤11	12.66	---	Pass
ax20 106@53	5280	Ant1	6.07	0.57	6.64	≤11	6.31	---	Pass
ax20 106@53	5280	Ant2	6.93	0.57	7.5	≤11	7.17	---	Pass
ax20 106@53	5280	Sum	9.53	0.57	10.1	≤11	12.78	---	Pass
ax20 106@53	5320	Ant1	6.08	0.57	6.65	≤11	6.32	---	Pass
ax20 106@53	5320	Ant2	7.33	0.57	7.9	≤11	7.57	---	Pass
ax20 106@53	5320	Sum	9.76	0.57	10.33	≤11	13.01	---	Pass
ax20 106@53	5500	Ant1	6.72	0.57	7.29	≤11	6.96	---	Pass
ax20 106@53	5500	Ant2	6.02	0.57	6.59	≤11	6.26	---	Pass
ax20 106@53	5500	Sum	9.39	0.57	9.96	≤11	12.64	---	Pass
ax20 106@53	5580	Ant1	6.61	0.57	7.18	≤11	6.85	---	Pass
ax20 106@53	5580	Ant2	5.21	0.57	5.78	≤11	5.45	---	Pass
ax20 106@53	5580	Sum	8.98	0.57	9.55	≤11	12.23	---	Pass
ax20 106@53	5700	Ant1	6.07	0.57	6.64	≤11	6.31	---	Pass
ax20 106@53	5700	Ant2	4.87	0.57	5.44	≤11	5.11	---	Pass
ax20 106@53	5700	Sum	8.52	0.57	9.09	≤11	11.77	---	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

ax20 106@53	5745	Ant1	2.83	0.57	3.4	≤30	3.07	---	Pass
ax20 106@53	5745	Ant2	2.08	0.57	2.65	≤30	2.32	---	Pass
ax20 106@53	5745	Sum	5.48	0.57	6.05	≤30	8.73	---	Pass
ax20 106@53	5785	Ant1	3.31	0.57	3.88	≤30	3.55	---	Pass
ax20 106@53	5785	Ant2	2.01	0.57	2.58	≤30	2.25	---	Pass
ax20 106@53	5785	Sum	5.72	0.57	6.29	≤30	8.97	---	Pass
ax20 106@53	5825	Ant1	3	0.57	3.57	≤30	3.24	---	Pass
ax20 106@53	5825	Ant2	2.54	0.57	3.11	≤30	2.78	---	Pass
ax20 106@53	5825	Sum	5.79	0.57	6.36	≤30	9.04	---	Pass
ax20 106@54	5180	Ant1	2.46	0.57	3.03	≤11	2.70	≤10	Pass
ax20 106@54	5180	Ant2	2.79	0.57	3.36	≤11	3.03	≤10	Pass
ax20 106@54	5180	Sum	5.64	0.57	6.21	≤11	8.89	≤10	Pass
ax20 106@54	5200	Ant1	2.63	0.57	3.2	≤11	2.87	≤10	Pass
ax20 106@54	5200	Ant2	3.36	0.57	3.93	≤11	3.60	≤10	Pass
ax20 106@54	5200	Sum	6.02	0.57	6.59	≤11	9.27	≤10	Pass
ax20 106@54	5240	Ant1	2.07	0.57	2.64	≤11	2.31	≤10	Pass
ax20 106@54	5240	Ant2	3.5	0.57	4.07	≤11	3.74	≤10	Pass
ax20 106@54	5240	Sum	5.85	0.57	6.42	≤11	9.10	≤10	Pass
ax20 106@54	5260	Ant1	5.68	0.57	6.25	≤11	5.92	---	Pass
ax20 106@54	5260	Ant2	7	0.57	7.57	≤11	7.24	---	Pass
ax20 106@54	5260	Sum	9.4	0.57	9.97	≤11	12.65	---	Pass
ax20 106@54	5280	Ant1	6.14	0.57	6.71	≤11	6.38	---	Pass
ax20 106@54	5280	Ant2	7.19	0.57	7.76	≤11	7.43	---	Pass
ax20 106@54	5280	Sum	9.71	0.57	10.28	≤11	12.96	---	Pass
ax20 106@54	5320	Ant1	5.74	0.57	6.31	≤11	5.98	---	Pass
ax20 106@54	5320	Ant2	7.46	0.57	8.03	≤11	7.70	---	Pass
ax20 106@54	5320	Sum	9.69	0.57	10.26	≤11	12.94	---	Pass
ax20 106@54	5500	Ant1	6.53	0.57	7.1	≤11	6.77	---	Pass
ax20 106@54	5500	Ant2	5.44	0.57	6.01	≤11	5.68	---	Pass
ax20 106@54	5500	Sum	9.03	0.57	9.6	≤11	12.28	---	Pass
ax20 106@54	5580	Ant1	6.46	0.57	7.03	≤11	6.70	---	Pass
ax20 106@54	5580	Ant2	5.3	0.57	5.87	≤11	5.54	---	Pass
ax20 106@54	5580	Sum	8.93	0.57	9.5	≤11	12.18	---	Pass
ax20 106@54	5700	Ant1	5.58	0.57	6.15	≤11	5.82	---	Pass
ax20 106@54	5700	Ant2	4.64	0.57	5.21	≤11	4.88	---	Pass
ax20 106@54	5700	Sum	8.15	0.57	8.72	≤11	11.40	---	Pass
ax20 106@54	5745	Ant1	2.45	0.57	3.02	≤30	2.69	---	Pass
ax20 106@54	5745	Ant2	1.94	0.57	2.51	≤30	2.18	---	Pass
ax20 106@54	5745	Sum	5.21	0.57	5.78	≤30	8.46	---	Pass
ax20 106@54	5785	Ant1	3.17	0.57	3.74	≤30	3.41	---	Pass
ax20 106@54	5785	Ant2	2.1	0.57	2.67	≤30	2.34	---	Pass
ax20 106@54	5785	Sum	5.68	0.57	6.25	≤30	8.93	---	Pass
ax20 106@54	5825	Ant1	3.55	0.57	4.12	≤30	3.79	---	Pass
ax20 106@54	5825	Ant2	2.11	0.57	2.68	≤30	2.35	---	Pass
ax20 106@54	5825	Sum	5.9	0.57	6.47	≤30	9.15	---	Pass

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

Test Graphs

PSD NVNT ax20 26@0 5180MHz Ant1



PSD NVNT ax20 26@0 5180MHz Ant2

PSD NVNT ax20 26@0 5200MHz Ant1



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@0 5200MHz Ant2



PSD NVNT ax20 26@0 5240MHz Ant1

PSD NVNT ax20 26@0 5240MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@0 5260MHz Ant1

PSD NVNT ax20 26@0 5260MHz Ant2

PSD NVNT ax20 26@0 5280MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@0 5280MHz Ant2

PSD NVNT ax20 26@0 5320MHz Ant1

PSD NVNT ax20 26@0 5320MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@0 5500MHz Ant1

PSD NVNT ax20 26@0 5500MHz Ant2

PSD NVNT ax20 26@0 5580MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@0 5580MHz Ant2

PSD NVNT ax20 26@0 5700MHz Ant1

PSD NVNT ax20 26@0 5700MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@0 5745MHz Ant1

PSD NVNT ax20 26@0 5745MHz Ant2

PSD NVNT ax20 26@0 5785MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@0 5785MHz Ant2

PSD NVNT ax20 26@0 5825MHz Ant1

PSD NVNT ax20 26@0 5825MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5180MHz Ant1

PSD NVNT ax20 26@4 5180MHz Ant2



PSD NVNT ax20 26@4 5200MHz Ant1



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5200MHz Ant2



PSD NVNT ax20 26@4 5240MHz Ant1



PSD NVNT ax20 26@4 5240MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5260MHz Ant1

PSD NVNT ax20 26@4 5260MHz Ant2

PSD NVNT ax20 26@4 5280MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5280MHz Ant2

PSD NVNT ax20 26@4 5320MHz Ant1

PSD NVNT ax20 26@4 5320MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5500MHz Ant1

PSD NVNT ax20 26@4 5500MHz Ant2

PSD NVNT ax20 26@4 5580MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5580MHz Ant2

PSD NVNT ax20 26@4 5700MHz Ant1

PSD NVNT ax20 26@4 5700MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5745MHz Ant1



PSD NVNT ax20 26@4 5745MHz Ant2

PSD NVNT ax20 26@4 5785MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@4 5785MHz Ant2

PSD NVNT ax20 26@4 5825MHz Ant1

PSD NVNT ax20 26@4 5825MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5180MHz Ant1



PSD NVNT ax20 26@8 5180MHz Ant2



PSD NVNT ax20 26@8 5200MHz Ant1



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5200MHz Ant2



PSD NVNT ax20 26@8 5240MHz Ant1



PSD NVNT ax20 26@8 5240MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5260MHz Ant1



PSD NVNT ax20 26@8 5260MHz Ant2

PSD NVNT ax20 26@8 5280MHz Ant1



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5280MHz Ant2



PSD NVNT ax20 26@8 5320MHz Ant1



PSD NVNT ax20 26@8 5320MHz Ant2



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5500MHz Ant1



PSD NVNT ax20 26@8 5500MHz Ant2

PSD NVNT ax20 26@8 5580MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5580MHz Ant2

PSD NVNT ax20 26@8 5700MHz Ant1

PSD NVNT ax20 26@8 5700MHz Ant2



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5745MHz Ant1



PSD NVNT ax20 26@8 5745MHz Ant2

PSD NVNT ax20 26@8 5785MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 26@8 5785MHz Ant2

PSD NVNT ax20 26@8 5825MHz Ant1

PSD NVNT ax20 26@8 5825MHz Ant2



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5180MHz Ant1

PSD NVNT ax20 52@37 5180MHz Ant2

PSD NVNT ax20 52@37 5200MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5200MHz Ant2

PSD NVNT ax20 52@37 5240MHz Ant1

PSD NVNT ax20 52@37 5240MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5260MHz Ant1

PSD NVNT ax20 52@37 5260MHz Ant2

PSD NVNT ax20 52@37 5280MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5280MHz Ant2

PSD NVNT ax20 52@37 5320MHz Ant1

PSD NVNT ax20 52@37 5320MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5500MHz Ant1

PSD NVNT ax20 52@37 5500MHz Ant2

PSD NVNT ax20 52@37 5580MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5580MHz Ant2

PSD NVNT ax20 52@37 5700MHz Ant1

PSD NVNT ax20 52@37 5700MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5745MHz Ant1

PSD NVNT ax20 52@37 5745MHz Ant2

PSD NVNT ax20 52@37 5785MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@37 5785MHz Ant2

PSD NVNT ax20 52@37 5825MHz Ant1

PSD NVNT ax20 52@37 5825MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5180MHz Ant1

PSD NVNT ax20 52@38 5180MHz Ant2

PSD NVNT ax20 52@38 5200MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5200MHz Ant2

PSD NVNT ax20 52@38 5240MHz Ant1

PSD NVNT ax20 52@38 5240MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5260MHz Ant1

PSD NVNT ax20 52@38 5260MHz Ant2

PSD NVNT ax20 52@38 5280MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5280MHz Ant2

PSD NVNT ax20 52@38 5320MHz Ant1

PSD NVNT ax20 52@38 5320MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5500MHz Ant1

PSD NVNT ax20 52@38 5500MHz Ant2

PSD NVNT ax20 52@38 5580MHz Ant1



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5580MHz Ant2

PSD NVNT ax20 52@38 5700MHz Ant1

PSD NVNT ax20 52@38 5700MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5745MHz Ant1

PSD NVNT ax20 52@38 5745MHz Ant2

PSD NVNT ax20 52@38 5785MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@38 5785MHz Ant2

PSD NVNT ax20 52@38 5825MHz Ant1

PSD NVNT ax20 52@38 5825MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@40 5180MHz Ant1



PSD NVNT ax20 52@40 5180MHz Ant2



PSD NVNT ax20 52@40 5200MHz Ant1

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@40 5200MHz Ant2



PSD NVNT ax20 52@40 5240MHz Ant1



PSD NVNT ax20 52@40 5240MHz Ant2



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@40 5260MHz Ant1



PSD NVNT ax20 52@40 5260MHz Ant2

PSD NVNT ax20 52@40 5280MHz Ant1



This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.

PSD NVNT ax20 52@40 5280MHz Ant2

PSD NVNT ax20 52@40 5320MHz Ant1

PSD NVNT ax20 52@40 5320MHz Ant2

This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.