


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	34.13	53.62	-19.49	54.00	-19.87	100	160	Average	Horizontal	
2	1483.00	51.07	70.56	-19.49	74.00	-22.93	100	160	Peak	Horizontal	
3	4536.00	43.71	53.92	-10.21	54.00	-10.29	400	125	Average	Horizontal	
4	4536.00	52.74	62.95	-10.21	74.00	-21.26	400	125	Peak	Horizontal	
5	4844.00	39.47	49.23	-9.76	54.00	-14.53	300	120	Average	Horizontal	
6	4844.00	53.01	62.77	-9.76	74.00	-20.99	300	120	Peak	Horizontal	
7	10400.00	50.40	53.02	-3.42	68.20	-17.80	100	36	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	34.21	53.69	-19.48	54.00	-19.79	300	339	Average	Vertical	
2	1483.00	53.37	72.85	-19.48	74.00	-20.63	300	339	Peak	Vertical	
3	4529.00	43.68	53.90	-10.22	54.00	-10.32	400	19	Average	Vertical	
4	4529.00	55.84	66.06	-10.22	74.00	-18.16	400	19	Peak	Vertical	
5	4839.00	46.46	56.23	-9.77	54.00	-7.54	300	251	Average	Vertical	
6	4839.00	55.79	65.56	-9.77	74.00	-18.21	300	251	Peak	Vertical	
7	10400.00	63.68	67.10	-3.42	68.20	-4.52	100	218	Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	34.73	54.23	-19.50	54.00	-19.27	100	161	Average	Horizontal	
2	1484.00	51.49	70.99	-19.50	74.00	-22.51	100	161	Peak	Horizontal	
3	4524.00	43.57	53.82	-10.25	54.00	-10.43	400	124	Average	Horizontal	
4	4524.00	52.70	62.95	-10.25	74.00	-21.30	400	124	Peak	Horizontal	
5	4841.00	38.99	48.76	-9.77	54.00	-15.01	300	143	Average	Horizontal	
6	4841.00	53.19	62.96	-9.77	74.00	-20.01	300	143	Peak	Horizontal	
7	10480.00	58.47	61.71	-3.24	68.20	-9.73	100	291	Peak	Horizontal	
8	15720.00	51.74	47.72	4.02	74.00	-22.26	100	31	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	34.60	54.11	-19.51	54.00	-19.40	300	338	Average	Vertical	
2	1484.00	53.52	73.03	-19.51	74.00	-20.48	300	338	Peak	Vertical	
3	4531.00	43.12	53.32	-10.20	54.00	-10.88	400	23	Average	Vertical	
4	4531.00	56.02	66.22	-10.20	74.00	-17.98	400	23	Peak	Vertical	
5	4832.00	46.13	55.93	-9.80	54.00	-7.87	400	27	Average	Vertical	
6	4832.00	54.97	64.77	-9.80	74.00	-19.03	400	27	Peak	Vertical	
7	10480.00	61.17	64.41	-3.24	68.20	-7.03	300	256	Peak	Vertical	
8	15720.00	50.68	46.66	4.02	54.00	-3.32	114	310	Average	Vertical	
9	15720.00	67.17	63.15	4.02	74.00	-6.83	114	310	Peak	Vertical	


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	34.31	53.78	-19.47	54.00	-19.69	100	164 Average	Horizontal	
2	1481.00	52.12	71.59	-19.47	74.00	-21.88	100	164 Peak	Horizontal	
3	4527.00	43.18	53.41	-10.23	54.00	-10.82	400	124 Average	Horizontal	
4	4527.00	52.51	62.74	-10.23	74.00	-21.49	400	124 Peak	Horizontal	
5	4842.00	38.95	48.72	-9.77	54.00	-15.05	300	146 Average	Horizontal	
6	4842.00	52.49	62.26	-9.77	74.00	-21.51	300	146 Peak	Horizontal	
7	10380.00	50.95	54.42	-3.47	68.20	-17.25	100	56 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	33.99	53.48	-19.49	54.00	-20.01	300	342 Average	Vertical	
2	1483.00	53.65	73.14	-19.49	74.00	-20.35	300	342 Peak	Vertical	
3	4517.00	43.49	53.78	-10.29	54.00	-10.51	100	229 Average	Vertical	
4	4517.00	55.20	65.49	-10.29	74.00	-10.80	100	229 Peak	Vertical	
5	4832.00	46.12	55.92	-9.80	54.00	-7.88	400	26 Average	Vertical	
6	4832.00	55.47	65.27	-9.80	74.00	-18.53	400	26 Peak	Vertical	
7	10380.00	54.18	57.65	-3.47	68.20	-14.02	100	186 Peak	Vertical	
8	15570.00	52.31	48.65	3.66	74.00	-21.69	300	316 Peak	Vertical	


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	33.92	53.42	-19.50	54.00	-20.08	100	164	Average	Horizontal	
2	1484.00	51.74	71.24	-19.50	74.00	-22.26	100	164	Peak	Horizontal	
3	4524.00	43.44	53.69	-10.25	54.00	-10.56	400	298	Average	Horizontal	
4	4524.00	52.66	62.91	-10.25	74.00	-21.34	400	298	Peak	Horizontal	
5	4841.00	39.43	49.20	-9.77	54.00	-14.57	300	147	Average	Horizontal	
6	4841.00	53.95	63.72	-9.77	74.00	-20.05	300	147	Peak	Horizontal	
7	10460.00	52.23	55.51	-3.28	68.20	-15.97	100	51	Peak	Horizontal	
8	15690.00	49.39	45.46	3.93	74.00	-24.61	300	22	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1481.00	33.97	53.44	-19.47	54.00	-20.03	300	341	Average	Vertical	
2	1481.00	52.89	72.36	-19.47	74.00	-22.11	300	341	Peak	Vertical	
3	4528.00	43.64	53.86	-10.22	54.00	-10.36	100	222	Average	Vertical	
4	4528.00	54.98	65.20	-10.22	74.00	-19.02	100	222	Peak	Vertical	
5	4844.00	46.63	56.39	-9.76	54.00	-7.37	300	254	Average	Vertical	
6	4844.00	55.00	64.76	-9.76	74.00	-19.00	300	254	Peak	Vertical	
7	10460.00	61.38	64.66	-3.28	68.20	-6.82	100	207	Peak	Vertical	
8	15690.00	45.49	41.56	3.93	54.00	-6.51	100	309	Average	Vertical	
9	15690.00	57.74	53.81	3.93	74.00	-16.26	100	309	Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1481.00	34.91	54.38	-19.47	54.00	-19.09	100	167	Average	Horizontal	
2	1481.00	50.72	70.19	-19.47	74.00	-23.28	100	167	Peak	Horizontal	
3	4529.00	43.04	53.26	-10.22	54.00	-10.96	400	299	Average	Horizontal	
4	4529.00	52.64	62.86	-10.22	74.00	-21.36	400	299	Peak	Horizontal	
5	4844.00	38.76	48.52	-9.76	54.00	-15.24	300	146	Average	Horizontal	
6	4844.00	53.70	63.46	-9.76	74.00	-20.30	300	146	Peak	Horizontal	
7	10420.00	45.40	48.78	-3.38	68.20	-22.80	100	262	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1482.00	34.23	53.71	-19.48	54.00	-19.77	393	360	Average	Vertical	
2	1482.00	52.74	72.22	-19.48	74.00	-21.26	393	360	Peak	Vertical	
3	4527.00	43.29	53.52	-10.23	54.00	-10.71	400	45	Average	Vertical	
4	4527.00	55.52	65.75	-10.23	74.00	-10.48	400	45	Peak	Vertical	
5	4840.00	45.99	55.76	-9.77	54.00	-8.01	300	247	Average	Vertical	
6	4840.00	55.33	65.10	-9.77	74.00	-18.67	300	247	Peak	Vertical	
7	10420.00	51.47	54.85	-3.38	68.20	-16.73	100	266	Peak	Vertical	

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APOS	TPOS	Remark	Pol/Phase	Note
	MHz	dBu/m	dBuV	dB/m	dBu/m	dB	cm	deg			
1	1466.06	47.71	67.22	-19.51	74.08	-26.29	322	300 Peak	Vertical		
2	4527.08	48.05	67.98	-19.93	74.08	-19.15	100	338 Average	Vertical		
3	4527.08	54.71	64.94	-18.23	73.08	-19.19	100	230 Peak	Vertical		
4	4841.08	53.07	62.05	-9.77	74.00	-20.92	300	293 Peak	Vertical		
5	10520.00	64.08	70.95	-7.13	68.20	-20.12	180	220 Peak	Vertical		
6	15780.00	58.77	46.61	4.16	74.00	-23.23	300	320 Peak	Vertical		


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1482.00	46.14	65.62	-19.48	74.00	-27.86	200	145	Peak	Horizontal	
2	4526.00	51.79	62.03	-10.24	74.00	-22.21	300	124	Peak	Horizontal	
3	4827.00	49.18	59.00	-9.82	74.00	-24.82	400	312	Peak	Horizontal	
4	10600.00	44.25	47.12	-2.87	54.00	-9.75	100	39	Average	Horizontal	
5	10600.00	59.25	62.12	-2.87	68.20	-8.95	100	39	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	47.76	67.27	-19.51	74.00	-26.24	300	338	Peak	Vertical	
2	4517.00	43.06	53.35	-10.29	54.00	-10.94	100	228	Average	Vertical	
3	4517.00	55.82	66.11	-10.29	74.00	-18.18	100	228	Peak	Vertical	
4	4839.00	52.71	62.48	-9.77	74.00	-21.29	200	192	Peak	Vertical	
5	10600.00	50.76	53.63	-2.87	54.00	-3.24	100	216	Average	Vertical	
6	10600.00	64.33	67.20	-2.87	68.20	-3.87	100	216	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	46.76	66.26	-19.50	74.00	-27.24	280	149 Peak	Horizontal	
2	4522.00	50.46	60.72	-10.26	74.00	-23.54	400	176 Peak	Horizontal	
3	4836.00	49.73	59.53	-9.80	74.00	-24.27	300	348 Peak	Horizontal	
4	10640.00	45.50	48.32	-2.82	54.00	-8.50	100	42 Average	Horizontal	
5	10640.00	60.44	63.26	-2.82	74.00	-13.56	100	42 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4219.00	48.17	59.09	-10.92	74.00	-25.83	300	28 Peak	Vertical	
2	4518.00	41.90	52.18	-10.28	54.00	-12.10	100	232 Average	Vertical	
3	4518.00	55.17	65.45	-10.28	74.00	-18.83	100	232 Peak	Vertical	
4	4840.00	53.33	63.10	-9.77	74.00	-20.67	200	193 Peak	Vertical	
5	10640.00	50.90	53.72	-2.82	54.00	-3.10	100	217 Average	Vertical	
6	10640.00	67.72	70.54	-2.82	74.00	-6.28	100	217 Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1485.00	34.41	53.82	-19.51	54.00	-19.59	100	163	Average	Horizontal	
2	1485.00	51.93	71.44	-19.51	74.00	-22.07	100	163	Peak	Horizontal	
3	4530.00	43.61	53.82	-10.21	54.00	-10.39	400	123	Average	Horizontal	
4	4530.00	53.15	63.36	-10.21	74.00	-20.85	400	123	Peak	Horizontal	
5	4842.00	38.88	48.65	-9.77	54.00	-15.12	300	137	Average	Horizontal	
6	4842.00	52.78	62.55	-9.77	74.00	-21.22	300	137	Peak	Horizontal	
7	10520.00	55.36	58.49	-3.13	68.20	-12.84	100	105	Peak	Horizontal	
8	15780.00	49.19	45.03	4.16	74.00	-24.81	400	282	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1485.00	33.75	53.26	-19.51	54.00	-20.25	378	360	Average	Vertical	
2	1485.00	53.82	72.53	-19.51	74.00	-20.98	378	360	Peak	Vertical	
3	4531.00	43.57	53.77	-10.20	54.00	-10.43	400	52	Average	Vertical	
4	4531.00	55.33	65.53	-10.20	74.00	-18.67	400	52	Peak	Vertical	
5	4842.00	46.51	56.28	-9.77	54.00	-7.49	100	204	Average	Vertical	
6	4842.00	55.11	64.88	-9.77	74.00	-18.89	100	204	Peak	Vertical	
7	10520.00	62.12	65.25	-3.13	68.20	-6.08	100	136	Peak	Vertical	
8	15780.00	40.83	36.67	4.16	54.00	-13.17	107	309	Average	Vertical	
9	15780.00	57.09	52.93	4.16	74.00	-16.91	107	309	Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1404.00	34.33	53.83	-19.50	54.00	-19.67	100	165	Average	Horizontal	
2	1404.00	50.57	70.07	-19.50	74.00	-23.43	100	165	Peak	Horizontal	
3	4520.00	43.09	53.36	-10.27	54.00	-10.91	400	124	Average	Horizontal	
4	4520.00	53.06	63.33	-10.27	74.00	-20.94	400	124	Peak	Horizontal	
5	4841.00	39.43	49.20	-9.77	54.00	-14.57	300	144	Average	Horizontal	
6	4841.00	52.17	61.94	-9.77	74.00	-21.83	300	144	Peak	Horizontal	
7	10600.00	56.53	59.00	-2.87	68.20	-11.27	100	24	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1405.00	34.61	54.12	-19.51	54.00	-19.39	300	341	Average	Vertical	
2	1405.00	53.66	73.17	-19.51	74.00	-20.34	300	341	Peak	Vertical	
3	4530.00	43.57	53.78	-10.21	54.00	-10.43	400	21	Average	Vertical	
4	4530.00	56.30	66.51	-10.21	74.00	-17.70	400	21	Peak	Vertical	
5	4844.00	45.98	55.74	-9.76	54.00	-8.02	200	205	Average	Vertical	
6	4844.00	54.76	64.52	-9.76	74.00	-19.24	200	205	Peak	Vertical	
7	10600.00	63.32	65.19	-2.87	68.20	-4.88	100	292	Peak	Vertical	
8	15900.00	51.99	47.63	4.36	74.00	-22.01	200	304	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	34.44	53.93	-19.49	54.00	-19.56	100	161 Average	Horizontal	
2	1483.00	51.77	71.26	-19.49	74.00	-22.23	100	161 Peak	Horizontal	
3	4531.00	43.01	53.21	-10.20	54.00	-10.99	400	167 Average	Horizontal	
4	4531.00	53.28	63.48	-10.20	74.00	-20.72	400	167 Peak	Horizontal	
5	4837.00	38.41	48.20	-9.79	54.00	-15.59	300	137 Average	Horizontal	
6	4837.00	52.87	62.66	-9.79	74.00	-21.13	300	137 Peak	Horizontal	
7	10640.00	50.36	53.18	-2.82	74.00	-23.64	100	125 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.00	33.75	53.22	-19.47	54.00	-20.25	300	346 Average	Vertical	
2	1481.00	53.42	72.89	-19.47	74.00	-20.58	300	346 Peak	Vertical	
3	4530.00	43.47	53.68	-10.21	54.00	-10.53	400	46 Average	Vertical	
4	4530.00	55.05	65.26	-10.21	74.00	-10.95	400	46 Peak	Vertical	
5	4843.00	46.52	56.28	-9.76	54.00	-7.48	300	250 Average	Vertical	
6	4843.00	55.70	65.46	-9.76	74.00	-10.30	300	250 Peak	Vertical	
7	10640.00	50.50	53.32	-2.82	54.00	-3.50	100	222 Average	Vertical	
8	10640.00	58.00	60.82	-2.82	74.00	-16.00	100	222 Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1482.00	51.08	70.56	-19.48	74.00	-22.92	100	160	Peak	Horizontal	
2	4531.00	51.10	61.30	-10.20	74.00	-22.90	400	124	Peak	Horizontal	
3	4844.00	50.33	60.89	-9.76	74.00	-23.67	300	114	Peak	Horizontal	
4	10540.00	53.22	56.29	-3.07	68.20	-14.98	100	44	Peak	Horizontal	
5	15810.00	49.75	45.52	4.23	74.00	-24.25	400	279	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1485.00	33.77	53.28	-19.51	54.00	-20.23	300	336	Average	Vertical	
2	1485.00	52.93	72.44	-19.51	74.00	-21.07	300	336	Peak	Vertical	
3	4530.00	43.65	53.86	-10.21	54.00	-10.35	400	46	Average	Vertical	
4	4530.00	56.44	66.65	-10.21	74.00	-17.56	400	46	Peak	Vertical	
5	4837.00	46.21	56.00	-9.79	54.00	-7.79	300	249	Average	Vertical	
6	4837.00	55.70	65.49	-9.79	74.00	-16.30	300	249	Peak	Vertical	
7	10540.00	60.57	63.64	-3.07	68.20	-7.63	100	128	Peak	Vertical	
8	15810.00	43.76	39.53	4.23	54.00	-10.24	211	326	Average	Vertical	
9	15810.00	55.74	51.51	4.23	74.00	-10.26	211	326	Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	58.44	69.93	-19.49	74.00	-23.56	100	165	Peak	Horizontal	
2	4531.00	50.45	60.65	-10.20	74.00	-23.55	400	122	Peak	Horizontal	
3	4842.00	50.14	59.91	-9.77	74.00	-23.86	300	342	Peak	Horizontal	
4	10620.00	51.63	54.47	-2.84	74.00	-22.37	100	44	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1485.00	53.31	53.82	-19.51	54.00	-19.69	300	338	Average	Vertical	
2	1485.00	52.36	71.87	-19.51	74.00	-21.64	300	338	Peak	Vertical	
3	4529.00	43.65	53.87	-10.22	54.00	-10.35	400	47	Average	Vertical	
4	4529.00	55.22	65.44	-10.22	74.00	-18.78	400	47	Peak	Vertical	
5	4842.00	46.85	56.62	-9.77	54.00	-7.15	300	250	Average	Vertical	
6	4842.00	55.53	65.30	-9.77	74.00	-18.47	300	250	Peak	Vertical	
7	10620.00	50.74	53.58	-2.84	54.00	-3.26	100	221	Average	Vertical	
8	10620.00	58.51	61.35	-2.84	74.00	-15.49	100	221	Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1485.00	47.94	67.45	-19.51	74.00	-26.06	100	164 Peak	Horizontal	
2	1959.00	52.27	68.03	-15.76	68.20	-15.93	300	56 Peak	Horizontal	
3	4526.00	34.56	44.80	-10.24	54.00	-19.44	400	299 Average	Horizontal	
4	4526.00	53.43	63.67	-10.24	74.00	-20.57	400	299 Peak	Horizontal	
5	4839.00	51.98	61.75	-9.77	74.00	-22.02	300	146 Peak	Horizontal	
6	10580.00	50.41	53.34	-2.93	68.20	-17.79	100	43 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	49.55	69.05	-19.50	74.00	-24.45	300	129 Peak	Vertical	
2	4531.00	43.72	53.92	-10.20	54.00	-10.28	400	16 Average	Vertical	
3	4531.00	56.30	66.50	-10.20	74.00	-17.70	400	16 Peak	Vertical	
4	4840.00	46.35	56.12	-9.77	54.00	-7.65	300	249 Average	Vertical	
5	4840.00	54.97	64.74	-9.77	74.00	-19.03	300	249 Peak	Vertical	
6	10580.00	61.83	64.76	-2.93	68.20	-6.37	100	221 Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1717.00	40.47	58.82	-17.55	68.28	-27.73	377	360	Peak	Horizontal	
2	4522.00	34.42	44.68	-10.26	54.00	-19.58	400	298	Average	Horizontal	
3	4522.00	54.82	64.28	-10.26	74.00	-19.98	400	298	Peak	Horizontal	
4	4844.00	50.75	60.51	-9.76	74.00	-23.25	400	180	Peak	Horizontal	
5	10500.00	48.09	51.29	-3.20	68.28	-20.11	100	41	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1402.00	33.71	53.19	-19.48	54.00	-20.29	300	337	Average	Vertical	
2	1402.00	51.90	71.38	-19.48	74.00	-22.19	300	337	Peak	Vertical	
3	4529.00	44.61	54.83	-10.22	54.00	-9.39	400	44	Average	Vertical	
4	4529.00	55.71	65.93	-10.22	74.00	-10.29	400	44	Peak	Vertical	
5	4844.00	46.15	55.91	-9.76	54.00	-7.85	300	245	Average	Vertical	
6	4844.00	54.74	64.50	-9.76	74.00	-19.26	300	245	Peak	Vertical	
7	10500.00	51.40	54.60	-3.20	68.28	-16.68	100	307	Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1485.00	46.71	66.22	-19.51	74.00	-27.29	200	147	Peak	Horizontal	
2	4524.00	50.92	69.27	-18.25	74.00	-23.98	400	175	Peak	Horizontal	
3	4842.00	49.20	58.57	-9.77	74.00	-24.80	400	30	Peak	Horizontal	
4	11000.00	44.88	47.14	-2.26	54.00	-9.12	100	180	Average	Horizontal	
5	11000.00	60.10	62.36	-2.26	74.00	-13.90	100	180	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	47.64	67.15	-19.51	74.00	-26.36	400	346	Peak	Vertical	
2	4518.00	41.31	51.59	-10.28	54.00	-12.69	100	233	Average	Vertical	
3	4518.00	54.37	64.65	-10.28	74.00	-19.63	100	233	Peak	Vertical	
4	4844.00	47.62	57.38	-9.76	54.00	-6.38	200	192	Average	Vertical	
5	4844.00	54.49	64.25	-9.76	74.00	-19.51	200	192	Peak	Vertical	
6	11000.00	50.26	52.52	-2.26	54.00	-3.74	100	291	Average	Vertical	
7	11000.00	66.08	68.34	-2.26	74.00	-7.92	100	291	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1404.00	46.26	65.76	-19.50	74.00	-27.74	200	151	Peak	Horizontal	
2	4519.00	50.87	61.15	-10.28	74.00	-23.13	400	173	Peak	Horizontal	
3	4831.00	48.82	58.62	-9.80	74.00	-25.18	400	97	Peak	Horizontal	
4	11160.00	44.73	46.79	-2.06	54.00	-9.27	100	31	Average	Horizontal	
5	11160.00	60.51	62.57	-2.06	74.00	-13.49	100	31	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1404.00	47.98	67.49	-19.51	74.00	-26.02	300	360	Peak	Vertical	
2	4519.00	42.77	53.05	-10.28	54.00	-11.23	100	226	Average	Vertical	
3	4518.00	55.76	66.04	-10.28	74.00	-18.24	100	226	Peak	Vertical	
4	4828.00	52.84	62.65	-9.81	74.00	-21.16	200	193	Peak	Vertical	
5	11160.00	49.65	51.71	-2.06	54.00	-4.35	100	285	Average	Vertical	
6	11160.00	66.27	68.33	-2.06	74.00	-7.73	100	285	Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1485.00	45.61	65.12	-19.51	74.00	-28.39	200	152	Peak	Horizontal	
2	4523.00	50.28	60.53	-10.25	74.00	-23.72	400	174	Peak	Horizontal	
3	4840.00	49.06	58.83	-9.77	74.00	-24.94	300	144	Peak	Horizontal	
4	11400.00	45.11	46.69	-1.58	54.00	-8.89	100	163	Average	Horizontal	
5	11400.00	59.61	61.19	-1.58	74.00	-14.39	100	163	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	48.36	67.87	-19.51	74.00	-25.64	310	360	Peak	Vertical	
2	4517.00	41.70	51.99	-10.29	54.00	-12.30	100	231	Average	Vertical	
3	4517.00	55.16	65.45	-10.29	74.00	-18.84	100	231	Peak	Vertical	
4	4843.00	52.66	62.42	-9.76	74.00	-21.34	300	71	Peak	Vertical	
5	11400.00	49.60	51.18	-1.58	54.00	-4.40	100	291	Average	Vertical	
6	11400.00	64.59	66.17	-1.58	74.00	-9.41	100	291	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	48.42	67.93	-19.51	74.00	-25.58	100	169	Peak	Horizontal	
2	1759.00	46.73	66.05	-17.32	68.20	-19.47	393	369	Peak	Horizontal	
3	4518.00	52.58	62.86	-10.28	74.00	-21.42	300	101	Peak	Horizontal	
4	4839.00	48.72	58.49	-9.77	74.00	-25.28	300	154	Peak	Horizontal	
5	11000.00	49.82	52.08	-2.26	74.00	-24.18	100	35	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1486.00	50.34	69.85	-19.51	74.00	-23.66	300	333	Peak	Vertical	
2	1759.00	57.13	74.31	-17.18	68.20	-11.07	110	359	Peak	Vertical	
3	4522.00	43.47	53.73	-10.26	54.00	-10.53	400	47	Average	Vertical	
4	4522.00	57.38	67.64	-10.26	74.00	-16.62	400	47	Peak	Vertical	
5	4839.00	53.48	63.25	-9.77	74.00	-20.52	300	248	Peak	Vertical	
6	11000.00	49.91	52.17	-2.26	54.00	-4.09	100	294	Average	Vertical	
7	11000.00	61.47	63.73	-2.26	74.00	-12.53	100	294	Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	48.21	67.70	-19.48	74.00	-25.79	100	165	Peak	Horizontal	
2	1759.00	57.87	75.19	-17.32	68.20	-10.33	300	15	Peak	Horizontal	
3	4517.00	51.88	62.17	-10.29	74.00	-22.12	300	99	Peak	Horizontal	
4	4844.00	50.19	59.95	-9.76	74.00	-23.81	300	144	Peak	Horizontal	
5	11160.00	45.16	47.22	-2.06	54.00	-8.84	100	67	Average	Horizontal	
6	11160.00	56.83	58.09	-2.06	74.00	-17.97	100	67	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	49.83	69.31	-19.48	74.00	-24.17	314	360	Peak	Vertical	
2	1757.00	63.44	80.79	-17.35	68.20	-4.76	100	340	Peak	Vertical	
3	4520.00	43.84	54.11	-10.27	54.00	-10.16	400	46	Average	Vertical	
4	4520.00	57.57	67.84	-10.27	74.00	-16.43	400	46	Peak	Vertical	
5	4842.00	52.90	62.67	-9.77	74.00	-21.10	300	252	Peak	Vertical	
6	11160.00	49.57	51.63	-2.06	54.00	-4.43	100	220	Average	Vertical	
7	11160.00	61.66	63.72	-2.06	74.00	-12.34	100	220	Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1481.00	48.01	67.48	-19.47	74.00	-25.99	100	161	Peak	Horizontal	
2	1760.00	64.28	81.58	-17.30	68.20	-3.92	400	84	Peak	Horizontal	
3	4531.00	53.07	63.27	-10.20	74.00	-20.93	400	181	Peak	Horizontal	
4	4841.00	48.82	58.59	-9.77	74.00	-25.18	300	345	Peak	Horizontal	
5	11400.00	50.48	52.06	-1.58	74.00	-23.52	400	359	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	50.21	69.70	-19.49	74.00	-23.79	300	345	Peak	Vertical	
2	1760.00	60.40	77.70	-17.30	68.20	-7.80	400	138	Peak	Vertical	
3	4532.00	45.89	56.09	-10.20	54.00	-8.11	400	47	Average	Vertical	
4	4532.00	58.20	68.40	-10.20	74.00	-15.80	400	47	Peak	Vertical	
5	4842.00	52.52	62.29	-9.77	74.00	-21.48	300	250	Peak	Vertical	
6	11400.00	49.61	51.39	-1.58	54.00	-4.19	100	298	Average	Vertical	
7	11400.00	61.95	63.33	-1.58	74.00	-12.05	100	298	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1482.00	47.55	67.03	-19.48	74.00	-26.45	100	162	Peak	Horizontal	
2	4521.00	52.67	63.13	-10.26	74.00	-21.13	300	99	Peak	Horizontal	
3	4843.00	50.06	59.82	-9.76	74.00	-23.94	300	145	Peak	Horizontal	
4	11020.00	44.45	46.69	-2.24	54.00	-9.55	100	165	Average	Horizontal	
5	11020.00	55.73	57.97	-2.24	74.00	-18.27	100	165	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1495.00	50.23	69.74	-19.51	74.00	-23.77	316	360	Peak	Vertical	
2	4524.00	43.12	53.37	-10.25	54.00	-10.88	400	50	Average	Vertical	
3	4524.00	56.79	67.04	-10.25	74.00	-17.21	400	50	Peak	Vertical	
4	4841.00	52.44	62.21	-9.77	74.00	-21.56	300	253	Peak	Vertical	
5	11020.00	50.11	52.35	-2.24	54.00	-3.89	100	292	Average	Vertical	
6	11020.00	61.28	63.52	-2.24	74.00	-12.72	100	292	Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)


CH 110 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1480.00	49.57	69.03	-19.46	74.00	-24.43	100	163	Peak	Horizontal	
2	4523.00	52.79	63.04	-10.25	74.00	-21.21	300	99	Peak	Horizontal	
3	4838.00	50.01	59.79	-9.78	74.00	-23.99	300	338	Peak	Horizontal	
4	11340.00	44.45	46.17	-1.72	54.00	-9.55	100	168	Average	Horizontal	
5	11340.00	56.45	58.17	-1.72	74.00	-17.55	100	168	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1480.00	50.81	70.29	-19.48	74.00	-23.19	300	343	Peak	Vertical	
2	1717.00	47.58	65.13	-17.55	68.20	-20.62	100	267	Peak	Vertical	
3	4531.00	46.64	56.84	-10.20	54.00	-7.36	400	52	Average	Vertical	
4	4531.00	58.22	68.42	-10.20	74.00	-15.78	400	52	Peak	Vertical	
5	4842.00	53.93	63.70	-9.77	74.00	-20.07	300	247	Peak	Vertical	
6	11340.00	50.13	51.85	-1.72	54.00	-3.87	100	292	Average	Vertical	
7	11340.00	59.55	61.27	-1.72	74.00	-14.45	100	292	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	47.57	67.06	-19.49	74.00	-26.43	100	163	Peak	Horizontal	
2	1768.00	56.92	73.21	-17.19	68.20	-12.18	400	133	Peak	Horizontal	
3	4516.00	51.88	62.17	-10.29	74.00	-22.12	400	100	Peak	Horizontal	
4	4836.00	49.02	58.81	-9.79	74.00	-24.98	400	345	Peak	Horizontal	
5	11860.00	46.99	49.17	-2.18	54.00	-7.01	100	184	Average	Horizontal	
6	11860.00	54.31	56.49	-2.18	74.00	-19.69	100	184	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	50.49	69.99	-19.50	74.00	-23.51	300	344	Peak	Vertical	
2	1757.00	53.63	70.98	-17.35	68.20	-14.57	400	30	Peak	Vertical	
3	4522.00	43.89	54.15	-10.26	54.00	-10.11	400	46	Average	Vertical	
4	4522.00	57.02	67.28	-10.26	74.00	-16.98	400	46	Peak	Vertical	
5	4839.00	53.07	62.84	-9.77	74.00	-20.93	300	256	Peak	Vertical	
6	11860.00	50.64	52.82	-2.18	54.00	-3.36	100	223	Average	Vertical	
7	11860.00	59.93	62.11	-2.18	74.00	-14.07	100	223	Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1480.00	48.43	67.89	-19.46	74.00	-25.57	100	163	Peak	Horizontal	
2	1757.00	56.62	75.97	-17.35	68.20	-11.58	300	185	Peak	Horizontal	
3	4521.00	33.40	43.66	-10.26	54.00	-20.60	300	101	Average	Horizontal	
4	4521.00	53.30	63.56	-10.26	74.00	-20.70	300	101	Peak	Horizontal	
5	4836.00	48.72	58.51	-9.79	74.00	-25.28	300	154	Peak	Horizontal	
6	11220.00	48.19	50.17	-1.98	74.00	-25.81	100	288	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1480.00	50.57	70.08	-19.51	74.00	-23.43	300	344	Peak	Vertical	
2	1757.00	47.26	64.81	-17.55	68.20	-20.94	100	244	Peak	Vertical	
3	4519.00	43.49	53.77	-10.28	54.00	-10.51	400	43	Average	Vertical	
4	4519.00	57.37	67.65	-10.28	74.00	-16.63	400	43	Peak	Vertical	
5	4839.00	52.49	62.26	-9.77	74.00	-21.51	300	247	Peak	Vertical	
6	11220.00	52.41	54.39	-1.98	74.00	-21.59	100	207	Peak	Vertical	


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	48.86	68.35	-19.49	74.00	-25.14	100	162	Peak	Horizontal	
2	4512.00	34.45	44.78	-10.33	74.00	-39.55	400	99	Peak	Horizontal	
3	4842.00	49.16	58.93	-9.77	74.00	-24.84	300	338	Peak	Horizontal	
4	11140.00	41.75	43.85	-2.10	54.00	-12.25	100	25	Average	Horizontal	
5	11140.00	54.55	56.65	-2.10	74.00	-19.45	100		25	Peak	Horizontal




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1480.00	50.66	70.12	-19.46	74.00	-23.34	300	337	Peak	Vertical	
2	4531.00	43.62	53.82	-10.20	54.00	-10.38	400	45	Average	Vertical	
3	4531.00	57.20	67.40	-10.20	74.00	-16.80	400	45	Peak	Vertical	
4	4844.00	46.15	55.91	-9.76	54.00	-7.85	200	201	Average	Vertical	
5	4844.00	52.84	62.60	-9.76	74.00	-21.16	200	201	Peak	Vertical	
6	11140.00	46.25	48.35	-2.10	54.00	-7.75	100	222	Average	Vertical	
7	11140.00	58.19	60.29	-2.10	74.00	-15.81	100		222	Peak	Vertical

U-NII-3




802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	46.83	66.33	-19.50	74.00	-27.17	200	150 Peak	Horizontal	
2	4529.00	50.52	60.84	-10.22	74.00	-23.38	300	126 Peak	Horizontal	
3	4828.00	48.82	58.63	-9.81	74.00	-25.18	300	338 Peak	Horizontal	
4	11570.00	45.91	46.95	-1.04	54.00	-8.09	100	213 Average	Horizontal	
5	11570.00	63.05	64.09	-1.04	74.00	-10.95	100	213 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	47.77	67.28	-19.51	74.00	-26.23	321	360 Peak	Vertical	
2	4526.00	42.34	52.58	-10.24	54.00	-11.65	400	44 Average	Vertical	
3	4526.00	55.49	65.73	-10.24	74.00	-18.51	400	44 Peak	Vertical	
4	4842.00	52.47	62.24	-9.77	74.00	-21.53	400	300 Peak	Vertical	
5	11570.00	49.02	50.06	-1.04	54.00	-4.98	100	304 Average	Vertical	
6	11570.00	65.70	66.74	-1.04	74.00	-8.30	100	304 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1483.00	46.05	65.54	-19.49	74.00	-27.95	200	149 Peak	Horizontal	
2	4512.00	50.92	61.25	-10.33	74.00	-23.08	300	105 Peak	Horizontal	
3	4542.00	49.12	58.89	-9.77	74.00	-24.88	300	145 Peak	Horizontal	
4	11650.00	47.62	48.56	-0.94	54.00	-6.38	100	211 Average	Horizontal	
5	11650.00	62.52	63.46	-0.94	74.00	-11.48	100	211 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1484.00	47.81	67.31	-19.50	74.00	-26.19	300	341 Peak	Vertical	
2	4531.00	43.29	53.49	-10.20	54.00	-10.71	400	47 Average	Vertical	
3	4531.00	55.87	66.87	-10.20	74.00	-18.13	400	47 Peak	Vertical	
4	4839.00	45.96	55.73	-9.77	54.00	-8.04	200	194 Average	Vertical	
5	4839.00	54.45	64.22	-9.77	74.00	-19.55	200	194 Peak	Vertical	
6	11650.00	50.64	51.58	-0.94	54.00	-3.36	100	284 Average	Vertical	
7	11650.00	65.68	66.62	-0.94	74.00	-8.32	100	284 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	47.78	67.19	-19.49	74.00	-26.30	100	163	Peak	Horizontal	
2	1757.00	60.97	76.32	-17.35	68.20	-7.23	400	185	Peak	Horizontal	
3	4525.00	53.47	63.72	-10.25	74.00	-20.53	300	99	Peak	Horizontal	
4	11492.00	50.81	51.99	-1.18	74.00	-23.19	100	211	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.00	50.70	70.19	-19.49	74.00	-23.30	300	339	Peak	Vertical	
2	4526.00	44.42	54.66	-10.24	54.00	-9.58	400	52	Average	Vertical	
3	4526.00	57.18	67.42	-10.24	74.00	-16.82	400	52	Peak	Vertical	
4	4844.00	52.58	62.34	-9.76	74.00	-21.42	100	299	Peak	Vertical	
5	11489.00	49.14	50.35	-1.21	54.00	-4.86	100	296	Average	Vertical	
6	11489.00	60.09	61.30	-1.21	74.00	-13.91	100	296	Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.85	47.91	67.39	-19.48	74.00	-26.09	100	162 Peak	Horizontal	
2	1756.92	55.23	72.58	-17.35	68.20	-12.97	400	331 Peak	Horizontal	
3	4528.31	51.94	62.16	-10.22	74.00	-22.06	400	97 Peak	Horizontal	
4	4843.39	49.91	59.67	-9.76	74.00	-24.09	300	139 Peak	Horizontal	
5	11570.00	46.68	47.72	-1.04	54.00	-7.32	100	178 Average	Horizontal	
6	11570.00	59.73	60.77	-1.04	74.00	-14.27	100	178 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.85	49.65	69.13	-19.48	74.00	-24.35	300	334 Peak	Vertical	
2	1756.62	53.35	70.70	-17.35	68.20	-14.85	100	273 Peak	Vertical	
3	4526.15	46.25	56.48	-10.23	54.00	-7.75	400	49 Average	Vertical	
4	4526.15	57.84	68.07	-10.23	74.00	-16.16	400	49 Peak	Vertical	
5	4843.69	51.49	61.25	-9.76	74.00	-22.51	300	253 Peak	Vertical	
6	11570.00	50.81	51.85	-1.04	54.00	-3.19	100	292 Average	Vertical	
7	11570.00	62.88	63.92	-1.04	74.00	-11.12	100	292 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1481.85	48.68	68.16	-19.48	74.00	-25.32	100	163	Peak	Horizontal	
2	1757.23	52.21	69.55	-17.34	68.20	-15.99	116	368	Peak	Horizontal	
3	4526.62	53.89	63.36	-10.27	74.00	-20.91	300	98	Peak	Horizontal	
4	4835.69	48.31	58.10	-9.79	74.00	-25.69	300	340	Peak	Horizontal	
5	11650.00	44.99	45.93	-0.94	54.00	-9.01	100	169	Average	Horizontal	
6	11650.00	57.68	58.62	-0.94	74.00	-16.32	100	169	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1484.00	49.97	69.47	-19.50	74.00	-24.03	315	360	Peak	Vertical	
2	1756.62	52.81	70.16	-17.35	68.20	-15.99	100	0	Peak	Vertical	
3	4524.92	45.74	55.98	-10.24	54.00	-8.26	400	49	Average	Vertical	
4	4524.92	57.49	67.73	-10.24	74.00	-16.51	400	49	Peak	Vertical	
5	4843.39	53.35	63.11	-9.76	74.00	-20.65	200	189	Peak	Vertical	
6	11650.00	48.75	49.69	-0.94	54.00	-5.25	100	292	Average	Vertical	
7	11650.00	61.87	62.81	-0.94	74.00	-12.13	100	292	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1481.54	48.29	67.77	-19.48	74.00	-25.71	100	166 Peak	Horizontal	
2	1757.23	52.86	70.20	-17.34	68.20	-15.34	400	32 Peak	Horizontal	
3	4529.23	52.93	63.14	-10.21	74.00	-21.07	400	95 Peak	Horizontal	
4	4842.15	49.32	59.09	-9.77	74.00	-24.68	400	317 Peak	Horizontal	
5	11510.00	53.52	54.66	-1.14	74.00	-20.48	100	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	1486.15	50.44	69.95	-19.51	74.00	-23.56	0	0 Peak	Vertical	
2	4523.08	45.16	55.41	-10.25	54.00	-8.84	400	50 Average	Vertical	
3	4523.08	57.62	67.87	-10.25	74.00	-16.38	400	50 Peak	Vertical	
4	4843.39	53.25	63.01	-9.76	74.00	-20.75	100	242 Peak	Vertical	
5	11510.00	50.51	51.65	-1.14	54.00	-3.49	100	293 Average	Vertical	
6	11510.00	57.01	58.15	-1.14	74.00	-16.99	100	293 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)


CH 159 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1483.69	48.93	68.43	-19.50	74.00	-25.07	100	161	Peak	Horizontal	
2	1757.23	60.44	77.78	-17.34	68.20	-7.76	400	5	Peak	Horizontal	
3	4525.08	52.45	62.70	-10.25	74.00	-21.55	300	95	Peak	Horizontal	
4	4841.54	49.00	59.57	-9.77	74.00	-24.20	300	148	Peak	Horizontal	
5	11550.00	52.25	53.32	-1.07	74.00	-21.75	100	46	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	1481.54	50.21	69.69	-19.48	74.00	-23.79	300	338	Peak	Vertical	
2	1760.62	49.56	66.85	-17.29	68.20	-18.64	100	262	Peak	Vertical	
3	4528.92	44.05	54.27	-10.22	54.00	-9.95	100	221	Average	Vertical	
4	4528.92	56.81	67.03	-10.22	74.00	-17.19	100	221	Peak	Vertical	
5	4843.39	52.87	62.63	-9.76	74.00	-21.13	300	250	Peak	Vertical	
6	11550.00	48.94	50.01	-1.07	54.00	-5.06	112	294	Average	Vertical	
7	11550.00	57.38	58.45	-1.07	74.00	-16.62	112	294	Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	287.51	29.64	37.83	-8.19	43.50	-13.66	100	100	QP	Horizontal	
2	242.43	29.19	35.90	-6.71	46.00	-16.81	100	132	QP	Horizontal	
3	301.60	28.48	33.21	-4.73	46.00	-17.52	100	53	QP	Horizontal	
4	416.06	34.03	36.83	-2.80	46.00	-11.97	100	327	QP	Horizontal	
5	844.80	34.40	30.67	3.73	46.00	-11.60	200	315	QP	Horizontal	
6	942.77	35.10	29.84	5.26	46.00	-16.90	200	228	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	47.46	26.16	32.11	-5.95	40.00	-13.84	100	182	QP	Vertical	
2	207.51	26.73	34.92	-8.19	43.50	-16.77	100	152	QP	Vertical	
3	438.37	28.21	30.49	-2.28	46.00	-17.79	100	312	QP	Vertical	
4	704.15	32.18	30.46	1.72	46.00	-13.82	200	31	QP	Vertical	
5	846.74	34.80	31.06	3.74	46.00	-11.20	200	9	QP	Vertical	
6	994.18	35.49	29.37	6.12	54.00	-18.51	100	293	QP	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

U-NII-1


802.11ax HE40

CH 46 (9kHz ~ 150kHz)

CH 46 (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.01	48.13	30.37	17.76	127.72	-79.59	100	225	QP	Open	
2	0.03	60.18	40.99	19.19	119.13	-58.95	100	335	QP	Open	
3	0.04	54.18	34.73	19.45	116.38	-62.20	100	159	QP	Open	
4	0.06	42.60	23.54	19.06	111.82	-69.22	100	296	QP	Open	
5	0.07	46.91	28.08	18.83	110.44	-63.53	100	181	QP	Open	
6	0.11	35.65	17.40	18.25	106.82	-71.17	100	190	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.15	43.73	25.33	18.40	104.88	-60.35	100	117	QP	Open	
2	0.48	39.88	20.85	18.95	94.81	-54.21	100	204	QP	Open	
3	9.46	34.91	13.67	21.24	69.50	-34.59	100	161	QP	Open	
4	17.16	35.54	13.54	22.00	69.50	-33.96	100	360	QP	Open	
5	24.75	36.34	13.93	22.41	69.50	-33.16	100	35	QP	Open	
6	27.28	36.19	13.66	22.53	69.50	-33.31	100	194	QP	Open	

Mains Conducted Emission, 150kHz ~ 30MHz



WLAN 2.4GHz + WLAN 5 GHz + WLAN 6E

(Line)

(Neutral)



Trace: 1	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
1	0.19	28.74	19.13	9.61	54.05	-25.31 Average	line1	
2	0.19	46.54	36.93	9.61	64.05	-17.51 QP	line1	
3	0.33	18.36	8.75	9.61	49.50	-31.14 Average	line1	
4	0.33	32.81	23.20	9.61	59.50	-26.69 QP	line1	
5	2.53	24.15	14.50	9.65	46.00	-21.85 Average	line1	
6	2.53	31.08	21.43	9.65	56.00	-24.92 QP	line1	
7	5.27	27.88	18.19	9.69	50.00	-22.12 Average	line1	
8	5.27	33.85	24.16	9.69	60.00	-26.15 QP	line1	
9	7.50	25.48	15.77	9.71	50.00	-24.52 Average	line1	
10	7.50	31.15	21.44	9.71	60.00	-28.85 QP	line1	
11	20.13	23.52	13.80	9.72	50.00	-26.48 Average	line1	
12	20.13	28.86	19.14	9.72	60.00	-31.14 QP	line1	



Trace: 1	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	Factor	Line	Limit			
1	0.16	16.57	6.98	9.59	55.50	-38.93 Average	neutral	
2	0.16	43.74	34.15	9.59	65.50	-21.76 QP	neutral	
3	0.19	28.56	18.97	9.59	54.18	-25.62 Average	neutral	
4	0.19	46.56	36.97	9.59	64.18	-17.62 QP	neutral	
5	0.39	19.14	9.54	9.60	48.01	-28.87 Average	neutral	
6	0.39	28.73	19.13	9.60	58.01	-29.28 QP	neutral	
7	3.54	21.39	11.73	9.66	46.00	-24.61 Average	neutral	
8	3.54	28.06	18.40	9.66	56.00	-27.94 QP	neutral	
9	5.27	28.30	18.61	9.69	50.00	-21.70 Average	neutral	
10	5.27	33.88	24.19	9.69	60.00	-26.12 QP	neutral	
11	6.69	24.75	15.04	9.71	50.00	-25.25 Average	neutral	
12	6.69	30.64	20.93	9.71	60.00	-29.36 QP	neutral	