

Appendix C: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test

<CDD>

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2387.76	53.68	16.58	37.10	74.00	-20.32	254	335	Peak	Horizontal	
2 *	2412.00	111.33	74.14	37.19	74.00	37.33	254	335	Peak	Horizontal	
3	2490.66	54.25	16.76	37.49	74.00	-19.75	254	335	Peak	Horizontal	





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.94	57.52	20.42	37.10	74.00	-16.48	293	20	Peak	Vertical	
2 *	2412.00	121.35	84.16	37.19	74.00	47.35	293	20	Peak	Vertical	
3	2491.25	55.64	18.15	37.49	74.00	-18.36	293	20	Peak	Vertical	


















802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2353.78	39.99	2.92	37.07	54.00	-14.01		212	336	Average	Horizontal	
2 *	2437.00	101.76	64.40	37.36	54.00	47.76		212	336	Average	Horizontal	
3	2528.18	40.85	3.38	37.47	54.00	-13.15		212	336	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.68	45.73	8.66	37.07	54.00	-8.27		134	253	Average	Vertical	
2 *	2437.00	110.52	73.16	37.36	54.00	56.52		134	253	Average	Vertical	
3	2484.29	42.29	4.80	37.49	54.00	-11.71		134	253	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2382.69	53.35	15.81	37.54	74.00	-20.65	356	336	Peak	Horizontal		
2 *	2462.00	110.91	73.18	37.73	74.00	36.91	356	336	Peak	Horizontal		
3	2484.64	57.18	19.38	37.80	74.00	-16.82	356	336	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2326.28	57.42	20.12	37.30	74.00	-16.58	196	256	Peak	Vertical		
2 *	2462.00	110.91	80.63	37.73	74.00	44.36	196	256	Peak	Vertical		
3	2483.46	70.66	32.86	37.80	74.00	-3.34	196	256	Peak	Vertical		

802.11g

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.64	49.71	3.14	37.57	54.00	-13.29	356	336	Average	Horizontal		
2 *	2462.00	101.08	63.35	37.73	54.00	47.08	356	336	Average	Horizontal		
3	2484.99	43.27	5.47	37.80	54.00	-10.73	356	336	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.16	44.88	7.34	37.54	54.00	-9.12	196	256	Average	Vertical		
2 *	2462.00	108.92	71.19	37.73	54.00	54.92	196	256	Average	Vertical		
3 !	2483.46	52.41	14.61	37.80	54.00	-1.59	196	256	Average	Vertical		




802.11ax HE20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2399.00	43.86	6.28	37.58	54.00	-10.14	259	333	Average	Horizontal		
2 *	2412.00	96.18	58.53	37.65	54.00	42.18	259	333	Average	Horizontal		
3	2635.33	44.47	6.46	38.01	54.00	-9.53	259	333	Average	Horizontal		


Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2399.00	51.00	14.22	37.58	54.00	-2.20	109	253	Average	Vertical		
2 *	2412.00	106.96	69.31	37.65	54.00	52.96	109	253	Average	Vertical		
3	2483.81	44.96	7.16	37.80	54.00	-9.04	109	253	Average	Vertical		




802.11ax HE20

Middle Channel (Horizontal) Average



Middle Channel (Vertical) Average




802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.20	53.20	15.70	37.50	74.00	-20.80	356	337	Peak	Horizontal		
2 *	2462.00	110.89	73.16	37.73	74.00	36.89	356	337	Peak	Horizontal		
3	2486.41	57.14	19.34	37.80	74.00	-16.86	356	337	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2347.52	55.81	18.44	37.37	74.00	-18.19	257	89	Peak	Vertical		
2 *	2462.00	119.41	81.68	37.73	74.00	45.41	257	89	Peak	Vertical		
3	2483.93	64.99	27.19	37.80	74.00	-9.01	257	89	Peak	Vertical		

802.11ax HE20

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2373.37	41.38	3.89	37.49	54.00	-12.62	356	337	Average	Horizontal		
2 *	2462.00	99.48	61.75	37.73	54.00	45.48	356	337	Average	Horizontal		
3	2483.93	45.98	8.10	37.88	54.00	-8.10	356	337	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2372.07	43.96	6.47	37.49	54.00	-10.04	257	89	Average	Vertical		
2 *	2462.00	107.86	78.13	37.73	54.00	53.86	257	89	Average	Vertical		
3	2483.58	52.35	14.55	37.80	54.00	-1.65	257	89	Average	Vertical		

802.11ax HE40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.41	54.92	17.34	37.58	74.00	-19.08	296	335	Peak	Horizontal		
2 *	2422.00	104.05	66.39	37.66	74.00	30.05	296	335	Peak	Horizontal		
3	2762.77	54.69	16.53	38.16	74.00	-19.31	296	335	Peak	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	62.92	25.34	37.58	74.00	-11.08	134	231	Peak	Vertical		
2 *	2422.00	113.25	75.59	37.66	74.00	39.25	134	231	Peak	Vertical		
3	2729.49	55.74	17.70	38.04	74.00	-18.26	134	231	Peak	Vertical		






802.11ax HE40

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



802.11n HE40

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




802.11ax HE40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.76	43.47	5.98	37.57	54.00	-10.53	132	334	Average	Horizontal		
2 *	2452.00	92.69	55.00	37.69	54.00	38.69	132	334	Average	Horizontal		
3	2486.06	44.38	6.58	37.80	54.00	-9.62	132	334	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2327.23	48.03	10.73	37.30	54.00	-5.97	118	249	Average	Vertical		
2 *	2452.00	101.38	63.69	37.69	54.00	47.38	118	249	Average	Vertical		
3	2489.95	51.98	14.16	37.82	54.00	-2.02	118	249	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

Middle Channel 9kHz~150kHz(Open)

Middle Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	55.82	36.87	18.95	119.13	-64.11	100	190	Peak	Open		
2	0.06	47.59	28.68	18.99	112.75	-65.16	100	187	Peak	Open		
3	0.08	41.75	23.42	18.33	109.23	-67.48	100	163	Peak	Open		
4	0.10	35.70	17.76	17.94	107.37	-71.67	100	85	Peak	Open		
5	0.11	34.84	16.87	17.97	106.83	-71.99	100	186	Peak	Open		
6	0.12	31.11	13.89	18.02	105.80	-74.69	100	190	Peak	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.39	35.68	16.81	18.79	95.81	-68.21	100	296	Peak	Open		
2	1.05	31.82	12.74	19.08	67.22	-35.40	100	27	Peak	Open		
3	6.18	32.99	13.01	19.98	69.50	-36.51	100	103	Peak	Open		
4	11.58	35.62	13.96	21.66	69.50	-33.88	100	290	Peak	Open		
5	16.39	35.66	13.67	21.99	69.50	-33.84	100	116	Peak	Open		
6	23.28	36.59	14.32	22.27	69.50	-32.91	100	210	Peak	Open		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11ax HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	52.31	22.50	29.42	-6.92	40.00	-17.50	128	360	Peak	Horizontal		
2	163.86	24.69	31.64	-6.95	43.50	-18.81	200	221	Peak	Horizontal		
3	252.13	36.51	44.48	-7.97	46.00	-9.49	100	117	Peak	Horizontal		
4	416.06	35.05	39.15	-4.10	46.00	-10.95	200	282	Peak	Horizontal		
5	709.97	32.35	30.65	1.70	46.00	-13.65	100	195	Peak	Horizontal		
6	844.80	34.27	30.55	3.72	46.00	-11.73	400	288	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	38.73	25.14	33.40	-8.26	40.00	-14.86	200	236	Peak	Vertical		
2	163.86	22.57	29.52	-6.95	43.50	-20.93	100	355	Peak	Vertical		
3	252.13	29.93	37.90	-7.97	46.00	-16.07	100	126	Peak	Vertical		
4	416.06	35.57	39.67	-4.10	46.00	-10.43	100	156	Peak	Vertical		
5	692.51	30.25	28.91	1.34	46.00	-15.75	200	136	Peak	Vertical		
6	845.77	34.99	31.29	3.70	46.00	-11.01	300	276	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322














802.11ax HE20


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-05-31



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	29.02	39.36	-10.34	54.00	-24.98	100	360	Average	Horizontal	
2	4824.00	39.94	50.28	-10.34	74.00	-34.06	100	360	Peak	Horizontal	


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-05-31




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	30.48	40.82	-10.34	54.00	-23.52	311	360	Average	Vertical	
2	4824.00	39.88	50.22	-10.34	74.00	-34.12	311	360	Peak	Vertical	


802.11ax HE40

Middle Channel (Horizontal)

Middle Channel (Vertical)



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	28.43	38.76	-10.33	54.00	-25.57	100	227	Average	Horizontal	
2	4874.00	39.66	49.99	-10.33	74.00	-34.34	100	227	Peak	Horizontal	





Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	29.76	40.09	-10.33	54.00	-24.24	271	205	Average	Vertical	
2	4874.00	40.15	50.48	-10.33	74.00	-33.85	271	205	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase Note
		dBuV	Factor	dB	dB		
1	0.16	28.94	19.32	9.62	55.71	-26.77 Average	line1
2	0.16	46.14	36.52	9.62	65.71	-19.57 QP	line1
3	0.45	29.21	18.68	9.63	46.89	-18.58 Average	line1
4	0.45	31.70	22.07	9.63	56.89	-25.19 QP	line1
5	1.27	15.43	5.79	9.64	46.00	-30.57 Average	line1
6	1.27	20.21	10.57	9.64	56.00	-35.79 QP	line1
7	3.12	10.34	0.66	9.68	46.00	-35.66 Average	line1
8	3.12	16.46	6.78	9.68	56.00	-39.54 QP	line1
9	7.66	15.97	6.23	9.74	50.00	-34.03 Average	line1
10	7.66	21.67	11.93	9.74	60.00	-38.33 QP	line1
11	18.78	15.54	5.77	9.77	50.00	-34.46 Average	line1
12	18.78	20.47	10.70	9.77	60.00	-39.53 QP	line1



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level	Line	Limit	Remark	Pol/Phase Note
		dBuV	Factor	dB	dB		
1	0.15	27.68	18.06	9.62	55.96	-28.28 Average	neutral
2	0.15	45.21	35.59	9.62	65.96	-20.75 QP	neutral
3	0.18	23.67	14.05	9.62	54.68	-31.01 Average	neutral
4	0.18	40.27	30.65	9.62	64.68	-24.41 QP	neutral
5	0.21	20.46	10.84	9.62	53.14	-32.68 Average	neutral
6	0.21	35.92	26.30	9.62	63.14	-27.22 QP	neutral
7	0.45	28.69	19.06	9.63	46.81	-18.12 Average	neutral
8	0.45	33.22	23.59	9.63	56.81	-23.59 QP	neutral
9	5.06	17.48	7.76	9.72	50.00	-32.52 Average	neutral
10	5.06	23.48	13.76	9.72	60.00	-36.52 QP	neutral
11	10.59	19.43	9.64	9.79	50.00	-30.57 Average	neutral
12	10.59	24.39	14.60	9.79	60.00	-35.61 QP	neutral