


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13010.00	53.41	54.77	-1.36	88.20	-34.79	100	47	Peak	Horizontal	
2	13010.00	46.38	49.74	-1.36	68.20	-19.82	100	47	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13010.00	57.15	58.51	-1.36	88.20	-31.05	100	86	Peak	Vertical	
2	13010.00	51.53	52.89	-1.36	68.20	-16.67	100	86	RMS	Vertical	

U-NII 7


802.11ax HE20

CH117 (Horizontal)

CH117 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13870.00	46.69	48.88	-1.39	88.20	-41.51	100	360	Peak	Horizontal		
2	13870.00	36.21	37.60	-1.39	68.20	-31.99	100	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13870.00	46.69	48.88	-1.39	88.20	-41.51	200	82	Peak	Vertical		
2	13870.00	33.60	34.99	-1.39	68.20	-34.60	200	82	RMS	Vertical		


802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13390.00	36.06	37.02	-0.96	54.00	-17.94	321	360	Average	Horizontal		
2	13390.00	47.53	48.49	-0.96	74.00	-26.47	321	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13390.00	36.13	37.09	-0.96	54.00	-17.87	200	69	Average	Vertical		
2	13390.00	46.86	47.82	-0.96	74.00	-27.14	200	69	Peak	Vertical		


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13710.00	46.34	47.14	-0.90	88.20	-41.96	200	18	Peak	Horizontal	
2	13710.00	35.30	36.20	-0.90	68.20	-32.90	200	18	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13710.00	47.40	48.30	-0.90	88.20	-40.80	177	360	Peak	Vertical	
2	13710.00	37.44	38.34	-0.90	68.20	-30.76	177	360	RMS	Vertical	


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	47.38	40.21	-0.83	88.20	-40.82	100	209	Peak	Horizontal	
2	13750.00	35.77	36.60	-0.83	68.20	-32.43	100	209	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13750.00	46.96	47.79	-0.83	88.20	-41.24	200	15	Peak	Vertical	
2	13750.00	35.74	36.57	-0.83	68.20	-32.46	200	15	RMS	Vertical	


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13130.00	53.12	54.46	-1.34	88.20	-35.08	100	116	Peak	Horizontal		
2	13130.00	39.53	40.87	-1.34	68.20	-28.67	100	116	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13130.00	57.62	58.96	-1.34	88.20	-30.58	100	83	Peak	Vertical		
2	13130.00	43.99	45.33	-1.34	68.20	-24.21	100	83	RMS	Vertical		


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13450.00	40.35	49.23	-0.88	88.20	-39.85	100	52	Peak	Horizontal		
2	13450.00	35.78	36.67	-0.89	68.20	-32.42	100	52	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13450.00	50.65	51.53	-0.88	88.20	-37.55	100	100	Peak	Vertical		
2	13450.00	38.37	39.26	-0.89	68.20	-29.83	100	100	RMS	Vertical		


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	47.35	40.24	-0.89	88.20	-40.85	141	360	Peak	Horizontal	
2	13690.00	36.94	37.83	-0.89	68.20	-31.26	141	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	53.68	54.57	-0.89	88.20	-34.52	100	353	Peak	Vertical	
2	13690.00	40.85	40.94	-0.89	68.20	-28.15	100	353	RMS	Vertical	


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13770.00	47.02	47.81	-0.79	88.20	-41.18	364	360	Peak	Horizontal		
2	13770.00	36.01	36.80	-0.79	68.20	-32.19	364	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13770.00	52.21	53.00	-0.79	88.20	-35.99	100	360	Peak	Vertical		
2	13770.00	39.70	40.49	-0.79	68.20	-28.50	100	360	RMS	Vertical		


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13250.00	37.65	38.68	-1.03	54.00	-16.35	100	74	Average	Horizontal		
2	13250.00	47.62	48.65	-1.03	74.00	-26.38	100	74	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13250.00	39.92	40.95	-1.03	54.00	-14.08	100	359	Average	Vertical		
2	13250.00	51.47	52.50	-1.03	74.00	-22.53	100	359	Peak	Vertical		


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13410.00	47.38	48.32	-0.94	88.20	-40.82	100	19	Peak	Horizontal		
2	13410.00	36.38	37.32	-0.94	68.20	-31.82	100	19	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13410.00	48.11	49.05	-0.94	88.20	-40.09	100	358	Peak	Vertical		
2	13410.00	38.47	39.41	-0.94	68.20	-29.73	100	358	RMS	Vertical		


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13570.00	47.75	40.52	-0.77	88.20	-40.45	100	95	Peak	Horizontal	
2	13570.00	36.92	37.69	-0.77	68.20	-31.28	100	95	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13570.00	47.44	48.21	-0.77	88.20	-40.76	400	106	Peak	Vertical	
2	13570.00	36.11	36.88	-0.77	68.20	-32.09	400	106	RMS	Vertical	


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	44.72	45.59	-0.87	88.20	-43.48	400	286	Peak	Horizontal	
2	13730.00	38.31	39.18	-0.87	68.20	-29.89	400	286	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	46.51	47.38	-0.87	88.20	-41.69	200	273	Peak	Vertical	
2	13730.00	41.18	42.05	-0.87	68.20	-27.02	200	273	RMS	Vertical	


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	43.65	44.57	-0.92	54.00	-10.35	100	31	Average	Horizontal	
2	13330.00	44.69	45.61	-0.92	74.00	-29.31	100	31	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	44.51	45.43	-0.92	54.00	-9.49	100	187	Average	Vertical	
2	13330.00	46.10	47.02	-0.92	74.00	-27.90	100	187	Peak	Vertical	


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13650.00	48.23	49.06	-0.83	88.20	-39.97	100	128	Peak	Horizontal		
2	13650.00	43.90	44.73	-0.83	68.20	-24.30	100	128	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13650.00	52.48	53.31	-0.83	88.20	-35.72	100	343	Peak	Vertical		
2	13650.00	46.52	47.35	-0.83	68.20	-21.68	100	343	RMS	Vertical		

U-NII 8


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13790.00	47.64	40.40	-0.76	88.20	-40.56	100	130	Peak	Horizontal	
2	13790.00	35.96	36.73	-0.77	68.20	-32.24	100	130	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13790.00	46.95	47.71	-0.76	88.20	-41.25	200	28	Peak	Vertical	
2	13790.00	35.98	36.67	-0.77	68.20	-32.30	200	28	RMS	Vertical	


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13999.00	47.42	47.50	-0.08	88.20	-40.78	170	360	Peak	Horizontal	
2	13999.00	36.55	36.63	-0.08	68.20	-31.65	170	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13999.00	47.39	47.47	-0.08	88.20	-40.81	400	20	Peak	Vertical	
2	13999.00	38.25	38.33	-0.08	68.20	-29.95	400	20	RMS	Vertical	


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14230.00	44.30	43.69	0.51	88.20	-44.00	200	360	Peak	Horizontal	
2	14230.00	34.74	34.23	0.51	68.20	-33.46	200	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14230.00	44.61	44.10	0.51	88.20	-43.59	200	360	Peak	Vertical	
2	14230.00	36.73	36.22	0.51	68.20	-31.47	200	360	RMS	Vertical	


802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13850.00	47.49	48.06	-0.57	88.20	-40.71	300	360	Peak	Horizontal		
2	13850.00	36.51	37.08	-0.57	68.20	-31.69	300	360	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13850.00	49.82	50.39	-0.57	88.20	-38.38	100	206	Peak	Vertical		
2	13850.00	38.45	39.02	-0.57	68.20	-29.75	100	206	RMS	Vertical		


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14010.00	48.28	48.31	-0.03	88.20	-39.92	200	10	Peak	Horizontal	
2	14010.00	36.57	36.60	-0.03	68.20	-31.63	200	10	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14010.00	48.77	48.80	-0.03	88.20	-39.43	300	360	Peak	Vertical	
2	14010.00	38.64	38.67	-0.03	68.20	-29.56	300	360	RMS	Vertical	


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14170.00	48.47	48.17	0.30	88.20	-39.73	100	153	Peak	Horizontal		
2	14170.00	36.86	36.56	0.30	68.20	-31.34	100	153	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14170.00	54.70	54.40	0.30	88.20	-33.50	100	12	Peak	Vertical		
2	14170.00	42.17	41.87	0.30	68.20	-26.03	100	12	RMS	Vertical		


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13890.00	44.44	44.88	-0.44	88.20	-43.76	300	349	Peak	Horizontal	
2	13890.00	39.44	39.88	-0.44	68.20	-28.76	300	349	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13890.00	45.58	46.02	-0.44	88.20	-42.62	279	132	Peak	Vertical	
2	13890.00	41.20	41.64	-0.44	68.20	-27.00	279	132	RMS	Vertical	


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14850.00	45.22	45.15	0.07	88.20	-42.98	100	354	Peak	Horizontal	
2	14850.00	39.41	39.34	0.07	68.20	-28.79	100	354	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	14850.00	47.42	47.35	0.07	88.20	-40.78	100	194	Peak	Vertical	
2	14850.00	43.13	43.06	0.07	68.20	-25.07	100	194	RMS	Vertical	


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13970.00	46.58	46.74	-0.16	88.20	-41.62	100	118	Peak	Horizontal	
2	13970.00	43.26	43.42	-0.16	88.20	-44.94	100	118	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13970.00	52.21	52.37	-0.16	88.20	-35.99	100	187	Peak	Vertical	
2	13970.00	47.32	47.48	-0.16	88.20	-40.88	100	187	RMS	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Limit	Over			
	NHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
		dBuV	Factor	dB	dB			
1	0.16	28.94	19.32	9.62	55.71	-26.77 Average	line1	
2	0.16	46.14	36.52	9.62	65.71	-19.57 QP	line1	
3	0.45	28.31	18.68	9.63	46.89	-18.58 Average	line1	
4	0.45	31.70	22.07	9.63	56.89	-25.19 QP	line1	
5	1.27	15.43	5.79	9.64	46.00	-30.57 Average	line1	
6	1.27	20.21	10.57	9.64	56.00	-35.79 QP	line1	
7	3.12	10.34	0.66	9.68	46.00	-35.66 Average	line1	
8	3.12	16.46	6.78	9.68	56.00	-39.54 QP	line1	
9	7.66	15.97	6.23	9.74	50.00	-34.03 Average	line1	
10	7.66	21.67	11.93	9.74	60.00	-38.33 QP	line1	
11	18.78	15.54	5.77	9.77	50.00	-34.46 Average	line1	
12	18.78	20.47	10.70	9.77	60.00	-39.53 QP	line1	



Trace: 1

	Freq	Level	Read	Limit	Over			
	NHz	dBuV	Level	Line	Limit	Remark	Pol/Phase	Note
		dBuV	Factor	dB	dB			
1	0.15	27.68	18.06	9.62	55.96	-28.28 Average	neutral	
2	0.15	45.21	35.59	9.62	65.96	-20.75 QP	neutral	
3	0.18	23.67	14.05	9.62	54.68	-31.01 Average	neutral	
4	0.18	40.27	30.65	9.62	64.68	-24.41 QP	neutral	
5	0.21	20.46	10.84	9.62	53.14	-32.68 Average	neutral	
6	0.21	35.92	26.30	9.62	63.14	-27.22 QP	neutral	
7	0.45	28.69	19.06	9.63	46.81	-18.12 Average	neutral	
8	0.45	33.22	23.59	9.63	56.81	-23.59 QP	neutral	
9	5.06	17.48	7.76	9.72	50.00	-32.52 Average	neutral	
10	5.06	23.48	13.76	9.72	60.00	-36.52 QP	neutral	
11	10.59	19.43	9.64	9.79	50.00	-30.57 Average	neutral	
12	10.59	24.39	14.60	9.79	60.00	-35.61 QP	neutral	