

Appendix B: Test Results of Radiated Spurious Emissions


Band Edges, 2.31GHz ~ 2.9GHz

802.11b

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.768	54.94	17.84	37.10	74.00	-19.06	254	191	Peak	Horizontal		
2	2412.000	107.98	70.79	37.19	74.00	33.98	254	191	Peak	Horizontal		
3	2533.492	54.46	17.80	37.46	74.00	-19.54	254	191	Peak	Horizontal		

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.938	56.18	19.09	37.09	74.00	-17.82	129	149	Peak	Vertical		
2	2412.000	106.57	69.38	37.19	74.00	32.57	129	149	Peak	Vertical		
3	2485.938	56.54	19.05	37.49	74.00	-17.46	129	149	Peak	Vertical		

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.414	42.68	5.58	37.10	54.00	-11.32	254	191	Average	Horizontal	
2	2412.000	104.81	67.62	37.19	54.00	50.81	254	191	Average	Horizontal	
3	2530.879	42.35	4.88	37.47	54.00	-11.65	254	191	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.768	42.70	5.68	37.10	54.00	-11.30	129	149	Average	Vertical	
2	2412.000	103.66	66.47	37.19	54.00	49.66	129	149	Average	Vertical	
3	2532.666	43.82	6.36	37.46	54.00	-10.18	129	149	Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2315.782	53.58	16.32	37.26	74.00	-20.42	348	192	Peak	Horizontal	
2	2437.000	103.92	66.24	37.68	74.00	29.92	348	192	Peak	Horizontal	
3	2522.872	55.87	17.99	37.88	74.00	-18.13	348	192	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.756	54.77	17.21	37.56	74.00	-19.23	100	148	Peak	Vertical	
2	2437.000	103.26	65.58	37.68	74.00	29.26	100	148	Peak	Vertical	
3	2518.034	56.16	18.29	37.87	74.00	-17.84	100	148	Peak	Vertical	

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2315.546	41.30	4.12	37.26	54.00	-12.62	348	192	Average	Horizontal	
2	2437.000	100.04	63.16	37.68	54.00	46.04	348	192	Average	Horizontal	
3	2557.800	42.13	4.21	37.92	54.00	-11.87	348	192	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.532	41.83	4.25	37.58	54.00	-12.17	100	148	Average	Vertical	
2	2437.000	100.35	62.67	37.68	54.00	46.35	100	148	Average	Vertical	
3	2484.168	42.77	4.97	37.80	54.00	-11.23	100	148	Average	Vertical	

802.11b


High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.352	41.39	3.82	37.57	54.00	-12.61		222	198	Average	Horizontal	
2	2462.000	99.81	62.00	37.73	54.00	45.81		222	198	Average	Horizontal	
3	2484.050	42.87	5.07	37.80	54.00	-11.13		222	198	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.352	41.37	3.82	37.55	54.00	-12.63		157	150	Average	Vertical	
2	2462.000	100.26	62.53	37.73	54.00	46.26		157	150	Average	Vertical	
3	2483.696	43.82	6.02	37.80	54.00	-10.18		157	150	Average	Vertical	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2390.004	71.70	34.12	37.58	74.00	-2.30	400	188	Peak	Horizontal		
2 * 2412.000	111.93	74.25	37.65	74.00	37.93	400	188	Peak	Horizontal		
3 2535.026	56.19	18.30	37.89	74.00	-17.81	400	188	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2389.886	71.62	34.04	37.58	74.00	-2.38	143	147	Peak	Vertical		
2 * 2412.000	110.05	72.40	37.65	74.00	36.05	143	147	Peak	Vertical		
3 2897.876	55.60	17.19	38.41	74.00	-18.40	143	147	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2390.004	52.63	15.05	37.58	54.00	-1.37	400	188	Average	Horizontal		
2 * 2412.000	102.58	64.93	37.65	54.00	48.58	400	188	Average	Horizontal		
3 2534.908	43.21	5.32	37.89	54.00	-10.79	400	188	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2389.886	52.38	14.72	37.58	54.00	-1.78	143	147	Average	Vertical		
2 * 2412.000	100.22	62.57	37.65	54.00	46.22	143	147	Average	Vertical		
3 2850.886	47.54	9.38	38.16	54.00	-6.46	143	147	Average	Vertical		

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.472	53.20	16.41	36.79	74.00	-20.80		192	200	Peak	Horizontal	
2	2437.000	100.72	72.36	37.36	74.00	35.72		192	200	Peak	Horizontal	
3	2524.288	55.39	17.92	37.47	74.00	-18.61		192	200	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.824	54.34	17.24	37.10	74.00	-19.66		100	150	Peak	Vertical	
2	2437.000	100.86	71.50	37.36	74.00	36.86		100	150	Peak	Vertical	
3	2520.866	56.55	19.07	37.48	74.00	-17.45		100	150	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2331.712	53.84	16.98	36.94	74.00	-20.16	343	200	Peak	Horizontal	
2	* 2462.000	100.27	70.09	37.47	74.00	34.27	343	200	Peak	Horizontal	
3	! 2483.460	70.76	33.28	37.48	74.00	-3.24	343	200	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.458	53.86	16.77	37.09	74.00	-20.14	126	151	Peak	Vertical	
2	* 2462.000	100.95	71.48	37.47	74.00	34.95	126	151	Peak	Vertical	
3	! 2483.932	70.13	32.64	37.49	74.00	-3.87	126	151	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2345.046	40.96	3.93	37.03	54.00	-13.04	343	200	Average	Horizontal	
2	2462.000	98.59	61.12	37.47	54.00	44.59	343	200	Average	Horizontal	
3	2483.460	49.82	12.34	37.48	54.00	-4.18	343	200	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.160	41.53	4.44	37.09	54.00	-12.47	126	151	Average	Vertical	
2	2462.000	98.02	61.55	37.47	54.00	45.02	126	151	Average	Vertical	
3	2483.460	50.88	13.40	37.48	54.00	-3.12	126	151	Average	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1 2390.004	72.42	34.84	37.58	74.00	-1.58	400	182	Peak	Horizontal		
2 * 2412.000	112.99	75.34	37.65	74.00	38.99	400	182	Peak	Horizontal		
3 2535.734	55.92	18.03	37.89	74.00	-18.08	400	182	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1 2389.886	70.27	32.69	37.58	74.00	-3.73	142	149	Peak	Vertical		
2 * 2412.000	109.30	71.65	37.65	74.00	35.30	142	149	Peak	Vertical		
3 2489.950	57.11	19.29	37.82	74.00	-16.89	142	149	Peak	Vertical		

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2390.004	52.53	14.95	37.58	54.00	-1.47	400	182	Average	Horizontal		
2 * 2412.000	102.65	65.00	37.65	54.00	48.65	400	182	Average	Horizontal		
3 2533.964	43.37	5.48	37.89	54.00	-10.63	400	182	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2390.004	50.55	12.97	37.58	54.00	-3.45	142	149	Average	Vertical		
2 * 2412.000	99.09	61.44	37.65	54.00	45.09	142	149	Average	Vertical		
3 2487.590	43.56	5.74	37.82	54.00	-10.44	142	149	Average	Vertical		

802.11n HT20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2383.168	54.18	17.81	37.89	74.00	-19.96	222	197	Peak	Horizontal	
2	2437.000	109.93	72.57	37.36	74.00	35.93	222	197	Peak	Horizontal	
3	2892.448	54.83	16.90	37.93	74.00	-19.17	222	197	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.676	54.23	17.16	37.87	74.00	-19.77	100	151	Peak	Vertical	
2	2437.000	108.84	71.48	37.36	74.00	34.84	100	151	Peak	Vertical	
3	2514.376	56.43	18.95	37.48	74.00	-17.57	100	151	Peak	Vertical	

802.11n HT20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.532	41.67	4.57	37.10	54.00	-12.33	222	197	Average	Horizontal	
2	2437.000	99.49	62.13	37.36	54.00	45.49	222	197	Average	Horizontal	
3	2483.460	42.25	4.77	37.48	54.00	-11.75	222	197	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.650	41.94	4.64	37.10	54.00	-12.06	100	151	Average	Vertical	
2	2437.000	99.41	62.05	37.36	54.00	45.41	100	151	Average	Vertical	
3	2514.494	44.11	6.63	37.48	54.00	-9.89	100	151	Average	Vertical	

802.11n HT20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2337.966	54.86	17.52	37.34	74.00	-19.14	222	198	Peak	Horizontal	
2	2462.000	100.03	70.39	37.73	74.00	34.03	222	198	Peak	Horizontal	
3	2483.460	70.41	32.61	37.80	74.00	-3.59	222	198	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.526	54.42	16.85	37.57	74.00	-19.58	159	152	Peak	Vertical	
2	2462.000	100.03	71.30	37.73	74.00	35.03	159	152	Peak	Vertical	
3	2483.578	71.50	33.70	37.80	74.00	-2.50	159	152	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.222	41.86	4.31	37.55	54.00	-12.14	222	198	Average	Horizontal	
2	2462.000	98.07	60.34	37.73	54.00	44.07	222	198	Average	Horizontal	
3	2483.696	49.68	11.88	37.80	54.00	-4.32	222	198	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.228	41.72	4.16	37.56	54.00	-12.28	159	152	Average	Vertical	
2	2462.000	98.95	61.22	37.73	54.00	44.95	159	152	Average	Vertical	
3	2483.814	52.41	14.61	37.80	54.00	-1.59	159	152	Average	Vertical	

802.11n HT40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2389.296	71.89	34.31	37.58	74.00	-2.11	225	188	Peak	Horizontal		
2 * 2422.000	108.12	70.46	37.66	74.00	34.12	225	188	Peak	Horizontal		
3 2483.932	56.40	18.60	37.80	74.00	-17.60	225	188	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2389.886	70.96	33.38	37.58	74.00	-3.04	121	150	Peak	Vertical		
2 * 2422.000	107.27	69.61	37.66	74.00	33.27	121	150	Peak	Vertical		
3 2484.876	59.36	21.56	37.80	74.00	-14.64	121	150	Peak	Vertical		

802.11n HT40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2390.004	52.66	15.88	37.58	54.00	-1.34	225	188	Average	Horizontal		
2 * 2422.000	97.18	59.52	37.66	54.00	43.18	225	188	Average	Horizontal		
3 2484.876	42.71	4.91	37.80	54.00	-11.29	225	188	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2390.004	51.49	13.91	37.58	54.00	-2.51	121	150	Average	Vertical		
2 * 2422.000	96.26	58.60	37.66	54.00	42.26	121	150	Average	Vertical		
3 2485.466	44.76	6.96	37.80	54.00	-9.24	121	150	Average	Vertical		

802.11n HT40

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.658	66.34	28.76	37.58	74.00	-7.66	223	200	Peak	Horizontal		
2	2437.000	100.11	71.43	37.68	74.00	35.11	223	200	Peak	Horizontal		
3	2483.460	67.28	29.48	37.80	74.00	-6.72	223	200	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.004	65.69	28.11	37.58	74.00	-8.31	100	149	Peak	Vertical		
2	2437.000	100.57	70.89	37.68	74.00	34.57	100	149	Peak	Vertical		
3	2483.460	70.26	32.46	37.80	74.00	-3.74	100	149	Peak	Vertical		

802.11n HT40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2390.004	48.23	10.65	37.58	54.00	-5.77	223	200	Average	Horizontal		
2 * 2437.000	97.78	60.19	37.68	54.00	43.78	223	200	Average	Horizontal		
3 2483.460	49.28	11.48	37.80	54.00	-4.72	223	200	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2389.650	49.14	11.56	37.58	54.00	-4.86	100	149	Average	Vertical		
2 * 2437.000	97.18	59.59	37.68	54.00	43.18	100	149	Average	Vertical		
3 2483.696	52.62	14.82	37.80	54.00	-1.38	100	149	Average	Vertical		

802.11n HT40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2353.778	54.83	16.63	37.48	74.00	-19.97	347	177	Peak	Horizontal		
2	2452.000	109.13	71.44	37.69	74.00	35.13	347	177	Peak	Horizontal		
3	2485.112	70.48	32.68	37.80	74.00	-3.52	347	177	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.824	55.32	17.74	37.58	74.00	-18.68	166	148	Peak	Vertical		
2	2452.000	106.57	68.88	37.69	74.00	32.57	166	148	Peak	Vertical		
3	2486.764	70.43	32.63	37.80	74.00	-3.57	166	148	Peak	Vertical		

802.11n HT40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.060	41.42	3.84	37.58	54.00	-12.58	347	177	Average	Horizontal	
2	2452.000	98.10	60.41	37.69	54.00	44.10	347	177	Average	Horizontal	
3	2483.696	52.63	14.83	37.80	54.00	-1.37	347	177	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.004	42.09	4.51	37.58	54.00	-11.91	166	148	Average	Vertical	
2	2452.000	95.53	57.84	37.69	54.00	41.53	166	148	Average	Vertical	
3	2483.460	52.44	14.64	37.80	54.00	-1.56	166	148	Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11n HT20

Middle Channel 9kHz~150kHz(Open)


Middle Channel 150kHz~30MHz(Open)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11n HT20


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.000	44.36	54.67	-10.31	54.00	-9.64	100	301	Average	Horizontal	
2	4924.000	45.88	56.19	-10.31	74.00	-28.12	100	301	Peak	Horizontal	
3	7386.000	52.51	60.97	-8.46	54.00	-1.49	200	68	Average	Horizontal	
4	7386.000	57.49	65.95	-8.46	74.00	-16.51	200	68	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.000	46.62	56.93	-10.31	54.00	-7.38	200	300	Average	Vertical	
2	4924.000	48.66	58.97	-10.31	74.00	-25.34	200	300	Peak	Vertical	
3	7386.000	52.14	60.60	-8.46	54.00	-1.86	200	42	Average	Vertical	
4	7386.000	57.98	66.36	-8.46	74.00	-16.10	200	42	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	36.85	47.19	-10.34	54.00	-17.15	300	156	Average	Horizontal	
2	4824.000	45.58	55.92	-10.34	74.00	-28.42	300	156	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.000	39.15	49.49	-10.34	54.00	-14.85	300	41	Average	Vertical	
2	4824.000	46.53	56.87	-10.34	74.00	-27.47	300	41	Peak	Vertical	

802.11g


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal)


High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




802.11n HT20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 7311.000	52.78	61.27	-8.49	54.00	-1.22	229	58	Average	Horizontal		
2 7311.000	71.60	80.09	-8.49	74.00	-2.40	229	58	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 7311.000	52.95	61.44	-8.49	54.00	-1.05	205	302	Average	Vertical		
2 7311.000	72.16	80.65	-8.49	74.00	-1.84	205	302	Peak	Vertical		


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.000	34.88	45.19	-10.31	54.00	-19.12	200	62	Average	Horizontal	
2	4924.000	43.63	53.94	-10.31	74.00	-30.37	200	62	Peak	Horizontal	
3	7386.000	50.69	59.15	-8.46	54.00	-3.31	300	65	Average	Horizontal	
4	7386.000	70.79	79.25	-8.46	74.00	-3.21	300	65	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.000	36.88	47.19	-10.31	54.00	-17.12	200	317	Average	Vertical	
2	4924.000	44.88	55.11	-10.31	74.00	-29.20	200	317	Peak	Vertical	
3	7386.000	52.88	60.54	-8.46	54.00	-1.92	200	42	Average	Vertical	
4	7386.000	72.36	80.82	-8.46	74.00	-1.64	200	42	Peak	Vertical	


802.11n HT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.000	33.71	43.98	-10.27	54.00	-20.29	200	72	Average	Horizontal	
2	4844.000	39.52	49.79	-10.27	74.00	-34.48	200	72	Peak	Horizontal	
3	7266.000	50.71	59.20	-8.49	54.00	-3.29	200	69	Average	Horizontal	
4	7266.000	66.12	74.61	-8.49	74.00	-7.88	200	69	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.000	31.92	42.19	-10.27	54.00	-22.06	300	57	Average	Vertical	
2	4844.000	41.00	51.27	-10.27	74.00	-33.00	300	57	Peak	Vertical	
3	7266.000	50.45	58.94	-8.49	54.00	-3.55	200	312	Average	Vertical	
4	7266.000	66.03	74.52	-8.49	74.00	-7.97	200	312	Peak	Vertical	

802.11n HT40

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.000	32.87	43.20	-10.33	54.00	-21.13		400	16	Average	Horizontal	
2 4874.000	40.88	50.41	-10.33	74.00	-33.92		400	16	Peak	Horizontal	
3 7311.000	50.66	59.15	-8.49	54.00	-3.34		200	74	Average	Horizontal	
4 7311.000	65.84	74.33	-8.49	74.00	-8.16		200	74	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.000	37.65	47.98	-10.33	54.00	-16.35		300	294	Average	Vertical	
2 4874.000	41.92	52.25	-10.33	74.00	-32.08		300	294	Peak	Vertical	
3 7311.000	51.98	60.47	-8.49	54.00	-2.02		100	313	Average	Vertical	
4 7311.000	65.81	74.30	-8.49	74.00	-8.19		100	313	Peak	Vertical	

802.11n HT40

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.000	31.49	41.86	-10.37	54.00	-22.51	200	161	Average	Horizontal	
2	4904.000	41.50	51.87	-10.37	74.00	-32.50	200	161	Peak	Horizontal	
3	7356.000	48.51	57.04	-8.53	54.00	-5.49	173	74	Average	Horizontal	
4	7356.000	66.55	75.08	-8.53	74.00	-7.45	173	74	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.000	34.10	44.47	-10.37	54.00	-19.96	100	308	Average	Vertical	
2	4904.000	43.97	54.34	-10.37	74.00	-30.03	100	308	Peak	Vertical	
3	7356.000	49.45	57.98	-8.53	54.00	-4.55	221	42	Average	Vertical	
4	7356.000	67.99	76.52	-8.53	74.00	-6.01	221	42	Peak	Vertical	