

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

04/09/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.58	-1.58	-4.45	-4.59

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

04/09/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.13	-1.13	-3.60	-4.57

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6145MHz

04/09/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.22	0.22	-2.41	-3.13

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

04/09/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.21	-0.21	-2.73	-3.65


5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

04/09/2025

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.08	-0.08	-2.71	-3.45


6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

04/09/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.82	-3.82	-6.69	-6.93

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

04/09/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.51	-3.51	-6.24	-6.69

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

04/09/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.71	-3.71	-6.39	-7.07


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

04/09/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-3.17	-3.17	-5.62	-6.52

Sum
Port 1
Port 2


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

04/09/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-3.24	-3.24	-5.99	-6.43

Sum
Port 1
Port 2


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

04/09/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum 
Port 1 
Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.34	-6.34	-9.35	-9.34

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-5.00	16.83
802.11ax HEW40_Nss1,(MCS0)_2TX	-6.41	15.42
802.11ax HEW80_Nss1,(MCS0)_2TX	-8.82	13.01
802.11ax HEW160_Nss1,(MCS0)_2TX	-11.59	10.24
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-5.36	16.74
802.11ax HEW40_Nss1,(MCS0)_2TX	-6.59	15.51
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.22	12.88
802.11ax HEW160_Nss1,(MCS0)_2TX	-12.37	9.73

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6115MHz	Pass	21.83	-7.81	-8.09	16.83	17.00
6195MHz	Pass	21.83	-7.81	-8.21	16.79	17.00
6415MHz	Pass	21.83	-7.92	-8.07	16.82	17.00
6535MHz	Pass	22.10	-8.01	-8.69	16.74	17.00
6695MHz	Pass	22.10	-8.55	-8.42	16.62	17.00
6855MHz	Pass	22.10	-8.59	-8.68	16.45	17.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6125MHz	Pass	21.83	-9.33	-9.40	15.42	17.00
6205MHz	Pass	21.83	-9.70	-9.74	15.09	17.00
6405MHz	Pass	21.83	-9.49	-9.30	15.40	17.00
6565MHz	Pass	22.10	-9.36	-9.67	15.48	17.00
6685MHz	Pass	22.10	-9.59	-9.75	15.41	17.00
6845MHz	Pass	22.10	-9.43	-9.70	15.51	17.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6145MHz	Pass	21.83	-12.03	-11.82	12.84	17.00
6225MHz	Pass	21.83	-11.87	-11.88	12.95	17.00
6385MHz	Pass	21.83	-11.74	-11.88	13.01	17.00
6625MHz	Pass	22.10	-12.07	-12.29	12.88	17.00
6705MHz	Pass	22.10	-12.50	-12.15	12.79	17.00
6785MHz	Pass	22.10	-12.23	-12.31	12.84	17.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6185MHz	Pass	21.83	-14.60	-14.59	10.24	17.00
6345MHz	Pass	21.83	-15.50	-14.93	9.56	17.00
6665MHz	Pass	22.10	-15.97	-14.79	9.73	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6115MHz

03/09/2025

CF (Hz)
6.115G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.684
Detector Type
RMS



Sum ☒
Port 1 ☐
Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.00	-5.00	-7.81	-8.09


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

03/09/2025

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.684
Detector Type
RMS



Sum ☒
Port 1 ☐
Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.04	-5.04	-7.81	-8.21

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

03/09/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.01	-5.01	-7.92	-8.07

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

03/09/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.36	-5.36	-8.01	-8.69

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

03/09/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.48	-5.48	-8.55	-8.42

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

03/09/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.65	-5.65	-8.59	-8.68


5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6125MHz

03/09/2025

CF (Hz)
6.125G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.41	-6.41	-9.33	-9.40


5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

03/09/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.74	-6.74	-9.70	-9.74

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

03/09/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.43	-6.43	-9.49	-9.30

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

03/09/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.62	-6.62	-9.36	-9.67

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

03/09/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.69	-6.69	-9.59	-9.75

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

03/09/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.59	-6.59	-9.43	-9.70

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6145MHz

03/09/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.99	-8.99	-12.03	-11.82

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

03/09/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.88	-8.88	-11.87	-11.88

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

03/09/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.82	-8.82	-11.74	-11.88

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

03/09/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.22	-9.22	-12.07	-12.29

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

03/09/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.31	-9.31	-12.50	-12.15

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

03/09/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.26	-9.26	-12.23	-12.31

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

03/09/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-11.59	-11.59	-14.60	-14.59

Sum ☒

Port 1 ☐

Port 2 ☐

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

03/09/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.27	-12.27	-15.50	-14.93

Sum ☒

Port 1 ☐

Port 2 ☐


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

03/09/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.37	-12.37	-15.97	-14.79

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	1.09	22.92
802.11ax HEW40_Nss1,(MCS0)_2TX	-0.40	21.43
802.11ax HEW80_Nss1,(MCS0)_2TX	-3.08	18.75
802.11ax HEW160_Nss1,(MCS0)_2TX	-5.82	16.01
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	0.69	22.79
802.11ax HEW40_Nss1,(MCS0)_2TX	-0.59	21.51
802.11ax HEW80_Nss1,(MCS0)_2TX	-3.30	18.80
802.11ax HEW160_Nss1,(MCS0)_2TX	-6.29	15.81

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6115MHz	Pass	21.83	-1.81	-1.88	22.91	23.00
6195MHz	Pass	21.83	-1.90	-2.28	22.73	23.00
6415MHz	Pass	21.83	-1.94	-1.85	22.92	23.00
6535MHz	Pass	22.10	-2.16	-2.72	22.65	23.00
6695MHz	Pass	22.10	-2.31	-2.51	22.68	23.00
6855MHz	Pass	22.10	-2.38	-2.24	22.79	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6125MHz	Pass	21.83	-3.59	-3.51	21.22	23.00
6205MHz	Pass	21.83	-3.25	-3.56	21.43	23.00
6405MHz	Pass	21.83	-3.36	-3.38	21.43	23.00
6565MHz	Pass	22.10	-3.90	-4.43	20.95	23.00
6685MHz	Pass	22.10	-3.37	-3.79	21.51	23.00
6845MHz	Pass	22.10	-3.50	-3.83	21.44	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6145MHz	Pass	21.83	-6.14	-5.82	18.74	23.00
6225MHz	Pass	21.83	-6.27	-6.02	18.65	23.00
6385MHz	Pass	21.83	-6.09	-6.08	18.75	23.00
6625MHz	Pass	22.10	-6.23	-6.74	18.63	23.00
6705MHz	Pass	22.10	-5.98	-6.59	18.80	23.00
6785MHz	Pass	22.10	-6.14	-6.57	18.74	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6185MHz	Pass	21.83	-8.87	-8.73	16.01	23.00
6345MHz	Pass	21.83	-9.12	-8.89	15.76	23.00
6665MHz	Pass	22.10	-9.13	-9.31	15.81	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6115MHz

03/09/2025

CF (Hz)
6.115G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.08	1.08	-1.81	-1.88

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

03/09/2025

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.90	0.90	-1.90	-2.28

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

03/09/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.09	1.09	-1.94	-1.85

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

03/09/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.55	0.55	-2.16	-2.72

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

03/09/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.58	0.58	-2.31	-2.51

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

03/09/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.684

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.69	0.69	-2.38	-2.24

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6125MHz

03/09/2025

CF (Hz)
6.125G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.61	-0.61	-3.59	-3.51

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

03/09/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.40	-0.40	-3.25	-3.56

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

03/09/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.40	-0.40	-3.36	-3.38

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

03/09/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.15	-1.15	-3.90	-4.43


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

03/09/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.59	-0.59	-3.37	-3.79


6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

03/09/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.66	-0.66	-3.50	-3.83

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6145MHz

03/09/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.09	-3.09	-6.14	-5.82

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

03/09/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.18	-3.18	-6.27	-6.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

03/09/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.08	-3.08	-6.09	-6.08

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

03/09/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.47	-3.47	-6.23	-6.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

03/09/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.30	-3.30	-5.98	-6.59

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

03/09/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.36	-3.36	-6.14	-6.57

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

03/09/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.82	-5.82	-8.87	-8.73

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

03/09/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.07	-6.07	-9.12	-8.89


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

03/09/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.29	-6.29	-9.13	-9.31

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	1.17	16.93
802.11ax HEW40_Nss1,(MCS0)_2TX	-0.63	15.13
802.11ax HEW80_Nss1,(MCS0)_2TX	-3.31	12.45
802.11ax HEW160_Nss1,(MCS0)_2TX	-6.28	9.48
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	0.94	16.70
802.11ax HEW40_Nss1,(MCS0)_2TX	-0.74	15.02
802.11ax HEW80_Nss1,(MCS0)_2TX	-3.07	12.69
802.11ax HEW160_Nss1,(MCS0)_2TX	-6.36	9.40

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6115MHz	Pass	15.76	-2.27	-1.92	0.89	16.65	17.00
6195MHz	Pass	15.76	-1.77	-1.94	1.09	16.85	17.00
6415MHz	Pass	15.76	-1.54	-2.15	1.17	16.93	17.00
6535MHz	Pass	15.76	-1.75	-2.35	0.94	16.70	17.00
6695MHz	Pass	15.76	-2.13	-2.00	0.93	16.69	17.00
6855MHz	Pass	15.76	-1.66	-2.50	0.87	16.63	17.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6125MHz	Pass	15.76	-3.73	-3.41	-0.63	15.13	17.00
6205MHz	Pass	15.76	-3.61	-3.59	-0.68	15.08	17.00
6405MHz	Pass	15.76	-3.55	-3.83	-0.71	15.05	17.00
6565MHz	Pass	15.76	-3.43	-4.05	-0.74	15.02	17.00
6685MHz	Pass	15.76	-3.84	-3.87	-0.86	14.90	17.00
6845MHz	Pass	15.76	-3.69	-4.52	-1.11	14.65	17.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6145MHz	Pass	15.76	-6.24	-6.32	-3.37	12.39	17.00
6225MHz	Pass	15.76	-6.07	-6.35	-3.31	12.45	17.00
6385MHz	Pass	15.76	-6.19	-6.50	-3.36	12.40	17.00
6625MHz	Pass	15.76	-6.02	-6.05	-3.07	12.69	17.00
6705MHz	Pass	15.76	-6.43	-6.29	-3.37	12.39	17.00
6785MHz	Pass	15.76	-6.26	-6.94	-3.63	12.13	17.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6185MHz	Pass	15.76	-9.14	-9.31	-6.29	9.47	17.00
6345MHz	Pass	15.76	-9.23	-9.27	-6.28	9.48	17.00
6665MHz	Pass	15.76	-9.41	-9.17	-6.36	9.40	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6115MHz

04/09/2025




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

04/09/2025



5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

04/09/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.17	1.17	-1.54	-2.15

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

04/09/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.94	0.94	-1.75	-2.35

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

04/09/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.93	0.93	-2.13	-2.00

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

04/09/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.87	0.87	-1.66	-2.50

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6125MHz

04/09/2025

CF (Hz)
6.125G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.63	-0.63	-3.73	-3.41

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

04/09/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.68	-0.68	-3.61	-3.59

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

04/09/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.71	-0.71	-3.55	-3.83

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

04/09/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.74	-0.74	-3.43	-4.05

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

04/09/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.86	-0.86	-3.84	-3.87

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

04/09/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.11	-1.11	-3.69	-4.52

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6145MHz

04/09/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.37	-3.37	-6.24	-6.32

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

04/09/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.31	-3.31	-6.07	-6.35

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

04/09/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.36	-3.36	-6.19	-6.50

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

04/09/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.07	-3.07	-6.02	-6.05

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

04/09/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.37	-3.37	-6.43	-6.29

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

04/09/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.63	-3.63	-6.26	-6.94

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

04/09/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.29	-6.29	-9.14	-9.31

Sum ☒

Port 1 ☐

Port 2 ☐

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

04/09/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.28	-6.28	-9.23	-9.27

Sum ☒

Port 1 ☐

Port 2 ☐


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

04/09/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.36	-6.36	-9.41	-9.17

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	7.20	22.96
802.11ax HEW40_Nss1,(MCS0)_2TX	5.42	21.18
802.11ax HEW80_Nss1,(MCS0)_2TX	2.85	18.61
802.11ax HEW160_Nss1,(MCS0)_2TX	-0.16	15.60
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	6.77	22.53
802.11ax HEW40_Nss1,(MCS0)_2TX	4.35	20.11
802.11ax HEW80_Nss1,(MCS0)_2TX	1.91	17.67
802.11ax HEW160_Nss1,(MCS0)_2TX	-1.23	14.53

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6115MHz	Pass	15.76	4.04	3.85	6.86	22.62	23.00
6195MHz	Pass	15.76	4.51	3.90	7.20	22.96	23.00
6415MHz	Pass	15.76	4.37	3.59	7.00	22.76	23.00
6535MHz	Pass	15.76	3.98	3.53	6.77	22.53	23.00
6695MHz	Pass	15.76	3.83	3.72	6.75	22.51	23.00
6855MHz	Pass	15.76	3.81	3.24	6.52	22.28	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6125MHz	Pass	15.76	2.45	2.48	5.42	21.18	23.00
6205MHz	Pass	15.76	2.32	2.00	5.11	20.87	23.00
6405MHz	Pass	15.76	2.08	1.78	4.94	20.70	23.00
6565MHz	Pass	15.76	1.74	0.96	4.35	20.11	23.00
6685MHz	Pass	15.76	0.97	1.32	4.15	19.91	23.00
6845MHz	Pass	15.76	1.22	0.66	3.90	19.66	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6145MHz	Pass	15.76	-0.12	-0.37	2.72	18.48	23.00
6225MHz	Pass	15.76	0.07	-0.29	2.85	18.61	23.00
6385MHz	Pass	15.76	-0.03	-0.36	2.82	18.58	23.00
6625MHz	Pass	15.76	-1.40	-1.65	1.44	17.20	23.00
6705MHz	Pass	15.76	-1.20	-0.94	1.91	17.67	23.00
6785MHz	Pass	15.76	-1.19	-1.39	1.72	17.48	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6185MHz	Pass	15.76	-3.04	-3.30	-0.26	15.50	23.00
6345MHz	Pass	15.76	-3.04	-3.19	-0.16	15.60	23.00
6665MHz	Pass	15.76	-4.22	-4.24	-1.23	14.53	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6115MHz

04/09/2025

CF (Hz)
6.115G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum ☒
Port 1 ☐
Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.86	6.86	4.04	3.85


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

04/09/2025

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum ☒
Port 1 ☐
Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.20	7.20	4.51	3.90

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

04/09/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.00	7.00	4.37	3.59

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

16/09/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.77	6.77	3.98	3.53

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

16/09/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.75	6.75	3.83	3.72

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

16/09/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.52	6.52	3.81	3.24

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6125MHz

04/09/2025

CF (Hz)
6.125G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.42	5.42	2.45	2.48

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

16/09/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.11	5.11	2.32	2.00

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

16/09/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.94	4.94	2.08	1.78

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

16/09/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	1.74	0.96

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

16/09/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.15	4.15	0.97	1.32

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

16/09/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.90	3.90	1.22	0.66

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6145MHz

04/09/2025

CF (Hz)
6.145G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.72	2.72	-0.12	-0.37

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

04/09/2025

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.85	2.85	0.07	-0.29

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

04/09/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.82	2.82	-0.03	-0.36

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

16/09/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.44	1.44	-1.40	-1.65

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

16/09/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.91	1.91	-1.20	-0.94

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

16/09/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.72	1.72	-1.19	-1.39


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

04/09/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.26	-0.26	-3.04	-3.30


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

04/09/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.16	-0.16	-3.04	-3.19


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

16/09/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.23	-1.23	-4.22	-4.24

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-10.92	16.93
802.11ax HEW40_Nss1,(MCS0)_2TX	-12.81	15.04
802.11ax HEW80_Nss1,(MCS0)_2TX	-15.51	12.34
802.11ax HEW160_Nss1,(MCS0)_2TX	-18.39	9.46
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-11.03	16.82
802.11ax HEW40_Nss1,(MCS0)_2TX	-12.86	14.99
802.11ax HEW80_Nss1,(MCS0)_2TX	-15.29	12.56
802.11ax HEW160_Nss1,(MCS0)_2TX	-18.29	9.56

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6115MHz	Pass	27.85	-13.86	-13.91	-10.92	16.93	17.00
6195MHz	Pass	27.85	-14.06	-13.76	-10.96	16.89	17.00
6415MHz	Pass	27.85	-14.01	-14.58	-11.28	16.57	17.00
6535MHz	Pass	27.85	-14.18	-14.37	-11.26	16.59	17.00
6695MHz	Pass	27.85	-14.55	-13.54	-11.03	16.82	17.00
6855MHz	Pass	27.85	-14.24	-14.41	-11.33	16.52	17.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6125MHz	Pass	27.85	-15.80	-15.76	-12.81	15.04	17.00
6205MHz	Pass	27.85	-16.10	-15.87	-13.05	14.80	17.00
6405MHz	Pass	27.85	-15.66	-16.15	-12.90	14.95	17.00
6565MHz	Pass	27.85	-15.78	-16.10	-12.95	14.90	17.00
6685MHz	Pass	27.85	-16.09	-15.63	-12.86	14.99	17.00
6845MHz	Pass	27.85	-16.39	-16.61	-13.50	14.35	17.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6145MHz	Pass	27.85	-19.08	-18.34	-15.76	12.09	17.00
6225MHz	Pass	27.85	-18.50	-18.71	-15.66	12.19	17.00
6385MHz	Pass	27.85	-18.08	-18.96	-15.51	12.34	17.00
6625MHz	Pass	27.85	-18.60	-18.92	-15.79	12.06	17.00
6705MHz	Pass	27.85	-18.80	-17.85	-15.29	12.56	17.00
6785MHz	Pass	27.85	-18.85	-18.77	-15.80	12.05	17.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6185MHz	Pass	27.85	-22.08	-21.18	-18.64	9.21	17.00
6345MHz	Pass	27.85	-21.53	-21.20	-18.39	9.46	17.00
6665MHz	Pass	27.85	-22.13	-20.51	-18.29	9.56	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6115MHz

05/09/2025

CF (Hz)
6.115G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.92	-10.92	-13.86	-13.91

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

05/09/2025

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.96	-10.96	-14.06	-13.76

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

05/09/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.28	-11.28	-14.01	-14.58

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

05/09/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.26	-11.26	-14.18	-14.37

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

05/09/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.03	-11.03	-14.55	-13.54

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

05/09/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.33	-11.33	-14.24	-14.41

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6125MHz

05/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

05/09/2025



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

05/09/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.90	-12.90	-15.66	-16.15

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

05/09/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.95	-12.95	-15.78	-16.10

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

05/09/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.86	-12.86	-16.09	-15.63

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

05/09/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-13.50	-13.50	-16.39	-16.61

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6145MHz

05/09/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-15.76	-15.76	-19.08	-18.34

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

05/09/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-15.66	-15.66	-18.50	-18.71

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

05/09/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-15.51	-15.51	-18.08	-18.96

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

05/09/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-15.79	-15.79	-18.60	-18.92

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

05/09/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-15.29	-15.29	-18.80	-17.85

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

05/09/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-15.80	-15.80	-18.85	-18.77

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

05/09/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-18.64	-18.64	-22.08	-21.18

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

05/09/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-18.39	-18.39	-21.53	-21.20

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

05/09/2025

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-18.29	-18.29	-22.13	-20.51

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-4.87	22.98
802.11ax HEW40_Nss1,(MCS0)_2TX	-6.96	20.89
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.40	18.45
802.11ax HEW160_Nss1,(MCS0)_2TX	-12.57	15.28
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	-5.12	22.73
802.11ax HEW40_Nss1,(MCS0)_2TX	-6.97	20.88
802.11ax HEW80_Nss1,(MCS0)_2TX	-9.66	18.19
802.11ax HEW160_Nss1,(MCS0)_2TX	-12.77	15.08

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6115MHz	Pass	27.85	-7.81	-7.85	-4.87	22.98	23.00
6195MHz	Pass	27.85	-7.84	-8.07	-4.98	22.87	23.00
6415MHz	Pass	27.85	-7.81	-8.22	-5.00	22.85	23.00
6535MHz	Pass	27.85	-8.39	-8.06	-5.24	22.61	23.00
6695MHz	Pass	27.85	-8.59	-7.97	-5.30	22.55	23.00
6855MHz	Pass	27.85	-7.98	-8.25	-5.12	22.73	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6125MHz	Pass	27.85	-9.88	-9.99	-6.96	20.89	23.00
6205MHz	Pass	27.85	-10.07	-10.23	-7.20	20.65	23.00
6405MHz	Pass	27.85	-9.97	-10.44	-7.23	20.62	23.00
6565MHz	Pass	27.85	-9.84	-10.25	-7.09	20.76	23.00
6685MHz	Pass	27.85	-9.97	-9.88	-6.97	20.88	23.00
6845MHz	Pass	27.85	-10.25	-10.53	-7.41	20.44	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6145MHz	Pass	27.85	-12.66	-12.84	-9.78	18.07	23.00
6225MHz	Pass	27.85	-12.15	-12.58	-9.40	18.45	23.00
6385MHz	Pass	27.85	-12.52	-12.93	-9.73	18.12	23.00
6625MHz	Pass	27.85	-12.57	-12.80	-9.69	18.16	23.00
6705MHz	Pass	27.85	-13.08	-12.28	-9.68	18.17	23.00
6785MHz	Pass	27.85	-12.61	-12.67	-9.66	18.19	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6185MHz	Pass	27.85	-15.30	-15.67	-12.57	15.28	23.00
6345MHz	Pass	27.85	-15.81	-15.45	-12.68	15.17	23.00
6665MHz	Pass	27.85	-16.31	-15.18	-12.77	15.08	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6115MHz

04/09/2025




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

05/09/2025



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

05/09/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.00	-5.00	-7.81	-8.22

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

05/09/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.24	-5.24	-8.39	-8.06

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

05/09/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.30	-5.30	-8.59	-7.97

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

05/09/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.12	-5.12	-7.98	-8.25

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6125MHz

05/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

05/09/2025



5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

05/09/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.23	-7.23	-9.97	-10.44

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

05/09/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.09	-7.09	-9.84	-10.25

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

05/09/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.97	-6.97	-9.97	-9.88

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

05/09/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.41	-7.41	-10.25	-10.53

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6145MHz

05/09/2025



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.78	-9.78	-12.66	-12.84

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

05/09/2025



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.40	-9.40	-12.15	-12.58

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

05/09/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.73	-9.73	-12.52	-12.93

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

05/09/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.69	-9.69	-12.57	-12.80

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

05/09/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.68	-9.68	-13.08	-12.28

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

05/09/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-9.66	-9.66	-12.61	-12.67

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

05/09/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.57	-12.57	-15.30	-15.67

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

05/09/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.679

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-12.68	-12.68	-15.81	-15.45


6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

05/09/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.679
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-12.77	-12.77	-16.31	-15.18




Radiated Emissions below 1GHz

Appendix F.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	124.58M	39.58	43.50	-3.92	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
QP	30.49M	33.88	40.00	-6.12	-34.82	3	Vertical	25	1.00	-	68.70	18.19	0.56	53.57		
QP	46.98M	35.00	40.00	-5.00	-33.30	3	Vertical	41	1.00	-	68.30	19.91	0.71	53.92		
PK	124.58M	39.58	43.50	-3.92	-35.26	3	Vertical	225	1.00	"Worst"	74.84	17.29	1.26	53.81		
PK	219.15M	30.87	46.00	-15.13	-36.39	3	Vertical	47	2.00	-	67.26	15.58	1.82	53.79		
PK	249.71M	30.59	46.00	-15.41	-33.88	3	Vertical	306	1.00	-	64.47	17.65	2.03	53.56		
PK	819.1M	31.91	46.00	-14.09	-19.11	3	Vertical	322	1.00	-	51.02	28.56	4.22	51.89		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	30.49M	36.08	40.00	-3.92	-34.82	3	Horizontal	37	1.00	"Worst"	70.90	18.19	0.56	53.57		
PK	137.19M	29.89	43.50	-13.61	-34.25	3	Horizontal	44	2.00	-	64.14	18.49	1.23	53.97		
PK	215.27M	36.66	43.50	-6.84	-36.31	3	Horizontal	120	1.00	-	72.97	15.72	1.79	53.82		
PK	250.68M	31.70	46.00	-14.30	-33.86	3	Horizontal	258	2.00	-	65.56	17.67	2.03	53.56		
PK	322.46M	31.23	46.00	-14.77	-31.47	3	Horizontal	37	1.00	-	62.70	19.96	2.36	53.79		
PK	816.19M	38.53	46.00	-7.47	-19.14	3	Horizontal	42	1.00	-	57.67	28.54	4.21	51.89		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_2TX	Pass	AV	12.2528G	53.87	54.00	-0.13	3	Horizontal	295	1.70	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 46
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.23426G	64.18	74.00	-9.82	54.99	3	Vertical	299	1.80	-	38.93	13.88	43.62			
AV	12.23168G	48.64	54.00	-5.36	39.44	3	Vertical	299	1.80	-	38.94	13.88	43.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 46
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.23354G	70.14	74.00	-3.86	60.95	3	Horizontal	290	1.80	-	38.93	13.88	43.62			
AV	12.2315G	53.64	54.00	-0.36	44.44	3	Horizontal	290	1.80	-	38.94	13.88	43.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 46
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34092G	52.92	83.54	-30.62	43.01	1	Vertical	5	1.50	-	37.68	20.50	48.27			
AV	18.3417G	39.05	63.54	-24.49	29.14	1	Vertical	5	1.50	-	37.68	20.50	48.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT_V_2TX
Setting 46
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34578G	55.80	83.54	-27.74	45.88	1	Horizontal	313	1.54	-	37.69	20.50	48.27			
AV	18.34815G	40.60	63.54	-22.94	30.67	1	Horizontal	313	1.54	-	37.70	20.50	48.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 45
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39051G	67.55	74.00	-6.45	58.67	3	Vertical	238	2.54	-	38.54	14.08	43.74			
AV	12.39141G	51.00	54.00	-3.00	42.13	3	Vertical	238	2.54	-	38.53	14.08	43.74			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 45
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39267G	70.44	74.00	-3.56	61.57	3	Horizontal	310	2.61	-	38.53	14.08	43.74			
AV	12.39162G	53.71	54.00	-0.29	44.84	3	Horizontal	310	2.61	-	38.53	14.08	43.74			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 45
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58592G	49.34	83.54	-34.20	39.32	1	Vertical	209	1.53	-	37.80	20.61	48.39			
AV	18.58585G	36.48	63.54	-27.06	26.46	1	Vertical	209	1.53	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 45
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5842G	48.82	83.54	-34.72	38.79	1	Horizontal	36	1.54	-	37.80	20.61	48.38			
AV	18.584G	36.37	63.54	-27.17	26.34	1	Horizontal	36	1.54	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83324G	70.64	88.20	-17.56	60.51	3	Vertical	244	1.80	-	39.07	14.63	43.57			
RMS	12.83279G	56.43	68.20	-11.77	46.30	3	Vertical	244	1.80	-	39.07	14.63	43.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83288G	76.97	88.20	-11.23	66.84	3	Horizontal	63	1.61	-	39.07	14.63	43.57			
RMS	12.83168G	63.07	68.20	-5.13	52.95	3	Horizontal	63	1.61	-	39.06	14.63	43.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24582G	49.89	83.54	-33.65	39.93	1	Vertical	61	1.53	-	37.98	20.78	48.80			
AV	19.24411G	36.36	63.54	-27.18	26.40	1	Vertical	61	1.53	-	37.98	20.78	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24438G	48.68	83.54	-34.86	38.72	1	Horizontal	352	1.51	-	37.98	20.78	48.80			
AV	19.24401G	36.36	63.54	-27.18	26.40	1	Horizontal	352	1.51	-	37.98	20.78	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 54
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06289G	67.67	88.20	-20.53	57.25	3	Vertical	202	1.80	-	38.93	14.91	43.42			
RMS	13.06526G	54.58	68.20	-13.62	44.15	3	Vertical	202	1.80	-	38.93	14.92	43.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07219G	73.69	88.20	-14.51	63.25	3	Horizontal	66	1.80	-	38.94	14.92	43.42			
RMS	13.06559G	59.61	68.20	-8.59	49.18	3	Horizontal	66	1.80	-	38.93	14.92	43.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60405G	49.00	83.54	-34.54	39.26	1	Vertical	299	1.54	-	37.70	20.84	48.80			
AV	19.604G	36.28	63.54	-27.26	26.54	1	Vertical	299	1.54	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT V_2TX
Setting
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60463G	48.99	83.54	-34.55	39.26	1	Horizontal	350	1.50	-	37.70	20.83	48.80			
AV	19.604G	36.28	63.54	-27.26	26.54	1	Horizontal	350	1.50	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 37
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39429G	63.00	74.00	-11.00	51.25	3	Vertical	206	1.80	-	39.70	15.33	43.28			
AV	13.39147G	48.73	54.00	-5.27	36.99	3	Vertical	206	1.80	-	39.70	15.32	43.28			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 37
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39108G	69.24	74.00	-4.76	57.50	3	Horizontal	68	1.67	-	39.70	15.32	43.28			
AV	13.39327G	53.43	54.00	-0.57	41.69	3	Horizontal	68	1.67	-	39.70	15.32	43.28			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 37
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.08423G	48.66	83.54	-34.88	38.94	1	Vertical	36	1.55	-	37.80	20.70	48.78				
AV	20.084G	35.49	63.54	-28.05	25.77	1	Vertical	36	1.55	-	37.80	20.70	48.78				

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 37
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08438G	47.99	83.54	-35.55	38.27	1	Horizontal	154	1.51	-	37.80	20.70	48.78			
AV	20.084G	35.49	63.54	-28.05	25.77	1	Horizontal	154	1.51	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71243G	63.38	88.20	-24.82	50.73	3	Vertical	200	1.80	-	40.22	15.72	43.29			
RMS	13.71387G	50.55	68.20	-17.65	37.89	3	Vertical	200	1.80	-	40.23	15.72	43.29			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71231G	74.58	88.20	-13.62	61.93	3	Horizontal	63	1.80	-	40.22	15.72	43.29			
RMS	13.70433G	60.87	68.20	-7.33	48.24	3	Horizontal	63	1.80	-	40.21	15.71	43.29			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56566G	49.04	83.54	-34.50	38.31	1	Vertical	206	1.52	-	37.90	21.53	48.70			
AV	20.56558G	36.34	63.54	-27.20	25.61	1	Vertical	206	1.52	-	37.90	21.53	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 54
04-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56488G	48.02	83.54	-35.52	37.29	1	Horizontal	235	1.53	-	37.90	21.53	48.70			
AV	20.56541G	36.20	63.54	-27.34	25.47	1	Horizontal	235	1.53	-	37.90	21.53	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.25288G	67.97	74.00	-6.03	82.66	3	Vertical	235.9	2.59	-	38.90	12.07	65.66			
AV	12.25288G	52.16	54.00	-1.84	66.85	3	Vertical	235.9	2.59	-	38.90	12.07	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.25145G	69.61	74.00	-4.39	84.30	3	Horizontal	295	1.70	-	38.90	12.07	65.66			
AV	12.2528G	53.87	54.00	-0.13	68.56	3	Horizontal	295	1.70	-	38.90	12.07	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3741G	48.96	83.54	-34.58	39.01	1	Vertical	332	1.50	-	37.70	20.52	48.27			
AV	18.37423G	36.31	63.54	-27.23	26.36	1	Vertical	332	1.50	-	37.70	20.52	48.27			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37414G	49.20	83.54	-34.34	39.25	1	Horizontal	305	1.53	-	37.70	20.52	48.27			
AV	18.374G	36.32	63.54	-27.22	26.37	1	Horizontal	305	1.53	-	37.70	20.52	48.27			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40229G	64.30	74.00	-9.70	79.14	3	Vertical	230	1.80	-	38.70	12.07	65.61			
AV	12.41381G	48.79	54.00	-5.21	63.65	3	Vertical	230	1.80	-	38.67	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41312G	69.55	74.00	-4.45	84.41	3	Horizontal	254	1.69	-	38.67	12.07	65.60			
AV	12.41369G	53.65	54.00	-0.35	68.51	3	Horizontal	254	1.69	-	38.67	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61587G	48.73	83.54	-34.81	38.71	1	Vertical	238	1.54	-	37.83	20.61	48.42			
AV	18.61404G	36.64	63.54	-26.90	26.61	1	Vertical	238	1.54	-	37.83	20.61	48.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 49
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61455G	49.44	83.54	-34.10	39.41	1	Horizontal	352	1.51	-	37.83	20.61	48.41			
AV	18.61417G	36.64	63.54	-26.90	26.61	1	Horizontal	352	1.51	-	37.83	20.61	48.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81303G	69.64	88.20	-18.56	83.29	3	Vertical	181	1.99	-	39.43	12.06	65.14			
RMS	12.81315G	53.60	68.20	-14.60	67.25	3	Vertical	181	1.99	-	39.43	12.06	65.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81465G	70.38	88.20	-17.82	84.03	3	Horizontal	69	1.90	-	39.43	12.06	65.14			
RMS	12.8133G	55.60	68.20	-12.60	69.25	3	Horizontal	69	1.90	-	39.43	12.06	65.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21501G	49.17	83.54	-34.37	39.35	1	Vertical	175	1.52	-	37.86	20.76	48.80			
AV	19.214G	36.41	63.54	-27.13	26.59	1	Vertical	175	1.52	-	37.86	20.76	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21521G	48.73	83.54	-34.81	38.91	1	Horizontal	353	1.53	-	37.86	20.76	48.80			
AV	19.214G	36.41	63.54	-27.13	26.59	1	Horizontal	353	1.53	-	37.86	20.76	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12676G	64.41	88.20	-23.79	77.82	3	Vertical	342	1.37	-	39.41	12.05	64.87			
RMS	13.1266G	50.32	68.20	-17.88	63.73	3	Vertical	342	1.37	-	39.41	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13448G	69.71	88.20	-18.49	83.09	3	Horizontal	297	1.98	-	39.44	12.05	64.87			
RMS	13.12672G	54.53	68.20	-13.67	67.94	3	Horizontal	297	1.98	-	39.41	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6945G	47.97	83.54	-35.57	38.30	1	Vertical	271	1.54	-	37.70	20.77	48.80			
AV	19.694G	35.65	63.54	-27.89	25.98	1	Vertical	271	1.54	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69453G	48.59	83.54	-34.95	38.92	1	Horizontal	104	1.54	-	37.70	20.77	48.80			
AV	19.694G	35.65	63.54	-27.89	25.98	1	Horizontal	104	1.54	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 47
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37224G	65.85	74.00	-8.15	78.61	3	Vertical	143	2.62	-	40.04	12.04	64.84			
AV	13.37336G	49.02	54.00	-4.98	61.77	3	Vertical	143	2.62	-	40.05	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 47
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37372G	68.39	74.00	-5.61	81.14	3	Horizontal	299	1.64	-	40.05	12.04	64.84			
AV	13.3744G	53.26	54.00	-0.74	66.01	3	Horizontal	299	1.64	-	40.05	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 47
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05597G	49.09	83.54	-34.45	39.43	1	Vertical	325	1.54	-	37.80	20.65	48.79			
AV	20.05548G	35.97	63.54	-27.57	26.31	1	Vertical	325	1.54	-	37.80	20.65	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 47
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05554G	48.72	83.54	-34.82	39.06	1	Horizontal	217	1.51	-	37.80	20.65	48.79			
AV	20.05553G	35.97	63.54	-27.57	26.31	1	Horizontal	217	1.51	-	37.80	20.65	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69256G	62.10	88.20	-26.10	74.62	3	Vertical	10	1.80	-	40.19	12.03	64.74			
RMS	13.694G	46.29	68.20	-21.91	58.81	3	Vertical	10	1.80	-	40.19	12.03	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69492G	68.08	88.20	-20.12	80.60	3	Horizontal	68	1.86	-	40.19	12.03	64.74			
RMS	13.69492G	52.46	68.20	-15.74	64.98	3	Horizontal	68	1.86	-	40.19	12.03	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53511G	48.46	83.54	-35.08	37.76	1	Vertical	47	1.53	-	37.90	21.50	48.70			
AV	20.53597G	46.97	63.54	-16.57	36.27	1	Vertical	47	1.53	-	37.90	21.50	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.53429G	48.93	83.54	-34.61	38.24	1	Horizontal	81	1.52	-	37.90	21.49	48.70				
AV	20.53598G	45.72	63.54	-17.82	35.02	1	Horizontal	81	1.52	-	37.90	21.50	48.70				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 52
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.28372G	68.40	74.00	-5.60	83.08	3	Vertical	238	2.60	-	38.90	12.07	65.65			
AV	12.28228G	52.74	54.00	-1.26	67.42	3	Vertical	238	2.60	-	38.90	12.07	65.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 52
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.29496G	69.68	74.00	-4.32	84.35	3	Horizontal	296	1.62	-	38.90	12.07	65.64			
AV	12.29344G	53.82	54.00	-0.18	68.49	3	Horizontal	296	1.62	-	38.90	12.07	65.64			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 52
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.43412G	48.95	83.54	-34.59	38.98	1	Vertical	288	1.50	-	37.70	20.56	48.29			
AV	18.434G	36.22	63.54	-27.32	26.25	1	Vertical	288	1.50	-	37.70	20.56	48.29			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 52
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.43442G	48.60	83.54	-34.94	38.63	1	Horizontal	111	1.50	-	37.70	20.56	48.29			
AV	18.434G	36.22	63.54	-27.32	26.25	1	Horizontal	111	1.50	-	37.70	20.56	48.29			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.444G	65.24	74.00	-8.76	80.15	3	Vertical	325	2.74	-	38.61	12.07	65.59			
AV	12.44344G	49.03	54.00	-4.97	63.94	3	Vertical	325	2.74	-	38.61	12.07	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44364G	68.04	74.00	-5.96	82.95	3	Horizontal	63	2.07	-	38.61	12.07	65.59			
AV	12.4636G	52.99	54.00	-1.01	67.90	3	Horizontal	63	2.07	-	38.60	12.07	65.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 54
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67412G	49.50	83.54	-34.04	39.45	1	Vertical	104	1.52	-	37.90	20.62	48.47			
AV	18.674G	36.54	63.54	-27.00	26.49	1	Vertical	104	1.52	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67434G	49.22	83.54	-34.32	39.17	1	Horizontal	112	1.52	-	37.90	20.62	48.47			
AV	18.674G	36.42	63.54	-27.12	26.37	1	Horizontal	112	1.52	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77432G	63.90	88.20	-24.30	77.78	3	Vertical	184	2.95	-	39.25	12.06	65.19			
RMS	12.77312G	49.16	68.20	-19.04	63.05	3	Vertical	184	2.95	-	39.24	12.06	65.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78172G	66.75	88.20	-21.45	80.58	3	Horizontal	68	1.73	-	39.29	12.06	65.18			
RMS	12.7822G	51.69	68.20	-16.51	65.52	3	Horizontal	68	1.73	-	39.29	12.06	65.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15577G	48.62	83.54	-34.92	38.71	1	Vertical	67	1.54	-	37.98	20.73	48.80			
AV	19.15541G	36.17	63.54	-27.37	26.26	1	Vertical	67	1.54	-	37.98	20.73	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1556G	48.47	83.54	-35.07	38.56	1	Horizontal	315	1.51	-	37.98	20.73	48.80			
AV	19.15541G	36.17	63.54	-27.37	26.26	1	Horizontal	315	1.51	-	37.98	20.73	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.255G	61.76	74.00	-12.24	74.97	3	Vertical	153.6	2.11	-	39.60	12.04	64.85			
AV	13.26444G	46.09	54.00	-7.91	59.30	3	Vertical	153.6	2.11	-	39.60	12.04	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25724G	67.35	74.00	-6.65	80.56	3	Horizontal	300	1.74	-	39.60	12.04	64.85			
AV	13.25644G	52.42	54.00	-1.58	65.63	3	Horizontal	300	1.74	-	39.60	12.04	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87569G	49.35	83.54	-34.19	39.81	1	Vertical	360	1.55	-	37.70	20.64	48.80			
AV	19.87543G	36.46	63.54	-27.08	26.92	1	Vertical	360	1.55	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87419G	48.78	83.54	-34.76	39.24	1	Horizontal	105	1.54	-	37.70	20.64	48.80			
AV	19.8755G	36.46	63.54	-27.08	26.92	1	Horizontal	105	1.54	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.404G	61.88	88.20	-26.32	74.58	3	Vertical	29	1.84	-	40.10	12.04	64.84			
AV	13.3942G	46.74	54.00	-7.26	59.45	3	Vertical	29	1.84	-	40.09	12.04	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.40292G	68.65	88.20	-19.55	81.35	3	Horizontal	302	1.66	-	40.10	12.04	64.84				
RMS	13.40508G	53.49	68.20	-14.71	66.19	3	Horizontal	302	1.66	-	40.10	12.04	64.84				

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11458G	47.63	83.54	-35.91	37.85	1	Vertical	245	1.51	-	37.80	20.76	48.78			
AV	20.11402G	35.45	63.54	-28.09	25.67	1	Vertical	245	1.51	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11409G	47.66	83.54	-35.88	37.88	1	Horizontal	251	1.53	-	37.80	20.76	48.78			
AV	20.11402G	35.45	63.54	-28.09	25.67	1	Horizontal	251	1.53	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.58412G	59.15	88.20	-29.05	71.61	3	Vertical	17	2.32	-	40.30	12.03	64.79			
RMS	13.58288G	44.45	68.20	-23.75	56.91	3	Vertical	17	2.32	-	40.30	12.03	64.79			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57512G	68.09	88.20	-20.11	80.51	3	Horizontal	65	1.71	-	40.35	12.03	64.80			
RMS	13.58436G	52.00	68.20	-16.20	64.47	3	Horizontal	65	1.71	-	40.29	12.03	64.79			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35402G	49.55	83.54	-33.99	39.20	1	Vertical	283	1.51	-	37.89	21.19	48.73			
AV	20.3544G	36.77	63.54	-26.77	26.41	1	Vertical	283	1.51	-	37.89	21.20	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35481G	49.43	83.54	-34.11	39.07	1	Horizontal	269	1.55	-	37.89	21.20	48.73			
AV	20.3544G	36.77	63.54	-26.77	26.41	1	Horizontal	269	1.55	-	37.89	21.20	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37248G	63.79	74.00	-10.21	78.58	3	Vertical	241	2.56	-	38.76	12.07	65.62			
AV	12.36096G	31.01	54.00	-22.99	45.78	3	Vertical	241	2.56	-	38.78	12.07	65.62			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.35228G	65.95	74.00	-8.05	80.70	3	Horizontal	51	1.75	-	38.80	12.07	65.62			
AV	12.38364G	49.74	54.00	-4.26	64.55	3	Horizontal	51	1.75	-	38.73	12.07	65.61			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55541G	49.34	83.54	-34.20	39.29	1	Vertical	226	1.50	-	37.80	20.61	48.36			
AV	18.554G	36.75	63.54	-26.79	26.69	1	Vertical	226	1.50	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55434G	49.12	83.54	-34.42	39.06	1	Horizontal	31	1.52	-	37.80	20.61	48.35			
AV	18.55422G	36.75	63.54	-26.79	26.69	1	Horizontal	31	1.52	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.70516G	57.09	88.20	-31.11	71.22	3	Vertical	236	2.06	-	39.10	12.06	65.29			
RMS	12.70328G	42.32	68.20	-25.88	56.45	3	Vertical	236	2.06	-	39.10	12.06	65.29			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6948G	62.15	74.00	-11.85	76.30	3	Horizontal	256	1.74	-	39.09	12.06	65.30			
RMS	12.70328G	46.98	68.20	-21.22	61.11	3	Horizontal	256	1.74	-	39.10	12.06	65.29			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03484G	48.34	83.54	-35.20	38.54	1	Vertical	120	1.50	-	37.93	20.67	48.80			
AV	19.034G	35.47	63.54	-28.07	25.67	1	Vertical	120	1.50	-	37.93	20.67	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03533G	48.04	83.54	-35.50	38.24	1	Horizontal	97	1.52	-	37.93	20.67	48.80			
AV	19.034G	35.47	63.54	-28.07	25.67	1	Horizontal	97	1.52	-	37.93	20.67	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31452G	56.68	74.00	-17.32	69.77	3	Vertical	137	1.80	-	39.72	12.04	64.85			
AV	13.31536G	42.03	54.00	-11.97	55.12	3	Vertical	137	1.80	-	39.72	12.04	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32632G	65.11	74.00	-8.89	78.11	3	Horizontal	300	1.65	-	39.81	12.04	64.85			
AV	13.32636G	49.97	54.00	-4.03	62.97	3	Horizontal	300	1.65	-	39.81	12.04	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99411G	49.32	83.54	-34.22	39.86	1	Vertical	339	1.52	-	37.71	20.55	48.80			
AV	19.994G	36.71	63.54	-26.83	27.25	1	Vertical	339	1.52	-	37.71	20.55	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Y_2TX
Setting 54
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.9953G	49.96	83.54	-33.58	40.50	1	Horizontal	88	1.52	-	37.71	20.55	48.80				
AV	19.994G	36.71	63.54	-26.83	27.25	1	Horizontal	88	1.52	-	37.71	20.55	48.80				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.25455G	53.86	54.00	-0.14	3	Horizontal	18	1.80	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 41
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.23042G	66.48	74.00	-7.52	80.58	3	Vertical	342	2.01	-	38.74	12.83	65.67			
AV	12.2315G	44.26	54.00	-9.74	58.36	3	Vertical	342	2.01	-	38.74	12.83	65.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 41
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.23231G	73.24	74.00	-0.76	87.34	3	Horizontal	33	1.74	-	38.74	12.83	65.67			
AV	12.23147G	51.24	54.00	-2.76	65.34	3	Horizontal	33	1.74	-	38.74	12.83	65.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 41
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.35236G	51.96	83.54	-31.58	42.03	1	Vertical	130	1.83	-	37.70	20.50	48.27			
AV	18.34502G	38.19	63.54	-25.35	28.27	1	Vertical	130	1.83	-	37.69	20.50	48.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT_V_2TX
Setting 41
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3442G	52.85	83.54	-30.69	42.93	1	Horizontal	201	1.83	-	37.69	20.50	48.27			
AV	18.34466G	38.21	63.54	-25.33	28.29	1	Horizontal	201	1.83	-	37.69	20.50	48.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 42
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3906G	67.38	74.00	-6.62	81.44	3	Vertical	317	1.07	-	38.70	12.85	65.61			
AV	12.39126G	46.71	54.00	-7.29	60.77	3	Vertical	317	1.07	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 42
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39063G	73.38	74.00	-0.62	87.44	3	Horizontal	33	1.80	-	38.70	12.85	65.61			
AV	12.39186G	52.10	54.00	-1.90	66.16	3	Horizontal	33	1.80	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 42
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58437G	51.63	74.00	-22.37	41.60	1	Vertical	21	1.78	-	37.80	20.61	48.38			
AV	18.58658G	37.71	54.00	-16.29	27.69	1	Vertical	21	1.78	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 42
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58282G	51.81	74.00	-22.19	41.78	1	Horizontal	338	1.99	-	37.80	20.61	48.38			
AV	18.5866G	37.68	54.00	-16.32	27.66	1	Horizontal	338	1.99	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83145G	76.66	88.20	-11.54	89.82	3	Vertical	313	1.20	-	39.03	12.92	65.11			
RMS	12.8316G	61.21	68.20	-6.99	74.37	3	Vertical	313	1.20	-	39.03	12.92	65.11			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83255G	81.45	88.20	-6.75	94.61	3	Horizontal	324	1.74	-	39.03	12.92	65.11			
RMS	12.83155G	64.81	68.20	-3.39	77.97	3	Horizontal	324	1.74	-	39.03	12.92	65.11			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24005G	52.39	83.54	-31.15	42.46	1	Vertical	79	2.91	-	37.96	20.77	48.80			
AV	19.24425G	42.36	63.54	-21.18	32.40	1	Vertical	79	2.91	-	37.98	20.78	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2461G	63.99	83.54	-19.55	54.03	1	Horizontal	284.2	1.78	-	37.98	20.78	48.80			
AV	19.2346G	48.53	63.54	-15.01	38.62	1	Horizontal	284.2	1.78	-	37.94	20.77	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0739G	73.67	88.20	-14.53	86.08	3	Vertical	313	1.98	-	39.50	12.96	64.87			
RMS	13.06515G	58.26	68.20	-9.94	70.71	3	Vertical	313	1.98	-	39.46	12.96	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07295G	78.89	88.20	-9.31	91.31	3	Horizontal	31	1.75	-	39.49	12.96	64.87			
RMS	13.06505G	63.23	68.20	-4.97	75.68	3	Horizontal	31	1.75	-	39.46	12.96	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60803G	64.85	83.54	-18.69	55.12	1	Vertical	224	1.68	-	37.70	20.83	48.80			
AV	19.6005G	49.56	63.54	-13.98	39.82	1	Vertical	224	1.68	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61448G	61.61	83.54	-21.93	51.88	1	Horizontal	41	1.63	-	37.70	20.83	48.80			
AV	19.60164G	47.21	63.54	-16.33	37.47	1	Horizontal	41	1.63	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 36
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3944G	68.30	74.00	-5.70	79.85	3	Vertical	22	1.92	-	40.28	13.01	64.84			
AV	13.3926G	49.94	54.00	-4.06	61.50	3	Vertical	22	1.92	-	40.27	13.01	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 36
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3936G	73.27	74.00	-0.73	84.83	3	Horizontal	21	1.79	-	40.27	13.01	64.84			
AV	13.3931G	53.79	54.00	-0.21	65.35	3	Horizontal	21	1.79	-	40.27	13.01	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 36
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0916G	50.98	83.54	-32.56	41.24	1	Vertical	224	1.81	-	37.80	20.72	48.78			
AV	20.0826G	37.72	63.54	-25.82	28.00	1	Vertical	224	1.81	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 36
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08494G	50.80	83.54	-32.74	41.08	1	Horizontal	212	1.63	-	37.80	20.70	48.78			
AV	20.08506G	39.86	63.54	-23.68	30.14	1	Horizontal	212	1.63	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71205G	70.65	88.20	-17.55	81.60	3	Vertical	153	1.80	-	40.72	13.06	64.73			
RMS	13.7117G	54.94	68.20	-13.26	65.89	3	Vertical	153	1.80	-	40.72	13.06	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71335G	80.34	88.20	-7.86	91.28	3	Horizontal	278	1.73	-	40.73	13.06	64.73			
RMS	13.71155G	65.02	68.20	-3.18	75.97	3	Horizontal	278	1.73	-	40.72	13.06	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56215G	72.15	83.54	-11.39	61.43	1	Vertical	142	1.82	-	37.90	21.52	48.70			
AV	20.56285G	58.81	63.54	-4.73	48.09	1	Vertical	142	1.82	-	37.90	21.52	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56185G	74.14	83.54	-9.40	63.42	1	Horizontal	273	1.72	-	37.90	21.52	48.70			
AV	20.56195G	60.24	63.54	-3.30	49.52	1	Horizontal	273	1.72	-	37.90	21.52	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_V_2TX
Setting 45
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.25085G	65.19	74.00	-8.81	79.32	3	Vertical	342	1.98	-	38.70	12.83	65.66			
AV	12.24245G	46.72	54.00	-7.28	60.83	3	Vertical	342	1.98	-	38.72	12.83	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT V_2TX
Setting 45
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2538G	70.65	74.00	-3.35	84.78	3	Horizontal	32	1.75	-	38.70	12.83	65.66			
AV	12.24255G	53.63	54.00	-0.37	67.75	3	Horizontal	32	1.75	-	38.71	12.83	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT V_2TX
Setting 45
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37115G	52.47	83.54	-31.07	42.53	1	Vertical	281	1.79	-	37.70	20.51	48.27			
AV	18.36115G	39.27	63.54	-24.27	29.33	1	Vertical	281	1.79	-	37.70	20.51	48.27			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT V_2TX
Setting 45
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37062G	52.28	83.54	-31.26	42.34	1	Horizontal	228	1.80	-	37.70	20.51	48.27			
AV	18.37089G	39.13	63.54	-24.41	29.19	1	Horizontal	228	1.80	-	37.70	20.51	48.27			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 45
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4132G	66.82	74.00	-7.18	80.87	3	Vertical	316	1.07	-	38.70	12.85	65.60			
AV	12.4123G	49.92	54.00	-4.08	63.97	3	Vertical	316	1.07	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 45
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41315G	70.53	74.00	-3.47	84.58	3	Horizontal	32	1.78	-	38.70	12.85	65.60			
AV	12.41235G	53.80	54.00	-0.20	67.85	3	Horizontal	32	1.78	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 45
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61032G	52.55	83.54	-30.99	42.53	1	Vertical	352	1.80	-	37.82	20.61	48.41			
AV	18.60933G	39.06	63.54	-24.48	29.04	1	Vertical	352	1.80	-	37.82	20.61	48.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 45
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60924G	55.79	83.54	-27.75	45.77	1	Horizontal	289	1.62	-	37.82	20.61	48.41			
AV	18.60846G	41.25	63.54	-22.29	31.23	1	Horizontal	289	1.62	-	37.82	20.61	48.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81305G	76.51	88.20	-11.69	89.78	3	Vertical	323	1.20	-	38.95	12.92	65.14			
RMS	12.81265G	60.55	68.20	-7.65	73.82	3	Vertical	323	1.20	-	38.95	12.92	65.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81205G	76.69	88.20	-11.51	89.96	3	Horizontal	321	2.27	-	38.95	12.92	65.14			
RMS	12.813G	60.87	68.20	-7.33	74.14	3	Horizontal	321	2.27	-	38.95	12.92	65.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2187G	57.12	83.54	-26.42	47.29	1	Vertical	202	1.80	-	37.87	20.76	48.80			
AV	19.20885G	43.90	63.54	-19.64	34.10	1	Vertical	202	1.80	-	37.84	20.76	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2205G	63.31	83.54	-20.23	53.47	1	Horizontal	283	1.78	-	37.88	20.76	48.80			
AV	19.20865G	48.46	63.54	-15.08	38.67	1	Horizontal	283	1.78	-	37.83	20.76	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1335G	70.77	88.20	-17.43	83.00	3	Vertical	143	1.78	-	39.67	12.97	64.87			
RMS	13.1243G	56.42	68.20	-11.78	68.68	3	Vertical	143	1.78	-	39.65	12.96	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX



EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1322G	74.70	88.20	-13.50	86.94	3	Horizontal	29	1.78	-	39.66	12.97	64.87			
RMS	13.1251G	59.82	68.20	-8.38	72.08	3	Horizontal	29	1.78	-	39.65	12.96	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70065G	62.84	83.54	-20.70	53.17	1	Vertical	227	1.69	-	37.70	20.77	48.80			
AV	19.6919G	47.80	63.54	-15.74	38.13	1	Vertical	227	1.69	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 60
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70185G	61.22	83.54	-22.32	51.56	1	Horizontal	225	1.66	-	37.70	20.76	48.80			
AV	19.6919G	47.33	63.54	-16.21	37.66	1	Horizontal	225	1.66	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 39
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37546G	67.95	74.00	-6.05	79.59	3	Vertical	21	1.30	-	40.20	13.00	64.84			
AV	13.37408G	51.41	54.00	-2.59	63.05	3	Vertical	21	1.30	-	40.20	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 39
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3722G	69.22	74.00	-4.78	80.87	3	Horizontal	22	1.75	-	40.19	13.00	64.84			
AV	13.3738G	53.51	54.00	-0.49	65.15	3	Horizontal	22	1.75	-	40.20	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 39
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05557G	50.19	83.54	-33.35	40.53	1	Vertical	22	2.59	-	37.80	20.65	48.79			
AV	20.05263G	37.47	63.54	-26.07	27.81	1	Vertical	22	2.59	-	37.80	20.65	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 39
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05711G	50.41	83.54	-33.13	40.75	1	Horizontal	62	1.29	-	37.80	20.65	48.79			
AV	20.05672G	36.73	63.54	-26.81	27.07	1	Horizontal	62	1.29	-	37.80	20.65	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69984G	65.36	88.20	-22.84	76.35	3	Vertical	151	1.80	-	40.70	13.05	64.74			
RMS	13.69372G	50.58	68.20	-17.62	61.58	3	Vertical	151	1.80	-	40.69	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69282G	77.29	88.20	-10.91	88.29	3	Horizontal	290	1.73	-	40.69	13.05	64.74			
RMS	13.69366G	61.32	68.20	-6.88	72.32	3	Horizontal	290	1.73	-	40.69	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5332G	69.63	83.54	-13.91	58.94	1	Vertical	141	1.82	-	37.90	21.49	48.70			
AV	20.5329G	55.84	63.54	-7.70	45.15	1	Vertical	141	1.82	-	37.90	21.49	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5523G	70.47	83.54	-13.07	59.76	1	Horizontal	273	1.72	-	37.90	21.51	48.70			
AV	20.542G	57.96	63.54	-5.58	47.26	1	Horizontal	273	1.72	-	37.90	21.50	48.70			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT V_2TX
Setting 49
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2817G	63.09	74.00	-10.91	77.21	3	Vertical	342	2.03	-	38.70	12.83	65.65			
AV	12.2817G	47.40	54.00	-6.60	61.52	3	Vertical	342	2.03	-	38.70	12.83	65.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT V_2TX
Setting 49
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2814G	69.27	74.00	-4.73	83.39	3	Horizontal	32	1.75	-	38.70	12.83	65.65			
AV	12.2814G	53.50	54.00	-0.50	67.62	3	Horizontal	32	1.75	-	38.70	12.83	65.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT V_2TX
Setting 49
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.4363G	52.14	83.54	-31.40	42.17	1	Vertical	100	1.40	-	37.70	20.56	48.29			
AV	18.43762G	38.87	63.54	-24.67	28.90	1	Vertical	100	1.40	-	37.70	20.56	48.29			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_V_2TX
Setting 49
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.43966G	52.69	83.54	-30.85	42.72	1	Horizontal	148	1.73	-	37.70	20.56	48.29			
AV	18.43864G	39.14	63.54	-24.40	29.17	1	Horizontal	148	1.73	-	37.70	20.56	48.29			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 47
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4528G	63.73	74.00	-10.27	77.76	3	Vertical	316	1.86	-	38.70	12.86	65.59			
AV	12.4528G	48.13	54.00	-5.87	62.16	3	Vertical	316	1.86	-	38.70	12.86	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 47
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4525G	69.54	74.00	-4.46	83.57	3	Horizontal	314	1.79	-	38.70	12.86	65.59			
AV	12.4525G	53.57	54.00	-0.43	67.60	3	Horizontal	314	1.79	-	38.70	12.86	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 47
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68198G	53.31	83.54	-30.23	43.27	1	Vertical	353	1.80	-	37.90	20.62	48.48			
AV	18.67974G	39.21	63.54	-24.33	29.17	1	Vertical	353	1.80	-	37.90	20.62	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 47
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66602G	54.15	83.54	-29.39	44.10	1	Horizontal	289	1.61	-	37.90	20.62	48.47			
AV	18.67G	40.31	63.54	-23.23	30.26	1	Horizontal	289	1.61	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7729G	71.38	88.20	-16.82	84.81	3	Vertical	21	1.94	-	38.85	12.91	65.19			
RMS	12.7829G	56.08	68.20	-12.12	69.48	3	Vertical	21	1.94	-	38.87	12.91	65.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7715G	74.17	88.20	-14.03	87.62	3	Horizontal	323	1.74	-	38.84	12.91	65.20			
RMS	12.7634G	58.51	68.20	-9.69	71.98	3	Horizontal	323	1.74	-	38.83	12.91	65.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15844G	57.76	83.54	-25.78	47.86	1	Vertical	223	1.70	-	37.97	20.73	48.80			
AV	19.16358G	44.10	63.54	-19.44	34.21	1	Vertical	223	1.70	-	37.95	20.74	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16226G	59.74	83.54	-23.80	49.86	1	Horizontal	282	1.80	-	37.95	20.73	48.80			
AV	19.15996G	46.21	63.54	-17.33	36.32	1	Horizontal	282	1.80	-	37.96	20.73	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 47
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2541G	63.90	74.00	-10.10	75.85	3	Vertical	140	1.78	-	39.92	12.98	64.85			
AV	13.2541G	48.61	54.00	-5.39	60.56	3	Vertical	140	1.78	-	39.92	12.98	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 47
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	13.25455G	53.86	54.00	-0.14	65.81	3	Horizontal	18	1.80	-	39.92	12.98	64.85			
PK	13.25455G	62.40	74.00	-11.60	74.35	3	Horizontal	18	1.80	-	39.92	12.98	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 47
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87525G	52.19	83.54	-31.35	42.65	1	Vertical	155	1.53	-	37.70	20.64	48.80			
AV	19.87647G	38.50	63.54	-25.04	28.96	1	Vertical	155	1.53	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 47
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87486G	51.35	83.54	-32.19	41.81	1	Horizontal	248	1.90	-	37.70	20.64	48.80			
AV	19.87498G	37.64	63.54	-25.90	28.10	1	Horizontal	248	1.90	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 43
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3949G	66.42	74.00	-7.58	77.97	3	Vertical	23	2.63	-	40.28	13.01	64.84			
AV	13.39419G	49.56	54.00	-4.44	61.11	3	Vertical	23	2.63	-	40.28	13.01	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 43
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39247G	70.18	74.00	-3.82	81.74	3	Horizontal	22	1.74	-	40.27	13.01	64.84			
AV	13.39356G	53.54	54.00	-0.46	65.10	3	Horizontal	22	1.74	-	40.27	13.01	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11335G	51.11	83.54	-32.43	41.33	1	Vertical	96	2.52	-	37.80	20.76	48.78			
AV	20.11733G	38.09	63.54	-25.45	28.31	1	Vertical	96	2.52	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 43
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11672G	51.40	83.54	-32.14	41.62	1	Horizontal	191	2.12	-	37.80	20.76	48.78			
AV	20.11561G	37.04	63.54	-26.50	27.26	1	Horizontal	191	2.12	-	37.80	20.76	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5826G	63.15	88.20	-25.05	74.40	3	Vertical	158	1.80	-	40.50	13.04	64.79			
RMS	13.5723G	49.18	68.20	-19.02	60.45	3	Vertical	158	1.80	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5739G	72.55	88.20	-15.65	83.82	3	Horizontal	316	1.80	-	40.50	13.03	64.80			
RMS	13.5737G	57.49	68.20	-10.71	68.76	3	Horizontal	316	1.80	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3629G	58.93	83.54	-24.61	48.58	1	Vertical	123	1.80	-	37.87	21.21	48.73			
AV	20.3719G	45.68	63.54	-17.86	35.32	1	Vertical	123	1.80	-	37.86	21.23	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3619G	62.00	83.54	-21.54	51.64	1	Horizontal	150	1.77	-	37.88	21.21	48.73			
AV	20.3721G	48.64	63.54	-14.90	38.28	1	Horizontal	150	1.77	-	37.86	21.23	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 50
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36325G	62.42	74.00	-11.58	76.49	3	Vertical	342	1.96	-	38.70	12.85	65.62			
AV	12.3521G	47.40	54.00	-6.60	61.48	3	Vertical	342	1.96	-	38.70	12.84	65.62			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 50
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	12.4038G	53.48	54.00	-0.52	67.53	3	Horizontal	31	1.80	-	38.70	12.85	65.60			
PK	12.4038G	68.13	74.00	-5.87	82.18	3	Horizontal	31	1.80	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 50
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55496G	51.42	83.54	-32.12	41.36	1	Vertical	317	2.84	-	37.80	20.61	48.35			
AV	18.55458G	38.52	63.54	-25.02	28.46	1	Vertical	317	2.84	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 50
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55533G	51.50	83.54	-32.04	41.45	1	Horizontal	260	1.90	-	37.80	20.61	48.36			
AV	18.55396G	37.64	63.54	-25.90	27.58	1	Horizontal	260	1.90	-	37.80	20.61	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.694G	63.08	74.00	-10.92	76.79	3	Vertical	326	1.15	-	38.69	12.90	65.30			
AV	12.6938G	48.00	54.00	-6.00	61.71	3	Vertical	326	1.15	-	38.69	12.90	65.30			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 60
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6754G	67.35	74.00	-6.65	81.14	3	Horizontal	318	1.77	-	38.65	12.89	65.33			
AV	12.67355G	52.51	54.00	-1.49	66.30	3	Horizontal	318	1.77	-	38.65	12.89	65.33			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02225G	54.01	83.54	-29.53	44.19	1	Vertical	353	1.98	-	37.96	20.66	48.80			
AV	19.03G	40.91	63.54	-22.63	31.10	1	Vertical	353	1.98	-	37.94	20.67	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 60
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0348G	55.79	83.54	-27.75	45.99	1	Horizontal	283	1.80	-	37.93	20.67	48.80			
AV	19.0402G	42.01	63.54	-21.53	32.22	1	Horizontal	283	1.80	-	37.92	20.67	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 47
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.364G	66.21	74.00	-7.79	77.89	3	Vertical	328	1.91	-	40.16	13.00	64.84			
AV	13.3256G	50.09	54.00	-3.91	61.84	3	Vertical	328	1.91	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 47
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3639G	70.84	74.00	-3.16	82.52	3	Horizontal	21	1.75	-	40.16	13.00	64.84			
AV	13.3754G	53.66	54.00	-0.34	65.30	3	Horizontal	21	1.75	-	40.20	13.00	64.84			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 47
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.01245G	53.89	83.54	-29.65	44.40	1	Vertical	221	1.58	-	37.72	20.57	48.80			
AV	19.9718G	40.70	63.54	-22.84	31.17	1	Vertical	221	1.58	-	37.76	20.57	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_V_2TX
Setting 47
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.97895G	53.97	83.54	-29.57	44.46	1	Horizontal	289	1.77	-	37.74	20.57	48.80			
AV	20.00105G	41.34	63.54	-22.20	31.89	1	Horizontal	289	1.77	-	37.70	20.55	48.80			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	20.53836G	61.81	63.54	-1.73	1	Horizontal	187	1.69	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.23455G	60.89	74.00	-13.11	40.69	3	Vertical	77	1.50	-	38.73	12.83	31.36			
AV	12.22834G	45.67	54.00	-8.33	25.46	3	Vertical	77	1.50	-	38.74	12.83	31.36			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.23455G	60.35	74.00	-13.65	40.15	3	Horizontal	209	1.50	-	38.73	12.83	31.36			
AV	12.22834G	45.51	54.00	-8.49	25.30	3	Horizontal	209	1.50	-	38.74	12.83	31.36			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34314G	51.03	83.54	-32.51	41.11	1	Vertical	199	1.52	-	37.69	20.50	48.27			
AV	18.34534G	36.99	63.54	-26.55	27.07	1	Vertical	199	1.52	-	37.69	20.50	48.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34114G	55.68	83.54	-27.86	45.77	1	Horizontal	199	1.52	-	37.68	20.50	48.27			
AV	18.3497G	40.82	63.54	-22.72	30.89	1	Horizontal	199	1.52	-	37.70	20.50	48.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39494G	61.30	74.00	-12.70	41.05	3	Vertical	182	1.61	-	38.70	12.85	31.30			
AV	12.38533G	47.44	54.00	-6.56	27.19	3	Vertical	182	1.61	-	38.70	12.85	31.30			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39033G	60.41	74.00	-13.59	40.16	3	Horizontal	225	1.80	-	38.70	12.85	31.30			
AV	12.39007G	48.59	54.00	-5.41	28.34	3	Horizontal	225	1.80	-	38.70	12.85	31.30			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58512G	53.43	83.54	-30.11	43.41	1	Vertical	196	1.58	-	37.80	20.61	48.39			
AV	18.58594G	39.09	63.54	-24.45	29.07	1	Vertical	196	1.58	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58558G	55.28	83.54	-28.26	45.26	1	Horizontal	217	1.66	-	37.80	20.61	48.39			
AV	18.5847G	41.14	63.54	-22.40	31.11	1	Horizontal	217	1.66	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83293G	59.56	88.20	-28.64	38.97	3	Vertical	190	1.91	-	39.03	12.92	31.36			
RMS	12.83204G	46.11	68.20	-22.09	25.52	3	Vertical	190	1.91	-	39.03	12.92	31.36			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82985G	61.09	88.20	-27.11	40.51	3	Horizontal	231	1.82	-	39.02	12.92	31.36			
RMS	12.83003G	47.03	68.20	-21.17	26.45	3	Horizontal	231	1.82	-	39.02	12.92	31.36			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24374G	56.23	83.54	-27.31	46.28	1	Vertical	213	1.80	-	37.97	20.78	48.80			
AV	19.24462G	41.46	63.54	-22.08	31.50	1	Vertical	213	1.80	-	37.98	20.78	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2447G	58.65	83.54	-24.89	48.69	1	Horizontal	217	1.66	-	37.98	20.78	48.80			
AV	19.2446G	42.64	63.54	-20.90	32.68	1	Horizontal	217	1.66	-	37.98	20.78	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0695G	60.82	88.20	-27.38	39.81	3	Vertical	158	1.80	-	39.48	12.96	31.43			
RMS	13.07025G	46.58	68.20	-21.62	25.57	3	Vertical	158	1.80	-	39.48	12.96	31.43			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07314G	64.64	88.20	-23.56	43.62	3	Horizontal	70	1.80	-	39.49	12.96	31.43			
RMS	13.0742G	49.21	68.20	-18.99	28.18	3	Horizontal	70	1.80	-	39.50	12.96	31.43			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60476G	57.70	83.54	-25.84	47.97	1	Vertical	209	1.73	-	37.70	20.83	48.80			
AV	19.60388G	42.50	63.54	-21.04	32.76	1	Vertical	209	1.73	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60832G	62.20	83.54	-21.34	52.47	1	Horizontal	223	1.74	-	37.70	20.83	48.80			
AV	19.60856G	46.56	63.54	-16.98	36.83	1	Horizontal	223	1.74	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3947G	58.43	74.00	-15.57	69.98	3	Vertical	156	1.84	-	40.28	13.01	64.84			
AV	13.38595G	43.36	54.00	-10.64	54.96	3	Vertical	156	1.84	-	40.24	13.00	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX



EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39305G	63.20	74.00	-10.80	74.76	3	Horizontal	244	1.93	-	40.27	13.01	64.84			
AV	13.39205G	47.67	54.00	-6.33	59.23	3	Horizontal	244	1.93	-	40.27	13.01	64.84			