


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08372G	62.19	83.54	-21.35	52.47	1	Vertical	201	1.64	-	37.80	20.70	48.78			
AV	20.0838G	46.83	63.54	-16.71	37.11	1	Vertical	201	1.64	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08044G	67.34	83.54	-16.20	57.62	1	Horizontal	215	1.76	-	37.80	20.70	48.78			
AV	20.08052G	51.36	63.54	-12.18	41.64	1	Horizontal	215	1.76	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71055G	61.32	88.20	-26.88	72.27	3	Vertical	202	1.55	-	40.72	13.06	64.73			
RMS	13.7101G	46.43	68.20	-21.77	57.38	3	Vertical	202	1.55	-	40.72	13.06	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7132G	61.59	88.20	-26.61	72.53	3	Horizontal	242	1.88	-	40.73	13.06	64.73			
RMS	13.7101G	48.42	68.20	-19.78	59.37	3	Horizontal	242	1.88	-	40.72	13.06	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56712G	71.35	83.54	-12.19	60.62	1	Vertical	209	1.78	-	37.90	21.53	48.70			
AV	20.56566G	55.91	63.54	-7.63	45.18	1	Vertical	209	1.78	-	37.90	21.53	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5682G	75.91	83.54	-7.63	65.18	1	Horizontal	162	1.76	-	37.90	21.53	48.70			
AV	20.56646G	60.91	63.54	-2.63	50.18	1	Horizontal	162	1.76	-	37.90	21.53	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.25G	48.37	74.00	-25.63	62.50	3	Vertical	141	1.76	-	38.70	12.83	65.66			
AV	12.25005G	38.02	54.00	-15.98	52.15	3	Vertical	141	1.76	-	38.70	12.83	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.25015G	52.12	74.00	-21.88	66.25	3	Horizontal	226	1.80	-	38.70	12.83	65.66			
AV	12.25005G	47.53	54.00	-6.47	61.66	3	Horizontal	226	1.80	-	38.70	12.83	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37804G	52.62	83.54	-30.92	42.68	1	Vertical	203	1.80	-	37.70	20.52	48.28			
AV	18.37012G	39.15	63.54	-24.39	29.21	1	Vertical	203	1.80	-	37.70	20.51	48.27			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37892G	56.30	83.54	-27.24	46.36	1	Horizontal	182	1.58	-	37.70	20.52	48.28			
AV	18.37968G	42.36	63.54	-21.18	32.42	1	Horizontal	182	1.58	-	37.70	20.52	48.28			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61828G	53.10	83.54	-30.44	43.07	1	Vertical	210	1.82	-	37.84	20.61	48.42			
AV	18.62756G	39.27	63.54	-24.27	29.23	1	Vertical	210	1.82	-	37.86	20.61	48.43			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6252G	55.00	83.54	-28.54	44.97	1	Horizontal	218	1.66	-	37.85	20.61	48.43			
AV	18.624G	41.21	63.54	-22.33	31.17	1	Horizontal	218	1.66	-	37.85	20.61	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80395G	51.60	88.20	-36.60	64.92	3	Vertical	189	1.82	-	38.92	12.91	65.15			
RMS	12.80405G	37.24	68.20	-30.96	50.56	3	Vertical	189	1.82	-	38.92	12.91	65.15			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8101G	51.17	88.20	-37.03	64.45	3	Horizontal	228	2.31	-	38.94	12.92	65.14			
AV	12.8101G	43.45	68.20	-24.75	56.73	3	Horizontal	228	2.31	-	38.94	12.92	65.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.208G	54.87	83.54	-28.67	45.08	1	Vertical	199	1.80	-	37.83	20.76	48.80			
AV	19.21856G	40.36	63.54	-23.18	30.53	1	Vertical	199	1.80	-	37.87	20.76	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21492G	56.54	83.54	-27.00	46.72	1	Horizontal	227	1.67	-	37.86	20.76	48.80			
AV	19.21488G	42.61	63.54	-20.93	32.79	1	Horizontal	227	1.67	-	37.86	20.76	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1333G	56.82	88.20	-31.38	69.05	3	Vertical	163	1.80	-	39.67	12.97	64.87			
RMS	13.1341G	42.36	68.20	-25.84	54.59	3	Vertical	163	1.80	-	39.67	12.97	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX


EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1348G	60.29	88.20	-27.91	72.52	3	Horizontal	52	1.86	-	39.67	12.97	64.87			
RMS	13.1346G	45.56	68.20	-22.64	57.79	3	Horizontal	52	1.86	-	39.67	12.97	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70576G	52.14	83.54	-31.40	42.48	1	Vertical	51	2.08	-	37.70	20.76	48.80			
AV	19.69532G	38.01	63.54	-25.53	28.34	1	Vertical	51	2.08	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69924G	62.56	83.54	-20.98	52.89	1	Horizontal	190	1.62	-	37.70	20.77	48.80			
AV	19.69864G	48.51	63.54	-15.03	38.84	1	Horizontal	190	1.62	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3722G	57.56	74.00	-16.44	69.21	3	Vertical	166	2.97	-	40.19	13.00	64.84			
AV	13.3726G	40.65	54.00	-13.35	52.30	3	Vertical	166	2.97	-	40.19	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3734G	61.67	74.00	-12.33	73.32	3	Horizontal	80	1.89	-	40.19	13.00	64.84			
AV	13.3631G	45.27	54.00	-8.73	56.96	3	Horizontal	80	1.89	-	40.15	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05296G	60.08	83.54	-23.46	50.42	1	Vertical	202	1.64	-	37.80	20.65	48.79			
AV	20.04392G	46.37	63.54	-17.17	36.74	1	Vertical	202	1.64	-	37.79	20.63	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06868G	64.99	83.54	-18.55	55.31	1	Horizontal	224	1.66	-	37.80	20.67	48.79			
AV	20.04948G	50.36	63.54	-13.18	40.71	1	Horizontal	224	1.66	-	37.80	20.64	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6899G	54.16	88.20	-34.04	65.17	3	Vertical	206	1.80	-	40.68	13.05	64.74			
RMS	13.6901G	42.02	68.20	-26.18	53.03	3	Vertical	206	1.80	-	40.68	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6901G	54.48	88.20	-33.72	65.49	3	Horizontal	238	1.87	-	40.68	13.05	64.74			
RMS	13.6901G	48.24	68.20	-19.96	59.25	3	Horizontal	238	1.87	-	40.68	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54G	73.80	83.54	-9.74	63.10	1	Vertical	200	1.63	-	37.90	21.50	48.70			
AV	20.54112G	58.67	63.54	-4.87	47.97	1	Vertical	200	1.63	-	37.90	21.50	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5274G	75.70	83.54	-7.84	65.01	1	Horizontal	187	1.69	-	37.90	21.49	48.70			
AV	20.53836G	61.81	63.54	-1.73	51.11	1	Horizontal	187	1.69	-	37.90	21.50	48.70			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.29984G	48.93	74.00	-25.07	63.03	3	Vertical	141	1.68	-	38.70	12.84	65.64			
AV	12.29008G	38.31	54.00	-15.69	52.43	3	Vertical	141	1.68	-	38.70	12.83	65.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.29008G	51.98	74.00	-22.02	66.10	3	Horizontal	226	1.80	-	38.70	12.83	65.65			
AV	12.29008G	47.85	54.00	-6.15	61.97	3	Horizontal	226	1.80	-	38.70	12.83	65.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.4304G	52.62	83.54	-30.92	42.66	1	Vertical	196	1.80	-	37.70	20.55	48.29			
AV	18.4194G	39.30	63.54	-24.24	29.33	1	Vertical	196	1.80	-	37.70	20.55	48.28			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.42048G	52.80	83.54	-30.74	42.83	1	Horizontal	219	1.71	-	37.70	20.55	48.28			
AV	18.43508G	39.40	63.54	-24.14	29.43	1	Horizontal	219	1.71	-	37.70	20.56	48.29			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4773G	55.73	74.00	-18.27	69.75	3	Vertical	211	2.85	-	38.70	12.86	65.58			
AV	12.47385G	41.53	54.00	-12.47	55.55	3	Vertical	211	2.85	-	38.70	12.86	65.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45375G	58.30	74.00	-15.70	72.33	3	Horizontal	220	1.80	-	38.70	12.86	65.59			
AV	12.45G	48.79	54.00	-5.21	62.82	3	Horizontal	220	1.80	-	38.70	12.86	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.66704G	52.78	83.54	-30.76	42.73	1	Vertical	211	1.76	-	37.90	20.62	48.47			
AV	18.67704G	39.04	63.54	-24.50	29.00	1	Vertical	211	1.76	-	37.90	20.62	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.675G	54.22	83.54	-29.32	44.17	1	Horizontal	218	1.66	-	37.90	20.62	48.47			
AV	18.67492G	40.70	63.54	-22.84	30.65	1	Horizontal	218	1.66	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77525G	50.16	88.20	-38.04	63.59	3	Vertical	189	1.83	-	38.85	12.91	65.19			
RMS	12.78305G	37.06	68.20	-31.14	50.46	3	Vertical	189	1.83	-	38.87	12.91	65.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77G	49.86	88.20	-38.34	63.31	3	Horizontal	229	1.80	-	38.84	12.91	65.20			
RMS	12.77015G	43.34	68.20	-24.86	56.79	3	Horizontal	229	1.80	-	38.84	12.91	65.20			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15984G	53.38	83.54	-30.16	43.49	1	Vertical	200	1.79	-	37.96	20.73	48.80			
AV	19.15872G	39.78	63.54	-23.76	29.88	1	Vertical	200	1.79	-	37.97	20.73	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.16364G	53.21	83.54	-30.33	43.32	1	Horizontal	217	1.66	-	37.95	20.74	48.80				
AV	19.15444G	39.83	63.54	-23.71	29.92	1	Horizontal	217	1.66	-	37.98	20.73	48.80				

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2635G	55.38	74.00	-18.62	67.29	3	Vertical	180	2.89	-	39.95	12.99	64.85			
RMS	13.25495G	42.35	54.00	-11.65	54.30	3	Vertical	180	2.89	-	39.92	12.98	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24625G	58.34	88.20	-29.86	70.34	3	Horizontal	50	1.78	-	39.88	12.98	64.86			
RMS	13.2449G	45.30	68.20	-22.90	57.30	3	Horizontal	50	1.78	-	39.88	12.98	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8788G	56.72	83.54	-26.82	47.18	1	Vertical	172	1.80	-	37.70	20.64	48.80			
AV	19.86704G	42.71	63.54	-20.83	33.16	1	Vertical	172	1.80	-	37.70	20.65	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86936G	64.06	83.54	-19.48	54.52	1	Horizontal	194	1.70	-	37.70	20.64	48.80			
AV	19.8788G	49.53	63.54	-14.01	39.99	1	Horizontal	194	1.70	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41015G	53.35	88.20	-34.85	64.86	3	Vertical	198	1.55	-	40.32	13.01	64.84			
RMS	13.41015G	44.76	68.20	-23.44	56.27	3	Vertical	198	1.55	-	40.32	13.01	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40265G	54.71	88.20	-33.49	66.23	3	Horizontal	238	1.77	-	40.31	13.01	64.84			
RMS	13.41015G	43.99	68.20	-24.21	55.50	3	Horizontal	238	1.77	-	40.32	13.01	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.13064G	56.56	83.54	-26.98	46.74	1	Vertical	209	1.77	-	37.80	20.79	48.77			
AV	20.1184G	43.08	63.54	-20.46	33.29	1	Vertical	209	1.77	-	37.80	20.77	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10228G	60.83	83.54	-22.71	51.07	1	Horizontal	212	1.72	-	37.80	20.74	48.78			
AV	20.13232G	47.55	63.54	-15.99	37.73	1	Horizontal	212	1.72	-	37.80	20.79	48.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57G	52.76	88.20	-35.44	64.03	3	Vertical	207	1.77	-	40.50	13.03	64.80			
RMS	13.57015G	43.28	68.20	-24.92	54.55	3	Vertical	207	1.77	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56175G	56.20	88.20	-32.00	67.47	3	Horizontal	241	1.84	-	40.50	13.03	64.80			
RMS	13.57015G	46.72	68.20	-21.48	57.99	3	Horizontal	241	1.84	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.37352G	66.05	83.54	-17.49	55.70	1	Vertical	200	1.64	-	37.85	21.23	48.73			
AV	20.36268G	52.08	63.54	-11.46	41.73	1	Vertical	200	1.64	-	37.87	21.21	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34508G	69.47	83.54	-14.07	59.13	1	Horizontal	171	1.62	-	37.89	21.18	48.73			
AV	20.36556G	54.06	63.54	-9.48	43.70	1	Horizontal	171	1.62	-	37.87	21.22	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37G	49.22	74.00	-24.78	63.29	3	Vertical	212	1.39	-	38.70	12.85	65.62			
AV	12.37015G	39.17	54.00	-14.83	53.24	3	Vertical	212	1.39	-	38.70	12.85	65.62			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37015G	51.93	74.00	-22.07	66.00	3	Horizontal	228	1.80	-	38.70	12.85	65.62			
AV	12.37015G	47.68	54.00	-6.32	61.75	3	Horizontal	228	1.80	-	38.70	12.85	65.62			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.52572G	51.68	83.54	-31.86	41.61	1	Vertical	177	1.79	-	37.80	20.60	48.33			
AV	18.54708G	38.40	63.54	-25.14	28.35	1	Vertical	177	1.79	-	37.80	20.60	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56796G	52.43	83.54	-31.11	42.39	1	Horizontal	220	1.74	-	37.80	20.61	48.37			
AV	18.55508G	39.19	63.54	-24.35	29.14	1	Horizontal	220	1.74	-	37.80	20.61	48.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6903G	47.65	74.00	-26.35	61.38	3	Vertical	149	1.80	-	38.68	12.90	65.31			
AV	12.69006G	36.96	54.00	-17.04	50.69	3	Vertical	149	1.80	-	38.68	12.90	65.31			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6901G	51.62	74.00	-22.38	65.35	3	Horizontal	221	1.77	-	38.68	12.90	65.31			
AV	12.6901G	45.59	54.00	-8.41	59.32	3	Horizontal	221	1.77	-	38.68	12.90	65.31			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0598G	52.27	83.54	-31.27	42.47	1	Vertical	201	1.78	-	37.92	20.68	48.80			
AV	18.99764G	38.65	63.54	-24.89	28.80	1	Vertical	201	1.78	-	38.00	20.65	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.00348G	52.41	83.54	-31.13	42.57	1	Horizontal	218	1.66	-	37.99	20.65	48.80			
AV	18.995G	39.12	63.54	-24.42	29.26	1	Horizontal	218	1.66	-	38.00	20.65	48.79			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33016G	50.76	74.00	-23.24	62.51	3	Vertical	206	1.77	-	40.10	13.00	64.85			
AV	13.33016G	43.17	54.00	-10.83	54.92	3	Vertical	206	1.77	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33016G	52.12	74.00	-21.88	63.87	3	Horizontal	240	1.80	-	40.10	13.00	64.85			
AV	13.33008G	42.72	54.00	-11.28	54.47	3	Horizontal	240	1.80	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0134G	58.28	83.54	-25.26	48.78	1	Horizontal	214	1.73	-	37.73	20.57	48.80			
AV	20.02316G	44.33	63.54	-19.21	34.79	1	Horizontal	214	1.73	-	37.75	20.59	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Y_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00132G	57.76	83.54	-25.78	48.31	1	Horizontal	214	1.74	-	37.70	20.55	48.80			
AV	20.02268G	43.92	63.54	-19.62	34.38	1	Horizontal	214	1.74	-	37.75	20.59	48.80			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_2TX	Pass	AV	13.3832G	53.96	54.00	-0.04	3	Vertical	360	1.80	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22424G	56.72	74.00	-17.28	70.82	3	Vertical	127	1.73	-	38.75	12.82	65.67			
AV	12.23354G	45.28	54.00	-8.72	59.39	3	Vertical	127	1.73	-	38.73	12.83	65.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.23366G	58.91	74.00	-15.09	73.02	3	Horizontal	219	1.80	-	38.73	12.83	65.67			
AV	12.23348G	45.12	54.00	-8.88	59.23	3	Horizontal	219	1.80	-	38.73	12.83	65.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34916G	56.42	83.54	-27.12	51.81	1	Vertical	185	1.82	-	37.80	16.46	49.65			
AV	18.34132G	41.23	63.54	-22.31	36.66	1	Vertical	185	1.82	-	37.77	16.45	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6115MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.35176G	51.98	83.54	-31.56	47.37	1	Horizontal	148	1.80	-	37.80	16.46	49.65			
AV	18.35032G	36.70	63.54	-26.84	32.09	1	Horizontal	148	1.80	-	37.80	16.46	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39282G	63.66	74.00	-10.34	77.72	3	Vertical	124	1.74	-	38.70	12.85	65.61			
AV	12.39306G	51.76	54.00	-2.24	65.82	3	Vertical	124	1.74	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39318G	64.08	74.00	-9.92	78.14	3	Horizontal	95	1.63	-	38.70	12.85	65.61			
AV	12.39312G	51.42	54.00	-2.58	65.48	3	Horizontal	95	1.63	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.582G	55.64	83.54	-27.90	50.85	1	Vertical	190	1.85	-	37.86	16.58	49.65			
AV	18.58056G	41.44	63.54	-22.10	36.65	1	Vertical	190	1.85	-	37.86	16.58	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58804G	54.44	83.54	-29.10	49.63	1	Horizontal	164	1.80	-	37.88	16.58	49.65			
AV	18.58754G	38.52	63.54	-25.02	33.71	1	Horizontal	164	1.80	-	37.88	16.58	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83228G	62.70	88.20	-25.50	75.86	3	Vertical	360	1.80	-	39.03	12.92	65.11			
RMS	12.8315G	46.66	68.20	-21.54	59.82	3	Vertical	360	1.80	-	39.03	12.92	65.11			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83078G	61.29	88.20	-26.91	74.46	3	Horizontal	1	1.77	-	39.02	12.92	65.11			
RMS	12.83198G	46.15	68.20	-22.05	59.31	3	Horizontal	1	1.77	-	39.03	12.92	65.11			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24512G	56.31	83.54	-27.23	50.93	1	Vertical	199	1.69	-	37.90	16.93	49.45			
AV	19.24414G	42.12	63.54	-21.42	36.74	1	Vertical	199	1.69	-	37.90	16.93	49.45			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24524G	55.40	83.54	-28.14	50.02	1	Horizontal	175	1.67	-	37.90	16.93	49.45			
AV	19.2459G	40.99	63.54	-22.55	35.61	1	Horizontal	175	1.67	-	37.90	16.93	49.45			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0544G	71.72	88.20	-16.48	84.22	3	Vertical	359	1.80	-	39.42	12.95	64.87			
RMS	13.0643G	55.64	68.20	-12.56	68.10	3	Vertical	359	1.80	-	39.46	12.95	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0543G	69.57	88.20	-18.63	82.07	3	Horizontal	357	1.86	-	39.42	12.95	64.87			
RMS	13.0646G	55.04	68.20	-13.16	67.49	3	Horizontal	357	1.86	-	39.46	12.96	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61154G	59.78	83.54	-23.76	54.28	1	Vertical	202	1.67	-	37.88	17.14	49.52			
AV	19.60162G	45.02	63.54	-18.52	39.51	1	Vertical	202	1.67	-	37.90	17.14	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60828G	58.48	83.54	-25.06	52.99	1	Horizontal	176	1.70	-	37.88	17.14	49.53			
AV	19.59904G	43.12	63.54	-20.42	37.61	1	Horizontal	176	1.70	-	37.90	17.14	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 45
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	13.3841G	53.61	54.00	-0.39	65.21	3	Vertical	243	1.43	-	40.24	13.00	64.84			
PK	13.39285G	72.65	74.00	-1.35	84.21	3	Vertical	243	1.43	-	40.27	13.01	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 45
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3841G	66.52	74.00	-7.48	78.12	3	Horizontal	360	1.83	-	40.24	13.00	64.84			
AV	13.3843G	49.51	54.00	-4.49	61.11	3	Horizontal	360	1.83	-	40.24	13.00	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 45
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0848G	54.25	83.54	-29.29	48.25	1	Vertical	202	1.76	-	37.87	17.38	49.25			
AV	20.08424G	39.27	63.54	-24.27	33.27	1	Vertical	202	1.76	-	37.87	17.38	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 45
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08548G	52.91	83.54	-30.63	46.91	1	Horizontal	200	1.80	-	37.87	17.38	49.25			
AV	20.08408G	38.13	63.54	-25.41	32.13	1	Horizontal	200	1.80	-	37.87	17.38	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7134G	73.11	88.20	-15.09	84.05	3	Vertical	358	1.97	-	40.73	13.06	64.73			
RMS	13.7129G	56.34	68.20	-11.86	67.28	3	Vertical	358	1.97	-	40.73	13.06	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7137G	72.34	88.20	-15.86	83.28	3	Horizontal	0	1.80	-	40.73	13.06	64.73			
RMS	13.7128G	55.68	68.20	-12.52	66.62	3	Horizontal	0	1.80	-	40.73	13.06	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56816G	69.74	83.54	-13.80	63.54	1	Vertical	199	1.78	-	37.94	17.45	49.19			
AV	20.56852G	52.72	63.54	-10.82	46.52	1	Vertical	199	1.78	-	37.94	17.45	49.19			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56456G	68.52	83.54	-15.02	62.34	1	Horizontal	169	1.70	-	37.93	17.45	49.20			
AV	20.56456G	54.89	63.54	-8.65	48.71	1	Horizontal	169	1.70	-	37.93	17.45	49.20			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2431G	53.39	74.00	-20.61	67.51	3	Vertical	228	1.79	-	38.71	12.83	65.66			
AV	12.2533G	41.67	54.00	-12.33	55.80	3	Vertical	228	1.79	-	38.70	12.83	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2532G	57.73	74.00	-16.27	71.86	3	Horizontal	360	1.90	-	38.70	12.83	65.66			
AV	12.254G	45.14	54.00	-8.86	59.27	3	Horizontal	360	1.90	-	38.70	12.83	65.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6125MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37036G	50.82	83.54	-32.72	46.17	1	Vertical	182	1.43	-	37.84	16.47	49.66			
AV	18.36952G	36.98	63.54	-26.56	32.33	1	Vertical	182	1.43	-	37.84	16.47	49.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6125MHz_TX

EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.36004G	48.35	83.54	-35.19	43.73	1	Horizontal	147	1.74	-	37.82	16.46	49.66			
AV	18.37164G	34.92	63.54	-28.62	30.27	1	Horizontal	147	1.74	-	37.84	16.47	49.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4177G	62.86	74.00	-11.14	76.91	3	Vertical	0	1.80	-	38.70	12.85	65.60			
AV	12.4191G	49.86	54.00	-4.14	63.91	3	Vertical	0	1.80	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4122G	61.23	74.00	-12.77	75.28	3	Horizontal	218	1.80	-	38.70	12.85	65.60			
AV	12.4126G	48.67	54.00	-5.33	62.72	3	Horizontal	218	1.80	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6292G	53.08	83.54	-30.46	48.13	1	Vertical	191	1.87	-	37.96	16.60	49.61			
AV	18.61968G	38.36	63.54	-25.18	33.44	1	Vertical	191	1.87	-	37.94	16.60	49.62			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61872G	49.87	83.54	-33.67	44.95	1	Horizontal	165	1.81	-	37.94	16.60	49.62			
AV	18.6176G	35.96	63.54	-27.58	31.05	1	Horizontal	165	1.81	-	37.94	16.59	49.62			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8027G	63.65	88.20	-24.55	76.98	3	Vertical	0	1.80	-	38.91	12.91	65.15			
RMS	12.8024G	49.02	68.20	-19.18	62.35	3	Vertical	0	1.80	-	38.91	12.91	65.15			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8015G	63.84	88.20	-24.36	77.17	3	Horizontal	357	1.89	-	38.91	12.91	65.15			
RMS	12.8022G	50.25	68.20	-17.95	63.58	3	Horizontal	357	1.89	-	38.91	12.91	65.15			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21964G	54.27	83.54	-29.27	48.89	1	Vertical	189	1.95	-	37.90	16.92	49.44			
AV	19.21904G	40.18	63.54	-23.36	34.80	1	Vertical	189	1.95	-	37.90	16.92	49.44			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.22584G	52.08	83.54	-31.46	46.70	1	Horizontal	172	1.65	-	37.90	16.92	49.44				
AV	19.21644G	37.82	63.54	-25.72	32.44	1	Horizontal	172	1.65	-	37.90	16.92	49.44				

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1253G	71.52	88.20	-16.68	83.78	3	Vertical	0	1.80	-	39.65	12.96	64.87			
RMS	13.1153G	56.84	68.20	-11.36	69.12	3	Vertical	0	1.80	-	39.63	12.96	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 54
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1228G	69.71	88.20	-18.49	81.97	3	Horizontal	0	1.73	-	39.65	12.96	64.87			
RMS	13.124G	56.24	68.20	-11.96	68.50	3	Horizontal	0	1.73	-	39.65	12.96	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7026G	57.65	83.54	-25.89	52.10	1	Vertical	202	1.63	-	37.81	17.20	49.46			
AV	19.69072G	43.03	63.54	-20.51	37.51	1	Vertical	202	1.63	-	37.80	17.19	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69028G	57.91	83.54	-25.63	52.39	1	Horizontal	202	1.76	-	37.80	17.19	49.47			
AV	19.69052G	42.31	63.54	-21.23	36.79	1	Horizontal	202	1.76	-	37.80	17.19	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 46
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	13.37305G	53.67	54.00	-0.33	65.32	3	Vertical	360	1.80	-	40.19	13.00	64.84			
PK	13.37435G	70.63	74.00	-3.37	82.27	3	Vertical	360	1.80	-	40.20	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 46
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3713G	64.49	74.00	-9.51	76.14	3	Horizontal	360	1.86	-	40.19	13.00	64.84			
AV	13.3724G	48.85	54.00	-5.15	60.50	3	Horizontal	360	1.86	-	40.19	13.00	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 46
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04148G	50.36	83.54	-33.18	44.41	1	Vertical	196	1.86	-	37.83	17.38	49.26			
AV	20.04248G	36.69	63.54	-26.85	30.74	1	Vertical	196	1.86	-	37.83	17.38	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 46
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.03636G	48.39	83.54	-35.15	42.42	1	Horizontal	281	2.09	-	37.85	17.38	49.26			
AV	20.05356G	34.92	63.54	-28.62	28.99	1	Horizontal	281	2.09	-	37.81	17.38	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6941G	68.26	88.20	-19.94	79.26	3	Vertical	358	1.96	-	40.69	13.05	64.74			
RMS	13.6939G	54.20	68.20	-14.00	65.20	3	Vertical	358	1.96	-	40.69	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6933G	63.26	88.20	-24.94	74.26	3	Horizontal	1	1.80	-	40.69	13.05	64.74			
RMS	13.6931G	47.68	68.20	-20.52	58.68	3	Horizontal	1	1.80	-	40.69	13.05	64.74			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54032G	65.02	83.54	-18.52	58.86	1	Vertical	201	1.76	-	37.92	17.45	49.21			
AV	20.52988G	51.06	63.54	-12.48	44.89	1	Vertical	201	1.76	-	37.94	17.44	49.21			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5282G	66.53	83.54	-17.01	60.37	1	Horizontal	174	1.59	-	37.94	17.44	49.22			
AV	20.53776G	52.60	63.54	-10.94	46.44	1	Horizontal	174	1.59	-	37.92	17.45	49.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2987G	54.07	74.00	-19.93	68.17	3	Vertical	359	1.80	-	38.70	12.84	65.64			
AV	12.2994G	40.38	54.00	-13.62	54.48	3	Vertical	359	1.80	-	38.70	12.84	65.64			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2718G	56.57	74.00	-17.43	70.69	3	Horizontal	360	1.80	-	38.70	12.83	65.65			
AV	12.273G	42.60	54.00	-11.40	56.72	3	Horizontal	360	1.80	-	38.70	12.83	65.65			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6145MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.46796G	48.85	83.54	-34.69	44.23	1	Vertical	183	1.77	-	37.81	16.52	49.71			
AV	18.42212G	35.96	63.54	-27.58	31.33	1	Vertical	183	1.77	-	37.81	16.50	49.68			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6145MHz_TX

EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.41244G	46.78	83.54	-36.76	42.12	1	Horizontal	263	1.22	-	37.85	16.49	49.68			
AV	18.42436G	33.81	63.54	-29.73	29.20	1	Horizontal	263	1.22	-	37.80	16.50	49.69			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4372G	61.43	74.00	-12.57	75.46	3	Vertical	0	1.80	-	38.70	12.86	65.59			
AV	12.45735G	48.10	54.00	-5.90	62.13	3	Vertical	0	1.80	-	38.70	12.86	65.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46275G	61.54	74.00	-12.46	75.56	3	Horizontal	236	2.18	-	38.70	12.86	65.58			
AV	12.47335G	47.69	54.00	-6.31	61.71	3	Horizontal	236	2.18	-	38.70	12.86	65.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67044G	50.61	83.54	-32.93	45.65	1	Vertical	193	1.80	-	37.92	16.62	49.58			
AV	18.66124G	37.09	63.54	-26.45	32.10	1	Vertical	193	1.80	-	37.96	16.62	49.59			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6574G	50.17	83.54	-33.37	45.17	1	Horizontal	164	1.81	-	37.97	16.62	49.59			
AV	18.67812G	36.45	63.54	-27.09	31.50	1	Horizontal	164	1.81	-	37.89	16.63	49.57			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX


EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7932G	58.12	88.20	-30.08	71.49	3	Vertical	360	1.80	-	38.89	12.91	65.17			
RMS	12.7926G	43.20	68.20	-25.00	56.57	3	Vertical	360	1.80	-	38.89	12.91	65.17			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79265G	59.57	88.20	-28.63	72.94	3	Horizontal	358	1.91	-	38.89	12.91	65.17			
RMS	12.7928G	45.35	68.20	-22.85	58.72	3	Horizontal	358	1.91	-	38.89	12.91	65.17			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16564G	51.53	83.54	-32.01	46.15	1	Vertical	137	1.60	-	37.90	16.89	49.41			
AV	19.16636G	38.12	63.54	-25.42	32.74	1	Vertical	137	1.60	-	37.90	16.89	49.41			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15852G	50.81	83.54	-32.73	45.43	1	Horizontal	166	1.80	-	37.90	16.88	49.40			
AV	19.16772G	37.43	63.54	-26.11	32.05	1	Horizontal	166	1.80	-	37.90	16.89	49.41			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 49
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2554G	72.36	74.00	-1.64	84.31	3	Vertical	0	1.80	-	39.92	12.98	64.85			
AV	13.25448G	53.70	54.00	-0.30	65.65	3	Vertical	0	1.80	-	39.92	12.98	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 49
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2536G	67.95	74.00	-6.05	79.91	3	Horizontal	1	1.80	-	39.91	12.98	64.85			
AV	13.25408G	51.31	54.00	-2.69	63.26	3	Horizontal	1	1.80	-	39.92	12.98	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 49
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.89652G	56.98	83.54	-26.56	51.10	1	Vertical	164	1.64	-	37.90	17.31	49.33			
AV	19.87852G	42.20	63.54	-21.34	36.34	1	Vertical	164	1.64	-	37.90	17.30	49.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 49
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87124G	54.82	83.54	-28.72	48.97	1	Horizontal	185	1.66	-	37.90	17.30	49.35			
AV	19.86844G	40.61	63.54	-22.93	34.77	1	Horizontal	185	1.66	-	37.90	17.29	49.35			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 53
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3832G	71.29	74.00	-2.71	82.90	3	Vertical	360	1.80	-	40.23	13.00	64.84			
AV	13.3832G	53.96	54.00	-0.04	65.57	3	Vertical	360	1.80	-	40.23	13.00	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 53
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39436G	62.58	74.00	-11.42	74.13	3	Horizontal	1	1.80	-	40.28	13.01	64.84			
AV	13.39264G	47.23	54.00	-6.77	58.79	3	Horizontal	1	1.80	-	40.27	13.01	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 53
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.13204G	60.58	83.54	-22.96	50.76	1	Vertical	195	1.80	-	37.80	20.79	48.77			
AV	20.12396G	46.69	63.54	-16.85	36.89	1	Vertical	195	1.80	-	37.80	20.78	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 53
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10444G	57.01	83.54	-26.53	50.98	1	Horizontal	184	1.81	-	37.90	17.38	49.25			
AV	20.11492G	42.87	63.54	-20.67	36.83	1	Horizontal	184	1.81	-	37.90	17.39	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57319G	69.06	88.20	-19.14	80.33	3	Vertical	1	1.79	-	40.50	13.03	64.80			
RMS	13.57354G	53.45	68.20	-14.75	64.72	3	Vertical	1	1.79	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57251G	64.84	88.20	-23.36	76.11	3	Horizontal	5	1.78	-	40.50	13.03	64.80			
RMS	13.57362G	48.61	68.20	-19.59	59.88	3	Horizontal	5	1.78	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.33684G	60.41	83.54	-23.13	54.26	1	Vertical	203	1.75	-	37.97	17.42	49.24			
AV	20.34756G	46.42	63.54	-17.12	40.24	1	Vertical	203	1.75	-	38.00	17.42	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35596G	60.34	83.54	-23.20	54.16	1	Horizontal	184	1.80	-	38.00	17.42	49.24			
AV	20.34476G	46.58	63.54	-16.96	40.41	1	Horizontal	184	1.80	-	37.99	17.42	49.24			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4164G	58.23	74.00	-15.77	72.28	3	Vertical	1	1.80	-	38.70	12.85	65.60			
AV	12.43752G	43.94	54.00	-10.06	57.97	3	Vertical	1	1.80	-	38.70	12.86	65.59			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3332G	52.98	74.00	-21.02	67.07	3	Horizontal	283	2.11	-	38.70	12.84	65.63			
AV	12.33288G	39.89	54.00	-14.11	53.98	3	Horizontal	283	2.11	-	38.70	12.84	65.63			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55172G	49.55	83.54	-33.99	44.87	1	Vertical	189	1.86	-	37.80	16.56	49.68			
AV	18.57028G	35.87	63.54	-27.67	31.12	1	Vertical	189	1.86	-	37.84	16.57	49.66			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59444G	46.93	83.54	-36.61	42.10	1	Horizontal	185	2.47	-	37.89	16.58	49.64			
AV	18.5778G	33.59	63.54	-29.95	28.82	1	Horizontal	185	2.47	-	37.86	16.57	49.66			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.64376G	53.58	74.00	-20.42	67.46	3	Vertical	360	1.80	-	38.60	12.89	65.37			
AV	12.69992G	39.56	54.00	-14.44	53.25	3	Vertical	360	1.80	-	38.70	12.90	65.29			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.62392G	52.36	74.00	-21.64	66.27	3	Horizontal	0	1.80	-	38.60	12.89	65.40			
AV	12.67272G	38.31	54.00	-15.69	52.10	3	Horizontal	0	1.80	-	38.65	12.89	65.33			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.00164G	51.59	83.54	-31.95	46.20	1	Vertical	189	1.87	-	37.91	16.79	49.31			
AV	19.01044G	37.39	63.54	-26.15	31.97	1	Vertical	189	1.87	-	37.94	16.80	49.32			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04732G	49.54	83.54	-34.00	43.97	1	Horizontal	286	1.16	-	38.09	16.82	49.34			
AV	19.03516G	34.60	63.54	-28.94	29.08	1	Horizontal	286	1.16	-	38.04	16.81	49.33			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31384G	65.56	74.00	-8.44	77.32	3	Vertical	0	1.69	-	40.10	12.99	64.85			
AV	13.3244G	51.55	54.00	-2.45	63.30	3	Vertical	0	1.69	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32328G	61.71	74.00	-12.29	73.46	3	Horizontal	360	2.02	-	40.10	13.00	64.85			
AV	13.32408G	48.19	54.00	-5.81	59.94	3	Horizontal	360	2.02	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 54
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.02788G	52.55	83.54	-30.99	46.55	1	Vertical	167	1.80	-	37.89	17.37	49.26			
AV	19.96844G	40.07	63.54	-23.47	34.13	1	Vertical	167	1.80	-	37.87	17.35	49.28			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_V_2TX
Setting 54
02-D-S-2


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98628G	53.37	83.54	-30.17	47.33	1	Horizontal	168	2.59	-	37.95	17.36	49.27			
AV	19.96852G	40.02	63.54	-23.52	34.08	1	Horizontal	168	2.59	-	37.87	17.35	49.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3807G	-5.25	6.24G	-51.82	-45.25	-6.57	1
6.3833G	-5.75	6.5089G	-53.30	-45.75	-7.55	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6237G	-5.14	6.8225G	-52.44	-45.14	-7.30	1
6.6279G	-5.51	6.823G	-52.34	-45.51	-6.83	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/09/2025



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

04/09/2025

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1874G	-5.43	6.4978G	-49.62	-45.43	-4.19	1
6.182G	-5.77	6.5086G	-49.43	-45.77	-3.66	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

04/09/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3484G	-5.32	6.7206G	-50.58	-45.32	-5.26	1
6.3396G	-5.54	6.7432G	-50.65	-45.54	-5.11	2

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/09/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6616G	-5.58	6.9628G	-48.18	-45.58	-2.60	1
6.6598G	-5.64	7.0084G	-48.14	-45.64	-2.50	2

Port 1 


Port 2 

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

04/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.182G	-1.07	6.4536G	-49.76	-41.07	-8.69	1
6.182G	-1.77	6.5074G	-49.79	-41.77	-8.02	2

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

04/09/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3494G	-1.16	6.72G	-49.59	-41.16	-8.43	1
6.3402G	-1.47	6.7424G	-50.56	-41.47	-9.09	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/09/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6592G	-4.67	7.0084G	-48.06	-44.67	-3.39	1
6.6688G	-4.63	6.9572G	-48.25	-44.63	-3.62	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3841G	-9.96	6.2401G	-52.41	-49.96	-2.45	1
6.3866G	-9.86	6.24G	-54.05	-49.86	-4.19	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6269G	-10.20	6.8122G	-54.78	-50.20	-4.58	1
6.6276G	-10.23	6.8087G	-54.64	-50.23	-4.41	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/09/2025



6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/09/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.662G	-11.23	6.997G	-61.10	-51.23	-9.87	1
6.6684G	-10.21	6.9924G	-61.00	-50.21	-10.79	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

03/09/2025

CF (Hz)
6.115G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1157G	-6.55	6.103625G	-41.96	-26.75	-15.21	1
6.114025G	-6.41	6.157775G	-62.04	-46.41	-15.63	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/09/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1955G	-6.56	6.23995G	-60.45	-46.56	-13.89	1
6.195475G	-7.06	6.2399G	-61.84	-47.06	-14.78	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/09/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/09/2025



6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/09/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6682G	-4.36	6.9996G	-50.89	-44.36	-6.53	1
6.6688G	-4.64	6.993G	-51.17	-44.64	-6.53	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

04/09/2025

CF (Hz)
6.115G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.115325G	-7.15	6.126G	-40.83	-27.19	-13.64	1
6.114125G	-6.58	6.1038G	-40.82	-26.68	-14.14	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/09/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1954G	-6.43	6.240025G	-59.23	-46.43	-12.80	1
6.19445G	-6.89	6.228975G	-60.37	-46.89	-13.48	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/09/2025



5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

04/09/2025

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1872G	-4.33	6.5066G	-49.73	-44.33	-5.40	1
6.182G	-4.62	6.4814G	-49.77	-44.62	-5.15	2

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

04/09/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3486G	-4.46	6.7202G	-50.12	-44.46	-5.66	1
6.3484G	-4.69	6.738G	-50.57	-44.69	-5.88	2

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/09/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.669G	-4.86	6.985G	-48.09	-44.86	-3.23	1
6.6608G	-4.49	6.9956G	-48.01	-44.49	-3.52	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

04/09/2025

CF (Hz)
6.115G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.115325G	-0.88	6.126275G	-35.90	-20.99	-14.91	1
6.1145G	-0.81	6.103975G	-34.90	-20.85	-14.05	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/09/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1954G	-0.12	6.20635G	-34.86	-20.25	-14.61	1
6.195725G	-0.86	6.18385G	-35.17	-20.96	-14.21	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41525G	-0.34	6.426275G	-35.54	-20.35	-15.19	1
6.4146G	-1.21	6.40385G	-35.61	-21.26	-14.35	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5364G	-0.30	6.546275G	-35.31	-20.36	-14.95	1
6.535325G	-1.08	6.546225G	-35.73	-21.17	-14.56	2

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/09/2025



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

04/09/2025

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1824G	1.82	6.5024G	-49.60	-38.18	-11.42	1
6.1822G	1.65	6.4672G	-49.64	-38.35	-11.29	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

04/09/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.349G	1.82	6.7202G	-49.05	-38.18	-10.87	1
6.3476G	1.37	6.7284G	-50.39	-38.63	-11.76	2

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/09/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6714G	1.06	6.9966G	-47.93	-38.94	-8.99	1
6.6676G	1.30	7.008G	-48.03	-38.70	-9.33	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

05/09/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6626G	-17.21	6.9604G	-62.08	-57.21	-4.87	1
6.6596G	-15.76	6.96G	-62.23	-55.76	-6.47	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6115MHz_TX

04/09/2025

CF (Hz)
6.115G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.115375G	-12.40	6.082625G	-62.08	-52.40	-9.68	1
6.115525G	-12.53	6.153725G	-62.07	-52.53	-9.54	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

05/09/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.195325G	-12.59	6.24005G	-61.52	-52.59	-8.93	1
6.19415G	-12.92	6.239875G	-61.78	-52.92	-8.86	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6125MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

05/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40595G	-10.98	6.47985G	-57.87	-50.98	-6.89	1
6.4045G	-11.38	6.4759G	-57.97	-51.38	-6.59	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

05/09/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5637G	-10.94	6.48G	-57.12	-50.94	-6.18	1
6.56435G	-11.19	6.6341G	-57.44	-51.19	-6.25	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

05/09/2025




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

05/09/2025




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

05/09/2025



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

05/09/2025

