

# Dynamic Frequency Selection (DFS)

## Test Report

|              |                                              |
|--------------|----------------------------------------------|
| Product Name | RadiX AXE6600 WiFi 6E Tri-Band Gaming Router |
| Model No.    | GRAXE66                                      |
| FCC ID       | I4L-GRAXE66                                  |

|           |                                                                      |
|-----------|----------------------------------------------------------------------|
| Applicant | Micro-Star Int'l Co., Ltd.                                           |
| Address   | No.69, Lide St., Zhonghe Dist., New Taipei City 235, Taiwan (R.O.C.) |

|                 |                       |
|-----------------|-----------------------|
| Date of Receipt | Jan. 11, 2022         |
| Issued Date     | Jul. 19, 2022         |
| Report No.      | 2210313R-RFUSDFSV02-A |
| Report Version  | V1.0                  |



The test results relate only to the samples tested.

The test results shown in the test report are traceable to the national/international standard through the calibration report of the equipment and evaluated measurement uncertainty herein.

This report must not be used to claim product endorsement by TAF or any agency of the government.

The test report shall not be reproduced without the written approval of DEKRA Testing and Certification Co., Ltd.

Measurement uncertainties evaluated for each testing system and associated connections are given here to provide the system information for reference. Compliance determinations do not take into account measurement uncertainties for each testing system, but are based on the results of the compliance measurement.

# DFS Test Report

Issued Date: Jul. 19, 2022

Report No.: 2210313R-RFUSDFSV02-A



|                     |                                                                      |
|---------------------|----------------------------------------------------------------------|
| Product Name        | RadiX AXE6600 WiFi 6E Tri-Band Gaming Router                         |
| Applicant           | Micro-Star Int'l Co., Ltd.                                           |
| Address             | No.69, Lide St., Zhonghe Dist., New Taipei City 235, Taiwan (R.O.C.) |
| Manufacturer        | LEADER ELECTRONICS INC.                                              |
| Model No.           | GRAXE66                                                              |
| FCC ID              | I4L-GRAXE66                                                          |
| EUT Rated Voltage   | AC 100-240V, 50/60Hz                                                 |
| EUT Test Voltage    | AC 120V / 60Hz                                                       |
| Trade Name          | msi                                                                  |
| Applicable Standard | FCC CFR Title 47 Part 15 Subpart E 15.407 (h)<br>KDB 905462          |
| Test Result         | Complied                                                             |

Documented By


:



( Senior Project Specialist / Joanne Lin )

Tested By

:



( Senior Engineer / Benjamin Pan )

Approved By

:



( Senior Engineer / Jack Hsu )

## TABLE OF CONTENTS

| Description                                                                                                               | Page      |
|---------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>1. GENERAL INFORMATION .....</b>                                                                                       | <b>5</b>  |
| 1.1. Standard Requirement .....                                                                                           | 5         |
| 1.2. EUT Description .....                                                                                                | 6         |
| 1.3. UNII Device Description.....                                                                                         | 8         |
| 1.4. Test Facility .....                                                                                                  | 9         |
| 1.5. Test Equipment.....                                                                                                  | 10        |
| 1.6. Uncertainty .....                                                                                                    | 11        |
| 1.7. Test Setup .....                                                                                                     | 12        |
| 1.8. DFS Detection Thresholds .....                                                                                       | 12        |
| 1.9. Radar Test Waveforms.....                                                                                            | 14        |
| 1.10. Radar Waveform Calibration.....                                                                                     | 17        |
| 1.11. Radar Waveform Calibration Result.....                                                                              | 18        |
| 1.12. Master Data Traffic Plot Result.....                                                                                | 30        |
| <b>2. UNII Detection Bandwidth .....</b>                                                                                  | <b>33</b> |
| 2.1. Test Procedure .....                                                                                                 | 33        |
| 2.2. Test Requirement.....                                                                                                | 33        |
| 2.3. Test Result of UNII Detection Bandwidth .....                                                                        | 36        |
| <b>3. Initial Channel Availability Check Time.....</b>                                                                    | <b>42</b> |
| 3.1. Test Procedure .....                                                                                                 | 42        |
| 3.2. Test Requirement.....                                                                                                | 42        |
| 3.3. Test Result of Initial Channel Availability Check Time .....                                                         | 43        |
| <b>4. Radar Burst at the Beginning of the Channel Availability Check Time.....</b>                                        | <b>44</b> |
| 4.1. Test Procedure .....                                                                                                 | 44        |
| 4.2. Test Requirement.....                                                                                                | 44        |
| 4.3. Test Result of Radar Burst at the Beginning of the Channel Availability Check Time .....                             | 45        |
| <b>5. Radar Burst at the End of the Channel Availability Check Time .....</b>                                             | <b>46</b> |
| 5.1. Test Procedure .....                                                                                                 | 46        |
| 5.2. Test Requirement.....                                                                                                | 46        |
| 5.3. Test Result of Radar Burst at the End of the Channel Availability Check Time .....                                   | 47        |
| <b>6. In-Service Monitoring for Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period.....</b> | <b>48</b> |
| 6.1. Test Procedure .....                                                                                                 | 48        |
| 6.2. Test Requirement.....                                                                                                | 48        |
| 6.3. Test Result of Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period .....                | 49        |
| <b>7. Statistical Performance Check.....</b>                                                                              | <b>51</b> |
| 7.1. Test Procedure .....                                                                                                 | 51        |
| 7.2. Test Requirement.....                                                                                                | 51        |
| 7.3. Test Result of Statistical Performance Check.....                                                                    | 53        |

Appendix 1: EUT Test Photographs

Appendix 2: Product Photos-Please refer to the file: 2210313R-Product Photos

## **Revision History**

| Report No.            | Version | Description              | Issued Date   |
|-----------------------|---------|--------------------------|---------------|
| 2210313R-RFUSDFSV02-A | V1.0    | Initial issue of report. | Jul. 19, 2022 |

## **1. GENERAL INFORMATION**

### **1.1. Standard Requirement**

#### **FCC Part 15.407:**

U-NII devices operating in the 5.25-5.35 GHz band and the 5.47-5.725 GHz band shall employ a TPC mechanism. The U-NII device is required to have the capability to operate at least 6 dB below the mean EIRP value of 30dBm. A TPC mechanism is not required for systems with an E.I.R.P. of less than 500mW.

U-NII devices operating in the 5.25-5.35 GHz and 5.47-5.725 GHz bands shall employ a DFS radar detection mechanism to detect the presence of radar systems and to avoid co-channel operation with radar systems.

## 1.2. EUT Description

|                    |                                                                                                                                                                                            |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name       | RadiX AXE6600 WiFi 6E Tri-Band Gaming Router                                                                                                                                               |
| Trade Name         | msi                                                                                                                                                                                        |
| FCC ID             | I4L-GRAXE66                                                                                                                                                                                |
| Model No.          | GRAXE66                                                                                                                                                                                    |
| Frequency Range    | 802.11a/n/ac/ax-20MHz: 5180-5320MHz, 5500-5720MHz, 5745-5825MHz<br>802.11n/ac/ax-40MHz: 5190-5310MHz, 5510-5710MHz, 5755-5795MHz<br>802.11ac/ax-80MHz: 5210-5290MHz, 5530-5690MHz, 5775MHz |
| Number of Channels | 802.11a/n/ac/ax-20MHz: 25CH, 802.11n/ac/ax-40MHz: 12CH<br>802.11ac/ax-80MHz: 6CH                                                                                                           |
| Data Rate          | 802.11a: 6 - 54Mbps, 802.11n: up to 1300MHz<br>802.11ac: up to 1733.3MHz, 802.11ax: up to 2402MHz                                                                                          |
| Type of Modulation | OFDM, BPSK, QPSK, 16QAM, 64QAM, 256QAM<br>OFDMA, BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM                                                                                                 |
| Channel Control    | Auto                                                                                                                                                                                       |
| Channel Bandwidth  | 20/40/80MHz                                                                                                                                                                                |
| DFS Function       | <input checked="" type="checkbox"/> Master <input type="checkbox"/> Slave                                                                                                                  |
| TPC Function       | <input type="checkbox"/> <500mW not required <input checked="" type="checkbox"/> $\geq 500\text{mW}$ employ a TPC*                                                                         |
| Communication Mode | <input checked="" type="checkbox"/> IP Based Systems <input type="checkbox"/> Frame Based System <input type="checkbox"/> Other System                                                     |
| Antenna Gain       | Refer to the table “Antenna List”                                                                                                                                                          |

### Antenna List

| No. | Manufacturer | Part No.           | Antenna Type   | Peak Gain                                            |
|-----|--------------|--------------------|----------------|------------------------------------------------------|
| 1   | WIESON       | ARY121-0350-005-00 | Dipole antenna | 4.83dBi for 5250-5350MHz<br>5.64dBi for 5470-5725MHz |
| 2   | WIESON       | ARY121-0350-006-00 | Dipole antenna | 3.67dBi for 5250-5350MHz<br>4.68dBi for 5470-5725MHz |

## 802.11a/n/ac/ax -20MHz Center Working Frequency of Each Channel:

| Channel      | Frequency | Channel      | Frequency | Channel      | Frequency | Channel      | Frequency |
|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|
| Channel 36:  | 5180 MHz  | Channel 40:  | 5200 MHz  | Channel 44:  | 5220 MHz  | Channel 48:  | 5240 MHz  |
| Channel 52:  | 5260 MHz  | Channel 56:  | 5280 MHz  | Channel 60:  | 5300 MHz  | Channel 64:  | 5320 MHz  |
| Channel 100: | 5500 MHz  | Channel 104: | 5520 MHz  | Channel 108: | 5540 MHz  | Channel 112: | 5560 MHz  |
| Channel 116: | 5580 MHz  | Channel 120: | 5600 MHz  | Channel 124: | 5620 MHz  | Channel 128: | 5640 MHz  |
| Channel 132: | 5660 MHz  | Channel 136: | 5680 MHz  | Channel 140: | 5700 MHz  | Channel 144: | 5720 MHz  |
| Channel 149: | 5745 MHz  | Channel 153: | 5765 MHz  | Channel 157: | 5785 MHz  | Channel 161: | 5805 MHz  |
| Channel 165: | 5825 MHz  |              |           |              |           |              |           |

## 802.11n/ac/ax -40MHz Center Working Frequency of Each Channel:

| Channel      | Frequency | Channel      | Frequency | Channel      | Frequency | Channel      | Frequency |
|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|
| Channel 38:  | 5190 MHz  | Channel 46:  | 5230 MHz  | Channel 54:  | 5270 MHz  | Channel 62:  | 5310 MHz  |
| Channel 102: | 5510 MHz  | Channel 110: | 5550 MHz  | Channel 118: | 5590 MHz  | Channel 126: | 5630 MHz  |
| Channel 134: | 5670 MHz  | Channel 142: | 5710 MHz  | Channel 151: | 5755 MHz  | Channel 159: | 5795 MHz  |

## 802.11ac/ax -80MHz Center Working Frequency of Each Channel:

| Channel      | Frequency | Channel      | Frequency | Channel      | Frequency | Channel      | Frequency |
|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|
| Channel 42:  | 5210 MHz  | Channel 58:  | 5290 MHz  | Channel 106: | 5530 MHz  | Channel 122: | 5610 MHz  |
| Channel 138: | 5690 MHz  | Channel 155: | 5775 MHz  |              |           |              |           |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | Mode 1: Transmit (802.11ax-20BW) |
|           | Mode 2: Transmit (802.11ax-40BW) |
|           | Mode 3: Transmit (802.11ax-80BW) |

### 1.3. UNII Device Description

(1) The EUT operates in the following DFS band:

1. 5250-5350MHz
2. 5470-5725MHz

(2) The U-NII device maximum power is 29.61dBm(E.I.R.P).

Master mode:

Below are the available 50 ohm antenna assemblies and their corresponding gains. 0dBi gain was used to set the -61 dBm threshold level (-62dBm +1 dB) during calibration of the test setup.

Slave mode:

Below are the available 50 ohm antenna assemblies and their corresponding gains. 0dBi gain was used to set the -63 dBm threshold level (-64dBm +1 dB) during calibration of the test setup.

| No. | Manufacturer | Part No.           | Antenna Type   | Peak Gain                                            |
|-----|--------------|--------------------|----------------|------------------------------------------------------|
| 1   | WIESON       | ARY121-0350-005-00 | Dipole antenna | 4.83dBi for 5250-5350MHz<br>5.64dBi for 5470-5725MHz |
| 2   | WIESON       | ARY121-0350-006-00 | Dipole antenna | 3.67dBi for 5250-5350MHz<br>4.68dBi for 5470-5725MHz |

(3) WLAN traffic is generated by the test software “Iperf.exe” from the Master device to the Slave device in the transfer data rate >17%.

(4) For the 5250-5350MHz and 5470-5725MHz bands, the Master device provides, on aggregate, uniform loading of the spectrum across all devices by selecting an operating channel among the available channels using a random algorithm.

(5) Master mode:

The client device is a Notebook pc contains Intel WLAN radio Module card

(Model: AX200NGW). The Intel WLAN Module card FCC ID: PD9AX200NG.

(6) This device does not support partial RU function.

#### 1.4. Test Facility

Ambient conditions in the laboratory:

| Performed Item    | Items            | Required | Actual  |
|-------------------|------------------|----------|---------|
| Radiated Emission | Temperature (°C) | 10~40 °C | 21.8 °C |
|                   | Humidity (%RH)   | 10~90 %  | 61.2 %  |

**USA : FCC Registration Number: TW0033**

**Canada : CAB Identifier Number: TW3023 / Company Number: 26930**

Site Description : Accredited by TAF  
Accredited Number: 3023

Test Laboratory : DEKRA Testing and Certification Co., Ltd  
Address : No. 5-22, Ruishukeng Linkou District, New Taipei City, 24451, Taiwan  
Performed : No. 26, Huaya 1st Rd., Guishan Dist., Taoyuan City 333411, Taiwan,  
Location R.O.C.  
Phone number : +886-3-275-7255  
Fax number : +866-3-327-8031  
Email address : [info.tw@dekra.com](mailto:info.tw@dekra.com)  
Website : <http://www.dekra.com.tw>

## 1.5. Test Equipment

### Dynamic Frequency Selection (DFS) / HY-SR06

| Instrument              | Manufacturer | Type No. | Serial No | Cal. Date  |
|-------------------------|--------------|----------|-----------|------------|
| Spectrum Analyzer       | R&S          | FSV30    | 103467    | 2022.04.26 |
| Vector Signal Generator | R&S          | SMBV100  | 261871    | 2022.04.22 |
| Horn Antenna            | ETS-Lindgren | 3117     | 00201259  | 2021.11.09 |
| Horn Antenna            | ETS-Lindgren | 3117     | 00227709  | 2021.11.09 |

| Instrument   | Manufacturer | Type No.         | Serial No      |
|--------------|--------------|------------------|----------------|
| Notebook Pc  | Dell         | Inspiron 14 5459 | 1599Q72        |
| RF Cable     | WOKEN        | L1406-031C       | S02-130729-305 |
| RF Cable     | SUHNER       | SUCOFLEX 106     | 3474516        |
| Access Point | ASUS         | RT-AX88U         | JCITHP000040   |

| Software                                                           | Manufacturer | Function                         |
|--------------------------------------------------------------------|--------------|----------------------------------|
| R&S Pulse Sequencer DFS<br>V 2.3,7.3.2022 Build: 8101<br>Rev: 6527 | R&S          | Radar Signal Generation Software |
| Iperf v2.0.8                                                       | iperf.fr     | Streaming data                   |

## 1.6. Uncertainty


Uncertainties have been calculated according to the DEKRA internal document.

The reported expanded uncertainties are based on a standard uncertainty multiplied by a coverage factor of  $k=2$ , providing a level of confidence of approximately 95%.

Measurement uncertainties evaluated for each testing system and associated connections are given here to provide the system information for reference. Compliance determinations do not take into account measurement uncertainties for each testing system, but are based on the results of the compliance measurement.

| Test item                                                                                                        | Uncertainty         |
|------------------------------------------------------------------------------------------------------------------|---------------------|
| UNII Detection Bandwidth                                                                                         | $\pm 2.31\text{ms}$ |
| Initial Channel Availability Check Time                                                                          | $\pm 2.31\text{ms}$ |
| Radar Burst at the Beginning of the Channel<br>Availability Check Time                                           | $\pm 2.31\text{ms}$ |
| Radar Burst at the End of the Channel<br>Availability Check Time                                                 | $\pm 2.31\text{ms}$ |
| In-Service Monitoring for Channel Move Time<br>and Channel Closing Transmission Time and<br>Non-Occupancy Period | $\pm 2.31\text{ms}$ |
| Statistical Performance Check                                                                                    | $\pm 2.31\text{ms}$ |

## 2. Test Setup



### 2.1. DFS Detection Thresholds

#### (1) Interference Threshold value, Master or Client incorporating In-Service Monitoring

| Maximum Transmit Power                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Value (see note) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| $\geq 200$ milliwatt                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | -64dBm           |
| EIRP $< 200$ milliwatt and<br>power spectral density $< 10$ dBm/MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | -62dBm           |
| EIRP $< 200$ milliwatt that do not meet the power spectral density requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                               | -64dBm           |
| <p><b>Note 1:</b> This is the level at the input of the receiver assuming a 0 dBi receive antenna.</p> <p><b>Note 2:</b> Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.</p> <p><b>Note 3:</b> EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.</p> |                  |

**(2) DFS Response requirement values**

| Parameter                         | Value                                                                                                 |
|-----------------------------------|-------------------------------------------------------------------------------------------------------|
| Non-Occupancy Period              | Minimum 30 Minutes                                                                                    |
| Channel Availability Check Time   | 60 Seconds                                                                                            |
| Channel Move Time                 | 10 Seconds<br>See Note 1.                                                                             |
| Channel Closing Transmission Time | 200 milliseconds + approx. 60 milliseconds over<br>remaining 10 seconds period<br>(See Notes 1 and 2) |
| U-NII Detection Bandwidth         | Minimum 100% of the 99% power bandwidth See<br>Note 3.                                                |

**Note 1:** *Channel Move Time* and the *Channel Closing Transmission Time* should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

**Note 2:** The *Channel Closing Transmission Time* is comprised of 200 milliseconds starting at the beginning of the *Channel Move Time* plus any additional intermittent control signals required to facilitate a *Channel* move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

**Note 3:** During the *U-NII Detection Bandwidth* detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

## 2.2. Radar Test Waveforms

This section provides the parameters for required test waveforms, minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

### (1) Short Pulse Radar Test Waveforms

| Radar Type                                                                                                                                  | Pulse Width (μsec) | PRI (μsec)                                                                                                                                                    | Number of Pulses                                                                                                                | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------------|
| 0                                                                                                                                           | 1                  | 1428                                                                                                                                                          | 18                                                                                                                              | See Note 1                                 | See Note 1               |
| 1                                                                                                                                           | 1                  | Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a                                                                     | $\text{Roundup} \left\{ \left( \frac{1}{360} \right), \left( \frac{19 \cdot 10^6}{\text{PRI}_{\mu\text{sec}}} \right) \right\}$ | 60%                                        | 30                       |
|                                                                                                                                             |                    | Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A |                                                                                                                                 |                                            |                          |
| 2                                                                                                                                           | 1-5                | 150-230                                                                                                                                                       | 23-29                                                                                                                           | 60%                                        | 30                       |
| 3                                                                                                                                           | 6-10               | 200-500                                                                                                                                                       | 16-18                                                                                                                           | 60%                                        | 30                       |
| 4                                                                                                                                           | 11-20              | 200-500                                                                                                                                                       | 12-16                                                                                                                           | 60%                                        | 30                       |
| Aggregate (Radar Types 1-4)                                                                                                                 |                    |                                                                                                                                                               |                                                                                                                                 | 80%                                        | 120                      |
| <b>Note 1:</b> Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests. |                    |                                                                                                                                                               |                                                                                                                                 |                                            |                          |

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

## (2) Long Pulse Radar Test Signal

| Radar Waveform | Bursts | Number of Pulses Per Burst | Pulse Width (usec) | Chirp Width (MHz) | PRI (usec) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|--------|----------------------------|--------------------|-------------------|------------|--------------------------------------------|----------------|
| 5              | 8-20   | 1-3                        | 50-100             | 5-20              | 1000-2000  | 80%                                        | 30             |

The parameters for this waveform are randomly chosen. Thirty unique waveforms are required for the long pulse radar test signal. If more than 30 waveforms are used for the long pulse radar test signal, then each additional waveform must also be unique and not repeated from the previous waveforms.


Each waveform is defined as follows:

- 1) The transmission period for the Long Pulse Radar test signal is 12 seconds.
- 2) There are a total of 8 to 20 Bursts in the 12 second period, with the number of Bursts being randomly chosen. This number is Burst\_Count.
- 3) Each Burst consists of 1 to 3 pulses, with the number of pulses being randomly chosen. Each Burst within the 12 second sequence may have a different number of pulses.
- 4) The pulse width is between 50 and 100 microseconds, with the pulse width being randomly chosen. Each pulse within a Burst will have the same pulse width. Pulses in different Bursts may have different pulse widths.
- 5) Each pulse has a linear frequency modulated chirp between 5 and 20 MHz, with the chirp width being randomly chosen. Each pulse within a transmission period will have the same chirp width. The chirp is centered on the pulse. For example, with a radar frequency of 5300 MHz and a 20 MHz chirped signal, the chirp starts at 5290 MHz and ends at 5310 MHz.
- 6) If more than one pulse is present in a Burst, the time between the pulses will be between 1000 and 2000 microseconds, with the time being randomly chosen. If three pulses are present in a Burst, the time between the first and second pulses is chosen independently of the time between the second and third pulses.
- 7) The 12 second transmission period is divided into even intervals. The number of intervals is equal to Burst\_Count. Each interval is of length  $(12,000,000 / \text{Burst\_Count})$  microseconds. Each interval contains one Burst. The start time for the Burst, relative to the beginning of the interval, is between 1 and  $[(12,000,000 / \text{Burst\_Count}) - (\text{Total Burst Length}) + (\text{One Random PRI Interval})]$  microseconds, with the start time being randomly chosen. The step interval for the start time is 1 microsecond. The start time for each Burst is chosen independently.

### A representative example of a Long Pulse radar test waveform:

- 1) The total test signal length is 12 seconds.
- 2) 8 Bursts are randomly generated for the Burst\_Count.
- 3) Burst 1 has 2 randomly generated pulses.
- 4) The pulse width (for both pulses) is randomly selected to be 75 microseconds.
- 5) The PRI is randomly selected to be at 1213 microseconds.
- 6) Bursts 2 through 8 are generated using steps 3 – 5.
- 7) Each Burst is contained in even intervals of 1,500,000 microseconds. The starting location for Pulse 1, Burst 1 is randomly generated (1 to 1,500,000 minus the total Burst 1 length + 1 random PRI interval) at the 325,001 microsecond step. Bursts 2 through 8 randomly fall in successive 1,500,000 microsecond intervals (i.e. Burst 2 falls in the 1,500,001 – 3,000,000 microsecond range).

### Graphical Representation of a Long Pulse radar Test Waveform



### (3) Frequency Hopping Radar Test Signal

| Radar Waveform | Pulse Width ( $\mu\text{sec}$ ) | PRI ( $\mu\text{sec}$ ) | Hopping Sequence Length (msec) | Pulses Per Hop | Hopping Rate (kHz) | Minimum Percentage of Successful Detection | Minimum Trials |
|----------------|---------------------------------|-------------------------|--------------------------------|----------------|--------------------|--------------------------------------------|----------------|
| 6              | 1                               | 333                     | 300                            | 9              | 0.333              | 70%                                        | 30             |

For the Frequency Hopping Radar Type, the same *Burst* parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm:


The first frequency in a hopping sequence is selected randomly from the group of 475 integer frequencies from 5250 – 5724 MHz. Next, the frequency that was just chosen is removed from the group and a frequency is randomly selected from the remaining 474 frequencies in the group. This process continues until all 475 frequencies are chosen for the set. For selection of a random frequency, the frequencies remaining within the group are always treated as equally likely.

### 2.3. Radar Waveform Calibration

The following equipment setup was used to calibrate the conducted radar waveform. A spectrum analyzer was used to establish the test signal level for each radar type. During this process there were replace 50ohm terminal from master and client device and no transmissions by either the master or client device. The spectrum analyzer was switched to the zero span (time domain) at the frequency of the radar waveform generator. Peak detection was utilized. The spectrum analyzer resolution bandwidth (RBW) and video bandwidth (VBW) were set to 3MHz and 3 MHz.


The signal generator amplitude was set so that the power level measured at the spectrum analyzer was -61dBm due to the interference threshold level is not required.

#### Radiated Calibration Setup




2.4. Radar Waveform Calibration Result

Radar Type 0  
Calibration Plot (5500MHz)




Date: 24.MAY.2022 20:32:27

Calibration Plot (5510MHz)



Date: 24.MAY.2022 20:31:44


Calibration Plot (5530MHz)



Date: 24.MAY.2022 20:31:15


Radar Type 1-A

Calibration Plot (5500MHz)




Date: 24.MAY.2022 20:34:34

Calibration Plot (5510MHz)



Date: 24.MAY.2022 20:34:59


Calibration Plot (5530MHz)



Date: 24.MAY.2022 20:36:24


Radar Type 1-B

Calibration Plot (5500MHz)




Date: 24.MAY.2022 20:33:52

Calibration Plot (5510MHz)




Date: 24.MAY.2022 20:35:29

Calibration Plot (5530MHz)




Date: 24.MAY.2022 20:35:57

Radar Type 2  
Calibration Plot (5500MHz)




Date: 24.MAY.2022 20:37:55

Calibration Plot (5510MHz)




Date: 24.MAY.2022 20:37:27

Calibration Plot (5530MHz)




Date: 24.MAY.2022 20:37:01

Radar Type 3  
Calibration Plot (5500MHz)




Date: 24.MAY.2022 20:38:22

Calibration Plot (5510MHz)




Date: 24.MAY.2022 20:39:03

## Calibration Plot (5530MHz)




Date: 24.MAY.2022 20:39:29

Radar Type 4  
Calibration Plot (5500MHz)


Date: 24.MAY.2022 20:41:07

Calibration Plot (5510MHz)



Date: 24.MAY.2022 20:40:26


Calibration Plot (5530MHz)



Date: 24.MAY.2022 20:39:57


### Radar Type 5

#### Calibration Plot (5500MHz)




Date: 24.MAY.2022 20:58:26

#### Calibration Plot (5510MHz)




Date: 24.MAY.2022 20:55:48

Calibration Plot (5530MHz)




Date: 24.MAY.2022 20:54:37

Radar Type 6  
Calibration Plot (5500MHz)




Date: 24.MAY.2022 20:48:19

Calibration Plot (5510MHz)



Date: 24.MAY.2022 20:49:08


Calibration Plot (5530MHz)




Date: 24.MAY.2022 20:52:20

## 2.5. Master Data Traffic Plot Result

Plot of WLAN Traffic at 5500MHz-20BW




Date: 24.MAY.2022 23:41:55




Date: 24.MAY.2022 23:43:29

| Channel loading | Requirement loading |
|-----------------|---------------------|
| 17.7358%        | >17%                |

## Plot of WLAN Traffic at 5510MHz-40BW




Date: 24.MAY.2022 23:37:18




Date: 24.MAY.2022 23:35:13

| Channel loading | Requirement loading |
|-----------------|---------------------|
| 18.1354%        | >17%                |

## Plot of WLAN Traffic at 5530MHz-80BW



Date: 24.MAY.2022 23:29:32



Date: 24.MAY.2022 23:32:16

| Channel loading | Requirement loading |
|-----------------|---------------------|
| 18.8514%        | >17%                |

### 3. UNII Detection Bandwidth

#### 3.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The generating equipment is configured as shown in the radiated Test Setup above. A single *Burst* of the short pulse radar type 0 is produced at 5300MHz and 5510 at a -63dBm level. The EUT is set up as a standalone device (no associated Client and no traffic).

A single radar Burst is generated for a minimum of 10 trials, and the response of the EUT is noted.

The EUT must detect the Radar Waveform 90% or more of the time. The radar frequency is increased in 1 MHz steps, repeating the above test sequence, until the detection rate falls below 90%. The highest frequency at which detection is greater than or equal to 90% is denoted as  $F_H$ .

The radar frequency is decreased in 1 MHz steps, repeating the above test sequence, until the detection rate falls below 90%. The lowest frequency at which detection is greater than or equal to 90% is denoted as  $F_L$ .

The U-NII Detection Bandwidth is calculated as follows:


$$\text{U-NII Detection Bandwidth} = F_H - F_L$$

The U-NII Detection Bandwidth must be at least 100% of the EUT transmitter 99% power, otherwise, the EUT does not comply with DFS requirements.

#### 3.2. Test Requirement


All UNII 20/40MHz and 80MHz channels for this device have identical Channel bandwidths. All UNII 20/40/80MHz channels for this device also have identical Channel bandwidths. Therefore, all DFS testing was done at 5300MHz 、5500MHz 、5510MHz and 5530MHz. The 99% channel bandwidth for 20MHz signals is 17.43 MHz, and the 99% channel bandwidth for 40MHz signals is 35.96 MHz and 80MHz signals is 75.12MHz.Uncertainty

802.11ax-20 BW




Date: 16.MAY.2022 19:51:16

802.11ax-40 BW



Date: 16.MAY.2022 19:53:41

802.11ax80 BW



Date: 16.MAY.2022 20:06:00

### 3.3. Test Result of UNII Detection Bandwidth

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : UNII Detection Bandwidth  
 Radar Type : Type 0  
 Test Mode : Mode 1: Transmit (802.11ax-20BW)  
 Test Date : 2022/05/24

| Test Channel: 5500MHz (ax-20BW)                                      |                                                      |   |   |   |   |   |   |   |   |    |                       |
|----------------------------------------------------------------------|------------------------------------------------------|---|---|---|---|---|---|---|---|----|-----------------------|
| Radar Frequency<br>(MHz)                                             | DFS Detection Trials (1= Detection, 0= No Detection) |   |   |   |   |   |   |   |   |    | Detection Rate<br>(%) |
|                                                                      | 1                                                    | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |                       |
| 5490                                                                 | 0                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 1  | 80.00                 |
| 5491 (FL)                                                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5492                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5493                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5494                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5495                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5496                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5497                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5498                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5499                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5500                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5501                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5502                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5503                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5504                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5505                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5506                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5507                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5508                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5509                                                                 | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5510 (FH)                                                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| Detection Bandwidth = FH - FL = 5510MHz - 5491MHz = 19MHz            |                                                      |   |   |   |   |   |   |   |   |    |                       |
| EUT 99% Bandwidth = 18.8039MHz                                       |                                                      |   |   |   |   |   |   |   |   |    |                       |
| UNII Detection Bandwidth Min. Limit = 18.8039MHz X 100% = 18.8039MHz |                                                      |   |   |   |   |   |   |   |   |    |                       |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : UNII Detection Bandwidth  
 Radar Type : Type 0  
 Test Mode : Mode 2: Transmit (802.11ax-40BW)  
 Test Date : 2022/05/24

| Test Channel: 5510MHz (ax-40BW) |                                                      |   |   |   |   |   |   |   |   |    |                       |
|---------------------------------|------------------------------------------------------|---|---|---|---|---|---|---|---|----|-----------------------|
| Radar Frequency<br>(MHz)        | DFS Detection Trials (1= Detection, 0= No Detection) |   |   |   |   |   |   |   |   |    | Detection Rate<br>(%) |
|                                 | 1                                                    | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |                       |
| 5490                            | 1                                                    | 1 | 0 | 0 | 1 | 1 | 1 | 1 | 0 | 1  | 70.00                 |
| 5491 (FL)                       | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5492                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5493                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5494                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5495                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5496                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5497                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5498                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5499                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5500                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5501                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5502                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5503                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5504                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5505                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5506                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5507                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5508                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5509                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5510                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5511                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5512                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5513                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5514                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5515                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |
| 5516                            | 1                                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 100.00                |

|                                                                             |   |   |   |   |   |   |   |   |   |   |        |
|-----------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| 5517                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5518                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5519                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5520                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5521                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5522                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5523                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5524                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5525                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5526                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5527                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5528                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5529                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5530 (FH)                                                                   | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 80.00  |
| <b>Detection Bandwidth = FH - FL = 5529MHZ - 5491MHZ = 38MHz</b>            |   |   |   |   |   |   |   |   |   |   |        |
| <b>EUT 99% Bandwidth = 37.9453MHz</b>                                       |   |   |   |   |   |   |   |   |   |   |        |
| <b>UNII Detection Bandwidth Min. Limit = 37.9453MHz X 100% = 37.9453MHz</b> |   |   |   |   |   |   |   |   |   |   |        |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : UNII Detection Bandwidth  
 Radar Type : Type 0  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)  
 Test Date : 2022/05/24

| <b>Test Channel: 5530MHz (ax-80BW)</b> |                                                             |          |          |          |          |          |          |          |          |           |                               |
|----------------------------------------|-------------------------------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-------------------------------|
| <b>Radar Frequency<br/>(MHz)</b>       | <b>DFS Detection Trials (1= Detection, 0= No Detection)</b> |          |          |          |          |          |          |          |          |           | <b>Detection Rate<br/>(%)</b> |
|                                        | <b>1</b>                                                    | <b>2</b> | <b>3</b> | <b>4</b> | <b>5</b> | <b>6</b> | <b>7</b> | <b>8</b> | <b>9</b> | <b>10</b> |                               |
| <b>5490</b>                            | 1                                                           | 0        | 0        | 1        | 1        | 1        | 0        | 1        | 0        | 1         | 60.00                         |
| <b>5491</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5492 (FL)</b>                       | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5493</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5494</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5495</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5496</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5497</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5498</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5499</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5500</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5501</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5502</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5503</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5504</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5505</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5506</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5507</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5508</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5509</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5510</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5511</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5512</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5513</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5514</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5515</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |
| <b>5516</b>                            | 1                                                           | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1        | 1         | 100.00                        |

|      |   |   |   |   |   |   |   |   |   |   |        |
|------|---|---|---|---|---|---|---|---|---|---|--------|
| 5517 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5518 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5519 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5520 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5521 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5522 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5523 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5524 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5525 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5526 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5527 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5528 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5529 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5530 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5531 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5532 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5533 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5534 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5535 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5536 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5537 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5538 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5539 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5540 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5541 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5542 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5543 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5544 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5545 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5546 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5547 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5548 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5549 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5550 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5551 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5552 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5553 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |

|                                                                             |   |   |   |   |   |   |   |   |   |   |        |
|-----------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|--------|
| 5554                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5555                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5556                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5557                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5558                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5559                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5560                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5561                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5562                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5563                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5564                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5565                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5566                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5567                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5568                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5569                                                                        | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 100.00 |
| 5570 (FH)                                                                   | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 80.00  |
| <b>Detection Bandwidth = FH - FL = 5569MHz - 5491MHz = 78MHz</b>            |   |   |   |   |   |   |   |   |   |   |        |
| <b>EUT 99% Bandwidth = 76.7404MHz</b>                                       |   |   |   |   |   |   |   |   |   |   |        |
| <b>UNII Detection Bandwidth Min. Limit = 76.7404MHz X 100% = 76.7404MHz</b> |   |   |   |   |   |   |   |   |   |   |        |

## **4. Initial Channel Availability Check Time**

### **4.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The U-NII device is powered on and instructed to operate at 5530MHz. At the same time the UUT is powered on, the spectrum analyzer is set to zero span mode with a 3 MHz resolution bandwidth at 5530MHz with a 2.5minute sweep time. The analyzer's sweep will be started the same time power is applied to the U-NII device.

The EUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.

The initial power up time of the EUT is indicated by marker1 in the plot, Initial beacons/data transmissions are indicated by marker 1R.


### **4.2. Test Requirement**

The EUT shall perform a channel availability check to ensure that there is no radar operation on the channel, after power-up sequence, receiver at least 1 minute on the intended operation frequency.

### 4.3. Test Result of Initial Channel Availability Check Time

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Initial Channel Availability Check Time  
 Radar Type : Type 0  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)

The EUT does not transmit any beacon or data transmission until at least 1 minute after the completion of the power-on cycle (129.27sec). The initial power up time of the EUT is indicated by Marker 1 (189.27 sec) – CAC (60 sec). Initial beacons/data transmission is indicated by Marker 1 (189.27 sec)



Date: 25.MAY.2022 01:18:38

## **5. Radar Burst at the Beginning of the Channel Availability Check Time**

### **5.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to verify successful radar detection on the selected Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB (-62dBm) occurs at the beginning of the Channel Availability Check Time.

The EUT is powered on at T0. T1 denotes the instant when the EUT has completed its power-up sequence. The Channel Availability Check Time commences at instant T1 and will end no sooner than T1 + 60 seconds.

A single Burst of short pulse of radar type 1 at -63dBm will commence within a 6 second window starting at T1.


Visual indication on the EUT of successful detection of the radar Burst will be recorded and reported. Observation of emissions at 5530MHz will continue for 2.5 minutes after the radar Burst, Verify that during the 2.5 minute measurement window no EUT transmissions occurred at 5530MHz.

### **5.2. Test Requirement**

In beginning of the Channel Availability Check (CAC) Time, radar is detected on this channel, select another intended channel and perform a CAC that channel.

### 5.3. Test Result of Radar Burst at the Beginning of the Channel Availability Check Time

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Radar Burst at the Beginning of the Channel Availability Check Time  
 Radar Type : Type 0  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)



Date: 25.MAY.2022 01:33:37

## **6. Radar Burst at the End of the Channel Availability Check Time**

### **6.1. Test Procedure**

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to verify successful radar detection on the selected Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB (-62dBm) occurs at the end of the Channel Availability Check Time.

The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence. The Channel Availability Check Time commences at instant T1 and will end no sooner than T1 + 60 seconds. A single Burst of short pulse of radar type 1 at -61 dBm will commence within a 6 second window starting at T1+ 54 seconds.

Visual indication on the UUT of successful detection of the radar Burst will be recorded and reported. Observation of emissions at 5530MHz will continue for 2.5 minutes after the radar Burst has been generated.


Verify that during the 2.5 minute measurement window no UUT transmissions occurred at 5530Hz.

### **6.2. Test Requirement**

In the end of Channel Availability Check (CAC) Time, radar is detected on this channel, select another intended channel and perform a CAC that channel.

### 6.3. Test Result of Radar Burst at the End of the Channel Availability Check Time

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Radar Burst at the End of the Channel Availability Check Time  
 Radar Type : Type 0  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)



Date: 25.MAY.2022 01:30:07

## 7. In-Service Monitoring for Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period

### 7.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

These tests define how the following DFS parameters are verified during In-Service Monitoring;

Channel Closing Transmission Time, Channel Move Time, and Non-Occupancy Period.. The steps below define the procedure to determine the above mentioned parameters when a radar Burst with a level equal to the DFS Detection Threshold + 1dB (-63dBm) is generated on the Operating Channel of the U-NII device.

A U-NII device operating as a Client Device will associate with the UUT (Master) at 5530MHz..

Stream the MPEG test file from the Master Device to the Client Device on the selected Channel for the entire period of the test.

At time T0 the Radar Waveform generator sends a Burst of pulses for each of the radar types at -61dBm.

Observe the transmissions of the UUT at the end of the radar Burst on the Operating Channel for duration greater than 10 seconds. Measure and record the transmissions from the UUT during the observation time (Channel Move Time). Compare the Channel Move Time and Channel Closing

Transmission Time results to the limits defined in the DFS Response requirement values table.

Measure the UUT for more than 30 minutes following the channel close/move time to verify that the UUT does not resume any transmissions on this Channel.


### 7.2. Test Requirement

| Parameter                         | Value                                                                       |
|-----------------------------------|-----------------------------------------------------------------------------|
| Channel Move Time                 | 10 Seconds                                                                  |
| Channel Closing Transmission Time | 200 milliseconds + approx. 60 milliseconds over remaining 10 seconds period |
| Non-Occupancy Period              | Minimum 30 minutes                                                          |

### 7.3. Test Result of Channel Move Time and Channel Closing Transmission Time and Non-Occupancy Period

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Channel Move Time and Channel Closing Transmission Time  
 Radar Type : Type 0  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)

#### Channel Closing Transmission Time and Channel Move Time for Radar Test Type 0 at 5530 MHz




| Test Item                         | Test Result (ms) | Limit                                                                       |
|-----------------------------------|------------------|-----------------------------------------------------------------------------|
| Channel Closing Transmission Time | 10               | 200 milliseconds + approx. 60 milliseconds over remaining 10 seconds period |
| Channel Move Time                 | 528              | 10 seconds                                                                  |

Note:

1. The results showed that after radar signal injected the channel transmission closing time less than 200 milliseconds and an aggregate of no more than 60 milliseconds.
2. The results showed that after radar signal injected the channel move time was less than 10 seconds.

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Non-Occupancy Period  
 Radar Type : Type 0  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)

### Non-Occupancy Period at 5530 MHz



Date: 26.MAY.2022 17:39:32

| Test Item            | Test Result<br>(Minutes) | Limit<br>(Minutes) |
|----------------------|--------------------------|--------------------|
| Non-Occupancy Period | >30                      | >30                |

\*No EUT transmissions were observed on the test channel during 30 minutes observation time.

## 8. Statistical Performance Check

### 8.1. Test Procedure

The EUT was tested according to U-NII test procedure of KDB905462 D02 for compliance to FCC 47CFR 15.407 requirements.

The steps below define the procedure to determine the minimum percentage of detection when a radar burst with a level equal to the DFS Detection Threshold + 1dB (-63dBm) is generated on the Operating Channel of the U-NII device.

A U-NII device operating as a Client Device will associate with the UUT (Master) at 5500MHz, 5510MHz and 5530MHz.

Stream the MPEG test file from the Master Device to the Client Device on the selected Channel for the entire period of the test.

The Radar Waveform generator sends the individual waveform for each of the radar types 1-6 at -62dbm. Statistical data will be gathered to determine the ability of the device to detect the radar test waveforms. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trial runs.

### 8.2. Test Requirement

The minimum percentage of successful detections, and the minimum number of trials that must be used for determining DFS conformance. Step intervals of 0.1 microsecond for Pulse Width, 1 microsecond for PRI, 1 MHz for chirp width and 1 for the number of pulses will be utilized for the random determination of specific test waveforms.

#### Minimum percentage of successful detections

| Radar Type                  | Minimum Percentage of Successful Detection | Minimum Number of Trials |
|-----------------------------|--------------------------------------------|--------------------------|
| 1                           | 60%                                        | 30                       |
| 2                           | 60%                                        | 30                       |
| 3                           | 60%                                        | 30                       |
| 4                           | 60%                                        | 30                       |
| Aggregate (Radar Types 1-4) | 80%                                        | 120                      |
| 5                           | 80%                                        | 30                       |
| 6                           | 70%                                        | 30                       |

The percentage of successful detection is calculated by:

$$\frac{\text{TotalWaveformDetections}}{\text{TotalWaveformTrials}} \times 100 = \text{Probability of Detection Radar Waveform}$$

In addition an aggregate minimum percentage of successful detection across all Short Pulse Radar Types 1-4 is required and is calculated as follows:

$$\frac{P_d 1 + P_d 2 + P_d 3 + P_d 4}{4}$$

### 8.3. Test Result of Statistical Performance Check

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 1  
 Test Mode : Mode 1: Transmit (802.11ax-20BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 30          | 1                | 1788     | 1                               |
| 2                        | 5500            | 26          | 1                | 2102     | 1                               |
| 3                        | 5500            | 49          | 1                | 1096     | 1                               |
| 4                        | 5500            | 21          | 1                | 2595     | 1                               |
| 5                        | 5500            | 35          | 1                | 1538     | 1                               |
| 6                        | 5500            | 33          | 1                | 1599     | 1                               |
| 7                        | 5500            | 71          | 1                | 748      | 0                               |
| 8                        | 5500            | 34          | 1                | 1566     | 1                               |
| 9                        | 5500            | 23          | 1                | 2377     | 1                               |
| 10                       | 5500            | 50          | 1                | 1074     | 1                               |
| 11                       | 5500            | 25          | 1                | 2169     | 1                               |
| 12                       | 5500            | 18          | 1                | 2981     | 1                               |
| 13                       | 5500            | 26          | 1                | 2053     | 1                               |
| 14                       | 5500            | 66          | 1                | 802      | 1                               |
| 15                       | 5500            | 32          | 1                | 1668     | 1                               |
| 16                       | 5500            | 23          | 1                | 2301     | 1                               |
| 17                       | 5500            | 30          | 1                | 1761     | 0                               |
| 18                       | 5500            | 26          | 1                | 2070     | 1                               |
| 19                       | 5500            | 30          | 1                | 1765     | 1                               |
| 20                       | 5500            | 20          | 1                | 2672     | 1                               |
| 21                       | 5500            | 24          | 1                | 2236     | 1                               |
| 22                       | 5500            | 18          | 1                | 3005     | 1                               |
| 23                       | 5500            | 48          | 1                | 1115     | 1                               |
| 24                       | 5500            | 18          | 1                | 3008     | 1                               |
| 25                       | 5500            | 39          | 1                | 1360     | 0                               |
| 26                       | 5500            | 35          | 1                | 1519     | 1                               |
| 27                       | 5500            | 54          | 1                | 983      | 1                               |
| 28                       | 5500            | 24          | 1                | 2283     | 1                               |
| 29                       | 5500            | 60          | 1                | 887      | 1                               |
| 30                       | 5500            | 40          | 1                | 1329     | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 90.00%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 2  
 Test Mode : Mode 1: Transmit (802.11ax-20BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 28          | 2.60             | 163      | 0                               |
| 2                        | 5500            | 28          | 2.90             | 221      | 1                               |
| 3                        | 5500            | 23          | 4.20             | 205      | 1                               |
| 4                        | 5500            | 27          | 2.90             | 201      | 1                               |
| 5                        | 5500            | 28          | 3.20             | 229      | 1                               |
| 6                        | 5500            | 28          | 3.90             | 178      | 0                               |
| 7                        | 5500            | 28          | 1.40             | 220      | 1                               |
| 8                        | 5500            | 27          | 4.80             | 185      | 1                               |
| 9                        | 5500            | 24          | 3.70             | 225      | 1                               |
| 10                       | 5500            | 27          | 2.70             | 202      | 1                               |
| 11                       | 5500            | 26          | 1.80             | 225      | 1                               |
| 12                       | 5500            | 27          | 1.90             | 160      | 1                               |
| 13                       | 5500            | 28          | 3.60             | 194      | 1                               |
| 14                       | 5500            | 28          | 1.90             | 155      | 1                               |
| 15                       | 5500            | 26          | 2.40             | 153      | 1                               |
| 16                       | 5500            | 29          | 2.60             | 173      | 0                               |
| 17                       | 5500            | 28          | 4.80             | 157      | 1                               |
| 18                       | 5500            | 29          | 3.60             | 210      | 1                               |
| 19                       | 5500            | 28          | 2.50             | 151      | 1                               |
| 20                       | 5500            | 25          | 2.30             | 206      | 0                               |
| 21                       | 5500            | 29          | 3.60             | 162      | 1                               |
| 22                       | 5500            | 28          | 2.60             | 178      | 1                               |
| 23                       | 5500            | 26          | 4.50             | 192      | 1                               |
| 24                       | 5500            | 25          | 3.30             | 167      | 1                               |
| 25                       | 5500            | 25          | 3.80             | 202      | 1                               |
| 26                       | 5500            | 24          | 2.80             | 192      | 1                               |
| 27                       | 5500            | 25          | 4.70             | 200      | 1                               |
| 28                       | 5500            | 23          | 3.00             | 211      | 1                               |
| 29                       | 5500            | 28          | 1.60             | 208      | 1                               |
| 30                       | 5500            | 24          | 1.40             | 194      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 86.67 %                         |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 3  
 Test Mode : Mode 1: Transmit (802.11ax-20BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 16          | 6.80             | 493      | 1                               |
| 2                        | 5500            | 17          | 7.70             | 226      | 1                               |
| 3                        | 5500            | 17          | 8.80             | 316      | 0                               |
| 4                        | 5500            | 16          | 7.30             | 275      | 1                               |
| 5                        | 5500            | 18          | 7.90             | 320      | 0                               |
| 6                        | 5500            | 16          | 7.70             | 270      | 1                               |
| 7                        | 5500            | 17          | 8.60             | 407      | 1                               |
| 8                        | 5500            | 17          | 6.40             | 361      | 1                               |
| 9                        | 5500            | 18          | 8.80             | 280      | 1                               |
| 10                       | 5500            | 17          | 9.10             | 370      | 1                               |
| 11                       | 5500            | 17          | 6.90             | 364      | 0                               |
| 12                       | 5500            | 18          | 9.40             | 467      | 1                               |
| 13                       | 5500            | 17          | 8.80             | 352      | 1                               |
| 14                       | 5500            | 17          | 6.20             | 406      | 1                               |
| 15                       | 5500            | 17          | 6.40             | 232      | 1                               |
| 16                       | 5500            | 18          | 8.50             | 262      | 1                               |
| 17                       | 5500            | 17          | 6.40             | 280      | 0                               |
| 18                       | 5500            | 18          | 9.80             | 334      | 0                               |
| 19                       | 5500            | 16          | 7.00             | 384      | 1                               |
| 20                       | 5500            | 17          | 9.60             | 466      | 1                               |
| 21                       | 5500            | 16          | 8.70             | 310      | 0                               |
| 22                       | 5500            | 16          | 9.60             | 257      | 1                               |
| 23                       | 5500            | 18          | 7.10             | 297      | 0                               |
| 24                       | 5500            | 17          | 9.90             | 324      | 1                               |
| 25                       | 5500            | 16          | 9.50             | 334      | 1                               |
| 26                       | 5500            | 17          | 6.60             | 434      | 1                               |
| 27                       | 5500            | 18          | 7.40             | 426      | 1                               |
| 28                       | 5500            | 16          | 6.10             | 259      | 1                               |
| 29                       | 5500            | 17          | 9.80             | 402      | 1                               |
| 30                       | 5500            | 18          | 6.90             | 413      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 76.67%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 4  
 Test Mode : Mode 1: Transmit (802.11ax-20BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5500            | 12          | 14.10            | 459      | 1                               |
| 2                        | 5500            | 12          | 11.50            | 408      | 0                               |
| 3                        | 5500            | 16          | 12.80            | 447      | 1                               |
| 4                        | 5500            | 15          | 11.10            | 360      | 1                               |
| 5                        | 5500            | 13          | 18.00            | 496      | 1                               |
| 6                        | 5500            | 16          | 18.60            | 394      | 1                               |
| 7                        | 5500            | 13          | 16.60            | 348      | 1                               |
| 8                        | 5500            | 15          | 17.60            | 260      | 1                               |
| 9                        | 5500            | 16          | 11.80            | 383      | 0                               |
| 10                       | 5500            | 13          | 19.20            | 460      | 1                               |
| 11                       | 5500            | 13          | 16.90            | 441      | 1                               |
| 12                       | 5500            | 13          | 19.20            | 334      | 1                               |
| 13                       | 5500            | 13          | 15.50            | 286      | 1                               |
| 14                       | 5500            | 14          | 15.00            | 336      | 0                               |
| 15                       | 5500            | 15          | 13.20            | 414      | 1                               |
| 16                       | 5500            | 15          | 14.60            | 429      | 1                               |
| 17                       | 5500            | 15          | 18.00            | 318      | 1                               |
| 18                       | 5500            | 14          | 18.40            | 318      | 1                               |
| 19                       | 5500            | 15          | 16.90            | 269      | 1                               |
| 20                       | 5500            | 15          | 16.30            | 449      | 1                               |
| 21                       | 5500            | 14          | 19.70            | 228      | 1                               |
| 22                       | 5500            | 13          | 19.70            | 386      | 0                               |
| 23                       | 5500            | 14          | 14.70            | 444      | 1                               |
| 24                       | 5500            | 14          | 12.00            | 255      | 1                               |
| 25                       | 5500            | 13          | 11.90            | 230      | 1                               |
| 26                       | 5500            | 14          | 19.80            | 494      | 1                               |
| 27                       | 5500            | 12          | 17.80            | 412      | 1                               |
| 28                       | 5500            | 13          | 18.50            | 285      | 1                               |
| 29                       | 5500            | 14          | 18.20            | 422      | 1                               |
| 30                       | 5500            | 16          | 18.80            | 347      | 0                               |
| Detection Percentage (%) |                 |             |                  |          | 83.33%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 1  
 Test Mode : Mode 2: Transmit (802.11ax-40BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5510            | 22          | 1                | 2450     | 1                               |
| 2                        | 5510            | 38          | 1                | 1402     | 1                               |
| 3                        | 5510            | 19          | 1                | 2888     | 1                               |
| 4                        | 5510            | 78          | 1                | 679      | 1                               |
| 5                        | 5510            | 37          | 1                | 1462     | 1                               |
| 6                        | 5510            | 21          | 1                | 2572     | 1                               |
| 7                        | 5510            | 21          | 1                | 2550     | 1                               |
| 8                        | 5510            | 24          | 1                | 2276     | 1                               |
| 9                        | 5510            | 21          | 1                | 2542     | 1                               |
| 10                       | 5510            | 74          | 1                | 718      | 0                               |
| 11                       | 5510            | 40          | 1                | 1323     | 1                               |
| 12                       | 5510            | 22          | 1                | 2492     | 1                               |
| 13                       | 5510            | 26          | 1                | 2027     | 1                               |
| 14                       | 5510            | 80          | 1                | 661      | 1                               |
| 15                       | 5510            | 79          | 1                | 672      | 1                               |
| 16                       | 5510            | 22          | 1                | 2464     | 1                               |
| 17                       | 5510            | 18          | 1                | 3051     | 1                               |
| 18                       | 5510            | 74          | 1                | 717      | 0                               |
| 19                       | 5510            | 20          | 1                | 2659     | 1                               |
| 20                       | 5510            | 36          | 1                | 1489     | 1                               |
| 21                       | 5510            | 20          | 1                | 2681     | 1                               |
| 22                       | 5510            | 18          | 1                | 3045     | 1                               |
| 23                       | 5510            | 25          | 1                | 2139     | 1                               |
| 24                       | 5510            | 29          | 1                | 1841     | 1                               |
| 25                       | 5510            | 21          | 1                | 2622     | 1                               |
| 26                       | 5510            | 73          | 1                | 728      | 1                               |
| 27                       | 5510            | 62          | 1                | 858      | 1                               |
| 28                       | 5510            | 39          | 1                | 1354     | 1                               |
| 29                       | 5510            | 20          | 1                | 2741     | 1                               |
| 30                       | 5510            | 52          | 1                | 1032     | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 93.33%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 2  
 Test Mode : Mode 2: Transmit (802.11ax-40BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 28              | 1.1         | 220              | 1        | 28                              |
| 2                        | 25              | 2.4         | 180              | 1        | 25                              |
| 3                        | 24              | 4.7         | 157              | 1        | 24                              |
| 4                        | 24              | 1.2         | 184              | 1        | 24                              |
| 5                        | 26              | 2.9         | 225              | 1        | 26                              |
| 6                        | 25              | 3.7         | 180              | 1        | 25                              |
| 7                        | 27              | 4.1         | 194              | 1        | 27                              |
| 8                        | 26              | 1.5         | 190              | 1        | 26                              |
| 9                        | 26              | 4.2         | 157              | 1        | 26                              |
| 10                       | 24              | 1.9         | 220              | 1        | 24                              |
| 11                       | 28              | 2           | 169              | 1        | 28                              |
| 12                       | 29              | 4.8         | 192              | 1        | 29                              |
| 13                       | 25              | 4.6         | 226              | 1        | 25                              |
| 14                       | 25              | 2.4         | 158              | 0        | 25                              |
| 15                       | 29              | 2.4         | 209              | 1        | 29                              |
| 16                       | 28              | 4.4         | 156              | 1        | 28                              |
| 17                       | 27              | 1.1         | 181              | 1        | 27                              |
| 18                       | 28              | 4.8         | 171              | 1        | 28                              |
| 19                       | 24              | 4.7         | 201              | 1        | 24                              |
| 20                       | 28              | 2.2         | 159              | 1        | 28                              |
| 21                       | 29              | 4.7         | 192              | 0        | 29                              |
| 22                       | 29              | 4           | 227              | 1        | 29                              |
| 23                       | 28              | 2.3         | 188              | 1        | 28                              |
| 24                       | 29              | 2.4         | 165              | 1        | 29                              |
| 25                       | 28              | 2.3         | 173              | 0        | 28                              |
| 26                       | 25              | 4.4         | 155              | 0        | 25                              |
| 27                       | 29              | 4.9         | 168              | 1        | 29                              |
| 28                       | 25              | 3.9         | 156              | 0        | 25                              |
| 29                       | 26              | 2.6         | 213              | 1        | 26                              |
| 30                       | 25              | 3.6         | 228              | 1        | 25                              |
| Detection Percentage (%) |                 |             |                  |          | 83.33%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 3  
 Test Mode : Mode 2: Transmit (802.11ax-40BW)  
 Test Date : 2022/05/24

| Trial #                         | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|---------------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                               | 5510            | 17          | 8.2              | 331      | 0                               |
| 2                               | 5510            | 16          | 8.6              | 359      | 1                               |
| 3                               | 5510            | 17          | 8.1              | 254      | 1                               |
| 4                               | 5510            | 17          | 8.8              | 447      | 1                               |
| 5                               | 5510            | 17          | 9.8              | 371      | 0                               |
| 6                               | 5510            | 17          | 7.1              | 425      | 1                               |
| 7                               | 5510            | 17          | 9.3              | 373      | 1                               |
| 8                               | 5510            | 18          | 6.9              | 405      | 1                               |
| 9                               | 5510            | 17          | 8.2              | 444      | 0                               |
| 10                              | 5510            | 17          | 6.2              | 362      | 1                               |
| 11                              | 5510            | 18          | 7.2              | 352      | 1                               |
| 12                              | 5510            | 16          | 7.1              | 306      | 1                               |
| 13                              | 5510            | 17          | 7.7              | 485      | 1                               |
| 14                              | 5510            | 16          | 8.3              | 246      | 0                               |
| 15                              | 5510            | 16          | 7.3              | 206      | 1                               |
| 16                              | 5510            | 18          | 6.2              | 271      | 1                               |
| 17                              | 5510            | 17          | 9                | 450      | 1                               |
| 18                              | 5510            | 18          | 8.7              | 207      | 1                               |
| 19                              | 5510            | 17          | 9.3              | 499      | 1                               |
| 20                              | 5510            | 18          | 7.8              | 220      | 1                               |
| 21                              | 5510            | 16          | 6.6              | 228      | 1                               |
| 22                              | 5510            | 18          | 8.6              | 306      | 1                               |
| 23                              | 5510            | 16          | 9.4              | 250      | 0                               |
| 24                              | 5510            | 17          | 8.8              | 361      | 1                               |
| 25                              | 5510            | 16          | 8.9              | 391      | 1                               |
| 26                              | 5510            | 17          | 6                | 238      | 1                               |
| 27                              | 5510            | 17          | 8                | 293      | 0                               |
| 28                              | 5510            | 16          | 6.5              | 353      | 1                               |
| 29                              | 5510            | 17          | 6.9              | 315      | 1                               |
| 30                              | 5510            | 17          | 9.5              | 217      | 1                               |
| <b>Detection Percentage (%)</b> |                 |             |                  |          | <b>80.00%</b>                   |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 4  
 Test Mode : Mode 2: Transmit (802.11ax-40BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5510            | 16          | 18.5             | 378      | 1                               |
| 2                        | 5510            | 13          | 14.4             | 205      | 0                               |
| 3                        | 5510            | 13          | 12.2             | 220      | 1                               |
| 4                        | 5510            | 13          | 13.9             | 214      | 1                               |
| 5                        | 5510            | 14          | 11               | 204      | 1                               |
| 6                        | 5510            | 12          | 12.8             | 468      | 1                               |
| 7                        | 5510            | 12          | 18.7             | 295      | 0                               |
| 8                        | 5510            | 12          | 13.6             | 458      | 1                               |
| 9                        | 5510            | 13          | 14.5             | 385      | 0                               |
| 10                       | 5510            | 14          | 14.9             | 458      | 1                               |
| 11                       | 5510            | 15          | 11.3             | 396      | 0                               |
| 12                       | 5510            | 13          | 12.2             | 414      | 1                               |
| 13                       | 5510            | 13          | 13.7             | 398      | 1                               |
| 14                       | 5510            | 12          | 18.9             | 251      | 1                               |
| 15                       | 5510            | 15          | 17.3             | 473      | 1                               |
| 16                       | 5510            | 15          | 19.2             | 400      | 0                               |
| 17                       | 5510            | 16          | 11.5             | 431      | 1                               |
| 18                       | 5510            | 15          | 13.3             | 410      | 1                               |
| 19                       | 5510            | 15          | 11.7             | 374      | 0                               |
| 20                       | 5510            | 12          | 15.2             | 411      | 0                               |
| 21                       | 5510            | 15          | 12.1             | 460      | 1                               |
| 22                       | 5510            | 16          | 12.9             | 400      | 1                               |
| 23                       | 5510            | 13          | 12.9             | 378      | 1                               |
| 24                       | 5510            | 14          | 18.3             | 456      | 1                               |
| 25                       | 5510            | 15          | 11.1             | 472      | 0                               |
| 26                       | 5510            | 14          | 18               | 369      | 1                               |
| 27                       | 5510            | 15          | 17.1             | 400      | 1                               |
| 28                       | 5510            | 15          | 19.4             | 218      | 1                               |
| 29                       | 5510            | 16          | 13.7             | 338      | 1                               |
| 30                       | 5510            | 12          | 18.4             | 265      | 0                               |
| Detection Percentage (%) |                 |             |                  |          | 70.00%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 1  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 37          | 1                | 1425     | 1                               |
| 2                        | 5530            | 36          | 1                | 1475     | 1                               |
| 3                        | 5530            | 96          | 1                | 549      | 1                               |
| 4                        | 5530            | 21          | 1                | 2604     | 1                               |
| 5                        | 5530            | 36          | 1                | 1488     | 1                               |
| 6                        | 5530            | 33          | 1                | 1629     | 1                               |
| 7                        | 5530            | 25          | 1                | 2117     | 1                               |
| 8                        | 5530            | 18          | 1                | 2999     | 1                               |
| 9                        | 5530            | 18          | 1                | 3027     | 0                               |
| 10                       | 5530            | 42          | 1                | 1283     | 0                               |
| 11                       | 5530            | 24          | 1                | 2258     | 1                               |
| 12                       | 5530            | 22          | 1                | 2495     | 1                               |
| 13                       | 5530            | 21          | 1                | 2610     | 0                               |
| 14                       | 5530            | 23          | 1                | 2304     | 1                               |
| 15                       | 5530            | 19          | 1                | 2862     | 1                               |
| 16                       | 5530            | 20          | 1                | 2694     | 1                               |
| 17                       | 5530            | 20          | 1                | 2680     | 1                               |
| 18                       | 5530            | 40          | 1                | 1320     | 1                               |
| 19                       | 5530            | 25          | 1                | 2172     | 1                               |
| 20                       | 5530            | 41          | 1                | 1310     | 1                               |
| 21                       | 5530            | 70          | 1                | 757      | 1                               |
| 22                       | 5530            | 18          | 1                | 2937     | 1                               |
| 23                       | 5530            | 25          | 1                | 2190     | 1                               |
| 24                       | 5530            | 22          | 1                | 2398     | 1                               |
| 25                       | 5530            | 18          | 1                | 2939     | 1                               |
| 26                       | 5530            | 23          | 1                | 2365     | 1                               |
| 27                       | 5530            | 29          | 1                | 1838     | 1                               |
| 28                       | 5530            | 21          | 1                | 2547     | 1                               |
| 29                       | 5530            | 24          | 1                | 2214     | 1                               |
| 30                       | 5530            | 32          | 1                | 1680     | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 90.00%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 2  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 27          | 2                | 228      | 0                               |
| 2                        | 5530            | 28          | 2.1              | 181      | 1                               |
| 3                        | 5530            | 26          | 1.2              | 201      | 1                               |
| 4                        | 5530            | 25          | 4.3              | 179      | 1                               |
| 5                        | 5530            | 24          | 4.4              | 153      | 1                               |
| 6                        | 5530            | 28          | 2.1              | 216      | 1                               |
| 7                        | 5530            | 24          | 2.9              | 200      | 1                               |
| 8                        | 5530            | 25          | 3.4              | 228      | 1                               |
| 9                        | 5530            | 25          | 4.3              | 205      | 1                               |
| 10                       | 5530            | 28          | 4.8              | 169      | 1                               |
| 11                       | 5530            | 24          | 1.9              | 161      | 0                               |
| 12                       | 5530            | 24          | 1.1              | 185      | 1                               |
| 13                       | 5530            | 27          | 4.9              | 182      | 1                               |
| 14                       | 5530            | 27          | 3.2              | 164      | 1                               |
| 15                       | 5530            | 26          | 3.4              | 165      | 0                               |
| 16                       | 5530            | 27          | 2.8              | 206      | 1                               |
| 17                       | 5530            | 27          | 3.8              | 224      | 1                               |
| 18                       | 5530            | 24          | 2.3              | 180      | 1                               |
| 19                       | 5530            | 25          | 1.7              | 172      | 1                               |
| 20                       | 5530            | 28          | 1.6              | 174      | 1                               |
| 21                       | 5530            | 26          | 4.3              | 218      | 1                               |
| 22                       | 5530            | 26          | 1.1              | 224      | 1                               |
| 23                       | 5530            | 27          | 2.3              | 156      | 1                               |
| 24                       | 5530            | 26          | 3                | 215      | 1                               |
| 25                       | 5530            | 27          | 4.2              | 222      | 1                               |
| 26                       | 5530            | 28          | 4.4              | 165      | 1                               |
| 27                       | 5530            | 28          | 3.6              | 224      | 1                               |
| 28                       | 5530            | 28          | 1.2              | 191      | 1                               |
| 29                       | 5530            | 26          | 1                | 168      | 1                               |
| 30                       | 5530            | 28          | 3.5              | 210      | 0                               |
| Detection Percentage (%) |                 |             |                  |          | 86.67%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 3  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 17          | 6.7              | 410      | 0                               |
| 2                        | 5530            | 17          | 9.5              | 435      | 1                               |
| 3                        | 5530            | 16          | 6                | 394      | 1                               |
| 4                        | 5530            | 16          | 9.3              | 469      | 1                               |
| 5                        | 5530            | 17          | 6.3              | 232      | 1                               |
| 6                        | 5530            | 18          | 9.9              | 236      | 0                               |
| 7                        | 5530            | 16          | 7.4              | 345      | 1                               |
| 8                        | 5530            | 17          | 9                | 460      | 1                               |
| 9                        | 5530            | 16          | 8.4              | 321      | 1                               |
| 10                       | 5530            | 16          | 9.5              | 248      | 0                               |
| 11                       | 5530            | 16          | 9.1              | 413      | 1                               |
| 12                       | 5530            | 18          | 8.9              | 368      | 1                               |
| 13                       | 5530            | 16          | 8.6              | 250      | 1                               |
| 14                       | 5530            | 16          | 6.6              | 369      | 1                               |
| 15                       | 5530            | 17          | 8.2              | 272      | 1                               |
| 16                       | 5530            | 16          | 9.2              | 307      | 1                               |
| 17                       | 5530            | 17          | 6.2              | 261      | 1                               |
| 18                       | 5530            | 18          | 9.8              | 423      | 1                               |
| 19                       | 5530            | 17          | 8.5              | 395      | 1                               |
| 20                       | 5530            | 18          | 9.3              | 461      | 1                               |
| 21                       | 5530            | 18          | 9.2              | 383      | 1                               |
| 22                       | 5530            | 17          | 6.1              | 433      | 1                               |
| 23                       | 5530            | 16          | 9.7              | 287      | 1                               |
| 24                       | 5530            | 18          | 8.3              | 236      | 0                               |
| 25                       | 5530            | 18          | 9.6              | 383      | 1                               |
| 26                       | 5530            | 18          | 6.3              | 462      | 0                               |
| 27                       | 5530            | 17          | 6                | 379      | 1                               |
| 28                       | 5530            | 18          | 7.8              | 334      | 0                               |
| 29                       | 5530            | 17          | 9.6              | 365      | 1                               |
| 30                       | 5530            | 17          | 7.6              | 321      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 80.00%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 4  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | Pulses/Burs | Pulse Width (us) | PRI (us) | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|-------------|------------------|----------|---------------------------------|
| 1                        | 5530            | 13          | 17.6             | 457      | 0                               |
| 2                        | 5530            | 13          | 15.2             | 494      | 1                               |
| 3                        | 5530            | 14          | 14.8             | 483      | 1                               |
| 4                        | 5530            | 12          | 12               | 303      | 1                               |
| 5                        | 5530            | 12          | 15.4             | 469      | 0                               |
| 6                        | 5530            | 15          | 18.8             | 353      | 1                               |
| 7                        | 5530            | 14          | 13.7             | 455      | 1                               |
| 8                        | 5530            | 13          | 14.7             | 497      | 1                               |
| 9                        | 5530            | 14          | 15.5             | 445      | 1                               |
| 10                       | 5530            | 13          | 12.2             | 438      | 1                               |
| 11                       | 5530            | 14          | 17.8             | 229      | 1                               |
| 12                       | 5530            | 15          | 18.4             | 241      | 1                               |
| 13                       | 5530            | 12          | 12.5             | 367      | 1                               |
| 14                       | 5530            | 15          | 14               | 294      | 0                               |
| 15                       | 5530            | 12          | 15.4             | 270      | 1                               |
| 16                       | 5530            | 14          | 16.5             | 371      | 1                               |
| 17                       | 5530            | 15          | 14               | 289      | 1                               |
| 18                       | 5530            | 16          | 14.7             | 207      | 0                               |
| 19                       | 5530            | 13          | 11.4             | 363      | 1                               |
| 20                       | 5530            | 13          | 18               | 239      | 0                               |
| 21                       | 5530            | 15          | 12.1             | 439      | 1                               |
| 22                       | 5530            | 13          | 17.4             | 495      | 1                               |
| 23                       | 5530            | 12          | 18.5             | 461      | 1                               |
| 24                       | 5530            | 14          | 12.4             | 358      | 0                               |
| 25                       | 5530            | 12          | 11.3             | 386      | 0                               |
| 26                       | 5530            | 12          | 11.9             | 342      | 1                               |
| 27                       | 5530            | 15          | 11.9             | 260      | 1                               |
| 28                       | 5530            | 16          | 14.7             | 328      | 1                               |
| 29                       | 5530            | 13          | 19.1             | 226      | 1                               |
| 30                       | 5530            | 14          | 13.5             | 395      | 1                               |
| Detection Percentage (%) |                 |             |                  |          | 76.67%                          |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 5  
 Test Mode : Mode 1: Transmit (802.11ax-20BW)  
 Test Date : 2022/05/24

| Center Freq: 5500MHz     |       |        | Low Edge: 5491MHz   |                                                      | High Edge: 5510MHz              |  |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|--|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |  |
| 1                        | 5     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |  |
| 2                        | 19    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 0                               |  |
| 3                        | 13    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |  |
| 4                        | 16    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |  |
| 5                        | 15    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |  |
| 6                        | 15    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |  |
| 7                        | 15    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |  |
| 8                        | 5     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |  |
| 9                        | 16    |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |  |
| 10                       | 9     |        | 5500                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 1                               |  |
| 11                       | 17    | 6.8    | 5497.8              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 0                               |  |
| 12                       | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 1                               |  |
| 13                       | 16    | 6.4    | 5497.4              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 0                               |  |
| 14                       | 10    | 4      | 5495                | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 0                               |  |
| 15                       | 7     | 2.8    | 5493.8              | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 1                               |  |
| 16                       | 6     | 2.4    | 5493.4              | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 1                               |  |
| 17                       | 11    | 4.4    | 5495.4              | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 0                               |  |
| 18                       | 17    | 6.8    | 5497.8              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 0                               |  |
| 19                       | 8     | 3.2    | 5494.2              | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |  |
| 20                       | 8     | 3.2    | 5494.2              | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 1                               |  |
| 21                       | 17    | 6.8    | 5503.2              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |  |
| 22                       | 6     | 2.4    | 5507.6              | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |  |
| 23                       | 8     | 3.2    | 5506.8              | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |  |
| 24                       | 9     | 3.6    | 5506.4              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |  |
| 25                       | 8     | 3.2    | 5506.8              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |  |
| 26                       | 16    | 6.4    | 5503.6              | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |  |
| 27                       | 14    | 5.6    | 5504.4              | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |  |
| 28                       | 7     | 2.8    | 5507.2              | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 1                               |  |
| 29                       | 9     | 3.6    | 5506.4              | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 1                               |  |
| 30                       | 17    | 6.8    | 5503.2              | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |  |
| Detection Percentage (%) |       |        |                     |                                                      | 80.00                           |  |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |  |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 88.6               | 5                 | 1699                    | 1910                    | 625.672                               |
| 2     | 3                | 63.8               | 5                 | 1055                    | 1437                    | 18.428                                |
| 3     | 3                | 97.8               | 5                 | 1821                    | 1243                    | 145.095                               |
| 4     | 2                | 75                 | 5                 | 1020                    |                         | 169.393                               |
| 5     | 2                | 62.4               | 5                 | 1866                    |                         | 648.681                               |
| 6     | 2                | 92.3               | 5                 | 1651                    |                         | 380.738                               |
| 7     | 2                | 76.9               | 5                 | 1937                    |                         | 90.176                                |
| 8     | 1                | 99.1               | 5                 |                         |                         | 544.334                               |
| 9     | 3                | 53.4               | 5                 | 1137                    | 1577                    | 460.801                               |
| 10    | 1                | 50                 | 5                 |                         |                         | 97.249                                |
| 11    | 2                | 60.3               | 5                 | 1122                    |                         | 653.676                               |
| 12    | 2                | 69.7               | 5                 | 1668                    |                         | 587.784                               |
| 13    | 1                | 72.4               | 5                 |                         |                         | 110.342                               |
| 14    | 1                | 94.2               | 5                 |                         |                         | 603.689                               |
| 15    | 2                | 56.4               | 5                 | 1023                    |                         | 497.147                               |
| 16    | 2                | 86                 | 5                 | 1766                    |                         | 328.065                               |
| 17    | 2                | 76.1               | 5                 | 1867                    |                         | 299.482                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                  |
|------------------|
| Trial Number : 2 |
|------------------|

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 87                 | 13                | 1968                    |                         | 79.083                                |
| 2     | 2                | 82.2               | 13                | 1143                    |                         | 383.173                               |
| 3     | 2                | 53.5               | 13                | 1356                    |                         | 248.487                               |
| 4     | 2                | 69.9               | 13                | 1868                    |                         | 636.99                                |
| 5     | 1                | 83.8               | 13                |                         |                         | 85.723                                |
| 6     | 2                | 69.9               | 13                | 1314                    |                         | 647.797                               |
| 7     | 1                | 85.1               | 13                |                         |                         | 175.71                                |
| 8     | 1                | 65.6               | 13                |                         |                         | 246.013                               |
| 9     | 2                | 85.7               | 13                | 1134                    |                         | 580.137                               |
| 10    | 2                | 96.6               | 13                | 1357                    |                         | 483.44                                |
| 11    | 2                | 79.3               | 13                | 1215                    |                         | 20.913                                |
| 12    | 2                | 82.2               | 13                | 1019                    |                         | 651.997                               |
| 13    | 2                | 75.4               | 13                | 1140                    |                         | 619.34                                |
| 14    | 2                | 73.4               | 13                | 1690                    |                         | 606.413                               |
| 15    | 2                | 82.7               | 13                | 1247                    |                         | 541.477                               |
| 16    | 2                | 57.4               | 13                | 1479                    |                         | 131.9                                 |
| 17    | 1                | 95.2               | 13                |                         |                         | 55.433                                |
| 18    | 3                | 77.1               | 13                | 1185                    | 1091                    | 65.967                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 71.6               | 16                | 1836                    |                         | 6.479                                 |
| 2     | 2                | 57                 | 16                | 1725                    |                         | 32.472                                |
| 3     | 1                | 94.7               | 16                |                         |                         | 720.79                                |
| 4     | 2                | 69.3               | 16                | 1716                    |                         | 716.67                                |
| 5     | 2                | 60.9               | 16                | 1112                    |                         | 445.4                                 |
| 6     | 1                | 60.2               | 16                |                         |                         | 715.58                                |
| 7     | 2                | 78.8               | 16                | 1683                    |                         | 449.93                                |
| 8     | 2                | 54.3               | 16                | 1777                    |                         | 742.71                                |
| 9     | 3                | 67.9               | 16                | 1371                    | 1036                    | 326.08                                |
| 10    | 2                | 98.5               | 16                | 1549                    |                         | 212.01                                |
| 11    | 2                | 95.6               | 16                | 1354                    |                         | 94.02                                 |
| 12    | 3                | 69.7               | 16                | 1528                    | 1039                    | 422.73                                |
| 13    | 2                | 79.3               | 16                | 1178                    |                         | 192.09                                |
| 14    | 3                | 72                 | 16                | 1917                    | 1247                    | 215.89                                |
| 15    | 3                | 69                 | 16                | 1954                    | 1087                    | 76.7                                  |
| 16    | 2                | 86.3               | 16                | 1379                    |                         | 84.9                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 51.9               | 15                | 1112                    |                         | 323.412                               |
| 2     | 1                | 56.6               | 15                |                         |                         | 519.587                               |
| 3     | 1                | 50.8               | 15                |                         |                         | 142.164                               |
| 4     | 1                | 86.4               | 15                |                         |                         | 428.981                               |
| 5     | 2                | 61.4               | 15                | 1055                    |                         | 796.029                               |
| 6     | 2                | 94.8               | 15                | 1681                    |                         | 627.376                               |
| 7     | 1                | 58.7               | 15                |                         |                         | 111.993                               |
| 8     | 3                | 75.4               | 15                | 1170                    | 1921                    | 848.01                                |
| 9     | 2                | 62.5               | 15                | 1179                    |                         | 460.527                               |
| 10    | 2                | 91.8               | 15                | 1747                    |                         | 31.164                                |
| 11    | 2                | 74.2               | 15                | 1554                    |                         | 601.511                               |
| 12    | 3                | 69.3               | 15                | 1932                    | 1449                    | 107.659                               |
| 13    | 1                | 78.5               | 15                |                         |                         | 413.986                               |
| 14    | 2                | 86.5               | 15                | 1235                    |                         | 683.743                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 9

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 62.8               | 15                | 1587                    |                         | 938.464                               |
| 2     | 2                | 79.6               | 15                | 1612                    |                         | 737.817                               |
| 3     | 3                | 70.4               | 15                | 1960                    | 1411                    | 1089.153                              |
| 4     | 3                | 53.4               | 15                | 1369                    | 1637                    | 337.35                                |
| 5     | 2                | 51.1               | 15                | 1253                    |                         | 163.277                               |
| 6     | 3                | 61.6               | 15                | 1332                    | 1179                    | 116.243                               |
| 7     | 2                | 76                 | 15                | 1681                    |                         | 1068.55                               |
| 8     | 3                | 93.3               | 15                | 1967                    | 1646                    | 712.967                               |
| 9     | 2                | 57.9               | 15                | 1132                    |                         | 974.433                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 50.3               | 15                | 1830                    |                         | 560.718                               |
| 2     | 2                | 95.4               | 15                | 1226                    |                         | 317.66                                |
| 3     | 2                | 78.7               | 15                | 1874                    |                         | 315.13                                |
| 4     | 3                | 67.8               | 15                | 1128                    | 1822                    | 179.17                                |
| 5     | 2                | 75.2               | 15                | 1196                    |                         | 364.49                                |
| 6     | 2                | 57.6               | 15                | 1016                    |                         | 959.23                                |
| 7     | 2                | 99.7               | 15                | 1380                    |                         | 573.75                                |
| 8     | 1                | 85.4               | 15                |                         |                         | 227.93                                |
| 9     | 2                | 81                 | 15                | 1744                    |                         | 719.14                                |
| 10    | 1                | 90.5               | 15                |                         |                         | 892.4                                 |
| 11    | 1                | 77                 | 15                |                         |                         | 82.1                                  |
| 12    | 1                | 73.1               | 15                |                         |                         | 895.1                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 52.7               | 5                 | 1780                        |                         | 242.784                               |
| 2     | 1                | 64                 | 5                 |                             |                         | 244.507                               |
| 3     | 1                | 96.1               | 5                 |                             |                         | 584.022                               |
| 4     | 1                | 77.4               | 5                 |                             |                         | 346.093                               |
| 5     | 2                | 81.5               | 5                 | 1538                        |                         | 2.484                                 |
| 6     | 2                | 82.5               | 5                 | 1160                        |                         | 215.425                               |
| 7     | 2                | 81.4               | 5                 | 1727                        |                         | 35.256                                |
| 8     | 1                | 66.9               | 5                 |                             |                         | 124.897                               |
| 9     | 3                | 66.7               | 5                 | 1795                        | 1666                    | 587.778                               |
| 10    | 2                | 88                 | 5                 | 1101                        |                         | 303.259                               |
| 11    | 2                | 50.2               | 5                 | 1798                        |                         | 450.661                               |
| 12    | 3                | 77.9               | 5                 | 1513                        | 1330                    | 287.512                               |
| 13    | 2                | 56.6               | 5                 | 1638                        |                         | 243.403                               |
| 14    | 2                | 93.4               | 5                 | 1908                        |                         | 579.154                               |
| 15    | 3                | 59.2               | 5                 | 1911                        | 1246                    | 490.965                               |
| 16    | 2                | 89.5               | 5                 | 1487                        |                         | 240.996                               |
| 17    | 3                | 93.8               | 5                 | 1598                        | 1604                    | 333.537                               |
| 18    | 1                | 93.7               | 5                 |                             |                         | 85.558                                |
| 19    | 1                | 75.3               | 5                 |                             |                         | 607.579                               |
|       |                  |                    |                   |                             |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 8

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 60.4               | 16                | 1330                    | 1245                    | 1061.45                               |
| 2     | 2                | 52.3               | 16                | 1584                    |                         | 212.86                                |
| 3     | 3                | 61.1               | 16                | 1207                    | 1719                    | 690.66                                |
| 4     | 2                | 70.1               | 16                | 1749                    |                         | 288.95                                |
| 5     | 3                | 59.4               | 16                | 1652                    | 1973                    | 1011.41                               |
| 6     | 1                | 78.8               | 16                |                         |                         | 832.99                                |
| 7     | 2                | 85.3               | 16                | 1323                    |                         | 702.65                                |
| 8     | 1                | 65.8               | 16                |                         |                         | 1134.7                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 84.9               | 9                 | 1276                    |                         | 568.711                               |
| 2     | 1                | 50.6               | 9                 |                         |                         | 586.347                               |
| 3     | 3                | 82.2               | 9                 | 1699                    | 1748                    | 807.384                               |
| 4     | 1                | 87.5               | 9                 |                         |                         | 148.641                               |
| 5     | 2                | 59.9               | 9                 | 1702                    |                         | 329.409                               |
| 6     | 3                | 68.5               | 9                 | 1553                    | 1468                    | 465.556                               |
| 7     | 2                | 75.8               | 9                 | 1415                    |                         | 818.953                               |
| 8     | 2                | 82.5               | 9                 | 1203                    |                         | 580.17                                |
| 9     | 1                | 96.5               | 9                 |                         |                         | 613.637                               |
| 10    | 2                | 65                 | 9                 | 1268                    |                         | 32.394                                |
| 11    | 2                | 55.8               | 9                 | 1613                    |                         | 661.271                               |
| 12    | 1                | 55.2               | 9                 |                         |                         | 297.749                               |
| 13    | 2                | 53.5               | 9                 | 1923                    |                         | 358.486                               |
| 14    | 2                | 93                 | 9                 | 1466                    |                         | 489.243                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 11**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 72                 | 6                 | 1122                    |                         | 277.781                               |
| 2     | 1                | 63.5               | 6                 |                         |                         | 364.193                               |
| 3     | 1                | 96.5               | 6                 |                         |                         | 61.646                                |
| 4     | 1                | 66.3               | 6                 |                         |                         | 854.159                               |
| 5     | 2                | 77.3               | 6                 | 1289                    |                         | 842.142                               |
| 6     | 2                | 58.7               | 6                 | 1759                    |                         | 415.895                               |
| 7     | 2                | 97.5               | 6                 | 1179                    |                         | 883.808                               |
| 8     | 1                | 53.9               | 6                 |                         |                         | 607.322                               |
| 9     | 3                | 85.5               | 6                 | 1432                    | 1745                    | 40.265                                |
| 10    | 3                | 50.7               | 6                 | 1799                    | 1348                    | 751.728                               |
| 11    | 2                | 99.9               | 6                 | 1432                    |                         | 629.301                               |
| 12    | 1                | 73.2               | 6                 |                         |                         | 37.954                                |
| 13    | 3                | 83.5               | 6                 | 1008                    | 1847                    | 680.377                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 97.3               | 16                | 1992                    |                         | 107.585                               |
| 2     | 1                | 57.7               | 16                |                         |                         | 153.108                               |
| 3     | 2                | 57.2               | 16                | 1743                    |                         | 3.31                                  |
| 4     | 3                | 58.7               | 16                | 1382                    | 1120                    | 341.54                                |
| 5     | 2                | 51.1               | 16                | 1689                    |                         | 512.61                                |
| 6     | 2                | 66                 | 16                | 1772                    |                         | 504.41                                |
| 7     | 3                | 64.4               | 16                | 1270                    | 1945                    | 495.49                                |
| 8     | 3                | 52.1               | 16                | 1108                    | 1416                    | 169.77                                |
| 9     | 1                | 79.8               | 16                |                         |                         | 584.68                                |
| 10    | 3                | 58.7               | 16                | 1042                    | 1134                    | 224.76                                |
| 11    | 1                | 67.3               | 16                |                         |                         | 570.97                                |
| 12    | 1                | 90.9               | 16                |                         |                         | 272.27                                |
| 13    | 1                | 72.7               | 16                |                         |                         | 355.19                                |
| 14    | 2                | 76.3               | 16                | 1888                    |                         | 298.8                                 |
| 15    | 1                | 70.2               | 16                |                         |                         | 590.69                                |
| 16    | 1                | 78.1               | 16                |                         |                         | 268.46                                |
| 17    | 2                | 57                 | 16                | 1246                    |                         | 381.9                                 |
| 18    | 2                | 93.8               | 16                | 1499                    |                         | 209.3                                 |
| 19    | 2                | 77.9               | 16                | 1808                    |                         | 542.8                                 |
| 20    | 3                | 68.1               | 16                | 1590                    | 1691                    | 37.6                                  |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 65.5               | 10                | 1749                    | 1936                    | 369.456                               |
| 2     | 2                | 50.1               | 10                | 1280                    |                         | 149.057                               |
| 3     | 1                | 62.7               | 10                |                         |                         | 57.51                                 |
| 4     | 3                | 51.2               | 10                | 1467                    | 1002                    | 347.35                                |
| 5     | 2                | 54.2               | 10                | 1986                    |                         | 592.07                                |
| 6     | 2                | 64.5               | 10                | 1764                    |                         | 318.4                                 |
| 7     | 1                | 72.4               | 10                |                         |                         | 514.88                                |
| 8     | 1                | 51                 | 10                |                         |                         | 312.65                                |
| 9     | 2                | 98.9               | 10                | 1131                    |                         | 119.72                                |
| 10    | 1                | 85.3               | 10                |                         |                         | 745.13                                |
| 11    | 2                | 60.8               | 10                | 1177                    |                         | 765.32                                |
| 12    | 3                | 72.2               | 10                | 1086                    | 1948                    | 410.81                                |
| 13    | 2                | 56.5               | 10                | 1964                    |                         | 649.2                                 |
| 14    | 1                | 75.6               | 10                |                         |                         | 571.7                                 |
| 15    | 2                | 60.3               | 10                | 1111                    |                         | 537.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 67.8               | 7                 | 1918                    | 1039                    | 408.187                               |
| 2     | 2                | 67.8               | 7                 | 1967                    |                         | 222.02                                |
| 3     | 2                | 98.8               | 7                 | 1970                    |                         | 494.502                               |
| 4     | 2                | 69                 | 7                 | 1545                    |                         | 278.243                               |
| 5     | 1                | 72.4               | 7                 |                         |                         | 210.304                               |
| 6     | 1                | 51.4               | 7                 |                         |                         | 359.385                               |
| 7     | 2                | 84.2               | 7                 | 1477                    |                         | 505.166                               |
| 8     | 2                | 93.6               | 7                 | 1740                    |                         | 564.747                               |
| 9     | 3                | 51.7               | 7                 | 1378                    | 1163                    | 240.288                               |
| 10    | 1                | 71.4               | 7                 |                         |                         | 95.449                                |
| 11    | 3                | 77.4               | 7                 | 1894                    | 1632                    | 540.931                               |
| 12    | 1                | 58.1               | 7                 |                         |                         | 186.632                               |
| 13    | 1                | 74.2               | 7                 |                         |                         | 448.913                               |
| 14    | 3                | 54.5               | 7                 | 1215                    | 1181                    | 572.694                               |
| 15    | 1                | 80.4               | 7                 |                         |                         | 99.625                                |
| 16    | 2                | 54.2               | 7                 | 1325                    |                         | 269.586                               |
| 17    | 1                | 95                 | 7                 |                         |                         | 12.737                                |
| 18    | 3                | 51.3               | 7                 | 1602                    | 1377                    | 295.858                               |
| 19    | 1                | 70.4               | 7                 |                         |                         | 616.679                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 66                 | 6                 | 1494                    |                         | 308.592                               |
| 2     | 2                | 69.3               | 6                 | 1906                    |                         | 499.31                                |
| 3     | 3                | 52                 | 6                 | 1353                    | 1563                    | 443.75                                |
| 4     | 3                | 93.1               | 6                 | 1799                    | 1372                    | 710.54                                |
| 5     | 1                | 90.3               | 6                 |                         |                         | 204.51                                |
| 6     | 1                | 90.3               | 6                 |                         |                         | 59.07                                 |
| 7     | 2                | 80.9               | 6                 | 1419                    |                         | 447.23                                |
| 8     | 2                | 65.4               | 6                 | 1936                    |                         | 432.45                                |
| 9     | 1                | 56.5               | 6                 |                         |                         | 472.56                                |
| 10    | 2                | 79.7               | 6                 | 1945                    |                         | 1.24                                  |
| 11    | 3                | 97.5               | 6                 | 1662                    | 1854                    | 735.92                                |
| 12    | 2                | 64.5               | 6                 | 1047                    |                         | 148.99                                |
| 13    | 3                | 57.9               | 6                 | 1023                    | 1046                    | 622.96                                |
| 14    | 3                | 76.3               | 6                 | 1157                    | 1175                    | 738.5                                 |
| 15    | 2                | 74.9               | 6                 | 1762                    |                         | 367.6                                 |
| 16    | 2                | 73.7               | 6                 | 1732                    |                         | 303.5                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 17**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 78.8               | 17                | 1420                    |                         | 322.359                               |
| 2     | 2                | 63.9               | 17                | 1718                    |                         | 183.872                               |
| 3     | 2                | 74.9               | 17                | 1356                    |                         | 348.755                               |
| 4     | 1                | 75                 | 17                |                         |                         | 321.493                               |
| 5     | 1                | 93.2               | 17                |                         |                         | 669.711                               |
| 6     | 3                | 69.3               | 17                | 1898                    | 1825                    | 391.018                               |
| 7     | 3                | 94.2               | 17                | 1049                    | 1506                    | 158.016                               |
| 8     | 2                | 69.8               | 17                | 1573                    |                         | 307.674                               |
| 9     | 1                | 57.1               | 17                |                         |                         | 342.171                               |
| 10    | 1                | 57.8               | 17                |                         |                         | 140.429                               |
| 11    | 1                | 68.9               | 17                |                         |                         | 143.996                               |
| 12    | 2                | 68.4               | 17                | 1777                    |                         | 379.154                               |
| 13    | 3                | 71.7               | 17                | 1463                    | 1070                    | 170.732                               |
| 14    | 3                | 86.8               | 17                | 1556                    | 1708                    | 284.209                               |
| 15    | 2                | 76.4               | 17                | 1615                    |                         | 539.847                               |
| 16    | 2                | 78.1               | 17                | 1229                    |                         | 320.665                               |
| 17    | 1                | 99.8               | 17                |                         |                         | 586.582                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 78.7               | 8                 |                         |                         | 131.047                               |
| 2     | 1                | 70.9               | 8                 |                         |                         | 370.978                               |
| 3     | 3                | 54.6               | 8                 | 1801                    | 1606                    | 522.725                               |
| 4     | 3                | 52.7               | 8                 | 1426                    | 1424                    | 53.103                                |
| 5     | 2                | 59.2               | 8                 | 1151                    |                         | 577.241                               |
| 6     | 2                | 54.5               | 8                 | 1724                    |                         | 493.818                               |
| 7     | 1                | 63.5               | 8                 |                         |                         | 667.196                               |
| 8     | 2                | 76.3               | 8                 | 1466                    |                         | 351.654                               |
| 9     | 1                | 62.2               | 8                 |                         |                         | 448.421                               |
| 10    | 2                | 66.7               | 8                 | 1966                    |                         | 390.039                               |
| 11    | 3                | 57.1               | 8                 | 1957                    | 1110                    | 87.186                                |
| 12    | 1                | 50.1               | 8                 |                         |                         | 252.434                               |
| 13    | 2                | 71.4               | 8                 | 1059                    |                         | 73.422                                |
| 14    | 2                | 89.8               | 8                 | 1150                    |                         | 134.129                               |
| 15    | 1                | 79.6               | 8                 |                         |                         | 494.947                               |
| 16    | 2                | 86.3               | 8                 | 1789                    |                         | 430.665                               |
| 17    | 2                | 74.1               | 8                 | 1118                    |                         | 520.282                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 57                 | 8                 | 1244                    | 1031                    | 293.431                               |
| 2     | 2                | 99.7               | 8                 | 1207                    |                         | 487.881                               |
| 3     | 3                | 58.6               | 8                 | 1731                    | 1816                    | 621.762                               |
| 4     | 1                | 72                 | 8                 |                         |                         | 576.463                               |
| 5     | 1                | 93                 | 8                 |                         |                         | 384.414                               |
| 6     | 1                | 92.8               | 8                 |                         |                         | 297.195                               |
| 7     | 2                | 55.2               | 8                 | 1383                    |                         | 348.396                               |
| 8     | 3                | 80.2               | 8                 | 1853                    | 1565                    | 368.077                               |
| 9     | 2                | 74.8               | 8                 | 1313                    |                         | 337.078                               |
| 10    | 1                | 72.8               | 8                 |                         |                         | 227.229                               |
| 11    | 2                | 83.8               | 8                 | 1432                    |                         | 124.701                               |
| 12    | 3                | 89.2               | 8                 | 1685                    | 1034                    | 174.062                               |
| 13    | 1                | 51.9               | 8                 |                         |                         | 108.443                               |
| 14    | 2                | 52                 | 8                 | 1267                    |                         | 311.554                               |
| 15    | 2                | 86.4               | 8                 | 1227                    |                         | 378.845                               |
| 16    | 3                | 68.9               | 8                 | 1389                    | 1526                    | 407.576                               |
| 17    | 1                | 88.2               | 8                 |                         |                         | 350.137                               |
| 18    | 3                | 81.2               | 8                 | 1314                    | 1846                    | 114.258                               |
| 19    | 1                | 75.9               | 8                 |                         |                         | 285.779                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 51.1               | 17                |                         |                         | 207.714                               |
| 2     | 1                | 94.2               | 17                |                         |                         | 142.222                               |
| 3     | 3                | 97.6               | 17                | 1426                    | 1332                    | 543.935                               |
| 4     | 2                | 63.4               | 17                | 1756                    |                         | 376.713                               |
| 5     | 2                | 98.8               | 17                | 1070                    |                         | 461.701                               |
| 6     | 2                | 64.6               | 17                | 1160                    |                         | 224.548                               |
| 7     | 1                | 73.4               | 17                |                         |                         | 325.316                               |
| 8     | 2                | 57.5               | 17                | 1341                    |                         | 455.834                               |
| 9     | 3                | 83.9               | 17                | 1110                    | 1587                    | 132.071                               |
| 10    | 3                | 52.6               | 17                | 1180                    | 1375                    | 566.009                               |
| 11    | 2                | 61.4               | 17                | 1592                    |                         | 64.366                                |
| 12    | 2                | 96                 | 17                | 1579                    |                         | 676.944                               |
| 13    | 1                | 76.6               | 17                |                         |                         | 237.212                               |
| 14    | 2                | 89.2               | 17                | 1013                    |                         | 184.859                               |
| 15    | 2                | 77.6               | 17                | 1978                    |                         | 279.147                               |
| 16    | 2                | 91.8               | 17                | 1709                    |                         | 58.865                                |
| 17    | 2                | 87.5               | 17                | 1155                    |                         | 606.982                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 22

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 89.8               | 6                 |                         |                         | 251.476                               |
| 2     | 2                | 56.5               | 6                 | 1752                    |                         | 517.661                               |
| 3     | 3                | 56.9               | 6                 | 1289                    | 1795                    | 402.702                               |
| 4     | 2                | 80.4               | 6                 | 1297                    |                         | 427.443                               |
| 5     | 2                | 97                 | 6                 | 1600                    |                         | 172.704                               |
| 6     | 3                | 71.2               | 6                 | 1416                    | 1684                    | 573.635                               |
| 7     | 2                | 53.4               | 6                 | 1180                    |                         | 347.076                               |
| 8     | 2                | 83.1               | 6                 | 1987                    |                         | 214.127                               |
| 9     | 3                | 50.3               | 6                 | 1068                    | 1251                    | 63.178                                |
| 10    | 2                | 65.4               | 6                 | 1895                    |                         | 394.349                               |
| 11    | 2                | 99.2               | 6                 | 1470                    |                         | 397.911                               |
| 12    | 1                | 59.2               | 6                 |                         |                         | 356.972                               |
| 13    | 2                | 65.4               | 6                 | 1305                    |                         | 206.633                               |
| 14    | 1                | 72.6               | 6                 |                         |                         | 257.374                               |
| 15    | 1                | 53.9               | 6                 |                         |                         | 295.615                               |
| 16    | 3                | 74.9               | 6                 | 1640                    | 1681                    | 350.076                               |
| 17    | 3                | 74.8               | 6                 | 1775                    | 1264                    | 283.537                               |
| 18    | 2                | 79.9               | 6                 | 1617                    |                         | 89.358                                |
| 19    | 2                | 62.7               | 6                 | 1359                    |                         | 348.379                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 97.9               | 8                 | 1114                    |                         | 822.38                                |
| 2     | 3                | 53.1               | 8                 | 1615                    | 1033                    | 774.5                                 |
| 3     | 1                | 50.4               | 8                 |                         |                         | 415.45                                |
| 4     | 3                | 88.3               | 8                 | 1316                    | 1571                    | 730.28                                |
| 5     | 2                | 76.8               | 8                 | 1499                    |                         | 815.86                                |
| 6     | 2                | 88                 | 8                 | 1510                    |                         | 135.81                                |
| 7     | 2                | 95.3               | 8                 | 1804                    |                         | 21.7                                  |
| 8     | 2                | 85.3               | 8                 | 1740                    |                         | 943.99                                |
| 9     | 2                | 64.2               | 8                 | 1964                    |                         | 531.05                                |
| 10    | 3                | 52.2               | 8                 | 1467                    | 1725                    | 71.72                                 |
| 11    | 3                | 93.4               | 8                 | 1691                    | 1784                    | 639.4                                 |
| 12    | 2                | 57.4               | 8                 | 1328                    |                         | 514.5                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 71.9               | 9                 | 1415                    | 1332                    | 188.211                               |
| 2     | 3                | 87.1               | 9                 | 1639                    | 1423                    | 362.493                               |
| 3     | 1                | 68.3               | 9                 |                         |                         | 198.427                               |
| 4     | 1                | 91.2               | 9                 |                         |                         | 80.62                                 |
| 5     | 2                | 78.6               | 9                 | 1188                    |                         | 84.763                                |
| 6     | 2                | 74.7               | 9                 | 1027                    |                         | 514.077                               |
| 7     | 1                | 94.8               | 9                 |                         |                         | 189.33                                |
| 8     | 2                | 88.3               | 9                 | 1178                    |                         | 122.373                               |
| 9     | 3                | 55.4               | 9                 | 1635                    | 1078                    | 124.977                               |
| 10    | 2                | 82.9               | 9                 | 1493                    |                         | 106.58                                |
| 11    | 2                | 65.7               | 9                 | 1002                    |                         | 60.383                                |
| 12    | 1                | 58.2               | 9                 |                         |                         | 384.677                               |
| 13    | 3                | 54.2               | 9                 | 1031                    | 1053                    | 206.25                                |
| 14    | 1                | 68.8               | 9                 |                         |                         | 80.593                                |
| 15    | 3                | 94.2               | 9                 | 1142                    | 1378                    | 467.557                               |
| 16    | 3                | 60.5               | 9                 | 1491                    | 1343                    | 305.7                                 |
| 17    | 2                | 93.6               | 9                 | 1926                    |                         | 116.833                               |
| 18    | 1                | 76.4               | 9                 |                         |                         | 220.867                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 68.8               | 8                 | 1267                    | 1298                    | 700.078                               |
| 2     | 3                | 90.7               | 8                 | 1102                    | 1010                    | 225.363                               |
| 3     | 2                | 58.1               | 8                 | 1496                    |                         | 532.916                               |
| 4     | 2                | 57.1               | 8                 | 1456                    |                         | 430.999                               |
| 5     | 1                | 81.8               | 8                 |                         |                         | 329.222                               |
| 6     | 2                | 51.6               | 8                 | 1862                    |                         | 399.195                               |
| 7     | 2                | 72                 | 8                 | 1019                    |                         | 4.858                                 |
| 8     | 1                | 59.8               | 8                 |                         |                         | 497.532                               |
| 9     | 2                | 51.3               | 8                 | 1654                    |                         | 134.915                               |
| 10    | 2                | 66.5               | 8                 | 1120                    |                         | 314.538                               |
| 11    | 1                | 62.6               | 8                 |                         |                         | 207.771                               |
| 12    | 2                | 52.3               | 8                 | 1014                    |                         | 178.554                               |
| 13    | 3                | 96.2               | 8                 | 1467                    | 1766                    | 294.977                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 26**

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 59.5               | 14                | 1600                    | 1389                    | 267.056                               |
| 2     | 2                | 58.7               | 14                | 1061                    |                         | 160.817                               |
| 3     | 1                | 64.4               | 14                |                         |                         | 361.017                               |
| 4     | 2                | 92.3               | 14                | 1139                    |                         | 186.52                                |
| 5     | 2                | 83.8               | 14                | 1666                    |                         | 602.373                               |
| 6     | 2                | 65.5               | 14                | 1228                    |                         | 482.857                               |
| 7     | 1                | 97.2               | 14                |                         |                         | 534.36                                |
| 8     | 2                | 55.8               | 14                | 1976                    |                         | 263.333                               |
| 9     | 2                | 70.1               | 14                | 1265                    |                         | 415.077                               |
| 10    | 2                | 75.5               | 14                | 1030                    |                         | 162.41                                |
| 11    | 1                | 80.7               | 14                |                         |                         | 305.773                               |
| 12    | 2                | 58.7               | 14                | 1025                    |                         | 169.137                               |
| 13    | 1                | 54.3               | 14                |                         |                         | 392.04                                |
| 14    | 2                | 57.1               | 14                | 1393                    |                         | 95.973                                |
| 15    | 2                | 74.6               | 14                | 1415                    |                         | 380.897                               |
| 16    | 3                | 85.2               | 14                | 1233                    | 1299                    | 660.3                                 |
| 17    | 3                | 99.3               | 14                | 1796                    | 1139                    | 590.933                               |
| 18    | 2                | 90                 | 14                | 1151                    |                         | 51.067                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 72.2               | 7                 |                         |                         | 278.326                               |
| 2     | 2                | 50                 | 7                 | 1755                    |                         | 546.048                               |
| 3     | 2                | 92.4               | 7                 | 1125                    |                         | 192.915                               |
| 4     | 2                | 54.8               | 7                 | 1860                    |                         | 288.043                               |
| 5     | 1                | 79.2               | 7                 |                         |                         | 212.571                               |
| 6     | 2                | 99.7               | 7                 | 1008                    |                         | 253.848                               |
| 7     | 2                | 61                 | 7                 | 1676                    |                         | 599.936                               |
| 8     | 3                | 70.1               | 7                 | 1091                    | 1396                    | 431.104                               |
| 9     | 2                | 59.9               | 7                 | 1282                    |                         | 188.601                               |
| 10    | 3                | 84.1               | 7                 | 1083                    | 1154                    | 225.729                               |
| 11    | 1                | 75.2               | 7                 |                         |                         | 557.766                               |
| 12    | 2                | 92.3               | 7                 | 1249                    |                         | 328.684                               |
| 13    | 2                | 63.7               | 7                 | 1029                    |                         | 614.292                               |
| 14    | 2                | 69.4               | 7                 | 1518                    |                         | 80.819                                |
| 15    | 2                | 59                 | 7                 | 1740                    |                         | 187.547                               |
| 16    | 2                | 82                 | 7                 | 1973                    |                         | 631.265                               |
| 17    | 2                | 57.1               | 7                 | 1230                    |                         | 193.982                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 73.2               | 9                 | 1025                    |                         | 581.584                               |
| 2     | 1                | 93.6               | 9                 |                         |                         | 376.711                               |
| 3     | 1                | 90.5               | 9                 |                         |                         | 1042.492                              |
| 4     | 2                | 89.3               | 9                 | 1288                    |                         | 118.283                               |
| 5     | 1                | 98.8               | 9                 |                         |                         | 713.624                               |
| 6     | 3                | 73.7               | 9                 | 1571                    | 1837                    | 431.565                               |
| 7     | 3                | 92.2               | 9                 | 1248                    | 1363                    | 1016.825                              |
| 8     | 2                | 78.1               | 9                 | 1072                    |                         | 819.016                               |
| 9     | 3                | 75.2               | 9                 | 1811                    | 1242                    | 304.317                               |
| 10    | 2                | 88.5               | 9                 | 1865                    |                         | 286.618                               |
| 11    | 2                | 94.5               | 9                 | 1119                    |                         | 608.209                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 87.5               | 17                |                         |                         | 311.092                               |
| 2     | 1                | 51.3               | 17                |                         |                         | 575.27                                |
| 3     | 1                | 68.8               | 17                |                         |                         | 142.43                                |
| 4     | 2                | 79                 | 17                | 1740                    |                         | 50.47                                 |
| 5     | 2                | 95.4               | 17                | 1598                    |                         | 223.6                                 |
| 6     | 2                | 53.1               | 17                | 1279                    |                         | 129.37                                |
| 7     | 1                | 83.7               | 17                |                         |                         | 119.78                                |
| 8     | 1                | 62.1               | 17                |                         |                         | 551.49                                |
| 9     | 1                | 62.5               | 17                |                         |                         | 331.78                                |
| 10    | 3                | 85.7               | 17                | 1684                    | 1510                    | 179.43                                |
| 11    | 1                | 99                 | 17                |                         |                         | 346.53                                |
| 12    | 2                | 54                 | 17                | 1407                    |                         | 494.83                                |
| 13    | 2                | 92.9               | 17                | 1389                    |                         | 749.5                                 |
| 14    | 2                | 61.3               | 17                | 1069                    |                         | 615.6                                 |
| 15    | 3                | 56.2               | 17                | 1740                    | 1331                    | 533.1                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 5  
 Test Mode : Mode 2: Transmit (802.11ax-40BW)  
 Test Date : 2022/05/24

| Center Freq: 5510MHz     |       |        | Low Edge: 5491MHz   |                                                      | High Edge: 5530MHz              |  |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|--|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |  |
| 1                        | 9     |        | 5510                | Statistical Check RandParm For Radar Type 5 1 trail  | 1                               |  |
| 2                        | 16    |        | 5510                | Statistical Check RandParm For Radar Type 5 2 trail  | 1                               |  |
| 3                        | 12    |        | 5510                | Statistical Check RandParm For Radar Type 5 3 trail  | 1                               |  |
| 4                        | 6     |        | 5510                | Statistical Check RandParm For Radar Type 5 4 trail  | 1                               |  |
| 5                        | 11    |        | 5510                | Statistical Check RandParm For Radar Type 5 5 trail  | 1                               |  |
| 6                        | 13    |        | 5510                | Statistical Check RandParm For Radar Type 5 6 trail  | 1                               |  |
| 7                        | 12    |        | 5510                | Statistical Check RandParm For Radar Type 5 7 trail  | 1                               |  |
| 8                        | 10    |        | 5510                | Statistical Check RandParm For Radar Type 5 8 trail  | 1                               |  |
| 9                        | 10    |        | 5510                | Statistical Check RandParm For Radar Type 5 9 trail  | 1                               |  |
| 10                       | 15    |        | 5510                | Statistical Check RandParm For Radar Type 5 10 trail | 1                               |  |
| 11                       | 8     | 3.2    | 5494.2              | Statistical Check RandParm For Radar Type 5 11 trail | 1                               |  |
| 12                       | 12    | 4.8    | 5495.8              | Statistical Check RandParm For Radar Type 5 12 trail | 1                               |  |
| 13                       | 17    | 6.8    | 5497.8              | Statistical Check RandParm For Radar Type 5 13 trail | 0                               |  |
| 14                       | 17    | 6.8    | 5497.8              | Statistical Check RandParm For Radar Type 5 14 trail | 1                               |  |
| 15                       | 14    | 5.6    | 5496.6              | Statistical Check RandParm For Radar Type 5 15 trail | 0                               |  |
| 16                       | 18    | 7.2    | 5498.2              | Statistical Check RandParm For Radar Type 5 16 trail | 0                               |  |
| 17                       | 16    | 6.4    | 5497.4              | Statistical Check RandParm For Radar Type 5 17 trail | 1                               |  |
| 18                       | 18    | 7.2    | 5498.2              | Statistical Check RandParm For Radar Type 5 18 trail | 0                               |  |
| 19                       | 14    | 5.6    | 5496.6              | Statistical Check RandParm For Radar Type 5 19 trail | 0                               |  |
| 20                       | 9     | 3.6    | 5494.6              | Statistical Check RandParm For Radar Type 5 20 trail | 1                               |  |
| 21                       | 15    | 6      | 5523                | Statistical Check RandParm For Radar Type 5 21 trail | 1                               |  |
| 22                       | 14    | 5.6    | 5523.4              | Statistical Check RandParm For Radar Type 5 22 trail | 1                               |  |
| 23                       | 18    | 7.2    | 5521.8              | Statistical Check RandParm For Radar Type 5 23 trail | 1                               |  |
| 24                       | 15    | 6      | 5523                | Statistical Check RandParm For Radar Type 5 24 trail | 1                               |  |
| 25                       | 10    | 4      | 5525                | Statistical Check RandParm For Radar Type 5 25 trail | 1                               |  |
| 26                       | 14    | 5.6    | 5523.4              | Statistical Check RandParm For Radar Type 5 26 trail | 1                               |  |
| 27                       | 11    | 4.4    | 5524.6              | Statistical Check RandParm For Radar Type 5 27 trail | 1                               |  |
| 28                       | 6     | 2.4    | 5526.6              | Statistical Check RandParm For Radar Type 5 28 trail | 1                               |  |
| 29                       | 11    | 4.4    | 5524.6              | Statistical Check RandParm For Radar Type 5 29 trail | 1                               |  |
| 30                       | 14    | 5.6    | 5523.4              | Statistical Check RandParm For Radar Type 5 30 trail | 1                               |  |
| Detection Percentage (%) |       |        |                     |                                                      | 83.33                           |  |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |  |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 84.8               | 9                 | 1369                    |                         | 476.893                               |
| 2     | 1                | 62                 | 9                 |                         |                         | 24.421                                |
| 3     | 3                | 95.4               | 9                 | 1169                    | 1671                    | 535.362                               |
| 4     | 2                | 80.6               | 9                 | 1532                    |                         | 454.933                               |
| 5     | 1                | 95.2               | 9                 |                         |                         | 1068.434                              |
| 6     | 2                | 87.2               | 9                 | 1098                    |                         | 1069.715                              |
| 7     | 2                | 50.1               | 9                 | 1343                    |                         | 672.725                               |
| 8     | 3                | 89.9               | 9                 | 1263                    | 1898                    | 450.506                               |
| 9     | 1                | 51.7               | 9                 |                         |                         | 1037.707                              |
| 10    | 2                | 76.5               | 9                 | 1008                    |                         | 984.618                               |
| 11    | 1                | 72.2               | 9                 |                         |                         | 498.609                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 85                 | 16                | 1702                    |                         | 734.608                               |
| 2     | 1                | 68                 | 16                |                         |                         | 517.63                                |
| 3     | 2                | 99.7               | 16                | 1649                    |                         | 145.29                                |
| 4     | 1                | 96.2               | 16                |                         |                         | 503.69                                |
| 5     | 3                | 74.3               | 16                | 1127                    | 1055                    | 672.01                                |
| 6     | 2                | 66.6               | 16                | 1364                    |                         | 81.27                                 |
| 7     | 1                | 73.6               | 16                |                         |                         | 387.61                                |
| 8     | 1                | 57                 | 16                |                         |                         | 377.08                                |
| 9     | 1                | 72                 | 16                |                         |                         | 522.21                                |
| 10    | 2                | 69.2               | 16                | 1268                    |                         | 133.22                                |
| 11    | 3                | 65.5               | 16                | 1045                    | 1946                    | 299.39                                |
| 12    | 2                | 61.8               | 16                | 1840                    |                         | 698.69                                |
| 13    | 3                | 97.6               | 16                | 1415                    | 1127                    | 631.1                                 |
| 14    | 1                | 92.3               | 16                |                         |                         | 171.3                                 |
| 15    | 2                | 93.9               | 16                | 1761                    |                         | 477.5                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 74.6               | 12                | 1726                    |                         | 200.077                               |
| 2     | 2                | 64                 | 12                | 1738                    |                         | 357.87                                |
| 3     | 1                | 71.5               | 12                |                         |                         | 32.57                                 |
| 4     | 2                | 68.2               | 12                | 1652                    |                         | 791.87                                |
| 5     | 2                | 78.4               | 12                | 1823                    |                         | 355.05                                |
| 6     | 1                | 84                 | 12                |                         |                         | 22.45                                 |
| 7     | 2                | 95.8               | 12                | 1611                    |                         | 721.34                                |
| 8     | 2                | 80.8               | 12                | 1195                    |                         | 653.35                                |
| 9     | 2                | 78.3               | 12                | 1898                    |                         | 403.48                                |
| 10    | 3                | 73.8               | 12                | 1358                    | 1646                    | 51.62                                 |
| 11    | 2                | 94.7               | 12                | 1609                    |                         | 223.7                                 |
| 12    | 1                | 61.8               | 12                |                         |                         | 460.6                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 71.9               | 6                 |                         |                         | 350.065                               |
| 2     | 3                | 88.8               | 6                 | 1199                    | 1333                    | 646.71                                |
| 3     | 2                | 54.1               | 6                 | 1728                    |                         | 912.26                                |
| 4     | 3                | 64.2               | 6                 | 1748                    | 1408                    | 353.57                                |
| 5     | 2                | 76.8               | 6                 | 1077                    |                         | 961.21                                |
| 6     | 3                | 60.6               | 6                 | 1878                    | 1422                    | 121.43                                |
| 7     | 3                | 92.8               | 6                 | 1323                    | 1533                    | 532.39                                |
| 8     | 2                | 62.1               | 6                 | 1101                    |                         | 535.88                                |
| 9     | 2                | 91.2               | 6                 | 1181                    |                         | 197.48                                |
| 10    | 1                | 59.7               | 6                 |                         |                         | 220.96                                |
| 11    | 2                | 77.8               | 6                 | 1992                    |                         | 60.2                                  |
| 12    | 2                | 95.8               | 6                 | 1339                    |                         | 648.3                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 5**

---

---

**Bursts in Trial: 9**[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 6

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 73.9               | 13                |                         |                         | 781.787                               |
| 2     | 1                | 67.7               | 13                |                         |                         | 586.623                               |
| 3     | 2                | 50.4               | 13                | 1317                    |                         | 815.416                               |
| 4     | 2                | 68.5               | 13                | 1163                    |                         | 595.239                               |
| 5     | 1                | 94.8               | 13                |                         |                         | 593.892                               |
| 6     | 2                | 94.6               | 13                | 1646                    |                         | 549.635                               |
| 7     | 2                | 78                 | 13                | 1879                    |                         | 760.738                               |
| 8     | 2                | 96.1               | 13                | 1096                    |                         | 435.192                               |
| 9     | 2                | 81.8               | 13                | 1111                    |                         | 284.455                               |
| 10    | 1                | 82.8               | 13                |                         |                         | 283.308                               |
| 11    | 2                | 52.1               | 13                | 1721                    |                         | 311.391                               |
| 12    | 2                | 70.2               | 13                | 1814                    |                         | 652.654                               |
| 13    | 1                | 89.4               | 13                |                         |                         | 784.277                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 7**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 8

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 Spacing (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-----------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 66.4               | 10                |                             |                         | 237.549                               |
| 2     | 2                | 68                 | 10                | 1419                        |                         | 619.048                               |
| 3     | 3                | 61.7               | 10                | 1081                        | 1819                    | 72.435                                |
| 4     | 3                | 95.7               | 10                | 1930                        | 1405                    | 217.903                               |
| 5     | 2                | 55.2               | 10                | 1939                        |                         | 532.771                               |
| 6     | 3                | 85.3               | 10                | 1323                        | 1716                    | 536.428                               |
| 7     | 3                | 95.4               | 10                | 1481                        | 1030                    | 362.876                               |
| 8     | 3                | 58.6               | 10                | 1592                        | 1549                    | 353.104                               |
| 9     | 2                | 96.2               | 10                | 1641                        |                         | 91.171                                |
| 10    | 1                | 62.6               | 10                |                             |                         | 642.249                               |
| 11    | 2                | 92.8               | 10                | 1136                        |                         | 262.526                               |
| 12    | 2                | 97.7               | 10                | 1220                        |                         | 533.964                               |
| 13    | 2                | 71.5               | 10                | 1437                        |                         | 103.692                               |
| 14    | 2                | 58                 | 10                | 1125                        |                         | 190.779                               |
| 15    | 2                | 69.5               | 10                | 1765                        |                         | 31.647                                |
| 16    | 2                | 89.6               | 10                | 1683                        |                         | 600.965                               |
| 17    | 2                | 65.1               | 10                | 1348                        |                         | 159.482                               |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |
|       |                  |                    |                   |                             |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 61.2               | 10                |                         |                         | 534.064                               |
| 2     | 2                | 61.4               | 10                | 1733                    |                         | 568.2                                 |
| 3     | 3                | 92.6               | 10                | 1426                    | 1227                    | 378.13                                |
| 4     | 2                | 71.4               | 10                | 1299                    |                         | 0.33                                  |
| 5     | 3                | 90.1               | 10                | 1227                    | 1036                    | 608                                   |
| 6     | 3                | 57.8               | 10                | 1607                    | 1596                    | 293.99                                |
| 7     | 2                | 88.5               | 10                | 1002                    |                         | 205.98                                |
| 8     | 2                | 52.9               | 10                | 1795                    |                         | 705.3                                 |
| 9     | 2                | 69.9               | 10                | 1675                    |                         | 705.81                                |
| 10    | 1                | 59.1               | 10                |                         |                         | 6.87                                  |
| 11    | 2                | 50.4               | 10                | 1967                    |                         | 463.46                                |
| 12    | 1                | 64.2               | 10                |                         |                         | 177.78                                |
| 13    | 1                | 52.7               | 10                |                         |                         | 520.99                                |
| 14    | 2                | 72.4               | 10                | 1531                    |                         | 23.68                                 |
| 15    | 1                | 76.6               | 10                |                         |                         | 68                                    |
| 16    | 2                | 93.7               | 10                | 1198                    |                         | 521.4                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 10**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 11**

|                    |
|--------------------|
| Bursts in Trial: 9 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 9

| Burst | Number of Pulses | Pulse Width (μsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (μsec) | Pulse 2-to-3 PRI (μsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 97.3               | 12                | 1870                    |                         | 188.856                               |
| 2     | 1                | 65.2               | 12                |                         |                         | 44.157                                |
| 3     | 3                | 96                 | 12                | 1079                    | 1571                    | 391.163                               |
| 4     | 3                | 78.6               | 12                | 1034                    | 1494                    | 1232.71                               |
| 5     | 2                | 76.5               | 12                | 1401                    |                         | 840.447                               |
| 6     | 1                | 89.4               | 12                |                         |                         | 226.303                               |
| 7     | 1                | 64.5               | 12                |                         |                         | 35.76                                 |
| 8     | 2                | 90.8               | 12                | 1907                    |                         | 115.777                               |
| 9     | 2                | 96.8               | 12                | 1790                    |                         | 354.833                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 65.4               | 17                | 1658                    | 1975                    | 787.815                               |
| 2     | 2                | 56.9               | 17                | 1481                    |                         | 475.7                                 |
| 3     | 2                | 63.9               | 17                | 1330                    |                         | 596.69                                |
| 4     | 1                | 60.4               | 17                |                         |                         | 795.07                                |
| 5     | 2                | 80.4               | 17                | 1772                    |                         | 811.63                                |
| 6     | 2                | 58.1               | 17                | 1197                    |                         | 812.78                                |
| 7     | 2                | 68                 | 17                | 1958                    |                         | 781.48                                |
| 8     | 3                | 59.7               | 17                | 1892                    | 1938                    | 315.49                                |
| 9     | 2                | 89.2               | 17                | 1158                    |                         | 123.92                                |
| 10    | 2                | 90                 | 17                | 1271                    |                         | 814.05                                |
| 11    | 2                | 61.9               | 17                | 1652                    |                         | 400.2                                 |
| 12    | 2                | 54                 | 17                | 1775                    |                         | 880.7                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 88.3               | 17                | 1760                    |                         | 781.39                                |
| 2     | 2                | 63.5               | 17                | 1640                    |                         | 449.787                               |
| 3     | 3                | 80                 | 17                | 1115                    | 1932                    | 635.994                               |
| 4     | 2                | 69.1               | 17                | 1492                    |                         | 314.531                               |
| 5     | 1                | 80.4               | 17                |                         |                         | 242.959                               |
| 6     | 3                | 56.7               | 17                | 1434                    | 1833                    | 553.746                               |
| 7     | 2                | 57.6               | 17                | 1541                    |                         | 54.773                                |
| 8     | 2                | 64.7               | 17                | 1977                    |                         | 422.58                                |
| 9     | 2                | 75.2               | 17                | 1348                    |                         | 301.307                               |
| 10    | 3                | 50.3               | 17                | 1742                    | 1611                    | 199.764                               |
| 11    | 2                | 86.8               | 17                | 1265                    |                         | 526.851                               |
| 12    | 1                | 84.9               | 17                |                         |                         | 376.209                               |
| 13    | 2                | 63.5               | 17                | 1423                    |                         | 432.586                               |
| 14    | 1                | 56.3               | 17                |                         |                         | 239.843                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 9

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 91.5               | 14                | 1880                    |                         | 982.742                               |
| 2     | 2                | 79.1               | 14                | 1998                    |                         | 288.217                               |
| 3     | 3                | 85.5               | 14                | 1447                    | 1147                    | 106.463                               |
| 4     | 1                | 74.4               | 14                |                         |                         | 1132.58                               |
| 5     | 3                | 81.8               | 14                | 1652                    | 1289                    | 775.307                               |
| 6     | 3                | 76.1               | 14                | 1570                    | 1864                    | 577.513                               |
| 7     | 1                | 65.6               | 14                |                         |                         | 1009.93                               |
| 8     | 2                | 81.4               | 14                | 1843                    |                         | 671.567                               |
| 9     | 1                | 86.8               | 14                |                         |                         | 462.833                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 91.5               | 18                | 1687                    | 1193                    | 343.199                               |
| 2     | 3                | 81.4               | 18                | 1681                    | 1966                    | 473.253                               |
| 3     | 1                | 88.2               | 18                |                         |                         | 289.177                               |
| 4     | 2                | 78.2               | 18                | 1473                    |                         | 404.54                                |
| 5     | 2                | 72.9               | 18                | 1470                    |                         | 110.533                               |
| 6     | 2                | 51.3               | 18                | 1094                    |                         | 437.517                               |
| 7     | 2                | 81                 | 18                | 1848                    |                         | 58.7                                  |
| 8     | 3                | 82.7               | 18                | 1368                    | 1154                    | 390.253                               |
| 9     | 2                | 51.1               | 18                | 1049                    |                         | 99.727                                |
| 10    | 3                | 97.8               | 18                | 1251                    | 1834                    | 56.06                                 |
| 11    | 3                | 69.1               | 18                | 1514                    | 1833                    | 3.153                                 |
| 12    | 2                | 67                 | 18                | 1728                    |                         | 137.877                               |
| 13    | 3                | 66.7               | 18                | 1006                    | 1624                    | 656.55                                |
| 14    | 3                | 74.6               | 18                | 1146                    | 1262                    | 607.033                               |
| 15    | 1                | 74.5               | 18                |                         |                         | 373.687                               |
| 16    | 1                | 62                 | 18                |                         |                         | 42.3                                  |
| 17    | 2                | 64.4               | 18                | 1157                    |                         | 280.633                               |
| 18    | 2                | 84.2               | 18                | 1391                    |                         | 41.467                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 17

Bursts in Trial: 8

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 73                 | 16                | 1130                    |                         | 482.396                               |
| 2     | 3                | 64.4               | 16                | 1851                    | 1749                    | 902.23                                |
| 3     | 3                | 61.1               | 16                | 1139                    | 1620                    | 658.9                                 |
| 4     | 1                | 59.3               | 16                |                         |                         | 521.51                                |
| 5     | 2                | 79.1               | 16                | 1820                    |                         | 904.79                                |
| 6     | 3                | 79.1               | 16                | 1294                    | 1320                    | 765.57                                |
| 7     | 2                | 88.4               | 16                | 1759                    |                         | 158                                   |
| 8     | 3                | 71.3               | 16                | 1688                    | 1113                    | 333.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 77.4               | 18                |                         |                         | 556.607                               |
| 2     | 3                | 96.6               | 18                | 1851                    | 1847                    | 345.251                               |
| 3     | 1                | 64.8               | 18                |                         |                         | 351.852                               |
| 4     | 2                | 58.3               | 18                | 1146                    |                         | 530.333                               |
| 5     | 1                | 57.4               | 18                |                         |                         | 49.224                                |
| 6     | 2                | 55.2               | 18                | 1420                    |                         | 703.455                               |
| 7     | 2                | 84.5               | 18                | 1816                    |                         | 749.735                               |
| 8     | 1                | 94.6               | 18                |                         |                         | 849.526                               |
| 9     | 2                | 79.8               | 18                | 1418                    |                         | 70.877                                |
| 10    | 2                | 97                 | 18                | 1342                    |                         | 888.718                               |
| 11    | 1                | 81.1               | 18                |                         |                         | 1033.409                              |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 56.2               | 14                | 1161                    | 1111                    | 6.576                                 |
| 2     | 2                | 64.4               | 14                | 1022                    |                         | 768.2                                 |
| 3     | 1                | 53.4               | 14                |                         |                         | 432.3                                 |
| 4     | 2                | 95.1               | 14                | 1776                    |                         | 874.71                                |
| 5     | 1                | 75.9               | 14                |                         |                         | 267.37                                |
| 6     | 2                | 58.8               | 14                | 1154                    |                         | 539.66                                |
| 7     | 2                | 59.6               | 14                | 1201                    |                         | 991.72                                |
| 8     | 2                | 75                 | 14                | 1880                    |                         | 640.25                                |
| 9     | 1                | 77.6               | 14                |                         |                         | 25.04                                 |
| 10    | 3                | 82.3               | 14                | 1621                    | 1572                    | 731.44                                |
| 11    | 2                | 80.6               | 14                | 1627                    |                         | 884.7                                 |
| 12    | 3                | 85.3               | 14                | 1212                    | 1816                    | 28.1                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 97                 | 9                 | 1547                    | 1430                    | 639.418                               |
| 2     | 2                | 72.3               | 9                 | 1714                    |                         | 825.253                               |
| 3     | 3                | 69.4               | 9                 | 1757                    | 1611                    | 46.656                                |
| 4     | 2                | 89                 | 9                 | 1609                    |                         | 720.169                               |
| 5     | 3                | 82.9               | 9                 | 1557                    | 1890                    | 374.412                               |
| 6     | 3                | 60.4               | 9                 | 1682                    | 1387                    | 678.185                               |
| 7     | 2                | 87.6               | 9                 | 1676                    |                         | 761.808                               |
| 8     | 2                | 54.8               | 9                 | 1880                    |                         | 299.502                               |
| 9     | 1                | 92.5               | 9                 |                         |                         | 103.465                               |
| 10    | 2                | 90.2               | 9                 | 1768                    |                         | 64.218                                |
| 11    | 3                | 99.9               | 9                 | 1464                    | 1090                    | 821.231                               |
| 12    | 1                | 53.4               | 9                 |                         |                         | 60.354                                |
| 13    | 2                | 74.7               | 9                 | 1198                    |                         | 247.377                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 11

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 77.9               | 15                | 1660                    |                         | 698.964                               |
| 2     | 1                | 67.2               | 15                |                         |                         | 365.921                               |
| 3     | 2                | 79.8               | 15                | 1781                    |                         | 549.222                               |
| 4     | 1                | 62.7               | 15                |                         |                         | 114.303                               |
| 5     | 1                | 77.4               | 15                |                         |                         | 432.174                               |
| 6     | 2                | 66.1               | 15                | 1669                    |                         | 1058.295                              |
| 7     | 2                | 75.4               | 15                | 1414                    |                         | 320.055                               |
| 8     | 2                | 74.5               | 15                | 1698                    |                         | 372.716                               |
| 9     | 2                | 67.1               | 15                | 1541                    |                         | 974.597                               |
| 10    | 1                | 66.5               | 15                |                         |                         | 457.418                               |
| 11    | 3                | 71.1               | 15                | 1352                    | 1050                    | 508.209                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 22**

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 65.1               | 18                |                         |                         | 458.452                               |
| 2     | 1                | 56.8               | 18                |                         |                         | 453.853                               |
| 3     | 2                | 58.5               | 18                | 1674                    |                         | 561.297                               |
| 4     | 2                | 84.8               | 18                | 1641                    |                         | 110.21                                |
| 5     | 2                | 91.5               | 18                | 1222                    |                         | 524.233                               |
| 6     | 3                | 75                 | 18                | 1692                    | 1553                    | 469.737                               |
| 7     | 1                | 61.4               | 18                |                         |                         | 179.23                                |
| 8     | 1                | 69.7               | 18                |                         |                         | 620.713                               |
| 9     | 3                | 65.3               | 18                | 1166                    | 1134                    | 127.637                               |
| 10    | 3                | 77.8               | 18                | 1829                    | 1141                    | 216.08                                |
| 11    | 2                | 58.5               | 18                | 1554                    |                         | 304.783                               |
| 12    | 2                | 50                 | 18                | 1717                    |                         | 268.417                               |
| 13    | 1                | 50.3               | 18                |                         |                         | 660.54                                |
| 14    | 1                | 93.3               | 18                |                         |                         | 301.623                               |
| 15    | 3                | 72.6               | 18                | 1870                    | 1124                    | 411.087                               |
| 16    | 2                | 94                 | 18                | 1482                    |                         | 544.2                                 |
| 17    | 2                | 67.6               | 18                | 1919                    |                         | 30.233                                |
| 18    | 3                | 85.1               | 18                | 1796                    | 1373                    | 384.967                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 73.7               | 15                | 1965                    | 1665                    | 566.398                               |
| 2     | 2                | 98.9               | 15                | 1479                    |                         | 309.968                               |
| 3     | 2                | 65.2               | 15                | 1442                    |                         | 469.425                               |
| 4     | 2                | 79.4               | 15                | 1046                    |                         | 276.873                               |
| 5     | 2                | 94.2               | 15                | 1027                    |                         | 370.121                               |
| 6     | 1                | 90.7               | 15                |                         |                         | 458.658                               |
| 7     | 2                | 80.3               | 15                | 1302                    |                         | 220.766                               |
| 8     | 3                | 87.1               | 15                | 1713                    | 1350                    | 148.064                               |
| 9     | 2                | 86.4               | 15                | 1191                    |                         | 569.241                               |
| 10    | 2                | 98                 | 15                | 1505                    |                         | 159.799                               |
| 11    | 2                | 74.8               | 15                | 1379                    |                         | 62.876                                |
| 12    | 3                | 52.1               | 15                | 1800                    | 1066                    | 134.444                               |
| 13    | 2                | 70.7               | 15                | 1104                    |                         | 613.372                               |
| 14    | 2                | 99.4               | 15                | 1641                    |                         | 330.319                               |
| 15    | 2                | 50.2               | 15                | 1113                    |                         | 691.247                               |
| 16    | 3                | 83.4               | 15                | 1377                    | 1938                    | 318.665                               |
| 17    | 1                | 55.2               | 15                |                         |                         | 629.882                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 53.1               | 10                | 1075                    | 1756                    | 96.591                                |
| 2     | 3                | 69.3               | 10                | 1361                    | 1087                    | 519.62                                |
| 3     | 1                | 78.1               | 10                |                         |                         | 346.24                                |
| 4     | 2                | 81.8               | 10                | 1697                    |                         | 376.03                                |
| 5     | 1                | 62.6               | 10                |                         |                         | 512.66                                |
| 6     | 1                | 90.9               | 10                |                         |                         | 505.39                                |
| 7     | 3                | 83.3               | 10                | 1822                    | 1724                    | 450.76                                |
| 8     | 1                | 97.8               | 10                |                         |                         | 126.05                                |
| 9     | 2                | 88.9               | 10                | 1304                    |                         | 142.3                                 |
| 10    | 1                | 65.8               | 10                |                         |                         | 563.94                                |
| 11    | 1                | 81.2               | 10                |                         |                         | 501.4                                 |
| 12    | 2                | 98.9               | 10                | 1624                    |                         | 197.53                                |
| 13    | 2                | 58.4               | 10                | 1753                    |                         | 461.73                                |
| 14    | 2                | 88.4               | 10                | 1990                    |                         | 308.17                                |
| 15    | 2                | 75.1               | 10                | 1237                    |                         | 55.85                                 |
| 16    | 2                | 77.4               | 10                | 1125                    |                         | 155.19                                |
| 17    | 1                | 94.4               | 10                |                         |                         | 440.9                                 |
| 18    | 2                | 56.3               | 10                | 1138                    |                         | 196.9                                 |
| 19    | 1                | 64                 | 10                |                         |                         | 458.4                                 |
| 20    | 3                | 85.8               | 10                | 1101                    | 1640                    | 52.6                                  |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 26

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 92.4               | 14                |                         |                         | 590.918                               |
| 2     | 3                | 89.9               | 14                | 1743                    | 1919                    | 7.889                                 |
| 3     | 3                | 74.5               | 14                | 1877                    | 1750                    | 657.485                               |
| 4     | 1                | 69.2               | 14                |                         |                         | 585.973                               |
| 5     | 1                | 86.4               | 14                |                         |                         | 455.861                               |
| 6     | 2                | 69.6               | 14                | 1777                    |                         | 636.588                               |
| 7     | 2                | 81.9               | 14                | 1360                    |                         | 74.356                                |
| 8     | 1                | 64.5               | 14                |                         |                         | 55.224                                |
| 9     | 1                | 96.1               | 14                |                         |                         | 80.391                                |
| 10    | 2                | 53                 | 14                | 1424                    |                         | 60.069                                |
| 11    | 2                | 85.6               | 14                | 1021                    |                         | 562.626                               |
| 12    | 1                | 90.1               | 14                |                         |                         | 573.194                               |
| 13    | 2                | 88.4               | 14                | 1968                    |                         | 88.572                                |
| 14    | 1                | 50.8               | 14                |                         |                         | 228.119                               |
| 15    | 1                | 68.3               | 14                |                         |                         | 245.947                               |
| 16    | 1                | 79.1               | 14                |                         |                         | 555.165                               |
| 17    | 3                | 79.4               | 14                | 1247                    | 1195                    | 524.782                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 27**

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|


# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 68.6               | 6                 |                         |                         | 57.487                                |
| 2     | 3                | 81.3               | 6                 | 1519                    | 1385                    | 454.77                                |
| 3     | 2                | 50.4               | 6                 | 1583                    |                         | 262.93                                |
| 4     | 2                | 85.9               | 6                 | 1225                    |                         | 173.24                                |
| 5     | 2                | 94.9               | 6                 | 1241                    |                         | 433.54                                |
| 6     | 2                | 67.8               | 6                 | 1767                    |                         | 452.63                                |
| 7     | 2                | 82.8               | 6                 | 1487                    |                         | 260.24                                |
| 8     | 3                | 51.3               | 6                 | 1794                    | 1149                    | 443.82                                |
| 9     | 1                | 76.9               | 6                 |                         |                         | 412.09                                |
| 10    | 2                | 78.8               | 6                 | 1717                    |                         | 53.97                                 |
| 11    | 2                | 95.9               | 6                 | 1835                    |                         | 138.05                                |
| 12    | 2                | 57.2               | 6                 | 1444                    |                         | 78.42                                 |
| 13    | 2                | 93.9               | 6                 | 1172                    |                         | 426.66                                |
| 14    | 2                | 86.6               | 6                 | 1807                    |                         | 161.76                                |
| 15    | 2                | 78.5               | 6                 | 1577                    |                         | 370.58                                |
| 16    | 1                | 85.4               | 6                 |                         |                         | 501.54                                |
| 17    | 1                | 77.5               | 6                 |                         |                         | 276.28                                |
| 18    | 3                | 87.3               | 6                 | 1111                    | 1231                    | 314.2                                 |
| 19    | 2                | 64.9               | 6                 | 1302                    |                         | 248.4                                 |
| 20    | 2                | 91                 | 6                 | 1797                    |                         | 529.5                                 |



# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 29**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 30**

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 5  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)  
 Test Date : 2022/05/24

| Center Freq: 5530MHz     |       |        | Low Edge: 5492MHz   |                                                      | High Edge: 5567MHz              |  |
|--------------------------|-------|--------|---------------------|------------------------------------------------------|---------------------------------|--|
| Trial #                  | Chirp | Offset | VSG Frequency (MHz) | *Filename                                            | 1= Detection<br>0= No Detection |  |
| 1                        | 15    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_1_trail  | 1                               |  |
| 2                        | 9     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_2_trail  | 1                               |  |
| 3                        | 18    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_3_trail  | 1                               |  |
| 4                        | 12    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_4_trail  | 1                               |  |
| 5                        | 10    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_5_trail  | 1                               |  |
| 6                        | 18    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_6_trail  | 1                               |  |
| 7                        | 6     |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_7_trail  | 1                               |  |
| 8                        | 17    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_8_trail  | 1                               |  |
| 9                        | 19    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_9_trail  | 1                               |  |
| 10                       | 15    |        | 5530                | Statistical_Check_RandParm_For_Radar_Type_5_10_trail | 1                               |  |
| 11                       | 11    | 4.4    | 5494.4              | Statistical_Check_RandParm_For_Radar_Type_5_11_trail | 0                               |  |
| 12                       | 18    | 7.2    | 5497.2              | Statistical_Check_RandParm_For_Radar_Type_5_12_trail | 0                               |  |
| 13                       | 16    | 6.4    | 5496.4              | Statistical_Check_RandParm_For_Radar_Type_5_13_trail | 1                               |  |
| 14                       | 6     | 2.4    | 5492.4              | Statistical_Check_RandParm_For_Radar_Type_5_14_trail | 1                               |  |
| 15                       | 7     | 2.8    | 5492.8              | Statistical_Check_RandParm_For_Radar_Type_5_15_trail | 1                               |  |
| 16                       | 6     | 2.4    | 5492.4              | Statistical_Check_RandParm_For_Radar_Type_5_16_trail | 0                               |  |
| 17                       | 17    | 6.8    | 5496.8              | Statistical_Check_RandParm_For_Radar_Type_5_17_trail | 0                               |  |
| 18                       | 6     | 2.4    | 5492.4              | Statistical_Check_RandParm_For_Radar_Type_5_18_trail | 1                               |  |
| 19                       | 5     | 2      | 5492                | Statistical_Check_RandParm_For_Radar_Type_5_19_trail | 1                               |  |
| 20                       | 15    | 6      | 5496                | Statistical_Check_RandParm_For_Radar_Type_5_20_trail | 1                               |  |
| 21                       | 18    | 7.2    | 5562.8              | Statistical_Check_RandParm_For_Radar_Type_5_21_trail | 1                               |  |
| 22                       | 15    | 6      | 5564                | Statistical_Check_RandParm_For_Radar_Type_5_22_trail | 1                               |  |
| 23                       | 13    | 5.2    | 5564.8              | Statistical_Check_RandParm_For_Radar_Type_5_23_trail | 1                               |  |
| 24                       | 16    | 6.4    | 5563.6              | Statistical_Check_RandParm_For_Radar_Type_5_24_trail | 1                               |  |
| 25                       | 18    | 7.2    | 5562.8              | Statistical_Check_RandParm_For_Radar_Type_5_25_trail | 1                               |  |
| 26                       | 19    | 7.6    | 5562.4              | Statistical_Check_RandParm_For_Radar_Type_5_26_trail | 1                               |  |
| 27                       | 13    | 5.2    | 5564.8              | Statistical_Check_RandParm_For_Radar_Type_5_27_trail | 1                               |  |
| 28                       | 18    | 7.2    | 5562.8              | Statistical_Check_RandParm_For_Radar_Type_5_28_trail | 1                               |  |
| 29                       | 12    | 4.8    | 5565.2              | Statistical_Check_RandParm_For_Radar_Type_5_29_trail | 1                               |  |
| 30                       | 6     | 2.4    | 5567.6              | Statistical_Check_RandParm_For_Radar_Type_5_30_trail | 1                               |  |
| Detection Percentage (%) |       |        |                     |                                                      | 86.67                           |  |
| Limit                    |       |        |                     |                                                      | ≥ 80                            |  |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 1

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 88.2               | 15                | 1705                    |                         | 208.47                                |
| 2     | 1                | 69.6               | 15                |                         |                         | 28.881                                |
| 3     | 2                | 73.1               | 15                | 1024                    |                         | 106.687                               |
| 4     | 1                | 50.3               | 15                |                         |                         | 70.36                                 |
| 5     | 2                | 66.5               | 15                | 1362                    |                         | 496.433                               |
| 6     | 1                | 57.3               | 15                |                         |                         | 193.657                               |
| 7     | 2                | 51.6               | 15                | 1963                    |                         | 475.59                                |
| 8     | 3                | 52.3               | 15                | 1450                    | 1879                    | 135.893                               |
| 9     | 3                | 96.3               | 15                | 1840                    | 1339                    | 65.677                                |
| 10    | 1                | 81.2               | 15                |                         |                         | 109.65                                |
| 11    | 3                | 76.7               | 15                | 1789                    | 1213                    | 340.523                               |
| 12    | 2                | 57.3               | 15                | 1232                    |                         | 257.417                               |
| 13    | 1                | 70.8               | 15                |                         |                         | 53.48                                 |
| 14    | 3                | 75                 | 15                | 1891                    | 1997                    | 613.093                               |
| 15    | 3                | 97.5               | 15                | 1887                    | 1195                    | 641.787                               |
| 16    | 2                | 73.7               | 15                | 1311                    |                         | 503.5                                 |
| 17    | 2                | 96.9               | 15                | 1084                    |                         | 187.133                               |
| 18    | 3                | 76                 | 15                | 1574                    | 1418                    | 279.967                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 2

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 68.6               | 9                 | 1214                    | 1029                    | 108.023                               |
| 2     | 3                | 74.3               | 9                 | 1670                    | 1069                    | 140.914                               |
| 3     | 2                | 80                 | 9                 | 1992                    |                         | 555.61                                |
| 4     | 2                | 64.4               | 9                 | 1036                    |                         | 264.86                                |
| 5     | 2                | 72.6               | 9                 | 1798                    |                         | 4.53                                  |
| 6     | 1                | 75.5               | 9                 |                         |                         | 650.26                                |
| 7     | 2                | 68                 | 9                 | 1693                    |                         | 357.91                                |
| 8     | 2                | 58.5               | 9                 | 1820                    |                         | 258.53                                |
| 9     | 3                | 76.3               | 9                 | 1108                    | 1327                    | 281.36                                |
| 10    | 3                | 54.2               | 9                 | 1230                    | 1096                    | 619.38                                |
| 11    | 2                | 62.1               | 9                 | 1750                    |                         | 537.24                                |
| 12    | 3                | 66                 | 9                 | 1380                    | 1824                    | 493.05                                |
| 13    | 3                | 86.7               | 9                 | 1168                    | 1262                    | 72.75                                 |
| 14    | 1                | 52                 | 9                 |                         |                         | 530.6                                 |
| 15    | 2                | 91.5               | 9                 | 1626                    |                         | 91.2                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 3

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 69.9               | 18                |                         |                         | 461.831                               |
| 2     | 3                | 82                 | 18                | 1145                    | 1063                    | 18.285                                |
| 3     | 3                | 85.8               | 18                | 1062                    | 1614                    | 184.582                               |
| 4     | 2                | 62.2               | 18                | 1643                    |                         | 469.793                               |
| 5     | 2                | 66.5               | 18                | 1874                    |                         | 79.534                                |
| 6     | 2                | 87.2               | 18                | 1553                    |                         | 386.755                               |
| 7     | 2                | 61.6               | 18                | 1172                    |                         | 88.616                                |
| 8     | 2                | 85.3               | 18                | 1053                    |                         | 426.377                               |
| 9     | 2                | 75.9               | 18                | 1916                    |                         | 259.948                               |
| 10    | 2                | 85                 | 18                | 1991                    |                         | 305.559                               |
| 11    | 1                | 60.8               | 18                |                         |                         | 569.931                               |
| 12    | 1                | 94.2               | 18                |                         |                         | 377.702                               |
| 13    | 3                | 80.7               | 18                | 1356                    | 1203                    | 320.923                               |
| 14    | 2                | 66.7               | 18                | 1990                    |                         | 461.994                               |
| 15    | 2                | 77.7               | 18                | 1309                    |                         | 81.095                                |
| 16    | 3                | 91.2               | 18                | 1922                    | 1907                    | 464.946                               |
| 17    | 2                | 55.1               | 18                | 1745                    |                         | 190.537                               |
| 18    | 2                | 60.4               | 18                | 1777                    |                         | 268.658                               |
| 19    | 3                | 58.6               | 18                | 1891                    | 1062                    | 547.079                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 4

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 97.5               | 12                | 1728                    |                         | 686.451                               |
| 2     | 2                | 78.6               | 12                | 1645                    |                         | 393.78                                |
| 3     | 3                | 56.8               | 12                | 1554                    | 1767                    | 715.82                                |
| 4     | 2                | 78.6               | 12                | 1220                    |                         | 611.09                                |
| 5     | 1                | 52.7               | 12                |                         |                         | 555.98                                |
| 6     | 1                | 69.2               | 12                |                         |                         | 72.77                                 |
| 7     | 1                | 61.1               | 12                |                         |                         | 200.99                                |
| 8     | 2                | 69.8               | 12                | 1432                    |                         | 304.7                                 |
| 9     | 1                | 95.5               | 12                |                         |                         | 491.43                                |
| 10    | 1                | 97.4               | 12                |                         |                         | 89.19                                 |
| 11    | 2                | 98.8               | 12                | 1817                    |                         | 104.09                                |
| 12    | 1                | 73.9               | 12                |                         |                         | 216.48                                |
| 13    | 3                | 67.9               | 12                | 1985                    | 1132                    | 473.07                                |
| 14    | 2                | 65.6               | 12                | 1866                    |                         | 210.95                                |
| 15    | 3                | 64.3               | 12                | 1931                    | 1676                    | 99                                    |
| 16    | 2                | 88                 | 12                | 1464                    |                         | 295.3                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 5

Bursts in Trial: 18

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 85.8               | 10                | 1794                    |                         | 32.732                                |
| 2     | 1                | 62.8               | 10                |                         |                         | 554.403                               |
| 3     | 2                | 90.9               | 10                | 1958                    |                         | 552.267                               |
| 4     | 2                | 68                 | 10                | 1246                    |                         | 191.24                                |
| 5     | 3                | 73.9               | 10                | 1011                    | 1050                    | 656.303                               |
| 6     | 2                | 74.9               | 10                | 1712                    |                         | 145.337                               |
| 7     | 2                | 93.8               | 10                | 1824                    |                         | 640.99                                |
| 8     | 1                | 59.2               | 10                |                         |                         | 320.203                               |
| 9     | 2                | 70.9               | 10                | 1224                    |                         | 339.597                               |
| 10    | 1                | 89.7               | 10                |                         |                         | 140.36                                |
| 11    | 2                | 79.8               | 10                | 1564                    |                         | 290.363                               |
| 12    | 1                | 68.1               | 10                |                         |                         | 628.977                               |
| 13    | 2                | 78.4               | 10                | 1394                    |                         | 656.84                                |
| 14    | 2                | 75.7               | 10                | 1566                    |                         | 452.333                               |
| 15    | 2                | 84.6               | 10                | 1839                    |                         | 225.207                               |
| 16    | 2                | 83.7               | 10                | 1241                    |                         | 216.4                                 |
| 17    | 2                | 86.6               | 10                | 1117                    |                         | 628.533                               |
| 18    | 3                | 83.4               | 10                | 1940                    | 1111                    | 321.567                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 6</b> |
|-------------------------|

Bursts in Trial: 10

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 7

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 97.7               | 6                 | 1838                    |                         | 564.348                               |
| 2     | 2                | 55                 | 6                 | 1056                    |                         | 440.49                                |
| 3     | 2                | 96.1               | 6                 | 1282                    |                         | 246.99                                |
| 4     | 3                | 96.2               | 6                 | 1874                    | 1373                    | 43.08                                 |
| 5     | 1                | 63.1               | 6                 |                         |                         | 710.19                                |
| 6     | 2                | 68                 | 6                 | 1690                    |                         | 88.42                                 |
| 7     | 3                | 99.9               | 6                 | 1474                    | 1745                    | 59.82                                 |
| 8     | 3                | 80.1               | 6                 | 1225                    | 1333                    | 756.62                                |
| 9     | 2                | 98.4               | 6                 | 1076                    |                         | 36.08                                 |
| 10    | 2                | 86.9               | 6                 | 1724                    |                         | 161.77                                |
| 11    | 3                | 61.9               | 6                 | 1272                    | 1117                    | 583.77                                |
| 12    | 3                | 63.2               | 6                 | 1941                    | 1845                    | 35.42                                 |
| 13    | 2                | 77.9               | 6                 | 1467                    |                         | 385.93                                |
| 14    | 3                | 59.8               | 6                 | 1725                    | 1728                    | 2                                     |
| 15    | 2                | 96.3               | 6                 | 1144                    |                         | 126.3                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

|                         |
|-------------------------|
| <b>Trial Number : 8</b> |
|-------------------------|

|                           |
|---------------------------|
| <b>Bursts in Trial: 9</b> |
|---------------------------|

[illegible]

|  |
|--|
|  |
|--|

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 9

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 74.3               | 19                | 1632                    |                         | 184.423                               |
| 2     | 1                | 89.4               | 19                |                         |                         | 128.399                               |
| 3     | 1                | 59.8               | 19                |                         |                         | 413.272                               |
| 4     | 1                | 50                 | 19                |                         |                         | 355.773                               |
| 5     | 2                | 91.9               | 19                | 1021                    |                         | 59.844                                |
| 6     | 3                | 50.6               | 19                | 1323                    | 1571                    | 346.525                               |
| 7     | 2                | 53.7               | 19                | 1942                    |                         | 609.106                               |
| 8     | 3                | 75                 | 19                | 1775                    | 1418                    | 539.827                               |
| 9     | 1                | 60                 | 19                |                         |                         | 147.798                               |
| 10    | 1                | 66.1               | 19                |                         |                         | 531.129                               |
| 11    | 2                | 73.5               | 19                | 1964                    |                         | 183.981                               |
| 12    | 2                | 90.2               | 19                | 1148                    |                         | 318.392                               |
| 13    | 1                | 62.1               | 19                |                         |                         | 273.133                               |
| 14    | 1                | 72.5               | 19                |                         |                         | 171.914                               |
| 15    | 3                | 88.4               | 19                | 1849                    | 1046                    | 330.035                               |
| 16    | 1                | 98.6               | 19                |                         |                         | 580.916                               |
| 17    | 3                | 93.1               | 19                | 1281                    | 1190                    | 206.037                               |
| 18    | 2                | 66.9               | 19                | 1378                    |                         | 17.058                                |
| 19    | 2                | 84                 | 19                | 1833                    |                         | 207.579                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 10

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 69.7               | 15                | 1355                    | 1436                    | 453.799                               |
| 2     | 3                | 78.6               | 15                | 1541                    | 1294                    | 156.327                               |
| 3     | 2                | 89.9               | 15                | 1013                    |                         | 96.974                                |
| 4     | 1                | 63.8               | 15                |                         |                         | 581.961                               |
| 5     | 3                | 90.5               | 15                | 1847                    | 1968                    | 596.379                               |
| 6     | 2                | 87.5               | 15                | 1966                    |                         | 514.686                               |
| 7     | 2                | 57.5               | 15                | 1477                    |                         | 412.973                               |
| 8     | 1                | 75.8               | 15                |                         |                         | 445.68                                |
| 9     | 3                | 80.4               | 15                | 1369                    | 1226                    | 791.907                               |
| 10    | 1                | 66.8               | 15                |                         |                         | 649.224                               |
| 11    | 2                | 60.8               | 15                | 1687                    |                         | 755.611                               |
| 12    | 2                | 81                 | 15                | 1360                    |                         | 76.249                                |
| 13    | 3                | 57.9               | 15                | 1271                    | 1510                    | 244.186                               |
| 14    | 1                | 59                 | 15                |                         |                         | 356.143                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 11

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 76.5               | 11                |                         |                         | 10.959                                |
| 2     | 2                | 81.1               | 11                | 1730                    |                         | 449.943                               |
| 3     | 2                | 52.1               | 11                | 1314                    |                         | 560.996                               |
| 4     | 2                | 57.2               | 11                | 1416                    |                         | 500.349                               |
| 5     | 2                | 80.9               | 11                | 1758                    |                         | 780.322                               |
| 6     | 2                | 62.1               | 11                | 1842                    |                         | 725.075                               |
| 7     | 2                | 50.1               | 11                | 1625                    |                         | 801.808                               |
| 8     | 2                | 77.4               | 11                | 1764                    |                         | 112.392                               |
| 9     | 1                | 72.1               | 11                |                         |                         | 639.705                               |
| 10    | 2                | 83.7               | 11                | 1756                    |                         | 327.848                               |
| 11    | 1                | 96.4               | 11                |                         |                         | 329.401                               |
| 12    | 3                | 58                 | 11                | 1253                    | 1705                    | 86.654                                |
| 13    | 2                | 52.7               | 11                | 1804                    |                         | 817.477                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 12

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 90                 | 18                | 1414                    |                         | 86.222                                |
| 2     | 2                | 65.3               | 18                | 1714                    |                         | 629.25                                |
| 3     | 3                | 95.6               | 18                | 1505                    | 1315                    | 583.75                                |
| 4     | 3                | 95.6               | 18                | 1921                    | 1296                    | 939.09                                |
| 5     | 2                | 61.9               | 18                | 1291                    |                         | 342.38                                |
| 6     | 1                | 90.8               | 18                |                         |                         | 962.04                                |
| 7     | 2                | 96.8               | 18                | 1851                    |                         | 911.66                                |
| 8     | 2                | 52.7               | 18                | 1192                    |                         | 189.97                                |
| 9     | 2                | 64.2               | 18                | 1832                    |                         | 3.39                                  |
| 10    | 2                | 65.6               | 18                | 1036                    |                         | 758.87                                |
| 11    | 1                | 82                 | 18                |                         |                         | 637.9                                 |
| 12    | 3                | 73.1               | 18                | 1820                    | 1899                    | 808.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 13

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 56.8               | 16                | 1304                    |                         | 316.094                               |
| 2     | 3                | 88.1               | 16                | 1146                    | 1798                    | 507.953                               |
| 3     | 2                | 58.2               | 16                | 1983                    |                         | 206.636                               |
| 4     | 1                | 56.3               | 16                |                         |                         | 115.679                               |
| 5     | 1                | 59.3               | 16                |                         |                         | 619.822                               |
| 6     | 3                | 87.2               | 16                | 1997                    | 1653                    | 462.485                               |
| 7     | 2                | 98.3               | 16                | 1042                    |                         | 387.918                               |
| 8     | 2                | 84.8               | 16                | 1542                    |                         | 346.492                               |
| 9     | 2                | 95                 | 16                | 1677                    |                         | 646.995                               |
| 10    | 2                | 93.1               | 16                | 1724                    |                         | 160.598                               |
| 11    | 1                | 99.7               | 16                |                         |                         | 21.981                                |
| 12    | 2                | 98.4               | 16                | 1161                    |                         | 650.754                               |
| 13    | 3                | 65.9               | 16                | 1769                    | 1522                    | 780.077                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 14

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 86.9               | 6                 |                         |                         | 105.495                               |
| 2     | 2                | 62.8               | 6                 | 1773                    |                         | 586.423                               |
| 3     | 2                | 75.6               | 6                 | 1208                    |                         | 678.656                               |
| 4     | 3                | 54                 | 6                 | 1823                    | 1201                    | 55.519                                |
| 5     | 2                | 57.1               | 6                 | 1443                    |                         | 585.072                               |
| 6     | 2                | 85                 | 6                 | 1326                    |                         | 228.585                               |
| 7     | 1                | 61.7               | 6                 |                         |                         | 58.418                                |
| 8     | 2                | 71.8               | 6                 | 1302                    |                         | 60.542                                |
| 9     | 2                | 87.1               | 6                 | 1013                    |                         | 621.245                               |
| 10    | 3                | 52.2               | 6                 | 1039                    | 1491                    | 355.298                               |
| 11    | 2                | 60.2               | 6                 | 1924                    |                         | 136.561                               |
| 12    | 2                | 55.9               | 6                 | 1816                    |                         | 293.054                               |
| 13    | 3                | 64.4               | 6                 | 1180                    | 1081                    | 29.677                                |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 15

Bursts in Trial: 19

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 69.8               | 7                 |                         |                         | 360.173                               |
| 2     | 3                | 95.3               | 7                 | 1234                    | 1066                    | 302.391                               |
| 3     | 1                | 93.8               | 7                 |                         |                         | 187.452                               |
| 4     | 2                | 89.6               | 7                 | 1144                    |                         | 221.613                               |
| 5     | 2                | 97.6               | 7                 | 1308                    |                         | 381.554                               |
| 6     | 2                | 99.2               | 7                 | 1646                    |                         | 210.255                               |
| 7     | 2                | 60.2               | 7                 | 1713                    |                         | 315.816                               |
| 8     | 1                | 58.8               | 7                 |                         |                         | 618.677                               |
| 9     | 2                | 82.3               | 7                 | 1316                    |                         | 218.278                               |
| 10    | 2                | 85.2               | 7                 | 1561                    |                         | 621.079                               |
| 11    | 2                | 66                 | 7                 | 1047                    |                         | 316.541                               |
| 12    | 2                | 65                 | 7                 | 1519                    |                         | 422.772                               |
| 13    | 3                | 68.2               | 7                 | 1541                    | 1981                    | 292.493                               |
| 14    | 2                | 63.5               | 7                 | 1792                    |                         | 387.794                               |
| 15    | 2                | 62.6               | 7                 | 1245                    |                         | 446.715                               |
| 16    | 3                | 79.5               | 7                 | 1659                    | 1950                    | 233.166                               |
| 17    | 2                | 74.1               | 7                 | 1917                    |                         | 454.737                               |
| 18    | 2                | 89                 | 7                 | 1131                    |                         | 578.258                               |
| 19    | 1                | 75.2               | 7                 |                         |                         | 195.279                               |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 16

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 62                 | 6                 |                         |                         | 97.414                                |
| 2     | 2                | 92.8               | 6                 | 1145                    |                         | 882.73                                |
| 3     | 2                | 81.3               | 6                 | 1186                    |                         | 479.65                                |
| 4     | 1                | 93.6               | 6                 |                         |                         | 293.03                                |
| 5     | 3                | 95.6               | 6                 | 1275                    | 1027                    | 104.5                                 |
| 6     | 1                | 82.5               | 6                 |                         |                         | 334.07                                |
| 7     | 2                | 55.5               | 6                 | 1020                    |                         | 957.23                                |
| 8     | 2                | 83.4               | 6                 | 1916                    |                         | 122.87                                |
| 9     | 1                | 96.8               | 6                 |                         |                         | 949.18                                |
| 10    | 1                | 87.1               | 6                 |                         |                         | 30.19                                 |
| 11    | 2                | 75.7               | 6                 | 1021                    |                         | 946.5                                 |
| 12    | 2                | 67.8               | 6                 | 1620                    |                         | 520                                   |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

Rohde & Schwarz  
Pulse Sequencer

**Trial Number : 17**

|                    |
|--------------------|
| Bursts in Trial: 8 |
|--------------------|

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 18

Bursts in Trial: 17

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 64.3               | 6                 | 1043                    |                         | 677.491                               |
| 2     | 3                | 59.8               | 6                 | 1808                    | 1753                    | 219.092                               |
| 3     | 3                | 99.8               | 6                 | 1613                    | 1959                    | 390.455                               |
| 4     | 1                | 99.6               | 6                 |                         |                         | 694.923                               |
| 5     | 2                | 83.6               | 6                 | 1267                    |                         | 55.111                                |
| 6     | 1                | 61.3               | 6                 |                         |                         | 32.728                                |
| 7     | 2                | 74.8               | 6                 | 1820                    |                         | 61.766                                |
| 8     | 3                | 71.4               | 6                 | 1472                    | 1132                    | 155.394                               |
| 9     | 3                | 96.5               | 6                 | 1425                    | 1186                    | 329.921                               |
| 10    | 3                | 98.9               | 6                 | 1015                    | 1116                    | 324.439                               |
| 11    | 2                | 76.5               | 6                 | 1540                    |                         | 555.006                               |
| 12    | 1                | 77.3               | 6                 |                         |                         | 416.064                               |
| 13    | 2                | 80.8               | 6                 | 1326                    |                         | 604.382                               |
| 14    | 1                | 81.7               | 6                 |                         |                         | 638.159                               |
| 15    | 1                | 80.8               | 6                 |                         |                         | 76.197                                |
| 16    | 3                | 67.2               | 6                 | 1774                    | 1211                    | 431.965                               |
| 17    | 2                | 93.7               | 6                 | 1679                    |                         | 112.382                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 19

Bursts in Trial: 10

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 91.2               | 5                 |                         |                         | 311.78                                |
| 2     | 2                | 52.7               | 5                 | 1732                    |                         | 275.62                                |
| 3     | 2                | 75.3               | 5                 | 1521                    |                         | 614.22                                |
| 4     | 2                | 76.3               | 5                 | 1874                    |                         | 417.76                                |
| 5     | 3                | 73.3               | 5                 | 1583                    | 1533                    | 162.63                                |
| 6     | 2                | 61.7               | 5                 | 1050                    |                         | 903.37                                |
| 7     | 3                | 73.1               | 5                 | 1833                    | 1807                    | 849.3                                 |
| 8     | 2                | 96.3               | 5                 | 1718                    |                         | 385.05                                |
| 9     | 3                | 84.1               | 5                 | 1944                    | 1430                    | 155.98                                |
| 10    | 2                | 96.5               | 5                 | 1148                    |                         | 966.8                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 20

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 76.4               | 15                | 1839                    | 1745                    | 205.062                               |
| 2     | 2                | 54.8               | 15                | 1182                    |                         | 292.42                                |
| 3     | 2                | 69.8               | 15                | 1022                    |                         | 618.49                                |
| 4     | 1                | 65.5               | 15                |                         |                         | 2.22                                  |
| 5     | 2                | 81.4               | 15                | 1583                    |                         | 595.6                                 |
| 6     | 2                | 84.7               | 15                | 1290                    |                         | 720.87                                |
| 7     | 2                | 89.9               | 15                | 1833                    |                         | 351.43                                |
| 8     | 2                | 69.4               | 15                | 1775                    |                         | 69.34                                 |
| 9     | 1                | 77.7               | 15                |                         |                         | 410.49                                |
| 10    | 2                | 67.6               | 15                | 1014                    |                         | 733.68                                |
| 11    | 3                | 83.3               | 15                | 1264                    | 1473                    | 435.39                                |
| 12    | 2                | 97.4               | 15                | 1388                    |                         | 735.05                                |
| 13    | 3                | 94.8               | 15                | 1420                    | 1859                    | 278.68                                |
| 14    | 2                | 55.1               | 15                | 1409                    |                         | 287.8                                 |
| 15    | 3                | 90.3               | 15                | 1832                    | 1845                    | 53.1                                  |
| 16    | 2                | 77.9               | 15                | 1289                    |                         | 597.3                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 21

Bursts in Trial: 14

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 78.8               | 18                | 1870                    |                         | 162.754                               |
| 2     | 1                | 56.7               | 18                |                         |                         | 240.107                               |
| 3     | 2                | 62.3               | 18                | 1394                    |                         | 209.534                               |
| 4     | 3                | 88.8               | 18                | 1916                    | 1721                    | 802.731                               |
| 5     | 2                | 88.5               | 18                | 1618                    |                         | 289.099                               |
| 6     | 3                | 50.3               | 18                | 1776                    | 1008                    | 383.096                               |
| 7     | 2                | 62.7               | 18                | 1483                    |                         | 53.923                                |
| 8     | 2                | 86.4               | 18                | 1440                    |                         | 229.8                                 |
| 9     | 1                | 73.7               | 18                |                         |                         | 396.317                               |
| 10    | 2                | 55.8               | 18                | 1915                    |                         | 496.874                               |
| 11    | 1                | 83.2               | 18                |                         |                         | 8.521                                 |
| 12    | 1                | 86.4               | 18                |                         |                         | 821.629                               |
| 13    | 2                | 93.7               | 18                | 1579                    |                         | 435.686                               |
| 14    | 3                | 65                 | 18                | 1139                    | 1316                    | 737.043                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 22

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 72.7               | 15                | 1908                    |                         | 115.876                               |
| 2     | 3                | 96.2               | 15                | 1088                    | 1959                    | 434                                   |
| 3     | 2                | 88.6               | 15                | 1392                    |                         | 365.07                                |
| 4     | 2                | 83.5               | 15                | 1760                    |                         | 419.46                                |
| 5     | 2                | 67.3               | 15                | 1380                    |                         | 488.69                                |
| 6     | 3                | 72.1               | 15                | 1520                    | 1027                    | 250.85                                |
| 7     | 2                | 53.5               | 15                | 1137                    |                         | 526.85                                |
| 8     | 1                | 51.7               | 15                |                         |                         | 487.9                                 |
| 9     | 2                | 80.7               | 15                | 1088                    |                         | 393.18                                |
| 10    | 1                | 79                 | 15                |                         |                         | 148.09                                |
| 11    | 2                | 53.8               | 15                | 1865                    |                         | 288.92                                |
| 12    | 3                | 91.2               | 15                | 1319                    | 1283                    | 38.09                                 |
| 13    | 2                | 57.4               | 15                | 1917                    |                         | 278.14                                |
| 14    | 2                | 61.4               | 15                | 1370                    |                         | 561.99                                |
| 15    | 1                | 52.8               | 15                |                         |                         | 467.07                                |
| 16    | 1                | 51.2               | 15                |                         |                         | 461.32                                |
| 17    | 2                | 74.9               | 15                | 1781                    |                         | 132.78                                |
| 18    | 1                | 90.2               | 15                |                         |                         | 118.4                                 |
| 19    | 2                | 66                 | 15                | 1408                    |                         | 178.5                                 |
| 20    | 1                | 95.9               | 15                |                         |                         | 85.1                                  |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 23

Bursts in Trial: 16

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 1                | 95.3               | 13                |                         |                         | 319.449                               |
| 2     | 2                | 57.4               | 13                | 1421                    |                         | 479.78                                |
| 3     | 2                | 80.7               | 13                | 1876                    |                         | 358.29                                |
| 4     | 1                | 80.6               | 13                |                         |                         | 172.64                                |
| 5     | 2                | 95.2               | 13                | 1787                    |                         | 566.5                                 |
| 6     | 1                | 76.5               | 13                |                         |                         | 258.79                                |
| 7     | 2                | 98.9               | 13                | 1142                    |                         | 590.17                                |
| 8     | 2                | 57.5               | 13                | 1469                    |                         | 732.71                                |
| 9     | 1                | 94.7               | 13                |                         |                         | 130.29                                |
| 10    | 1                | 80.6               | 13                |                         |                         | 43.56                                 |
| 11    | 2                | 79.8               | 13                | 1007                    |                         | 487.83                                |
| 12    | 3                | 59.2               | 13                | 1692                    | 1688                    | 377.37                                |
| 13    | 1                | 69.1               | 13                |                         |                         | 154.1                                 |
| 14    | 3                | 59.4               | 13                | 1147                    | 1109                    | 586.4                                 |
| 15    | 3                | 64.3               | 13                | 1535                    | 1795                    | 718.7                                 |
| 16    | 1                | 83.1               | 13                |                         |                         | 334.9                                 |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 24

Bursts in Trial: 12

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 56.2               | 16                | 1461                    |                         | 509.771                               |
| 2     | 2                | 54.5               | 16                | 1224                    |                         | 738.79                                |
| 3     | 3                | 61.4               | 16                | 1611                    | 1700                    | 129.01                                |
| 4     | 3                | 61.9               | 16                | 1900                    | 1199                    | 244.11                                |
| 5     | 3                | 80.5               | 16                | 1879                    | 1791                    | 850.07                                |
| 6     | 3                | 72.9               | 16                | 1948                    | 1216                    | 757.06                                |
| 7     | 1                | 93.2               | 16                |                         |                         | 706.37                                |
| 8     | 3                | 97.8               | 16                | 1366                    | 1393                    | 628.26                                |
| 9     | 3                | 71.9               | 16                | 1952                    | 1794                    | 86.17                                 |
| 10    | 2                | 61.1               | 16                | 1928                    |                         | 35.57                                 |
| 11    | 1                | 92.4               | 16                |                         |                         | 438.3                                 |
| 12    | 3                | 57.2               | 16                | 1266                    | 1790                    | 56.2                                  |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 25

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 89.4               | 18                | 1406                    | 1665                    | 456.916                               |
| 2     | 2                | 82.7               | 18                | 1908                    |                         | 335.374                               |
| 3     | 3                | 93.1               | 18                | 1420                    | 1992                    | 397.3                                 |
| 4     | 1                | 62.5               | 18                |                         |                         | 212.93                                |
| 5     | 3                | 70.8               | 18                | 1431                    | 1657                    | 113.14                                |
| 6     | 1                | 62.4               | 18                |                         |                         | 352.3                                 |
| 7     | 1                | 69.7               | 18                |                         |                         | 170.47                                |
| 8     | 1                | 81.3               | 18                |                         |                         | 437.02                                |
| 9     | 1                | 54.8               | 18                |                         |                         | 285.96                                |
| 10    | 3                | 65.4               | 18                | 1247                    | 1624                    | 78.25                                 |
| 11    | 2                | 73.7               | 18                | 1284                    |                         | 392.3                                 |
| 12    | 2                | 82.7               | 18                | 1134                    |                         | 405.49                                |
| 13    | 2                | 76.6               | 18                | 1679                    |                         | 289.83                                |
| 14    | 3                | 92.4               | 18                | 1353                    | 1134                    | 142.83                                |
| 15    | 2                | 60.7               | 18                | 1614                    |                         | 431.78                                |
| 16    | 2                | 96.7               | 18                | 1908                    |                         | 268.56                                |
| 17    | 2                | 87.1               | 18                | 1421                    |                         | 378.47                                |
| 18    | 2                | 79                 | 18                | 1329                    |                         | 1.1                                   |
| 19    | 2                | 82.6               | 18                | 1358                    |                         | 230.1                                 |
| 20    | 1                | 68.9               | 18                |                         |                         | 228.4                                 |

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

# TYPE 5 PARAMETER SHEET Rohde & Schwarz Pulse Sequencer

**Trial Number : 26**

**Bursts in Trial: 10**

[illegible]

|  |
|--|
|  |
|--|

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 27

Bursts in Trial: 13

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 88.8               | 13                | 1803                    |                         | 384.889                               |
| 2     | 3                | 85.5               | 13                | 1426                    | 1325                    | 802.253                               |
| 3     | 2                | 85.9               | 13                | 1849                    |                         | 653.246                               |
| 4     | 2                | 59                 | 13                | 1913                    |                         | 690.999                               |
| 5     | 2                | 59.2               | 13                | 1896                    |                         | 775.592                               |
| 6     | 1                | 50.1               | 13                |                         |                         | 13.265                                |
| 7     | 1                | 78.1               | 13                |                         |                         | 604.258                               |
| 8     | 3                | 52.3               | 13                | 1226                    | 1730                    | 378.402                               |
| 9     | 3                | 94.8               | 13                | 1213                    | 1315                    | 821.995                               |
| 10    | 1                | 90.8               | 13                |                         |                         | 753.108                               |
| 11    | 2                | 70.7               | 13                | 1578                    |                         | 869.731                               |
| 12    | 3                | 54.8               | 13                | 1762                    | 1083                    | 397.154                               |
| 13    | 2                | 56.5               | 13                | 1279                    |                         | 310.477                               |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 28

Bursts in Trial: 15

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 98.2               | 18                | 1699                    |                         | 55.709                                |
| 2     | 1                | 98.2               | 18                |                         |                         | 189.944                               |
| 3     | 3                | 70.9               | 18                | 1268                    | 1508                    | 394.41                                |
| 4     | 2                | 98.2               | 18                | 1267                    |                         | 32.43                                 |
| 5     | 2                | 68.9               | 18                | 1877                    |                         | 407.08                                |
| 6     | 2                | 89.3               | 18                | 1275                    |                         | 205.46                                |
| 7     | 2                | 56.6               | 18                | 1419                    |                         | 691.21                                |
| 8     | 1                | 94.5               | 18                |                         |                         | 605.92                                |
| 9     | 2                | 74.8               | 18                | 1344                    |                         | 125.2                                 |
| 10    | 2                | 89.8               | 18                | 1762                    |                         | 513.85                                |
| 11    | 1                | 73.2               | 18                |                         |                         | 557.15                                |
| 12    | 2                | 50.5               | 18                | 1061                    |                         | 523.37                                |
| 13    | 2                | 80.5               | 18                | 1202                    |                         | 496.3                                 |
| 14    | 2                | 61.7               | 18                | 1414                    |                         | 77.1                                  |
| 15    | 2                | 85.5               | 18                | 1040                    |                         | 275                                   |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |
|       |                  |                    |                   |                         |                         |                                       |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 29

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 3                | 54.4               | 12                | 1038                    | 1821                    | 166.187                               |
| 2     | 2                | 78.2               | 12                | 1034                    |                         | 144.003                               |
| 3     | 2                | 65.2               | 12                | 1650                    |                         | 107.97                                |
| 4     | 3                | 76.1               | 12                | 1103                    | 1304                    | 380.53                                |
| 5     | 2                | 89.2               | 12                | 1314                    |                         | 497.23                                |
| 6     | 2                | 60.6               | 12                | 1206                    |                         | 326.39                                |
| 7     | 2                | 95.3               | 12                | 1352                    |                         | 59.01                                 |
| 8     | 3                | 72.1               | 12                | 1588                    | 1774                    | 342.54                                |
| 9     | 1                | 88.1               | 12                |                         |                         | 337.55                                |
| 10    | 3                | 74.5               | 12                | 1733                    | 1467                    | 246.49                                |
| 11    | 1                | 82.4               | 12                |                         |                         | 260.08                                |
| 12    | 2                | 70.2               | 12                | 1192                    |                         | 280.59                                |
| 13    | 3                | 60                 | 12                | 1587                    | 1204                    | 235.17                                |
| 14    | 2                | 50.8               | 12                | 1988                    |                         | 541.81                                |
| 15    | 3                | 69.7               | 12                | 1512                    | 1311                    | 555.72                                |
| 16    | 1                | 70.2               | 12                |                         |                         | 255                                   |
| 17    | 1                | 74.3               | 12                |                         |                         | 470.1                                 |
| 18    | 2                | 69.3               | 12                | 1995                    |                         | 250                                   |
| 19    | 2                | 99.7               | 12                | 1438                    |                         | 200.4                                 |
| 20    | 2                | 99.3               | 12                | 1799                    |                         | 101                                   |

# TYPE 5 PARAMETER SHEET

Rohde & Schwarz  
Pulse Sequencer

Trial Number : 30

Bursts in Trial: 20

| Burst | Number of Pulses | Pulse Width (µsec) | Chirp Width (MHz) | Pulse 1-to-2 PRI (µsec) | Pulse 2-to-3 PRI (µsec) | Start Location Within Interval (msec) |
|-------|------------------|--------------------|-------------------|-------------------------|-------------------------|---------------------------------------|
| 1     | 2                | 82.6               | 6                 | 1615                    |                         | 101.521                               |
| 2     | 3                | 89.3               | 6                 | 1187                    | 1125                    | 344.223                               |
| 3     | 2                | 52.9               | 6                 | 1870                    |                         | 214.05                                |
| 4     | 2                | 52.5               | 6                 | 1693                    |                         | 306.78                                |
| 5     | 2                | 73.4               | 6                 | 1697                    |                         | 536.11                                |
| 6     | 3                | 98.1               | 6                 | 1910                    | 1642                    | 585.41                                |
| 7     | 2                | 99.7               | 6                 | 1720                    |                         | 402.84                                |
| 8     | 3                | 75.2               | 6                 | 1578                    | 1933                    | 225.61                                |
| 9     | 2                | 91.7               | 6                 | 1513                    |                         | 450.08                                |
| 10    | 3                | 69.5               | 6                 | 1065                    | 1915                    | 287.63                                |
| 11    | 1                | 82                 | 6                 |                         |                         | 181.06                                |
| 12    | 3                | 90.1               | 6                 | 1382                    | 1444                    | 482.09                                |
| 13    | 2                | 86.9               | 6                 | 1692                    |                         | 36.98                                 |
| 14    | 3                | 84                 | 6                 | 1693                    | 1189                    | 572.41                                |
| 15    | 1                | 50.3               | 6                 |                         |                         | 433.59                                |
| 16    | 3                | 51                 | 6                 | 1462                    | 1812                    | 356.35                                |
| 17    | 3                | 72.7               | 6                 | 1768                    | 1486                    | 489.6                                 |
| 18    | 2                | 83.5               | 6                 | 1030                    |                         | 480                                   |
| 19    | 1                | 87.5               | 6                 |                         |                         | 179.4                                 |
| 20    | 3                | 91.2               | 6                 | 1023                    | 1198                    | 195.3                                 |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 6  
 Test Mode : Mode 1: Transmit (802.11ax-20BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                               |
| 7                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                               |
| 9                        | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                               |
| 11                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                               |
| 14                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                               |
| 15                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                               |
| 17                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                               |
| 19                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 0                               |
| 20                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                               |
| 22                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                               |
| 24                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 0                               |
| 26                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                               |
| 29                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                               |
| 30                       | 5500            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| Detection Percentage (%) |                 |                                                                    | 93.33                           |
| Limit                    |                 |                                                                    | >70                             |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 1       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.607        | 20              |              |
| 2                      | 5.5              | 5.709        | 20              |              |
| 3                      | 5.5              | 5.639        | 20              |              |
| 4                      | 5.5              | 5.399        | 20              |              |
| 5                      | 5.5              | 5.714        | 20              |              |
| 6                      | 5.5              | 5.262        | 20              |              |
| 7                      | 5.5              | 5.37         | 20              |              |
| 8                      | 5.5              | 5.472        | 20              |              |
| 9                      | 5.5              | 5.488        | 20              |              |
| 10                     | 5.5              | 5.264        | 20              |              |
| 11                     | 5.5              | 5.525        | 20              |              |
| 12                     | 5.5              | 5.515        | 20              |              |
| 13                     | 5.5              | 5.438        | 20              |              |
| 14                     | 5.5              | 5.532        | 20              |              |
| 15                     | 5.5              | 5.324        | 20              |              |
| 16                     | 5.5              | 5.531        | 20              |              |
| 17                     | 5.5              | 5.576        | 20              |              |
| 18                     | 5.5              | 5.356        | 20              |              |
| 19                     | 5.5              | 5.561        | 20              |              |
| 20                     | 5.5              | 5.699        | 20              |              |
| 21                     | 5.5              | 5.272        | 20              |              |
| 22                     | 5.5              | 5.395        | 20              |              |
| 23                     | 5.5              | 5.603        | 20              |              |
| 24                     | 5.5              | 5.266        | 20              |              |
| 25                     | 5.5              | 5.384        | 20              |              |
| 26                     | 5.5              | 5.486        | 20              |              |
| 27                     | 5.5              | 5.325        | 20              |              |
| 28                     | 5.5              | 5.548        | 20              |              |
| 29                     | 5.5              | 5.32         | 20              |              |
| 30                     | 5.5              | 5.348        | 20              |              |
| 31                     | 5.5              | 5.541        | 20              |              |
| 32                     | 5.5              | 5.675        | 20              |              |
| 33                     | 5.5              | 5.434        | 20              |              |
| 34                     | 5.5              | 5.609        | 20              |              |
| 35                     | 5.5              | 5.517        | 20              |              |
| 36                     | 5.5              | 5.352        | 20              |              |
| 37                     | 5.5              | 5.578        | 20              |              |
| 38                     | 5.5              | 5.666        | 20              |              |
| 39                     | 5.5              | 5.431        | 20              |              |
| 40                     | 5.5              | 5.293        | 20              |              |
| 41                     | 5.5              | 5.512        | 20              |              |
| 42                     | 5.5              | 5.671        | 20              |              |
| 43                     | 5.5              | 5.713        | 20              |              |
| 44                     | 5.5              | 5.508        | 20              | *            |
| 45                     | 5.5              | 5.328        | 20              |              |
| 46                     | 5.5              | 5.274        | 20              |              |
| 47                     | 5.5              | 5.261        | 20              |              |
| 48                     | 5.5              | 5.481        | 20              |              |
| 49                     | 5.5              | 5.44         | 20              |              |

|     |     |       |    |   |
|-----|-----|-------|----|---|
| 50  | 5.5 | 5.557 | 20 |   |
| 51  | 5.5 | 5.418 | 20 |   |
| 52  | 5.5 | 5.535 | 20 |   |
| 53  | 5.5 | 5.497 | 20 | * |
| 54  | 5.5 | 5.298 | 20 |   |
| 55  | 5.5 | 5.707 | 20 |   |
| 56  | 5.5 | 5.614 | 20 |   |
| 57  | 5.5 | 5.556 | 20 |   |
| 58  | 5.5 | 5.591 | 20 |   |
| 59  | 5.5 | 5.46  | 20 |   |
| 60  | 5.5 | 5.719 | 20 |   |
| 61  | 5.5 | 5.71  | 20 |   |
| 62  | 5.5 | 5.538 | 20 |   |
| 63  | 5.5 | 5.485 | 20 |   |
| 64  | 5.5 | 5.63  | 20 |   |
| 65  | 5.5 | 5.39  | 20 |   |
| 66  | 5.5 | 5.265 | 20 |   |
| 67  | 5.5 | 5.403 | 20 |   |
| 68  | 5.5 | 5.401 | 20 |   |
| 69  | 5.5 | 5.339 | 20 |   |
| 70  | 5.5 | 5.411 | 20 |   |
| 71  | 5.5 | 5.471 | 20 |   |
| 72  | 5.5 | 5.365 | 20 |   |
| 73  | 5.5 | 5.346 | 20 |   |
| 74  | 5.5 | 5.528 | 20 |   |
| 75  | 5.5 | 5.426 | 20 |   |
| 76  | 5.5 | 5.522 | 20 |   |
| 77  | 5.5 | 5.456 | 20 |   |
| 78  | 5.5 | 5.38  | 20 |   |
| 79  | 5.5 | 5.692 | 20 |   |
| 80  | 5.5 | 5.562 | 20 |   |
| 81  | 5.5 | 5.423 | 20 |   |
| 82  | 5.5 | 5.306 | 20 |   |
| 83  | 5.5 | 5.296 | 20 |   |
| 84  | 5.5 | 5.484 | 20 |   |
| 85  | 5.5 | 5.5   | 20 | * |
| 86  | 5.5 | 5.682 | 20 |   |
| 87  | 5.5 | 5.552 | 20 |   |
| 88  | 5.5 | 5.504 | 20 | * |
| 89  | 5.5 | 5.43  | 20 |   |
| 90  | 5.5 | 5.362 | 20 |   |
| 91  | 5.5 | 5.593 | 20 |   |
| 92  | 5.5 | 5.645 | 20 |   |
| 93  | 5.5 | 5.655 | 20 |   |
| 94  | 5.5 | 5.585 | 20 |   |
| 95  | 5.5 | 5.616 | 20 |   |
| 96  | 5.5 | 5.708 | 20 |   |
| 97  | 5.5 | 5.396 | 20 |   |
| 98  | 5.5 | 5.693 | 20 |   |
| 99  | 5.5 | 5.568 | 20 |   |
| 100 | 5.5 | 5.453 | 20 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.265        | 20              |              |
| 2                      | 5.5              | 5.675        | 20              |              |
| 3                      | 5.5              | 5.339        | 20              |              |
| 4                      | 5.5              | 5.29         | 20              |              |
| 5                      | 5.5              | 5.27         | 20              |              |
| 6                      | 5.5              | 5.287        | 20              |              |
| 7                      | 5.5              | 5.608        | 20              |              |
| 8                      | 5.5              | 5.416        | 20              |              |
| 9                      | 5.5              | 5.306        | 20              |              |
| 10                     | 5.5              | 5.342        | 20              |              |
| 11                     | 5.5              | 5.52         | 20              |              |
| 12                     | 5.5              | 5.353        | 20              |              |
| 13                     | 5.5              | 5.569        | 20              |              |
| 14                     | 5.5              | 5.391        | 20              |              |
| 15                     | 5.5              | 5.452        | 20              |              |
| 16                     | 5.5              | 5.602        | 20              |              |
| 17                     | 5.5              | 5.573        | 20              |              |
| 18                     | 5.5              | 5.279        | 20              |              |
| 19                     | 5.5              | 5.612        | 20              |              |
| 20                     | 5.5              | 5.677        | 20              |              |
| 21                     | 5.5              | 5.549        | 20              |              |
| 22                     | 5.5              | 5.395        | 20              |              |
| 23                     | 5.5              | 5.567        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.642        | 20              |              |
| 2                      | 5.5              | 5.54         | 20              |              |
| 3                      | 5.5              | 5.661        | 20              |              |
| 4                      | 5.5              | 5.312        | 20              |              |
| 5                      | 5.5              | 5.401        | 20              |              |
| 6                      | 5.5              | 5.422        | 20              |              |
| 7                      | 5.5              | 5.675        | 20              |              |
| 8                      | 5.5              | 5.485        | 20              |              |
| 9                      | 5.5              | 5.297        | 20              |              |
| 10                     | 5.5              | 5.371        | 20              |              |
| 11                     | 5.5              | 5.419        | 20              |              |
| 12                     | 5.5              | 5.387        | 20              |              |
| 13                     | 5.5              | 5.314        | 20              |              |
| 14                     | 5.5              | 5.7          | 20              |              |
| 15                     | 5.5              | 5.341        | 20              |              |
| 16                     | 5.5              | 5.719        | 20              |              |
| 17                     | 5.5              | 5.662        | 20              |              |
| 18                     | 5.5              | 5.714        | 20              |              |
| 19                     | 5.5              | 5.573        | 20              |              |
| 20                     | 5.5              | 5.508        | 20              | *            |
| 21                     | 5.5              | 5.48         | 20              |              |
| 22                     | 5.5              | 5.443        | 20              |              |
| 23                     | 5.5              | 5.572        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.271        | 20              |              |
| 2                      | 5.5              | 5.635        | 20              |              |
| 3                      | 5.5              | 5.689        | 20              |              |
| 4                      | 5.5              | 5.548        | 20              |              |
| 5                      | 5.5              | 5.587        | 20              |              |
| 6                      | 5.5              | 5.55         | 20              |              |
| 7                      | 5.5              | 5.514        | 20              |              |
| 8                      | 5.5              | 5.499        | 20              | *            |
| 9                      | 5.5              | 5.341        | 20              |              |
| 10                     | 5.5              | 5.609        | 20              |              |
| 11                     | 5.5              | 5.588        | 20              |              |
| 12                     | 5.5              | 5.331        | 20              |              |
| 13                     | 5.5              | 5.351        | 20              |              |
| 14                     | 5.5              | 5.324        | 20              |              |
| 15                     | 5.5              | 5.538        | 20              |              |
| 16                     | 5.5              | 5.535        | 20              |              |
| 17                     | 5.5              | 5.266        | 20              |              |
| 18                     | 5.5              | 5.263        | 20              |              |
| 19                     | 5.5              | 5.495        | 20              | *            |
| 20                     | 5.5              | 5.296        | 20              |              |
| 21                     | 5.5              | 5.38         | 20              |              |
| 22                     | 5.5              | 5.459        | 20              |              |
| 23                     | 5.5              | 5.576        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.279        | 20              |              |
| 2                      | 5.5              | 5.688        | 20              |              |
| 3                      | 5.5              | 5.57         | 20              |              |
| 4                      | 5.5              | 5.417        | 20              |              |
| 5                      | 5.5              | 5.69         | 20              |              |
| 6                      | 5.5              | 5.422        | 20              |              |
| 7                      | 5.5              | 5.54         | 20              |              |
| 8                      | 5.5              | 5.288        | 20              |              |
| 9                      | 5.5              | 5.706        | 20              |              |
| 10                     | 5.5              | 5.266        | 20              |              |
| 11                     | 5.5              | 5.473        | 20              |              |
| 12                     | 5.5              | 5.675        | 20              |              |
| 13                     | 5.5              | 5.405        | 20              |              |
| 14                     | 5.5              | 5.463        | 20              |              |
| 15                     | 5.5              | 5.578        | 20              |              |
| 16                     | 5.5              | 5.586        | 20              |              |
| 17                     | 5.5              | 5.514        | 20              |              |
| 18                     | 5.5              | 5.42         | 20              |              |
| 19                     | 5.5              | 5.309        | 20              |              |
| 20                     | 5.5              | 5.559        | 20              |              |
| 21                     | 5.5              | 5.419        | 20              |              |
| 22                     | 5.5              | 5.447        | 20              |              |
| 23                     | 5.5              | 5.442        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.349        | 20              |              |
| 2                      | 5.5              | 5.47         | 20              |              |
| 3                      | 5.5              | 5.719        | 20              |              |
| 4                      | 5.5              | 5.319        | 20              |              |
| 5                      | 5.5              | 5.413        | 20              |              |
| 6                      | 5.5              | 5.517        | 20              |              |
| 7                      | 5.5              | 5.598        | 20              |              |
| 8                      | 5.5              | 5.408        | 20              |              |
| 9                      | 5.5              | 5.545        | 20              |              |
| 10                     | 5.5              | 5.493        | 20              | *            |
| 11                     | 5.5              | 5.653        | 20              |              |
| 12                     | 5.5              | 5.577        | 20              |              |
| 13                     | 5.5              | 5.463        | 20              |              |
| 14                     | 5.5              | 5.558        | 20              |              |
| 15                     | 5.5              | 5.681        | 20              |              |
| 16                     | 5.5              | 5.333        | 20              |              |
| 17                     | 5.5              | 5.398        | 20              |              |
| 18                     | 5.5              | 5.717        | 20              |              |
| 19                     | 5.5              | 5.339        | 20              |              |
| 20                     | 5.5              | 5.373        | 20              |              |
| 21                     | 5.5              | 5.482        | 20              |              |
| 22                     | 5.5              | 5.566        | 20              |              |
| 23                     | 5.5              | 5.453        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.302        | 20              |              |
| 2                      | 5.5              | 5.31         | 20              |              |
| 3                      | 5.5              | 5.387        | 20              |              |
| 4                      | 5.5              | 5.262        | 20              |              |
| 5                      | 5.5              | 5.495        | 20              | *            |
| 6                      | 5.5              | 5.619        | 20              |              |
| 7                      | 5.5              | 5.482        | 20              |              |
| 8                      | 5.5              | 5.481        | 20              |              |
| 9                      | 5.5              | 5.705        | 20              |              |
| 10                     | 5.5              | 5.545        | 20              |              |
| 11                     | 5.5              | 5.447        | 20              |              |
| 12                     | 5.5              | 5.669        | 20              |              |
| 13                     | 5.5              | 5.286        | 20              |              |
| 14                     | 5.5              | 5.427        | 20              |              |
| 15                     | 5.5              | 5.271        | 20              |              |
| 16                     | 5.5              | 5.325        | 20              |              |
| 17                     | 5.5              | 5.388        | 20              |              |
| 18                     | 5.5              | 5.521        | 20              |              |
| 19                     | 5.5              | 5.449        | 20              |              |
| 20                     | 5.5              | 5.603        | 20              |              |
| 21                     | 5.5              | 5.51         | 20              | *            |
| 22                     | 5.5              | 5.541        | 20              |              |
| 23                     | 5.5              | 5.304        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.434        | 20              |              |
| 2                      | 5.5              | 5.472        | 20              |              |
| 3                      | 5.5              | 5.352        | 20              |              |
| 4                      | 5.5              | 5.537        | 20              |              |
| 5                      | 5.5              | 5.594        | 20              |              |
| 6                      | 5.5              | 5.694        | 20              |              |
| 7                      | 5.5              | 5.48         | 20              |              |
| 8                      | 5.5              | 5.336        | 20              |              |
| 9                      | 5.5              | 5.399        | 20              |              |
| 10                     | 5.5              | 5.722        | 20              |              |
| 11                     | 5.5              | 5.607        | 20              |              |
| 12                     | 5.5              | 5.491        | 20              | *            |
| 13                     | 5.5              | 5.622        | 20              |              |
| 14                     | 5.5              | 5.715        | 20              |              |
| 15                     | 5.5              | 5.7          | 20              |              |
| 16                     | 5.5              | 5.293        | 20              |              |
| 17                     | 5.5              | 5.599        | 20              |              |
| 18                     | 5.5              | 5.328        | 20              |              |
| 19                     | 5.5              | 5.584        | 20              |              |
| 20                     | 5.5              | 5.471        | 20              |              |
| 21                     | 5.5              | 5.387        | 20              |              |
| 22                     | 5.5              | 5.676        | 20              |              |
| 23                     | 5.5              | 5.666        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.374        | 20              |              |
| 2                      | 5.5              | 5.625        | 20              |              |
| 3                      | 5.5              | 5.606        | 20              |              |
| 4                      | 5.5              | 5.676        | 20              |              |
| 5                      | 5.5              | 5.655        | 20              |              |
| 6                      | 5.5              | 5.636        | 20              |              |
| 7                      | 5.5              | 5.67         | 20              |              |
| 8                      | 5.5              | 5.688        | 20              |              |
| 9                      | 5.5              | 5.35         | 20              |              |
| 10                     | 5.5              | 5.436        | 20              |              |
| 11                     | 5.5              | 5.324        | 20              |              |
| 12                     | 5.5              | 5.286        | 20              |              |
| 13                     | 5.5              | 5.323        | 20              |              |
| 14                     | 5.5              | 5.263        | 20              |              |
| 15                     | 5.5              | 5.339        | 20              |              |
| 16                     | 5.5              | 5.519        | 20              |              |
| 17                     | 5.5              | 5.566        | 20              |              |
| 18                     | 5.5              | 5.284        | 20              |              |
| 19                     | 5.5              | 5.376        | 20              |              |
| 20                     | 5.5              | 5.343        | 20              |              |
| 21                     | 5.5              | 5.493        | 20              | *            |
| 22                     | 5.5              | 5.663        | 20              |              |
| 23                     | 5.5              | 5.389        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.619        | 20              |              |
| 2                      | 5.5              | 5.71         | 20              |              |
| 3                      | 5.5              | 5.618        | 20              |              |
| 4                      | 5.5              | 5.685        | 20              |              |
| 5                      | 5.5              | 5.27         | 20              |              |
| 6                      | 5.5              | 5.642        | 20              |              |
| 7                      | 5.5              | 5.64         | 20              |              |
| 8                      | 5.5              | 5.546        | 20              |              |
| 9                      | 5.5              | 5.711        | 20              |              |
| 10                     | 5.5              | 5.426        | 20              |              |
| 11                     | 5.5              | 5.448        | 20              |              |
| 12                     | 5.5              | 5.63         | 20              |              |
| 13                     | 5.5              | 5.366        | 20              |              |
| 14                     | 5.5              | 5.646        | 20              |              |
| 15                     | 5.5              | 5.545        | 20              |              |
| 16                     | 5.5              | 5.283        | 20              |              |
| 17                     | 5.5              | 5.562        | 20              |              |
| 18                     | 5.5              | 5.322        | 20              |              |
| 19                     | 5.5              | 5.336        | 20              |              |
| 20                     | 5.5              | 5.463        | 20              |              |
| 21                     | 5.5              | 5.651        | 20              |              |
| 22                     | 5.5              | 5.35         | 20              |              |
| 23                     | 5.5              | 5.709        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.662        | 20              |              |
| 2                      | 5.5              | 5.306        | 20              |              |
| 3                      | 5.5              | 5.25         | 20              |              |
| 4                      | 5.5              | 5.664        | 20              |              |
| 5                      | 5.5              | 5.627        | 20              |              |
| 6                      | 5.5              | 5.341        | 20              |              |
| 7                      | 5.5              | 5.553        | 20              |              |
| 8                      | 5.5              | 5.418        | 20              |              |
| 9                      | 5.5              | 5.304        | 20              |              |
| 10                     | 5.5              | 5.478        | 20              |              |
| 11                     | 5.5              | 5.332        | 20              |              |
| 12                     | 5.5              | 5.593        | 20              |              |
| 13                     | 5.5              | 5.485        | 20              |              |
| 14                     | 5.5              | 5.682        | 20              |              |
| 15                     | 5.5              | 5.669        | 20              |              |
| 16                     | 5.5              | 5.646        | 20              |              |
| 17                     | 5.5              | 5.312        | 20              |              |
| 18                     | 5.5              | 5.336        | 20              |              |
| 19                     | 5.5              | 5.596        | 20              |              |
| 20                     | 5.5              | 5.534        | 20              |              |
| 21                     | 5.5              | 5.575        | 20              |              |
| 22                     | 5.5              | 5.708        | 20              |              |
| 23                     | 5.5              | 5.554        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.603        | 20              |              |
| 2                      | 5.5              | 5.658        | 20              |              |
| 3                      | 5.5              | 5.714        | 20              |              |
| 4                      | 5.5              | 5.346        | 20              |              |
| 5                      | 5.5              | 5.623        | 20              |              |
| 6                      | 5.5              | 5.569        | 20              |              |
| 7                      | 5.5              | 5.296        | 20              |              |
| 8                      | 5.5              | 5.452        | 20              |              |
| 9                      | 5.5              | 5.49         | 20              | *            |
| 10                     | 5.5              | 5.388        | 20              |              |
| 11                     | 5.5              | 5.376        | 20              |              |
| 12                     | 5.5              | 5.592        | 20              |              |
| 13                     | 5.5              | 5.47         | 20              |              |
| 14                     | 5.5              | 5.28         | 20              |              |
| 15                     | 5.5              | 5.548        | 20              |              |
| 16                     | 5.5              | 5.288        | 20              |              |
| 17                     | 5.5              | 5.399        | 20              |              |
| 18                     | 5.5              | 5.463        | 20              |              |
| 19                     | 5.5              | 5.492        | 20              | *            |
| 20                     | 5.5              | 5.662        | 20              |              |
| 21                     | 5.5              | 5.274        | 20              |              |
| 22                     | 5.5              | 5.488        | 20              |              |
| 23                     | 5.5              | 5.41         | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.33         | 20              |              |
| 2                      | 5.5              | 5.523        | 20              |              |
| 3                      | 5.5              | 5.581        | 20              |              |
| 4                      | 5.5              | 5.524        | 20              |              |
| 5                      | 5.5              | 5.489        | 20              |              |
| 6                      | 5.5              | 5.691        | 20              |              |
| 7                      | 5.5              | 5.314        | 20              |              |
| 8                      | 5.5              | 5.717        | 20              |              |
| 9                      | 5.5              | 5.429        | 20              |              |
| 10                     | 5.5              | 5.626        | 20              |              |
| 11                     | 5.5              | 5.503        | 20              | *            |
| 12                     | 5.5              | 5.401        | 20              |              |
| 13                     | 5.5              | 5.265        | 20              |              |
| 14                     | 5.5              | 5.517        | 20              |              |
| 15                     | 5.5              | 5.521        | 20              |              |
| 16                     | 5.5              | 5.251        | 20              |              |
| 17                     | 5.5              | 5.252        | 20              |              |
| 18                     | 5.5              | 5.286        | 20              |              |
| 19                     | 5.5              | 5.567        | 20              |              |
| 20                     | 5.5              | 5.563        | 20              |              |
| 21                     | 5.5              | 5.353        | 20              |              |
| 22                     | 5.5              | 5.551        | 20              |              |
| 23                     | 5.5              | 5.455        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.687        | 20              |              |
| 2                      | 5.5              | 5.326        | 20              |              |
| 3                      | 5.5              | 5.368        | 20              |              |
| 4                      | 5.5              | 5.267        | 20              |              |
| 5                      | 5.5              | 5.345        | 20              |              |
| 6                      | 5.5              | 5.629        | 20              |              |
| 7                      | 5.5              | 5.659        | 20              |              |
| 8                      | 5.5              | 5.506        | 20              | *            |
| 9                      | 5.5              | 5.709        | 20              |              |
| 10                     | 5.5              | 5.625        | 20              |              |
| 11                     | 5.5              | 5.339        | 20              |              |
| 12                     | 5.5              | 5.333        | 20              |              |
| 13                     | 5.5              | 5.287        | 20              |              |
| 14                     | 5.5              | 5.583        | 20              |              |
| 15                     | 5.5              | 5.366        | 20              |              |
| 16                     | 5.5              | 5.445        | 20              |              |
| 17                     | 5.5              | 5.276        | 20              |              |
| 18                     | 5.5              | 5.48         | 20              |              |
| 19                     | 5.5              | 5.391        | 20              |              |
| 20                     | 5.5              | 5.386        | 20              |              |
| 21                     | 5.5              | 5.685        | 20              |              |
| 22                     | 5.5              | 5.532        | 20              |              |
| 23                     | 5.5              | 5.318        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.367        | 20              |              |
| 2                      | 5.5              | 5.459        | 20              |              |
| 3                      | 5.5              | 5.421        | 20              |              |
| 4                      | 5.5              | 5.31         | 20              |              |
| 5                      | 5.5              | 5.32         | 20              |              |
| 6                      | 5.5              | 5.712        | 20              |              |
| 7                      | 5.5              | 5.524        | 20              |              |
| 8                      | 5.5              | 5.653        | 20              |              |
| 9                      | 5.5              | 5.334        | 20              |              |
| 10                     | 5.5              | 5.61         | 20              |              |
| 11                     | 5.5              | 5.388        | 20              |              |
| 12                     | 5.5              | 5.609        | 20              |              |
| 13                     | 5.5              | 5.436        | 20              |              |
| 14                     | 5.5              | 5.709        | 20              |              |
| 15                     | 5.5              | 5.271        | 20              |              |
| 16                     | 5.5              | 5.28         | 20              |              |
| 17                     | 5.5              | 5.593        | 20              |              |
| 18                     | 5.5              | 5.54         | 20              |              |
| 19                     | 5.5              | 5.557        | 20              |              |
| 20                     | 5.5              | 5.66         | 20              |              |
| 21                     | 5.5              | 5.418        | 20              |              |
| 22                     | 5.5              | 5.473        | 20              |              |
| 23                     | 5.5              | 5.527        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.478        | 20              |              |
| 2                      | 5.5              | 5.604        | 20              |              |
| 3                      | 5.5              | 5.579        | 20              |              |
| 4                      | 5.5              | 5.482        | 20              |              |
| 5                      | 5.5              | 5.538        | 20              |              |
| 6                      | 5.5              | 5.49         | 20              | *            |
| 7                      | 5.5              | 5.654        | 20              |              |
| 8                      | 5.5              | 5.593        | 20              |              |
| 9                      | 5.5              | 5.271        | 20              |              |
| 10                     | 5.5              | 5.537        | 20              |              |
| 11                     | 5.5              | 5.682        | 20              |              |
| 12                     | 5.5              | 5.384        | 20              |              |
| 13                     | 5.5              | 5.523        | 20              |              |
| 14                     | 5.5              | 5.417        | 20              |              |
| 15                     | 5.5              | 5.711        | 20              |              |
| 16                     | 5.5              | 5.266        | 20              |              |
| 17                     | 5.5              | 5.606        | 20              |              |
| 18                     | 5.5              | 5.395        | 20              |              |
| 19                     | 5.5              | 5.602        | 20              |              |
| 20                     | 5.5              | 5.694        | 20              |              |
| 21                     | 5.5              | 5.67         | 20              |              |
| 22                     | 5.5              | 5.393        | 20              |              |
| 23                     | 5.5              | 5.267        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.54         | 20              |              |
| 2                      | 5.5              | 5.489        | 20              |              |
| 3                      | 5.5              | 5.647        | 20              |              |
| 4                      | 5.5              | 5.479        | 20              |              |
| 5                      | 5.5              | 5.516        | 20              |              |
| 6                      | 5.5              | 5.558        | 20              |              |
| 7                      | 5.5              | 5.382        | 20              |              |
| 8                      | 5.5              | 5.394        | 20              |              |
| 9                      | 5.5              | 5.351        | 20              |              |
| 10                     | 5.5              | 5.626        | 20              |              |
| 11                     | 5.5              | 5.462        | 20              |              |
| 12                     | 5.5              | 5.415        | 20              |              |
| 13                     | 5.5              | 5.694        | 20              |              |
| 14                     | 5.5              | 5.311        | 20              |              |
| 15                     | 5.5              | 5.697        | 20              |              |
| 16                     | 5.5              | 5.263        | 20              |              |
| 17                     | 5.5              | 5.478        | 20              |              |
| 18                     | 5.5              | 5.285        | 20              |              |
| 19                     | 5.5              | 5.281        | 20              |              |
| 20                     | 5.5              | 5.463        | 20              |              |
| 21                     | 5.5              | 5.553        | 20              |              |
| 22                     | 5.5              | 5.389        | 20              |              |
| 23                     | 5.5              | 5.349        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.571        | 20              |              |
| 2                      | 5.5              | 5.511        | 20              |              |
| 3                      | 5.5              | 5.674        | 20              |              |
| 4                      | 5.5              | 5.269        | 20              |              |
| 5                      | 5.5              | 5.364        | 20              |              |
| 6                      | 5.5              | 5.596        | 20              |              |
| 7                      | 5.5              | 5.592        | 20              |              |
| 8                      | 5.5              | 5.697        | 20              |              |
| 9                      | 5.5              | 5.564        | 20              |              |
| 10                     | 5.5              | 5.291        | 20              |              |
| 11                     | 5.5              | 5.538        | 20              |              |
| 12                     | 5.5              | 5.401        | 20              |              |
| 13                     | 5.5              | 5.637        | 20              |              |
| 14                     | 5.5              | 5.558        | 20              |              |
| 15                     | 5.5              | 5.275        | 20              |              |
| 16                     | 5.5              | 5.258        | 20              |              |
| 17                     | 5.5              | 5.468        | 20              |              |
| 18                     | 5.5              | 5.369        | 20              |              |
| 19                     | 5.5              | 5.606        | 20              |              |
| 20                     | 5.5              | 5.694        | 20              |              |
| 21                     | 5.5              | 5.469        | 20              |              |
| 22                     | 5.5              | 5.648        | 20              |              |
| 23                     | 5.5              | 5.608        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.569        | 20              |              |
| 2                      | 5.5              | 5.408        | 20              |              |
| 3                      | 5.5              | 5.492        | 20              | *            |
| 4                      | 5.5              | 5.441        | 20              |              |
| 5                      | 5.5              | 5.353        | 20              |              |
| 6                      | 5.5              | 5.301        | 20              |              |
| 7                      | 5.5              | 5.583        | 20              |              |
| 8                      | 5.5              | 5.699        | 20              |              |
| 9                      | 5.5              | 5.299        | 20              |              |
| 10                     | 5.5              | 5.264        | 20              |              |
| 11                     | 5.5              | 5.715        | 20              |              |
| 12                     | 5.5              | 5.657        | 20              |              |
| 13                     | 5.5              | 5.6          | 20              |              |
| 14                     | 5.5              | 5.449        | 20              |              |
| 15                     | 5.5              | 5.275        | 20              |              |
| 16                     | 5.5              | 5.388        | 20              |              |
| 17                     | 5.5              | 5.442        | 20              |              |
| 18                     | 5.5              | 5.594        | 20              |              |
| 19                     | 5.5              | 5.622        | 20              |              |
| 20                     | 5.5              | 5.603        | 20              |              |
| 21                     | 5.5              | 5.688        | 20              |              |
| 22                     | 5.5              | 5.479        | 20              |              |
| 23                     | 5.5              | 5.563        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.465        | 20              |              |
| 2                      | 5.5              | 5.608        | 20              |              |
| 3                      | 5.5              | 5.604        | 20              |              |
| 4                      | 5.5              | 5.575        | 20              |              |
| 5                      | 5.5              | 5.692        | 20              |              |
| 6                      | 5.5              | 5.65         | 20              |              |
| 7                      | 5.5              | 5.679        | 20              |              |
| 8                      | 5.5              | 5.453        | 20              |              |
| 9                      | 5.5              | 5.458        | 20              |              |
| 10                     | 5.5              | 5.254        | 20              |              |
| 11                     | 5.5              | 5.435        | 20              |              |
| 12                     | 5.5              | 5.507        | 20              | *            |
| 13                     | 5.5              | 5.723        | 20              |              |
| 14                     | 5.5              | 5.279        | 20              |              |
| 15                     | 5.5              | 5.333        | 20              |              |
| 16                     | 5.5              | 5.464        | 20              |              |
| 17                     | 5.5              | 5.613        | 20              |              |
| 18                     | 5.5              | 5.45         | 20              |              |
| 19                     | 5.5              | 5.548        | 20              |              |
| 20                     | 5.5              | 5.583        | 20              |              |
| 21                     | 5.5              | 5.448        | 20              |              |
| 22                     | 5.5              | 5.47         | 20              |              |
| 23                     | 5.5              | 5.594        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.698        | 20              |              |
| 2                      | 5.5              | 5.272        | 20              |              |
| 3                      | 5.5              | 5.646        | 20              |              |
| 4                      | 5.5              | 5.704        | 20              |              |
| 5                      | 5.5              | 5.519        | 20              |              |
| 6                      | 5.5              | 5.413        | 20              |              |
| 7                      | 5.5              | 5.305        | 20              |              |
| 8                      | 5.5              | 5.319        | 20              |              |
| 9                      | 5.5              | 5.288        | 20              |              |
| 10                     | 5.5              | 5.263        | 20              |              |
| 11                     | 5.5              | 5.482        | 20              |              |
| 12                     | 5.5              | 5.414        | 20              |              |
| 13                     | 5.5              | 5.502        | 20              | *            |
| 14                     | 5.5              | 5.255        | 20              |              |
| 15                     | 5.5              | 5.281        | 20              |              |
| 16                     | 5.5              | 5.388        | 20              |              |
| 17                     | 5.5              | 5.512        | 20              |              |
| 18                     | 5.5              | 5.613        | 20              |              |
| 19                     | 5.5              | 5.639        | 20              |              |
| 20                     | 5.5              | 5.455        | 20              |              |
| 21                     | 5.5              | 5.42         | 20              |              |
| 22                     | 5.5              | 5.49         | 20              | *            |
| 23                     | 5.5              | 5.425        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.272        | 20              |              |
| 2                      | 5.5              | 5.363        | 20              |              |
| 3                      | 5.5              | 5.642        | 20              |              |
| 4                      | 5.5              | 5.461        | 20              |              |
| 5                      | 5.5              | 5.518        | 20              |              |
| 6                      | 5.5              | 5.588        | 20              |              |
| 7                      | 5.5              | 5.575        | 20              |              |
| 8                      | 5.5              | 5.508        | 20              | *            |
| 9                      | 5.5              | 5.678        | 20              |              |
| 10                     | 5.5              | 5.279        | 20              |              |
| 11                     | 5.5              | 5.371        | 20              |              |
| 12                     | 5.5              | 5.321        | 20              |              |
| 13                     | 5.5              | 5.27         | 20              |              |
| 14                     | 5.5              | 5.373        | 20              |              |
| 15                     | 5.5              | 5.514        | 20              |              |
| 16                     | 5.5              | 5.414        | 20              |              |
| 17                     | 5.5              | 5.382        | 20              |              |
| 18                     | 5.5              | 5.622        | 20              |              |
| 19                     | 5.5              | 5.433        | 20              |              |
| 20                     | 5.5              | 5.681        | 20              |              |
| 21                     | 5.5              | 5.709        | 20              |              |
| 22                     | 5.5              | 5.513        | 20              |              |
| 23                     | 5.5              | 5.359        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.652        | 20              |              |
| 2                      | 5.5              | 5.494        | 20              | *            |
| 3                      | 5.5              | 5.251        | 20              |              |
| 4                      | 5.5              | 5.506        | 20              | *            |
| 5                      | 5.5              | 5.643        | 20              |              |
| 6                      | 5.5              | 5.72         | 20              |              |
| 7                      | 5.5              | 5.287        | 20              |              |
| 8                      | 5.5              | 5.697        | 20              |              |
| 9                      | 5.5              | 5.648        | 20              |              |
| 10                     | 5.5              | 5.694        | 20              |              |
| 11                     | 5.5              | 5.4          | 20              |              |
| 12                     | 5.5              | 5.326        | 20              |              |
| 13                     | 5.5              | 5.43         | 20              |              |
| 14                     | 5.5              | 5.376        | 20              |              |
| 15                     | 5.5              | 5.38         | 20              |              |
| 16                     | 5.5              | 5.559        | 20              |              |
| 17                     | 5.5              | 5.575        | 20              |              |
| 18                     | 5.5              | 5.634        | 20              |              |
| 19                     | 5.5              | 5.426        | 20              |              |
| 20                     | 5.5              | 5.513        | 20              |              |
| 21                     | 5.5              | 5.403        | 20              |              |
| 22                     | 5.5              | 5.576        | 20              |              |
| 23                     | 5.5              | 5.347        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.573        | 20              |              |
| 2                      | 5.5              | 5.622        | 20              |              |
| 3                      | 5.5              | 5.47         | 20              |              |
| 4                      | 5.5              | 5.489        | 20              |              |
| 5                      | 5.5              | 5.638        | 20              |              |
| 6                      | 5.5              | 5.707        | 20              |              |
| 7                      | 5.5              | 5.724        | 20              |              |
| 8                      | 5.5              | 5.583        | 20              |              |
| 9                      | 5.5              | 5.275        | 20              |              |
| 10                     | 5.5              | 5.457        | 20              |              |
| 11                     | 5.5              | 5.586        | 20              |              |
| 12                     | 5.5              | 5.51         | 20              | *            |
| 13                     | 5.5              | 5.42         | 20              |              |
| 14                     | 5.5              | 5.407        | 20              |              |
| 15                     | 5.5              | 5.497        | 20              | *            |
| 16                     | 5.5              | 5.662        | 20              |              |
| 17                     | 5.5              | 5.619        | 20              |              |
| 18                     | 5.5              | 5.429        | 20              |              |
| 19                     | 5.5              | 5.332        | 20              |              |
| 20                     | 5.5              | 5.373        | 20              |              |
| 21                     | 5.5              | 5.549        | 20              |              |
| 22                     | 5.5              | 5.679        | 20              |              |
| 23                     | 5.5              | 5.648        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.309        | 20              |              |
| 2                      | 5.5              | 5.403        | 20              |              |
| 3                      | 5.5              | 5.551        | 20              |              |
| 4                      | 5.5              | 5.418        | 20              |              |
| 5                      | 5.5              | 5.353        | 20              |              |
| 6                      | 5.5              | 5.486        | 20              |              |
| 7                      | 5.5              | 5.305        | 20              |              |
| 8                      | 5.5              | 5.441        | 20              |              |
| 9                      | 5.5              | 5.438        | 20              |              |
| 10                     | 5.5              | 5.552        | 20              |              |
| 11                     | 5.5              | 5.42         | 20              |              |
| 12                     | 5.5              | 5.327        | 20              |              |
| 13                     | 5.5              | 5.448        | 20              |              |
| 14                     | 5.5              | 5.527        | 20              |              |
| 15                     | 5.5              | 5.626        | 20              |              |
| 16                     | 5.5              | 5.407        | 20              |              |
| 17                     | 5.5              | 5.617        | 20              |              |
| 18                     | 5.5              | 5.272        | 20              |              |
| 19                     | 5.5              | 5.692        | 20              |              |
| 20                     | 5.5              | 5.429        | 20              |              |
| 21                     | 5.5              | 5.51         | 20              | *            |
| 22                     | 5.5              | 5.29         | 20              |              |
| 23                     | 5.5              | 5.439        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.545        | 20              |              |
| 2                      | 5.5              | 5.662        | 20              |              |
| 3                      | 5.5              | 5.658        | 20              |              |
| 4                      | 5.5              | 5.452        | 20              |              |
| 5                      | 5.5              | 5.506        | 20              | *            |
| 6                      | 5.5              | 5.675        | 20              |              |
| 7                      | 5.5              | 5.646        | 20              |              |
| 8                      | 5.5              | 5.561        | 20              |              |
| 9                      | 5.5              | 5.524        | 20              |              |
| 10                     | 5.5              | 5.601        | 20              |              |
| 11                     | 5.5              | 5.333        | 20              |              |
| 12                     | 5.5              | 5.42         | 20              |              |
| 13                     | 5.5              | 5.376        | 20              |              |
| 14                     | 5.5              | 5.487        | 20              |              |
| 15                     | 5.5              | 5.273        | 20              |              |
| 16                     | 5.5              | 5.71         | 20              |              |
| 17                     | 5.5              | 5.351        | 20              |              |
| 18                     | 5.5              | 5.651        | 20              |              |
| 19                     | 5.5              | 5.301        | 20              |              |
| 20                     | 5.5              | 5.512        | 20              |              |
| 21                     | 5.5              | 5.706        | 20              |              |
| 22                     | 5.5              | 5.325        | 20              |              |
| 23                     | 5.5              | 5.557        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.579        | 20              |              |
| 2                      | 5.5              | 5.425        | 20              |              |
| 3                      | 5.5              | 5.679        | 20              |              |
| 4                      | 5.5              | 5.485        | 20              |              |
| 5                      | 5.5              | 5.584        | 20              |              |
| 6                      | 5.5              | 5.472        | 20              |              |
| 7                      | 5.5              | 5.496        | 20              | *            |
| 8                      | 5.5              | 5.264        | 20              |              |
| 9                      | 5.5              | 5.532        | 20              |              |
| 10                     | 5.5              | 5.387        | 20              |              |
| 11                     | 5.5              | 5.616        | 20              |              |
| 12                     | 5.5              | 5.278        | 20              |              |
| 13                     | 5.5              | 5.478        | 20              |              |
| 14                     | 5.5              | 5.63         | 20              |              |
| 15                     | 5.5              | 5.309        | 20              |              |
| 16                     | 5.5              | 5.352        | 20              |              |
| 17                     | 5.5              | 5.409        | 20              |              |
| 18                     | 5.5              | 5.3          | 20              |              |
| 19                     | 5.5              | 5.313        | 20              |              |
| 20                     | 5.5              | 5.404        | 20              |              |
| 21                     | 5.5              | 5.252        | 20              |              |
| 22                     | 5.5              | 5.64         | 20              |              |
| 23                     | 5.5              | 5.529        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.458        | 20              |              |
| 2                      | 5.5              | 5.465        | 20              |              |
| 3                      | 5.5              | 5.486        | 20              |              |
| 4                      | 5.5              | 5.645        | 20              |              |
| 5                      | 5.5              | 5.422        | 20              |              |
| 6                      | 5.5              | 5.471        | 20              |              |
| 7                      | 5.5              | 5.565        | 20              |              |
| 8                      | 5.5              | 5.688        | 20              |              |
| 9                      | 5.5              | 5.432        | 20              |              |
| 10                     | 5.5              | 5.564        | 20              |              |
| 11                     | 5.5              | 5.285        | 20              |              |
| 12                     | 5.5              | 5.318        | 20              |              |
| 13                     | 5.5              | 5.592        | 20              |              |
| 14                     | 5.5              | 5.533        | 20              |              |
| 15                     | 5.5              | 5.699        | 20              |              |
| 16                     | 5.5              | 5.372        | 20              |              |
| 17                     | 5.5              | 5.338        | 20              |              |
| 18                     | 5.5              | 5.559        | 20              |              |
| 19                     | 5.5              | 5.663        | 20              |              |
| 20                     | 5.5              | 5.271        | 20              |              |
| 21                     | 5.5              | 5.325        | 20              |              |
| 22                     | 5.5              | 5.435        | 20              |              |
| 23                     | 5.5              | 5.635        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.324        | 20              |              |
| 2                      | 5.5              | 5.434        | 20              |              |
| 3                      | 5.5              | 5.364        | 20              |              |
| 4                      | 5.5              | 5.601        | 20              |              |
| 5                      | 5.5              | 5.514        | 20              |              |
| 6                      | 5.5              | 5.68         | 20              |              |
| 7                      | 5.5              | 5.72         | 20              |              |
| 8                      | 5.5              | 5.274        | 20              |              |
| 9                      | 5.5              | 5.261        | 20              |              |
| 10                     | 5.5              | 5.444        | 20              |              |
| 11                     | 5.5              | 5.379        | 20              |              |
| 12                     | 5.5              | 5.711        | 20              |              |
| 13                     | 5.5              | 5.483        | 20              |              |
| 14                     | 5.5              | 5.549        | 20              |              |
| 15                     | 5.5              | 5.351        | 20              |              |
| 16                     | 5.5              | 5.579        | 20              |              |
| 17                     | 5.5              | 5.515        | 20              |              |
| 18                     | 5.5              | 5.421        | 20              |              |
| 19                     | 5.5              | 5.58         | 20              |              |
| 20                     | 5.5              | 5.567        | 20              |              |
| 21                     | 5.5              | 5.32         | 20              |              |
| 22                     | 5.5              | 5.507        | 20              | *            |
| 23                     | 5.5              | 5.394        | 20              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.5              | 5.381        | 20              |              |
| 2                      | 5.5              | 5.352        | 20              |              |
| 3                      | 5.5              | 5.711        | 20              |              |
| 4                      | 5.5              | 5.509        | 20              | *            |
| 5                      | 5.5              | 5.368        | 20              |              |
| 6                      | 5.5              | 5.497        | 20              | *            |
| 7                      | 5.5              | 5.277        | 20              |              |
| 8                      | 5.5              | 5.69         | 20              |              |
| 9                      | 5.5              | 5.366        | 20              |              |
| 10                     | 5.5              | 5.553        | 20              |              |
| 11                     | 5.5              | 5.58         | 20              |              |
| 12                     | 5.5              | 5.335        | 20              |              |
| 13                     | 5.5              | 5.536        | 20              |              |
| 14                     | 5.5              | 5.625        | 20              |              |
| 15                     | 5.5              | 5.351        | 20              |              |
| 16                     | 5.5              | 5.655        | 20              |              |
| 17                     | 5.5              | 5.65         | 20              |              |
| 18                     | 5.5              | 5.296        | 20              |              |
| 19                     | 5.5              | 5.654        | 20              |              |
| 20                     | 5.5              | 5.593        | 20              |              |
| 21                     | 5.5              | 5.327        | 20              |              |
| 22                     | 5.5              | 5.511        | 20              |              |
| 23                     | 5.5              | 5.626        | 20              |              |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 6  
 Test Mode : Mode 2: Transmit (802.11ax-40BW)  
 Test Date : 2022/05/24

| Trial #                  | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|--------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 0                               |
| 7                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                               |
| 9                        | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 1                               |
| 11                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                               |
| 14                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                               |
| 15                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 0                               |
| 17                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                               |
| 19                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                               |
| 20                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 1                               |
| 22                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                               |
| 24                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 0                               |
| 26                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                               |
| 29                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                               |
| 30                       | 5510            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| Detection Percentage (%) |                 |                                                                    | 90.00                           |
| Limit                    |                 |                                                                    | >70                             |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.51             | 5.558        | 40              |              |
| 2     | 5.51             | 5.598        | 40              |              |
| 3     | 5.51             | 5.362        | 40              |              |
| 4     | 5.51             | 5.348        | 40              |              |
| 5     | 5.51             | 5.64         | 40              |              |
| 6     | 5.51             | 5.56         | 40              |              |
| 7     | 5.51             | 5.506        | 40              | *            |
| 8     | 5.51             | 5.518        | 40              | *            |
| 9     | 5.51             | 5.618        | 40              |              |
| 10    | 5.51             | 5.571        | 40              |              |
| 11    | 5.51             | 5.696        | 40              |              |
| 12    | 5.51             | 5.27         | 40              |              |
| 13    | 5.51             | 5.656        | 40              |              |
| 14    | 5.51             | 5.329        | 40              |              |
| 15    | 5.51             | 5.302        | 40              |              |
| 16    | 5.51             | 5.503        | 40              | *            |
| 17    | 5.51             | 5.555        | 40              |              |
| 18    | 5.51             | 5.516        | 40              | *            |
| 19    | 5.51             | 5.467        | 40              |              |
| 20    | 5.51             | 5.612        | 40              |              |
| 21    | 5.51             | 5.717        | 40              |              |
| 22    | 5.51             | 5.368        | 40              |              |
| 23    | 5.51             | 5.521        | 40              | *            |
| 24    | 5.51             | 5.478        | 40              |              |
| 25    | 5.51             | 5.47         | 40              |              |
| 26    | 5.51             | 5.493        | 40              | *            |
| 27    | 5.51             | 5.342        | 40              |              |
| 28    | 5.51             | 5.283        | 40              |              |
| 29    | 5.51             | 5.359        | 40              |              |
| 30    | 5.51             | 5.295        | 40              |              |
| 31    | 5.51             | 5.328        | 40              |              |
| 32    | 5.51             | 5.38         | 40              |              |
| 33    | 5.51             | 5.318        | 40              |              |
| 34    | 5.51             | 5.703        | 40              |              |
| 35    | 5.51             | 5.384        | 40              |              |
| 36    | 5.51             | 5.267        | 40              |              |
| 37    | 5.51             | 5.259        | 40              |              |
| 38    | 5.51             | 5.501        | 40              | *            |
| 39    | 5.51             | 5.631        | 40              |              |
| 40    | 5.51             | 5.479        | 40              |              |
| 41    | 5.51             | 5.315        | 40              |              |
| 42    | 5.51             | 5.625        | 40              |              |
| 43    | 5.51             | 5.29         | 40              |              |
| 44    | 5.51             | 5.332        | 40              |              |
| 45    | 5.51             | 5.403        | 40              |              |
| 46    | 5.51             | 5.387        | 40              |              |
| 47    | 5.51             | 5.42         | 40              |              |
| 48    | 5.51             | 5.367        | 40              |              |
| 49    | 5.51             | 5.552        | 40              |              |

|     |      |       |    |   |
|-----|------|-------|----|---|
| 50  | 5.51 | 5.675 | 40 |   |
| 51  | 5.51 | 5.585 | 40 |   |
| 52  | 5.51 | 5.287 | 40 |   |
| 53  | 5.51 | 5.257 | 40 |   |
| 54  | 5.51 | 5.578 | 40 |   |
| 55  | 5.51 | 5.405 | 40 |   |
| 56  | 5.51 | 5.433 | 40 |   |
| 57  | 5.51 | 5.425 | 40 |   |
| 58  | 5.51 | 5.711 | 40 |   |
| 59  | 5.51 | 5.389 | 40 |   |
| 60  | 5.51 | 5.473 | 40 |   |
| 61  | 5.51 | 5.43  | 40 |   |
| 62  | 5.51 | 5.519 | 40 | * |
| 63  | 5.51 | 5.369 | 40 |   |
| 64  | 5.51 | 5.524 | 40 | * |
| 65  | 5.51 | 5.541 | 40 |   |
| 66  | 5.51 | 5.635 | 40 |   |
| 67  | 5.51 | 5.632 | 40 |   |
| 68  | 5.51 | 5.484 | 40 |   |
| 69  | 5.51 | 5.582 | 40 |   |
| 70  | 5.51 | 5.251 | 40 |   |
| 71  | 5.51 | 5.383 | 40 |   |
| 72  | 5.51 | 5.258 | 40 |   |
| 73  | 5.51 | 5.643 | 40 |   |
| 74  | 5.51 | 5.647 | 40 |   |
| 75  | 5.51 | 5.511 | 40 | * |
| 76  | 5.51 | 5.256 | 40 |   |
| 77  | 5.51 | 5.497 | 40 | * |
| 78  | 5.51 | 5.654 | 40 |   |
| 79  | 5.51 | 5.52  | 40 | * |
| 80  | 5.51 | 5.447 | 40 |   |
| 81  | 5.51 | 5.351 | 40 |   |
| 82  | 5.51 | 5.549 | 40 |   |
| 83  | 5.51 | 5.5   | 40 | * |
| 84  | 5.51 | 5.574 | 40 |   |
| 85  | 5.51 | 5.607 | 40 |   |
| 86  | 5.51 | 5.486 | 40 |   |
| 87  | 5.51 | 5.311 | 40 |   |
| 88  | 5.51 | 5.434 | 40 |   |
| 89  | 5.51 | 5.546 | 40 |   |
| 90  | 5.51 | 5.54  | 40 |   |
| 91  | 5.51 | 5.344 | 40 |   |
| 92  | 5.51 | 5.538 | 40 |   |
| 93  | 5.51 | 5.597 | 40 |   |
| 94  | 5.51 | 5.323 | 40 |   |
| 95  | 5.51 | 5.279 | 40 |   |
| 96  | 5.51 | 5.642 | 40 |   |
| 97  | 5.51 | 5.335 | 40 |   |
| 98  | 5.51 | 5.347 | 40 |   |
| 99  | 5.51 | 5.414 | 40 |   |
| 100 | 5.51 | 5.338 | 40 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.647        | 40              |              |
| 2                      | 5.51             | 5.331        | 40              |              |
| 3                      | 5.51             | 5.298        | 40              |              |
| 4                      | 5.51             | 5.257        | 40              |              |
| 5                      | 5.51             | 5.385        | 40              |              |
| 6                      | 5.51             | 5.291        | 40              |              |
| 7                      | 5.51             | 5.564        | 40              |              |
| 8                      | 5.51             | 5.547        | 40              |              |
| 9                      | 5.51             | 5.535        | 40              |              |
| 10                     | 5.51             | 5.403        | 40              |              |
| 11                     | 5.51             | 5.256        | 40              |              |
| 12                     | 5.51             | 5.689        | 40              |              |
| 13                     | 5.51             | 5.478        | 40              |              |
| 14                     | 5.51             | 5.594        | 40              |              |
| 15                     | 5.51             | 5.548        | 40              |              |
| 16                     | 5.51             | 5.278        | 40              |              |
| 17                     | 5.51             | 5.718        | 40              |              |
| 18                     | 5.51             | 5.649        | 40              |              |
| 19                     | 5.51             | 5.549        | 40              |              |
| 20                     | 5.51             | 5.413        | 40              |              |
| 21                     | 5.51             | 5.371        | 40              |              |
| 22                     | 5.51             | 5.25         | 40              |              |
| 23                     | 5.51             | 5.477        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.462        | 40              |              |
| 2                      | 5.51             | 5.65         | 40              |              |
| 3                      | 5.51             | 5.342        | 40              |              |
| 4                      | 5.51             | 5.474        | 40              |              |
| 5                      | 5.51             | 5.372        | 40              |              |
| 6                      | 5.51             | 5.29         | 40              |              |
| 7                      | 5.51             | 5.575        | 40              |              |
| 8                      | 5.51             | 5.637        | 40              |              |
| 9                      | 5.51             | 5.56         | 40              |              |
| 10                     | 5.51             | 5.303        | 40              |              |
| 11                     | 5.51             | 5.43         | 40              |              |
| 12                     | 5.51             | 5.664        | 40              |              |
| 13                     | 5.51             | 5.485        | 40              |              |
| 14                     | 5.51             | 5.382        | 40              |              |
| 15                     | 5.51             | 5.498        | 40              | *            |
| 16                     | 5.51             | 5.295        | 40              |              |
| 17                     | 5.51             | 5.477        | 40              |              |
| 18                     | 5.51             | 5.589        | 40              |              |
| 19                     | 5.51             | 5.352        | 40              |              |
| 20                     | 5.51             | 5.568        | 40              |              |
| 21                     | 5.51             | 5.411        | 40              |              |
| 22                     | 5.51             | 5.654        | 40              |              |
| 23                     | 5.51             | 5.594        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.307        | 40              |              |
| 2                      | 5.51             | 5.368        | 40              |              |
| 3                      | 5.51             | 5.488        | 40              |              |
| 4                      | 5.51             | 5.521        | 40              | *            |
| 5                      | 5.51             | 5.628        | 40              |              |
| 6                      | 5.51             | 5.673        | 40              |              |
| 7                      | 5.51             | 5.542        | 40              |              |
| 8                      | 5.51             | 5.35         | 40              |              |
| 9                      | 5.51             | 5.274        | 40              |              |
| 10                     | 5.51             | 5.451        | 40              |              |
| 11                     | 5.51             | 5.549        | 40              |              |
| 12                     | 5.51             | 5.72         | 40              |              |
| 13                     | 5.51             | 5.697        | 40              |              |
| 14                     | 5.51             | 5.29         | 40              |              |
| 15                     | 5.51             | 5.36         | 40              |              |
| 16                     | 5.51             | 5.323        | 40              |              |
| 17                     | 5.51             | 5.626        | 40              |              |
| 18                     | 5.51             | 5.283        | 40              |              |
| 19                     | 5.51             | 5.678        | 40              |              |
| 20                     | 5.51             | 5.292        | 40              |              |
| 21                     | 5.51             | 5.49         | 40              | *            |
| 22                     | 5.51             | 5.473        | 40              |              |
| 23                     | 5.51             | 5.533        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.567        | 40              |              |
| 2                      | 5.51             | 5.38         | 40              |              |
| 3                      | 5.51             | 5.455        | 40              |              |
| 4                      | 5.51             | 5.659        | 40              |              |
| 5                      | 5.51             | 5.342        | 40              |              |
| 6                      | 5.51             | 5.288        | 40              |              |
| 7                      | 5.51             | 5.46         | 40              |              |
| 8                      | 5.51             | 5.501        | 40              | *            |
| 9                      | 5.51             | 5.272        | 40              |              |
| 10                     | 5.51             | 5.724        | 40              |              |
| 11                     | 5.51             | 5.535        | 40              |              |
| 12                     | 5.51             | 5.701        | 40              |              |
| 13                     | 5.51             | 5.315        | 40              |              |
| 14                     | 5.51             | 5.638        | 40              |              |
| 15                     | 5.51             | 5.625        | 40              |              |
| 16                     | 5.51             | 5.683        | 40              |              |
| 17                     | 5.51             | 5.334        | 40              |              |
| 18                     | 5.51             | 5.471        | 40              |              |
| 19                     | 5.51             | 5.263        | 40              |              |
| 20                     | 5.51             | 5.594        | 40              |              |
| 21                     | 5.51             | 5.528        | 40              | *            |
| 22                     | 5.51             | 5.527        | 40              | *            |
| 23                     | 5.51             | 5.651        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.322        | 40              |              |
| 2                      | 5.51             | 5.639        | 40              |              |
| 3                      | 5.51             | 5.261        | 40              |              |
| 4                      | 5.51             | 5.485        | 40              |              |
| 5                      | 5.51             | 5.527        | 40              | *            |
| 6                      | 5.51             | 5.484        | 40              |              |
| 7                      | 5.51             | 5.603        | 40              |              |
| 8                      | 5.51             | 5.479        | 40              |              |
| 9                      | 5.51             | 5.393        | 40              |              |
| 10                     | 5.51             | 5.601        | 40              |              |
| 11                     | 5.51             | 5.707        | 40              |              |
| 12                     | 5.51             | 5.557        | 40              |              |
| 13                     | 5.51             | 5.289        | 40              |              |
| 14                     | 5.51             | 5.382        | 40              |              |
| 15                     | 5.51             | 5.539        | 40              |              |
| 16                     | 5.51             | 5.339        | 40              |              |
| 17                     | 5.51             | 5.286        | 40              |              |
| 18                     | 5.51             | 5.676        | 40              |              |
| 19                     | 5.51             | 5.524        | 40              | *            |
| 20                     | 5.51             | 5.598        | 40              |              |
| 21                     | 5.51             | 5.532        | 40              |              |
| 22                     | 5.51             | 5.711        | 40              |              |
| 23                     | 5.51             | 5.625        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.512        | 40              | *            |
| 2                      | 5.51             | 5.597        | 40              |              |
| 3                      | 5.51             | 5.557        | 40              |              |
| 4                      | 5.51             | 5.591        | 40              |              |
| 5                      | 5.51             | 5.408        | 40              |              |
| 6                      | 5.51             | 5.473        | 40              |              |
| 7                      | 5.51             | 5.34         | 40              |              |
| 8                      | 5.51             | 5.543        | 40              |              |
| 9                      | 5.51             | 5.487        | 40              |              |
| 10                     | 5.51             | 5.644        | 40              |              |
| 11                     | 5.51             | 5.657        | 40              |              |
| 12                     | 5.51             | 5.532        | 40              |              |
| 13                     | 5.51             | 5.685        | 40              |              |
| 14                     | 5.51             | 5.521        | 40              | *            |
| 15                     | 5.51             | 5.389        | 40              |              |
| 16                     | 5.51             | 5.267        | 40              |              |
| 17                     | 5.51             | 5.393        | 40              |              |
| 18                     | 5.51             | 5.675        | 40              |              |
| 19                     | 5.51             | 5.492        | 40              | *            |
| 20                     | 5.51             | 5.328        | 40              |              |
| 21                     | 5.51             | 5.576        | 40              |              |
| 22                     | 5.51             | 5.632        | 40              |              |
| 23                     | 5.51             | 5.549        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.482        | 40              |              |
| 2                      | 5.51             | 5.674        | 40              |              |
| 3                      | 5.51             | 5.511        | 40              | *            |
| 4                      | 5.51             | 5.339        | 40              |              |
| 5                      | 5.51             | 5.635        | 40              |              |
| 6                      | 5.51             | 5.521        | 40              | *            |
| 7                      | 5.51             | 5.51         | 40              | *            |
| 8                      | 5.51             | 5.273        | 40              |              |
| 9                      | 5.51             | 5.291        | 40              |              |
| 10                     | 5.51             | 5.599        | 40              |              |
| 11                     | 5.51             | 5.28         | 40              |              |
| 12                     | 5.51             | 5.416        | 40              |              |
| 13                     | 5.51             | 5.264        | 40              |              |
| 14                     | 5.51             | 5.577        | 40              |              |
| 15                     | 5.51             | 5.598        | 40              |              |
| 16                     | 5.51             | 5.254        | 40              |              |
| 17                     | 5.51             | 5.562        | 40              |              |
| 18                     | 5.51             | 5.538        | 40              |              |
| 19                     | 5.51             | 5.326        | 40              |              |
| 20                     | 5.51             | 5.431        | 40              |              |
| 21                     | 5.51             | 5.46         | 40              |              |
| 22                     | 5.51             | 5.283        | 40              |              |
| 23                     | 5.51             | 5.439        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.486        | 40              |              |
| 2                      | 5.51             | 5.255        | 40              |              |
| 3                      | 5.51             | 5.699        | 40              |              |
| 4                      | 5.51             | 5.476        | 40              |              |
| 5                      | 5.51             | 5.583        | 40              |              |
| 6                      | 5.51             | 5.579        | 40              |              |
| 7                      | 5.51             | 5.456        | 40              |              |
| 8                      | 5.51             | 5.544        | 40              |              |
| 9                      | 5.51             | 5.538        | 40              |              |
| 10                     | 5.51             | 5.552        | 40              |              |
| 11                     | 5.51             | 5.522        | 40              | *            |
| 12                     | 5.51             | 5.665        | 40              |              |
| 13                     | 5.51             | 5.667        | 40              |              |
| 14                     | 5.51             | 5.263        | 40              |              |
| 15                     | 5.51             | 5.402        | 40              |              |
| 16                     | 5.51             | 5.306        | 40              |              |
| 17                     | 5.51             | 5.613        | 40              |              |
| 18                     | 5.51             | 5.56         | 40              |              |
| 19                     | 5.51             | 5.482        | 40              |              |
| 20                     | 5.51             | 5.378        | 40              |              |
| 21                     | 5.51             | 5.32         | 40              |              |
| 22                     | 5.51             | 5.298        | 40              |              |
| 23                     | 5.51             | 5.654        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.688        | 40              |              |
| 2                      | 5.51             | 5.311        | 40              |              |
| 3                      | 5.51             | 5.667        | 40              |              |
| 4                      | 5.51             | 5.353        | 40              |              |
| 5                      | 5.51             | 5.325        | 40              |              |
| 6                      | 5.51             | 5.46         | 40              |              |
| 7                      | 5.51             | 5.546        | 40              |              |
| 8                      | 5.51             | 5.332        | 40              |              |
| 9                      | 5.51             | 5.674        | 40              |              |
| 10                     | 5.51             | 5.664        | 40              |              |
| 11                     | 5.51             | 5.356        | 40              |              |
| 12                     | 5.51             | 5.334        | 40              |              |
| 13                     | 5.51             | 5.3          | 40              |              |
| 14                     | 5.51             | 5.627        | 40              |              |
| 15                     | 5.51             | 5.409        | 40              |              |
| 16                     | 5.51             | 5.488        | 40              |              |
| 17                     | 5.51             | 5.354        | 40              |              |
| 18                     | 5.51             | 5.393        | 40              |              |
| 19                     | 5.51             | 5.448        | 40              |              |
| 20                     | 5.51             | 5.437        | 40              |              |
| 21                     | 5.51             | 5.605        | 40              |              |
| 22                     | 5.51             | 5.61         | 40              |              |
| 23                     | 5.51             | 5.618        | 40              |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 11      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.51          | 5.286     | 40           |           |
| 2                      | 5.51          | 5.553     | 40           |           |
| 3                      | 5.51          | 5.335     | 40           |           |
| 4                      | 5.51          | 5.441     | 40           |           |
| 5                      | 5.51          | 5.255     | 40           |           |
| 6                      | 5.51          | 5.284     | 40           |           |
| 7                      | 5.51          | 5.39      | 40           |           |
| 8                      | 5.51          | 5.46      | 40           |           |
| 9                      | 5.51          | 5.397     | 40           |           |
| 10                     | 5.51          | 5.653     | 40           |           |
| 11                     | 5.51          | 5.509     | 40           | *         |
| 12                     | 5.51          | 5.304     | 40           |           |
| 13                     | 5.51          | 5.646     | 40           |           |
| 14                     | 5.51          | 5.262     | 40           |           |
| 15                     | 5.51          | 5.391     | 40           |           |
| 16                     | 5.51          | 5.265     | 40           |           |
| 17                     | 5.51          | 5.59      | 40           |           |
| 18                     | 5.51          | 5.319     | 40           |           |
| 19                     | 5.51          | 5.535     | 40           |           |
| 20                     | 5.51          | 5.702     | 40           |           |
| 21                     | 5.51          | 5.401     | 40           |           |
| 22                     | 5.51          | 5.506     | 40           | *         |
| 23                     | 5.51          | 5.693     | 40           |           |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.347        | 40              |              |
| 2                      | 5.51             | 5.498        | 40              | *            |
| 3                      | 5.51             | 5.291        | 40              |              |
| 4                      | 5.51             | 5.518        | 40              | *            |
| 5                      | 5.51             | 5.572        | 40              |              |
| 6                      | 5.51             | 5.541        | 40              |              |
| 7                      | 5.51             | 5.505        | 40              | *            |
| 8                      | 5.51             | 5.333        | 40              |              |
| 9                      | 5.51             | 5.522        | 40              | *            |
| 10                     | 5.51             | 5.63         | 40              |              |
| 11                     | 5.51             | 5.575        | 40              |              |
| 12                     | 5.51             | 5.634        | 40              |              |
| 13                     | 5.51             | 5.54         | 40              |              |
| 14                     | 5.51             | 5.683        | 40              |              |
| 15                     | 5.51             | 5.378        | 40              |              |
| 16                     | 5.51             | 5.649        | 40              |              |
| 17                     | 5.51             | 5.477        | 40              |              |
| 18                     | 5.51             | 5.44         | 40              |              |
| 19                     | 5.51             | 5.709        | 40              |              |
| 20                     | 5.51             | 5.499        | 40              | *            |
| 21                     | 5.51             | 5.65         | 40              |              |
| 22                     | 5.51             | 5.391        | 40              |              |
| 23                     | 5.51             | 5.615        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.297        | 40              |              |
| 2                      | 5.51             | 5.324        | 40              |              |
| 3                      | 5.51             | 5.475        | 40              |              |
| 4                      | 5.51             | 5.61         | 40              |              |
| 5                      | 5.51             | 5.294        | 40              |              |
| 6                      | 5.51             | 5.279        | 40              |              |
| 7                      | 5.51             | 5.42         | 40              |              |
| 8                      | 5.51             | 5.63         | 40              |              |
| 9                      | 5.51             | 5.379        | 40              |              |
| 10                     | 5.51             | 5.651        | 40              |              |
| 11                     | 5.51             | 5.339        | 40              |              |
| 12                     | 5.51             | 5.606        | 40              |              |
| 13                     | 5.51             | 5.267        | 40              |              |
| 14                     | 5.51             | 5.276        | 40              |              |
| 15                     | 5.51             | 5.361        | 40              |              |
| 16                     | 5.51             | 5.684        | 40              |              |
| 17                     | 5.51             | 5.594        | 40              |              |
| 18                     | 5.51             | 5.419        | 40              |              |
| 19                     | 5.51             | 5.481        | 40              |              |
| 20                     | 5.51             | 5.671        | 40              |              |
| 21                     | 5.51             | 5.407        | 40              |              |
| 22                     | 5.51             | 5.273        | 40              |              |
| 23                     | 5.51             | 5.462        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.718        | 40              |              |
| 2                      | 5.51             | 5.619        | 40              |              |
| 3                      | 5.51             | 5.577        | 40              |              |
| 4                      | 5.51             | 5.656        | 40              |              |
| 5                      | 5.51             | 5.598        | 40              |              |
| 6                      | 5.51             | 5.639        | 40              |              |
| 7                      | 5.51             | 5.389        | 40              |              |
| 8                      | 5.51             | 5.37         | 40              |              |
| 9                      | 5.51             | 5.402        | 40              |              |
| 10                     | 5.51             | 5.61         | 40              |              |
| 11                     | 5.51             | 5.68         | 40              |              |
| 12                     | 5.51             | 5.317        | 40              |              |
| 13                     | 5.51             | 5.357        | 40              |              |
| 14                     | 5.51             | 5.69         | 40              |              |
| 15                     | 5.51             | 5.684        | 40              |              |
| 16                     | 5.51             | 5.671        | 40              |              |
| 17                     | 5.51             | 5.583        | 40              |              |
| 18                     | 5.51             | 5.47         | 40              |              |
| 19                     | 5.51             | 5.486        | 40              |              |
| 20                     | 5.51             | 5.677        | 40              |              |
| 21                     | 5.51             | 5.447        | 40              |              |
| 22                     | 5.51             | 5.634        | 40              |              |
| 23                     | 5.51             | 5.621        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.297        | 40              |              |
| 2                      | 5.51             | 5.456        | 40              |              |
| 3                      | 5.51             | 5.496        | 40              | *            |
| 4                      | 5.51             | 5.642        | 40              |              |
| 5                      | 5.51             | 5.717        | 40              |              |
| 6                      | 5.51             | 5.507        | 40              | *            |
| 7                      | 5.51             | 5.269        | 40              |              |
| 8                      | 5.51             | 5.688        | 40              |              |
| 9                      | 5.51             | 5.663        | 40              |              |
| 10                     | 5.51             | 5.502        | 40              | *            |
| 11                     | 5.51             | 5.694        | 40              |              |
| 12                     | 5.51             | 5.606        | 40              |              |
| 13                     | 5.51             | 5.281        | 40              |              |
| 14                     | 5.51             | 5.295        | 40              |              |
| 15                     | 5.51             | 5.426        | 40              |              |
| 16                     | 5.51             | 5.375        | 40              |              |
| 17                     | 5.51             | 5.724        | 40              |              |
| 18                     | 5.51             | 5.514        | 40              | *            |
| 19                     | 5.51             | 5.347        | 40              |              |
| 20                     | 5.51             | 5.587        | 40              |              |
| 21                     | 5.51             | 5.381        | 40              |              |
| 22                     | 5.51             | 5.418        | 40              |              |
| 23                     | 5.51             | 5.42         | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.333        | 40              |              |
| 2                      | 5.51             | 5.441        | 40              |              |
| 3                      | 5.51             | 5.666        | 40              |              |
| 4                      | 5.51             | 5.484        | 40              |              |
| 5                      | 5.51             | 5.326        | 40              |              |
| 6                      | 5.51             | 5.542        | 40              |              |
| 7                      | 5.51             | 5.317        | 40              |              |
| 8                      | 5.51             | 5.465        | 40              |              |
| 9                      | 5.51             | 5.568        | 40              |              |
| 10                     | 5.51             | 5.319        | 40              |              |
| 11                     | 5.51             | 5.531        | 40              |              |
| 12                     | 5.51             | 5.574        | 40              |              |
| 13                     | 5.51             | 5.292        | 40              |              |
| 14                     | 5.51             | 5.624        | 40              |              |
| 15                     | 5.51             | 5.541        | 40              |              |
| 16                     | 5.51             | 5.532        | 40              |              |
| 17                     | 5.51             | 5.495        | 40              | *            |
| 18                     | 5.51             | 5.708        | 40              |              |
| 19                     | 5.51             | 5.458        | 40              |              |
| 20                     | 5.51             | 5.499        | 40              | *            |
| 21                     | 5.51             | 5.698        | 40              |              |
| 22                     | 5.51             | 5.352        | 40              |              |
| 23                     | 5.51             | 5.399        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.629        | 40              |              |
| 2                      | 5.51             | 5.658        | 40              |              |
| 3                      | 5.51             | 5.478        | 40              |              |
| 4                      | 5.51             | 5.384        | 40              |              |
| 5                      | 5.51             | 5.305        | 40              |              |
| 6                      | 5.51             | 5.411        | 40              |              |
| 7                      | 5.51             | 5.591        | 40              |              |
| 8                      | 5.51             | 5.679        | 40              |              |
| 9                      | 5.51             | 5.55         | 40              |              |
| 10                     | 5.51             | 5.657        | 40              |              |
| 11                     | 5.51             | 5.709        | 40              |              |
| 12                     | 5.51             | 5.408        | 40              |              |
| 13                     | 5.51             | 5.641        | 40              |              |
| 14                     | 5.51             | 5.516        | 40              | *            |
| 15                     | 5.51             | 5.395        | 40              |              |
| 16                     | 5.51             | 5.609        | 40              |              |
| 17                     | 5.51             | 5.41         | 40              |              |
| 18                     | 5.51             | 5.528        | 40              | *            |
| 19                     | 5.51             | 5.357        | 40              |              |
| 20                     | 5.51             | 5.428        | 40              |              |
| 21                     | 5.51             | 5.482        | 40              |              |
| 22                     | 5.51             | 5.318        | 40              |              |
| 23                     | 5.51             | 5.397        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.483        | 40              |              |
| 2                      | 5.51             | 5.636        | 40              |              |
| 3                      | 5.51             | 5.393        | 40              |              |
| 4                      | 5.51             | 5.718        | 40              |              |
| 5                      | 5.51             | 5.4          | 40              |              |
| 6                      | 5.51             | 5.312        | 40              |              |
| 7                      | 5.51             | 5.53         | 40              | *            |
| 8                      | 5.51             | 5.569        | 40              |              |
| 9                      | 5.51             | 5.72         | 40              |              |
| 10                     | 5.51             | 5.6          | 40              |              |
| 11                     | 5.51             | 5.575        | 40              |              |
| 12                     | 5.51             | 5.688        | 40              |              |
| 13                     | 5.51             | 5.577        | 40              |              |
| 14                     | 5.51             | 5.571        | 40              |              |
| 15                     | 5.51             | 5.472        | 40              |              |
| 16                     | 5.51             | 5.595        | 40              |              |
| 17                     | 5.51             | 5.641        | 40              |              |
| 18                     | 5.51             | 5.462        | 40              |              |
| 19                     | 5.51             | 5.649        | 40              |              |
| 20                     | 5.51             | 5.565        | 40              |              |
| 21                     | 5.51             | 5.309        | 40              |              |
| 22                     | 5.51             | 5.476        | 40              |              |
| 23                     | 5.51             | 5.377        | 40              |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 19      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.51          | 5.327     | 40           |           |
| 2                      | 5.51          | 5.58      | 40           |           |
| 3                      | 5.51          | 5.349     | 40           |           |
| 4                      | 5.51          | 5.382     | 40           |           |
| 5                      | 5.51          | 5.63      | 40           |           |
| 6                      | 5.51          | 5.376     | 40           |           |
| 7                      | 5.51          | 5.494     | 40           | *         |
| 8                      | 5.51          | 5.398     | 40           |           |
| 9                      | 5.51          | 5.694     | 40           |           |
| 10                     | 5.51          | 5.533     | 40           |           |
| 11                     | 5.51          | 5.427     | 40           |           |
| 12                     | 5.51          | 5.577     | 40           |           |
| 13                     | 5.51          | 5.265     | 40           |           |
| 14                     | 5.51          | 5.375     | 40           |           |
| 15                     | 5.51          | 5.308     | 40           |           |
| 16                     | 5.51          | 5.283     | 40           |           |
| 17                     | 5.51          | 5.391     | 40           |           |
| 18                     | 5.51          | 5.685     | 40           |           |
| 19                     | 5.51          | 5.719     | 40           |           |
| 20                     | 5.51          | 5.604     | 40           |           |
| 21                     | 5.51          | 5.53      | 40           | *         |
| 22                     | 5.51          | 5.514     | 40           | *         |
| 23                     | 5.51          | 5.615     | 40           |           |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.694        | 40              |              |
| 2                      | 5.51             | 5.585        | 40              |              |
| 3                      | 5.51             | 5.537        | 40              |              |
| 4                      | 5.51             | 5.436        | 40              |              |
| 5                      | 5.51             | 5.548        | 40              |              |
| 6                      | 5.51             | 5.385        | 40              |              |
| 7                      | 5.51             | 5.335        | 40              |              |
| 8                      | 5.51             | 5.543        | 40              |              |
| 9                      | 5.51             | 5.262        | 40              |              |
| 10                     | 5.51             | 5.38         | 40              |              |
| 11                     | 5.51             | 5.686        | 40              |              |
| 12                     | 5.51             | 5.437        | 40              |              |
| 13                     | 5.51             | 5.622        | 40              |              |
| 14                     | 5.51             | 5.343        | 40              |              |
| 15                     | 5.51             | 5.47         | 40              |              |
| 16                     | 5.51             | 5.671        | 40              |              |
| 17                     | 5.51             | 5.281        | 40              |              |
| 18                     | 5.51             | 5.522        | 40              | *            |
| 19                     | 5.51             | 5.375        | 40              |              |
| 20                     | 5.51             | 5.589        | 40              |              |
| 21                     | 5.51             | 5.28         | 40              |              |
| 22                     | 5.51             | 5.263        | 40              |              |
| 23                     | 5.51             | 5.663        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.283        | 40              |              |
| 2                      | 5.51             | 5.573        | 40              |              |
| 3                      | 5.51             | 5.673        | 40              |              |
| 4                      | 5.51             | 5.701        | 40              |              |
| 5                      | 5.51             | 5.546        | 40              |              |
| 6                      | 5.51             | 5.625        | 40              |              |
| 7                      | 5.51             | 5.408        | 40              |              |
| 8                      | 5.51             | 5.618        | 40              |              |
| 9                      | 5.51             | 5.288        | 40              |              |
| 10                     | 5.51             | 5.558        | 40              |              |
| 11                     | 5.51             | 5.622        | 40              |              |
| 12                     | 5.51             | 5.556        | 40              |              |
| 13                     | 5.51             | 5.675        | 40              |              |
| 14                     | 5.51             | 5.543        | 40              |              |
| 15                     | 5.51             | 5.356        | 40              |              |
| 16                     | 5.51             | 5.351        | 40              |              |
| 17                     | 5.51             | 5.32         | 40              |              |
| 18                     | 5.51             | 5.331        | 40              |              |
| 19                     | 5.51             | 5.279        | 40              |              |
| 20                     | 5.51             | 5.637        | 40              |              |
| 21                     | 5.51             | 5.285        | 40              |              |
| 22                     | 5.51             | 5.621        | 40              |              |
| 23                     | 5.51             | 5.538        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.504        | 40              | *            |
| 2                      | 5.51             | 5.345        | 40              |              |
| 3                      | 5.51             | 5.395        | 40              |              |
| 4                      | 5.51             | 5.697        | 40              |              |
| 5                      | 5.51             | 5.619        | 40              |              |
| 6                      | 5.51             | 5.253        | 40              |              |
| 7                      | 5.51             | 5.536        | 40              |              |
| 8                      | 5.51             | 5.682        | 40              |              |
| 9                      | 5.51             | 5.363        | 40              |              |
| 10                     | 5.51             | 5.277        | 40              |              |
| 11                     | 5.51             | 5.492        | 40              | *            |
| 12                     | 5.51             | 5.456        | 40              |              |
| 13                     | 5.51             | 5.701        | 40              |              |
| 14                     | 5.51             | 5.381        | 40              |              |
| 15                     | 5.51             | 5.254        | 40              |              |
| 16                     | 5.51             | 5.538        | 40              |              |
| 17                     | 5.51             | 5.615        | 40              |              |
| 18                     | 5.51             | 5.527        | 40              | *            |
| 19                     | 5.51             | 5.325        | 40              |              |
| 20                     | 5.51             | 5.549        | 40              |              |
| 21                     | 5.51             | 5.533        | 40              |              |
| 22                     | 5.51             | 5.412        | 40              |              |
| 23                     | 5.51             | 5.493        | 40              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.447        | 40              |              |
| 2                      | 5.51             | 5.316        | 40              |              |
| 3                      | 5.51             | 5.267        | 40              |              |
| 4                      | 5.51             | 5.526        | 40              | *            |
| 5                      | 5.51             | 5.252        | 40              |              |
| 6                      | 5.51             | 5.357        | 40              |              |
| 7                      | 5.51             | 5.436        | 40              |              |
| 8                      | 5.51             | 5.678        | 40              |              |
| 9                      | 5.51             | 5.67         | 40              |              |
| 10                     | 5.51             | 5.393        | 40              |              |
| 11                     | 5.51             | 5.61         | 40              |              |
| 12                     | 5.51             | 5.455        | 40              |              |
| 13                     | 5.51             | 5.698        | 40              |              |
| 14                     | 5.51             | 5.444        | 40              |              |
| 15                     | 5.51             | 5.451        | 40              |              |
| 16                     | 5.51             | 5.319        | 40              |              |
| 17                     | 5.51             | 5.625        | 40              |              |
| 18                     | 5.51             | 5.693        | 40              |              |
| 19                     | 5.51             | 5.577        | 40              |              |
| 20                     | 5.51             | 5.311        | 40              |              |
| 21                     | 5.51             | 5.476        | 40              |              |
| 22                     | 5.51             | 5.477        | 40              |              |
| 23                     | 5.51             | 5.634        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.54         | 40              |              |
| 2                      | 5.51             | 5.467        | 40              |              |
| 3                      | 5.51             | 5.463        | 40              |              |
| 4                      | 5.51             | 5.462        | 40              |              |
| 5                      | 5.51             | 5.704        | 40              |              |
| 6                      | 5.51             | 5.534        | 40              |              |
| 7                      | 5.51             | 5.344        | 40              |              |
| 8                      | 5.51             | 5.713        | 40              |              |
| 9                      | 5.51             | 5.554        | 40              |              |
| 10                     | 5.51             | 5.68         | 40              |              |
| 11                     | 5.51             | 5.625        | 40              |              |
| 12                     | 5.51             | 5.469        | 40              |              |
| 13                     | 5.51             | 5.283        | 40              |              |
| 14                     | 5.51             | 5.433        | 40              |              |
| 15                     | 5.51             | 5.378        | 40              |              |
| 16                     | 5.51             | 5.565        | 40              |              |
| 17                     | 5.51             | 5.643        | 40              |              |
| 18                     | 5.51             | 5.718        | 40              |              |
| 19                     | 5.51             | 5.303        | 40              |              |
| 20                     | 5.51             | 5.296        | 40              |              |
| 21                     | 5.51             | 5.483        | 40              |              |
| 22                     | 5.51             | 5.57         | 40              |              |
| 23                     | 5.51             | 5.347        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 25      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.428        | 40              |              |
| 2                      | 5.51             | 5.317        | 40              |              |
| 3                      | 5.51             | 5.406        | 40              |              |
| 4                      | 5.51             | 5.566        | 40              |              |
| 5                      | 5.51             | 5.618        | 40              |              |
| 6                      | 5.51             | 5.644        | 40              |              |
| 7                      | 5.51             | 5.27         | 40              |              |
| 8                      | 5.51             | 5.407        | 40              |              |
| 9                      | 5.51             | 5.571        | 40              |              |
| 10                     | 5.51             | 5.301        | 40              |              |
| 11                     | 5.51             | 5.537        | 40              |              |
| 12                     | 5.51             | 5.37         | 40              |              |
| 13                     | 5.51             | 5.481        | 40              |              |
| 14                     | 5.51             | 5.424        | 40              |              |
| 15                     | 5.51             | 5.598        | 40              |              |
| 16                     | 5.51             | 5.334        | 40              |              |
| 17                     | 5.51             | 5.328        | 40              |              |
| 18                     | 5.51             | 5.447        | 40              |              |
| 19                     | 5.51             | 5.657        | 40              |              |
| 20                     | 5.51             | 5.433        | 40              |              |
| 21                     | 5.51             | 5.563        | 40              |              |
| 22                     | 5.51             | 5.641        | 40              |              |
| 23                     | 5.51             | 5.372        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.634        | 40              |              |
| 2                      | 5.51             | 5.714        | 40              |              |
| 3                      | 5.51             | 5.455        | 40              |              |
| 4                      | 5.51             | 5.682        | 40              |              |
| 5                      | 5.51             | 5.42         | 40              |              |
| 6                      | 5.51             | 5.353        | 40              |              |
| 7                      | 5.51             | 5.412        | 40              |              |
| 8                      | 5.51             | 5.663        | 40              |              |
| 9                      | 5.51             | 5.671        | 40              |              |
| 10                     | 5.51             | 5.33         | 40              |              |
| 11                     | 5.51             | 5.434        | 40              |              |
| 12                     | 5.51             | 5.55         | 40              |              |
| 13                     | 5.51             | 5.597        | 40              |              |
| 14                     | 5.51             | 5.379        | 40              |              |
| 15                     | 5.51             | 5.554        | 40              |              |
| 16                     | 5.51             | 5.376        | 40              |              |
| 17                     | 5.51             | 5.43         | 40              |              |
| 18                     | 5.51             | 5.497        | 40              | *            |
| 19                     | 5.51             | 5.687        | 40              |              |
| 20                     | 5.51             | 5.552        | 40              |              |
| 21                     | 5.51             | 5.657        | 40              |              |
| 22                     | 5.51             | 5.486        | 40              |              |
| 23                     | 5.51             | 5.607        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.584        | 40              |              |
| 2                      | 5.51             | 5.601        | 40              |              |
| 3                      | 5.51             | 5.564        | 40              |              |
| 4                      | 5.51             | 5.723        | 40              |              |
| 5                      | 5.51             | 5.363        | 40              |              |
| 6                      | 5.51             | 5.664        | 40              |              |
| 7                      | 5.51             | 5.352        | 40              |              |
| 8                      | 5.51             | 5.655        | 40              |              |
| 9                      | 5.51             | 5.639        | 40              |              |
| 10                     | 5.51             | 5.468        | 40              |              |
| 11                     | 5.51             | 5.42         | 40              |              |
| 12                     | 5.51             | 5.581        | 40              |              |
| 13                     | 5.51             | 5.419        | 40              |              |
| 14                     | 5.51             | 5.386        | 40              |              |
| 15                     | 5.51             | 5.365        | 40              |              |
| 16                     | 5.51             | 5.675        | 40              |              |
| 17                     | 5.51             | 5.253        | 40              |              |
| 18                     | 5.51             | 5.41         | 40              |              |
| 19                     | 5.51             | 5.49         | 40              | *            |
| 20                     | 5.51             | 5.552        | 40              |              |
| 21                     | 5.51             | 5.356        | 40              |              |
| 22                     | 5.51             | 5.615        | 40              |              |
| 23                     | 5.51             | 5.326        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.676        | 40              |              |
| 2                      | 5.51             | 5.546        | 40              |              |
| 3                      | 5.51             | 5.715        | 40              |              |
| 4                      | 5.51             | 5.468        | 40              |              |
| 5                      | 5.51             | 5.585        | 40              |              |
| 6                      | 5.51             | 5.672        | 40              |              |
| 7                      | 5.51             | 5.498        | 40              | *            |
| 8                      | 5.51             | 5.566        | 40              |              |
| 9                      | 5.51             | 5.674        | 40              |              |
| 10                     | 5.51             | 5.512        | 40              | *            |
| 11                     | 5.51             | 5.67         | 40              |              |
| 12                     | 5.51             | 5.403        | 40              |              |
| 13                     | 5.51             | 5.411        | 40              |              |
| 14                     | 5.51             | 5.572        | 40              |              |
| 15                     | 5.51             | 5.456        | 40              |              |
| 16                     | 5.51             | 5.318        | 40              |              |
| 17                     | 5.51             | 5.491        | 40              | *            |
| 18                     | 5.51             | 5.469        | 40              |              |
| 19                     | 5.51             | 5.34         | 40              |              |
| 20                     | 5.51             | 5.594        | 40              |              |
| 21                     | 5.51             | 5.525        | 40              | *            |
| 22                     | 5.51             | 5.252        | 40              |              |
| 23                     | 5.51             | 5.451        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.609        | 40              |              |
| 2                      | 5.51             | 5.356        | 40              |              |
| 3                      | 5.51             | 5.692        | 40              |              |
| 4                      | 5.51             | 5.621        | 40              |              |
| 5                      | 5.51             | 5.543        | 40              |              |
| 6                      | 5.51             | 5.714        | 40              |              |
| 7                      | 5.51             | 5.324        | 40              |              |
| 8                      | 5.51             | 5.624        | 40              |              |
| 9                      | 5.51             | 5.708        | 40              |              |
| 10                     | 5.51             | 5.723        | 40              |              |
| 11                     | 5.51             | 5.333        | 40              |              |
| 12                     | 5.51             | 5.467        | 40              |              |
| 13                     | 5.51             | 5.391        | 40              |              |
| 14                     | 5.51             | 5.374        | 40              |              |
| 15                     | 5.51             | 5.446        | 40              |              |
| 16                     | 5.51             | 5.506        | 40              | *            |
| 17                     | 5.51             | 5.533        | 40              |              |
| 18                     | 5.51             | 5.615        | 40              |              |
| 19                     | 5.51             | 5.31         | 40              |              |
| 20                     | 5.51             | 5.617        | 40              |              |
| 21                     | 5.51             | 5.313        | 40              |              |
| 22                     | 5.51             | 5.635        | 40              |              |
| 23                     | 5.51             | 5.342        | 40              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.51             | 5.63         | 40              |              |
| 2                      | 5.51             | 5.533        | 40              |              |
| 3                      | 5.51             | 5.541        | 40              |              |
| 4                      | 5.51             | 5.712        | 40              |              |
| 5                      | 5.51             | 5.478        | 40              |              |
| 6                      | 5.51             | 5.601        | 40              |              |
| 7                      | 5.51             | 5.689        | 40              |              |
| 8                      | 5.51             | 5.301        | 40              |              |
| 9                      | 5.51             | 5.463        | 40              |              |
| 10                     | 5.51             | 5.304        | 40              |              |
| 11                     | 5.51             | 5.466        | 40              |              |
| 12                     | 5.51             | 5.376        | 40              |              |
| 13                     | 5.51             | 5.703        | 40              |              |
| 14                     | 5.51             | 5.482        | 40              |              |
| 15                     | 5.51             | 5.685        | 40              |              |
| 16                     | 5.51             | 5.606        | 40              |              |
| 17                     | 5.51             | 5.379        | 40              |              |
| 18                     | 5.51             | 5.632        | 40              |              |
| 19                     | 5.51             | 5.383        | 40              |              |
| 20                     | 5.51             | 5.439        | 40              |              |
| 21                     | 5.51             | 5.522        | 40              | *            |
| 22                     | 5.51             | 5.523        | 40              | *            |
| 23                     | 5.51             | 5.561        | 40              |              |

Product : RadiX AXE6600 WiFi 6E Tri-Band Gaming Router  
 Test Item : Statistical Performance Check  
 Radar Type : Type 6  
 Test Mode : Mode 3: Transmit (802.11ax-80BW)  
 Test Date : 2022/05/24

| Trial #                         | Frequency (MHz) | *Filename                                                          | 1= Detection<br>0= No Detection |
|---------------------------------|-----------------|--------------------------------------------------------------------|---------------------------------|
| 1                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_1_trail  | 1                               |
| 2                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_2_trail  | 1                               |
| 3                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_3_trail  | 1                               |
| 4                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_4_trail  | 1                               |
| 5                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_5_trail  | 1                               |
| 6                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_6_trail  | 1                               |
| 7                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_7_trail  | 1                               |
| 8                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_8_trail  | 1                               |
| 9                               | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_9_trail  | 1                               |
| 10                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_10_trail | 0                               |
| 11                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_11_trail | 1                               |
| 12                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_12_trail | 1                               |
| 13                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_13_trail | 1                               |
| 14                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_14_trail | 1                               |
| 15                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_15_trail | 1                               |
| 16                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_16_trail | 1                               |
| 17                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_17_trail | 1                               |
| 18                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_18_trail | 1                               |
| 19                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_19_trail | 1                               |
| 20                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_20_trail | 1                               |
| 21                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_21_trail | 0                               |
| 22                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_22_trail | 1                               |
| 23                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_23_trail | 1                               |
| 24                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_24_trail | 1                               |
| 25                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_25_trail | 1                               |
| 26                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_26_trail | 1                               |
| 27                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_27_trail | 1                               |
| 28                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_28_trail | 1                               |
| 29                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_29_trail | 1                               |
| 30                              | 5530            | Statistical_Check_Hopping Frequency List_For_Radar_Type_6_30_trail | 1                               |
| <b>Detection Percentage (%)</b> |                 |                                                                    | 93.33                           |
| <b>Limit</b>                    |                 |                                                                    | >70                             |

# TYPE 6 PARAMETER SHEET

Trial Number : 1

Bursts in Trial: 100

| Burst | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
|-------|------------------|--------------|-----------------|--------------|
| 1     | 5.53             | 5.493        | 80              | *            |
| 2     | 5.53             | 5.579        | 80              |              |
| 3     | 5.53             | 5.376        | 80              |              |
| 4     | 5.53             | 5.643        | 80              |              |
| 5     | 5.53             | 5.688        | 80              |              |
| 6     | 5.53             | 5.417        | 80              |              |
| 7     | 5.53             | 5.312        | 80              |              |
| 8     | 5.53             | 5.679        | 80              |              |
| 9     | 5.53             | 5.646        | 80              |              |
| 10    | 5.53             | 5.582        | 80              |              |
| 11    | 5.53             | 5.697        | 80              |              |
| 12    | 5.53             | 5.539        | 80              | *            |
| 13    | 5.53             | 5.426        | 80              |              |
| 14    | 5.53             | 5.724        | 80              |              |
| 15    | 5.53             | 5.68         | 80              |              |
| 16    | 5.53             | 5.283        | 80              |              |
| 17    | 5.53             | 5.315        | 80              |              |
| 18    | 5.53             | 5.473        | 80              |              |
| 19    | 5.53             | 5.448        | 80              |              |
| 20    | 5.53             | 5.504        | 80              | *            |
| 21    | 5.53             | 5.661        | 80              |              |
| 22    | 5.53             | 5.536        | 80              | *            |
| 23    | 5.53             | 5.274        | 80              |              |
| 24    | 5.53             | 5.581        | 80              |              |
| 25    | 5.53             | 5.438        | 80              |              |
| 26    | 5.53             | 5.414        | 80              |              |
| 27    | 5.53             | 5.557        | 80              | *            |
| 28    | 5.53             | 5.628        | 80              |              |
| 29    | 5.53             | 5.337        | 80              |              |
| 30    | 5.53             | 5.608        | 80              |              |
| 31    | 5.53             | 5.532        | 80              | *            |
| 32    | 5.53             | 5.556        | 80              | *            |
| 33    | 5.53             | 5.566        | 80              | *            |
| 34    | 5.53             | 5.624        | 80              |              |
| 35    | 5.53             | 5.537        | 80              | *            |
| 36    | 5.53             | 5.307        | 80              |              |
| 37    | 5.53             | 5.707        | 80              |              |
| 38    | 5.53             | 5.623        | 80              |              |
| 39    | 5.53             | 5.715        | 80              |              |
| 40    | 5.53             | 5.269        | 80              |              |
| 41    | 5.53             | 5.699        | 80              |              |
| 42    | 5.53             | 5.708        | 80              |              |
| 43    | 5.53             | 5.483        | 80              |              |
| 44    | 5.53             | 5.57         | 80              | *            |
| 45    | 5.53             | 5.592        | 80              |              |
| 46    | 5.53             | 5.511        | 80              | *            |
| 47    | 5.53             | 5.522        | 80              | *            |
| 48    | 5.53             | 5.317        | 80              |              |
| 49    | 5.53             | 5.342        | 80              |              |

|     |      |       |    |   |
|-----|------|-------|----|---|
| 50  | 5.53 | 5.721 | 80 |   |
| 51  | 5.53 | 5.252 | 80 |   |
| 52  | 5.53 | 5.509 | 80 | * |
| 53  | 5.53 | 5.529 | 80 | * |
| 54  | 5.53 | 5.572 | 80 |   |
| 55  | 5.53 | 5.642 | 80 |   |
| 56  | 5.53 | 5.578 | 80 |   |
| 57  | 5.53 | 5.398 | 80 |   |
| 58  | 5.53 | 5.626 | 80 |   |
| 59  | 5.53 | 5.367 | 80 |   |
| 60  | 5.53 | 5.691 | 80 |   |
| 61  | 5.53 | 5.314 | 80 |   |
| 62  | 5.53 | 5.272 | 80 |   |
| 63  | 5.53 | 5.589 | 80 |   |
| 64  | 5.53 | 5.443 | 80 |   |
| 65  | 5.53 | 5.7   | 80 |   |
| 66  | 5.53 | 5.615 | 80 |   |
| 67  | 5.53 | 5.597 | 80 |   |
| 68  | 5.53 | 5.356 | 80 |   |
| 69  | 5.53 | 5.273 | 80 |   |
| 70  | 5.53 | 5.723 | 80 |   |
| 71  | 5.53 | 5.268 | 80 |   |
| 72  | 5.53 | 5.396 | 80 |   |
| 73  | 5.53 | 5.377 | 80 |   |
| 74  | 5.53 | 5.638 | 80 |   |
| 75  | 5.53 | 5.645 | 80 |   |
| 76  | 5.53 | 5.346 | 80 |   |
| 77  | 5.53 | 5.534 | 80 | * |
| 78  | 5.53 | 5.515 | 80 | * |
| 79  | 5.53 | 5.526 | 80 | * |
| 80  | 5.53 | 5.389 | 80 |   |
| 81  | 5.53 | 5.568 | 80 | * |
| 82  | 5.53 | 5.681 | 80 |   |
| 83  | 5.53 | 5.437 | 80 |   |
| 84  | 5.53 | 5.404 | 80 |   |
| 85  | 5.53 | 5.378 | 80 |   |
| 86  | 5.53 | 5.278 | 80 |   |
| 87  | 5.53 | 5.59  | 80 |   |
| 88  | 5.53 | 5.361 | 80 |   |
| 89  | 5.53 | 5.405 | 80 |   |
| 90  | 5.53 | 5.251 | 80 |   |
| 91  | 5.53 | 5.291 | 80 |   |
| 92  | 5.53 | 5.67  | 80 |   |
| 93  | 5.53 | 5.371 | 80 |   |
| 94  | 5.53 | 5.686 | 80 |   |
| 95  | 5.53 | 5.477 | 80 |   |
| 96  | 5.53 | 5.411 | 80 |   |
| 97  | 5.53 | 5.348 | 80 |   |
| 98  | 5.53 | 5.373 | 80 |   |
| 99  | 5.53 | 5.55  | 80 | * |
| 100 | 5.53 | 5.323 | 80 |   |

|  |
|--|
|  |
|--|

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 2       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.623        | 80              |              |
| 2                      | 5.53             | 5.639        | 80              |              |
| 3                      | 5.53             | 5.294        | 80              |              |
| 4                      | 5.53             | 5.585        | 80              |              |
| 5                      | 5.53             | 5.278        | 80              |              |
| 6                      | 5.53             | 5.357        | 80              |              |
| 7                      | 5.53             | 5.686        | 80              |              |
| 8                      | 5.53             | 5.653        | 80              |              |
| 9                      | 5.53             | 5.715        | 80              |              |
| 10                     | 5.53             | 5.553        | 80              | *            |
| 11                     | 5.53             | 5.328        | 80              |              |
| 12                     | 5.53             | 5.393        | 80              |              |
| 13                     | 5.53             | 5.498        | 80              | *            |
| 14                     | 5.53             | 5.572        | 80              |              |
| 15                     | 5.53             | 5.669        | 80              |              |
| 16                     | 5.53             | 5.437        | 80              |              |
| 17                     | 5.53             | 5.264        | 80              |              |
| 18                     | 5.53             | 5.521        | 80              | *            |
| 19                     | 5.53             | 5.482        | 80              |              |
| 20                     | 5.53             | 5.656        | 80              |              |
| 21                     | 5.53             | 5.37         | 80              |              |
| 22                     | 5.53             | 5.452        | 80              |              |
| 23                     | 5.53             | 5.701        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 3       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.261        | 80              |              |
| 2                      | 5.53             | 5.458        | 80              |              |
| 3                      | 5.53             | 5.623        | 80              |              |
| 4                      | 5.53             | 5.344        | 80              |              |
| 5                      | 5.53             | 5.288        | 80              |              |
| 6                      | 5.53             | 5.559        | 80              | *            |
| 7                      | 5.53             | 5.354        | 80              |              |
| 8                      | 5.53             | 5.598        | 80              |              |
| 9                      | 5.53             | 5.706        | 80              |              |
| 10                     | 5.53             | 5.368        | 80              |              |
| 11                     | 5.53             | 5.286        | 80              |              |
| 12                     | 5.53             | 5.496        | 80              | *            |
| 13                     | 5.53             | 5.691        | 80              |              |
| 14                     | 5.53             | 5.715        | 80              |              |
| 15                     | 5.53             | 5.36         | 80              |              |
| 16                     | 5.53             | 5.265        | 80              |              |
| 17                     | 5.53             | 5.594        | 80              |              |
| 18                     | 5.53             | 5.428        | 80              |              |
| 19                     | 5.53             | 5.438        | 80              |              |
| 20                     | 5.53             | 5.696        | 80              |              |
| 21                     | 5.53             | 5.531        | 80              | *            |
| 22                     | 5.53             | 5.319        | 80              |              |
| 23                     | 5.53             | 5.556        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 4       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.467        | 80              |              |
| 2                      | 5.53             | 5.452        | 80              |              |
| 3                      | 5.53             | 5.378        | 80              |              |
| 4                      | 5.53             | 5.341        | 80              |              |
| 5                      | 5.53             | 5.723        | 80              |              |
| 6                      | 5.53             | 5.346        | 80              |              |
| 7                      | 5.53             | 5.415        | 80              |              |
| 8                      | 5.53             | 5.687        | 80              |              |
| 9                      | 5.53             | 5.681        | 80              |              |
| 10                     | 5.53             | 5.64         | 80              |              |
| 11                     | 5.53             | 5.575        | 80              |              |
| 12                     | 5.53             | 5.495        | 80              | *            |
| 13                     | 5.53             | 5.689        | 80              |              |
| 14                     | 5.53             | 5.271        | 80              |              |
| 15                     | 5.53             | 5.332        | 80              |              |
| 16                     | 5.53             | 5.32         | 80              |              |
| 17                     | 5.53             | 5.338        | 80              |              |
| 18                     | 5.53             | 5.46         | 80              |              |
| 19                     | 5.53             | 5.3          | 80              |              |
| 20                     | 5.53             | 5.622        | 80              |              |
| 21                     | 5.53             | 5.458        | 80              |              |
| 22                     | 5.53             | 5.391        | 80              |              |
| 23                     | 5.53             | 5.635        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 5       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.456        | 80              |              |
| 2                      | 5.53             | 5.49         | 80              | *            |
| 3                      | 5.53             | 5.606        | 80              |              |
| 4                      | 5.53             | 5.494        | 80              | *            |
| 5                      | 5.53             | 5.669        | 80              |              |
| 6                      | 5.53             | 5.443        | 80              |              |
| 7                      | 5.53             | 5.718        | 80              |              |
| 8                      | 5.53             | 5.437        | 80              |              |
| 9                      | 5.53             | 5.311        | 80              |              |
| 10                     | 5.53             | 5.522        | 80              | *            |
| 11                     | 5.53             | 5.345        | 80              |              |
| 12                     | 5.53             | 5.358        | 80              |              |
| 13                     | 5.53             | 5.716        | 80              |              |
| 14                     | 5.53             | 5.317        | 80              |              |
| 15                     | 5.53             | 5.398        | 80              |              |
| 16                     | 5.53             | 5.647        | 80              |              |
| 17                     | 5.53             | 5.482        | 80              |              |
| 18                     | 5.53             | 5.531        | 80              | *            |
| 19                     | 5.53             | 5.713        | 80              |              |
| 20                     | 5.53             | 5.672        | 80              |              |
| 21                     | 5.53             | 5.68         | 80              |              |
| 22                     | 5.53             | 5.298        | 80              |              |
| 23                     | 5.53             | 5.666        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 6       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.385        | 80              |              |
| 2                      | 5.53             | 5.383        | 80              |              |
| 3                      | 5.53             | 5.63         | 80              |              |
| 4                      | 5.53             | 5.503        | 80              | *            |
| 5                      | 5.53             | 5.607        | 80              |              |
| 6                      | 5.53             | 5.646        | 80              |              |
| 7                      | 5.53             | 5.602        | 80              |              |
| 8                      | 5.53             | 5.627        | 80              |              |
| 9                      | 5.53             | 5.384        | 80              |              |
| 10                     | 5.53             | 5.272        | 80              |              |
| 11                     | 5.53             | 5.488        | 80              |              |
| 12                     | 5.53             | 5.696        | 80              |              |
| 13                     | 5.53             | 5.292        | 80              |              |
| 14                     | 5.53             | 5.612        | 80              |              |
| 15                     | 5.53             | 5.674        | 80              |              |
| 16                     | 5.53             | 5.615        | 80              |              |
| 17                     | 5.53             | 5.699        | 80              |              |
| 18                     | 5.53             | 5.695        | 80              |              |
| 19                     | 5.53             | 5.267        | 80              |              |
| 20                     | 5.53             | 5.697        | 80              |              |
| 21                     | 5.53             | 5.541        | 80              | *            |
| 22                     | 5.53             | 5.455        | 80              |              |
| 23                     | 5.53             | 5.454        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 7       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.524        | 80              | *            |
| 2                      | 5.53             | 5.635        | 80              |              |
| 3                      | 5.53             | 5.669        | 80              |              |
| 4                      | 5.53             | 5.487        | 80              |              |
| 5                      | 5.53             | 5.693        | 80              |              |
| 6                      | 5.53             | 5.326        | 80              |              |
| 7                      | 5.53             | 5.408        | 80              |              |
| 8                      | 5.53             | 5.713        | 80              |              |
| 9                      | 5.53             | 5.503        | 80              | *            |
| 10                     | 5.53             | 5.355        | 80              |              |
| 11                     | 5.53             | 5.55         | 80              | *            |
| 12                     | 5.53             | 5.259        | 80              |              |
| 13                     | 5.53             | 5.59         | 80              |              |
| 14                     | 5.53             | 5.31         | 80              |              |
| 15                     | 5.53             | 5.61         | 80              |              |
| 16                     | 5.53             | 5.526        | 80              | *            |
| 17                     | 5.53             | 5.276        | 80              |              |
| 18                     | 5.53             | 5.515        | 80              | *            |
| 19                     | 5.53             | 5.464        | 80              |              |
| 20                     | 5.53             | 5.529        | 80              | *            |
| 21                     | 5.53             | 5.616        | 80              |              |
| 22                     | 5.53             | 5.289        | 80              |              |
| 23                     | 5.53             | 5.675        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 8       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.321        | 80              |              |
| 2                      | 5.53             | 5.485        | 80              |              |
| 3                      | 5.53             | 5.696        | 80              |              |
| 4                      | 5.53             | 5.611        | 80              |              |
| 5                      | 5.53             | 5.252        | 80              |              |
| 6                      | 5.53             | 5.298        | 80              |              |
| 7                      | 5.53             | 5.357        | 80              |              |
| 8                      | 5.53             | 5.565        | 80              | *            |
| 9                      | 5.53             | 5.374        | 80              |              |
| 10                     | 5.53             | 5.498        | 80              | *            |
| 11                     | 5.53             | 5.554        | 80              | *            |
| 12                     | 5.53             | 5.721        | 80              |              |
| 13                     | 5.53             | 5.668        | 80              |              |
| 14                     | 5.53             | 5.501        | 80              | *            |
| 15                     | 5.53             | 5.606        | 80              |              |
| 16                     | 5.53             | 5.675        | 80              |              |
| 17                     | 5.53             | 5.526        | 80              | *            |
| 18                     | 5.53             | 5.317        | 80              |              |
| 19                     | 5.53             | 5.699        | 80              |              |
| 20                     | 5.53             | 5.394        | 80              |              |
| 21                     | 5.53             | 5.311        | 80              |              |
| 22                     | 5.53             | 5.608        | 80              |              |
| 23                     | 5.53             | 5.625        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 9       |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.391        | 80              |              |
| 2                      | 5.53             | 5.357        | 80              |              |
| 3                      | 5.53             | 5.596        | 80              |              |
| 4                      | 5.53             | 5.439        | 80              |              |
| 5                      | 5.53             | 5.393        | 80              |              |
| 6                      | 5.53             | 5.371        | 80              |              |
| 7                      | 5.53             | 5.552        | 80              | *            |
| 8                      | 5.53             | 5.619        | 80              |              |
| 9                      | 5.53             | 5.358        | 80              |              |
| 10                     | 5.53             | 5.681        | 80              |              |
| 11                     | 5.53             | 5.65         | 80              |              |
| 12                     | 5.53             | 5.316        | 80              |              |
| 13                     | 5.53             | 5.509        | 80              | *            |
| 14                     | 5.53             | 5.428        | 80              |              |
| 15                     | 5.53             | 5.408        | 80              |              |
| 16                     | 5.53             | 5.646        | 80              |              |
| 17                     | 5.53             | 5.611        | 80              |              |
| 18                     | 5.53             | 5.441        | 80              |              |
| 19                     | 5.53             | 5.377        | 80              |              |
| 20                     | 5.53             | 5.547        | 80              | *            |
| 21                     | 5.53             | 5.583        | 80              |              |
| 22                     | 5.53             | 5.304        | 80              |              |
| 23                     | 5.53             | 5.321        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 10      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.479        | 80              |              |
| 2                      | 5.53             | 5.471        | 80              |              |
| 3                      | 5.53             | 5.493        | 80              | *            |
| 4                      | 5.53             | 5.683        | 80              |              |
| 5                      | 5.53             | 5.71         | 80              |              |
| 6                      | 5.53             | 5.258        | 80              |              |
| 7                      | 5.53             | 5.635        | 80              |              |
| 8                      | 5.53             | 5.542        | 80              | *            |
| 9                      | 5.53             | 5.267        | 80              |              |
| 10                     | 5.53             | 5.641        | 80              |              |
| 11                     | 5.53             | 5.448        | 80              |              |
| 12                     | 5.53             | 5.7          | 80              |              |
| 13                     | 5.53             | 5.276        | 80              |              |
| 14                     | 5.53             | 5.64         | 80              |              |
| 15                     | 5.53             | 5.608        | 80              |              |
| 16                     | 5.53             | 5.393        | 80              |              |
| 17                     | 5.53             | 5.391        | 80              |              |
| 18                     | 5.53             | 5.306        | 80              |              |
| 19                     | 5.53             | 5.668        | 80              |              |
| 20                     | 5.53             | 5.631        | 80              |              |
| 21                     | 5.53             | 5.42         | 80              |              |
| 22                     | 5.53             | 5.704        | 80              |              |
| 23                     | 5.53             | 5.679        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 11      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.279        | 80              |              |
| 2                      | 5.53             | 5.456        | 80              |              |
| 3                      | 5.53             | 5.638        | 80              |              |
| 4                      | 5.53             | 5.33         | 80              |              |
| 5                      | 5.53             | 5.448        | 80              |              |
| 6                      | 5.53             | 5.631        | 80              |              |
| 7                      | 5.53             | 5.29         | 80              |              |
| 8                      | 5.53             | 5.458        | 80              |              |
| 9                      | 5.53             | 5.577        | 80              |              |
| 10                     | 5.53             | 5.386        | 80              |              |
| 11                     | 5.53             | 5.505        | 80              | *            |
| 12                     | 5.53             | 5.701        | 80              |              |
| 13                     | 5.53             | 5.292        | 80              |              |
| 14                     | 5.53             | 5.718        | 80              |              |
| 15                     | 5.53             | 5.617        | 80              |              |
| 16                     | 5.53             | 5.401        | 80              |              |
| 17                     | 5.53             | 5.416        | 80              |              |
| 18                     | 5.53             | 5.406        | 80              |              |
| 19                     | 5.53             | 5.298        | 80              |              |
| 20                     | 5.53             | 5.355        | 80              |              |
| 21                     | 5.53             | 5.275        | 80              |              |
| 22                     | 5.53             | 5.403        | 80              |              |
| 23                     | 5.53             | 5.254        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 12      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.691        | 80              |              |
| 2                      | 5.53             | 5.488        | 80              |              |
| 3                      | 5.53             | 5.694        | 80              |              |
| 4                      | 5.53             | 5.584        | 80              |              |
| 5                      | 5.53             | 5.418        | 80              |              |
| 6                      | 5.53             | 5.567        | 80              | *            |
| 7                      | 5.53             | 5.383        | 80              |              |
| 8                      | 5.53             | 5.606        | 80              |              |
| 9                      | 5.53             | 5.288        | 80              |              |
| 10                     | 5.53             | 5.469        | 80              |              |
| 11                     | 5.53             | 5.541        | 80              | *            |
| 12                     | 5.53             | 5.634        | 80              |              |
| 13                     | 5.53             | 5.396        | 80              |              |
| 14                     | 5.53             | 5.675        | 80              |              |
| 15                     | 5.53             | 5.702        | 80              |              |
| 16                     | 5.53             | 5.545        | 80              | *            |
| 17                     | 5.53             | 5.417        | 80              |              |
| 18                     | 5.53             | 5.639        | 80              |              |
| 19                     | 5.53             | 5.693        | 80              |              |
| 20                     | 5.53             | 5.322        | 80              |              |
| 21                     | 5.53             | 5.705        | 80              |              |
| 22                     | 5.53             | 5.591        | 80              |              |
| 23                     | 5.53             | 5.279        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 13      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.355        | 80              |              |
| 2                      | 5.53             | 5.685        | 80              |              |
| 3                      | 5.53             | 5.595        | 80              |              |
| 4                      | 5.53             | 5.662        | 80              |              |
| 5                      | 5.53             | 5.269        | 80              |              |
| 6                      | 5.53             | 5.289        | 80              |              |
| 7                      | 5.53             | 5.721        | 80              |              |
| 8                      | 5.53             | 5.287        | 80              |              |
| 9                      | 5.53             | 5.398        | 80              |              |
| 10                     | 5.53             | 5.66         | 80              |              |
| 11                     | 5.53             | 5.405        | 80              |              |
| 12                     | 5.53             | 5.267        | 80              |              |
| 13                     | 5.53             | 5.608        | 80              |              |
| 14                     | 5.53             | 5.429        | 80              |              |
| 15                     | 5.53             | 5.716        | 80              |              |
| 16                     | 5.53             | 5.271        | 80              |              |
| 17                     | 5.53             | 5.528        | 80              | *            |
| 18                     | 5.53             | 5.33         | 80              |              |
| 19                     | 5.53             | 5.653        | 80              |              |
| 20                     | 5.53             | 5.532        | 80              | *            |
| 21                     | 5.53             | 5.59         | 80              |              |
| 22                     | 5.53             | 5.586        | 80              |              |
| 23                     | 5.53             | 5.455        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 14      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.644        | 80              |              |
| 2                      | 5.53             | 5.603        | 80              |              |
| 3                      | 5.53             | 5.634        | 80              |              |
| 4                      | 5.53             | 5.576        | 80              |              |
| 5                      | 5.53             | 5.583        | 80              |              |
| 6                      | 5.53             | 5.716        | 80              |              |
| 7                      | 5.53             | 5.554        | 80              | *            |
| 8                      | 5.53             | 5.35         | 80              |              |
| 9                      | 5.53             | 5.396        | 80              |              |
| 10                     | 5.53             | 5.289        | 80              |              |
| 11                     | 5.53             | 5.673        | 80              |              |
| 12                     | 5.53             | 5.44         | 80              |              |
| 13                     | 5.53             | 5.453        | 80              |              |
| 14                     | 5.53             | 5.312        | 80              |              |
| 15                     | 5.53             | 5.375        | 80              |              |
| 16                     | 5.53             | 5.444        | 80              |              |
| 17                     | 5.53             | 5.338        | 80              |              |
| 18                     | 5.53             | 5.28         | 80              |              |
| 19                     | 5.53             | 5.594        | 80              |              |
| 20                     | 5.53             | 5.29         | 80              |              |
| 21                     | 5.53             | 5.586        | 80              |              |
| 22                     | 5.53             | 5.292        | 80              |              |
| 23                     | 5.53             | 5.55         | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 15      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.585        | 80              |              |
| 2                      | 5.53             | 5.636        | 80              |              |
| 3                      | 5.53             | 5.262        | 80              |              |
| 4                      | 5.53             | 5.499        | 80              | *            |
| 5                      | 5.53             | 5.304        | 80              |              |
| 6                      | 5.53             | 5.618        | 80              |              |
| 7                      | 5.53             | 5.584        | 80              |              |
| 8                      | 5.53             | 5.703        | 80              |              |
| 9                      | 5.53             | 5.507        | 80              | *            |
| 10                     | 5.53             | 5.706        | 80              |              |
| 11                     | 5.53             | 5.59         | 80              |              |
| 12                     | 5.53             | 5.32         | 80              |              |
| 13                     | 5.53             | 5.64         | 80              |              |
| 14                     | 5.53             | 5.529        | 80              | *            |
| 15                     | 5.53             | 5.559        | 80              | *            |
| 16                     | 5.53             | 5.488        | 80              |              |
| 17                     | 5.53             | 5.285        | 80              |              |
| 18                     | 5.53             | 5.518        | 80              | *            |
| 19                     | 5.53             | 5.463        | 80              |              |
| 20                     | 5.53             | 5.49         | 80              | *            |
| 21                     | 5.53             | 5.276        | 80              |              |
| 22                     | 5.53             | 5.489        | 80              |              |
| 23                     | 5.53             | 5.532        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 16      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.503        | 80              | *            |
| 2                      | 5.53             | 5.336        | 80              |              |
| 3                      | 5.53             | 5.515        | 80              | *            |
| 4                      | 5.53             | 5.541        | 80              | *            |
| 5                      | 5.53             | 5.4          | 80              |              |
| 6                      | 5.53             | 5.456        | 80              |              |
| 7                      | 5.53             | 5.483        | 80              |              |
| 8                      | 5.53             | 5.472        | 80              |              |
| 9                      | 5.53             | 5.697        | 80              |              |
| 10                     | 5.53             | 5.548        | 80              | *            |
| 11                     | 5.53             | 5.603        | 80              |              |
| 12                     | 5.53             | 5.257        | 80              |              |
| 13                     | 5.53             | 5.28         | 80              |              |
| 14                     | 5.53             | 5.301        | 80              |              |
| 15                     | 5.53             | 5.682        | 80              |              |
| 16                     | 5.53             | 5.481        | 80              |              |
| 17                     | 5.53             | 5.447        | 80              |              |
| 18                     | 5.53             | 5.499        | 80              | *            |
| 19                     | 5.53             | 5.601        | 80              |              |
| 20                     | 5.53             | 5.62         | 80              |              |
| 21                     | 5.53             | 5.38         | 80              |              |
| 22                     | 5.53             | 5.578        | 80              |              |
| 23                     | 5.53             | 5.445        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 17      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.349        | 80              |              |
| 2                      | 5.53             | 5.502        | 80              | *            |
| 3                      | 5.53             | 5.579        | 80              |              |
| 4                      | 5.53             | 5.665        | 80              |              |
| 5                      | 5.53             | 5.47         | 80              |              |
| 6                      | 5.53             | 5.298        | 80              |              |
| 7                      | 5.53             | 5.476        | 80              |              |
| 8                      | 5.53             | 5.275        | 80              |              |
| 9                      | 5.53             | 5.448        | 80              |              |
| 10                     | 5.53             | 5.33         | 80              |              |
| 11                     | 5.53             | 5.303        | 80              |              |
| 12                     | 5.53             | 5.254        | 80              |              |
| 13                     | 5.53             | 5.609        | 80              |              |
| 14                     | 5.53             | 5.29         | 80              |              |
| 15                     | 5.53             | 5.443        | 80              |              |
| 16                     | 5.53             | 5.252        | 80              |              |
| 17                     | 5.53             | 5.506        | 80              | *            |
| 18                     | 5.53             | 5.602        | 80              |              |
| 19                     | 5.53             | 5.503        | 80              | *            |
| 20                     | 5.53             | 5.51         | 80              | *            |
| 21                     | 5.53             | 5.35         | 80              |              |
| 22                     | 5.53             | 5.583        | 80              |              |
| 23                     | 5.53             | 5.593        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 18      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.273        | 80              |              |
| 2                      | 5.53             | 5.396        | 80              |              |
| 3                      | 5.53             | 5.544        | 80              | *            |
| 4                      | 5.53             | 5.597        | 80              |              |
| 5                      | 5.53             | 5.491        | 80              | *            |
| 6                      | 5.53             | 5.414        | 80              |              |
| 7                      | 5.53             | 5.671        | 80              |              |
| 8                      | 5.53             | 5.348        | 80              |              |
| 9                      | 5.53             | 5.29         | 80              |              |
| 10                     | 5.53             | 5.3          | 80              |              |
| 11                     | 5.53             | 5.718        | 80              |              |
| 12                     | 5.53             | 5.44         | 80              |              |
| 13                     | 5.53             | 5.595        | 80              |              |
| 14                     | 5.53             | 5.386        | 80              |              |
| 15                     | 5.53             | 5.402        | 80              |              |
| 16                     | 5.53             | 5.422        | 80              |              |
| 17                     | 5.53             | 5.408        | 80              |              |
| 18                     | 5.53             | 5.345        | 80              |              |
| 19                     | 5.53             | 5.465        | 80              |              |
| 20                     | 5.53             | 5.362        | 80              |              |
| 21                     | 5.53             | 5.66         | 80              |              |
| 22                     | 5.53             | 5.329        | 80              |              |
| 23                     | 5.53             | 5.552        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 19      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.27         | 80              |              |
| 2                      | 5.53             | 5.287        | 80              |              |
| 3                      | 5.53             | 5.617        | 80              |              |
| 4                      | 5.53             | 5.612        | 80              |              |
| 5                      | 5.53             | 5.493        | 80              | *            |
| 6                      | 5.53             | 5.53         | 80              | *            |
| 7                      | 5.53             | 5.25         | 80              |              |
| 8                      | 5.53             | 5.57         | 80              | *            |
| 9                      | 5.53             | 5.377        | 80              |              |
| 10                     | 5.53             | 5.423        | 80              |              |
| 11                     | 5.53             | 5.532        | 80              | *            |
| 12                     | 5.53             | 5.562        | 80              | *            |
| 13                     | 5.53             | 5.545        | 80              | *            |
| 14                     | 5.53             | 5.335        | 80              |              |
| 15                     | 5.53             | 5.51         | 80              | *            |
| 16                     | 5.53             | 5.701        | 80              |              |
| 17                     | 5.53             | 5.685        | 80              |              |
| 18                     | 5.53             | 5.272        | 80              |              |
| 19                     | 5.53             | 5.513        | 80              | *            |
| 20                     | 5.53             | 5.282        | 80              |              |
| 21                     | 5.53             | 5.447        | 80              |              |
| 22                     | 5.53             | 5.378        | 80              |              |
| 23                     | 5.53             | 5.293        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 20      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.54         | 80              | *            |
| 2                      | 5.53             | 5.423        | 80              |              |
| 3                      | 5.53             | 5.322        | 80              |              |
| 4                      | 5.53             | 5.526        | 80              | *            |
| 5                      | 5.53             | 5.541        | 80              | *            |
| 6                      | 5.53             | 5.366        | 80              |              |
| 7                      | 5.53             | 5.291        | 80              |              |
| 8                      | 5.53             | 5.339        | 80              |              |
| 9                      | 5.53             | 5.369        | 80              |              |
| 10                     | 5.53             | 5.556        | 80              | *            |
| 11                     | 5.53             | 5.484        | 80              |              |
| 12                     | 5.53             | 5.351        | 80              |              |
| 13                     | 5.53             | 5.28         | 80              |              |
| 14                     | 5.53             | 5.452        | 80              |              |
| 15                     | 5.53             | 5.706        | 80              |              |
| 16                     | 5.53             | 5.455        | 80              |              |
| 17                     | 5.53             | 5.613        | 80              |              |
| 18                     | 5.53             | 5.317        | 80              |              |
| 19                     | 5.53             | 5.515        | 80              | *            |
| 20                     | 5.53             | 5.543        | 80              | *            |
| 21                     | 5.53             | 5.459        | 80              |              |
| 22                     | 5.53             | 5.553        | 80              | *            |
| 23                     | 5.53             | 5.603        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 21      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.587        | 80              |              |
| 2                      | 5.53             | 5.498        | 80              | *            |
| 3                      | 5.53             | 5.436        | 80              |              |
| 4                      | 5.53             | 5.469        | 80              |              |
| 5                      | 5.53             | 5.351        | 80              |              |
| 6                      | 5.53             | 5.515        | 80              | *            |
| 7                      | 5.53             | 5.68         | 80              |              |
| 8                      | 5.53             | 5.558        | 80              | *            |
| 9                      | 5.53             | 5.354        | 80              |              |
| 10                     | 5.53             | 5.614        | 80              |              |
| 11                     | 5.53             | 5.465        | 80              |              |
| 12                     | 5.53             | 5.661        | 80              |              |
| 13                     | 5.53             | 5.399        | 80              |              |
| 14                     | 5.53             | 5.367        | 80              |              |
| 15                     | 5.53             | 5.686        | 80              |              |
| 16                     | 5.53             | 5.264        | 80              |              |
| 17                     | 5.53             | 5.664        | 80              |              |
| 18                     | 5.53             | 5.286        | 80              |              |
| 19                     | 5.53             | 5.425        | 80              |              |
| 20                     | 5.53             | 5.653        | 80              |              |
| 21                     | 5.53             | 5.303        | 80              |              |
| 22                     | 5.53             | 5.578        | 80              |              |
| 23                     | 5.53             | 5.504        | 80              | *            |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 22      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.527        | 80              | *            |
| 2                      | 5.53             | 5.533        | 80              | *            |
| 3                      | 5.53             | 5.377        | 80              |              |
| 4                      | 5.53             | 5.332        | 80              |              |
| 5                      | 5.53             | 5.717        | 80              |              |
| 6                      | 5.53             | 5.349        | 80              |              |
| 7                      | 5.53             | 5.682        | 80              |              |
| 8                      | 5.53             | 5.37         | 80              |              |
| 9                      | 5.53             | 5.415        | 80              |              |
| 10                     | 5.53             | 5.449        | 80              |              |
| 11                     | 5.53             | 5.3          | 80              |              |
| 12                     | 5.53             | 5.638        | 80              |              |
| 13                     | 5.53             | 5.435        | 80              |              |
| 14                     | 5.53             | 5.655        | 80              |              |
| 15                     | 5.53             | 5.585        | 80              |              |
| 16                     | 5.53             | 5.261        | 80              |              |
| 17                     | 5.53             | 5.411        | 80              |              |
| 18                     | 5.53             | 5.314        | 80              |              |
| 19                     | 5.53             | 5.538        | 80              | *            |
| 20                     | 5.53             | 5.715        | 80              |              |
| 21                     | 5.53             | 5.306        | 80              |              |
| 22                     | 5.53             | 5.272        | 80              |              |
| 23                     | 5.53             | 5.278        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 23      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.289        | 80              |              |
| 2                      | 5.53             | 5.479        | 80              |              |
| 3                      | 5.53             | 5.278        | 80              |              |
| 4                      | 5.53             | 5.263        | 80              |              |
| 5                      | 5.53             | 5.311        | 80              |              |
| 6                      | 5.53             | 5.45         | 80              |              |
| 7                      | 5.53             | 5.567        | 80              | *            |
| 8                      | 5.53             | 5.506        | 80              | *            |
| 9                      | 5.53             | 5.271        | 80              |              |
| 10                     | 5.53             | 5.718        | 80              |              |
| 11                     | 5.53             | 5.382        | 80              |              |
| 12                     | 5.53             | 5.447        | 80              |              |
| 13                     | 5.53             | 5.681        | 80              |              |
| 14                     | 5.53             | 5.553        | 80              | *            |
| 15                     | 5.53             | 5.644        | 80              |              |
| 16                     | 5.53             | 5.665        | 80              |              |
| 17                     | 5.53             | 5.292        | 80              |              |
| 18                     | 5.53             | 5.701        | 80              |              |
| 19                     | 5.53             | 5.444        | 80              |              |
| 20                     | 5.53             | 5.374        | 80              |              |
| 21                     | 5.53             | 5.602        | 80              |              |
| 22                     | 5.53             | 5.524        | 80              | *            |
| 23                     | 5.53             | 5.579        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 24      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.355        | 80              |              |
| 2                      | 5.53             | 5.406        | 80              |              |
| 3                      | 5.53             | 5.689        | 80              |              |
| 4                      | 5.53             | 5.326        | 80              |              |
| 5                      | 5.53             | 5.537        | 80              | *            |
| 6                      | 5.53             | 5.596        | 80              |              |
| 7                      | 5.53             | 5.314        | 80              |              |
| 8                      | 5.53             | 5.348        | 80              |              |
| 9                      | 5.53             | 5.496        | 80              | *            |
| 10                     | 5.53             | 5.576        | 80              |              |
| 11                     | 5.53             | 5.72         | 80              |              |
| 12                     | 5.53             | 5.488        | 80              |              |
| 13                     | 5.53             | 5.434        | 80              |              |
| 14                     | 5.53             | 5.354        | 80              |              |
| 15                     | 5.53             | 5.41         | 80              |              |
| 16                     | 5.53             | 5.643        | 80              |              |
| 17                     | 5.53             | 5.587        | 80              |              |
| 18                     | 5.53             | 5.468        | 80              |              |
| 19                     | 5.53             | 5.316        | 80              |              |
| 20                     | 5.53             | 5.392        | 80              |              |
| 21                     | 5.53             | 5.574        | 80              |              |
| 22                     | 5.53             | 5.301        | 80              |              |
| 23                     | 5.53             | 5.313        | 80              |              |

| TYPE 6 PARAMETER SHEET |               |           |              |           |
|------------------------|---------------|-----------|--------------|-----------|
| Trial Number : 25      |               |           |              |           |
| Bursts in Trial: 100   |               |           |              |           |
| Burst                  | Carrier (GHz) | Hop (GHz) | DUT BW (MHz) | Within RX |
| 1                      | 5.53          | 5.386     | 80           |           |
| 2                      | 5.53          | 5.716     | 80           |           |
| 3                      | 5.53          | 5.29      | 80           |           |
| 4                      | 5.53          | 5.336     | 80           |           |
| 5                      | 5.53          | 5.39      | 80           |           |
| 6                      | 5.53          | 5.447     | 80           |           |
| 7                      | 5.53          | 5.534     | 80           | *         |
| 8                      | 5.53          | 5.335     | 80           |           |
| 9                      | 5.53          | 5.592     | 80           |           |
| 10                     | 5.53          | 5.535     | 80           | *         |
| 11                     | 5.53          | 5.305     | 80           |           |
| 12                     | 5.53          | 5.257     | 80           |           |
| 13                     | 5.53          | 5.619     | 80           |           |
| 14                     | 5.53          | 5.635     | 80           |           |
| 15                     | 5.53          | 5.357     | 80           |           |
| 16                     | 5.53          | 5.44      | 80           |           |
| 17                     | 5.53          | 5.418     | 80           |           |
| 18                     | 5.53          | 5.395     | 80           |           |
| 19                     | 5.53          | 5.259     | 80           |           |
| 20                     | 5.53          | 5.718     | 80           |           |
| 21                     | 5.53          | 5.532     | 80           | *         |
| 22                     | 5.53          | 5.514     | 80           | *         |
| 23                     | 5.53          | 5.435     | 80           |           |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 26      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.629        | 80              |              |
| 2                      | 5.53             | 5.451        | 80              |              |
| 3                      | 5.53             | 5.57         | 80              | *            |
| 4                      | 5.53             | 5.487        | 80              |              |
| 5                      | 5.53             | 5.55         | 80              | *            |
| 6                      | 5.53             | 5.289        | 80              |              |
| 7                      | 5.53             | 5.378        | 80              |              |
| 8                      | 5.53             | 5.48         | 80              |              |
| 9                      | 5.53             | 5.603        | 80              |              |
| 10                     | 5.53             | 5.381        | 80              |              |
| 11                     | 5.53             | 5.69         | 80              |              |
| 12                     | 5.53             | 5.691        | 80              |              |
| 13                     | 5.53             | 5.26         | 80              |              |
| 14                     | 5.53             | 5.49         | 80              | *            |
| 15                     | 5.53             | 5.29         | 80              |              |
| 16                     | 5.53             | 5.318        | 80              |              |
| 17                     | 5.53             | 5.666        | 80              |              |
| 18                     | 5.53             | 5.717        | 80              |              |
| 19                     | 5.53             | 5.577        | 80              |              |
| 20                     | 5.53             | 5.713        | 80              |              |
| 21                     | 5.53             | 5.426        | 80              |              |
| 22                     | 5.53             | 5.312        | 80              |              |
| 23                     | 5.53             | 5.338        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 27      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.388        | 80              |              |
| 2                      | 5.53             | 5.395        | 80              |              |
| 3                      | 5.53             | 5.328        | 80              |              |
| 4                      | 5.53             | 5.334        | 80              |              |
| 5                      | 5.53             | 5.618        | 80              |              |
| 6                      | 5.53             | 5.644        | 80              |              |
| 7                      | 5.53             | 5.589        | 80              |              |
| 8                      | 5.53             | 5.708        | 80              |              |
| 9                      | 5.53             | 5.274        | 80              |              |
| 10                     | 5.53             | 5.33         | 80              |              |
| 11                     | 5.53             | 5.312        | 80              |              |
| 12                     | 5.53             | 5.271        | 80              |              |
| 13                     | 5.53             | 5.295        | 80              |              |
| 14                     | 5.53             | 5.292        | 80              |              |
| 15                     | 5.53             | 5.571        | 80              |              |
| 16                     | 5.53             | 5.573        | 80              |              |
| 17                     | 5.53             | 5.335        | 80              |              |
| 18                     | 5.53             | 5.408        | 80              |              |
| 19                     | 5.53             | 5.495        | 80              | *            |
| 20                     | 5.53             | 5.686        | 80              |              |
| 21                     | 5.53             | 5.426        | 80              |              |
| 22                     | 5.53             | 5.417        | 80              |              |
| 23                     | 5.53             | 5.366        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 28      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.293        | 80              |              |
| 2                      | 5.53             | 5.265        | 80              |              |
| 3                      | 5.53             | 5.699        | 80              |              |
| 4                      | 5.53             | 5.494        | 80              | *            |
| 5                      | 5.53             | 5.485        | 80              |              |
| 6                      | 5.53             | 5.603        | 80              |              |
| 7                      | 5.53             | 5.331        | 80              |              |
| 8                      | 5.53             | 5.451        | 80              |              |
| 9                      | 5.53             | 5.544        | 80              | *            |
| 10                     | 5.53             | 5.343        | 80              |              |
| 11                     | 5.53             | 5.647        | 80              |              |
| 12                     | 5.53             | 5.314        | 80              |              |
| 13                     | 5.53             | 5.546        | 80              | *            |
| 14                     | 5.53             | 5.529        | 80              | *            |
| 15                     | 5.53             | 5.55         | 80              | *            |
| 16                     | 5.53             | 5.287        | 80              |              |
| 17                     | 5.53             | 5.428        | 80              |              |
| 18                     | 5.53             | 5.407        | 80              |              |
| 19                     | 5.53             | 5.423        | 80              |              |
| 20                     | 5.53             | 5.373        | 80              |              |
| 21                     | 5.53             | 5.666        | 80              |              |
| 22                     | 5.53             | 5.707        | 80              |              |
| 23                     | 5.53             | 5.368        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 29      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.636        | 80              |              |
| 2                      | 5.53             | 5.588        | 80              |              |
| 3                      | 5.53             | 5.5          | 80              | *            |
| 4                      | 5.53             | 5.573        | 80              |              |
| 5                      | 5.53             | 5.537        | 80              | *            |
| 6                      | 5.53             | 5.467        | 80              |              |
| 7                      | 5.53             | 5.388        | 80              |              |
| 8                      | 5.53             | 5.488        | 80              |              |
| 9                      | 5.53             | 5.33         | 80              |              |
| 10                     | 5.53             | 5.553        | 80              | *            |
| 11                     | 5.53             | 5.256        | 80              |              |
| 12                     | 5.53             | 5.562        | 80              | *            |
| 13                     | 5.53             | 5.423        | 80              |              |
| 14                     | 5.53             | 5.598        | 80              |              |
| 15                     | 5.53             | 5.412        | 80              |              |
| 16                     | 5.53             | 5.627        | 80              |              |
| 17                     | 5.53             | 5.31         | 80              |              |
| 18                     | 5.53             | 5.452        | 80              |              |
| 19                     | 5.53             | 5.638        | 80              |              |
| 20                     | 5.53             | 5.642        | 80              |              |
| 21                     | 5.53             | 5.48         | 80              |              |
| 22                     | 5.53             | 5.435        | 80              |              |
| 23                     | 5.53             | 5.395        | 80              |              |

| TYPE 6 PARAMETER SHEET |                  |              |                 |              |
|------------------------|------------------|--------------|-----------------|--------------|
| Trial Number : 30      |                  |              |                 |              |
| Bursts in Trial: 100   |                  |              |                 |              |
| Burst                  | Carrier<br>(GHz) | Hop<br>(GHz) | DUT BW<br>(MHz) | Within<br>RX |
| 1                      | 5.53             | 5.253        | 80              |              |
| 2                      | 5.53             | 5.669        | 80              |              |
| 3                      | 5.53             | 5.257        | 80              |              |
| 4                      | 5.53             | 5.474        | 80              |              |
| 5                      | 5.53             | 5.271        | 80              |              |
| 6                      | 5.53             | 5.724        | 80              |              |
| 7                      | 5.53             | 5.442        | 80              |              |
| 8                      | 5.53             | 5.415        | 80              |              |
| 9                      | 5.53             | 5.413        | 80              |              |
| 10                     | 5.53             | 5.706        | 80              |              |
| 11                     | 5.53             | 5.665        | 80              |              |
| 12                     | 5.53             | 5.521        | 80              | *            |
| 13                     | 5.53             | 5.278        | 80              |              |
| 14                     | 5.53             | 5.329        | 80              |              |
| 15                     | 5.53             | 5.467        | 80              |              |
| 16                     | 5.53             | 5.468        | 80              |              |
| 17                     | 5.53             | 5.512        | 80              | *            |
| 18                     | 5.53             | 5.568        | 80              | *            |
| 19                     | 5.53             | 5.626        | 80              |              |
| 20                     | 5.53             | 5.409        | 80              |              |
| 21                     | 5.53             | 5.347        | 80              |              |
| 22                     | 5.53             | 5.39         | 80              |              |
| 23                     | 5.53             | 5.401        | 80              |              |

## Mode 1 – 802.11ax20

| Total Type 1~4 Radar Statistical Performance (5500MHz) |                          |           |        |
|--------------------------------------------------------|--------------------------|-----------|--------|
| Radar Type                                             | Detection Percentage (%) | Limit (%) | Result |
| 1                                                      | 90.00                    | >60%      | Pass   |
| 2                                                      | 86.67                    | >60%      | Pass   |
| 3                                                      | 76.67                    | >60%      | Pass   |
| 4                                                      | 83.33                    | >60%      | Pass   |
| Total Type 1~4                                         | 84.17                    | >80%      | Pass   |
| 5                                                      | 80.00                    | ≥80%      | Pass   |
| 6                                                      | 93.33                    | ≥70%      | Pass   |

## Mode 2 – 802.11ax40

| Total Type 1~4 Radar Statistical Performance (5510MHz) |                          |           |        |
|--------------------------------------------------------|--------------------------|-----------|--------|
| Radar Type                                             | Detection Percentage (%) | Limit (%) | Result |
| 1                                                      | 93.33                    | >60%      | Pass   |
| 2                                                      | 83.33                    | >60%      | Pass   |
| 3                                                      | 80.00                    | >60%      | Pass   |
| 4                                                      | 70.00                    | >60%      | Pass   |
| Total Type 1~4                                         | 81.67                    | >80%      | Pass   |
| 5                                                      | 83.33                    | ≥80%      | Pass   |
| 6                                                      | 90.00                    | ≥70%      | Pass   |

## Mode 3 – 802.11ax80

| Total Type 1~4 Radar Statistical Performance (5530MHz) |                          |           |        |
|--------------------------------------------------------|--------------------------|-----------|--------|
| Radar Type                                             | Detection Percentage (%) | Limit (%) | Result |
| 1                                                      | 90.00                    | >60%      | Pass   |
| 2                                                      | 86.67                    | >60%      | Pass   |
| 3                                                      | 80.00                    | >60%      | Pass   |
| 4                                                      | 76.67                    | >60%      | Pass   |
| Total Type 1~4                                         | 83.33                    | >80%      | Pass   |
| 5                                                      | 86.67                    | ≥80%      | Pass   |
| 6                                                      | 93.33                    | ≥70%      | Pass   |